

G. JACOBY.
COMBINATION COATSHIRT AND DRAWERS.
APPLICATION FILED AUG. 3, 1912.

1,065,252.

Patented June 17, 1913.

2 SHEETS—SHEET 1.

Fig. 1





Fig. 2



Witnesses

W. S. McIlwain.
U. B. Hillyard.

Inventor

Gustave Jacoby

By Victor J. Evans

Attorney

G. JACOBY.
COMBINATION COATSHIRT AND DRAWERS.
APPLICATION FILED AUG. 3, 1912.

1,065,252.

Patented June 17, 1913.

2 SHEETS—SHEET 2.

Fig. 3




Fig. 4





Fig. 5



Witnesses
W. S. McLowell.
U. B. Hillyard.

Inventor
Gustave Jacoby
By Victor J. Evans
Attorney

UNITED STATES PATENT OFFICE.

GUSTAVE JACOBY, OF BALTIMORE, MARYLAND.

COMBINATION COATSHIRT AND DRAWERS.

1,065,252.

Specification of Letters Patent.

Patented June 17, 1913.

Application filed August 3, 1912. Serial No. 713,074.

To all whom it may concern:

Be it known that I, GUSTAVE JACOBY, a citizen of the United States, residing at Baltimore, in the State of Maryland, have

invented new and useful Improvements in Combination Coatshirts and Drawers, of which the following is a specification.

This invention relates to wearing apparel and more especially to garments for men and youths, the purpose being to supply a one-piece article embodying a negligée or dresscoat shirt and drawers, thereby economizing in material in the formation of these articles, besides insuring a close, neat, and comfortable fit about the waist and thighs, and wholly preventing the shirt or tails of the shirt from being drawn out from beneath the waist band of the trousers.

The invention consists of the novel features, details of construction, and combination of parts, which hereinafter will be more particularly set forth, illustrated in the accompanying drawings, and pointed out in the appended claim.

Referring to the drawings, forming a part of the specification: Figure 1 is a front view of an article of the character stated embodying the invention. Fig. 2 is a detail view of the lower portion of the back and the attached flaps and gores forming the leg pieces and gores. Fig. 3 is a detail view of one of the front flaps and part of the other. Fig. 4 is a detail view of one of the back gores. Fig. 5 is a detail view showing the application of the garment.

Corresponding and like parts are referred to in the following description, and indicated in all the views of the drawings, by the same reference characters.

The body, or main portion of the garment, resembles the ordinary coatshirt, which may be of the negligée or dress pattern. The leg portions are combined with the body or shirt portion to provide a single article of the shirt variety and nether garment type. The body portion of the garment is provided with sleeves 1 and comprises a back 2 and front quarters 3. When assembled, the front quarters are stitched along their outer vertical edges to the vertical edges of the back 2, the quarters 3 opening in the front and being provided with the usual button holes and buttons for securing the same when the garment is worn. An approximately V-shaped cut 4 is formed in

the lower end of the back 2 to provide leg members 5. Similar leg pieces are stitched along their rear edges to the inner edges of the leg members 5, the opposite edges of the leg pieces being buttoned to the front edge portions of the quarters 3. Each of the leg pieces comprises a gore 6 and a flap 7. The gores 6 are stitched to each other along their inner edges and along their outer edges to the parts bordering upon the opening 4. The flaps 7 have their inner ends tapered and stitched together for a part of their length, the remaining parts and the back edges being stitched to, respectively, the lower ends of the gores 6 and the quarters 2. The gores 6 give proper fullness to the leg pieces opposite the buttocks. The flaps 7 extend along the inner sides of the legs and connect the lower ends of the front and back quarters. The front portions of the flaps are reinforced. Suitable fastenings such as button holes and buttons are provided for fastening the free edges of the leg pieces to the lower portions of the front quarters 3.

It will be noted from the foregoing description and taken in connection with the accompanying drawings that the invention provides a shirt of the coat type and which may be slipped in position in substantially the same manner as a coat, after which the parts are fastened in front by means above described. The leg pieces are brought about the limbs and secured substantially in the manner set forth, thereby providing in effect a one-piece garment embodying a combined coatshirt and drawers. The article is so formed as to enable a minimum amount of material being utilized in the manufacture and insures a neat and close fit and prevents any uncomfortable feeling, such as is experienced by wearing a garment presenting voluminous bulk. Moreover, the shirt is held down and prevented from leaving the waist band of the trousers.

From the above description, taken in connection with the accompanying drawings, the advantages of the construction and of the method of operation will be readily apparent to those skilled in the art to which the invention appertains, and while I have described the principle of operation of the invention, together with the device which I now consider to be the best embodiment thereof, I desire to have it understood that the device shown is merely illustrative, and that such changes may be made when de-

sired as are within the scope of the claim appended hereto.

Having thus described the invention what is claimed as new, is:—

- 5 A one-piece combination article of wearing apparel comprising a coatshirt and drawers, the same comprising a back piece having a cut in its lower end, front quarters having fastenings along their edges, and leg
10 pieces, each leg piece comprising a gore and a flap, the gores being stitched together along their inner edges and having their outer edges stitched to the back along the cut formed in the lower end thereof and the
15 flaps having their inner ends tapered and

stitched together and to the lower ends of the gores and the back, said leg pieces extending along the inner sides of the legs and having their free edges provided with fastenings to engage fastenings along the inner
20 edges of the lower ends of the front quarters to secure the leg portions about the limbs when the article is worn.

In testimony whereof I affix my signature in presence of two witnesses.

GUSTAVE JACOBY.

Witnesses:

ALLEN BRYANT,
GEORGE H. FELDHOUSE.