US00D337129S

United States Patent [19]

Sandy

[11] **Patent Number: Des. 337,129**

[45] **Date of Patent: ** Jul. 6, 1993**

[54] **SIGN**

[76] Inventor: **Hal D. Sandy,** 4937 Glendale Rd., Shawnee Mission, Kans. 66205

[**] Term: **14 Years**

[21] Appl. No.: **597,774**

[22] Filed: **Oct. 15, 1990**

[52] **U.S. Cl.** **D20/10**; D10/109

[58] **Field of Search** ..... D10/109, 111, 113; 116/63 C, 63 P; 404/4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16; 40/606, 607, 611, 124.1

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 292,894	11/1987	Whitmer et al.	D10/113
D. 323,999	2/1992	Leishman	D10/113
2,750,050	6/1956	Ebert	40/124.1
2,834,133	5/1958	Carmack	404/9
3,863,595	2/1975	Barnett et al.	40/606
4,084,914	4/1978	Humphrey et al.	404/10
4,122,795	10/1978	Doring	404/10
4,245,922	1/1981	Auriemma	404/10

OTHER PUBLICATIONS

Lectric Lites p. 1 Nov. 1979 (Stop and Yield).

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson

[57] **CLAIM**

The ornamental design for a sign, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of the sign according to the present invention;
FIG. **2** is a front elevational view thereof;
FIG. **3** is an elevational view of one side of the sign the other side being substantially identical thereto;
FIG. **4** is a rear elevational view thereof;
FIG. **5** is a top plan view;
FIG. **6** is a bottom plan view;
FIG. **7** is a perspective view of an alternative embodiment of the invention;
FIG. **8** is a front elevational view of the alternative embodiment the other views being substantially the same as the views of the preferred embodiment in FIGS. **3–6**;
FIG. **9** is a perspective view of a second alternative embodiment of the invention; and,
FIG. **10** is a front elevational view of the second alternative embodiment the other views being substantially identical to the views shown in FIGS. **3–6** of the preferred embodiment.



Fig. 5.

Fig. 6.

Fig. 4.



Fig. 3.



Fig. 2.



Fig. 1.



Fig. 10.



Fig. 9.



Fig. 8.



Fig. 7.