



US00D664591S

(12) **United States Design Patent**
Ohta et al.

(10) **Patent No.:** **US D664,591 S**

(45) **Date of Patent:** **** Jul. 31, 2012**

(54) **OPERATING PANEL FOR A COPIER**

(75) Inventors: **Kenji Ohta**, Osaka (JP); **Naoki Saito**, Osaka (JP)

(73) Assignee: **Sharp Kabushiki Kaisha**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/385,960**

(22) Filed: **Feb. 23, 2011**

(30) **Foreign Application Priority Data**

Aug. 25, 2010 (JP) 2010-020489

(51) **LOC (9) Cl.** **16-03**

(52) **U.S. Cl.** **D18/41**

(58) **Field of Classification Search** D18/36-41,
D18/44-56; 222/DIG. 1; 271/3.14, 8.1,
271/226, 278; 355/97, 99; 358/1.1; 399/1-7,
399/16, 75, 81, 107, 130, 151, 361, 365,
399/367, 381-383, 388

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|-----------------|--------|
| D257,984 S | 1/1981 | Kurozumi et al. | |
| D295,285 S | 4/1988 | Nishibori | |
| D296,901 S | 7/1988 | Kosako et al. | |
| D299,355 S | 1/1989 | Kosako et al. | |
| D315,363 S | 3/1991 | Kosako et al. | |
| D339,152 S | 9/1993 | Hirose et al. | |
| D352,522 S * | 11/1994 | Tomatsu et al. | D18/40 |
| D423,040 S | 4/2000 | Ohta et al. | |
| D435,858 S | 1/2001 | Hatanaka et al. | |
| D447,765 S | 9/2001 | Hatanaka et al. | |
| D493,817 S | 8/2004 | Yoshida et al. | |
| D494,211 S | 8/2004 | Yoshida et al. | |
| D501,019 S | 1/2005 | Yoshida et al. | |
| D502,210 S * | 2/2005 | Katori et al. | D18/39 |

| | | | |
|----------------|---------|------------------|--------|
| D537,109 S | 2/2007 | Mizusugi et al. | |
| D537,866 S | 3/2007 | Matsuda et al. | |
| D538,330 S | 3/2007 | Hatanaka et al. | |
| D559,892 S * | 1/2008 | Horiguchi et al. | D18/39 |
| D582,970 S | 12/2008 | Mizusugi et al. | |
| 7,548,702 B2 * | 6/2009 | Maruyama | 399/6 |
| D626,588 S * | 11/2010 | Kim et al. | D18/39 |

OTHER PUBLICATIONS

U.S. Appl. No. 29/385,520, filed Feb. 15, 2011. Pending.
U.S. Appl. No. 29/385,523, filed Feb. 15, 2011. Pending.
U.S. Appl. No. 29/385,527, filed Feb. 15, 2011. Pending.

* cited by examiner

Primary Examiner — Garth Rademaker

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, P.C.


(57) **CLAIM**

The ornamental design for an “operating panel for a copier,” as shown and described.

DESCRIPTION

FIG. 1 is a right, top, front perspective view of an operating panel for a copier in accordance with our design, shown in the environment of a copier to which it is attached;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view of a copier, the operating panel not visible in this view;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a left side elevation view thereof;
FIG. 8 is a right, top, front perspective view showing the operating panel separated from the copier; and,
FIG. 9 is right, top, front perspective view similar to FIG. 1 but with the operating panel shown in a tilted position.
The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9