



US00D710434S

(12) **United States Design Patent**
Thixton

(10) **Patent No.:** **US D710,434 S**

(45) **Date of Patent:** **** Aug. 5, 2014**

(54) **EYEGLASS COMPONENTS**

(75) Inventor: **Lek Thixton**, Eastsound, WA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/412,205**

(22) Filed: **Jan. 31, 2012**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**

USPC **D16/335**

(58) **Field of Classification Search**

USPC D16/101, 300-342, 900; D29/109-110;
351/41, 44, 51-52, 62, 158, 92,
351/103-123, 140-153, 63, 59, 45-46;
2/426-432, 447-449, 441, 434-437,
2/13, 15; D21/483, 659-661; D14/372

See application file for complete search history.

D457,182 S	5/2002	Rask	
D468,337 S	1/2003	Chen	
D478,929 S *	8/2003	Baden et al.	D16/326
D483,391 S	12/2003	Hirschman	
D497,380 S *	10/2004	Thixton et al.	D16/326
D514,615 S	2/2006	Mangum	
D536,027 S	1/2007	Paulson	
D539,831 S	4/2007	Hsu	
D539,833 S	4/2007	Chuang	
D545,348 S	6/2007	Chen	
D547,359 S	7/2007	Krakoff et al.	
D556,818 S	12/2007	Jannard et al.	
D558,816 S	1/2008	Yee	
D561,811 S	2/2008	Fox et al.	
D561,813 S	2/2008	Baden et al.	
D564,568 S	3/2008	Moritz	
D564,571 S	3/2008	Jannard et al.	
D564,572 S	3/2008	Yee et al.	
D565,088 S	3/2008	Baden et al.	
D572,747 S	7/2008	Baden et al.	

(Continued)

Primary Examiner — Raphael Barkai

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

D150,924 S	9/1948	Bright
D158,963 S	6/1950	Jonassen
D192,885 S	5/1962	Petitto
D202,658 S	10/1965	Petitto
D218,569 S	9/1970	McCracken
D300,226 S	3/1989	Ramp
D309,149 S	7/1990	Pouilloux
D309,618 S	7/1990	Evans
D330,395 S	10/1992	Simioni
D342,080 S	12/1993	Cargle
5,537,161 A	7/1996	Monroe
D380,766 S	7/1997	Simioni
D387,084 S	12/1997	Bolle'
5,712,697 A	1/1998	Walton
D390,864 S	2/1998	Mage
D399,238 S	10/1998	Simioni
D409,222 S	5/1999	Raub
D427,622 S	7/2000	Conway


(57) **CLAIM**

The ornamental design for an eyeglass components, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of eyeglass components of the present invention;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken line portions of the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D572,749 S 7/2008 Yee
D575,323 S 8/2008 Jannard et al.
D575,324 S * 8/2008 Moritz D16/326
D577,759 S 9/2008 Yee
D581,446 S 11/2008 Yee
D581,447 S 11/2008 Yee
D581,450 S 11/2008 Moritz
D584,335 S 1/2009 Baden et al.
D586,379 S 2/2009 Thixton et al.
D595,333 S 6/2009 Markovitz et al.
D599,836 S 9/2009 Rohrbach
D599,838 S 9/2009 Rohrbach
D601,613 S 10/2009 Yee

D610,604 S 2/2010 Thixton
D616,015 S 5/2010 Markovitz et al.
D621,438 S 8/2010 Markovitz et al.
D622,302 S 8/2010 Yee
D622,303 S 8/2010 Thixton
D622,755 S 8/2010 Yee
D623,217 S 9/2010 Markovitz et al.
D623,683 S 9/2010 Rohrbach
D629,444 S 12/2010 Akarra et al.
D629,830 S 12/2010 Markovitz et al.
D640,725 S 6/2011 Moritz et al.
D645,076 S 9/2011 Markovitz et al.
8,020,988 B2 9/2011 Ogren et al.
D650,825 S 12/2011 Yee et al.
D652,442 S 1/2012 Yee et al.
D653,698 S 2/2012 Taylor et al.

* cited by examiner




FIG. 1





FIG. 2





FIG. 3




FIG. 4




FIG. 5




FIG. 6