



US00D764893S

(12) **United States Design Patent** (10) **Patent No.:** **US D764,893 S**  
**Gokcebay et al.** (45) **Date of Patent:** **\*\* Aug. 30, 2016**

(54) <b>SURFACE MOUNT ELECTRONIC CAM LOCK</b>	D263,279 S	3/1982	Stolarz	
	4,899,562 A *	2/1990	Gartner .....	G07C 9/0069 70/277
(71) Applicant: <b>Security People, Inc.</b> , Petaluma, CA (US)	4,926,664 A *	5/1990	Gartner .....	E05B 47/0012 70/119
	5,020,345 A	6/1991	Gartner et al.	
(72) Inventors: <b>Asil T. Gokcebay</b> , Petaluma, CA (US); <b>Julian Peck</b> , San Rafael, CA (US); <b>Kelly Kodama</b> , Walnut Creek, CA (US)	D327,856 S *	7/1992	Loew .....	D10/106.95
	D331,888 S *	12/1992	Lade .....	D10/106.1
	D354,922 S *	1/1995	Gartner .....	D10/106.95
	5,475,996 A	12/1995	Chen	
	5,481,361 A *	1/1996	Yumiki .....	G01B 11/002 356/621
(73) Assignee: <b>Security People, Inc.</b> , Petaluma, CA (US)	5,894,277 A *	4/1999	Keskin .....	E05B 47/00 235/382

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/533,529**

(22) Filed: **Jul. 17, 2015**

**Related U.S. Application Data**

(62) Division of application No. 29/469,265, filed on Oct. 8, 2013, now Pat. No. Des. 737,114.

(51) **LOC (10) Cl.** ..... **08-07**

(52) **U.S. Cl.**

USPC ..... **D8/330**

(58) **Field of Classification Search**

USPC ..... D8/301, 302, 330, 331, 349, 400, 499;  
70/57, 57.1, 14, 20, 91, 92, 102, 141,  
70/237, 262, 263, 266, 278.1, 279.1, 416,  
70/465, 442, 443, 214, 78, 447; 340/5.6,  
340/5.61, 5.64, 5.73, 286.01, 542, 547,  
340/545.1, 545.7; 292/336.3, 257, 194,  
292/195, 198, 164, 165

CPC ..... E05B 49/00; E05B 41/00; E05B 65/00;  
E05B 65/52; E05B 51/00; B65D 55/07

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,187,528 A 6/1965 Check  
4,148,092 A \* 4/1979 Martin ..... G07C 9/0069  
361/172

(Continued)

*Primary Examiner* — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger

(57) **CLAIM**

The ornamental design for a surface mount electronic cam lock, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front left perspective view of a first embodiment of a surface mount electronic cam lock according to our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front left perspective view of a second embodiment of a surface mount electronic cam lock according to our new design;

FIG. 8 is a top plan view thereof;

FIG. 9 is a left side view thereof;


FIG. 10 is a front elevation view thereof;

FIG. 11 is a right side view thereof; and,

FIG. 12 is a bottom plan view thereof.

Features shown in dashed lines are not part of the claimed design, nor is the rear side.

**1 Claim, 2 Drawing Sheets**



# US D764,893 S

Page 2

(56)

## References Cited

### U.S. PATENT DOCUMENTS

6,058,746 A	5/2000	Mirshafiee et al.	7,482,907 B2 *	1/2009	Denison .....	B60R 25/102
D426,833 S *	6/2000	Vanelli .....	D686,055 S	7/2013	Li	340/5.1
6,272,562 B1 *	8/2001	Scott .....	D686,056 S	7/2013	Li	
			8,490,443 B2	7/2013	Gokcebay	
			8,495,898 B2	7/2013	Gokcebay	
			8,587,405 B2	11/2013	Denison et al.	
			8,616,031 B2	12/2013	Ullrich et al.	
			D698,222 S	1/2014	Guo	
D450,559 S *	11/2001	Yu .....				
7,221,272 B2	5/2007	Hosselet				
D580,739 S *	11/2008	Pelletier .....				

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8





FIG. 9




FIG. 10




FIG. 11

FIG. 12

