

[54] **MARKED RETRACTILE TELEPHONE CORD**

[75] Inventors: Douglas S. Moore, Phoenix;
Theodore M. Trujillo, Glendale;
Charles L. Woods, Phoenix, all of
Ariz.

[73] Assignee: American Telephone and Telegraph
Company, AT&T Technologies, Inc.,
Berkeley Heights, N.J.

[**] Term: 14 Years

[21] Appl. No.: 18,128

[22] Filed: Feb. 24, 1987

[52] U.S. Cl. D13/13

[58] Field of Search D13/24-30,
D13/13; 439/488, 502-506, 676; D14/256

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 271,762	12/1983	Manning et al.	D14/256
1,635,750	7/1927	Jenks	40/316
1,931,610	10/1933	Johnstone .	
2,316,149	4/1943	Bates	174/112 X
2,992,292	7/1961	Brown .	
4,373,766	2/1983	Johnston	439/460 X
4,648,682	3/1987	Tubbs	439/676 X

FOREIGN PATENT DOCUMENTS

221283	7/1968	Sweden	40/316
--------	--------	--------------	--------

OTHER PUBLICATIONS

DaBurn Electronics & Cable Corp. catalog 26-S, Retractive Communication Coil Cord, Hardward Age, 7-16-1959, p. 607, Cable.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Edward W. Somers

[57] **CLAIM**

The ornamental design for a marked retractile cord, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of our new design for a marked retractile cord having a logotype on outer surfaces of the convolutions of the cordage with modular plugs terminating the ends of the coiled cordage and appearing as it may be disposed on a desk or hanging from a wall-mounted telephone;

FIG. 2 is a left side elevational view of the retractile cord of FIG. 1;

FIG. 3 is a front elevational view of a portion of the cord of FIG. 1 in an extended position such as when a handset of telephone apparatus to which the cord is connected is moved apart from a base to which the cord also is connected;

FIG. 4 is a front elevational view of our new design for a marked retractile cord having a logotype on inner surfaces of the convolutions of a length of cordage and showing a portion of the length of cordage in an extended condition to expose the logotype; and

FIG. 5 is a front elevational view of our new design for a marked retractile cord having logotypes on inner and on outer surfaces of the convolutions of a length of cordage which has been wound to provide the cord and showing a portion of the length of the cordage extended to expose the logotypes on the inner surfaces.

The plugs are shown in broken lines for illustrative purposes only.






FIG 1




FIG 2



FIG 3



FIG 4



FIG 5