

(51) International Patent Classification:
G06Q 50/00 (2006.01)(21) International Application Number:
PCT/AU2010/000041(22) International Filing Date:
19 January 2010 (19.01.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2009900208 20 January 2009 (20.01.2009) AU
2009200253 22 January 2009 (22.01.2009) AU
2009100985 29 September 2009 (29.09.2009) AU(71) Applicant (for all designated States except US): **STANDBY HOLDINGS PTY LTD** [AU/AU]; 13 Railway Terrace, Milton, Queensland 4064 (AU).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **MOORHEAD, Scott** [AU/AU]; 13 Railway Terrace, Milton, Queensland 4064 (AU).(74) Agent: **CULLENS**; Level 32, 239 George Street, Brisbane, Queensland 4000 (AU).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: FLIGHT SELECTION METHOD




Figure 2

(57) Abstract: The present invention relates to a flight selection method using a computerised device. The method includes the step of processing flight data relating to flights to produce display data. The display data is displayed by a remote computer in accordance with a flight search query. The display data includes flight representations displayed relative to a timeline. At least one flight representation is associated with more than one fare indicator to provide for a more compact display of flight information.

FLIGHT SELECTION METHOD

TECHNICAL FIELD

5 The invention generally relates to a method for flight selection. The present invention has particular, although not exclusive application to searching for, selecting and purchasing flight tickets from flight providers with remote customer computers by means of the Internet.

10 BACKGROUND

The reference to any prior art in this specification is not, and should not be taken as an acknowledgement or any form of suggestion that the prior art forms part of the common general knowledge.

15

When comparing air-travel options online, customers seeking to purchase flight tickets are often faced with two choices. The first option is for the customer to browse the Internet to each of the airline's sites individually and later follow-up on the best option. The second option is to use a comparison service that lists the fares and schedules of
20 several airlines in one location.

The first of these methods takes longer and requires the user to keep their own tally of options in order to determine and then follow-up on the best candidate.

25 For the second option, the comparison-table option typically presents a grid of fares, with departure times for individual flights on one axis, and flight providers and fare types on another axis. An example of a known comparison-table webpage available at www.webjet.com.au is shown in Figure 1. Fare values are shown on the chart at the corresponding flight class and time coordinates. On popular city-to-city routes, even
30 with only two or three airlines conducting services, these comparison-tables can be very

large. The number of rows in the table is dictated by the number of individual flights (e.g. 50 rows for a typical mid-week Brisbane to Sydney table showing fares for the three main airlines that fly that route). Airlines also often offer multiple flight classes (economy, premium economy, business, first class etc). In turn, each flight class can be divided into multiple fare types (e.g. Supersaver, SupersaverPlus, etc.) for that class which can further add to the complexity of comparison tables through the introduction of additional columns or rows for each fare class or type. The table typically displays hundreds of cells containing prices and the size of the table often means that they can't be displayed in full on one screen or page. Scrolling through the tables on-screen can leave the user lost in a grid of fares where the column and row labels can no longer be seen. As air traffic increases, and more airlines fly each route offering an increased number of fare options, the tables will become larger and more difficult to read. Their effectiveness as a comparison tool will further diminish.

15 SUMMARY OF THE INVENTION

According to a first aspect of the present invention, there is provided a flight selection method using a computerised device, the method including the step of processing flight data relating to flights to produce display data, the display data for displaying by a remote computer in accordance with a flight search query, the display data including flight representations displayed relative to a timeline, at least one flight representation being associated with more than one fare indicator.

The flight representations may be arranged in horizontal rows with each row including multiple flight representations. A connection indicator may be displayed between two adjacent flight representations in a row to indicate a connecting flight. The length of the connection indicator may correspond to the time between adjacent flight representations and, when a mouse pointer is located in register with a later one of said adjacent flight representations, the starting location corresponding to the later flight representation may be displayed.

Each displayed flight representation may be interactive so that a flight selection and an associated fare can be selected using a mouse or other input device. Selecting the flight selection and associated fare may involve displaying a fare option box when a mouse pointer is located in register with a flight representation. The fare option box may include selection buttons corresponding to respective fares and the flight selection may be made when a selection button is selected. The method may further involve displaying only the flight representation corresponding to the made flight selection.

- 10 The fare indicators may be arranged in a row of ascending values. The display data may include a chart, the chart may include flight provider sections relating to respective flight providers, the flight provider sections may be arranged in accordance with ascending minimum available fare. Each flight provider section may include adjacent visible timescales aligned with the timeline wherein each timescale represents a
15 respective time zone.

The flight selection method may further include the steps of:

- receiving a flight selection from the remote computer, the flight selection corresponding to a displayed flight representation; and
20 enabling purchase of a flight ticket corresponding to the selected flight.

- According to another aspect of the present invention, there is provided a web-server programmed to process flight data relating to flights to produce display data, the display data for displaying by a remote computer in accordance with a flight search query, the
25 display data including flight representations displayed relative to a timeline, at least one flight representation being associated with more than one fare indicator.

- According to another aspect of the present invention, there is provided a method for online flight selection using a computational device, the method including the step of
30 displaying flight representations relative to a timeline in accordance with a flight search

query, at least one flight representation being associated with more than one fare indicator.

5 The flight representations may be arranged in horizontal rows with each row including multiple flight representations. Each displayed flight representation may be interactive so that a flight selection and an associated fare can be selected using a mouse or other input device. The fare indicators may be arranged in a row of ascending values. The display data may include a chart, the chart may include flight provider sections relating to respective flight providers, the flight provider sections may be arranged in
10 accordance with ascending minimum available fare.

According to another aspect of the present invention, there is provided a remote computer programmed to display flight representations relative to a timeline in accordance with a flight search query, at least one flight representation being associated
15 with more than one fare indicator.

Further embodiments, preferred features and variations will be apparent from the following Detailed Description which will make reference to a number of drawings as follows.
20

DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic view of a known prior art flight planner web-page.

25 Figure 2 is a schematic view of a flight selection web-page according to a preferred embodiment of the present invention.

Figure 3 shows a flight selection web-page of the preferred embodiment when compared with three analogous prior art flight planner web-pages, with all web-pages
30 based upon and showing common flight information.

Figure 4 is a block diagram of a flight planner system incorporating a web-server according to a preferred embodiment of the present invention.

5 Figure 5 is a flowchart of a flight selection method according to a preferred embodiment of the present invention.

Figure 6 shows a sequence of flight planner web-pages displayed whilst performing the flight selection method of Figure 5.

10

Figure 7 shows a schematic view of a flight selection web-page according to another preferred embodiment of the present invention.

DETAILED DESCRIPTION

15

Referring now to Figure 2, there is shown a flight-planner chart 1 according to a preferred embodiment of the present invention for a particular route. The flight planner chart 1 is generated on the screen of a potential customer's computer in a manner that will be described. The screen displays display data in the form of the flight-planner chart 1 which, in turn, includes an invisible linear timeline 2 along one x-axis with the airlines names, or logos, and their fares along the other y-axis 3.

20

Individual flights are shown as flight windows in the form of flight bar icons 4 on the chart 1 and represent respective flights from flight providers. The position and length of each bar 4, relative to a time scale 50 aligned with the timeline 2, indicates departure time, flight duration and arrival time. Elaborating further, the beginning of the flight bar 4 is in register with a departure time on the linear timescale 50 and the end of the flight bar 4 is in register with an arrival time on the timescale 50. Accordingly, the length of the flight bar 4 represents the duration of the corresponding flight. Each displayed flight bar 4 may be interactive whereby it can be selected using a computer mouse so that the

25

30

customer can select a flight corresponding to a displayed flight bar 4 when purchasing a corresponding flight ticket.

5 In the embodiment shown in Figure 2, the chart 1 is constructed with multiple timescales 50 displayed along a horizontal axis and showing hourly marks for either a full day, or the part of the day that covers all flights for the chosen route (e.g., if flights for this route only occur between 6am and 10pm on the chosen day, then only the period from 6am to 10pm may be shown). As discussed in detail below, the chart 1 is produced in accordance with a customer search query relating to available flights on a given route and date, and this trip information 51 is displayed at the top of the chart 1.

15 The flight bars 4 are displayed on the chart 1 in spaced apart flight provider sections 52a, 52b, 52c corresponding to respective flight providers (e.g. QANTAS, Virgin Blue, etc.). Each flight provider section 52 includes a single timescale 50 aligned with the timeline 2. Each flight provider section 52 also includes one or more flight bars sets 53 of flight bars 4. Each flight bar set 53 includes one or more ranks (e.g. rows) of flight bars 4 aligned along the timescale 50.

20 For a single city-to-city route, airlines typically only have between two and five distinct fare classes (e.g. economy class, business class, etc.), even when they may fly the route 15 times or more in a day. In addition, each flight class can be divided into multiple fare types (e.g. Supersaver whereby the flight cannot be changed without incurring a fee, SupersaverPlus which is more flexible whereby the flight can be changed without incurring a fee, etc.) for that class.

25 Each flight provider section 52 also includes one or more fare indicator sets 54 associated with respective flight bar sets 53. Each fare indicator set 54 includes one or more fares indicators 56 associated with the flight bars 4 in a corresponding flight bar set 53. Accordingly, the fares indicators 56 associated with the flight bars 4 indicate the ticket prices available on the corresponding flights. Further, those fare indicator sets 54

30

including multiple fare indicators 56 have the fare indicators 56 arranged in ranks of ascending price. In addition, the flight provider sections 52 are arranged down the chart 1 in accordance with ascending minimum available fare indicator 56 for the given search query. As shown in Figure 2, the flight provider Virgin Blue has the lowest minimum available fare indicator 56 in the amount of \$95, the flight provider QANTAS has the next lowest minimum available fare indicator 56 in the amount of \$125, and the flight provider Jetstar has the highest minimum available fare indicator 56 in the amount of \$180,

- 10 Where possible, each flight bar set 53 includes a minimum number (e.g. one) of ranks of tightly packed flight bars 4 so that the chart 1 is compact. However, where displayed flight bars 4 would overlap on the chart 1 so that respective flight bars 4 would not be readily distinguishable, it is necessary to introduce another rank of flight bars 4 as shown in the top flight bar set 53 of flight provider section 52a. In this instance, a fare indicator set 54 is associated with flight bars 4 in multiple ranks within the
- 15 corresponding flight bar set 53.

As shown in Figure 3, the chart 1 is reduced greatly in size (e.g. from 50 rows down to 15) when compared to the typical grid display of other known flight planners such as those available at www.webjet.com.au, www.lastminute.com.au and www.expedia.com.au. Figure 3 shows analogous flight selection web-pages of these flight planners using the same flight information. The graphical bar representation of flights of Figure 2, with each bar 4 denoting both departure and arrival times, also results in a more compact and efficient display of the same information which is easier to visually scan and compare, and with far less text presented (instead of the hundreds of fares shown in a typical chart, only a dozen or less may be required). Also, the chart 1 of Figure 3 can be typically displayed in its entirety on a screen 100 (having a screen resolution of 1024 pixels wide by 768 pixels high) of the customer's computer thereby obviating the need to use screen scroll bars which is otherwise required for the known flight planners.

Referring now to Figure 4, there is depicted a block diagram of the computer system that is used to generate the display data in the form of chart 1 according to a preferred embodiment of the invention. The computer system is based around a web-server 5 (i.e. computerised device), which executes a software product 6 to construct a flight planner web-page including a flight-planner chart 1 such as the flight-planner chart of Figure 2. The software product 6 comprises machine readable instructions provided on a suitable carrier 16, such as a magnetic or optical disk or in an integrated circuit electronic memory. One or more processors of the server 5 execute the instructions in order to implement a method according to an embodiment of the present invention that will be described shortly with reference to Figure 5. It will be realised that the actual coding of the software is straightforward once the method that is described in relation to Figure 5, is comprehended.

The web-server 5 communicates with a number of airline databases 7a, 7b,...,7n via a connection with the Internet 15. The airline databases 7a, 7b,...,7n make flight data, such as flight times, fares and availability data, accessible to the web-server 5.

A customer 8 is able to view the flight-planner web-page by means of an Internet-connected remote computer 9 running suitable web-browser software, for example *Microsoft Internet Explorer*, *Mozilla Firefox*, *Opera*, *Chrome* or the like. The customer is provided with data entry forms in the web-pages generated by the web-server 5 in order that the customer may select a desired flight, or flights, after having viewed the flight-planner chart. Once the customer has completed making flight selections and entered payment (e.g. credit card) details, the web server 5 redirects the web-browser running on remote computer 9 to a financial transaction server 10. The financial transaction server 10 is then able to prompt for the entered credit card payment details and facilitate the transfer of funds between the customer's and the airline's financial institutions.

Referring now to Figure 5, there is depicted a flowchart of the flight selection method that is performed by the web-server 5. As previously explained, this is the method that is coded as instructions in the software product 6 that is executed by the web server 5.

- 5 At step 18, the web-server 5 generates a data entry web-page 60 shown in Figure 6a, for example a web-page including a flight search query form, that is displayed in the web-browser running on the remote customer's computer 9. Once the customer 8 has filled out the flight search query form using computer 9, by specifying the route and date (and/or other flight criteria such as fare, class, number of passengers etc) of the flights
10 of interest, the web-server processes that data to generate a flight search query for submission to the various airline databases 7a, 7b,...,7n.

At step 20, the web-server 5 establishes communication with the airline databases 7 and submits the flight search query for the customer's specified route and date.

15

At step 22, the web-server 5 analyses the received electronic flight data that is returned from the airline databases 7. The flight data includes information such as the fare pricing and the departure and arrival times for the flight search query.

- 20 At step 24, the web-server 5 processes the received flight data to produce display data for displaying by the customer's remote computer 9 in accordance with the flight search query. The display data is in the form of a chart 1 depicted on a generated web-page 62 as shown in Figure 6b. The construction of the flight-planner chart webpage is achieved by a software procedure that automatically generates HTML / XML code on the basis of
25 the flight data that has been gathered for the route and date in question. The webpage is then served via the Internet to the remote customer's personal computer (PC) 9 for display to the remote customer by means of the web-browser software running on the PC 9.

At step 26, the web-server 5 receives the customer's flight selection from the remote computer 9. The web-server 5 enables selection of the corresponding displayed flight bar 4 and an associated fare with a mouse of the remote computer 9. As can best be seen in Figure 6c, a fare option box 64 is displayed when a mouse pointer 63 is located in register with a flight bar 4. The fare option box 64 includes selection (e.g. radio) buttons 66 corresponding to respective fare indicators 56 available for the flight and which can be selected with the mouse. The flight and fare selection is made when the required selection button is selected using a mouse button.

10 At step 28 and as shown in Figure 6d, the web-server 5 enables displaying on the remote computer 9 of only the flight bar 4 and fare indicator 56 corresponding to the flight selection made at step 26. Effectively, all other flight bars 4 which were not selected are no longer displayed on computer 9.

15 At query step 30, the web-server 5 enables querying of the customer via remote computer 9 as to whether another flight (e.g. a return flight) is to be selected. Responsive to the customer indicating with computer 9 that another flight is to be selected, the method returns to step 18. Alternatively, the method proceeds to step 32 where a ticket for the selected flight can be purchased.

20

At step 32, the web-server 5 enables purchase of a flight ticket corresponding to the flight(s) and fare(s) selected at step 26. Once the customer has completed making flight selections and entered payment (e.g. credit card) details into a payment window 65 (see Fig. 6e) displayed on computer 9, the web-page generated by web server 5 redirects the web-browser running on remote computer 9 to a financial transaction server 10. The financial transaction server 10 is then able to facilitate the transfer of funds between the customer's and the airline's financial institutions.

At step 34, the web-server 5 sends confirmation of the purchase of the flight ticket to the remote computer 5 in the form of an e-mail bearing an electronic ticket and receipt

30

67 (see Fig. 6f). In other embodiments, the confirmation may include an on-screen message or SMS message.

In compliance with the statute, the invention has been described in language more or less specific to structural or methodical features. It is to be understood that the invention is not limited to specific features shown or described since the means herein described comprises preferred forms of putting the invention into effect.

For example, the requests or queries that are sent from the server 5 to the airline databases 7 may or may not occur sequentially. In one embodiment, multiple airline databases 7 may be polled simultaneously in order to build up a result set as each airline server 7 responds with a fare/flight pair. This approach is advantageous in that it is not required for the server 5 to wait for the slowest airline server 7 before proceeding to the next. According to this further embodiment the server 5 may receive one result from a first airline database 7a, another from a second airline database 7b and then another from the first airline database 7a, another from a third airline database 7c etc, before a comprehensive picture of the departure and arrival times is settled upon.

Furthermore, the webpage code that is presented to remote customers may be built and delivered in one step or alternatively built progressively as the airline databases 7 are polled. The inventors are presently implementing the system so that the webpage code is built and delivered in one step. However, it is feasible that in an alternative embodiment the webpage code may be constructed in piecemeal fashion so that the remote customer can be given some results in a faster time frame than would be the case if a full data set were waited for before producing the webpage code.

According to the preferred embodiment, the flight window data is represented by elongate bars 4 as shown in Figure 2. It will be realised that other representations of flights indicating departure and/or arrival times relative to the time line 2 might be used. For example, discrete icons might be used to represent departure and/or arrival times.

Alternatively, arrows or other types of elongate representations, apart from or in addition to the elongate bars 4 of Figure 2, might be employed.

In the embodiments that have been described, the remote computer system 9 has comprised a personal computer system (PC). It will be realised that embodiments of the invention encompass a method that produces display data that is suitable for displaying or rendering on other types of remote computers, for example personal digital assistants and mobile phones.

10 In the preferred embodiment previously described, each flight provider section 52 included a single timescale 50 aligned in parallel with the timeline 2. In an alternative embodiment shown in Figure 7, each flight provider section 52 includes adjacent timescales 50a, 50b aligned in parallel with the timeline 2 wherein each timescale 50 relates to a respective time zone. In this manner, a first timescale 50a relates to a departure time zone whereas a second timescale 50b relates to an arrival time zone. In addition, a connection indicator 80 can be displayed between two adjacent flight bars 4 of a rank to indicate a connecting flight. The length of the connection indicator 80 corresponds to the time between adjacent flight bars 4. Responsive to the ticket purchaser locating a mouse pointer 63 in register with the later connecting flight bar 4 to the right of the connection indicator 80, the flight provider section 52 can display a pop up box 81 including the start location (e.g. Melbourne) of the connecting flight. In another embodiment, when the mouse pointer 63 or other input device is located in register with one of the adjacent flight bars 4 or the connection indicator 80, detailed time information (e.g. departure, arrival and waiting times) relating to the connecting flight can be displayed.

Each flight provider section 52 can include a single visible timescale aligned with the timeline. In an alternative embodiment, each flight provider section includes adjacent visible timescales aligned with the timeline wherein each timescale represents a respective time zone. Each timescale may be linear.

In the preferred embodiment previously described at step 26, selection of the displayed flight bar 4 and an associated fare was enabled with a mouse of the remote computer 9. In an alternative embodiment, the selection can be made with a keyboard or other like input device of the remote computer 9.

In the preferred embodiment described, the flight data was obtained from airline databases 7a, 7b,..., 7n of flight providers. In an alternative embodiment, the flight data may be instead obtained from databases of other providers such as aggregators or data distributors.

In the preferred embodiment described, the server 5 processed flight data relating to flights to produce display data for displaying by a remote computer 9. In an alternative embodiment, the server 5 merely forwards the flight data to the remote computer 9 which, in turn, processes the flight data to produce display data for displaying by the remote computer 9.

In the preferred embodiment, the method of Figure 5 returned to step 18 if another flight was to be selected at step 30. In another embodiment, the method may instead return to step 26 if a return flight was instead initially specified at step 18.

The invention is, therefore, claimed in any of its forms or modifications within the proper scope of the appended claims appropriately interpreted by those skilled in the art.

The claims defining the invention are as follows:

1. A flight selection method using a computerised device, the method including the step of processing flight data relating to flights to produce display data, the display data for displaying by a remote computer in accordance with a flight search query, the display data including flight representations displayed relative to a timeline, at least one flight representation being associated with more than one fare indicator.
2. A flight selection method as claimed in claim 1, wherein the flight representations can be arranged in horizontal rows with each row including multiple flight representations.
3. A flight selection method as claimed in claim 2, wherein a connection indicator is displayed between two adjacent flight representations in a row to indicate a connecting flight.
4. A flight selection method as claimed in claim 3, wherein the length of the connection indicator corresponds to the time between adjacent flight representations and, when a mouse pointer or other input device is located in register with one of said adjacent flight representations or the connection indicator, information relating to the connecting flight can be displayed.
5. A flight selection method as claimed in claim 1, wherein each displayed flight representation is interactive so that a flight selection and an associated fare can be selected using a mouse or other input device.
6. A flight selection method as claimed in claim 5, wherein selecting the flight selection and associated fare involves displaying a fare option box when a mouse pointer or other input device is located in register with a flight representation.

7. A flight selection method as claimed in claim 6, wherein the fare option box includes selection buttons corresponding to respective fares and the flight selection is made when a selection button is selected.
8. A flight selection method as claimed in claim 7, further involving displaying only the flight representation corresponding to the made flight selection.
9. A flight selection method as claimed in claim 1, wherein the fare indicators can be arranged in a row of ascending values.
10. A flight selection method as claimed in claim 1, wherein the display data includes a chart, the chart including flight provider sections relating to respective flight providers, the flight provider sections being arranged in accordance with ascending minimum available fare.
11. A flight selection method as claimed in claim 10, wherein each flight provider section includes adjacent visible timescales aligned with the timeline wherein each timescale represents a respective time zone.
12. A flight selection method as claimed in claim 1, further including the steps of:
receiving a flight selection from the remote computer, the flight selection corresponding to a displayed flight representation; and
enabling purchase of a flight ticket corresponding to the selected flight.
13. A web-server programmed to process flight data relating to flights to produce display data, the display data for displaying by a remote computer in accordance with a flight search query, the display data including flight representations displayed relative to a timeline, at least one flight representation being associated with more than one fare indicator.

14. A method for online flight selection using a computational device, the method including the step of displaying flight representations relative to a timeline in accordance with a flight search query, at least one flight representation being associated with more than one fare indicator.

15. A method as claimed in claim 14, wherein the flight representations can be arranged in horizontal rows with each row including multiple flight representations.

16. A method as claimed in claim 14, wherein each displayed flight representation is interactive so that a flight selection and an associated fare can be selected using a mouse or other input device.

17. A method as claimed in claim 14, wherein the fare indicators can be arranged in a row of ascending values.

18. A method as claimed in claim 14, wherein the display data includes a chart, the chart including flight provider sections relating to respective flight providers, the flight provider sections being arranged in accordance with ascending minimum available fare.


19. A method as claimed in claim 14, further including the steps of:
 sending a flight selection from the computational device, the flight selection corresponding to a displayed flight representation; and
 enabling purchase of a flight ticket corresponding to the selected flight.

20. A remote computer programmed to display flight representations relative to a timeline in accordance with a flight search query, at least one flight representation being associated with more than one fare indicator.

1/7

From Brisbane to Sydney									
Tue 09 Dec 2008									
Departing Flights	Previous Day	Next Day							
Only Webjet China & 30 minutes	Jetstar	Jetstar	Qantas	Qantas	Qantas	Qantas	Qantas	Qantas	Qantas
From	From	From	From	From	From	From	From	From	From
DJ246	02:00pm 04:30pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
JQ817	02:35pm 05:10pm 0 01:35 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
DJ252	03:00pm 05:30pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF541	03:00pm 05:30pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF861QF1494	03:40pm 05:20pm 1 03:40 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
JQ819	03:40pm 06:15pm 0 01:35 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF545	04:15pm 06:45pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
DJ282	05:00pm 07:30pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF561	05:45pm 08:15pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF563	06:15pm 08:45pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF565	06:45pm 09:15pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
QF567	07:15pm 09:45pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
DJ276	08:00pm 10:30pm 0 01:30 hrs	373 400	373 400	373 400	373 400	373 400	373 400	373 400	373 400
Prices are per person in Australian dollars incl. GST and airline surcharges. The Qantas \$7.70 per person per booking, Virgin Blue and Jetstar \$2 per person per flight credit card surcharge will display during the booking process. A \$4.40 per person Guarantee and a \$17.45 processing fee applies per booking. For REX fares, credit card surcharges apply depending on the card used and vary between 1.2% and 3.25%. Total prices for all passengers will be shown on the next page.									

Figure 1



3/7






Figure 3

4/7

**Figure 4**

5/7

Figure 5

6/7




Figure 6




Figure 7

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2010/000041

A. CLASSIFICATION OF SUBJECT MATTER

Int. Cl.

G06Q 50/00 (2006.01)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI, EPOQUE (Keywords: flight+, airline\$, travel, air carrier, time line, gantt, query, inquiry, compar+, review)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
L, X	Au et al. 'Searching for Airline Tickets: A Comparison of Tabular and Graphical Presentations', SHORE 2001, University of Maryland. Retrieved from < http://web.archive.org/web/20010512085440/http://www.otal.umd.edu/SHORE2001/airline/index.html > published on 12 May 2001 as per Wayback Engine. Figure 2.1; Section 1.1 "Overview".	1-3, 11, 13-15, 20
L, X	Shapiro et al. 'FareBrowser: An Interactive Visualization Tool for Finding Low Airline Fares', Project report for CMSC 828s/838s at the University of Maryland, College Park, 30 November 1999. Retrieved from < http://www.cs.umd.edu/hcil/academics/courses/fall1999/cmssc838s/Project/billshap/ > on 16 February 2010 Figures 1-4; Introduction; The FareBrowser Interface; Dynamic Filtering; Implementation	1-20
A	US 6353794 B1 (DAVIS et al.) 5 March 2002 Figure 2A; Column 3 lines 21-29, 37-40, 65-66; Column 4 lines 1-7, 15-27; Column 5 lines 27-32.	

☒ Further documents are listed in the continuation of Box C☒ See patent family annex

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search
04 February 2010

Date of mailing of the international search report

24 FEB 2010

Name and mailing address of the ISA/AU

AUSTRALIAN PATENT OFFICE
PO BOX 200, WODEN ACT 2606, AUSTRALIA
E-mail address: pct@ipaustalia.gov.au
Facsimile No. +61 2 6283 7999

Authorized officer

MATTHEW LEE
AUSTRALIAN PATENT OFFICE
(ISO 9001 Quality Certified Service)
Telephone No : +61 2 6283 2633

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2010/000041

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Casner, S. 'A Task-Analytic Approach to the Automated Design of Graphic Presentations', ACM Transactions on Graphics, Volume 10, Issue 2, April 1991, Pages 111-151. Figures 19(b) and 19(c).	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/AU2010/000041

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report	Patent Family Member
US 6353794	US 6754581
Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.	
END OF ANNEX	