



- (51) International Patent Classification:
B66B 1/14 (2006.01)
- (21) International Application Number:
PCT/FI2013/050897
- (22) International Filing Date:
17 September 2013 (17.09.2013)
- (25) Filing Language: Finnish
- (26) Publication Language: English
- (30) Priority Data:
20126005 26 September 2012 (26.09.2012) FI
- (71) Applicant: **KONE CORPORATION** [FI/FI]; Kartanontie 1, FI-00330 Helsinki (FI).
- (72) Inventors: **TALONEN, Tapani**; Puistomäki 9, FI-12400 Tervakoski (FI). **HUOTARI, Tommi**; Sirppitie 21, FI-11120 Riihimäki (FI).
- (74) Agent: **KONE CORPORATION/PATENT DEPARTMENT**; P.O.Box 677, FI-05801 Hyvinkää (FI).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: ARRANGEMENTS FOR MAINTAINING FAVORITE FLOOR LISTS IN ELEVATOR SYSTEMS




Fig. 1

(57) Abstract: The present invention discloses a solution for maintaining passenger-specific favorite floor lists in an elevator system, which comprises at least one elevator (10a, 10b), call-giving devices (12, 22) for registering calls given by the passengers, a control system (10c) that is responsive to the aforementioned calls and memory means (15, 25), in which is recorded at least one passenger-specific favorite floor list. A passenger is identified in connection with giving a call on the basis of the ID number of an identifier (11, 21). The favorite floor list is updated on the basis of calls given by the passenger and/or a given updating criterion.



Published:

— *with international search report (Art. 21(3))*

Arrangements for maintaining favorite floor lists in elevator systems

FIELD OF THE INVENTION

The invention relates to elevator systems. More particularly the invention relates to a method and to
5 an elevator system for maintaining passenger-specific lists of favorite floors.

BACKGROUND OF THE INVENTION

With regard to elevator systems, a call-giving method
10 is known in which a passenger can give a so-called destination call to an elevator system by means of an identifier, e.g. by means of an RFID identifier (Radio Frequency Identifier) in his/her possession. The elevator system must in this case be provided with
15 reader units, which read the data contained by the identifier (so-called identification data) and transmit it to the elevator system. On the basis of the identification data the elevator system determines the destination floor specific to the passenger and
20 allocates from the elevator system an elevator for taking the passenger to the floor in question. The destination floor can be e.g. a floor on which the workpoint or apartment of the passenger is situated. If the reader unit is in an elevator car, the
25 passenger can give a destination call also in the elevator car in the manner described above. Often access control is also connected to the aforementioned prior-art solutions in such a way that for each passenger information about those destination floors
30 in the building to which the passenger has an access right is recorded in the elevator system or in a special access control system.

A number of drawbacks are, however, connected to the
35 call-giving solutions described above. The information

to be connected to the identifier of a passenger, such as the destination floors to be connected to automatic calls (so-called default floors), must be manually configured into the elevator system or into an access control system in connection with the elevator system. Configuration is generally performed by the system administrator, which increases the maintenance costs of the system and in general hampers the flexible use of identifiers. Also, in situations in which a resident or other constant visitor to the building ceases visiting the building, his/her information must be removed from the aforementioned elevator system or access control system manually. In solutions according to prior art the default floors are generally one per passenger, which the passenger cannot himself/herself change. The solutions are therefore poorly suited to situations in which a passenger has a number of favorite floors, to which he/she from time to time wants to travel.

20

AIM OF THE INVENTION

The aim of the present invention is to eliminate or at least to alleviate the drawbacks presented above that occur in prior-art solutions. The aim of the invention is also to achieve one or more of the following objectives:

- a self-learning system, which automatically maintains/updates the favorite floor lists of each passenger for presentation to the passenger in connection with giving a call,
- to facilitate and speed up travel in an elevator system,
- to reduce the maintenance costs of an elevator system and/or of an access control system,

- a dynamic system, which adapts automatically to changes occurring in the travel habits of a passenger, and
- a solution that is easy to add to/modernize in existing elevator systems.

SUMMARY OF THE INVENTION

The method according to the invention is characterized by what is disclosed in the characterization part of claim 1. The elevator system according to the invention is characterized by what is presented in the characterization part of claim 7. Other embodiments of the invention are characterized by what is disclosed in the other claims. Some inventive embodiments are also presented in the descriptive section and in the drawings of the present application. The inventive content of the application can also be defined differently than in the claims presented below. The inventive content may also consist of several separate inventions, especially if the invention is considered in the light of expressions or implicit sub-tasks or from the point of view of advantages or categories of advantages achieved. In this case, some of the attributes contained in the claims below may be superfluous from the point of view of separate inventive concepts. The features of the various embodiments can be applied within the framework of the basic inventive concept in conjunction with other embodiments.

The present invention also discloses a method for maintaining favorite floor lists in an elevator system, which comprises at least one elevator, call-giving devices for registering calls given by the passengers, a control system that is responsive to the

aforementioned calls, and memory means, in which is recorded at least one passenger-specific favorite floor list, and in which method a passenger is identified in connection with giving a call. In the method the passenger-specific favorite floor list is updated on the basis of calls given by the passenger and/or given updating criteria. A call refers in this context to a destination call given outside the elevator and also to a destination call given in an elevator car. A favorite floor list means a list in which there is at least one destination floor, a so-called favorite floor, related to the registered calls of a user. Updating of a favorite floor list means in this context that a new favorite floor is added to the favorite floor list and/or a favorite floor already on the favorite floor list is removed and/or the sequence of favorite floors is changed in the favorite floor list. A favorite floor list is updated on the basis of a given updating criterion, which is e.g. one or more of the following rules:

- the destination floors to which a passenger has last traveled are added to the favorite floor list and, if necessary, the oldest favorite floors, to which the passenger has not given calls, are removed.
- the destination floors to which a passenger has made the most elevator journeys in a certain time period, e.g. during the last 30 days, are added to the favorite floor list. If necessary, the favorite floors to which the passenger has given the least calls in the aforementioned time period are removed from the favorite floor list.
- a favorite floor is removed from the favorite floor list, if the given time limit from the previous call by a passenger to the favorite floor in question has expired;

- all the data related to the favorite floor lists of a passenger is removed from the memory of the elevator system, if the passenger has not given a single elevator call within a given time limit.

5

A passenger is identified when the passenger is at a call-giving device/in an elevator lobby ready to give his/her call. Any identification technology whatsoever suited to the purpose can be used for identifying a passenger, such as e.g. a personal RFID identifier, a code sent by a mobile phone and/or a bio-identifier. For reading the identification data contained by an identifier, the elevator system, e.g. the call-giving devices (call panels), is/are provided with suitable reader units.

The basic concept of the invention is that the elevator system, or a system in connection with it, records data about the journeys made by a passenger, on the basis of the data forms favorite floor lists, which the system maintains automatically on the basis of the desired updating criteria. When a passenger is identified before registration of a call, the elevator system presents the call-giving pushbuttons according to the favorite floor list (i.e. to favorite floors) e.g. in a highlighted manner compared to the other call-giving pushbuttons (i.e. to other than favorite floors). A stronger light intensity and/or a variation in light intensity (i.e. flashing) of text/a symbol connected to a pushbutton can be used as highlighting.

In one embodiment of the invention favorite floor lists specific to departure floors and/or specific to periods of time are formed. From the favorite floor lists formed the active favorite floor list is selected on the basis of the departure floor of the passenger and/or of the calendar time. Only the active

favorite floor list is shown to passenger on a call-giving device and is updated on the basis of a call given by the passenger. As a result of the embodiment, the optimal favorite floor list can be shown to a passenger regardless of from which floor and when he/she requests elevator service.

In one embodiment of the invention the elevator system comprises a number of elevator groups, among which the favorite floor lists are distributed. As a result of the embodiment, a passenger has in his/her use the same favorite floor lists regardless of which elevator group he/she uses in the building.

The present invention also discloses an elevator system, which comprises at least one elevator, call-giving devices for registering calls given by the passengers, a control system that is responsive to the aforementioned calls, means for identifying a passenger in connection with giving a call and also memory means, in which is recorded at least one passenger-specific favorite floor list. According to the invention the elevator system is arranged to update the aforementioned favorite floor list on the basis of calls given by a passenger and/or a given updating criterion.

With the solution according to the invention numerous advantages are achieved compared to prior-art solutions. The elevator system according to the invention is a self-learning system and does not therefore require human resources for configuring or maintaining passenger-specific favorite floors. The teaching of favorite floors is based on elevator journeys made by the passenger himself/herself, making the system easy-to-use and flexible. The system

according to the invention adapts to changes occurring in the travel habits of a passenger by updating the favorite floor lists automatically. As a result of the invention a favorite floor list does not grow
5 unreasonably, because favorite floors generated by journeys made randomly/seldom are removed from it. As a result of the invention information about people who will presumably no longer use the elevator system according to the invention is removed automatically
10 from the system, and does not therefore load the system unnecessarily. On the whole travel in an elevator system according to the invention is speeded up and facilitated by updating personal favorite floor lists and by indicating the call buttons relating to
15 them clearly and differently from the other call buttons in connection with call-giving. In this context, reference is also made to the other advantages to be achieved with the invention, which are presented above in connection with the different
20 embodiments.

LIST OF FIGURES

25 In the following, the invention will be described in detail by the aid of some examples of its embodiments, wherein:

Fig. 1 presents one elevator system according to the
30 invention, and

Fig. 2 presents a second elevator system according to the invention.

35

DETAILED DESCRIPTION OF THE INVENTION

Fig. 1 presents one elevator system 10 according to the invention, which comprises the elevators 10a and 10b, a control system 10c of the elevator system, call-giving devices 12 connected to the control system 10c for registering calls given by the passengers and also memory means 15 in connection with the control system, in which memory means passenger-specific favorite floor lists are recorded. A personal identifier 11 is given for the use of a passenger, which identifier is e.g. an RFID identifier and the identification data contained by which can be read with reader units 19 in connection with the call-giving device 12. The reading distance is preferably so long that the reader unit can read the identification data when the identifier 11 is e.g. in the pocket of a passenger. The identification data contains e.g. an individual ID number, which ID number the reader unit 14 reads and transmits to control system 10c. Call-giving devices 12 and reader units 19 can also be disposed in the elevator cars (not presented in Fig. 1). The memory means 15 can also be distributed into one or more call-giving devices 12 in such a way that in each call-giving device there are the favorite floor lists of at least one passenger, the updating of which lists is managed by the call-giving device in question. As a result of the distribution of the memory means it is easy to provide the elevator system with a solution according to the invention by modernizing only the call-giving devices without modernizing the rest of the apparatus belonging to the elevator system, e.g. the control system 10c.

The call-giving devices 12 are preferably destination operating panels implemented with touch-sensitive displays. Fig. 1 presents only the destination operating panel 12 on floor F1 (entrance lobby floor),

which panel can present in the display unit 12b the desired call buttons 12a and, if necessary, other information relating to call-giving. The call-giving devices and/or the reader devices are connected to the control system via a wireline or wireless data transfer connection 14.

When the holder (a passenger) of an identifier 11 arrives in the entrance lobby F1 of a building, he/she goes to the call-giving device 12, in which case the reader device 19 reads the ID number of the identifier 11. The control system receives the ID number and, on the basis of it, retrieves from the memory means 15 the favorite floor list (so-called active favorite floor list) of the passenger. The favorite floor list could have been preliminarily entered into the memory means 15 manually or a first favorite floor could have been generated on the basis of the first call given by the passenger.

20

On the basis of the favorite floor list the control system configures the call-giving device 12 in such a way that at least some of the call pushbuttons 12a of favorite floors are presented on the call-giving device highlighted compared to the call pushbuttons of the other floors. Owing to the highlighting a passenger quickly finds the correct call pushbutton, if he/she is going to any of his/her favorite floors. If a passenger is going to some other floor than his/her favorite floor, he/she can give his/her call with "non-highlighted" call pushbuttons.

30

One task of the control system 10c is to update the passenger-specific favorite floor lists on the basis of calls given by passengers and/or given updating criteria, e.g.:

35

- the control system adds to the favorite floor list a destination floor to which a passenger has last traveled and which is not yet on the favorite floor list. At the same time the control system removes from the favorite floor list a favorite floor to which the last journey made by the passenger was the longest time ago. The maximum length of a favorite floor list is in this way kept constant, containing e.g. 10 favorite floors.
- the control system counts the numbers of elevator journeys/calls made by the passenger to different destination floors during a certain period of time, e.g. during the last 30 days. Based on the numbers the control system updates the favorite floor list in such a way that the destination floors to which the passenger has given most calls are on the list. The maximum length of the favorite floor list is set e.g. to ten favorite floors.
- The control system removes a favorite floor if the given time limit from the previous call by a passenger to the favorite floor in question has expired.
- the control system removes from the memory means all the data related to the favorite floor lists of a passenger, if the passenger has not given a single call to the elevator system within a given time limit.

30

In the example presented above reader units 14 are in connection with the call-giving devices 12 in the elevator lobbies, which reader units read the identification data contained by the identifiers 11 in the possession of passengers. The control system has information about the location of the reader units, so it can deduce in which elevator lobby of which floor

35

(departure floor) and at which call-giving device the passenger is at any given time and can utilize the information in the selection of a favorite floor list, such as e.g. if the favorite floors are specific to the departure floor. In this embodiment the control system maintains per each departure floor its own favorite floor list, which it updates depending on the departure floors on which a call of the passenger is registered. For example, in the elevator system according to Fig. 1 the elevator serves the floors F1, F2... F10, so each passenger can have 10 favorite floor lists, from which the favorite floor list corresponding to the departure floor of the passenger is selected as the active favorite floor list.

According to a second embodiment of the invention the favorite floor lists are time-based. In this embodiment the control system maintains with the memory means favorite floor lists for a passenger, one of which lists is selected as the active favorite floor list depending e.g. on the time of day and/or on the day of the week.

Fig. 2 presents a second embodiment of the invention wherein a terminal device 22, such as e.g. a mobile phone, in the personal use of a passenger functions as a call-giving device, which is provided with e.g. a touch-sensitive display 22a and also with application software for utilizing favorite floor lists. A reader device 29 is e.g. a Bluetooth base station or some other reader device applicable to wireless data transfer, which device receives an ID number, e.g. the phone number of a mobile phone, sent by the terminal device 22. In this embodiment favorite floor lists can be recorded in the manner described above in the memory means 15 but are transmitted to a terminal device and presented to a passenger in the call-giving

phase on the display 22b of the terminal device. Alternatively passenger-specific favorite floor lists can be recorded in the memory 25 of a terminal device and they can be updated in the manner described above.

5

According to one embodiment of the invention the favorite floor lists are distributed among two or more elevator groups. In this embodiment the elevator groups can have a common memory means 15, in which the
10 elevator groups (group controls) have reading rights and writing rights, or the passengers have terminal devices 22, in the memories 25 of which passenger-specific favorite floor lists are maintained.

15 The invention is not only limited to be applied to the embodiments described above, but instead many variations are possible within the scope of the inventive concept defined by the claims. Thus, for example, the control system 10c can comprise one or
20 more control apparatuses.

CLAIMS

1. Method for maintaining favorite floor lists in an elevator system, which elevator system comprises at least one elevator, call-giving devices for registering calls given by the passengers, a control system that is responsive to the aforementioned calls, and memory means, in which is recorded at least one passenger-specific favorite floor list, and in which method a passenger is identified in connection with giving a call, **characterized in that** the method comprises the phase:

the aforementioned favorite floor list is updated on the basis of calls given by the passenger and/or a given updating criterion.

2. Method according to claim 1, **characterized in that** the favorite floor list is updated on the basis of the destination floor data of the most recent calls given by the passenger.

3. Method according to any of the preceding claims 1 - 2, **characterized in that** the method comprises the phases: the numbers of calls given by a passenger to different destination floors over a given period of time are counted; and the favorite floor list is updated on the basis of the aforementioned numbers.

4. Method according to any of the preceding claims 1 - 3, **characterized in that** a favorite floor is removed from the favorite floor list, if a passenger has not given a single call to the aforementioned favorite floor within a given time limit.

5. Method according to any of the preceding claims 1 - 4, **characterized in that** all the data related to the favorite floor lists of a

passenger is removed, if the passenger has not given a single call within a given time limit.

6. Method according to any of the preceding claims 1 - 5, **characterized in that** favorite floor lists specific to departure floors and/or specific to periods of time are formed.

7. Elevator system, which comprises at least one elevator (10a, 10b), call-giving devices (12, 22) for registering calls given by the passengers, a control system (10c) that is responsive to the aforementioned calls, means (10c, 11, 21) for reading the identification data of an identifier (19, 29) in the possession of a passenger in connection with giving a call, and also memory means (15, 25), in which is recorded at least one passenger-specific favorite floor list, **characterized in that** the control system is arranged to update the aforementioned favorite floor list on the basis of the giving of the calls of a passenger and/or a given updating criterion.

8. Elevator system according to claim 7, **characterized in that** the control system (10c) is arranged to present one or more call pushbuttons (12a, 22a) of a favorite floor according to the aforementioned favorite floor list highlighted in the call-giving device (12, 22).

9. Elevator system according to claim 7 or 8, **characterized in that** the elevator lobbies (F1, F2 ... F10) and/or the elevator cars (10a, 10b) are provided with reader units (19, 29) for reading the identification data contained by identifiers (11, 22).

10. Elevator system according to any of the preceding claims 7 - 9, **characterized in that** the memory means (15) is distributed into one or more call-giving devices (12, 22).




Fig. 1




Fig. 2

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI2013/050897

A. CLASSIFICATION OF SUBJECT MATTER

See extra sheet

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC: B66B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
FI, SE, NO, DKElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
EPO-Internal, WPI

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6209685 B1 (ZAHARIA V. et al.) 03 April 2001 (03.04.2001) abstract, column 3 lines 6 – 13, claims, and figures	1 - 10
A	US 5949037 A (OYA K.) 07 September 1999 (07.09.1999) abstract, claims, and figures	1 - 10
A	US 2006065490 A1 (ZAHARIA V. et al.) 30 March 2006 (30.03.2006) abstract, paragraphs 0001, 0005, 0008–0011, 0015–0033, claims, and figures	1 - 10
A	WO 0102279 A1 (OTIS ELEVATOR CO) 11 January 2001 (11.01.2001) abstract, page 3 line 20 – page 7 line 8, claims, and figures	1 - 10
A	JP 2005162465 A (MITSUBISHI ELECTRIC CORP) 23 June 2005 (23.06.2005) abstract [online] EPOQUENET EPODOC & WPI and figures	1 - 10
A	US 2007151809 A1 (TYNI T. et al.) 05 July 2007 (05.07.2007) abstract, claims, and figure	1 - 10



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search
12 November 2013 (12.11.2013)

Date of mailing of the international search report
15 November 2013 (15.11.2013)

Name and mailing address of the ISA/FI
National Board of Patents and Registration of Finland
P.O. Box 1160, FI-00101 HELSINKI, Finland
Facsimile No. +358 9 6939 5328

Authorized officer
Marko Lammintausta
Telephone No. +358 9 6939 500

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/FI2013/050897

Patent document cited in search report	Publication date	Patent family members(s)	Publication date
US 2007151809 A1	05/07/2007	CN 1976855 A	06/06/2007
		CN 1976855 B	05/09/2012
		DE 602005015450 D1	27/08/2009
		EP 1768922 A2	04/04/2007
		EP 1768922 B1	15/07/2009
		ES 2326673 T3	16/10/2009
		FI 115521 B	31/05/2005
		HK 1100136 A1	07/06/2013
		JP 2008504193 A	14/02/2008
		JP 5065891 B2	07/11/2012
		KR 20070024579 A	02/03/2007
		US 7377364 B2	27/05/2008
		WO 2006000618 A2	05/01/2006
.....			

INTERNATIONAL SEARCH REPORT

International application No.
PCT/FI2013/050897

CLASSIFICATION OF SUBJECT MATTER

Int. Cl.

B66B 1/14 (2006.01)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/FI2013/050897

Patent document cited in search report	Publication date	Patent family members(s)	Publication date
US 6209685 B1	03/04/2001	CN 1362934 A	07/08/2002
		CN 1217843 C	07/09/2005
		EP 1189830 A1	27/03/2002
		EP 1189830 B1	15/10/2003
		JP 2003501333 A	14/01/2003
		JP 3964674 B2	22/08/2007
		WO 0075062 A1	14/12/2000
.....			
US 5949037 A	07/09/1999	CN 1240755 A	12/01/2000
		CN 1080242 C	06/03/2002
		JP 2000016708 A	18/01/2000
		JP 3939027 B2	27/06/2007
		KR 20000004874 A	25/01/2000
.....			
US 2006065490 A1	30/03/2006	US 7353915 B2	08/04/2008
.....			
WO 0102279 A1	11/01/2001	CN 1374923 A	16/10/2002
		CN 1236989 C	18/01/2006
		DE 60032605 D1	08/02/2007
		DE 60032605 T2	11/10/2007
		EP 1194358 A1	10/04/2002
		EP 1194358 B1	27/12/2006
		JP 2003503292 A	28/01/2003
		JP 4773655 B2	14/09/2011
		US 6202799 B1	20/03/2001
.....			
JP 2005162465 A	23/06/2005	None	
.....			