

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 January 2009 (29.01.2009)

PCT

(10) International Publication Number
WO 2009/014628 A1

(51) International Patent Classification:
G06F 3/14 (2006.01)

(21) International Application Number:

PCT/US2008/008714

(22) International Filing Date: 16 July 2008 (16.07.2008)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

11/828,343

25 July 2007 (25.07.2007) US

(71) Applicant (for all designated States except US):
HEWLETT-PACKARD DEVELOPMENT COMPANY L.P. [US/US]; 20555 S.H. 249, Houston, TX 77070 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **CHATOW, Udi** [US/US]; 1501 Page Mill Road, Palo Alto, California 94304 (US). **FITZHUGH, Andrew E.** [US/US]; 1501

Page Mill Road, Palo Alto, California 94304 (US). **BOLWELL, Andrew** [AU/US]; 3000 Hanover Street, Palo Alto, California 94304 (US).

(74) Agent: **HEMINGER, Susan E.**; Hewlett-Packard Company, IP Administration, PO Box 272400, Ft. Collins, CO 80527-2400 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,

[Continued on next page]

(54) Title: VIEWING OF FEEDS

(57) Abstract: Feed selections are automatically arranged into a single publication (120), and the publication is sent to print (140).

FIG. 1





ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL,
NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG,
CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

VIEWING OF FEEDS

BACKGROUND

[0001] Really Simple Syndication ("RSS") is a family of web feed formats used to publish frequently updated content such as blog entries, news headlines and podcasts. RSS enables people to keep up with their favorite web sites in an automated manner rather than manually checking and pulling content from the web sites.

[0002] The feeds are viewed according to an on-line paradigm. Programs such as web browsers are used to access the feeds, and the feeds are displayed and viewed on a screen.

BRIEF DESCRIPTION OF THE DRAWINGS

[0003] Figure 1 is an illustration of a method of viewing feeds in accordance with an embodiment of the present invention.

[0004] Figure 2 is an illustration of a method of accessing feed selections in accordance with an embodiment of the present invention.

[0005] Figure 3 is an illustration of a method of creating a publication from feed selections in accordance with an embodiment of the present invention.

[0006] Figure 4 is an illustration of a method of enhancing a publication in accordance with an embodiment of the present invention.

-2-

[0007] Figure 5 is an illustration of a machine in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION

[0008] As shown in the drawings for purposes of illustration, feeds are viewed according to a print paradigm. As used herein, a feed refers to digital content having a format that provides frequently updated content to users. A feed is not limited to any particular type. The feed could be a web feed such as an RSS feed or a picture feed. However, a feed is not limited to an Internet or Intranet feed. A feed could be generated by a telecom provider over its own network for its mobile phone users. A feed is not even limited to a network. A feed could exist locally on a computer and not require a network of any type for transmission.

[0009] The content contained within a feed is typically defined by its publisher. A magazine or newspaper publisher, for instance, will typically define multiple feeds, some corresponding to different sections (e.g., national news, business, sports), to particular columnists, etc.

[0010] Some embodiments of the present invention may be performed by a central service provider. Consider a web-based service provider such as Google or Yahoo. Each company offers various services for providing web feeds. For instance, Google offers Google Reader, which checks favorite web sites, news sites and blogs for new content. Yahoo offers My Yahoo!, which provides personalized web content such as TV listings, bookmarks to other web sites, links to selected newspaper articles, links to stock market information, etc. A user (e.g., a person subscribing to a service) can access these services via the service providers' web sites.

[0011] The feeds can be read using an application called a "feed reader" or an "aggregator." A user may subscribe to a feed by entering the feed's link into the aggregator or by clicking an RSS icon that initiates the

subscription process. The aggregator checks the user's subscribed feeds regularly for new content, downloading any updates that it finds.

[0012] The aggregator is not limited to any particular platform. For example, the aggregator can be run on a personal computer or a mobile device.

[0013] Reference is made to Figure 1, which illustrates a method of viewing feeds. At block 110, certain content is automatically selected from one or more feeds. The content may be selected according to some search criteria. The selected content is referred to as "feed selections."

[0014] For example, a user had previously selected three feeds that are published by sports magazines and two more feeds for the sports section of two newspapers. The user had also previously indicated an interest in a particular sports team. A service provider, for instance, searches these five feeds and returns images and articles (feed selections) about that sports team.

[0015] At block 120, the feed selections are arranged into a publication. The feed selections can be converted to a standard document format (e.g., pdf or XML) and concatenated or otherwise arranged. This step may also be performed automatically. For example, a service provider can arrange the feed selections or have someone else do it.

[0016] At block 130, the publication may be formatted before being sent to print. The formatting is not limited to any particular type. The feed selections may be placed in a format that is consistent with a certain type of publication. Examples of different types of publication formats include, but are not limited to, those of personal magazines, personal catalogues, books, newsletters, and combinations thereof.

[0017] The resulting publication is not limited to a concatenation of feed selections. Rather, it can be an arrangement of feed selections that has the look and feel of a certain type of publication.

[0018] As a first example, the publication contains only those articles that are of interest to a person, and it has the look and feel of a newspaper. As a second example, the publication contains articles and blog content that are of interest to a person, and it has the look and feel of a magazine. As a third example, a publication contains both news articles and documents. The news articles are formatted to have the look and feel of a magazine, and the documents are formatted to have the look and feel of professional reports.

[0019] At block 140, the publication is sent to print. The publication can be sent back to the user for printing on a local printer. In the alternative, the publication can be sent to another party for printing, such as a print service provider (PSP). The PSP could print the publication and deliver it to a specified location. Although the publication is sent to print, it might not be printed immediately. For instance, the publication might be sent to a short term server storage prior to printing.

[0020] The method of Figure 1 shifts the viewing of feeds from an on-line paradigm to a print paradigm. The print paradigm offers advantages over the on-line paradigm. For instance, multiple pages are usually easier and faster to read and digest in a printed format.

[0021] The print paradigm is not tethered to an Internet connection. Via a print paradigm, a person can read the feed selections at locations that do not offer Internet access.

[0022] Higher visual quality can be achieved for images in print than on a screen. A print can be made with higher resolution and sharpness. A print also looks better under external sunlight or other intense light exposures.

[0023] Reference is now made to Figure 2, which illustrates an example of how the feed selections are accessed. This example involves a service provider.

[0024] At block 210, the service provider receives feed choices from a user. These choices may be made with an aggregator. For example, a user clicks RSS icons in an aggregator, and the aggregator sends the corresponding feed links choice to the service provider.

[0025] Also at block 210, the service provider obtains search criteria. The search criteria includes, but is not limited to, image quality, file size, feed date (e.g., most recent news receives highest priority), content of interest (as indicated by, for example, tags and keywords).

[0026] Consider the example above about the five feeds. These feeds may be specified at block 210. The preference for the particular sports team may be supplied as part of the search criteria (also at block 210). In addition, the search criteria indicate a preference for high image quality, time of picture capture, place, source of information, author, editor, etc.

[0027] The user may supply the search criteria to the service provider. The user may select different criteria from a menu offered by a browser, and the browser sends the selected criteria to the service provider. The search criteria may also be entered and supplied to the service provider via an aggregator.

[0028] The search criteria may be determined or refined automatically. With time and usage, the service provider can learn about the user, develop a profile, and identify user interests. This information can be used to automatically select feeds and generate search criteria for the user.

[0029] Feeds may be selected and search criteria may be determined automatically from recipient interests. Recipient interests might include geographic location, reading interests, hobbies, affiliations, memberships, desired level of advertising, etc. Obtaining information about recipient interests is described in assignee's U.S. Serial No. 11/694,914 filed 30 March 2007, which is incorporated by reference.

[0030] At block 220, the service provider automatically accesses feed selections based on the feed choices and the search criteria. A search engine could be used to select content from feeds. The feed selections could include images, text, graphics and blogs.

[0031] At block 230, the service provider stores the feed selections in a repository (e.g., in server-accessible memory). Certain stored selections may be overwritten or replaced. For instance, if the user criteria specifies high quality images, saved images will be overwritten by similar images having higher quality.

[0032] The feeds may be searched periodically. Although the actual frequency will be application-specific, the selected feeds might be searched several times a day.

[0033] Reference is now made to Figure 3, which illustrates an example of creating a publication from feed selections. At block 310, the repository is "frozen" (that is, no more feed selections are added). The repository may be frozen upon request by a user. For instance, if a user has to catch a flight the next day, that user might want the repository frozen immediately so a publication can be created and delivered to the airline (which can then deliver the publication to the user at the gate or on the plane).

[0034] Alternatively, the repository may be frozen according to a user-defined custom schedule. For instance, publication creation can be scheduled periodically (e.g., weekly, monthly), or according to an ad-hoc special print schedule, or whenever the repository has been filled with a predefined number of pages (e.g., once a page limit for the publication has been reached).

[0035] The user-defined schedule could be offered as part of a subscription service. For instance, the user pays a certain amount of money for X number of pages. The cost of the service could be subsidized in part or in full by allowing a certain amount of advertising in the publication.

-7-

[0036] At block 320, the feed selections in the frozen repository are sent to publication. The feed selections are arranged into a publication, and the publication is formatted. The publication may also be enhanced. Examples of enhancing a publication will be described below.

[0037] The formatting may be performed, before, during or after the enhancements are applied. Formatting includes giving the publication a certain look and feel. The publication may be formatted with predefined templates and page masters that are pre-defined. Some templates and page masters could be user-supplied.

[0038] Formatting could also include fitting the feed selections and any other material (e.g., advertisements, personalized content, and filler content) to the length of a page. In general, the formatting can include improving the appearance, organization and readability of a publication.

[0039] A repository may be partitioned, where each partition contains a different type of content (e.g., pictures, news articles, sports). The content in the different partitions can be formatted differently. For example, a first print template could be applied to news content, a second print template could be applied to sports, and so on. The formatted content is then combined into a single publication. Instead of partitioning a single repository, different repositories may be used.

[0040] The publication could be sent (e.g., e-mailed) to a user, who uses a word processing program, publishing program, publication wizard or some other program to perform the formatting. A publishing program might have the following features: standard toolbars for image editing and word processing operations; an interface for adding additional content; and a menu of templates and page masters that can be applied to the publication. The program can also provide an interface for sending the formatted publication back to the service provider or to a print service provider, or to a local printer.

[0041] The publication could be formatted on-line. For example, a user logs into web site, accesses the publication, and uses web-based tools to format and enhance the publication.

[0042] The publication could be formatted automatically, in addition to or instead of manual intervention. For example, formatting preferences could be indicated at block 210 of Figure 2, and the publication can be automatically formatted according to those preferences.

[0043] At block 330, the publication is sent to print. A service provider can print the publication and send it (e.g., by mail, fax) to the user. Or, the service provider can send the publication in electronic form to a print service provider, which prints out the publication and sends the publication to the user or other recipient. As a first example, a service provider e-mails a printed publication to a print shop, where a user later picks it up. As a second example, the service provider e-mails a publication to a hotel at which a user is (or will be) staying. The hotel then prints the publication and gives it to the user. As a third example, a service provider e-mails a publication to a user, who prints it on a local printer.

[0044] Reference is now made to Figure 4, which illustrates various ways in which a publication can be enhanced prior to being sent to print. All of the ways illustrated in Figure 4 are optional and can be performed in any order.

[0045] At block 410, the feed selections are previewed, edited and re-arranged. This re-arrangement can be performed by the user. This can be performed with a word processing program, image editing program, publishing program, etc.

[0046] At block 420, one or more advertisements can be added to the publication. The advertisements can be added to partially or fully subsidize the cost of preparing the publication. A service provider may identify advertisements that can be placed in a publication.

[0047] At block 430, specialty print items can be specified. As examples, a certain print media type or color properties (e.g., CMYK, CMYKcm, hexachrome or larger gamut) might be specified. Other specialty services, such as applying bindings, special finishes, etc., might be specified. A PSP capable of fulfilling the specified print options (and other criteria, such as cost) would then be selected.

[0048] At block 440, the publication can be enhanced by using a Publisher Interface. As used herein, a Publisher Interface refers to an embodiment of a platform disclosed in assignee's U.S. Serial No. 11/741,718 filed 27 April 2007, which is incorporated herein by reference. The Publisher Interface provides access to a wide variety of resources (e.g., content providers, designers, advertisers, editors, print service providers) of varying degrees of quality. A person with little or no knowledge of desktop publishing can enlist selected parties to create a professional-looking publication. A publisher doesn't need to understand the intricacies of document publishing. A publisher doesn't need to establish a network of content providers, designers, advertisers. The Publishing Interface could incorporate a method according to an embodiment of the present invention (e.g., automatically arranges feed selections into a single publication, and sends the publication to print).

[0049] At block 450, the feed selections are used as common content, and customized instances may be generated from the common content. Thus, the feed selections may be included in each instance. However, the different instances may also include additional content that is different. Examples of the additional content include, but are not limited to, jokes, quotes, and reviews. The different instances may also include different advertisements, and different designs (applying a theme, higher quality templates, art work), and any other customized material.

[0050] The instances may be customized according to recipient interests. An instance may contain customized content (e.g., stories of interest, regional information, certain editorials, photos from specific places of interest to

-10-

a recipient). An instance may contain a customized design (e.g., an appropriate template or style sheet, a theme for special occasion, a layout with cartographic styles for a recipient interested in travel, use of a predominant color for a holiday, certain image borders or frames, fonts, page numbers and other graphical elements). Customizing instances of a publication is described in assignee's U.S. Serial No. 11/694,914 filed 30 March 2007. The Publisher Interface could be used to perform the customization.

[0051] Advertisements in an instance may also be customized according to a recipient's interests. Customization of advertisements is also described in assignee's U.S. Serial No. 11/460,488 filed July 27, 2006, which is incorporated by reference.

[0052] Customization of advertising has particular advantages. For example, a recipient might be willing to pay full cost for an instance, provided that the instance does not contain advertising. Or a recipient might accept a certain amount of advertising in an instance so that the instance is subsidized in part by advertisements. As a result, the recipient's cost of the instance would be reduced.



[0053] Reference is made to Figure 5, which illustrates a general hardware implementation of a method according to an embodiment of the present invention. The hardware implementation includes a machine 510 having a network interface 520, a processor 530, and memory 540. The memory 540 includes data 550 (e.g., code) for causing the processor 530 to perform a method according to an embodiment of the present invention. If the method is performed by an online service provider, the machine could be a server. An online service provider might use multiple servers to provide an online service to its many subscribers.

VIEWING OF FEEDS

THE CLAIMS

1. A method comprising:
automatically arranging feed selections into a single publication (120);
and
sending the publication to print (140).
2. The method of claim 1, further comprising obtaining the feed selections automatically according to search criteria (220).
3. The method of claim 2 wherein the search criteria is determined automatically (210).
4. The method of claim 3, wherein the search criteria is determined automatically from recipient interests.
5. The method of claim 1, wherein a service provider provides a service for automatically arranging the selected feeds into the single publication.
6. The method of claim 1, wherein the feed selections are accessed from feeds and stored in a repository (230).
7. The method of claim 6, wherein the repository is filled until it is frozen (310).
8. The method of claim 6, wherein the repository is frozen according to a schedule (310).
9. The method of claim 1, further comprising formatting the publication before the publication is sent to print (130, 320).
10. The method of claim 1, further comprising enhancing the publication before sending it print (320).

1/3

FIG. 1**FIG. 2**

2/3




FIG. 3**FIG. 5**

FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2008/008714

A. CLASSIFICATION OF SUBJECT MATTER		
<i>G06F 3/14(2006.01)i</i>		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) IPC 8 : G06F		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Korean Utility models and applications for Utility models since 1975 Japanese Utility models and applications for Utility models since 1975		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) eKIPASS(KIPO internal) "Really Simple Syndication(RSS)", "content", "feed", "printer", "delivery"		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2006-0215215 A1(O.R. SENTHIL KUMARAN) 28 September 2006 See abstract; figures 1-2; claims 1-20.	1-10
A	WO 2006-123806 A1(CANON KABUSHIKI KAISHA) 23 November 2006 See abstract; claims 1-32.	1-10
A	KR 10-0573037 B1(INTRO MOBILE CO., LTD.) 14 April 2006 See abstract; figures 1-24; claims 1-33.	1-10
P, X	KR 10-2008-0000456 A(SAMSUNG ELECTRONICS CO., LTD.) 2 January 2008 See abstract; claims 1-5; figures 1-6.	1-10
☐ Further documents are listed in the continuation of Box C. ☒ See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family	
Date of the actual completion of the international search 28 NOVEMBER 2008 (28.11.2008)	Date of mailing of the international search report 28 NOVEMBER 2008 (28.11.2008)	
Name and mailing address of the ISA/KR  Korean Intellectual Property Office Government Complex-Daejeon, 139 Seonsa-ro, Seo-gu, Daejeon 302-701, Republic of Korea Facsimile No. 82-42-472-7140	Authorized officer HAN, Seon Kyoung Telephone No. 82-42-481-8523 	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/US2008/008714

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2006-0215215 A1	28.09.2006	None	
WO 2006-123806 A1	23.11.2006	EP 1884111 A1 JP 2006-323610 A KR 10-2008-0043738 A	06.02.2008 30.11.2006 19.05.2008
KR 10-0573037 B1	14.04.2006	EP 1777632 A2	25.04.2007
KR 10-2008-0000456 A	02.01.2008	None	