

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
24 August 2006 (24.08.2006)

PCT

(10) International Publication Number  
WO 2006/089024 A1

(51) International Patent Classification:  
C07D 307/87 (2006.01)

(21) International Application Number:  
PCT/US2006/005476

(22) International Filing Date:  
16 February 2006 (16.02.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/653,735 17 February 2005 (17.02.2005) US

(71) Applicant (for all designated States except US): FMC CORPORATION [US/US]; 1735 Market Street, Philadelphia, PA 19103 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GOUDAR, Jaidev, S. [US/US]; 4 Baylor Place, West Windsor, NJ 08550 (US). HATCH, Charles, E. III [US/US]; 284 Wargo Road, Pennington, NJ 08534 (US). WANG, Guozhi [US/US]; 75-10 173rd Street, Fresh Meadow, NJ 11366 (US). PATERA, Russell [US/US]; 104 Versailles Court, Hamilton, NJ 08619 (US). POLSZ, Craig, A. [US/US]; 8 Prince Philip Court, Newtown, PA 18940 (US).

(74) Agents: SHEEHAN, John, M. et al.; FMC Corporation, 1735 Market Street, Philadelphia, PA 19103 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IMPROVED PROCESS FOR PREPARING (DISUBSTITUTEDPROPENYL) PHENYLALKYL SUBSTITUTED DIHYDROBENZOFURANS



(57) Abstract: An improved process is described for preparing (disubstitutedpropenyl) phenylalkyl substituted dihydrobenzofurans. This improved process is focused on steps to produce key intermediates, namely compounds of Formula (I): where R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup> and x are defined herein.

WO 2006/089024 A1

## Improved Process for Preparing (Disubstitutedpropenyl) Phenylalkyl Substituted Dihydrobenzofurans


5            This application claims the benefit of U.S. Provisional Application No. 60/653,735, filed February 17, 2005.

### Field of the Invention:


10           This invention is in the field of chemical processes; more specifically, an improved process for preparing (disubstitutedpropenyl) phenylalkyl substituted dihydrobenzofurans.

### Background:

15           (Disubstitutedpropenyl) phenylalkyl substituted dihydrobenzofurans, such as:



20           wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$  and  $R^6$  are independently selected from halogen or alkyl and  $x$  is 2, 3, 4, 5 or 6; are useful insecticides and have been described in United States Patent number 6,987,194, the disclosure of which is incorporated herein by reference. Disadvantages of processes to produce these compounds include less than optimal yields, less than optimal cycle times and high catalyst loadings. Compounds represented by formula I:




**I**

wherein  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$  and  $x$  are as defined above; are key intermediates in the process for preparing (disubstitutedpropenyl) phenylalkyl substituted dihydrobenzofurans.

5

Summary of the Invention

The present invention improves the process for preparing compounds of formula **I**. As a result of the present invention, overall yield, cycle times and catalyst loading are improved for the production of (disubstitutedpropenyl) phenylalkyl substituted dihydrobenzofurans. Specifically, it has now been found that a compound of formula **I**:

**I**

15

wherein

$R^3$  and  $R^4$  are selected from halogen;


$R^5$  and  $R^6$  are independently selected from halogen or alkyl; and

$x$  is 2, 3, 4, 5 or 6;

20

can be prepared in excellent yield and purity by a process comprising:


a) reacting a compound of formula **(A)**:



## Formula (A)

wherein  $R^5$  and  $R^6$  are as defined above;

5 with a compound of formula (B):



## Formula (B)

10

wherein


$R^7$  and  $R^8$  are independently selected from halogen, hydroxyl or  $-OSO_2R^9$

wherein  $R^9$  is alkyl or aryl; and

x is 2, 3, 4, 5 or 6;

15

in the presence of a base to form a compound of formula II:



## Formula II


20

wherein

$R^5$ ,  $R^6$ ,  $R^8$  and x are as defined above;

b) reacting a compound of formula (C):

25



## Formula (C)

wherein R<sup>3</sup> and R<sup>4</sup> are as defined above;

5 with a compound of formula II in the presence of a base to form a compound of formula I.

Definitions


10 The modifier "about" is used herein to indicate that certain preferred operating ranges, such as ranges for molar ratios for reactants, material amounts, and temperature, are not fixedly determined. The meaning will often be apparent to one of ordinary skill. For example, a recitation of a temperature range of about 120° C to about 135° C in reference to, for example, an organic chemical reaction would be interpreted to include other like temperatures that can be expected to favor a useful  
15 reaction rate for the reaction, such as 105° C or 150° C. Where guidance from the experience of those of ordinary skill is lacking, guidance from the context is lacking, and where a more specific rule is not recited below, the "about" range shall be not more than 10% of the absolute value of an end point or 10% of the range recited, whichever is less.

20 As used in this specification and unless otherwise indicated the substituent terms "alkyl", "alkoxy", and "haloalkyl", used alone or as part of a larger moiety, includes straight or branched chains of at least one or two carbon atoms, as appropriate to the substituent; and preferably up to 12 carbon atoms, more preferably up to ten carbon atoms, most preferably up to seven carbon atoms. "Halogen",  
25 "halide" or "halo" refers to fluorine, bromine, iodine, or chlorine. The term "ambient temperature" refers to a temperature in the range of about 20° C to about 30° C. Certain solvents, catalysts, and the like are known by their acronyms. These include the acronyms "DMAC" meaning N,N-dimethylacetamide, "DMF" meaning N,N-dimethylformamide, "THF" meaning tetrahydrofuran. The term "glymes"  
30 refers to a class of solvents comprised of monoglyme, diglyme, triglyme, tetraglyme, and polyglyme. The term "GC" refers to gas chromatography or gas chromatographic methods of analyses.

Detailed Description of the Invention

The present invention relates to a process for preparing a compound of formula **I**:

5

**I**

wherein

$R^3$  and  $R^4$  are selected from halogen;

10


$R^5$  and  $R^6$  are independently selected from halogen or alkyl; and

$x$  is 2, 3, 4, 5 or 6;

said process comprising:

15


a) reacting a compound of formula **(A)**:

Formula **(A)**

20

wherein  $R^5$  and  $R^6$  are as defined above;

with a compound of formula **(B)**:



Formula (B)

wherein


5  $R^7$  and  $R^8$  are independently selected from halogen, hydroxyl or  $-OSO_2R^9$

wherein  $R^9$  is alkyl or aryl; and

$x$  is 2, 3, 4, 5 or 6;

in the presence of a base to form a compound of formula II:

10




Formula II

wherein

15  $R^5$ ,  $R^6$ ,  $R^8$  and  $x$  are as defined above;

b) reacting a compound of formula (C):



20

Formula (C)

wherein  $R^3$  and  $R^4$  are as defined above;


25

with a compound of formula II in the presence of a base to form a compound of formula I.

The reaction of step a) can be conducted in the presence of a catalyst; at elevated temperature. The catalyst can be polyethylene glycol, dimethylaminopyridine, triethylamine, *p*-toluenesulfonic acid, phosphorous pentoxide, pyridine, phase transfer catalysts such as quaternary ammonium salts or quaternary phosphonium salts or mixtures thereof. The catalyst can be present in a concentration of from about 0.1% by weight to about 15% by weight. The elevated temperature can be in the range of 30°C to 120°C.

The reaction of step b) can be conducted in the presence of a solvent; in the presence of a catalyst; at elevated temperature. The solvent can be tetrahydrofuran, toluene, xylene, 1,2-dichloroethane, triethylamine, *p*-dioxane, N,N-dimethylacetamide, N,N-dimethylformamide, glymes, methyl isobutyl ketone, dimethylsulfoxide or mixtures thereof. The catalyst can be polyethylene glycol, potassium iodide, dimethylaminopyridine, triethylamine, *p*-toluenesulfonic acid, sodium dithionite, phosphorous pentoxide, pyridine, phase transfer catalysts such as quaternary ammonium salts or quaternary phosphonium salts or mixtures thereof. The catalyst can be present in a concentration of from about 0.1% by weight to about 20% by weight. The elevated temperature can be in the range of 30°C to 70°C.

Another embodiment of the present invention is a compound of formula II:



Formula II

wherein


$R^5$  and  $R^6$  are independently selected from halogen or alkyl;

$R^8$  is selected from halogen, hydroxyl or  $-OSO_2R^9$

wherein  $R^9$  is alkyl or aryl; and

$x$  is 2, 3, 4, 5 or 6.

The following examples illustrate processes for preparing compounds of formula I.

Example 1

a) Base/Catalyst/30°C to 120°C/4-8 hours b) Base/Catalyst/Solvent/30°C to 70°C/6-12 hours

10 In the first step (a) of Example 1, 2,2-dialkyl-2,3-dihydrobenzo[b]furan-7-ol, a compound of formula (A), was reacted with a 1,4-dihaloalkane, a compound of formula (B), for example 1,4-dihalobutane, in the presence of a base and a catalyst at elevated temperature to form a 1-(2,2-dialkyl(2,3-dihydrobenzo[2,3-b]furan-7-yloxy))-4-haloalkane, a compound of formula II, for example 1-(2,2-dialkyl(2,3-dihydrobenzo[2,3-b]furan-7-yloxy))-4-halobutane.

15 In step (b) of Example 1, 2,6-dihalobenzene-1,4-diol, a compound of formula (C), was reacted with a 1-(2,2-dialkyl(2,3-dihydrobenzo[2,3-b]furan-7-yloxy))-4-haloalkane, a compound of formula II, for example 1-(2,2-dialkyl(2,3-dihydrobenzo[2,3-b]furan-7-yloxy))-4-halobutane, in the presence of a base, a solvent and a catalyst at elevated temperature to form a 4-[4-(2,2-dialkyl(2,3-


20

dihydrobenzo[2,3-b]furan-7-yloxy))alkoxy]-3,5-dihalophenol, a compound of formula I, for example 4-[4-(2,2-dialkyl(2,3-dihydrobenzo[2,3-b]furan-7-yloxy))butoxy]-3,5-dihalophenol.

- 5           While this invention has been described with an emphasis upon preferred embodiments, it will be obvious to those of ordinary skill in the art that variations of the preferred embodiments may be used and that it is intended that the invention may be practiced otherwise than as specifically described herein. Accordingly this invention includes all modifications encompassed within the spirit and scope as
- 10   defined by the following claims.

What is claimed is:

1. A process for preparing a compound of formula I:



I

wherein


$R^3$  and  $R^4$  are selected from halogen;

$R^5$  and  $R^6$  are independently selected from halogen or alkyl; and

$x$  is 2, 3, 4, 5 or 6;

said process comprising:


- a) reacting a compound of formula (A):



Formula (A)

wherein  $R^5$  and  $R^6$  are as defined above;

with a compound of formula (B):



## Formula (B)


wherein

$R^7$  and  $R^8$  are independently selected from halogen, hydroxyl or  $-\text{OSO}_2R^9$

wherein  $R^9$  is alkyl or aryl; and

$x$  is 2, 3, 4, 5 or 6;

in the presence of a base to form a compound of formula II:




Formula II

wherein

$R^5$ ,  $R^6$ ,  $R^8$  and  $x$  are as defined above;

b) reacting a compound of formula (C):




Formula (C)

wherein  $R^3$  and  $R^4$  are as defined above;

with a compound of formula II in the presence of a base to form a compound of formula I.

2. The process of claim 1 wherein the reacting of step a) is conducted in the presence of a catalyst.
3. The process of claim 1 wherein the reacting of step a) is conducted at elevated temperature.
4. The process of claim 1 wherein the reacting of step b) is conducted in the presence of a solvent.
5. The process of claim 1 wherein the reacting of step b) is conducted in the presence of a catalyst.
6. The process of claim 1 wherein the reacting of step b) is conducted at elevated temperature.
7. A compound of formula II:



Formula II

wherein

$R^5$  and  $R^6$  are independently selected from halogen or alkyl;

$R^8$  is selected from halogen, hydroxyl or  $-OSO_2R^9$

wherein  $R^9$  is alkyl or aryl; and

x is 2, 3, 4, 5 or 6.

**INTERNATIONAL SEARCH REPORT**

International application No.

PCT/US06/05476

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC: C07D 307/87( 2006.01)

USPC: 549/466,462

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 549/466,462

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 6,987,194 B2 (THEODOISDIS et al) 17 January 2006 (17.01.2006), see abstract.	1-7
X	Database CAPLUS on STN, AN 1993:580657, YASUNAGA et al. "Preparation of (hetero) aryloxyalkylamine derivatives having selective affinity to serotonin (5-HT1A) receptors". JP 5125024 A2, 21 May 1993, see abstract.	7
X	Database CAPLUS on STN, AN 114:180346, BALINT et al. "Preparation of ethylphosphonates as herbicides in plant growth regulators". RO 94902 B1, 15 August 1988, see abstract.	7

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents:		
"A" document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed	"&"	document member of the same patent family

Date of the actual completion of the international search  
08 June 2006 (08.06.2006)

Date of mailing of the international search report

12 JUL 2006

Name and mailing address of the ISA/US  
Mail Stop PCT, Attn: ISA/US  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
Facsimile No. (571) 273-3201

Authorized officer  
Amelie A. Owens  
Telephone No. 571-272-0700

