US00D752715S

(12) United States Design Patent

Yakushijin et al.

(10) Patent No.: US D752,715 S
(45) Date of Patent: ** Mar. 29, 2016

(54) **FLUID CONTROLLER**

(71) Applicant: **FUJIKIN INCORPORATED**, Osaka-shi (JP)

(72) Inventors: **Tadayuki Yakushijin**, Osaka (JP); **Yasumasa Yanagida**, Osaka (JP); **Keisuke Ishibashi**, Osaka (JP); **Tomohiro Nakata**, Osaka (JP); **Tsuyoshi Tanikawa**, Osaka (JP); **Michio Yamaji**, Osaka (JP)

(73) Assignee: **FUJIKIN INCORPORATED**, Osaka-Shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/522,268**

(22) Filed: **Mar. 30, 2015**

(30) **Foreign Application Priority Data**

Sep. 30, 2014 (JP) D2014-021702

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/233**

(58) **Field of Classification Search**
USPC D23/233–269; 137/398, 545, 54, 549, 137/62, 385, 505.42, 505.12, 318, 884, 597, 137/606, 883, 613, 246, 222, 538, 498; 285/24, 124.1, 26, 328, 379, 906
CPC F16K 27/003; F16K 35/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,967,489 A * 10/1999 Nakazawa G05D 7/0635 137/884
6,035,893 A * 3/2000 Ohmi F15B 13/0814 137/597
6,116,282 A * 9/2000 Yamaji F16K 27/003 137/613
6,161,875 A * 12/2000 Yamaji F16K 27/003 285/124.1
6,189,350 B1 * 2/2001 Nishimura F16K 35/10 137/385
7,152,629 B2 * 12/2006 Tokuda F16K 27/003 137/884
D605,253 S * 12/2009 Lai D23/233
D605,254 S * 12/2009 Lai D23/233
D605,255 S * 12/2009 Lai D23/233
7,814,797 B2 * 10/2010 Shikata F16L 41/008 73/714
2013/0037145 A1 * 2/2013 Kuriki F16K 27/003 137/597

* cited by examiner

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Gino Colan
(74) *Attorney, Agent, or Firm* — Mori & Ward, LLP


(57) **CLAIM**

The ornamental design for a fluid controller, as shown and described.

DESCRIPTION

FIG. **1** is a top and right front perspective view of a fluid controller, showing our design;
FIG. **2** is a front elevational view thereof, with a rear elevational view being a mirror image thereof;
FIG. **3** is a top plan view thereof, showing cross-sectional reference lines **8-8** for FIG. **8**;
FIG. **4** is a bottom elevational view thereof;
FIG. **5** is a right side elevational view thereof, with a left side elevational view being a mirror image thereof; and
FIG. **6** is a right side elevational view thereof, showing cross-sectional reference lines **7-7** for FIG. **7**;
FIG. **7** is a partial cross-sectional view thereof along lines **7-7** shown in FIG. **6**;
FIG. **8** is a cross-sectional view thereof along lines **8-8** shown in FIG. **3**; and,
FIG. **9** is a top plan view thereof, showing a handle in a rotated orientation.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9