



US00D528892S

(12) **United States Design Patent**  
**Okada**

(10) **Patent No.:** **US D528,892 S**

(45) **Date of Patent:** **\*\* Sep. 26, 2006**

(54) **HANDLE OF HANDSAW**

D500,656 S \* 1/2005 Fancelli ..... D8/97  
D509,123 S \* 9/2005 Tran ..... D8/95  
D510,008 S \* 9/2005 Kanzawa ..... D8/97

(75) Inventor: **Tamotsu Okada**, Miki (JP)

(73) Assignee: **Kabushiki Kaisha Okada Kinzoku Kogyosho**, Miki (JP)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Philip S. Hyder  
(74) *Attorney, Agent, or Firm*—Armstrong, Kratz, Quintos, Hanson & Brooks, LLP

(21) Appl. No.: **29/226,767**

(57) **CLAIM**

(22) Filed: **Apr. 1, 2005**

The ornamental design for a handle of handsaw, as shown and described.

(51) **LOC (8) Cl.** ..... **08-03**

(52) **U.S. Cl.** ..... **D8/97**

(58) **Field of Classification Search** ..... D8/95,  
D8/96, 97, 98, 99, 100, 107; 30/156, 157,  
30/158, 159, 160, 331, 332, 333, 522, 523  
See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a front view of the handle of handsaw of the present invention;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a left side view thereof;  
FIG. 7 is a perspective view thereof; and,  
FIG. 8 is a front view thereof, wherein the broken line showing of the blade is for illustrative purposes only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,383 S \* 4/1990 Huang ..... D8/97  
D357,166 S \* 4/1995 Concari ..... D8/107  
D400,421 S \* 11/1998 Okada ..... D8/97  
5,930,902 A \* 8/1999 Hsu ..... 30/331  
5,937,527 A \* 8/1999 Okada ..... 30/332  
D468,615 S \* 1/2003 Kanzawa ..... D8/97  
D500,240 S \* 12/2004 Fancelli ..... D8/97

**1 Claim, 3 Drawing Sheets**




FIG.1




FIG.2




FIG.3




FIG.4



FIG.5




FIG.6




FIG. 7




FIG. 8

