

[54] CONICAL TRIPLE END CAP FOR USE WITH A CABLE SPLICE CASE

[75] Inventors: William J. Seim, Roseville; Ronald C. Houts, Vadnais Heights, both of Minn.

[73] Assignee: Minnesota Mining and Manufacturing Co., St. Paul, Minn.

[**] Term: 14 Years

[21] Appl. No.: 207,419

[22] Filed: Nov. 17, 1980

[51] Int. Cl. D13-03

[52] U.S. Cl. D13/24

[58] Field of Search D13/12, 13, 15, 24; 174/48, 72 A, 68 R, 68 C, 73 R, 74 R, 74 A, 76, 77, 82, 93, 98, 101, 138 F; 339/60 R, 101, 103; 200/19 DC

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 219,656 1/1971 Estes D13/15
- 3,624,594 11/1971 Trimble et al. 174/93 X
- 3,646,250 2/1972 Estes 174/138 F

- 3,838,207 9/1974 Anselment et al. 174/138 F
- 3,874,760 4/1975 Guthmiller et al. 174/91 X
- 4,015,072 3/1977 Gillemot 174/93 X
- 4,063,793 12/1977 Judd 339/60 R


Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Cruzan Alexander; Donald M. Sell; James V. Lilly

[57] CLAIM

The ornamental design for a conical triple end cap for use with a cable splice case, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the conical triple end cap for use with a cable splice case showing our new design. FIG. 2 is a front elevational view of said conical triple end cap; FIG. 3 is a right side elevational view of said conical triple end cap; FIG. 4 is a rear elevational view of said conical triple end cap; FIG. 5 is a left side elevational view of said conical triple end cap; and FIG. 6 is a bottom plan view of said conical triple end cap.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6