



US00D355261S

United States Patent [19]

[11] Patent Number: Des. 355,261

Abrams et al.

[45] Date of Patent: ** Feb. 7, 1995

- [54] CHILD SECURITY GATE
- [75] Inventors: **Randy L. Abrams, Leominster, Mass.; David W. Crossley, Woonsocket, R.I.**
- [73] Assignee: **Safety 1st, Inc., Chestnut Hill, Mass.**
- [**] Term: **14 Years**
- [21] Appl. No.: **6,869**
- [22] Filed: **Apr. 8, 1993**
- [52] U.S. Cl. **D25/38**
- [58] Field of Search **D25/38-46, D25/53, 152; 256/24, 73; 52/507; 49/50, 55-57, 463, 464, 465, 466; 160/223, 224, 225**

- 3,000,063 9/1961 Hoog .
- 3,120,032 2/1964 Burnette .
- 3,163,205 12/1964 Gottlieb .
- 3,216,482 11/1965 Lindholm .
- 3,431,966 3/1969 Injeski .
- 3,489,201 1/1970 Curry, III et al. .
- 3,680,260 8/1972 Bauer .
- 3,885,616 5/1975 Berkowitz .
- 3,942,576 3/1976 Rickard .
- 4,004,325 1/1977 Hubachek .
- 4,367,819 1/1983 Lewis .
- 4,437,265 3/1984 Turro et al. .
- 4,470,277 9/1984 Uyeda .
- 4,607,455 8/1986 Bluem .
- 4,677,791 7/1987 Larson et al. .
- 4,702,036 10/1987 Johnson 49/57
- 4,944,117 7/1990 Gebhard et al. .
- 5,272,840 12/1993 Knoedler et al. 49/463

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 341,207 11/1993 Freese et al. D25/38
- 367,162 7/1887 Peterson .
- 498,574 5/1893 Ryan .
- 604,411 5/1898 Motley .
- 865,404 9/1907 Laurent .
- 905,142 12/1908 Bond .
- 1,238,294 8/1917 Hertz .
- 1,465,443 8/1923 Josler .
- 1,515,454 11/1924 Wilson .
- 1,849,024 3/1932 McKee .
- 2,199,851 5/1940 Culver .
- 2,295,194 9/1942 Atkinson .
- 2,348,561 5/1944 Mutch .
- 2,511,372 6/1950 Price .
- 2,581,857 1/1952 Harrison .
- 2,756,469 7/1956 Cattermole et al. .
- 2,803,471 8/1957 Roth .
- 2,896,277 7/1959 Halligan .
- 2,928,146 3/1960 Kuniholm .
- 2,982,353 5/1961 Luger .

FOREIGN PATENT DOCUMENTS

- 212089 5/1957 Australia .

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Wolf, Greenfield, & Sacks

[57] **CLAIM**

The ornamental design for a child security gate, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a child's security-gate embodying our new design with broken lines suggesting the manner in which the gate is mounted in a doorway;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side view thereof; and

FIG. 7 is a left side view thereof.





Fig. 1






Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7