
C. R. WARREN. DIAPER PROTECTOR.



UNITED STATES PATENT OFFICE.

CATHERINE R. WARREN, OF RICHMOND, VIRGINIA, ASSIGNOR TO CATH-ARINE J. BUTT, OF AUGUSTA, GEORGIA.

DIAPER-PROTECTOR.

SPECIFICATION forming part of Letters Patent No. 584,490, dated June 15, 1897.

Application filed August 31, 1896. Serial No. 604,459. (No model.)

To all whom it may concern:

Be it known that I, CATHERINE R. WAR-REN, of Richmond, in the county of Henrico and State of Virginia, have invented a new and Improved Diaper Protector, of which the following is a specification.

It is the object of my invention to provide an improved cover or protector for waterproof diapers or diaper-covers, which are com-10 ing into more and more extensive use.

The novel features of the invention are as

hereinafter specified.

In the accompanying drawings, Figure 1 is a perspective view showing my invention ap-15 plied to a child. Fig. 2 is a front side view of my invention with the flaps buttoned together. Fig. 3 is a view of the rear side of the same. Fig. 4 is a view of the inner side of the same spread out flat. Fig. 5 is a simi-20 lar view of the rubber diaper. Fig. 6 is a sec-tion on line 6 6 of Fig. 2. Fig. 7 is a section on line 7 7 of Fig. 4.

A indicates my improved protector, and B the diaper or diaper-cover proper. These 25 may be attached by buttons to an ordinary muslin waist C, as shown in Fig. 1, or otherwise supported. The protector A is made of muslin, linen, cambric, or any other preferred or analogous material, preferably such 30 as harmonizes in color and quality with the other garments worn by the child. The part B, which may be used as a diaper proper or a cover for an ordinary cloth diaper, is made of rubber cloth or some other thin water-35 proof material.

Both the protector A and diaper B are approximately fan-shaped, and the diaper is of such dimensions that it is inclosed within and wholly concealed by the protector A. 40 The latter has free inwardly-projecting portion or lap a around its edge, which constitutes a sort of pocket adapted to receive and cover the edge of the diaper B, as shown in

Figs. 4 and 7.

The attachment of the diaper B to the protector A is effected at most points by buttons b, Fig. 4, which are attached to the inner side of the lap a and pass through buttonholes b' in the diaper and other holes in the

the diaper and the edge of the latter kept in place beneath it, yet the diaper may be readily disengaged and detached when required.

At the corners of the protector and diaper and at the lower edge it is less necessary that 55 the buttons should be attached to the lap a, since the latter is held down by reason of its peculiar construction, or overlapping the diaper B, and in such case the buttons may be attached to the diaper itself.

When the parts A B, thus constructed and connected, are applied to the person of an infant, the narrow portion or lower end a' of the same is drawn up between the legs and buttoned to the front side. Thus the pro- 65 tector A effectually conceals the diaper B from view, so that it may be worn without the obtrusiveness which has been the chief objection to its use.

It will be noted that the same buttons which 70 hold the protector and diaper together at that point serve also for securing such extension a', and that the same buttons which secure the lapped front edges of the protector together also hold together the right-hand por- 75 tions of the protector and diaper. Detachable studs may be used at this point in place

of buttons proper. By the above-described construction and combination of parts I provide a cover and 80 protector of muslin or other preferred material and either trimmed or untrimmed with lace or edging of any sort for a waterproof diaper-cover or diaper proper, whereby the latter is entirely concealed, the appearance 85 of the child's undergarments enhanced without occasioning any discomfort by chafing, &c.

The protector keeps the exterior of the diaper B clean and may be itself easily and quickly applied, or detached when soiled and 90 another substituted for it, or the diaper may be conveniently detached as occasion requires.

What I claim is—

1. The improved cover, or protector, for 95 an infant's diaper, the same being essentially fan-shaped, and composed of a suitable fabric and provided with a permanent internal fold or lap around its edge, and with buttons at-50 protector. Thus the lap a is held down on | tached to the inner side of such lap, and but- 100 tonholes arranged coincidently with said buttons in the face or outer side of the cover, as shown and described.

2. The improved diaper-cover having 5 around its edge the free internal lap a, forming a fixed and permanent pocket for the edge of a diaper, and buttons b attached to the inner side of said lap, the body of the cover

having buttonholes which are arranged directly opposite said buttons, as and for the 10 purpose specified.

CATHERINE R. WARREN.

Witnesses: J. L. MAURY, T. A. CARY.