



US00D346014S

United States Patent [19]

Berge et al.

[11] Patent Number: Des. 346,014

[45] Date of Patent: ** Apr. 12, 1994

[54] KITCHEN SINK

[75] Inventors: David R. Berge, Saint Lazare; Jeff P. Walz, Toronto, both of Canada

[73] Assignee: American Standard Inc., New York, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 691,589

[22] Filed: Apr. 23, 1991

[52] U.S. Cl. D23/284

[58] Field of Search 4/580, 619, 630-636,
4/639, 640, 642, 650-660, DIG. 18;
D23/271-275, 284-294

[56] References Cited

U.S. PATENT DOCUMENTS

D. 113,232	2/1939	Love	D23/294
D. 198,305	6/1964	Graning, Jr.	D23/290
D. 218,606	9/1970	Lein	D23/284
D. 226,378	2/1973	Doman	D23/290
D. 234,199	1/1975	Stairs, Jr.	D23/294
D. 234,201	1/1975	Stairs, Jr.	D23/290
D. 234,427	3/1975	Stairs, Jr.	D23/294
D. 234,464	3/1975	Stairs, Jr.	D23/290
D. 326,902	6/1992	Bonnell	D23/284
4,336,620	6/1982	Gresh	4/619 X

OTHER PUBLICATIONS

Spring/Summer 1991 edition of Sears Catalog (p. 1020).

Primary Examiner—James R. Largent

Attorney, Agent, or Firm—Elaine B. Robinson; Ann M. Knab

[57] CLAIM

The ornamental design for a kitchen sink, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a kitchen sink showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a cross sectional view taken on line 8—8 of FIG. 2;

FIG. 9 is a top, front and left side perspective view of a second embodiment thereof;

FIG. 10 is a top plan view of FIG. 9;

FIG. 11 is a front elevational view of FIG. 9;

FIG. 12 is a left side elevational view of FIG. 9;

FIG. 13 is a right side elevational view of FIG. 9;

FIG. 14 is a rear elevational view of FIG. 9;

FIG. 15 is a bottom plan view of FIG. 9;

FIG. 16 is a cross sectional view taken on line 16—16 of FIG. 10;

FIG. 17 is a top, front and left side perspective view of a third embodiment thereof, wherein this embodiment differs from the first embodiment by the addition of an external shell;

FIG. 18 is a top plan view of FIG. 17;

FIG. 19 is a front elevational view of FIG. 17;

FIG. 20 is a left side elevational view of FIG. 17;

FIG. 21 is a right side elevational view of FIG. 17;

FIG. 22 is a rear elevational view of FIG. 17;

FIG. 23 is a bottom plan view of FIG. 17;

FIG. 24 is a cross sectional view taken on line 25—25 of FIG. 18;

FIG. 25 is a top, front and left side perspective view of a fourth embodiment thereof, wherein this embodiment differs from the second embodiment by the addition of an external shell;

FIG. 26 is a front elevational view of FIG. 25;

FIG. 27 is a top plan view of FIG. 25;

FIG. 28 is a left side elevational view of FIG. 25;

FIG. 29 is a right side elevational view of FIG. 25;

FIG. 30 is a rear elevational view of FIG. 25;

FIG. 31 is a bottom plan view of FIG. 25; and,

FIG. 32 is a cross sectional view taken on line 32—32 of FIG. 26.




FIG. 1




FIG. 8




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.9




FIG.16




FIG. 10




FIG. 11





FIG. 12

FIG.13




FIG.14




FIG.15




FIG.17





FIG.24






FIG.19





FIG.20

FIG.21




FIG.22




FIG.23




FIG.25




FIG.32




FIG.26




FIG.27




FIG.28




FIG.29




FIG.30




FIG.31

