

Nov. 13, 1928.

1,691,306

M. ROSEN

PACKAGE

Filed Aug. 24, 1927

Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.



Fig. 6.



Fig. 7.



Fig. 9.





Fig. 8.



Inventor

MARTIN ROSEN

By Maurice S. Gayne
Attys.

Patented Nov. 13, 1928.

1,691,306

UNITED STATES PATENT OFFICE.

MARTIN ROSEN, OF CHICAGO, ILLINOIS.

PACKAGE.

Application filed August 24, 1927. Serial No. 215,004.

REISSUED

MAY 13 1930

This invention relates to a package and method of making the same, particularly to a package containing loose confections, such for example, as raisins, nuts, hard candies, 5 nuts and raisins, and the like.

The main object of the invention is the production of a package, particularly for loose confections, in which the package is provided with a relatively stiff rear wall 10 for maintaining said package in extended form, and the remaining walls of said package being formed from a single piece of transparent material, such for example, as "glassine" paper, cellophane, or the like, 15 whereby a clear view is had of the contents of the package.

A further object of the invention is the production of a package, particularly for loose particles of food, in which the food 20 particles are enclosed within a transparent wrapper, all except one of the corners of which are folded over and attached to the rear face of a relatively stiff sheet which forms the rear wall of said package, the 25 remaining corner of said wrapper being disposed between the contents of the package and the inner face of said stiff sheet, whereby the said last mentioned corner may be pulled out and assist in dispensing the 30 contents of the package therefrom.

A still further object of the invention is the production of a package, particularly for loose confections, which will be easily and cheaply made, compact, and neat and attractive in appearance. 35

Other objects and advantages of the invention will become apparent during the course of the following description taken in connection with the accompanying drawings. 40 In the accompanying drawings forming a part of this application and in which like numerals designate like parts throughout the several views:

Fig. 1 is a top plan view of the diamond-shaped wrapper used in carrying the invention into effect, said wrapper being shown in position on a form and ready for the first step in the series of steps in forming and filling the package; 45

Figs. 2 to 7 illustrate the successive steps of forming and filling the package; 50

Fig. 8 illustrates the finished package; and

Fig. 9 illustrates the finished package with the upper flap pulled out for assisting in 55 dispensing the contents from the package.

In carrying the invention into effect, a

package is produced filled with loose confections, such for example, as raisins, nuts, hard candies, nuts and raisins, and the like, one wall of which package is relatively 60 stiff, and the remaining walls of which are formed from a single piece of diamond-shaped transparent paper, such for example, as "glassine" paper, cellophane, or the like, said transparent paper having three 65 corners thereof folded over and secured to the relatively stiff wall, and the remaining corner being disposed between the contents of the package and the inner face of said stiff wall, whereby the said last-mentioned 70 corner may be pulled out and assist in dispensing the contents from the package.

In the method contemplated of forming the package, a diamond-shaped wrapper 10, of transparent material, such for example, 75 as "glassine" paper, cellophane, or the like, is depressed in its central portion to form a pocket or depression 11, said pocket being preferably square shaped and of a substantial depth. This pocket or depression 11, 80 may be formed by means of a recess 12, and a plunger 13, adapted to be received within the said recess. The size and shape of the recess being the same as the size and shape of the finished package, and the depth of 85 said recess being the same as the desired thickness of the finished package. The recess 12 may be provided in a substantially square-shaped member 14, said member 14, being of sufficient size to accommodate the 90 wrapper 10, in the position shown in Fig. 1. The plunger 13, may be mounted on a substantially diamond-shaped member 15, said member being of substantially the same size as the wrapper 10. The first step then in the method of forming the package is to 95 place the diamond-shaped wrapper 10, on the member 14 over the recess 12 as shown in Fig. 1. The plunger 13, is then moved to its lowermost position in the recess 12, 100 depressing the central portion of the wrapper 10 to form the pocket 11 therein, the corners of the wrapper being held flat against the upper surface of the member 14, by the member 15, upon which the plunger 105 13 is mounted, thus the turning up of the corners of the wrapper is prevented in the formation of the pocket in the wrapper.

When the pocket has been formed and the plunger withdrawn, the confections 16 110 are placed in the pocket and tamped down, said pocket being filled just up to the level

of the top thereof, as shown in the drawings. Then one of the corners of the wrapper 10, the corner 17, for example, is folded over the top of the confections, as shown in Fig. 4. The next step is to place a stiff sheet 18, on top of the confections 16, and of course over the folded over corner 17, of the wrapper; the size and shape of said stiff sheet being the same as the size and shape of the recess 12, which, of course, is the same as the desired size and shape of the finished package. After the stiff sheet 18, has been placed in position, the remaining three corners of the wrapper 10, are folded over and down flat on the sheet 18, thus completely enclosing the confections within the package. An adhesive strip 19, is then applied to the folded over corners of the wrapper and the stiff sheet 18, to hold the said corners in position and to seal the package. The adhesive strip 19, may be of any desired size and shape, but it is preferably of the same size and shape as the stiff sheet 18. The finished package may then be lifted out of the recess 12 in fully assembled condition.

The stiff sheet 18, may be provided with an extension or ear 20, having a perforation therein for supporting the package on a display stand or the like. The extension or ear 20 also aids in lifting the package after it has been fully assembled out of the recess 12.

It will thus be seen that my invention provides a package for containing loose confections, which may be easily and readily assembled, and which will be neat and attractive in appearance, as the substantially flat back of the package permits it to be attractively displayed on a stand, card or the like.

The free corner 17 of the wrapper 10 which is disposed between the confections and the inner face of the stiff sheet 18, is adapted to be pulled out when it is desired to get to the contents of the package, and as is apparent from the Fig. 9 of the drawings, said corner is adapted to assist in dispensing the contents from the package, said corner acting as a trough or apron over which the confections are adapted to pass.

I am aware that changes may be made in the size and shape of the package, and I reserve the right to make all such adaptations of and changes in the construction of

my invention as fairly fall within the scope of the following claims.

What I claim and desire to secure by Letters Patent of the United States is:—

1. A package comprising in combination loose particles of food, a stiff sheet and a diamond-shaped wrapper for enclosing said particles of food, three corners of said wrapper being folded over and secured to one face of said sheet, the remaining corner of said wrapper being disposed between said contents of the package and the other face of said sheet, whereby said last mentioned corner may be pulled out and assist in dispensing the contents from the package.

2. A package comprising in combination loose confections, a stiff sheet forming one wall of said package and adapted to maintain said package in extended form, a wrapper of transparent material forming the remaining walls of said package, all except one of the corners of said wrapper being folded over the outer face of said stiff sheet, the remaining corner of said wrapper being disposed between said confections and the inner face of said stiff sheet, and a device for holding said folded over corners and sheet together.

3. A package comprising in combination loose particles of food, a stiff sheet and a transparent wrapper for enclosing said particles of food, said stiff sheet forming the rear wall of said package, the remaining walls of said package being formed by said transparent wrapper, all except one of the corners of which wrapper being folded over the outer face of said sheet, the remaining corner of said wrapper being disposed between the inner face of said sheet and the particles of food, and an adhesive strip for holding the folded over corners of the wrapper and the sheet together.

4. A package comprising in combination loose confections, a stiff sheet and a diamond shaped wrapper for enclosing the said confections, all except one of the corners of said wrapper being folded over and attached to said stiff sheet, the remaining corner of said wrapper being adapted when in one position to prevent the spilling of the contents from the package, and when in another position to assist in dispensing the contents from the package.

MARTIN ROSEN.