



US 20170198304A1

(19) **United States**

(12) **Patent Application Publication**
Wilson et al.

(10) **Pub. No.: US 2017/0198304 A1**

(43) **Pub. Date: Jul. 13, 2017**

(54) **ADENO-ASSOCIATED VIRUS SEROTYPE I
NUCLEIC ACID SEQUENCES, VECTORS
AND HOST CELLS CONTAINING SAME**

(71) Applicant: **The Trustees of the University of
Pennsylvania**, Philadelphia, PA (US)

(72) Inventors: **James M. Wilson**, Glen Mills, PA
(US); **Weidong Xiao**, Fort Washington,
PA (US)

(21) Appl. No.: **15/387,188**

(22) Filed: **Dec. 21, 2016**

Related U.S. Application Data

(60) Continuation of application No. 14/849,722, filed on Sep. 10, 2015, now Pat. No. 9,567,607, which is a continuation of application No. 14/136,331, filed on Dec. 20, 2013, now Pat. No. 9,163,260, which is a continuation of application No. 13/048,936, filed on Mar. 16, 2011, now Pat. No. 8,637,255, which is a continuation of application No. 12/617,967, filed on Nov. 13, 2009, now abandoned, which is a continuation of application No. 11/893,697, filed on Aug. 17, 2007, now abandoned, which is a continuation of application No. 11/708,785, filed on Feb. 20, 2007, now abandoned, which is a continuation of application No. 10/696,900, filed on Oct. 30, 2003, now Pat. No. 7,186,552, which is a continuation of application No. 09/807,802, filed on Nov. 29, 2001, now Pat. No.

6,759,237, filed as application No. PCT/US99/25694 on Nov. 2, 1999, said application No. 11/893,697 is a continuation of application No. 11/430,226, filed on May 8, 2006, now abandoned, which is a division of application No. 10/696,282, filed on Oct. 29, 2003, now Pat. No. 7,105,345, which is a division of application No. 09/807,802, filed on Nov. 29, 2001, now Pat. No. 6,759,237, filed as application No. PCT/US99/25694 on Nov. 2, 1999.

(60) Provisional application No. 60/107,114, filed on Nov. 5, 1998, provisional application No. 60/107,114, filed on Nov. 5, 1998.

Publication Classification

(51) **Int. Cl.**
C12N 15/86 (2006.01)
C07K 14/81 (2006.01)
C07K 14/005 (2006.01)

(52) **U.S. Cl.**
CPC **C12N 15/86** (2013.01); **C07K 14/005**
(2013.01); **C07K 14/8125** (2013.01); **C12N**
2750/14122 (2013.01); **A61K 48/00** (2013.01)

(57) **ABSTRACT**

The nucleic acid sequences of adeno-associated virus (AAV) serotype 1 are provided, as are vectors and host cells containing these sequences and functional fragments thereof. Also provided are methods of delivering genes via AAV-1 derived vectors.

FIG. 1B

AAV-1	TGGACGAGTGCTACATCCCCAACTACCTCCTGCCCAAGACTCAGCCCGAGCTGCAGTGGG	836
AAV-2T.....T...T.G..C.....A..C.....T.....C.....	822
AAV-6	821
	P19/TATA P19 RNA	
AAV-1	CGTGGACTAACATGGAGGAGTATATAAGCGCCTGTTTGAACCTGGCCGAGCGCAAACGGC	896
AAV-2T.....AC.....T.....C.....G..T..CA.G.....T.....T	882
AAV-6C.....GG.....A.....G.....A..C..GG.C.....	881
AAV-1	TCGTGGCGCAGCACCTGACCCCGTCAGCCAGACCCAGGAGCAGAACAAGGAGATCTGA	956
AAV-2	.G.....T.....G.....GTCG.....G.....A.....A..	942
AAV-6CG.....	941
	Rep_52/40	
AAV-1	ACCCCAATTCTGACGCGCCTGTCATCCGGTCAAAAACCTCCGCGCGCTACATGGAGCTGG	1016
AAV-2	.T.....T.....G..G...A.A.....T..A..CA.G.....	1002
AAV-6A.....	1001
AAV-1	TCGGGTGGCTGGTGGACCGGGGCATCACCTCCGAGAAGCAGTGGATCCAGGAGGACCAGG	1076
AAV-2C.....AA...G..T....G.....	1062
AAV-6	1061
AAV-1	CCTCGTACATCTCCTTCAACGCCGCTTCCAACCTCGCGTCCAGATCAAGGCCGCTCTGG	1136
AAV-2A.....T..G..C.....A.....T..CT...	1122
AAV-6	1121
AAV-1	ACARTGCCGGCAAGATCATGGCGCTGACCAATCCGCGCCCGACTACCTGGTAGGCCCCG	1196
AAV-2G..A....T..AGC.....T..A...C.....G...AGC	1182
AAV-6	1181
AAV-1	CTCCGCCCGCGGACATTAAACCAACCGCATCTACCGCATCCTGGAGCTGAACGGCTACG	1256
AAV-2	AG..CGTG.A.....TCC.G...T..G..T..TAAA..TT....A..A.....G....	1242
AAV-6C.....T.....	1241
AAV-1	AACCTGCTACGCCGCTCCGCTCTTCTCGGCTGGGCCAGAAAAGGTTGGGAAGCGCA	1316
AAV-2	.T..CCAA..T..G..CT.....G..A.....AC.....A.....C...A.G.	1302
AAV-6	.C.....A..A...	1301
AAV-1	ACACCATCTGGCTGTTTGGGCCGGCCACCACGGGCAAGACCAACATCGCGGAAGCCATCG	1376
AAV-2T..A..T..C..G.....G.....A.	1362
AAV-6	1361
AAV-1	CCCACGCCGTGCCCTTCTACGGCTGCGTCAACTGGACCAATGAGAACTTCCCTTCAATG	1436
AAV-2A.T.....G.....A.....C.	1422
AAV-6C.	1421
AAV-1	ATTGCGTCGACAAGATGGTGATCTGGTGGGAGGAGGGCAAGATGACGGCCAGGCTCGTGG	1496
AAV-2	.C..T.....G.....C.....	1482
AAV-6	1481
AAV-1	AGTCCGCCAAGGCCATTCTCGCGGGCAGCAAGGTGCCGCTGGACCAAAAGTGCAAGTCGT	1556
AAV-2G.....A.....A..A.....G..A.....C.	1542
AAV-6	1541
AAV-1	CCGCCAGATCGACCCACCCCGTGATCGTCACCTCCAACACCAACATGTGCCCGTGGA	1616
AAV-2	.G.....A.....G..T.....	1602
AAV-6T.....	1601

FIG. 1C

AAV-1	TTGACGGGAACAGCACCACCTTCGAGCACCAGCAGCCGTTGCAGGACCGGATGTTCAAAT	1676
AAV-2TCA..G.....A.....A.....	1662
AAV-6	1661
AAV-1	TTGAACTCACCCGCCGCTCTGGAGCATGACTTTGGCAAGGTGACAAAGCAGGAAGTCAAAG	1740
AAV-2T.....G.....C..C.....	1722
AAV-6	1721
AAV-1	AGTTCTTCCGCTGGGCCGAGGATCACGTGACCGAGGTGGCGCATGAGTTCTACGTCAGAA	1796
AAV-2	.C..T.....G.....AA.....GTT.....A.....A.....A..	1782
AAV-6	1781
	P40/TATA	
AAV-1	AGGGTGGAGCCAAACAAAGACCCGCCCGATGACGCGGATAAAAGCGAGCCCAAGCGGG	1856
AAV-2G.....AG.....A...T...T.....A....	1842
AAV-6G.....	1841
	P40 RNA	
AAV-1	CCTGCCCTCAGTCGGGATCCATCGACGTCAGACGCGGAAGGAGCTCCGGTGGACTTTG	1916
AAV-2	TGC..GAG.....T...C.G.....---..T..A.CA...AC.	1899
AAV-6	1901
	▼	
AAV-1	CCGACAGGTACCAAACAATGTTCTCGTCACGCGGCATGCTTCAGATGCTGTTCCCT	1976
AAV-2	.A.....T.....AA..T.....	1959
AAV-6	1961
AAV-1	GCAAGACATGCGAGAGAATGAATCAGAATTTCAACATTTGCTTCACGCACGGGACGAGAG	2036
AAV-2	...GACA.....CA..T..C.....T....ACA..A..	2019
AAV-6A.....C....	2021
AAV-1	ACTGTTTCAGAGTCTTCCCGCGGTGTCAGAATCTCAACCGGTC---GTCAGAAAGAGGA	2093
AAV-2T.....T.---.....C..TTCT...GTC..A.A.G	2076
AAV-6A..T.....	2078
AAV-1	CGTATCGGAAACTCTGTGCCATTCATCATCTGCTGGGGCGGGCTCCCGAGATTGCTTGCT	2153
AAV-2A.....G..CTA.....A.CA...AAA..TG..A.---C.....A	2133
AAV-6	2138
	Rep 78 stop	
AAV-1	CGGCCTGCGATCTGGTCAACGTGGACCTGGATGACTGTGTTTCTGAGCAATAAATGACTT	2213
AAV-2	.T.....T.....TT.....CA.C.T...A.....T..	2193
AAV-6T.....	2193
	▽ VP1	
	▽	
	Rep 68 stop	
AAV-1	AAACCAGGTATGGCTGCCGATGGTTATCTTCCAGATTGGCTCGAGGACAACCTCTCTGAG	2273
AAV-2	...T.....CT.....A	2253
AAV-6AC.....G	2258
AAV-1	GGCATTCCGGAGTGGTGGGACTTGAACCTGGAGCCCCGAAGCCCCAAAGCCAACCAGCAA	2333
AAV-2	..A..AA.AC.....A.GC.C.....CC.A..ACCA..A..GC..GCAG...GG	2313
AAV-6A.....	2318
AAV-1	AAGCAGGACGACGGCCGGGTCTGGTGCTTCCCTGGCTACAAGTACCTCGGACCCTTCAAC	2393
AAV-2	C.TA.....A..A.....T.....G.....	2373
AAV-6G..C.....G.....C.....	2378

FIG. 1D

AAV-1	GGACTCGACAAGGGGGAGCCCGTCAACGGCGGACGCAGCGGCCCTCGAGCAGACAAG	2453
AAV-2A.....G.....A...A.....C.....A	2433
AAV-6T.....	2438
AAV-1	GCCTACGACCAGCAGCTCAAAGCGGGTGACAATCCGTACCTGCGGTATAACCACGCCGAC	2513
AAV-2G.....G.CAGC..A.....C.....CAA...C.....	2493
AAV-6A.AGCG..T....T.....GCG...T.....	2498
AAV-1	GCCGAGTTTCAGGAGCGTCTGCAAGAAGATACGTCCTTTGGGGCAACCTCGGGCGAGCA	2573
AAV-2	..G.....C..TA.....A.....	2553
AAV-6	..C.....T..GC.....G.....	2558
AAV-1	GTCTCCAGGCCAAGAAGCGGGTTCTCGAACCTCTCGGTCTGGTTGAGGAAGCGCTAAG	2633
AAV-2G..A..A.....T.....G..C.....CCT.T....	2613
AAV-6A.....T.T.....T.....	2618
	<u>VF2</u>	
AAV-1	ACGGCTCCTGGAAAGAAACGTCGGGTAGAGCAGTCGCCACAAGAGCCAGACTCCTCCTCG	2693
AAV-2G.....A..GA.G.....C..T..TGTG.....	2673
AAV-6T.....G..AC.T.....G..G..ACAA.....	2678
AAV-1	GGCATCGGCAAGACAGGCCAGCAGCCCGTAAAAAGAGACTCAATTTGGTCAGACTGGC	2753
AAV-2	..A.C...A...G.G.....T..A.G...A...T.G.....A	2733
AAV-6T.....	2738
AAV-1	GACTCAGAGTCACTCCCCGATCCACACCTCTCGGAGAACCTCCAGCAACCCCCGCTGCT	2813
AAV-2	..G...C....A..T..C..C..G.....C.G..A.....G....T..G.	2793
AAV-6	..T...G....C..C..C..A..A.....G..A..T.....A.....G.....	2798
	<u>VP3</u>	
AAV-1	GTGGGACCTACTACAATGGCTTCAGGGCGGTGGCGCACCAATGGCAGACAATAACGAAGGC	2873
AAV-2	C.....A...A...G.....A.....A.....G...	2853
AAV-6	2858
AAV-1	GCCGACGGAGTGGGTAATGCCTCAGGAAATTGGCATTGCGATTCCACATGGCTGGCGGAC	2933
AAV-2T.....C.....A.....	2913
AAV-6	2918
AAV-1	AGAGTCATCACCACCAGCACCCGCACCTGGGCCCTTGCCACCTACAATAACCACCTCTAC	2993
AAV-2A.....C.....C.....	2973
AAV-6A..A.....T..C.....	2978
AAV-1	AAGCAAATCTCCAGTGCTTCAACGGGGGCCAGCAACGACAACCCTACTTTCGGCTACAGC	3053
AAV-2	..A.....T....CCAA....--..A...TCG.....T.....T.....	3030
AAV-6	3038
AAV-1	ACCCCTGGGGGTATTTTGATTCAACAGATTCCACTGCCACTTTTCACCACGTGACTGG	3113
AAV-2T.....C.....	3090
AAV-6T..C.....	3098
AAV-1	CAGCGACTCATCAACAACAATGGGGATTCCGGCCCAAGAGACTCAACTTCAAACCTCTC	3173
AAV-2	..AA.....C.....A.....G....T	3150
AAV-6G.....	3158
AAV-1	ARCATCCAAGTCAAGGAGGTCACGACGAATGATGGCGTCACAACCATCGCTAATAACCTT	3233
AAV-2T.....A.....CA.....C..TACG..G..G..T..C.....	3210
AAV-6G.....	3218

FIG. 1E

AAV-1	ACCAGCACGGTTCAGTCTTCTCGGACTCGGAGTACCAGCTTCCGTACGTCCCTCGGCTCT	3293
AAV-2G..G..TA..T.....C.....G	3270
AAV-6T.G.....	3278
AAV-1	GCGCACCAGGGCTGCCTCCCTCCCTCCCGGGGACGTTCATGATTCCGCAATACGGC	3353
AAV-2T..A..A.....G.....A..A.....C.....G.G..A..G..T..A	3330
AAV-6G.....	3338
AAV-1	TACCTGACGCTCAACAATGGCAGCCAGCCGTGGGACGTTTCATCCTTTTACTGCCTGGAA	3413
AAV-2C..C..G.....C..G..T..G..A..A.....C..T..A.....G	3390
AAV-6A.....G..A.....G.....	3398
AAV-1	TATTTCCCTTCTCAGATGCTGAGAACGGGCAACAACCTTACCTTCAGCTACACCTTTGAG	3473
AAV-2	..C..T.....C..T..C..A.....T.....	3450
AAV-6A..G.....T.....C...	3458
AAV-1	GAAGTGCCTTTCCACAGCAGCTACGGCGCACAGCCAGAGCCTGGACCGGCTGATGAATCCT	3533
AAV-2	..C..T.....T.....T.....T..C.....	3510
AAV-6	..C.....	3498
AAV-1	CTCATCGACCAATACCTGTATTACCTGAACAGAACTCAAATCAGTCCGGAAGTGCCCAA	3593
AAV-2G.....T..G.....AA..C..C..CAAGT...CCA..ACG	3570
AAV-6G.....G.....	3578
AAV-1	AACAAGGACTTGCTGTTTAGCCGTGGSTCTCCAGCTGGCATGTCTGTTTCAGCCCAAAAAC	3653
AAV-2	C.GTCAAGGC.T.A....TCT.AG.CCGGAG.GAG..A...TCGG.AC...T.T.GG...	3630
AAV-6G.....	3638
AAV-1	TGGCTACCTGGACCCTGTTATCGGCAGCAGCGCGTTTCTAAAACAAAACAGACAACAAC	3713
AAV-2T.....C..C.....A..A..CA..G...TCTG.G..T.....	3690
AAV-6C.....	3698
AAV-1	AACAGCAATTTTACCTGGACTGGTCTTCAAATATAACCTCAATGGGCGTGAATCCATC	3773
AAV-2TG..A..ACT..G.....A...A..C..G..CC.....CA..A..C..TC..G	3750
AAV-6C.....T.....T..A	3758
AAV-1	ATCAACCCTGGCACTGCTATGGCCTCACACAAAGACGACGAAGACAAGTTCTTCCCATG	3833
AAV-2	G.G..T..G..GC.C..C.....AAGC.....G.....T.....A.....T.....TCA.	3810
AAV-6A.....	3818
AAV-1	AGCGGTGTCATGATTTTGGAAAAGAGAGCGCGGAGCTTCAAACACTGCATTGGACAAT	3893
AAV-2G..TC.C..C.....G..GC.AG..T.A.AGAAAA...TGTGAACA.T..A..G	3870
AAV-6G.....	3878
AAV-1	GTCATGATTACAGACGAAGAGGAAATTAAGCCACTAACCCTGTGGCCACCGAAGATTT	3953
AAV-2CGG.A.A..C..T..C.....T..G..GCAG.A.	3930
AAV-6C.....C.....C.....	3938
AAV-1	GGGACCGTGGCAGTCAATTTCCAGAGCAGCAGCACAGACCCTGCGACCGGAGATGTGCAT	4013
AAV-2	..TT.T..AT.TAC...CC.....AG...A..G.C.AG.A..T...C.....CA.C	3990
AAV-6T.....C.....	3998
AAV-1	GCTATGGGAGCATTACCTGGCATGGTGTGGCAAGATAGAGACGTGTACCTGCAGGGTCCC	4073
AAV-2	A.ACAA..C.TTC.T..A.....C.....G..C.....T.....T.....G...	4050
AAV-6	T.....C.....A.....C.....A.....T	4058

FIG. 2

AAV-1 TR

```

A      A
A      A
G      C
G      C
T      A
C      G
gC Gc
CG Cg
C      G
aA Tg a ca
G CCGGGTGGCTCGCTCGCTCGCGCGTCTCTCCCTCACCCGGTT
          a
          g
          ITR
          ---aav-1 itr
          ---aav-2 itr
          ---AAV-1 ITR

A      C GGCCCCACCGAGCGGAGCGCGGCGGAGAGAGGGAGTGGGGCAACTCCATCACTAGGGGTAA
G      C t gL
CG Cg
C      G
CA Tg
G      C
gA Tc
G      C
C      G
T      T
C
L

```

FIG. 3A





FIG. 3B















FIG. 4B





Group	1	2	3	4	5	6
Vector1- α 1AT	AAV2	AAV1	PBS	PBS	AAV2	AAV1
Vector2-EPO	AAV2	AAV1	AAV2	AAV1	AAV1	AAV2



Group	1	2	3	4	5	6
Vector1- α 1AT	AAV2	AAV1	PBS	PBS	AAV2	AAV1
Vector2-EPO	AAV2	AAV1	AAV2	AAV1	AAV1	AAV2

**ADENO-ASSOCIATED VIRUS SEROTYPE I
NUCLEIC ACID SEQUENCES, VECTORS
AND HOST CELLS CONTAINING SAME**

CROSS-REFERENCE TO RELATED
APPLICATIONS

[0001] This is a continuation of U.S. patent application Ser. No. 14/849,722, filed Sep. 10, 2015, which is continuation of U.S. patent application Ser. No. 14/136,331, filed Dec. 20, 2013, now U.S. Pat. No. 9,163,260, which is a continuation of U.S. patent application Ser. No. 13/048,936, filed Mar. 16, 2011, now U.S. Pat. No. 8,637,255, which is a continuation of U.S. patent application Ser. No. 12/617,967, filed Nov. 13, 2009, now abandoned, which is a continuation of U.S. patent application Ser. No. 11/893,697, filed Aug. 17, 2007, now abandoned, which is a continuation of U.S. patent application Ser. No. 11/708,785, filed Feb. 20, 2007, now abandoned, which is a continuation of U.S. patent application Ser. No. 10/696,900, filed Oct. 30, 2003, now U.S. Pat. No. 7,186,552, which is a continuation of U.S. patent application Ser. No. 09/807,802, filed Nov. 29, 2001, now U.S. Pat. No. 6,759,237, which is a national stage under 35 USC 371 of PCT/US99/25694, filed Nov. 2, 1999, now expired, which claims the benefit under 35 USC 119(e) of the priority of U.S. Patent Application No. 60/107,114, filed Nov. 5, 1998, now expired.

[0002] U.S. patent application Ser. No. 11/893,697, filed Aug. 17, 2007, now abandoned, is also a continuation of U.S. patent application Ser. No. 11/430,226, filed May 8, 2006, now abandoned, which is a divisional of U.S. patent application Ser. No. 10/696,282, filed Oct. 29, 2003, now U.S. Pat. No. 7,105,345, which is a divisional of U.S. patent application Ser. No. 09/807,802, filed Nov. 29, 2001, now U.S. Pat. No. 6,759,237, which is a national stage of PCT/US99/25694, filed Nov. 2, 1999, which claims the benefit of the priority of U.S. Patent Application No. 60/107,114, filed Nov. 5, 1998, expired.

STATEMENT REGARDING FEDERALLY
SPONSORED RESEARCH OR DEVELOPMENT

[0003] This work was supported by the National Institutes of Health, grant no. P30 DK47757-06 and P01 HD32649-04. The US government may have certain rights in this invention.

BACKGROUND OF THE INVENTION

[0004] This invention relates generally to viral vector, and more particularly, to recombinant viral vectors useful for gene delivery.

[0005] Adeno-associated viruses are small, single-stranded DNA viruses which require helper virus to facilitate efficient replication [K. I. Berns, *Parvoviridae: the viruses and their replication*, p. 1007-1041, in F. N. Fields et al., *Fundamental virology*, 3rd ed., vol. 2, (Lippencott-Raven Publishers, Philadelphia, Pa.) (1995)]. The 4.7 kb genome of AAV is characterized by two inverted terminal repeats (ITR) and two open reading frames which encode the Rep proteins and Cap proteins, respectively. The Rep reading frame encodes four proteins of molecular weight 78 kD, 68 kD, 52 kD and 40 kD. These proteins function mainly in regulating AAV replication and integration of the AAV into a host cell's chromosomes. The Cap reading frame encodes three structural proteins in molecular weight 85 kD (VP 1), 72 kD

(VP2) and 61 kD (VP3) [Berns, cited above]. More than 80% of total proteins in AAV virion comprise VP3. The two ITRs are the only cis elements essential for AAV replication, packaging and integration. There are two conformations of AAV ITRs called "flip" and "flop". These differences in conformation originated from the replication model of adeno-associated virus which use the ITR to initiate and reinitiate the replication [R. O. Snyder et al., *J. Virol.*, 67:6096-6104 (1993); K. I. Berns, *Microbiological Reviews*, 54:316-329 (1990)].

[0006] AAVs have been found in many animal species, including primates, canine, fowl and human [F. A. Murphy et al., "The Classification and Nomenclature of Viruses: Sixth Report of the International Committee on Taxonomy of Viruses", *Archives of Virology*, (Springer-Verlag, Vienna) (1995)]. In addition to five known primate AAVs (AAV-1 to AAV-5), AAV-6, another serotype closely related to AAV-2 and AAV-1 has also been isolated [E. A. Rutledge et al., *J. Virol.*, 72:309-319 (1998)]. Among all known AAV serotypes, AAV-2 is perhaps the most well-characterized serotype, because its infectious clone was the first made [R. J. Samulski et al., *Proc. Natl. Acad. Sci. USA*, 79:2077-2081 (1982)]. Subsequently, the full sequences for AAV-3A, AAV-3B, AAV-4 and AAV-6 have also been determined [Rutledge, cited above; J. A. Chiorini et al., *J. Virol.*, 71:6823-6833 (1997); S. Muramatsu et al., *Vivol.*, 221:208-217 (1996)]. Generally, all AAVs share more than 80% homology in nucleotide sequence.

[0007] A number of unique properties make AAV a promising vector for human gene therapy [Muzyczka, *Current Topics in Microbiology and Immunology*, 158:97-129 (1992)]. Unlike other viral vectors, AAVs have not been shown to be associated with any known human disease and are generally not considered pathogenic. Wild type AAV is capable of integrating into host chromosomes in a site specific manner [R. M. Kotin et al., *Proc. Natl. Acad. Sci. USA*, 87:2211-2215 (1990); R. J. Samulski, *EMBO J.*, 10(12):3941-3950 (1991)]. Recombinant AAV vectors can integrate into tissue cultured cells in chromosome 19 if the rep proteins are supplied in trans [C. Balague et al., *J. Virol.*, 71:3299-3306 (1997); R. T. Surosky et al., *J. Virol.*, 71:7951-7959 (1997)]. The integrated genomes of AAV have been shown to allow long term gene expression in a number of tissues, including, muscle, liver, and brain [K. J. Fisher, *Nature Med.*, 3(3):306-312 (1997); R. O. Snyder et al., *Nature Genetics*, 16:270-276 (1997); X. Xiao et al., *Experimental Neurology*, 144:113-124 (1997); Xiao, *J. Virol.*, 70(11):8098-8108 (1996)].

[0008] AAV-2 has been shown to be present in about 80-90% of the human population. Earlier studies showed that neutralizing antibodies for AAV-2 are prevalent [W. P. Parks et al., *J. Virol.*, 2:716-722 (1970)]. The presence of such antibodies may significantly decrease the usefulness of AAV vectors based on AAV-2 despite its other merits. What are needed in the art are vectors characterized by the advantages of AAV-2, including those described above, without the disadvantages, including the presence of neutralizing antibodies.

SUMMARY OF THE INVENTION

[0009] In one aspect, the invention provides an isolated AAV-1 nucleic acid molecule which is selected from among SEQ ID NO: 1, the strand complementary to SEQ ID NO:

1, and cDNA and RNA sequences complementary to SEQ ID NO: 1 and its complementary strand.

[0010] In another aspect, the present invention provides AAV ITR sequences, which include the 5' ITR sequences, nt 1 to 143 of SEQ ID NO: 1; the 3' ITR sequences, nt 4576 to 4718 of SEQ ID NO: 1, and fragments thereof.

[0011] In yet another aspect, the present invention provides a recombinant vector comprising an AAV-1 ITR and a selected transgene. Preferably, the vector comprises both the 5' and 3' AAV-1 ITRs between which the selected transgene is located.

[0012] In still another aspect, the invention provides a recombinant vector comprising an AAV-1 P5 promoter having the sequence of nt 236 to 299 of SEQ ID NO: 1 or a functional fragment thereof.

[0013] In a further aspect, the present invention provides a nucleic acid molecule encoding an AAV-1 rep coding region and an AAV-1 cap coding region.

In still another aspect, the present invention provides a host cell transduced with a recombinant viral vector of the invention. The invention further provides a host cell stably transduced with an AAV-1 P5 promoter of the invention.

[0014] In still a further aspect, the present invention provides a pharmaceutical composition comprising a carrier and a vector of the invention.

[0015] In yet another aspect, the present invention provides a method for AAV-mediated delivery of a transgene to a host involving the step of delivering to a selected host a recombinant viral vector comprising a selected transgene under the control of sequences which direct expression thereof and an adeno-associated virus 1 (AAV-1) virion.

[0016] In another aspect, the invention provides a method for in vitro production of a selected gene product using a vector of the invention. Other aspects and advantages of the invention will be readily apparent to one of skill in the art from the detailed description of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[0017] FIGS. 1A-1F illustrate the alignment of nucleotides of AAV-1 [SEQ ID NO: 1], AAV-2 [SEQ ID NO: 18] and AAV-6 [SEQ ID NO: 19]. The alignment was done with MacVector 6.0. The full sequences of AAV-1 are shown in the top line. Nucleotides in AAV-2 and AAV-6 identical to AAV-1 are symbolized by "." and gaps by "-". Some of the conserved features among AAVs are marked in this figure. Note the 3' ITRs of AAV-1 and AAV-6 are shown in different orientations.

[0018] FIG. 2 illustrates the predicted secondary structure of AAV-1 ITR (nt 1-146 of SEQ ID NO:1). The nucleotides in AAV-2 (nt 1-144 of SEQ ID NO:18) and AAV-6 (nt 1-136 of SEQ ID NO:19) are shown in italic and bold respectively.

[0019] FIG. 3A illustrates a hypothesis of how AAV-6 arose from the homologous recombination between AAV-1 and AAV-2. The major elements of AAV-1 are indicated in the graph. A region that is shared between AAV-1, AAV-2 and AAV-6 is shown in box with wavy lines.

[0020] FIG. 3B is a detailed illustration of a 71 bp homologous region among AAV-1 (438-531 of SEQ ID NO:1), AAV-2 (424-513 of SEQ ID NO:18) and AAV-6 (423-512 of SEQ ID NO:19). Nucleotides that differ among these serotypes are indicated by arrows.

[0021] FIG. 4A is a bar chart illustrating expression levels of human alpha 1 anti-trypsin (α 1AT) in serum following delivery of hAAT via recombinant AAV-1 and recombinant AAV-2 viruses.

[0022] FIG. 4B is a bar chart illustrating expression levels of erythropoietin (epo) in serum following delivery of the epo gene via recombinant AAV-1 and recombinant AAV-2 viruses.

[0023] FIG. 5A is a bar chart illustrating expression levels of α 1AT in liver following delivery of α 1AT as described in Example 7.

[0024] FIG. 5B is a bar chart demonstrating expression levels of epo in liver following delivery of epo as described in Example 7.

[0025] FIG. 5C is a bar chart demonstrating neutralizing antibodies (NAB) directed to AAV-1 following delivery of α 1AT or epo to liver as described in Example 7.

[0026] FIG. 5D is a bar chart demonstrating neutralizing antibodies (NAB) directed to AAV-2 following delivery of α 1AT or epo to liver as described in Example 7.

[0027] FIG. 6A is a bar chart illustrating expression levels of α 1AT in muscle following delivery of α 1AT as described in Example 7.

[0028] FIG. 6B is a bar chart demonstrating expression levels of epo in muscle following delivery of epo as described in Example 7.

[0029] FIG. 6C is a bar chart demonstrating neutralizing antibodies (NAB) directed to AAV-1 following delivery of α 1AT or epo to muscle as described in Example 7.

[0030] FIG. 6D is a bar chart demonstrating neutralizing antibodies (NAB) directed to AAV-2 following delivery of α 1AT or epo to muscle as described in Example 7.

DETAILED DESCRIPTION OF THE INVENTION

[0031] The present invention provides novel nucleic acid sequences for an adeno-associated virus of serotype 1 (AAV-1). Also provided are fragments of these AAV-1 sequences. Among particularly desirable AAV-1 fragments are the inverted terminal repeat sequences (ITRs), rep and cap. Each of these fragments may be readily utilized, e.g., as a cassette, in a variety of vector systems and host cells. Such fragments may be used alone, in combination with other AAV-1 sequences or fragments, or in combination with elements from other AAV or non-AAV viral sequences. In one particularly desirable embodiment, a cassette may contain the AAV-1 ITRs of the invention flanking a selected transgene. In another desirable embodiment, a cassette may contain the AAV-1 rep and/or cap proteins, e.g., for use in producing recombinant (rAAV) virus.

[0032] Thus, the AAV-1 sequences and fragments thereof are useful in production of rAAV, and are also useful as antisense delivery vectors, gene therapy vectors, or vaccine vectors. The invention further provides nucleic acid molecules, gene delivery vectors, and host cells which contain the AAV-1 sequences of the invention. Also provided a novel methods of gene delivery using AAV vectors.

[0033] As described herein, the vectors of the invention containing the AAV-1 capsid proteins of the invention are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other AAV serotype based vectors, as well as other viral vectors. The rAAV vectors of the invention are particularly advantageous in rAAV readministration and repeat gene therapy.

[0034] These and other embodiments and advantages of the invention are described in more detail below. As used throughout this specification and the claims, the term “comprising” is inclusive of other components, elements, integers, steps and the like.

I. AAV1 Nucleic Acid and Protein Sequences

[0035] The AAV-1 nucleic acid sequences of the invention include the DNA sequences of SEQ ID NO: 1 (FIGS. 1A-1F), which consists of 4718 nucleotides. The AAV-1 nucleic acid sequences of the invention further encompass the strand which is complementary to SEQ ID NO: 1, as well as the RNA and cDNA sequences corresponding to SEQ ID NO: 1 and its complementary strand. Also included in the nucleic acid sequences of the invention are natural variants and engineered modifications of SEQ ID NO: 1 and its complementary strand. Such modifications include, for example, labels which are known in the art, methylation, and substitution of one or more of the naturally occurring nucleotides with an analog.

[0036] Further included in this invention are nucleic acid sequences which are greater than 85%, preferably at least about 90%, more preferably at least about 95%, and most preferably at least about 98-99% identical or homologous to SEQ ID NO:1.

[0037] The term “percent sequence identity” or “identical” in the context of nucleic acid sequences refers to the residues in the two sequences which are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over the full-length sequence, or a fragment at least about nine nucleotides, usually at least about 20-24 nucleotides, at least about 28-32 nucleotides, and preferably at least about 36 or more nucleotides. There are a number of different algorithms known in the art which can be used to measure nucleotide sequence identity. For instance, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences (Pearson, 1990, herein incorporated by reference). For instance, percent sequence identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1, herein incorporated by reference.

[0038] The term “substantial homology” or “substantial similarity,” when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 95-99% of the sequence.

[0039] Also included within the invention are fragments of SEQ ID NO: 1, its complementary strand, cDNA and RNA complementary thereto. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments which are of biological interest. Certain of these fragments may be identified by reference to FIGS. 1A-1F. Examples of particularly desirable functional fragments include the AAV-1 inverted terminal repeat (ITR) sequences of the invention. In contrast to the 145 nt ITRs of AAV-2, AAV-3, and AAV-4, the AAV-1 ITRs have been found to consist of only 143 nucleotides, yet advantageously are characterized by the T-shaped hairpin structure which is believed to be responsible for the ability of the AAV-2 ITRs to direct

site-specific integration. In addition, AAV-1 is unique among other AAV serotypes, in that the 5' and 3' ITRs are identical. The full-length 5' ITR sequences of AAV-1 are provided at nucleotides 1-143 of SEQ ID NO: 1 (FIG. 1A) and the full-length 3' ITR sequences of AAV-1 are provided at nt 4576-4718 of SEQ ID NO: 1 (FIG. 1F). One of skill in the art can readily utilize less than the full-length 5' and/or 3' ITR sequences for various purposes and may construct modified ITRs using conventional techniques, e.g., as described for AAV-2 ITRs in Samulski et al, *Cell*, 33:135-143 (1983).

[0040] Another desirable functional fragment of the AAV-1 genome is the P5 promoter of AAV-1 which has sequences unique among AAV P5 promoters, while maintaining critical regulatory elements and functions. This promoter is located within nt 236-299 of SEQ ID NO: 1 (FIG. 1A). Other examples of functional fragments of interest include the sequences at the junction of the rep/cap, e.g., the sequences spanning nt 2306-2223, as well as larger fragments which encompass this junction which may comprise 50 nucleotides on either side of this junction. Still other examples of functional fragments include the sequences encoding the rep proteins. Rep 78 is located in the region of nt 334-2306 of SEQ ID NO: 1; Rep 68 is located in the region of nt 334-2272, and contains an intron spanning nt 1924-2220 of SEQ ID NO: 1. Rep 52 is located in the region of nt 1007-2304 of SEQ ID NO: 1; rep 40 is located in the region of nt 1007-2272, and contains an intron spanning nt 1924-2246 of SEQ ID NO: 1. Also of interest are the sequences encoding the capsid proteins, VP 1 [nt 2223-4431 of SEQ ID NO: 1], VP2 [nt 2634-4432 of SEQ ID NO: 1] and VP3 [nt 2829-4432 of SEQ ID NO: 1]. Other fragments of interest may include the AAV-1 P19 sequences, AAV-1 P40 sequences, the rep binding site, and the terminal resolution site (TRS).

[0041] The invention further provides the proteins and fragments thereof which are encoded by the AAV-1 nucleic acids of the invention. Particularly desirable proteins include the rep and cap proteins, which are encoded by the nucleotide sequences identified above. These proteins include rep 78 [SEQ ID NO:5], rep 68 [SEQ ID NO:7], rep 52 [SEQ ID NO:9], rep 40 [SEQ ID NO: 11], vp1 [SEQ ID NO: 13], vp2 [SEQ ID NO: 15], and vp3 [SEQ ID NO: 17] and functional fragments thereof while the sequences of the rep and cap proteins have been found to be closely related to those of AAV-6, there are differences in the amino acid sequences (see Table 1 below), as well as differences in the recognition of these proteins by the immune system. However, one of skill in the art may readily select other suitable proteins or protein fragments of biological interest. Suitably, such fragments are at least 8 amino acids in length. However, fragments of other desired lengths may be readily utilized. Such fragments may be produced recombinantly or by other suitable means, e.g., chemical synthesis.

[0042] The sequences, proteins, and fragments of the invention may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Such production methods are within the knowledge of those of skill in the art and are not a limitation of the present invention.

II. Viral Vectors

[0043] In another aspect, the present invention provides vectors which utilize the AAV-1 sequences of the invention,

including fragments thereof, for delivery of a heterologous gene or other nucleic acid sequences to a target cell. Suitably, these heterologous sequences (i.e., a transgene) encode a protein or gene product which is capable of being expressed in the target cell. Such a transgene may be constructed in the form of a “minigene”. Such a “minigene” includes selected heterologous gene sequences and the other regulatory elements necessary to transcribe the gene and express the gene product in a host cell. Thus, the gene sequences are operatively linked to regulatory components in a manner which permit their transcription. Such components include conventional regulatory elements necessary to drive expression of the transgene in a cell containing the viral vector. The minigene may also contain a selected promoter which is linked to the transgene and located, with other regulatory elements, within the selected viral sequences of the recombinant vector.

[0044] Selection of the promoter is a routine matter and is not a limitation of this invention. Useful promoters may be constitutive promoters or regulated (inducible) promoters, which will enable control of the timing and amount of the transgene to be expressed. For example, desirable promoters include the cytomegalovirus (CMV) immediate early promoter/enhancer [see, e.g., Boshart et al, *Cell*, 41:521-530 (1985)], the Rous sarcoma virus LTR promoter/enhancer, and the chicken cytoplasmic β -actin promoter [T. A. Kost et al, *Nucl. Acids Res.*, 11(23):8287 (1983)]. Still other desirable promoters are the albumin promoter and an AAV P5 promoter. Optionally, the selected promoter is used in conjunction with a heterologous enhancer, e.g., the β -actin promoter may be used in conjunction with the CMV enhancer. Yet other suitable or desirable promoters and enhancers may be selected by one of skill in the art.

[0045] The minigene may also desirably contain nucleic acid sequences heterologous to the viral vector sequences including sequences providing signals required for efficient polyadenylation of the transcript (poly-A or pA) and introns with functional splice donor and acceptor sites. A common poly-A sequence which is employed in the exemplary vectors of this invention is that derived from the papovavirus SV-40. The poly-A sequence generally is inserted in the minigene downstream of the transgene sequences and upstream of the viral vector sequences. A common intron sequence is also derived from SV-40, and is referred to as the SV40 T intron sequence. A minigene of the present invention may also contain such an intron, desirably located between the promoter/enhancer sequence and the transgene. Selection of these and other common vector elements are conventional [see, e.g., Sambrook et al, “Molecular Cloning. A Laboratory Manual”, 2d edit., Cold Spring Harbor Laboratory, New York (1989) and references cited therein] and many such sequences are available from commercial and industrial sources as well as from Genbank.

[0046] The selection of the transgene is not a limitation of the present invention. Suitable transgenes may be readily selected from among desirable reporter genes, therapeutic genes, and optionally, genes encoding immunogenic polypeptides. Examples of suitable reporter genes include β -galactosidase (β -gal), an alkaline phosphatase gene, and green fluorescent protein (GFP). Examples of therapeutic genes include, cytokines, growth factors, hormones, and differentiation factors, among others. The transgene may be readily selected by one of skill in the art. See, e.g., WO 98/09657, which identifies other suitable transgenes.

[0047] Suitably, the vectors of the invention contain, at a minimum, cassettes which consist of fragments of the AAV-1 sequences and proteins. In one embodiment, a vector of the invention comprises a selected transgene, which is flanked by a 5' ITR and a 3' ITR, at least one of which is an AAV-1 ITR of the invention. Suitably, vectors of the invention may contain a AAV-1 P5 promoter of the invention. In yet another embodiment, a plasmid or vector of the invention contains AAV-1 rep sequences. In still another embodiment, a plasmid or vector of the invention contains at least one of the AAV-1 cap proteins of the invention. Most suitably, these AAV-1-derived vectors are assembled into viral vectors, as described herein.

[0048] A. AAV Viral Vectors

[0049] In one aspect, the present invention provides a recombinant AAV-1 viral vector produced using the AAV-1 capsid proteins of the invention. The packaged rAAV-1 virions of the invention may contain, in addition to a selected minigene, other AAV-1 sequences, or may contain sequences from other AAV serotypes.

[0050] Methods of generating rAAV virions are well known and the selection of a suitable method is not a limitation on the present invention. See, e.g., K. Fisher et al, *J. Viral.*, 70:520-532 (1993) and U.S. Pat. No. 5,478,745. In one suitable method, a selected host cell is provided with the AAV sequence encoding a rep protein, the gene encoding the AAV cap protein and with the sequences for packaging and subsequent delivery. Desirably, the method utilizes the sequences encoding the AAV-1 rep and/or cap proteins of the invention.

[0051] In one embodiment, the rep/cap genes and the sequences for delivery are supplied by co-transfection of vectors carrying these genes and sequences. In one currently preferred embodiment, a cis (vector) plasmid, a trans plasmid containing the rep and cap genes, and a plasmid containing the adenovirus helper genes are co-transfected into a suitable cell line, e.g., 293. Alternatively, one or more of these functions may be provided in trans via separate vectors, or may be found in a suitably engineered packaging cell line.

[0052] An exemplary cis plasmid will contain, in 5' to 3' order, AAV 5' ITR, the selected transgene, and AAV 3' ITR. In one desirable embodiment, at least one of the AAV ITRs is a 143 nt AAV-1 ITR. However, other AAV serotype ITRs may be readily selected. Suitably, the full-length ITRs are utilized. However, one of skill in the art can readily prepare modified AAV ITRs using conventional techniques. Similarly, methods for construction of such plasmids is well known to those of skill in the art.

[0053] A trans plasmid for use in the production of the rAAV-1 virion particle may be prepared according to known techniques. In one desired embodiment, this plasmid contains the rep and cap proteins of AAV-1, or functional fragments thereof. Alternatively, the rep sequences may be from another selected AAV serotype.

[0054] The cis and trans plasmid may then be co-transfected with a wild-type helper virus (e.g., Ad2, Ad5, or a herpesvirus), or more desirably, a replication defective adenovirus, into a selected host cell. Alternatively, the cis and trans plasmid may be co-transfected into a selected host cell together with a transfected plasmid which provides the necessary helper functions. Selection of a suitable host cell is well within the skill of those in the art and include such mammalian cells as 293 cells, HeLa cells, among others.

[0055] Alternatively, the cis plasmid and, optionally the trans plasmid, may be transfected into a packaging cell line which provides the remaining helper functions necessary for production of a rAAV containing the desired AAV-1 sequences of the invention. An example of a suitable packaging cell line, where an AAV-2 capsid is desired, is B-50, which stably expresses AAV-2 rep and cap genes under the control of a homologous P5 promoter. This cell line is characterized by integration into the cellular chromosome of multiple copies (at least 5 copies) of P5-rep-cap gene cassettes in a concatomer form. This B-50 cell line was deposited with the American Type Culture Collection, 10801 University Boulevard, Manassas, Va. 20110-2209, on Sep. 18, 1997 under Accession No. CRL-12401 pursuant to the provisions of the Budapest Treaty. However, the present invention is not limited as to the selection of the packaging cell line.

[0056] Exemplary transducing vectors based on AAV-1 capsid proteins have been tested both in vivo and in vitro, as described in more detail in Example 4. In these studies, it was demonstrated that recombinant AAV vector with an AAV-1 virion can transduce both mouse liver and muscle. These, and other AAV-1 based gene therapy vectors which may be generated by one of skill in the art are beneficial for gene delivery to selected host cells and gene therapy patients since the neutralization antibodies of AAV-1 present in much of the human population exhibit different patterns from other AAV serotypes and therefore do not neutralize the AAV-1 virions. One of skill in the art may readily prepare other rAAV viral vectors containing the AAV-1 capsid proteins provided herein using a variety of techniques known to those of skill in the art. One may similarly prepare still other rAAV viral vectors containing AAV-1 sequence and AAV capsids of another serotype.

[0057] B. Other Viral Vectors

[0058] One of skill in the art will readily understand that the AAV-1 sequences of the invention can be readily adapted for use in these and other viral vector systems for in vitro, ex vivo or in vivo gene delivery. Particularly well suited for use in such viral vector systems are the AAV-1 ITR sequences, the AAV-1 rep, the AAV-1 cap, and the AAV-1 P5 promoter sequences.

[0059] For example, in one desirable embodiment, the AAV-1 ITR sequences of the invention may be used in an expression cassette which includes AAV-1 5' ITR, a non-AAV DNA sequences of interest (e.g., a minigene), and 3' ITR and which lacks functional rep/cap. Such a cassette containing an AAV-1 ITR may be located on a plasmid for subsequent transfection into a desired host cell, such as the cis plasmid described above. This expression cassette may further be provided with an AAV capsid of a selected serotype to permit infection of a cell or stably transfected into a desired host cell for packaging of rAAV virions. Such an expression cassette may be readily adapted for use in other viral systems, including adenovirus systems and lentivirus systems. Methods of producing Ad/AAV vectors are well known to those of skill in the art. One desirable method is described in PCT/US95/14018. However, the present invention is not limited to any particular method.

[0060] Another aspect of the present invention is the novel AAV-1 P5 promoter sequences which are located in the region spanning nt 236-299 of SEQ ID NO: 1. This promoter is useful in a variety of viral vectors for driving expression of a desired transgene.

[0061] Similarly, one of skill in the art can readily select other fragments of the AAV-1 genome of the invention for use in a variety of vector systems. Such vectors systems may include, e.g., lentiviruses, retroviruses, poxviruses, vaccinia viruses, and adenoviral systems, among others. Selection of these vector systems is not a limitation of the present invention.

[0062] C. Host Cells and Packaging Cell Lines

[0063] In yet another aspect, the present invention provides host cells which may be transiently transfected with AAV-1 nucleic acid sequences of the invention to permit expression of a desired transgene or production of a rAAV particle. For example, a selected host cell may be transfected with the AAV-1 P5 promoter sequences and/or the AAV-1 5' ITR sequences using conventional techniques. Providing AAV helper functions to the transfected cell lines of the invention results in packaging of the rAAV as infectious rAAV particles. Such cell lines may be produced in accordance with known techniques [see, e.g., U.S. Pat. No. 5,658,785], making use of the AAV-1 sequences of the invention.

[0064] Alternatively, host cells of the invention may be stably transfected with a rAAV expression cassette of the invention, and with copies of AAV-1 rep and cap genes. Suitable parental cell lines include mammalian cell lines and it may be desirable to select host cells from among non-simian mammalian cells. Examples of suitable parental cell lines include, without limitation, HeLa [ATCC CCL 2], A549 [ATCC Accession No. CCL 185], KB [CCL 17], Detroit [e.g., Detroit 510, CCL 72] and WI38 [CCL 75] cells. These cell lines are all available from the American Type Culture Collection, 10801 University Boulevard, Manassas, Va. 20110-2209 USA. Other suitable parent cell lines may be obtained from other sources and may be used to construct stable cell lines containing the P5 and/or AAV rep and cap sequences of the invention.

[0065] Recombinant vectors generated as described above are useful for delivery of the DNA of interest to cells.

III. Methods of Delivering Genes Via AAV-1 Derived Vectors

[0066] In another aspect, the present invention provides a method for delivery of a transgene to a host which involves transfecting or infecting a selected host cell with a recombinant viral vector generated with the AAV-1 sequences (or functional fragments thereof) of the invention. Methods for delivery are well known to those of skill in the art and are not a limitation of the present invention.

[0067] In one desirable embodiment, the invention provides a method for AAV-mediated delivery of a transgene to a host. This method involves transfecting or infecting a selected host cell with a recombinant viral vector containing a selected transgene under the control of sequences which direct expression thereof and AAV-1 capsid proteins.

[0068] Optionally, a sample from the host may be first assayed for the presence of antibodies to a selected AAV serotype. A variety of assay formats for detecting neutralizing antibodies are well known to those of skill in the art. The selection of such an assay is not a limitation of the present invention. See, e.g., Fisher et al, *Nature Med.*, 3(3):306-312 (March 1997) and W. C. Manning et al, *Human Gene Therapy*, 9:477-485 (Mar. 1, 1998). The results of this assay may be used to determine which AAV vector containing capsid proteins of a particular serotype are pre-

ferred for delivery, e.g., by the absence of neutralizing antibodies specific for that capsid serotype.

[0069] In one aspect of this method, the delivery of vector with AAV-1 capsid proteins may precede or follow delivery of a gene via a vector with a different serotype AAV capsid protein. Thus, gene delivery via rAAV vectors may be used for repeat gene delivery to a selected host cell. Desirably, subsequently administered rAAV vectors carry the same transgene as the first rAAV vector, but the subsequently administered vectors contain capsid proteins of serotypes which differ from the first vector. For example, if a first vector has AAV-2 capsid proteins, subsequently administered vectors may have capsid proteins selected from among the other serotypes, including AAV-1, AAV-3A, AAV-3B, AAV-4 and AAV-6.

[0070] Thus, a rAAV-1-derived recombinant viral vector of the invention provides an efficient gene transfer vehicle which can deliver a selected transgene to a selected host cell in vivo or ex vivo even where the organism has neutralizing antibodies to one or more AAV serotypes. These compositions are particularly well suited to gene delivery for therapeutic purposes. However, the compositions of the invention may also be useful in immunization. Further, the compositions of the invention may also be used for production of a desired gene product in vitro.

[0071] The above-described recombinant vectors may be delivered to host cells according to published methods. An AAV viral vector bearing the selected transgene may be administered to a patient, preferably suspended in a biologically compatible solution or pharmaceutically acceptable delivery vehicle. A suitable vehicle includes sterile saline. Other aqueous and non-aqueous isotonic sterile injection solutions and aqueous and non-aqueous sterile suspensions known to be pharmaceutically acceptable carriers and well known to those of skill in the art may be employed for this purpose.

[0072] The viral vectors are administered in sufficient amounts to transfect the cells and to provide sufficient levels of gene transfer and expression to provide a therapeutic benefit without undue adverse effects, or with medically acceptable physiological effects, which can be determined by those skilled in the medical arts. Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, direct delivery to the liver, oral, intranasal, intravenous, intramuscular, subcutaneous, intradermal, and other parental routes of administration. Routes of administration may be combined, if desired.

[0073] Dosages of the viral vector will depend primarily on factors such as the condition being treated, the age, weight and health of the patient, and may thus vary among patients. For example, a therapeutically effective human dosage of the viral vector is generally in the range of from about 1 ml to about 100 ml of solution containing concentrations of from about 1×10^9 to 1×10^{16} genomes virus vector. A preferred human dosage may be about 1×10^{13} to 1×10^{16} AAV genomes. The dosage will be adjusted to balance the therapeutic benefit against any side effects and such dosages may vary depending upon the therapeutic application for which the recombinant vector is employed. The levels of expression of the transgene can be monitored to determine the frequency of dosage resulting in viral vectors, preferably AAV vectors containing the minigene. Optionally, dosage regimens similar to those described for therapeutic purposes may be utilized for immunization using the compositions of

the invention. For in vitro production, a desired protein may be obtained from a desired culture following transfection of host cells with a rAAV containing the gene encoding the desired protein and culturing the cell culture under conditions which permits expression. The expressed protein may then be purified and isolated, as desired. Suitable techniques for transfection, cell culturing, purification, and isolation are known to those of skill in the art. The following examples illustrate several aspects and embodiments of the invention.

Example 1—Generation of Infectious Clone of AAV-1

[0074] The replicated form DNA of AAV-1 was extracted from 293 cells that were infected by AAV-1 and wild type adenovirus type 5.

[0075] A. Cell Culture and Virus

[0076] AAV-free 293 cells and 84-31 cells were provided by the human application laboratory of the University of Pennsylvania. These cells were cultured in Dulbecco's Modified Eagle Medium with 10% fetal bovine serum (Hyclone), penicillin (100 U/ml) and streptomycin at 37° C. in a moisturized environment supplied with 5% CO₂. The 84-31 cell line constitutively expresses adenovirus genes E1a, E1b, E4/ORF6, and has been described previously [K. J. Fisher, *J. Virol.*, 70:520-532 (1996)]. AAV-1 (ATCC VR-645) seed stock was purchased from American Type Culture Collection (ATCC, Manassas, Va.). AAV viruses were propagated in 293 cells with wild type Ad5 as a helper virus.

[0077] B. Recombinant AAV Generation

[0078] The recombinant AAV viruses were generated by transfection using an adenovirus free method. Briefly, the cis plasmid (with AAV ITR), trans plasmid (with AAV rep gene and cap gene) and helper plasmid (pFA13, with essential regions from the adenovirus genome) were simultaneously co-transfected into 293 cells in a ratio of 1:1:2 by calcium phosphate precipitation. The pFA13 helper plasmid has an 8 kb deletion in the adenovirus E2B region and has deletions in most of the late genes. This helper plasmid was generated by deleting the RsrII fragment from pFG140 (Microbix, Canada). Typically, 50 µg of DNA (cis:trans:pFA13 at ratios of 1:1:2, respectively) was transfected onto a 15 cm tissue culture dish. The cells were harvested 96 hours post-transfection, sonicated and treated with 0.5% sodium deoxycholate (37° C. for 10 min). Cell lysates were then subjected to two rounds of a CsCl gradient. Peak fractions containing AAV vector were collected, pooled, and dialyzed against PBS before injecting into animals. To make rAAV virus with AAV-1 virion, the pAV1H or p5E18 (2/1) was used as the trans plasmid to provide rep and cap function.

[0079] For the generation of rAAV based on AAV-2, p5E18 was used as the trans plasmid since it greatly improved the rAAV yield. This plasmid, p5E18(2/2), expresses AAV-2 Rep and Cap and contains a P5 promoter relocated to a position 3' to the Cap gene, thereby minimizing expression of Rep78 and Rep68. The strategy was initially described by Li et al, *J. Virol.*, 71:5236-5243 (1997). P5E18(2/2) was constructed in the following way. The previously described pMMTV-trans vector (i.e., the mouse mammary tumor virus promoter substituted for the P5 promoter in an AAV-2-based vector) was digested with SmaI and ClaI, filled in with the Klenow enzyme, and then recircularized with DNA ligase. The resulting construct was digested with XbaI, filled in, and ligated to the blunt-ended

BamHI-XbaI fragment from pCR-p5, constructed in the following way. The P5 promoter of AAV was amplified by PCR and the amplified fragment was subsequently cloned into pCR2.1 (Invitrogen) to yield pCR-P5. The helper plasmid pAV1H was constructed by cloning the BfaI fragment of pAAV-2 into pBluescript II-SK(+) at the BcoRV and SmaI sites. The 3.0-kb XbaI-KpnI fragment from p5E18(2/2), the 2.3-kb XbaI-KpnI fragment from pAV1H, and the 1.7-kb KpnI fragment from p5E18(2/2) were incorporated into a separate plasmid P5E18(2/1), which contains AAV-2 Rep, AAV-1 Cap, and the AAV-2 P5 promoter located 3' to the Cap gene. Plasmid p5E18(2/1) produced 10- to 20-fold higher quantities of the vector than pAV1H (i.e., 10^{12} genomes/50 15-cm² plates).

[0080] C. DNA Techniques

[0081] Hirt DNA extraction was performed as described in the art with minor modification [R. J. Samulski et al., *Cell*, 33:135-143 (1983)]. More particularly, Hirt solution without SDS was used instead of using original Hirt solution containing SDS. The amount of SDS present in the original Hirt solution was added after the cells had been fully suspended. To construct AAV-1 infectious clone, the Hirt DNA from AAV-1 infected 293 cells was repaired with Klenow enzyme (New England Biolabs) to ensure the ends were blunt. The treated AAV-1 Hirt DNA was then digested with BamHI and cloned into three vectors, respectively. The internal BamHI was cloned into pBlueScript II-SK+ cut with BamHI to get pAV1-BM. The left and right fragments were cloned into pBlueScript II-SK+ cut with BamHI+EcoRV to obtain pAV1-BL and pAV1-BR, respectively. The AAV sequence in these three plasmids were subsequently assembled into the same vector to get AAV-1 infectious clone pAAV-1. The helper plasmid for recombinant AAV-1 virus generation was constructed by cloning the Bfa I fragment of pAAV-1 into pBlueScript II-SK+ at the EcoRV site.

[0082] Analysis of the Hirt DNA revealed three bands, a dimer at 9.4 kb, a monomer at 4.7 kb and single-stranded DNA at 1.7 kb, which correlated to different replication forms of AAV-1. The monomer band was excised from the gel and then digested with BamHI. This resulted in three fragments of 1.1 kb, 0.8 kb and 2.8 kb. This pattern is in accordance with the description by Bantel-schaal and zur Hausen, *Virology*, 134(1):52-63 (1984). The 1.1 kb and 2.8 kb BamHI fragments were cloned into pBlueScript-KS(+) at BamHI and EcoRV site. The internal 0.8 kb fragment was cloned into BamHI site of pBlueScript-KS(+).

[0083] These three fragments were then subcloned into the same construct to obtain a plasmid (pAAV-1) that contained the full sequence of AAV-1. The pAAV-1 was then tested for its ability to rescue from the plasmid backbone and package infectious virus. The pAAV-1 was then transfected to 293 cells and supplied with adenovirus type as helper at MOI 10. The virus supernatant was used to reinfect 293 cells.

[0084] For Southern blot analysis, Hirt DNA was digested with DpnI to remove bacteria-borne plasmid and probed with internal BamHI fragment of AAV-1. The membrane was then washed at high stringency conditions, which included: twice 30 minutes with 2xSSC, 0.1% SDS at 65° C. and twice 30 minutes with 0.1xSSC, 0.1% SDS at 65° C. The membrane was then analyzed by both phosphor image and X-ray autoradiography. The results confirmed that pAAV-1 is indeed an infectious clone of AAV serotype 1.

Example 2—Sequencing Analysis of AAV-1

[0085] The entire AAV-1 genome was then determined by automatic sequencing and was found to be 4718 nucleotides in length (FIGS. 1A-1F). For sequencing, an ABI 373 automatic sequencer as used to determine the sequences for all plasmids and PCR fragments related to this study using the FS dye chemistry. All sequences were confirmed by sequencing both plus and minus strands. These sequences were also confirmed by sequencing two independent clones of pAV-BM, pAV-BL and pAV-BR. Since the replicated form of AAV-1 DNA served as the template for sequence determination, these sequences were also confirmed by sequencing a series of PCR products using original AAV-1 seed stock as a template.

[0086] The length of AAV-1 was found to be within the range of the other serotypes: AAV-3 (4726 nucleotides), AAV-4 (4774 nucleotides), AAV-2 (4681 nucleotides), and AAV-6 (4683 nucleotides).

[0087] The AAV-1 genome exhibited similarities to other serotypes of adeno-associated viruses. Overall, it shares more than 80% identity with other known AAV viruses as determined by the computer program Megalign using default settings [DNASTAR, Madison, Wis.]. The key features in AAV-2 can also be found in AAV-1. First, AAV-1 has the same type of inverted terminal repeat which is capable of forming T-shaped hairpin structures, despite the differences at the nucleotide level (FIGS. 2 and 3). The sequences of right ITRs and left ITRs of AAV-1 are identical. The AAV TR sequence is subdivided into A, A', B, B', C, C', D and D' [Bern, cited above].

[0088] These AAV ITR sequences are also virtually the same as those found in AAV-6 right ITR, there being one nucleotide difference in each of A and A' sequence, and the last nucleotide of the D sequence. Second, the AAV-2 rep binding motif [GCTCGCTCGCTCGCTG (SEQ ID NO: 20)] is well conserved. Such motif can also be found in the human chromosome 19 AAV-2 pre-integration region. Finally, non-structural and structural coding regions, and regulatory elements similar to those of other AAV serotypes also exist in AAV-1 genome.

[0089] Although the overall features of AAV terminal repeats are very much conserved, the total length of the AAV terminal repeat exhibits divergence. The terminal repeat of AAV-1 consists of 143 nucleotides while those of AAV-2, AAV-3, and AAV-4 are about 145 or 146 nucleotides. The loop region of AAV-1 ITR most closely resembles that of AAV-4 in that it also uses TCT instead of the TTT found in AAV-2 and AAV-3. The possibility of sequencing error was eliminated using restriction enzyme digestion, since these three nucleotides are part of the SacI site (gagctc; nt 69-74 of SEQ ID NO: 1). The p5 promoter region of AAV-1 shows more variations in nucleotide sequences with other AAV serotypes. However, it still maintains the critical regulatory elements. The two copies of YY1 [See, FIGS. 1A-1F] sites seemed to be preserved in all known AAV serotypes, which have been shown to be involved in regulating AAV gene expression. In AAV-4, there are 56 additional nucleotides inserted between YY1 and E-box/USF site, while in AAV-1, there are 26 additional nucleotides inserted before the E-box/USF site. The p19 promoter, p40 promoter and polyA can also be identified from the AAV-1 genome by analogy to known AAV serotypes, which are also highly conserved.

[0090] Thus, the analysis of AAV terminal repeats of various serotypes showed that the A and A' sequence is very

much conserved. One of the reasons may be the Rep binding motif (GCTC)₃GCTG [SEQ ID NO: 20]. These sequences appear to be essential for AAV DNA replication and site-specific integration. The same sequence has also been shown to be preserved in a monkey genome [Samulski, personal communication]. The first 8 nucleotides of the D sequence are also identical in all known AAV serotypes. This is in accordance with the observation of the Srivastava group that only the first 10 nucleotides are essential for AAV packaging [X. S. Wang et al, *J. Virol.*, 71:3077-3082 (1997); X. S. Wang et al, *J. Virol.*, 71:1140-1146 (1997)]. The function of the rest of the D sequences still remain unclear. They may be somehow related to their tissue specificities. The variation of nucleotide in B and C sequence may also suggest that the secondary structure of the ITRs is more critical for its biological function, which has been demonstrated in many previous publications.

Example 3—Comparison of AAV-1 Sequences

[0091] The nucleotide sequences of AAV-1, obtained as described above, were compared with known AAV sequences, including AAV-2, AAV-4 and AAV-6 using DNA Star Megalign. This comparison revealed a stretch of 71 identical nucleotides shared by AAV-1, AAV-2 and AAV-6. See, FIGS. 1A-1F.

[0092] This comparison further suggested that AAV-6 is a hybrid formed by homologous recombination of AAV-1 and AAV-2. See, FIGS. 3A and 3B. These nucleotides divide the AAV-6 genome into two regions. The 5' half of AAV-6 of 522 nucleotides is identical to that of AAV-2 except in 2 positions. The 3' half of AAV-6 including the majority of the rep gene, complete cap gene and 3' ITR is 98% identical to AAV-1.

[0093] Biologically, such recombination may enable AAV-1 to acquire the ability to transmit through the human population. It is also interesting to note that the ITRs of AAV-6 comprise one AAV-1 ITR and one AAV-2 ITR. The replication model of defective parvovirus can maintain this special arrangement. Studies on AAV integration have shown that a majority of AAV integrants carries deletions in at least one of the terminal repeats. These deletions have been shown to be able to be repaired through gene conversion using the other intact terminal repeat as a template. Therefore, it would be very difficult to maintain AAV-6 as a homogenous population when an integrated copy of AAV-6 is rescued from host cells with helper virus infection. The AAV-6 with two identical AAV-2 ITRs or two identical AAV-1 ITRs should be the dominant variants. The AAV-6 with two AAV-1 ITRs has been observed by Russell's group [Rutledge, cited above (1998)]. So far there is no report on AAV-6 with two AAV-2 ITRs. Acquisition of AAV-2 P5 promoter by AAV-6 may have explained that AAV-6 have been isolated from human origin while AAV-1 with the same virion has not. The regulation of P5 promoter between different species of AAV may be different in vivo. This observation suggests the capsid proteins of AAV were not the only determinants for tissue specificity.

[0094] Although it is clear that AAV-6 is a hybrid of AAV-1 and AAV-2, AAV-6 has already exhibited divergence from either AAV-1 or AAV-2. There are two nucleotide differences between AAV-6 and AAV-2 in their first 450 nucleotides. There are about 1% differences between AAV-6 and AAV-1 in nucleotide levels from nucleotides 522 to the 3' end. There also exists a quite divergent region (nucleotide

4486-4593) between AAV-6 and AAV-1 (FIGS. 1A-1F). This region does not encode any known proteins for AAVs. These differences in nucleotide sequences may suggest that AAV-6 and AAV-1 have gone through some evolution since the recombination took place. Another possible explanation is that there exists another variant of AAV-1 which has yet to be identified. So far, there is no evidence to rule out either possibility. It is still unknown if other hybrids (AAV-2 to AAV-4, etc.) existed in nature.

[0095] The coding region of AAV-1 was deduced by comparison with other known AAV serotypes. Table 1 illustrates the coding region differences between AAV-1 and AAV-6. The amino acid residues are deduced according to AAV-2.

[0096] With reference to the amino acid position of AAV-1, Table 1 lists the amino acids of AAV-1 which have been changed to the corresponding ones of AAV-6. The amino acids of AAV-1 are shown to the left of the arrow. Reference may be made to SEQ ID NO: 5 of the amino acid sequence of AAV-1 Rep 78 and to SEQ ID NO: 13 for the amino acid sequence of AAV-1 VP1.

TABLE 1

Coding region variations between AAV-1 and AAV-6			
Rep protein (Rep78)		Cap protein (VP1)	
Position(s)	Amino acids	Position(s)	Amino acids
28	S→N	129	L→F
191	Q→H	418	E→D
192	H→D	531	E→K
308	E→D	584	F→L
		598	A→V
		642	N→H

[0097] It was surprising to see that the sequence of the AAV-1 coding region is almost identical to that of AAV-6 from position 452 to the end of coding region (99%). The first 508 nucleotides of AAV-6 have been shown to be identical to those of AAV-2 [Rutledge, cited above (1998)]. Since the components of AAV-6 genome seemed to be AAV-2 left ITR—AAV-2 p5 promoter—AAV-1 coding region—AAV-1 right ITR, it was concluded that AAV-6 is a naturally occurred hybrid between AAV-1 and AAV-2.

Example 4—Gene Therapy Vector Based on AAV-1

[0098] Recombinant gene transfer vectors based on AAV-1 viruses were constructed by the methods described in Example 1. To produce a hybrid recombinant virus with AAV-1 virion and AAV-2 ITR, the AAV-1 trans plasmid (pAV1H) and the AAV-2 cis-lacZ plasmid (with AAV-2 ITR) were used. The AAV-2 ITR was used in this vector in view of its known ability to direct site-specific integration. Also constructed for use in this experiment was an AAV-1 vector carrying the green fluorescent protein (GFP) marker gene under the control of the immediate early promoter of CMV using pAV1H as the trans plasmid.

[0099] A. rAAV-1 Viruses Transfect Host Cells in Vitro

[0100] 84-31 cells, which are subclones of 293 cells (which express adenovirus E1a, E1b) which stably express E4/ORF5, were infected with rAAV-1 GFP or rAAV-lacZ. High levels of expression of GFP and lacZ was detected in

the cultured 84-31 cells. This suggested that rAAV-1 based vector was very similar to AAV-2 based vectors in ability to infect and expression levels.

[0101] B. rAAV-1 Viruses Transfect Cells in Vivo

[0102] The performance of AAV-1 based vectors was also tested in vivo. The rAAV-1 CMV- α 1AT virus was constructed as follows. The EcoRI fragment of pAT85 (ATCC) containing human α 1-antitrypsin (α 1AT) cDNA fragment was blunted and cloned into PCR (Promega) at a SmaI site to obtain PCR- α 1AT. The CMV promoter was cloned into PCR- α 1AT at the XbaI site. The A1b- α 1AT expression cassette was removed by XhoI and ClaI and cloned into pAV1H at the XbaI site. This vector plasmid was used to generate AAV-1-CMV- α 1AT virus used in the experiment described below.

[0103] For screening human antibodies against AAV, purified AAV virus is lysed with Ripa buffer (10 mM Tris pH 8.2, 1% Triton X-100, 1% SDS, 0.15 M NaCl) and separated in 10% SDS-PAGE gel. The heat inactivated human serum was used at a 1 to 1000 dilution in this assay. The rAAV-1 CMV- α 1AT viruses were injected into Rag-1 mice through tail vein injection at different dosages. The concentration of human α 1-antitrypsin in mouse serum was measured using ELISA. The coating antibody is rabbit anti-human human α 1-antitrypsin (Sigma). The goat-antihuman α 1-antitrypsin (Sigma) was used as the primary detection antibodies. The sensitivity of this assay is around 0.3 ng/ml to 30 ng/ml. The expression of human α 1-antitrypsin in mouse blood can be detected in a very encouraging level. This result is shown in Table 2.

TABLE 2

Human α 1-Antitrypsin Expressed in Mouse Liver		
Amount of virus injected	Week 2 (ng/ml)	Week 4 (ng/ml)
2×10^{10} genomes	214.2	171.4
1×10^{10} genomes	117.8	109.8
5×10^{10} genomes	64.5	67.8
2.5×10^{10} genomes	30.9	58.4

[0104] rAAV-1 CMV-lacZ viruses were also injected into the muscle of C57BL6 mice and similar results were obtained. Collectively, these results suggested that AAV-1 based vector would be appropriate for both liver and muscle gene delivery.

Example 5—Neutralizing Antibodies Against AAV-1

[0105] Simple and quantitative assays for neutralizing antibodies (NAB) to AAV-1 and AAV-2 were developed with recombinant vectors. A total of 33 rhesus monkeys and 77 normal human subjects were screened.

[0106] 1. Nonhuman Primates

[0107] Wild-caught juvenile rhesus monkeys were purchased from Covance (Alice, Tex.) and LABS of Virginia (Yemassee, S.C.) and kept in full quarantine. The monkeys weighed approximately 3 to 4 kg. The nonhuman primates used in the Institute for Human Gene Therapy research program are purposefully bred in the United States from specific-pathogen-free closed colonies. All vendors are US Department of Agriculture class A dealers. The rhesus macaques are therefore not infected with important simian pathogens, including the tuberculosis agent, major simian

lentiviruses (simian immunodeficiency virus and simian retroviruses), and cercopithecine herpesvirus. The animals are also free of internal and external parasites. The excellent health status of these premium animals minimized the potential for extraneous variables. For this study, serum was obtained from monkeys prior to initiation of any protocol.

[0108] NAB titers were analyzed by assessing the ability of serum antibody to inhibit the transduction of reporter virus expressing green fluorescent protein (GFP) (AAV1-GFP or AAV2-GFP) into 84-31 cells. Various dilutions of antibodies preincubated with reporter virus for 1 hour at 37° C. were added to 90% confluent cell cultures. Cells were incubated for 48 hours and the expression of green fluorescent protein was measured by FluoroImaging (Molecular Dynamics). NAB titers were calculated as the highest dilution at which 50% of the cells stained green.

[0109] Analysis of NAB in rhesus monkeys showed that 61% of animals tested positive for AAV-1; a minority (24%) has NAB to AAV-2. Over one-third of animals had antibodies to AAV-1 but not AAV-2 (i.e., were monospecific for AAV-1), whereas no animals were positive for AAV-2 without reacting to AAV-1. These data support the hypothesis that AAV-1 is endemic in rhesus monkeys. The presence of true AAV-2 infections in this group of nonhuman primates is less clear, since cross-neutralizing activity of an AAV-1 response to AAV-2 can not be ruled out. It is interesting that there is a linear relationship between AAV-2 NAB and AAV-1 NAB in animals that had both.

[0110] 2. Humans

[0111] For these neutralization antibody assays, human serum samples were incubated at 56° C. for 30 min to inactivate complement and then diluted in DMEM. The virus (rAAV or rAd with either lacZ or GFP) was then mixed with each serum dilution (20x, 400x, 2000x, 4000x, etc.) and incubated for 1 hour at 37° C. before applied to 90% confluent cultures of 84-31 cells (for AAV) or HeLa cells (for adenovirus) in 96-well plates. After 60 minutes of incubation at culture condition, 100 μ d additional media containing 20% FCS was added to make final culture media containing 10% FCS.

[0112] The results are summarized in Table 3.

TABLE 3

Adenovirus	AAV-1	AAV-2	# of samples	Percentage
-	-	-	41	53.2%
+	-	-	16	20.8%
-	+	-	0	0.0%
-	-	+	2	2.6%
-	+	+	2	2.6%
+	-	+	3	3.9%
+	+	-	0	0.0%
+	+	+	13	16.9%
Total			77	100%

[0113] The human neutralizing antibodies against these three viruses seemed to be unrelated since the existence of neutralizing antibodies against AAV are not indications for antibodies against adenovirus. However, AAV requires adenovirus as helper virus, in most of the cases, the neutralizing antibodies against AAV correlated with the existence of neutralizing antibodies to adenovirus. Among the 77 human serum samples screened, 41% of the samples can neutralize the infectivity of recombinant adenovirus based

on Ad5. 15/77 (19%) of serum samples can neutralize the transduction of rAAV-1 while 20/77 (20%) of the samples inhibit rAAV-2 transduction at 1 to 80 dilutions or higher. All serum samples positive in neutralizing antibodies for AAV-1 in are also positive for AAV-2. However, there are five (6%) rAAV-2 positive samples that failed to neutralize rAAV-1. In samples that are positive for neutralizing antibodies, the titer of antibodies also varied in the positive ones. The results from screening human sera for antibodies against AAVs supported the conclusion that AAV-1 presents the same epitome as that of AAV-2 to interact with cellular receptors since AAV-1 neutralizing human serums can also decrease the infectivity of AAV-2. However, the profile of neutralizing antibodies for these AAVs is not identical, there are additional specific receptors for each AAV serotype.

Example 6—Recombinant AAV Viruses Exhibit Tissue Tropism

[0114] The recombinant AAV-1 vectors of the invention and the recombinant AAV-2 vectors [containing the gene encoding human α 1-antitrypsin (α 1AT) or murine erythropoietin (Epo) from a cytomegalovirus-enhanced β -actin promoter (CB)] were evaluated in a direct comparison to equivalent copies of AAV-2 vectors containing the same vector genes.

[0115] Recombinant viruses with AAV-1 capsids were constructed using the techniques in Example 1. To make rAAV with AAV-1 virions, pAV1H or p5E18 (2/1) was used as the trans plasmid to provide Rep and Cap functions. For the generation of the rAAV based on AAV-2, p5E18(2/2) was used as the trans plasmid, since it greatly improved the rAAV yield. [Early experiments indicated similar in vivo performances of AAV-1 vectors produced with pAV1H and p5E19 (2/1). All subsequent studies used AAV-1 vectors derived from p5E18(2/1) because of the increased yield.]

[0116] Equivalent stocks of the AAV-1 and AAV-2 vectors were injected intramuscularly (5×10^{10} genomes) or liver via the portal circulation (1×10^{11} genomes) into immunodeficient mice, and the animals (four groups) were analyzed on day 30 for expression of transgene. See, FIGS. 4A and 4B.

[0117] AAV-2 vectors consistently produced 10- to 50-fold more serum erythropoietin or α 1-antitrypsin when injected into liver compared to muscle. (However, the AAV-1-delivered genes did achieve acceptable expression levels in the liver.) This result was very different from that for AAV-1 vectors, with which muscle expression was equivalent to or greater than liver expression. In fact, AAV-1 outperformed AAV-2 in muscle when equivalent titers based on genomes were administered.

Example 7—Gene Delivery Via rAAV-1

[0118] C57BL/6 mice (6- to 8-week old males, Jackson Laboratories) were analyzed for AAV mediated gene transfer to liver following intrasplenic injection of vector (i.e., targeted to liver). A total of 10^{11} genome equivalents of rAAV-1 or rAAV-2 vector were injected into the circulation in 100 μ l buffered saline. The first vector contained either an AAV-1 capsid or an AAV-2 capsid and expressed α 1AT under the control of the chicken β -actin (CB) promoter. Day 28 sera were analyzed for antibodies against AAV-1 or AAV-2 and serum α 1AT levels were checked. Animals were then injected with an AAV-1 or AAV-2 construct expressing erythropoietin (Epo, also under the control of the CB promoter).

One month later sera was analyzed for serum levels of Epo. The following groups were analyzed (FIGS. 5A-5D).

[0119] In Group 1, vector 1 was AAV-2 expressing α 1AT and vector 2 was AAV-2 expressing Epo. Animals generated antibodies against AAV-2 following the first vector administration which prevented the readministration of the AAV-2 based vector. There was no evidence for cross-neutralizing the antibody to AAV-1.

[0120] In Group 2, vector 1 was AAV-1 expressing α 1AT while vector 2 was AAV-1 expressing Epo. The first vector administration did result in significant α 1AT expression at one month associated with antibodies to neutralizing antibodies to AAV-1. The animals were not successfully readministered with the AAV-1 Epo expressing construct.

[0121] In Group 3, the effectiveness of an AAV-2 vector expressing Epo injected into a naive animal was measured. The animals were injected with PBS and injected with AAV-2 Epo vector at day 28 and analyzed for Epo expression one month later. The neutralizing antibodies were evaluated at day 28 so we did not expect to see anything since they received PBS with the first vector injection. This shows that in naive animals AAV-2 is very efficient at transferring the Epo gene as demonstrated by high level of serum Epo one month later.

[0122] Group 4 was an experiment similar to Group 3 in which the animals originally received PBS for vector 1 and then the AAV-1 expressing Epo construct 28 days later. At the time of vector injection, there obviously were no antibodies to either AAV-1 or AAV-2. The AAV-1 based vector was capable of generating significant expression of Epo when measured one month later.

[0123] Group 5 is a cross-over experiment where the initial vector is AAV-2 expressing α 1AT followed by the AAV-1 construct expressing Epo. The animals, as expected, were efficiently infected with the AAV-2 vector expressing α 1AT as shown by high levels of the protein in blood at 28 days. This was associated with significant neutralizing antibodies to AAV-2. Importantly, the animals were successfully administered AAV-1 following the AAV-2 vector as shown by the presence of Epo in serum 28 days following the second vector administration. At the time of this vector administration, there was high level AAV-2 neutralizing antibodies and very low cross-reaction to AAV-1. The level of Epo was slightly diminished possibly due to a small amount of cross-reactivity. Group 6 was the opposite cross-over experiment in which the initial vector was AAV-1 based, whereas the second experiment was AAV-2 based. The AAV-1 vector did lead to significant gene expression of α 1AT, which also resulted in high level AAV-1 neutralizing antibody. The animals were very efficiently administered AAV-2 following the initial AAV-1 vector as evidenced by high level Epo.

[0124] A substantially identical experiment was performed in muscle in which 5×10^{10} genomes were injected into the tibialis anterior of C57BL/6 mice as a model for muscle directed gene therapy. The results are illustrated in FIGS. 6A-6D and are essentially the same as for liver.

[0125] In summary, this experiment demonstrates the utility of using an AAV-1 vector in patients who have pre-existing antibodies to AAV-2 or who had initially received an AAV-2 vector and need readministration.

Example 8—Construction of Recombinant Viruses
Containing AAV-1 ITRs

[0126] This example illustrates the construction of recombinant AAV vectors which contain AAV-1 ITRs of the invention.

[0127] An AAV-1 cis plasmid is constructed as follows. A 160 bp Xho-NruI AAV-1 fragment containing the AAV-1 5' ITR is obtained from pAV1-BL. pAV1-BL was generated as described in Example 1. The Xho-NruI fragment is then cloned into a second pAV1-BL plasmid at an XbaI site to provide the plasmid with two AAV-1 ITRs. The desired transgene is then cloned into the modified pAV1-BL at the NruI and BamHI site, which is located between the AAV-1 ITR sequences. The resulting AAV-1 cis plasmid contains AAV-1 ITRs flanking the transgene and lacks functional AAV-1 rep and cap.

[0128] Recombinant AAV is produced by simultaneously transfecting three plasmids into 293 cells. These include the AAV-1 cis plasmid described above; a trans plasmid which provides AAV rep/cap functions and lacks AAV ITRs; and a plasmid providing adenovirus helper functions. The rep and/or cap functions may be provided in trans by AAV-1 or another AAV serotype, depending on the immunity profile of

the intended recipient. Alternatively, the rep or cap functions may be provided in cis by AAV-1 or another serotype, again depending on the patient's immunity profile.

[0129] In a typical cotransfection, 50 µg of DNA (cis: trans:helper at ratios of 1:1:2, respectively) is transfected onto a 15 cm tissue culture dish. Cells are harvested 96 hours post transfection, sonicated and treated with 0.5% sodium deoxycholate (37° for 10 min). Cell lysates are then subjected to 2-3 rounds of ultracentrifugation in a cesium gradient. Peak fractions containing rAAV are collected, pooled and dialyzed against PBS. A typical yield is 1×10¹³ genomes/10⁹ cells.

[0130] Using this method, one recombinant virus construct is prepared which contains the AAV-1 ITRs flanking the transgene, with an AAV-1 capsid. Another recombinant virus construct is prepared with contains the AAV-1 ITRs flanking the transgene, with an AAV-2 capsid.

[0131] All publications cited in this specification are incorporated herein by reference. While the invention has been described with reference to particularly preferred embodiments, it will be appreciated that modifications can be made without departing from the spirit of the invention. Such modifications are intended to fall within the scope of the claims.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 20

<210> SEQ ID NO 1
<211> LENGTH: 4718
<212> TYPE: DNA
<213> ORGANISM: AAV-1

<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (335)..(2206)
<223> OTHER INFORMATION:

<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (2223)..(4430)
<223> OTHER INFORMATION:

<400> SEQUENCE: 1

```

ttgccactc cctctctgcg cgctcgctcg ctcggtgggg cctgcggacc aaaggtccgc      60
agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgcag agagggagtg      120
ggcaactcca tcaactagggg taatcgcgaa gcgctcccca cgctgccgcg tcagcgtgga      180
cgtaaattac gtcataagggg agtggctctg tattagctgt cacgtgagtg cttttgcgac      240
attttgagac accacgtggc catttagggt atatatggcc gagtgagcga gcaggatetc      300
cattttgacc gcgaaatttg aacgagcagc agcc atg ccg ggc ttc tac gag atc      355
                               Met Pro Gly Phe Tyr Glu Ile
                               1                               5

gtg atc aag gtg ccg agc gac ctg gac gag cac ctg ccg ggc att tct      403
Val Ile Lys Val Pro Ser Asp Leu Asp Glu His Leu Pro Gly Ile Ser
      10                               15                               20

gac tcg ttt gtg agc tgg gtg gcc gag aag gaa tgg gag ctg ccc ccg      451
Asp Ser Phe Val Ser Trp Val Ala Glu Lys Glu Trp Glu Leu Pro Pro
      25                               30                               35

gat tct gac atg gat ctg aat ctg att gag cag gca ccc ctg acc gtg      499
Asp Ser Asp Met Asp Leu Asn Leu Ile Glu Gln Ala Pro Leu Thr Val
      40                               45                               50                               55

gcc gag aag ctg cag cgc gac ttc ctg gtc caa tgg cgc cgc gtg agt      547

```

-continued

Ala	Glu	Lys	Leu	Gln	Arg	Asp	Phe	Leu	Val	Gln	Trp	Arg	Arg	Val	Ser	
			60					65						70		
aag	gcc	ccg	gag	gcc	ctc	ttc	ttt	ggt	cag	ttc	gag	aag	ggc	gag	tcc	595
Lys	Ala	Pro	Glu	Ala	Leu	Phe	Phe	Val	Gln	Phe	Glu	Lys	Gly	Glu	Ser	
			75					80					85			
tac	ttc	cac	ctc	cat	att	ctg	gtg	gag	acc	acg	ggg	gtc	aaa	tcc	atg	643
Tyr	Phe	His	Leu	His	Ile	Leu	Val	Glu	Thr	Thr	Gly	Val	Lys	Ser	Met	
			90				95					100				
gtg	ctg	ggc	cgc	ttc	ctg	agt	cag	att	agg	gac	aag	ctg	gtg	cag	acc	691
Val	Leu	Gly	Arg	Phe	Leu	Ser	Gln	Ile	Arg	Asp	Lys	Leu	Val	Gln	Thr	
	105					110					115					
atc	tac	cgc	ggg	atc	gag	ccg	acc	ctg	ccc	aac	tgg	ttc	gcg	gtg	acc	739
Ile	Tyr	Arg	Gly	Ile	Glu	Pro	Thr	Leu	Pro	Asn	Trp	Phe	Ala	Val	Thr	
	120				125					130				135		
aag	acg	cgt	aat	ggc	gcc	gga	ggg	ggg	aac	aag	gtg	gtg	gac	gag	tgc	787
Lys	Thr	Arg	Asn	Gly	Ala	Gly	Gly	Gly	Asn	Lys	Val	Val	Asp	Glu	Cys	
			140						145					150		
tac	atc	ccc	aac	tac	ctc	ctg	ccc	aag	act	cag	ccc	gag	ctg	cag	tgg	835
Tyr	Ile	Pro	Asn	Tyr	Leu	Leu	Pro	Lys	Thr	Gln	Pro	Glu	Leu	Trp		
			155					160					165			
gcg	tgg	act	aac	atg	gag	gag	tat	ata	agc	gcc	tgt	ttg	aac	ctg	gcc	883
Ala	Trp	Thr	Asn	Met	Glu	Glu	Tyr	Ile	Ser	Ala	Cys	Leu	Asn	Leu	Ala	
			170					175					180			
gag	cgc	aaa	cgg	ctc	gtg	gcg	cag	cac	ctg	acc	cac	gtc	agc	cag	acc	931
Glu	Arg	Lys	Arg	Leu	Val	Ala	Gln	His	Leu	Thr	His	Val	Ser	Gln	Thr	
	185					190					195					
cag	gag	cag	aac	aag	gag	aat	ctg	aac	ccc	aat	tct	gac	gcg	cct	gtc	979
Gln	Glu	Gln	Asn	Lys	Glu	Asn	Leu	Asn	Pro	Asn	Ser	Asp	Ala	Pro	Val	
	200				205					210				215		
atc	cgg	tca	aaa	acc	tcc	gcg	cgc	tac	atg	gag	ctg	gtc	ggg	tgg	ctg	1027
Ile	Arg	Ser	Lys	Thr	Ser	Ala	Arg	Tyr	Met	Glu	Leu	Val	Gly	Trp	Leu	
			220						225					230		
gtg	gac	cgg	ggc	atc	acc	tcc	gag	aag	cag	tgg	atc	cag	gag	gac	cag	1075
Val	Asp	Arg	Gly	Ile	Thr	Ser	Glu	Lys	Gln	Trp	Ile	Gln	Glu	Asp	Gln	
			235					240					245			
gcc	tcg	tac	atc	tcc	ttc	aac	gcc	gct	tcc	aac	tcg	cgg	tcc	cag	atc	1123
Ala	Ser	Tyr	Ile	Ser	Phe	Asn	Ala	Ala	Ser	Asn	Ser	Arg	Ser	Gln	Ile	
			250				255					260				
aag	gcc	gct	ctg	gac	aat	gcc	ggc	aag	atc	atg	gcg	ctg	acc	aaa	tcc	1171
Lys	Ala	Ala	Leu	Asp	Asn	Ala	Gly	Lys	Ile	Met	Ala	Leu	Thr	Lys	Ser	
	265					270					275					
gcg	ccc	gac	tac	ctg	gta	ggc	ccc	gct	cgg	ccc	gcg	gac	att	aaa	acc	1219
Ala	Pro	Asp	Tyr	Leu	Val	Gly	Pro	Ala	Pro	Pro	Ala	Asp	Ile	Lys	Thr	
	280				285					290				295		
aac	cgc	atc	tac	cgc	atc	ctg	gag	ctg	aac	ggc	tac	gaa	cct	gcc	tac	1267
Asn	Arg	Ile	Tyr	Arg	Ile	Leu	Glu	Leu	Asn	Gly	Tyr	Glu	Pro	Ala	Tyr	
				300					305					310		
gcc	ggc	tcc	gtc	ttt	ctc	ggc	tgg	gcc	cag	aaa	agg	ttc	ggg	aag	cgc	1315
Ala	Gly	Ser	Val	Phe	Leu	Gly	Trp	Ala	Gln	Lys	Arg	Phe	Gly	Lys	Arg	
			315					320					325			
aac	acc	atc	tgg	ctg	ttt	ggg	ccg	gcc	acc	acg	ggc	aag	acc	aac	atc	1363
Asn	Thr	Ile	Trp	Leu	Phe	Gly	Pro	Ala	Thr	Thr	Gly	Lys	Thr	Asn	Ile	
			330					335					340			
gcg	gaa	gcc	atc	gcc	cac	gcc	gtg	ccc	ttc	tac	ggc	tgc	gtc	aac	tgg	1411
Ala	Glu	Ala	Ile	Ala	His	Ala	Val	Pro	Phe	Tyr	Gly	Cys	Val	Asn	Trp	
	345					350					355					
acc	aat	gag	aac	ttt	ccc	ttc	aat	gat	tgc	gtc	gac	aag	atg	gtg	atc	1459

-continued

Thr 360	Asn	Glu	Asn	Phe	Pro 365	Phe	Asn	Asp	Cys	Val 370	Asp	Lys	Met	Val	Ile 375	
tgg	tgg	gag	gag	ggc	aag	atg	acg	gcc	aag	gtc	gtg	gag	tcc	gcc	aag	1507
Trp	Trp	Glu	Glu	Gly	Lys	Met	Thr	Ala	Lys	Val	Val	Glu	Ser	Ala	Lys	
				380					385					390		
gcc	att	ctc	ggc	ggc	agc	aag	gtg	cgc	gtg	gac	caa	aag	tgc	aag	tgc	1555
Ala	Ile	Leu	Gly	Gly	Ser	Lys	Val	Arg	Val	Asp	Gln	Lys	Cys	Lys	Ser	
			395					400					405			
tcc	gcc	cag	atc	gac	ccc	acc	ccc	gtg	atc	gtc	acc	tcc	aac	acc	aac	1603
Ser	Ala	Gln	Ile	Asp	Pro	Thr	Pro	Val	Ile	Val	Thr	Ser	Asn	Thr	Asn	
		410						415				420				
atg	tgc	gcc	gtg	att	gac	ggg	aac	agc	acc	acc	ttc	gag	cac	cag	cag	1651
Met	Cys	Ala	Val	Ile	Asp	Gly	Asn	Ser	Thr	Thr	Phe	Glu	His	Gln	Gln	
	425					430					435					
ccg	ttg	cag	gac	cgg	atg	ttc	aaa	ttt	gaa	ctc	acc	cgc	cgt	ctg	gag	1699
Pro	Leu	Gln	Asp	Arg	Met	Phe	Lys	Phe	Glu	Leu	Thr	Arg	Arg	Leu	Glu	
440					445					450					455	
cat	gac	ttt	ggc	aag	gtg	aca	aag	cag	gaa	gtc	aaa	gag	ttc	ttc	cgc	1747
His	Asp	Phe	Gly	Lys	Val	Thr	Lys	Gln	Glu	Val	Lys	Glu	Phe	Phe	Arg	
				460					465					470		
tgg	cgc	cag	gat	cac	gtg	acc	gag	gtg	cgc	cat	gag	ttc	tac	gtc	aga	1795
Trp	Ala	Gln	Asp	His	Val	Thr	Glu	Val	Ala	His	Glu	Phe	Tyr	Val	Arg	
			475					480					485			
aag	ggt	gga	gcc	aac	aaa	aga	ccc	gcc	ccc	gat	gac	gcg	gat	aaa	agc	1843
Lys	Gly	Gly	Ala	Asn	Lys	Arg	Pro	Ala	Pro	Asp	Asp	Ala	Asp	Lys	Ser	
	490					495						500				
gag	ccc	aag	cgg	gcc	tgc	ccc	tca	gtc	cgc	gat	cca	tgc	acg	tca	gac	1891
Glu	Pro	Lys	Arg	Ala	Cys	Pro	Ser	Val	Ala	Asp	Pro	Ser	Thr	Ser	Asp	
505					510						515					
gcg	gaa	gga	gct	ccg	gtg	gac	ttt	gcc	gac	agg	tac	caa	aac	aaa	tgt	1939
Ala	Glu	Gly	Ala	Pro	Val	Asp	Phe	Ala	Asp	Arg	Tyr	Gln	Asn	Lys	Cys	
520					525					530					535	
tct	cgt	cac	gcg	ggc	atg	ctt	cag	atg	ctg	ttt	ccc	tgc	aag	aca	tgc	1987
Ser	Arg	His	Ala	Gly	Met	Leu	Gln	Met	Leu	Phe	Pro	Cys	Lys	Thr	Cys	
				540					545					550		
gag	aga	atg	aat	cag	aat	ttc	aac	att	tgc	ttc	acg	cac	ggg	acg	aga	2035
Glu	Arg	Met	Asn	Gln	Asn	Phe	Asn	Ile	Cys	Phe	Thr	His	Gly	Thr	Arg	
			555					560					565			
gac	tgt	tca	gag	tgc	ttc	ccc	ggc	gtg	tca	gaa	tct	caa	ccg	gtc	gtc	2083
Asp	Cys	Ser	Glu	Cys	Phe	Pro	Gly	Val	Ser	Glu	Ser	Gln	Pro	Val	Val	
		570					575					580				
aga	aag	agg	acg	tat	cgg	aaa	ctc	tgt	gcc	att	cat	cat	ctg	ctg	ggg	2131
Arg	Lys	Arg	Thr	Tyr	Arg	Lys	Leu	Cys	Ala	Ile	His	His	Leu	Leu	Gly	
	585				590						595					
cgg	gct	ccc	gag	att	gct	tgc	tgc	gcc	tgc	gat	ctg	gtc	aac	gtg	gac	2179
Arg	Ala	Pro	Glu	Ile	Ala	Cys	Ser	Ala	Cys	Asp	Leu	Val	Asn	Val	Asp	
600					605					610				615		
ctg	gat	gac	tgt	gtt	tct	gag	caa	taa	atgacttaaa	ccaggt	atg	gct	gcc			2231
Leu	Asp	Asp	Cys	Val	Ser	Glu	Gln					Met	Ala	Ala		
				620									625			
gat	ggt	tat	ctt	cca	gat	tgg	ctc	gag	gac	aac	ctc	tct	gag	ggc	att	2279
Asp	Gly	Tyr	Leu	Pro	Asp	Trp	Leu	Glu	Asp	Asn	Leu	Ser	Glu	Gly	Ile	
			630						635				640			
cgc	gag	tgg	tgg	gac	ttg	aaa	cct	gga	gcc	ccg	aag	ccc	aaa	gcc	aac	2327
Arg	Glu	Trp	Trp	Asp	Leu	Lys	Pro	Gly	Ala	Pro	Lys	Pro	Lys	Ala	Asn	
		645					650					655				
cag	caa	aag	cag	gac	gac	ggc	cgg	ggt	ctg	gtg	ctt	cct	ggc	tac	aag	2375

-continued

Gln	Gln	Lys	Gln	Asp	Asp	Gly	Arg	Gly	Leu	Val	Leu	Pro	Gly	Tyr	Lys	
660						665					670					
tac	ctc	gga	ccc	ttc	aac	gga	ctc	gac	aag	ggg	gag	ccc	gtc	aac	gcg	2423
Tyr	Leu	Gly	Pro	Phe	Asn	Gly	Leu	Asp	Lys	Gly	Glu	Pro	Val	Asn	Ala	
675					680					685					690	
gcg	gac	gca	gcg	gcc	ctc	gag	cac	gac	aag	gcc	tac	gac	cag	cag	ctc	2471
Ala	Asp	Ala	Ala	Ala	Leu	Glu	His	Asp	Lys	Ala	Tyr	Asp	Gln	Gln	Leu	
				695					700					705		
aaa	gcg	ggt	gac	aat	ccg	tac	ctg	cg	tat	aac	cac	gcc	gac	gcc	gag	2519
Lys	Ala	Gly	Asp	Asn	Pro	Tyr	Leu	Arg	Tyr	Asn	His	Ala	Asp	Ala	Glu	
		710					715						720			
ttt	cag	gag	cgt	ctg	caa	gaa	gat	acg	tct	ttt	ggg	ggc	aac	ctc	ggg	2567
Phe	Gln	Glu	Arg	Leu	Gln	Glu	Asp	Thr	Ser	Phe	Gly	Gly	Asn	Leu	Gly	
		725					730					735				
cga	gca	gtc	ttc	cag	gcc	aag	aag	cg	gtt	ctc	gaa	cct	ctc	ggt	ctg	2615
Arg	Ala	Val	Phe	Gln	Ala	Lys	Lys	Arg	Val	Leu	Glu	Pro	Leu	Gly	Leu	
		740				745					750					
gtt	gag	gaa	ggc	gct	aag	acg	gct	cct	gga	aag	aaa	cgt	ccg	gta	gag	2663
Val	Glu	Glu	Gly	Ala	Lys	Thr	Ala	Pro	Gly	Lys	Lys	Arg	Pro	Val	Glu	
755					760					765					770	
cag	tcg	cca	caa	gag	cca	gac	tcc	tcc	tcg	ggc	atc	ggc	aag	aca	ggc	2711
Gln	Ser	Pro	Gln	Glu	Pro	Asp	Ser	Ser	Ser	Gly	Ile	Gly	Lys	Thr	Gly	
				775					780					785		
cag	cag	ccc	gct	aaa	aag	aga	ctc	aat	ttt	ggt	cag	act	ggc	gac	tca	2759
Gln	Gln	Pro	Ala	Lys	Lys	Arg	Leu	Asn	Phe	Gly	Gln	Thr	Gly	Asp	Ser	
				790				795						800		
gag	tca	gtc	ccc	gat	cca	caa	cct	ctc	gga	gaa	cct	cca	gca	acc	ccc	2807
Glu	Ser	Val	Pro	Asp	Pro	Gln	Pro	Leu	Gly	Glu	Pro	Pro	Ala	Thr	Pro	
		805					810					815				
gct	gct	gtg	gga	cct	act	aca	atg	gct	tca	ggc	ggt	ggc	gca	cca	atg	2855
Ala	Ala	Val	Gly	Pro	Thr	Thr	Met	Ala	Ser	Gly	Gly	Gly	Ala	Pro	Met	
		820				825					830					
gca	gac	aat	aac	gaa	ggc	gcc	gac	gga	gtg	ggt	aat	gcc	tca	gga	aat	2903
Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Asn	Ala	Ser	Gly	Asn	
835				840						845					850	
tgg	cat	tgc	gat	tcc	aca	tgg	ctg	ggc	gac	aga	gtc	atc	acc	acc	agc	2951
Trp	His	Cys	Asp	Ser	Thr	Trp	Leu	Gly	Asp	Arg	Val	Ile	Thr	Thr	Ser	
				855					860					865		
acc	cg	acc	tgg	gcc	ttg	ccc	acc	tac	aat	aac	cac	ctc	tac	aag	caa	2999
Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	Leu	Tyr	Lys	Gln	
			870					875					880			
atc	tcc	agt	gct	tca	acg	ggg	gcc	agc	aac	gac	aac	cac	tac	ttc	ggc	3047
Ile	Ser	Ser	Ala	Ser	Thr	Gly	Ala	Ser	Asn	Asp	Asn	His	Tyr	Phe	Gly	
				885				890					895			
tac	agc	acc	ccc	tgg	ggg	tat	ttt	gat	ttc	aac	aga	ttc	cac	tgc	cac	3095
Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg	Phe	His	Cys	His	
	900					905					910					
ttt	tca	cca	cgt	gac	tgg	cag	cga	ctc	atc	aac	aac	aat	tgg	gga	ttc	3143
Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn	Asn	Trp	Gly	Phe	
				920						925				930		
cg	ccc	aag	aga	ctc	aac	ttc	aaa	ctc	ttc	aac	atc	caa	gtc	aag	gag	3191
Arg	Pro	Lys	Arg	Leu	Asn	Phe	Lys	Leu	Phe	Asn	Ile	Gln	Val	Lys	Glu	
				935					940					945		
gtc	acg	acg	aat	gat	ggc	gtc	aca	acc	atc	gct	aat	aac	ctt	acc	agc	3239
Val	Thr	Thr	Asn	Asp	Gly	Val	Thr	Thr	Ile	Ala	Asn	Asn	Leu	Thr	Ser	
			950					955					960			
acg	ggt	caa	gtc	ttc	tcg	gac	tcg	gag	tac	cag	ctt	ccg	tac	gtc	ctc	3287

-continued

Thr	Val	Gln	Val	Phe	Ser	Asp	Ser	Glu	Tyr	Gln	Leu	Pro	Tyr	Val	Leu	
		965						970							975	
ggc	tct	gcg	cac	cag	ggc	tgc	ctc	cct	ccg	ttc	ccg	gcg	gac	gtg	ttc	3335
Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala	Asp	Val	Phe	
	980					985					990					
atg	att	ccg	caa	tac	ggc	tac	ctg	acg	ctc	aac	aat	ggc	agc	caa		3380
Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly	Ser	Gln		
	995				1000					1005						
gcc	gtg	gga	cgt	tca	tcc	ttt	tac	tgc	ctg	gaa	tat	ttc	cct	tct		3425
Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro	Ser		
	1010				1015					1020						
cag	atg	ctg	aga	acg	ggc	aac	aac	ttt	acc	ttc	agc	tac	acc	ttt		3470
Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Thr	Phe	Ser	Tyr	Thr	Phe		
	1025				1030					1035						
gag	gaa	gtg	cct	ttc	cac	agc	agc	tac	gcg	cac	agc	cag	agc	ctg		3515
Glu	Glu	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu		
	1040				1045					1050						
gac	cgg	ctg	atg	aat	cct	ctc	atc	gac	caa	tac	ctg	tat	tac	ctg		3560
Asp	Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu		
	1055				1060					1065						
aac	aga	act	caa	aat	cag	tcc	gga	agt	gcc	caa	aac	aag	gac	ttg		3605
Asn	Arg	Thr	Gln	Asn	Gln	Ser	Gly	Ser	Ala	Gln	Asn	Lys	Asp	Leu		
	1070				1075					1080						
ctg	ttt	agc	cgt	ggg	tct	cca	gct	ggc	atg	tct	gtt	cag	ccc	aaa		3650
Leu	Phe	Ser	Arg	Gly	Ser	Pro	Ala	Gly	Met	Ser	Val	Gln	Pro	Lys		
	1085				1090					1095						
aac	tgg	cta	cct	gga	ccc	tgt	tat	cgg	cag	cag	cgc	gtt	tct	aaa		3695
Asn	Trp	Leu	Pro	Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys		
	1100				1105					1110						
aca	aaa	aca	gac	aac	aac	aac	agc	aat	ttt	acc	tgg	act	ggt	gct		3740
Thr	Lys	Thr	Asp	Asn	Asn	Asn	Ser	Asn	Phe	Thr	Trp	Thr	Gly	Ala		
	1115				1120					1125						
tca	aaa	tat	aac	ctc	aat	ggg	cgt	gaa	tcc	atc	atc	aac	cct	ggc		3785
Ser	Lys	Tyr	Asn	Leu	Asn	Gly	Arg	Glu	Ser	Ile	Ile	Asn	Pro	Gly		
	1130				1135					1140						
act	gct	atg	gcc	tca	cac	aaa	gac	gac	gaa	gac	aag	ttc	ttt	ccc		3830
Thr	Ala	Met	Ala	Ser	His	Lys	Asp	Asp	Glu	Asp	Lys	Phe	Phe	Pro		
	1145				1150					1155						
atg	agc	ggt	gtc	atg	att	ttt	gga	aaa	gag	agc	gcc	gga	gct	tca		3875
Met	Ser	Gly	Val	Met	Ile	Phe	Gly	Lys	Glu	Ser	Ala	Gly	Ala	Ser		
	1160				1165					1170						
aac	act	gca	ttg	gac	aat	gtc	atg	att	aca	gac	gaa	gag	gaa	att		3920
Asn	Thr	Ala	Leu	Asp	Asn	Val	Met	Ile	Thr	Asp	Glu	Glu	Glu	Ile		
	1175				1180					1185						
aaa	gcc	act	aac	cct	gtg	gcc	acc	gaa	aga	ttt	ggg	acc	gtg	gca		3965
Lys	Ala	Thr	Asn	Pro	Val	Ala	Thr	Glu	Arg	Phe	Gly	Thr	Val	Ala		
	1190				1195					1200						
gtc	aat	ttc	cag	agc	agc	agc	aca	gac	cct	gcg	acc	gga	gat	gtg		4010
Val	Asn	Phe	Gln	Ser	Ser	Ser	Thr	Asp	Pro	Ala	Thr	Gly	Asp	Val		
	1205				1210					1215						
cat	gct	atg	gga	gca	tta	cct	ggc	atg	gtg	tgg	caa	gat	aga	gac		4055
His	Ala	Met	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp	Gln	Asp	Arg	Asp		
	1220				1225					1230						
gtg	tac	ctg	cag	ggt	ccc	att	tgg	gcc	aaa	att	cct	cac	aca	gat		4100
Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile	Pro	His	Thr	Asp		
	1235				1240					1245						
gga	cac	ttt	cac	ccg	tct	cct	ctt	atg	ggc	ggc	ttt	gga	ctc	aag		4145

-continued

Gly	His	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe	Gly	Leu	Lys	
1250					1255					1260					
aac	ccg	cct	cct	cag	atc	ctc	atc	aaa	aac	acg	cct	ggt	cct	gcg	4190
Asn	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val	Pro	Ala	
1265					1270					1275					
aat	cct	ccg	gcg	gag	ttt	tca	gct	aca	aag	ttt	gct	tca	ttc	atc	4235
Asn	Pro	Pro	Ala	Glu	Phe	Ser	Ala	Thr	Lys	Phe	Ala	Ser	Phe	Ile	
1280					1285					1290					
acc	caa	tac	tcc	aca	gga	caa	gtg	agt	gtg	gaa	att	gaa	tgg	gag	4280
Thr	Gln	Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	Glu	Ile	Glu	Trp	Glu	
1295					1300					1305					
ctg	cag	aaa	gaa	aac	agc	aag	cgc	tgg	aat	ccc	gaa	gtg	cag	tac	4325
Leu	Gln	Lys	Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	Glu	Val	Gln	Tyr	
1310					1315					1320					
aca	tcc	aat	tat	gca	aaa	tct	gcc	aac	ggt	gat	ttt	act	gtg	gac	4370
Thr	Ser	Asn	Tyr	Ala	Lys	Ser	Ala	Asn	Val	Asp	Phe	Thr	Val	Asp	
1325					1330					1335					
aac	aat	gga	ctt	tat	act	gag	cct	cgc	ccc	att	ggc	acc	cgt	tac	4415
Asn	Asn	Gly	Leu	Tyr	Thr	Glu	Pro	Arg	Pro	Ile	Gly	Thr	Arg	Tyr	
1340					1345					1350					
ctt	acc	cgt	ccc	ctg	taattacgtg	ttaatcaata	aaccggttga	ttcgtttcag							4470
Leu	Thr	Arg	Pro	Leu											
1355															
ttgaactttg	gtctcctgtc	cttcttatct	tatcggttac	catggttata	gettacacat										4530
taactgcttg	gttgcgcttc	gcgataaaag	acttacgtca	tcgggttacc	cctagtgatg										4590
gagttgccca	ctccctctct	gcgcgctcgc	tcgctcggtg	gggctgcgg	accaaaggtc										4650
cgcagacggc	agagctctgc	tctgccggcc	ccaccgagcg	agcgagcgcg	cagagagggg										4710
gtgggcaa															4718

<210> SEQ ID NO 2
 <211> LENGTH: 623
 <212> TYPE: PRT
 <213> ORGANISM: AAV-1

<400> SEQUENCE: 2

Met	Pro	Gly	Phe	Tyr	Glu	Ile	Val	Ile	Lys	Val	Pro	Ser	Asp	Leu	Asp
1				5					10					15	
Glu	His	Leu	Pro	Gly	Ile	Ser	Asp	Ser	Phe	Val	Ser	Trp	Val	Ala	Glu
		20					25						30		
Lys	Glu	Trp	Glu	Leu	Pro	Pro	Asp	Ser	Asp	Met	Asp	Leu	Asn	Leu	Ile
		35					40					45			
Glu	Gln	Ala	Pro	Leu	Thr	Val	Ala	Glu	Lys	Leu	Gln	Arg	Asp	Phe	Leu
		50				55					60				
Val	Gln	Trp	Arg	Arg	Val	Ser	Lys	Ala	Pro	Glu	Ala	Leu	Phe	Phe	Val
65					70					75					80
Gln	Phe	Glu	Lys	Gly	Glu	Ser	Tyr	Phe	His	Leu	His	Ile	Leu	Val	Glu
			85						90					95	
Thr	Thr	Gly	Val	Lys	Ser	Met	Val	Leu	Gly	Arg	Phe	Leu	Ser	Gln	Ile
		100						105					110		
Arg	Asp	Lys	Leu	Val	Gln	Thr	Ile	Tyr	Arg	Gly	Ile	Glu	Pro	Thr	Leu
		115					120					125			
Pro	Asn	Trp	Phe	Ala	Val	Thr	Lys	Thr	Arg	Asn	Gly	Ala	Gly	Gly	Gly
		130					135					140			

-continued

Asn	Lys	Val	Val	Asp	Glu	Cys	Tyr	Ile	Pro	Asn	Tyr	Leu	Leu	Pro	Lys
145					150					155					160
Thr	Gln	Pro	Glu	Leu	Gln	Trp	Ala	Trp	Thr	Asn	Met	Glu	Glu	Tyr	Ile
			165						170					175	
Ser	Ala	Cys	Leu	Asn	Leu	Ala	Glu	Arg	Lys	Arg	Leu	Val	Ala	Gln	His
		180						185					190		
Leu	Thr	His	Val	Ser	Gln	Thr	Gln	Glu	Gln	Asn	Lys	Glu	Asn	Leu	Asn
		195					200					205			
Pro	Asn	Ser	Asp	Ala	Pro	Val	Ile	Arg	Ser	Lys	Thr	Ser	Ala	Arg	Tyr
	210					215					220				
Met	Glu	Leu	Val	Gly	Trp	Leu	Val	Asp	Arg	Gly	Ile	Thr	Ser	Glu	Lys
225				230						235					240
Gln	Trp	Ile	Gln	Glu	Asp	Gln	Ala	Ser	Tyr	Ile	Ser	Phe	Asn	Ala	Ala
			245						250					255	
Ser	Asn	Ser	Arg	Ser	Gln	Ile	Lys	Ala	Ala	Leu	Asp	Asn	Ala	Gly	Lys
			260				265						270		
Ile	Met	Ala	Leu	Thr	Lys	Ser	Ala	Pro	Asp	Tyr	Leu	Val	Gly	Pro	Ala
		275					280					285			
Pro	Pro	Ala	Asp	Ile	Lys	Thr	Asn	Arg	Ile	Tyr	Arg	Ile	Leu	Glu	Leu
	290					295					300				
Asn	Gly	Tyr	Glu	Pro	Ala	Tyr	Ala	Gly	Ser	Val	Phe	Leu	Gly	Trp	Ala
305					310					315					320
Gln	Lys	Arg	Phe	Gly	Lys	Arg	Asn	Thr	Ile	Trp	Leu	Phe	Gly	Pro	Ala
			325						330					335	
Thr	Thr	Gly	Lys	Thr	Asn	Ile	Ala	Glu	Ala	Ile	Ala	His	Ala	Val	Pro
		340						345					350		
Phe	Tyr	Gly	Cys	Val	Asn	Trp	Thr	Asn	Glu	Asn	Phe	Pro	Phe	Asn	Asp
		355					360					365			
Cys	Val	Asp	Lys	Met	Val	Ile	Trp	Trp	Glu	Glu	Gly	Lys	Met	Thr	Ala
	370					375					380				
Lys	Val	Val	Glu	Ser	Ala	Lys	Ala	Ile	Leu	Gly	Gly	Ser	Lys	Val	Arg
385					390					395					400
Val	Asp	Gln	Lys	Cys	Lys	Ser	Ser	Ala	Gln	Ile	Asp	Pro	Thr	Pro	Val
			405						410					415	
Ile	Val	Thr	Ser	Asn	Thr	Asn	Met	Cys	Ala	Val	Ile	Asp	Gly	Asn	Ser
		420						425					430		
Thr	Thr	Phe	Glu	His	Gln	Gln	Pro	Leu	Gln	Asp	Arg	Met	Phe	Lys	Phe
		435					440					445			
Glu	Leu	Thr	Arg	Arg	Leu	Glu	His	Asp	Phe	Gly	Lys	Val	Thr	Lys	Gln
	450					455					460				
Glu	Val	Lys	Glu	Phe	Phe	Arg	Trp	Ala	Gln	Asp	His	Val	Thr	Glu	Val
465					470					475					480
Ala	His	Glu	Phe	Tyr	Val	Arg	Lys	Gly	Gly	Ala	Asn	Lys	Arg	Pro	Ala
			485					490						495	
Pro	Asp	Asp	Ala	Asp	Lys	Ser	Glu	Pro	Lys	Arg	Ala	Cys	Pro	Ser	Val
			500					505					510		
Ala	Asp	Pro	Ser	Thr	Ser	Asp	Ala	Glu	Gly	Ala	Pro	Val	Asp	Phe	Ala
		515					520					525			
Asp	Arg	Tyr	Gln	Asn	Lys	Cys	Ser	Arg	His	Ala	Gly	Met	Leu	Gln	Met
530					535						540				
Leu	Phe	Pro	Cys	Lys	Thr	Cys	Glu	Arg	Met	Asn	Gln	Asn	Phe	Asn	Ile

-continued

His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn	Asn
	290					295					300				
Trp	Gly	Phe	Arg	Pro	Lys	Arg	Leu	Asn	Phe	Lys	Leu	Phe	Asn	Ile	Gln
305				310						315					320
Val	Lys	Glu	Val	Thr	Thr	Asn	Asp	Gly	Val	Thr	Thr	Ile	Ala	Asn	Asn
				325					330					335	
Leu	Thr	Ser	Thr	Val	Gln	Val	Phe	Ser	Asp	Ser	Glu	Tyr	Gln	Leu	Pro
			340					345					350		
Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala
		355					360					365			
Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly
	370					375					380				
Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro
385					390					395					400
Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Thr	Phe	Ser	Tyr	Thr	Phe
				405					410					415	
Glu	Glu	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp
			420					425					430		
Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Asn	Arg
		435					440					445			
Thr	Gln	Asn	Gln	Ser	Gly	Ser	Ala	Gln	Asn	Lys	Asp	Leu	Leu	Phe	Ser
	450					455					460				
Arg	Gly	Ser	Pro	Ala	Gly	Met	Ser	Val	Gln	Pro	Lys	Asn	Trp	Leu	Pro
465					470					475					480
Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Lys	Thr	Asp	Asn
				485					490					495	
Asn	Asn	Ser	Asn	Phe	Thr	Trp	Thr	Gly	Ala	Ser	Lys	Tyr	Asn	Leu	Asn
			500					505					510		
Gly	Arg	Glu	Ser	Ile	Ile	Asn	Pro	Gly	Thr	Ala	Met	Ala	Ser	His	Lys
		515					520					525			
Asp	Asp	Glu	Asp	Lys	Phe	Phe	Pro	Met	Ser	Gly	Val	Met	Ile	Phe	Gly
	530					535					540				
Lys	Glu	Ser	Ala	Gly	Ala	Ser	Asn	Thr	Ala	Leu	Asp	Asn	Val	Met	Ile
545					550					555					560
Thr	Asp	Glu	Glu	Glu	Ile	Lys	Ala	Thr	Asn	Pro	Val	Ala	Thr	Glu	Arg
				565					570					575	
Phe	Gly	Thr	Val	Ala	Val	Asn	Phe	Gln	Ser	Ser	Ser	Thr	Asp	Pro	Ala
			580					585					590		
Thr	Gly	Asp	Val	His	Ala	Met	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp	Gln
		595					600					605			
Asp	Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile	Pro	His
	610					615					620				
Thr	Asp	Gly	His	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe	Gly	Leu
625					630					635					640
Lys	Asn	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val	Pro	Ala
				645					650					655	
Asn	Pro	Pro	Ala	Glu	Phe	Ser	Ala	Thr	Lys	Phe	Ala	Ser	Phe	Ile	Thr
			660				665						670		
Gln	Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	Glu	Ile	Glu	Trp	Glu	Leu	Gln
		675					680				685				
Lys	Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	Glu	Val	Gln	Tyr	Thr	Ser	Asn

-continued

690	695	700	
Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu			
705	710	715	720
Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu			
	725	730	735
<210> SEQ ID NO 4 <211> LENGTH: 1872 <212> TYPE: DNA <213> ORGANISM: AAV-1 <220> FEATURE: <221> NAME/KEY: CDS <222> LOCATION: (1)..(1869) <223> OTHER INFORMATION:			
<400> SEQUENCE: 4			
atg ccg ggc ttc tac gag atc gtg atc aag gtg ccg agc gac ctg gac			48
Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp			
1	5	10	15
gag cac ctg ccg ggc att tct gac tcg ttt gtg agc tgg gtg gcc gag			96
Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Ser Trp Val Ala Glu			
	20	25	30
aag gaa tgg gag ctg ccc ccg gat tct gac atg gat ctg aat ctg att			144
Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile			
	35	40	45
gag cag gca ccc ctg acc gtg gcc gag aag ctg cag cgc gac ttc ctg			192
Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu			
	50	55	60
gtc caa tgg cgc cgc gtg agt aag gcc ccg gag gcc ctc ttc ttt gtt			240
Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val			
	65	70	75
cag ttc gag aag ggc gag tcc tac ttc cac ctc cat att ctg gtg gag			288
Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Ile Leu Val Glu			
	85	90	95
acc acg ggg gtc aaa tcc atg gtg ctg ggc cgc ttc ctg agt cag att			336
Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile			
	100	105	110
agg gac aag ctg gtg cag acc atc tac cgc ggg atc gag ccg acc ctg			384
Arg Asp Lys Leu Val Gln Thr Ile Tyr Arg Gly Ile Glu Pro Thr Leu			
	115	120	125
ccc aac tgg ttc gcg gtg acc aag acg cgt aat ggc gcc gga ggg ggg			432
Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly			
	130	135	140
aac aag gtg gtg gac gag tgc tac atc ccc aac tac ctc ctg ccc aag			480
Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys			
	145	150	155
act cag ccc gag ctg cag tgg gcg tgg act aac atg gag gag tat ata			528
Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile			
	165	170	175
agc gcc tgt ttg aac ctg gcc gag cgc aaa cgg ctc gtg gcg cag cac			576
Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His			
	180	185	190
ctg acc cac gtc agc cag acc cag gag cag aac aag gag aat ctg aac			624
Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn			
	195	200	205
ccc aat tct gac gcg cct gtc atc cgg tca aaa acc tcc gcg cgc tac			672
Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr			
	210	215	220

-continued

atg gag ctg gtc ggg tgg ctg gtg gac cgg ggc atc acc tcc gag aag	720
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys	
225 230 235 240	
cag tgg atc cag gag gac cag gcc tcg tac atc tcc ttc aac gcc gct	768
Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala	
245 250 255	
tcc aac tcg cgg tcc cag atc aag gcc gct ctg gac aat gcc ggc aag	816
Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys	
260 265 270	
atc atg gcg ctg acc aaa tcc gcg ccc gac tac ctg gta ggc ccc gct	864
Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ala	
275 280 285	
ccg ccc gcg gac att aaa acc aac cgc atc tac cgc atc ctg gag ctg	912
Pro Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu	
290 295 300	
aac ggc tac gaa cct gcc tac gcc ggc tcc gtc ttt ctc ggc tgg gcc	960
Asn Gly Tyr Glu Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala	
305 310 315 320	
cag aaa agg ttc ggg aag cgc aac acc atc tgg ctg ttt ggg ccg gcc	1008
Gln Lys Arg Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala	
325 330 335	
acc acg ggc aag acc aac atc gcg gaa gcc atc gcc cac gcc gtg ccc	1056
Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro	
340 345 350	
ttc tac ggc tgc gtc aac tgg acc aat gag aac ttt ccc ttc aat gat	1104
Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp	
355 360 365	
tgc gtc gac aag atg gtg atc tgg tgg gag gag ggc aag atg acg gcc	1152
Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala	
370 375 380	
aag gtc gtg gag tcc gcc aag gcc att ctc ggc ggc agc aag gtg cgc	1200
Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg	
385 390 395 400	
gtg gac caa aag tgc aag tcg tcc gcc cag atc gac ccc acc ccc gtg	1248
Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val	
405 410 415	
atc gtc acc tcc aac acc aac atg tgc gcc gtg att gac ggg aac agc	1296
Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser	
420 425 430	
acc acc ttc gag cac cag cag ccg ttg cag gac cgg atg ttc aaa ttt	1344
Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe	
435 440 445	
gaa ctc acc cgc cgt ctg gag cat gac ttt ggc aag gtg aca aag cag	1392
Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln	
450 455 460	
gaa gtc aaa gag ttc ttc cgc tgg gcg cag gat cac gtg acc gag gtg	1440
Glu Val Lys Glu Phe Phe Arg Trp Ala Gln Asp His Val Thr Glu Val	
465 470 475 480	
gcg cat gag ttc tac gtc aga aag ggt gga gcc aac aaa aga ccc gcc	1488
Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Asn Lys Arg Pro Ala	
485 490 495	
ccc gat gac gcg gat aaa agc gag ccc aag cgg gcc tgc ccc tca gtc	1536
Pro Asp Asp Ala Asp Lys Ser Glu Pro Lys Arg Ala Cys Pro Ser Val	
500 505 510	
gcg gat cca tcg acg tca gac gcg gaa gga gct ccg gtg gac ttt gcc	1584
Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala	
515 520 525	

-continued

gac agg tac caa aac aaa tgt tct cgt cac gcg ggc atg ctt cag atg	1632
Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Leu Gln Met	
530 535 540	
ctg ttt ccc tgc aag aca tgc gag aga atg aat cag aat ttc aac att	1680
Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile	
545 550 555 560	
tgc ttc acg cac ggg acg aga gac tgt tca gag tgc ttc ccc ggc gtg	1728
Cys Phe Thr His Gly Thr Arg Asp Cys Ser Glu Cys Phe Pro Gly Val	
565 570 575	
tca gaa tct caa ccg gtc gtc aga aag agg acg tat cgg aaa ctc tgt	1776
Ser Glu Ser Gln Pro Val Val Arg Lys Arg Thr Tyr Arg Lys Leu Cys	
580 585 590	
gcc att cat cat ctg ctg ggg cgg gct ccc gag att gct tgc tgc gcc	1824
Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala	
595 600 605	
tgc gat ctg gtc aac gtg gac ctg gat gac tgt gtt tct gag caa taa	1872
Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln	
610 615 620	

<210> SEQ ID NO 5
 <211> LENGTH: 623
 <212> TYPE: PRT
 <213> ORGANISM: AAV-1

<400> SEQUENCE: 5

Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp	1 5 10 15
Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Ser Trp Val Ala Glu	20 25 30
Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile	35 40 45
Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu	50 55 60
Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val	65 70 75 80
Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Ile Leu Val Glu	85 90 95
Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile	100 105 110
Arg Asp Lys Leu Val Gln Thr Ile Tyr Arg Gly Ile Glu Pro Thr Leu	115 120 125
Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly	130 135 140
Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys	145 150 155 160
Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile	165 170 175
Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His	180 185 190
Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn	195 200 205
Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr	210 215 220
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys	225 230 235 240

-continued

```

<212> TYPE: DNA
<213> ORGANISM: AAV-1
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (1)..(1638)
<223> OTHER INFORMATION:

<400> SEQUENCE: 6

atg ccg ggc ttc tac gag atc gtg atc aag gtg ccg agc gac ctg gac      48
Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp
1           5           10           15

gag cac ctg ccg ggc att tct gac tcg ttt gtg agc tgg gtg gcc gag      96
Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Ser Trp Val Ala Glu
20          25          30

aag gaa tgg gag ctg ccc ccg gat tct gac atg gat ctg aat ctg att      144
Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile
35          40          45

gag cag gca ccc ctg acc gtg gcc gag aag ctg cag cgc gac ttc ctg      192
Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu
50          55          60

gtc caa tgg cgc cgc gtg agt aag gcc ccg gag gcc ctc ttc ttt gtt      240
Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val
65          70          75          80

cag ttc gag aag ggc gag tcc tac ttc cac ctc cat att ctg gtg gag      288
Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Ile Leu Val Glu
85          90          95

acc acg ggg gtc aaa tcc atg gtg ctg gcc cgc ttc ctg agt cag att      336
Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile
100         105         110

agg gac aag ctg gtg cag acc atc tac cgc ggg atc gag ccg acc ctg      384
Arg Asp Lys Leu Val Gln Thr Ile Tyr Arg Gly Ile Glu Pro Thr Leu
115         120         125

ccc aac tgg ttc cgc gtg acc aag acg cgt aat ggc gcc gga ggg ggg      432
Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly
130         135         140

aac aag gtg gtg gac gag tgc tac atc ccc aac tac ctc ctg ccc aag      480
Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys
145         150         155         160

act cag ccc gag ctg cag tgg gcg tgg act aac atg gag gag tat ata      528
Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile
165         170         175

agc gcc tgt ttg aac ctg gcc gag cgc aaa cgg ctc gtg gcg cag cac      576
Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His
180         185         190

ctg acc cac gtc agc cag acc cag gag cag aac aag gag aat ctg aac      624
Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn
195         200         205

ccc aat tct gac gcg cct gtc atc cgg tca aaa acc tcc gcg cgc tac      672
Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr
210         215         220

atg gag ctg gtc ggg tgg ctg gtg gac cgg gcc atc acc tcc gag aag      720
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
225         230         235         240

cag tgg atc cag gag gac cag gcc tcg tac atc tcc ttc aac gcc gct      768
Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
245         250         255

tcc aac tcg cgg tcc cag atc aag gcc gct ctg gac aat gcc gcc aag      816
Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
260         265         270
    
```

-continued

atc atg gcg ctg acc aaa tcc gcg ccc gac tac ctg gta ggc ccc gct Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ala 275 280 285	864
ccg ccc gcg gac att aaa acc aac cgc atc tac cgc atc ctg gag ctg Pro Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu 290 295 300	912
aac ggc tac gaa cct gcc tac gcc ggc tcc gtc ttt ctc ggc tgg gcc Asn Gly Tyr Glu Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala 305 310 315 320	960
cag aaa agg ttc ggg aag cgc aac acc atc tgg ctg ttt ggg ccg gcc Gln Lys Arg Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala 325 330 335	1008
acc acg ggc aag acc aac atc gcg gaa gcc atc gcc cac gcc gtg ccc Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro 340 345 350	1056
ttc tac ggc tgc gtc aac tgg acc aat gag aac ttt ccc ttc aat gat Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp 355 360 365	1104
tgc gtc gac aag atg gtg atc tgg tgg gag gag ggc aag atg acg gcc Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala 370 375 380	1152
aag gtc gtg gag tcc gcc aag gcc att ctc ggc ggc agc aag gtg cgc Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg 385 390 395 400	1200
gtg gac caa aag tgc aag tcg tcc gcc cag atc gac ccc acc ccc gtg Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val 405 410 415	1248
atc gtc acc tcc aac acc aac atg tgc gcc gtg att gac ggg aac agc Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser 420 425 430	1296
acc acc ttc gag cac cag cag ccg ttg cag gac cgg atg ttc aaa ttt Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe 435 440 445	1344
gaa ctc acc cgc cgt ctg gag cat gac ttt ggc aag gtg aca aag cag Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln 450 455 460	1392
gaa gtc aaa gag ttc ttc cgc tgg gcg cag gat cac gtg acc gag gtg Glu Val Lys Glu Phe Phe Arg Trp Ala Gln Asp His Val Thr Glu Val 465 470 475 480	1440
gcg cat gag ttc tac gtc aga aag ggt gga gcc aac aaa aga ccc gcc Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Asn Lys Arg Pro Ala 485 490 495	1488
ccc gat gac gcg gat aaa agc gag ccc aag cgg gcc tgc ccc tca gtc Pro Asp Asp Ala Asp Lys Ser Glu Pro Lys Arg Ala Cys Pro Ser Val 500 505 510	1536
gcg gat cca tcg acg tca gac gcg gaa gga gct ccg gtg gac ttt gcc Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala 515 520 525	1584
gac agg tat ggc tgc cga tgg tta tct tcc aga ttg gct cga gga caa Asp Arg Tyr Gly Cys Arg Trp Leu Ser Ser Arg Leu Ala Arg Gly Gln 530 535 540	1632
cct ctc tga Pro Leu 545	1641

-continued

<212> TYPE: PRT

<213> ORGANISM: AAV-1

<400> SEQUENCE: 7

```

Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp
1          5          10          15
Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Ser Trp Val Ala Glu
20          25          30
Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile
35          40          45
Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu
50          55          60
Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val
65          70          75          80
Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Ile Leu Val Glu
85          90          95
Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile
100         105         110
Arg Asp Lys Leu Val Gln Thr Ile Tyr Arg Gly Ile Glu Pro Thr Leu
115         120         125
Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly
130         135         140
Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys
145         150         155         160
Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile
165         170         175
Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His
180         185         190
Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn
195         200         205
Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr
210         215         220
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
225         230         235         240
Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
245         250         255
Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
260         265         270
Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ala
275         280         285
Pro Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu
290         295         300
Asn Gly Tyr Glu Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala
305         310         315         320
Gln Lys Arg Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala
325         330         335
Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro
340         345         350
Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp
355         360         365
Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala
370         375         380

```

-continued

Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg
 385 390 395 400
 Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val
 405 410 415
 Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser
 420 425 430
 Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe
 435 440 445
 Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln
 450 455 460
 Glu Val Lys Glu Phe Phe Arg Trp Ala Gln Asp His Val Thr Glu Val
 465 470 475 480
 Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Asn Lys Arg Pro Ala
 485 490 495
 Pro Asp Asp Ala Asp Lys Ser Glu Pro Lys Arg Ala Cys Pro Ser Val
 500 505 510
 Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala
 515 520 525
 Asp Arg Tyr Gly Cys Arg Trp Leu Ser Ser Arg Leu Ala Arg Gly Gln
 530 535 540
 Pro Leu
 545

<210> SEQ ID NO 8
 <211> LENGTH: 1200
 <212> TYPE: DNA
 <213> ORGANISM: AAV-1
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (1)..(1197)
 <223> OTHER INFORMATION:

<400> SEQUENCE: 8

atg gag ctg gtc ggg tgg ctg gtg gac cgg ggc atc acc tcc gag aag	48
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys	
1 5 10 15	
cag tgg atc cag gag gac cag gcc tcg tac atc tcc ttc aac gcc gct	96
Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala	
20 25 30	
tcc aac tcg cgg tcc cag atc aag gcc gct ctg gac aat gcc ggc aag	144
Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys	
35 40 45	
atc atg gcg ctg acc aaa tcc gcg ccc gac tac ctg gta ggc ccc gct	192
Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ala	
50 55 60	
ccg ccc gcg gac att aaa acc aac cgc atc tac cgc atc ctg gag ctg	240
Pro Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu	
65 70 75 80	
aac ggc tac gaa cct gcc tac gcc ggc tcc gtc ttt ctc ggc tgg gcc	288
Asn Gly Tyr Glu Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala	
85 90 95	
cag aaa agg ttc ggg aag cgc aac acc atc tgg ctg ttt ggg ccg gcc	336
Gln Lys Arg Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala	
100 105 110	
acc acg ggc aag acc aac atc gcg gaa gcc atc gcc cac gcc gtg ccc	384
Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro	

-continued

115	120	125	
ttc tac ggc tgc gtc aac tgg acc aat gag aac ttt ccc ttc aat gat Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp 130 135 140			432
tgc gtc gac aag atg gtg atc tgg tgg gag gag ggc aag atg acg gcc Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala 145 150 155 160			480
aag gtc gtg gag tcc gcc aag gcc att ctc ggc ggc agc aag gtg cgc Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg 165 170 175			528
gtg gac caa aag tgc aag tgc tcc gcc cag atc gac ccc acc ccc gtg Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val 180 185 190			576
atc gtc acc tcc aac acc aac atg tgc gcc gtg att gac ggg aac agc Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser 195 200 205			624
acc acc ttc gag cac cag cag cgg ttg cag gac cgg atg ttc aaa ttt Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe 210 215 220			672
gaa ctc acc cgc cgt ctg gag cat gac ttt ggc aag gtg aca aag cag Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln 225 230 235 240			720
gaa gtc aaa gag ttc ttc cgc tgg gcg cag gat cac gtg acc gag gtg Glu Val Lys Glu Phe Phe Arg Trp Ala Gln Asp His Val Thr Glu Val 245 250 255			768
gcg cat gag ttc tac gtc aga aag ggt gga gcc aac aaa aga ccc gcc Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Asn Lys Arg Pro Ala 260 265 270			816
ccc gat gac gcg gat aaa agc gag ccc aag cgg gcc tgc ccc tca gtc Pro Asp Asp Ala Asp Lys Ser Glu Pro Lys Arg Ala Cys Pro Ser Val 275 280 285			864
gcg gat cca tcg acg tca gac gcg gaa gga gct ccg gtg gac ttt gcc Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala 290 295 300			912
gac agg tac caa aac aaa tgt tct cgt cac gcg ggc atg ctt cag atg Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Leu Gln Met 305 310 315 320			960
ctg ttt ccc tgc aag aca tgc gag aga atg aat cag aat ttc aac att Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile 325 330 335			1008
tgc ttc acg cac ggg acg aga gac tgt tca gag tgc ttc ccc ggc gtg Cys Phe Thr His Gly Thr Arg Asp Cys Ser Glu Cys Phe Pro Gly Val 340 345 350			1056
tca gaa tct caa cgg gtc gtc aga aag agg acg tat cgg aaa ctc tgt Ser Glu Ser Gln Pro Val Val Arg Lys Arg Thr Tyr Arg Lys Leu Cys 355 360 365			1104
gcc att cat cat ctg ctg ggg cgg gct ccc gag att gct tgc tcg gcc Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala 370 375 380			1152
tgc gat ctg gtc aac gtg gac ctg gat gac tgt gtt tct gag caa taa Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln 385 390 395			1200

<210> SEQ ID NO 9
 <211> LENGTH: 399
 <212> TYPE: PRT
 <213> ORGANISM: AAV-1

-continued

<400> SEQUENCE: 9

```

Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
1          5          10          15
Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
20          25          30
Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
35          40          45
Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ala
50          55          60
Pro Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu
65          70          75          80
Asn Gly Tyr Glu Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala
85          90          95
Gln Lys Arg Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala
100         105         110
Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro
115         120         125
Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp
130         135         140
Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala
145         150         155         160
Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg
165         170         175
Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val
180         185         190
Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser
195         200         205
Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe
210         215         220
Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln
225         230         235         240
Glu Val Lys Glu Phe Phe Arg Trp Ala Gln Asp His Val Thr Glu Val
245         250         255
Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Asn Lys Arg Pro Ala
260         265         270
Pro Asp Asp Ala Asp Lys Ser Glu Pro Lys Arg Ala Cys Pro Ser Val
275         280         285
Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala
290         295         300
Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Leu Gln Met
305         310         315         320
Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile
325         330         335
Cys Phe Thr His Gly Thr Arg Asp Cys Ser Glu Cys Phe Pro Gly Val
340         345         350
Ser Glu Ser Gln Pro Val Val Arg Lys Arg Thr Tyr Arg Lys Leu Cys
355         360         365
Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala
370         375         380
Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln
385         390         395

```

-continued

```

<210> SEQ ID NO 10
<211> LENGTH: 969
<212> TYPE: DNA
<213> ORGANISM: AAV-1
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (1)..(966)
<223> OTHER INFORMATION:
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (943)..(944)
<223> OTHER INFORMATION: minor splice site

<400> SEQUENCE: 10
atg gag ctg gtc ggg tgg ctg gtg gac cgg ggc atc acc tcc gag aag      48
Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
1                               5                               10                               15

cag tgg atc cag gag gac cag gcc tcg tac atc tcc ttc aac gcc gct      96
Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
                20                               25                               30

tcc aac tcg cgg tcc cag atc aag gcc gct ctg gac aat gcc ggc aag      144
Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
                35                               40                               45

atc atg gcg ctg acc aaa tcc gcg ccc gac tac ctg gta ggc ccc gct      192
Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ala
                50                               55                               60

ccg ccc gcg gac att aaa acc aac cgc atc tac cgc atc ctg gag ctg      240
Pro Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu
        65                               70                               75                               80

aac ggc tac gaa cct gcc tac gcc ggc tcc gtc ttt ctc ggc tgg gcc      288
Asn Gly Tyr Glu Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala
                85                               90                               95

cag aaa agg ttc ggg aag cgc aac acc atc tgg ctg ttt ggg ccg gcc      336
Gln Lys Arg Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala
                100                              105                              110

acc acg ggc aag acc aac atc gcg gaa gcc atc gcc cac gcc gtg ccc      384
Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro
                115                              120                              125

ttc tac ggc tgc gtc aac tgg acc aat gag aac ttt ccc ttc aat gat      432
Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp
                130                              135                              140

tgc gtc gac aag atg gtg atc tgg tgg gag gag ggc aag atg acg gcc      480
Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala
        145                               150                               155                               160

aag gtc gtg gag tcc gcc aag gcc att ctc ggc ggc agc aag gtg cgc      528
Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg
                165                              170                              175

gtg gac caa aag tgc aag tcg tcc gcc cag atc gac ccc acc ccc gtg      576
Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val
                180                              185                              190

atc gtc acc tcc aac acc aac atg tgc gcc gtg att gac ggg aac agc      624
Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser
                195                              200                              205

acc acc ttc gag cac cag cag ccg ttg cag gac cgg atg ttc aaa ttt      672
Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe
                210                              215                              220

gaa ctc acc cgc cgt ctg gag cat gac ttt ggc aag gtg aca aag cag      720
Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln
        225                               230                               235                               240

```


-continued

210		215		220												
Glu	Leu	Thr	Arg	Arg	Leu	Glu	His	Asp	Phe	Gly	Lys	Val	Thr	Lys	Gln	
225					230					235					240	
Glu	Val	Lys	Glu	Phe	Phe	Arg	Trp	Ala	Gln	Asp	His	Val	Thr	Glu	Val	
				245					250					255		
Ala	His	Glu	Phe	Tyr	Val	Arg	Lys	Gly	Gly	Ala	Asn	Lys	Arg	Pro	Ala	
			260					265					270			
Pro	Asp	Asp	Ala	Asp	Lys	Ser	Glu	Pro	Lys	Arg	Ala	Cys	Pro	Ser	Val	
		275					280					285				
Ala	Asp	Pro	Ser	Thr	Ser	Asp	Ala	Glu	Gly	Ala	Pro	Val	Asp	Phe	Ala	
	290					295					300					
Asp	Arg	Tyr	Gly	Cys	Arg	Trp	Leu	Ser	Ser	Arg	Leu	Ala	Arg	Gly	Gln	
305					310					315					320	
Pro Leu																
<210> SEQ ID NO 12																
<211> LENGTH: 2211																
<212> TYPE: DNA																
<213> ORGANISM: AAV-1																
<220> FEATURE:																
<221> NAME/KEY: CDS																
<222> LOCATION: (1)..(2208)																
<223> OTHER INFORMATION:																
<400> SEQUENCE: 12																
atg	gct	gcc	gat	ggt	tat	ctt	cca	gat	tgg	ctc	gag	gac	aac	ctc	tct	48
Met	Ala	Ala	Asp	Gly	Tyr	Leu	Pro	Asp	Trp	Leu	Glu	Asp	Asn	Leu	Ser	
1			5					10					15			
gag	ggc	att	cgc	gag	tgg	tgg	gac	ttg	aaa	cct	gga	gcc	ccg	aag	ccc	96
Glu	Gly	Ile	Arg	Glu	Trp	Trp	Asp	Leu	Lys	Pro	Gly	Ala	Pro	Lys	Pro	
		20					25					30				
aaa	gcc	aac	cag	caa	aag	cag	gac	gac	ggc	cgg	ggt	ctg	gtg	ctt	cct	144
Lys	Ala	Asn	Gln	Gln	Lys	Gln	Asp	Asp	Gly	Arg	Gly	Leu	Val	Leu	Pro	
		35				40					45					
ggc	tac	aag	tac	ctc	gga	ccc	ttc	aac	gga	ctc	gac	aag	ggg	gag	ccc	192
Gly	Tyr	Lys	Tyr	Leu	Gly	Pro	Phe	Asn	Gly	Leu	Asp	Lys	Gly	Glu	Pro	
	50				55					60						
gtc	aac	gcg	gcg	gac	gca	gcg	gcc	ctc	gag	cac	gac	aag	gcc	tac	gac	240
Val	Asn	Ala	Ala	Asp	Ala	Ala	Ala	Leu	Glu	His	Asp	Lys	Ala	Tyr	Asp	
	65				70				75					80		
cag	cag	ctc	aaa	gcg	ggt	gac	aat	ccg	tac	ctg	cgg	tat	aac	cac	gcc	288
Gln	Gln	Leu	Lys	Ala	Gly	Asp	Asn	Pro	Tyr	Leu	Arg	Tyr	Asn	His	Ala	
			85					90					95			
gac	gcc	gag	ttt	cag	gag	cgt	ctg	caa	gaa	gat	acg	tct	ttt	ggg	ggc	336
Asp	Ala	Glu	Phe	Gln	Glu	Arg	Leu	Gln	Glu	Asp	Thr	Ser	Phe	Gly	Gly	
		100					105						110			
aac	ctc	ggg	cga	gca	gtc	ttc	cag	gcc	aag	aag	cgg	ggt	ctc	gaa	cct	384
Asn	Leu	Gly	Arg	Ala	Val	Phe	Gln	Ala	Lys	Lys	Arg	Val	Leu	Glu	Pro	
		115				120						125				
ctc	ggt	ctg	ggt	gag	gaa	ggc	gct	aag	acg	gct	cct	gga	aag	aaa	cgt	432
Leu	Gly	Leu	Val	Glu	Glu	Gly	Ala	Lys	Thr	Ala	Pro	Gly	Lys	Lys	Arg	
	130					135				140						
ccg	gta	gag	cag	tcg	cca	caa	gag	cca	gac	tcc	tcc	tcg	ggc	atc	ggc	480
Pro	Val	Glu	Gln	Ser	Pro	Gln	Glu	Pro	Asp	Ser	Ser	Ser	Gly	Ile	Gly	
	145				150				155					160		
aag	aca	ggc	cag	cag	ccc	gct	aaa	aag	aga	ctc	aat	ttt	ggt	cag	act	528
Lys	Thr	Gly	Gln	Gln	Pro	Ala	Lys	Lys	Arg	Leu	Asn	Phe	Gly	Gln	Thr	

-continued

465	470	475	480	
gga ccc tgt tat cgg cag cag cgc gtt tct aaa aca aaa aca gac aac				1488
Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn	485	490	495	
aac aac agc aat ttt acc tgg act ggt gct tca aaa tat aac ctc aat				1536
Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn	500	505	510	
ggg cgt gaa tcc atc atc aac cct ggc act gct atg gcc tca cac aaa				1584
Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys	515	520	525	
gac gac gaa gac aag ttc ttt ccc atg agc ggt gtc atg att ttt gga				1632
Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly	530	535	540	
aaa gag agc gcc gga gct tca aac act gca ttg gac aat gtc atg att				1680
Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile	545	550	555	560
aca gac gaa gag gaa att aaa gcc act aac cct gtg gcc acc gaa aga				1728
Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg	565	570	575	
ttt ggg acc gtg gca gtc aat ttc cag agc agc agc aca gac cct gcg				1776
Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala	580	585	590	
acc gga gat gtg cat gct atg gga gca tta cct ggc atg gtg tgg caa				1824
Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln	595	600	605	
gat aga gac gtg tac ctg cag ggt ccc att tgg gcc aaa att cct cac				1872
Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His	610	615	620	
aca gat gga cac ttt cac ccg tct cct ctt atg ggc ggc ttt gga ctc				1920
Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu	625	630	635	640
aag aac ccg cct cct cag atc ctc atc aaa aac acg cct gtt cct gcg				1968
Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala	645	650	655	
aat cct ccg gcg gag ttt tca gct aca aag ttt gct tca ttc atc acc				2016
Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr	660	665	670	
caa tac tcc aca gga caa gtg agt gtg gaa att gaa tgg gag ctg cag				2064
Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln	675	680	685	
aaa gaa aac agc aag cgc tgg aat ccc gaa gtg cag tac aca tcc aat				2112
Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn	690	695	700	
tat gca aaa tct gcc aac gtt gat ttt act gtg gac aac aat gga ctt				2160
Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu	705	710	715	720
tat act gag cct cgc ccc att ggc acc cgt tac ctt acc cgt ccc ctg				2208
Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu	725	730	735	
taa				2211

<210> SEQ ID NO 13
 <211> LENGTH: 736
 <212> TYPE: PRT
 <213> ORGANISM: AAV-1
 <400> SEQUENCE: 13

-continued

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
 260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
 275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
 290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
 305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
 325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
 340 345 350

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 355 360 365

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 370 375 380

Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 385 390 395 400

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe

-continued

1	5	10	15	
gac tcc tcc tcg ggc atc ggc aag aca ggc cag cag ccc gct aaa aag				96
Asp Ser Ser Ser Gly Ile Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys	20	25	30	
aga ctc aat ttt ggt cag act ggc gac tca gag tca gtc ccc gat cca				144
Arg Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu Ser Val Pro Asp Pro	35	40	45	
caa cct ctc gga gaa cct cca gca acc ccc gct gct gtc gga cct act				192
Gln Pro Leu Gly Glu Pro Pro Ala Thr Pro Ala Ala Val Gly Pro Thr	50	55	60	
aca atg gct tca ggc ggt ggc gca cca atg gca gac aat aac gaa ggc				240
Thr Met Ala Ser Gly Gly Gly Ala Pro Met Ala Asp Asn Asn Glu Gly	65	70	75	80
gcc gac gga gtg ggt aat gcc tca gga aat tgg cat tgc gat tcc aca				288
Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp His Cys Asp Ser Thr	85	90	95	
tgg ctg ggc gac aga gtc atc acc acc agc acc cgc acc tgg gcc ttg				336
Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu	100	105	110	
ccc acc tac aat aac cac ctc tac aag caa atc tcc agt gct tca acg				384
Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile Ser Ser Ala Ser Thr	115	120	125	
ggg gcc agc aac gac aac cac tac ttc ggc tac agc acc ccc tgg ggg				432
Gly Ala Ser Asn Asp Asn His Tyr Phe Gly Tyr Ser Thr Pro Trp Gly	130	135	140	
tat ttt gat ttc aac aga ttc cac tgc cac ttt tca cca cgt gac tgg				480
Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp	145	150	155	160
cag cga ctc atc aac aac aat tgg gga ttc cgg ccc aag aga ctc aac				528
Gln Arg Leu Ile Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn	165	170	175	
ttc aaa ctc ttc aac atc caa gtc aag gag gtc acg acg aat gat ggc				576
Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr Thr Asn Asp Gly	180	185	190	
gtc aca acc atc gct aat aac ctt acc agc acg gtt caa gtc ttc tcg				624
Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Ser	195	200	205	
gac tcg gag tac cag ctt ccg tac gtc ctc ggc tct gcg cac cag ggc				672
Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly	210	215	220	
tgc ctc cct ccg ttc ccg gcg gac gtg ttc atg att ccg caa tac ggc				720
Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly	225	230	235	240
tac ctg acg ctc aac aat ggc agc caa gcc gtg gga cgt tca tcc ttt				768
Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe	245	250	255	
tac tgc ctg gaa tat ttc cct tct cag atg ctg aga acg ggc aac aac				816
Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn	260	265	270	
ttt acc ttc agc tac acc ttt gag gaa gtg cct ttc cac agc agc tac				864
Phe Thr Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr	275	280	285	
gcg cac agc cag agc ctg gac ccg ctg atg aat cct ctc atc gac caa				912
Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln	290	295	300	
tac ctg tat tac ctg aac aga act caa aat cag tcc gga agt gcc caa				960
Tyr Leu Tyr Tyr Leu Asn Arg Thr Gln Asn Gln Ser Gly Ser Ala Gln				

-continued

305	310	315	320	
aac aag gac ttg ctg ttt agc cgt ggg tct cca gct ggc atg tct gtt				1008
Asn Lys Asp Leu Leu Phe Ser Arg Gly Ser Pro Ala Gly Met Ser Val	325	330	335	
cag ccc aaa aac tgg cta cct gga ccc tgt tat cgg cag cag cgc gtt				1056
Gln Pro Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val	340	345	350	
tct aaa aca aaa aca gac aac aac aac agc aat ttt acc tgg act ggt				1104
Ser Lys Thr Lys Thr Asp Asn Asn Asn Ser Asn Phe Thr Trp Thr Gly	355	360	365	
gct tca aaa tat aac ctc aat ggg cgt gaa tcc atc atc aac cct ggc				1152
Ala Ser Lys Tyr Asn Leu Asn Gly Arg Glu Ser Ile Ile Asn Pro Gly	370	375	380	
act gct atg gcc tca cac aaa gac gac gaa gac aag ttc ttt ccc atg				1200
Thr Ala Met Ala Ser His Lys Asp Asp Glu Asp Lys Phe Phe Pro Met	385	390	400	
agc ggt gtc atg att ttt gga aaa gag agc gcc gga gct tca aac act				1248
Ser Gly Val Met Ile Phe Gly Lys Glu Ser Ala Gly Ala Ser Asn Thr	405	410	415	
gca ttg gac aat gtc atg att aca gac gaa gag gaa att aaa gcc act				1296
Ala Leu Asp Asn Val Met Ile Thr Asp Glu Glu Glu Ile Lys Ala Thr	420	425	430	
aac cct gtg gcc acc gaa aga ttt ggg acc gtg gca gtc aat ttc cag				1344
Asn Pro Val Ala Thr Glu Arg Phe Gly Thr Val Ala Val Asn Phe Gln	435	440	445	
agc agc agc aca gac cct gcg acc gga gat gtg cat gct atg gga gca				1392
Ser Ser Ser Thr Asp Pro Ala Thr Gly Asp Val His Ala Met Gly Ala	450	455	460	
tta cct ggc atg gtg tgg caa gat aga gac gtg tac ctg cag ggt ccc				1440
Leu Pro Gly Met Val Trp Gln Asp Arg Asp Val Tyr Leu Gln Gly Pro	465	470	480	
att tgg gcc aaa att cct cac aca gat gga cac ttt cac ccg tct cct				1488
Ile Trp Ala Lys Ile Pro His Thr Asp Gly His Phe His Pro Ser Pro	485	490	495	
ctt atg ggc ggc ttt gga ctc aag aac ccg cct cct cag atc ctc atc				1536
Leu Met Gly Gly Phe Gly Leu Lys Asn Pro Pro Pro Gln Ile Leu Ile	500	505	510	
aaa aac acg cct gtt cct gcg aat cct ccg gcg gag ttt tca gct aca				1584
Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Ala Glu Phe Ser Ala Thr	515	520	525	
aag ttt gct tca ttc atc acc caa tac tcc aca gga caa gtg agt gtg				1632
Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val	530	535	540	
gaa att gaa tgg gag ctg cag aaa gaa aac agc aag cgc tgg aat ccc				1680
Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro	545	550	555	
gaa gtg cag tac aca tcc aat tat gca aaa tct gcc aac gtt gat ttt				1728
Glu Val Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Ala Asn Val Asp Phe	565	570	575	
act gtg gac aac aat gga ctt tat act gag cct cgc ccc att ggc acc				1776
Thr Val Asp Asn Asn Gly Leu Tyr Thr Glu Pro Arg Pro Ile Gly Thr	580	585	590	
cggtac ctt acc cgt ccc ctg taa				1800
Arg Tyr Leu Thr Arg Pro Leu	595			

-continued

<211> LENGTH: 599
 <212> TYPE: PRT
 <213> ORGANISM: AAV-1

<400> SEQUENCE: 15

Thr Ala Pro Gly Lys Lys Arg Pro Val Glu Gln Ser Pro Gln Glu Pro
 1 5 10 15
 Asp Ser Ser Ser Gly Ile Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys
 20 25 30
 Arg Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu Ser Val Pro Asp Pro
 35 40 45
 Gln Pro Leu Gly Glu Pro Pro Ala Thr Pro Ala Ala Val Gly Pro Thr
 50 55 60
 Thr Met Ala Ser Gly Gly Gly Ala Pro Met Ala Asp Asn Asn Glu Gly
 65 70 75 80
 Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp His Cys Asp Ser Thr
 85 90 95
 Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu
 100 105 110
 Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile Ser Ser Ala Ser Thr
 115 120 125
 Gly Ala Ser Asn Asp Asn His Tyr Phe Gly Tyr Ser Thr Pro Trp Gly
 130 135 140
 Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp
 145 150 155 160
 Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn
 165 170 175
 Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr Thr Asn Asp Gly
 180 185 190
 Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Ser
 195 200 205
 Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly
 210 215 220
 Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly
 225 230 235 240
 Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe
 245 250 255
 Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn
 260 265 270
 Phe Thr Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr
 275 280 285
 Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln
 290 295 300
 Tyr Leu Tyr Tyr Leu Asn Arg Thr Gln Asn Gln Ser Gly Ser Ala Gln
 305 310 315 320
 Asn Lys Asp Leu Leu Phe Ser Arg Gly Ser Pro Ala Gly Met Ser Val
 325 330 335
 Gln Pro Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val
 340 345 350
 Ser Lys Thr Lys Thr Asp Asn Asn Asn Ser Asn Phe Thr Trp Thr Gly
 355 360 365
 Ala Ser Lys Tyr Asn Leu Asn Gly Arg Glu Ser Ile Ile Asn Pro Gly

-continued

370		375		380												
Thr	Ala	Met	Ala	Ser	His	Lys	Asp	Asp	Glu	Asp	Lys	Phe	Phe	Pro	Met	
385					390					395					400	
Ser	Gly	Val	Met	Ile	Phe	Gly	Lys	Glu	Ser	Ala	Gly	Ala	Ser	Asn	Thr	
				405					410						415	
Ala	Leu	Asp	Asn	Val	Met	Ile	Thr	Asp	Glu	Glu	Glu	Ile	Lys	Ala	Thr	
			420					425						430		
Asn	Pro	Val	Ala	Thr	Glu	Arg	Phe	Gly	Thr	Val	Ala	Val	Asn	Phe	Gln	
		435					440						445			
Ser	Ser	Ser	Thr	Asp	Pro	Ala	Thr	Gly	Asp	Val	His	Ala	Met	Gly	Ala	
	450					455					460					
Leu	Pro	Gly	Met	Val	Trp	Gln	Asp	Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	
465					470					475					480	
Ile	Trp	Ala	Lys	Ile	Pro	His	Thr	Asp	Gly	His	Phe	His	Pro	Ser	Pro	
			485						490						495	
Leu	Met	Gly	Gly	Phe	Gly	Leu	Lys	Asn	Pro	Pro	Pro	Gln	Ile	Leu	Ile	
		500						505						510		
Lys	Asn	Thr	Pro	Val	Pro	Ala	Asn	Pro	Pro	Ala	Glu	Phe	Ser	Ala	Thr	
		515					520						525			
Lys	Phe	Ala	Ser	Phe	Ile	Thr	Gln	Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	
	530					535					540					
Glu	Ile	Glu	Trp	Glu	Leu	Gln	Lys	Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	
545					550					555					560	
Glu	Val	Gln	Tyr	Thr	Ser	Asn	Tyr	Ala	Lys	Ser	Ala	Asn	Val	Asp	Phe	
				565					570						575	
Thr	Val	Asp	Asn	Asn	Gly	Leu	Tyr	Thr	Glu	Pro	Arg	Pro	Ile	Gly	Thr	
			580					585						590		
Arg	Tyr	Leu	Thr	Arg	Pro	Leu										
		595														
<210> SEQ ID NO 16																
<211> LENGTH: 1605																
<212> TYPE: DNA																
<213> ORGANISM: AAV-1																
<220> FEATURE:																
<221> NAME/KEY: CDS																
<222> LOCATION: (1)..(1602)																
<223> OTHER INFORMATION:																
<400> SEQUENCE: 16																
atg	gct	tca	ggc	ggt	ggc	gca	cca	atg	gca	gac	aat	aac	gaa	ggc	gcc	48
Met	Ala	Ser	Gly	Gly	Gly	Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	
1			5					10						15		
gac	gga	gtg	ggt	aat	gcc	tca	gga	aat	tgg	cat	tgc	gat	tcc	aca	tgg	96
Asp	Gly	Val	Gly	Asn	Ala	Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Thr	Trp	
			20					25					30			
ctg	ggc	gac	aga	gtc	atc	acc	acc	agc	acc	cgc	acc	tgg	gcc	ttg	ccc	144
Leu	Gly	Asp	Arg	Val	Ile	Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	
			35				40						45			
acc	tac	aat	aac	cac	ctc	tac	aag	caa	atc	tcc	agt	gct	tca	acg	ggg	192
Thr	Tyr	Asn	Asn	His	Leu	Tyr	Lys	Gln	Ile	Ser	Ser	Ala	Ser	Thr	Gly	
	50					55					60					
gcc	agc	aac	gac	aac	cac	tac	ttc	ggc	tac	agc	acc	ccc	tgg	ggg	tat	240
Ala	Ser	Asn	Asp	Asn	His	Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	
65					70					75					80	

-continued

ttt gat ttc aac aga ttc cac tgc cac ttt tca cca cgt gac tgg cag	288
Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln	
85 90 95	
cga ctc atc aac aac aat tgg gga ttc cgg ccc aag aga ctc aac ttc	336
Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe	
100 105 110	
aaa ctc ttc aac atc caa gtc aag gag gtc acg acg aat gat ggc gtc	384
Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val	
115 120 125	
aca acc atc gct aat aac ctt acc agc acg gtt caa gtc ttc tcg gac	432
Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Ser Asp	
130 135 140	
tcg gag tac cag ctt ccg tac gtc ctc ggc tct gcg cac cag ggc tgc	480
Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys	
145 150 155 160	
ctc cct ccg ttc ccg gcg gac gtg ttc atg att ccg caa tac ggc tac	528
Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr	
165 170 175	
ctg acg ctc aac aat ggc agc caa gcc gtg gga cgt tca tcc ttt tac	576
Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr	
180 185 190	
tgc ctg gaa tat ttc cct tct cag atg ctg aga acg ggc aac aac ttt	624
Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe	
195 200 205	
acc ttc agc tac acc ttt gag gaa gtg cct ttc cac agc agc tac gcg	672
Thr Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr Ala	
210 215 220	
cac agc cag agc ctg gac cgg ctg atg aat cct ctc atc gac caa tac	720
His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr	
225 230 235 240	
ctg tat tac ctg aac aga act caa aat cag tcc gga agt gcc caa aac	768
Leu Tyr Tyr Leu Asn Arg Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn	
245 250 255	
aag gac ttg ctg ttt agc cgt ggg tct cca gct ggc atg tct gtt cag	816
Lys Asp Leu Leu Phe Ser Arg Gly Ser Pro Ala Gly Met Ser Val Gln	
260 265 270	
ccc aaa aac tgg cta cct gga ccc tgt tat cgg cag cag cgc gtt tct	864
Pro Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser	
275 280 285	
aaa aca aaa aca gac aac aac aac agc aat ttt acc tgg act ggt gct	912
Lys Thr Lys Thr Asp Asn Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala	
290 295 300	
tca aaa tat aac ctc aat ggg cgt gaa tcc atc atc aac cct ggc act	960
Ser Lys Tyr Asn Leu Asn Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr	
305 310 315 320	
gct atg gcc tca cac aaa gac gac gaa gac aag ttc ttt ccc atg agc	1008
Ala Met Ala Ser His Lys Asp Asp Glu Asp Lys Phe Phe Pro Met Ser	
325 330 335	
ggt gtc atg att ttt gga aaa gag agc gcc gga gct tca aac act gca	1056
Gly Val Met Ile Phe Gly Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala	
340 345 350	
ttg gac aat gtc atg att aca gac gaa gag gaa att aaa gcc act aac	1104
Leu Asp Asn Val Met Ile Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn	
355 360 365	
cct gtg gcc acc gaa aga ttt ggg acc gtg gca gtc aat ttc cag agc	1152
Pro Val Ala Thr Glu Arg Phe Gly Thr Val Ala Val Asn Phe Gln Ser	
370 375 380	

-continued

agc agc aca gac cct gcg acc gga gat gtg cat gct atg gga gca tta	1200
Ser Ser Thr Asp Pro Ala Thr Gly Asp Val His Ala Met Gly Ala Leu	
385 390 395 400	
cct ggc atg gtg tgg caa gat aga gac gtg tac ctg cag ggt ccc att	1248
Pro Gly Met Val Trp Gln Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile	
405 410 415	
tgg gcc aaa att cct cac aca gat gga cac ttt cac ccg tct cct ctt	1296
Trp Ala Lys Ile Pro His Thr Asp Gly His Phe His Pro Ser Pro Leu	
420 425 430	
atg ggc ggc ttt gga ctc aag aac ccg cct cct cag atc ctc atc aaa	1344
Met Gly Gly Phe Gly Leu Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys	
435 440 445	
aac acg cct gtt cct gcg aat cct ccg gcg gag ttt tca gct aca aag	1392
Asn Thr Pro Val Pro Ala Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys	
450 455 460	
ttt gct tca ttc atc acc caa tac tcc aca gga caa gtg agt gtg gaa	1440
Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu	
465 470 475 480	
att gaa tgg gag ctg cag aaa gaa aac agc aag cgc tgg aat ccc gaa	1488
Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu	
485 490 495	
gtg cag tac aca tcc aat tat gca aaa tct gcc aac gtt gat ttt act	1536
Val Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr	
500 505 510	
gtg gac aac aat gga ctt tat act gag cct cgc ccc att ggc acc cgt	1584
Val Asp Asn Asn Gly Leu Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg	
515 520 525	
tac ctt acc cgt ccc ctg taa	1605
Tyr Leu Thr Arg Pro Leu	
530	

<210> SEQ ID NO 17
 <211> LENGTH: 534
 <212> TYPE: PRT
 <213> ORGANISM: AAV-1

<400> SEQUENCE: 17

Met Ala Ser Gly Gly Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala	
1 5 10 15	
Asp Gly Val Gly Asn Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp	
20 25 30	
Leu Gly Asp Arg Val Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro	
35 40 45	
Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly	
50 55 60	
Ala Ser Asn Asp Asn His Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr	
65 70 75 80	
Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln	
85 90 95	
Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe	
100 105 110	
Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val	
115 120 125	
Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Ser Asp	
130 135 140	
Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys	

-continued

145	150	155	160
Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr	165	170	175
Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr	180	185	190
Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe	195	200	205
Thr Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr Ala	210	215	220
His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr	225	230	235
Leu Tyr Tyr Leu Asn Arg Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn	245	250	255
Lys Asp Leu Leu Phe Ser Arg Gly Ser Pro Ala Gly Met Ser Val Gln	260	265	270
Pro Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser	275	280	285
Lys Thr Lys Thr Asp Asn Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala	290	295	300
Ser Lys Tyr Asn Leu Asn Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr	305	310	315
Ala Met Ala Ser His Lys Asp Asp Glu Asp Lys Phe Phe Pro Met Ser	325	330	335
Gly Val Met Ile Phe Gly Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala	340	345	350
Leu Asp Asn Val Met Ile Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn	355	360	365
Pro Val Ala Thr Glu Arg Phe Gly Thr Val Ala Val Asn Phe Gln Ser	370	375	380
Ser Ser Thr Asp Pro Ala Thr Gly Asp Val His Ala Met Gly Ala Leu	385	390	395
Pro Gly Met Val Trp Gln Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile	405	410	415
Trp Ala Lys Ile Pro His Thr Asp Gly His Phe His Pro Ser Pro Leu	420	425	430
Met Gly Gly Phe Gly Leu Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys	435	440	445
Asn Thr Pro Val Pro Ala Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys	450	455	460
Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu	465	470	475
Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu	485	490	495
Val Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr	500	505	510
Val Asp Asn Asn Gly Leu Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg	515	520	525
Tyr Leu Thr Arg Pro Leu	530		

-continued

<211> LENGTH: 4681
<212> TYPE: DNA
<213> ORGANISM: AAV-2

<400> SEQUENCE: 18

ttggccactc cctctctgcg cgctcgcctc ctcactgagg ccggggcgacc aaaggtcgcc 60
cgacgcccgg gctttgcccg ggcggcctca gtgagcgcgc gagcgcgcag agagggagtg 120
gccaactcca tcaactagggg ttctctggagg ggtggagtcg tgacgtgaat tacgtcatag 180
ggttagggag gtctctgtatt agaggtcacg tgagtgtttt gcgacatttt gcgacacccat 240
gtggtcacgc tgggtattta agcccagtg agcacgcagg gtctccattt tgaagcggga 300
ggtttgaaac cgcagcccgc atgccgggt tttacgagat tgtgattaag gtcccagcg 360
accttgacgg gcatctgccc ggcatttctg acagctttgt gaactgggtg gccgagaagg 420
aatgggagtt gccccagat tctgacatgg atctgaatct gattgagcag gcacccctga 480
ccgtggccga gaagctgcag cgcgactttc tgacggaatg gcgcccgtg agtaaggccc 540
cggagccct tttctttgtg caatttgaga agggagagag ctacttccac atgcacgtgc 600
tcgtggaaac caccgggggtg aaatccatgg ttttgggacg tttctgagt cagattcgcg 660
aaaaactgat tcagagaatt taccgcccga tcgagcccgc tttgcaaac tggttcgcgg 720
tcacaaagac cagaaatggc gccggaggcg ggaacaagggt ggtggatgag tgctacatcc 780
ccaattactt gctcccaaaa acccagcctg agctccagtg ggctgggact aatatggaac 840
agtatttaag cgcctgtttg aatctcacgg agcgtaaacg gttgggtggcg cagcatctga 900
cgcacgtgtc gcagacgcag gagcagaaca aagagaatca gaatcccaat tctgatgcgc 960
cgggtgatcag atcaaaaact tcagccaggt acatggagct ggctgggtgg ctctgggaca 1020
aggggattac ctccggagaag cagtggatcc agggaggacca ggctcatac atctccttca 1080
atgcggcctc caactcgcgg tcccaaatca aggtgcctt ggacaatgcg ggaaagatta 1140
tgagcctgac taaaaccgcc cccgactacc tgggtggcca gcagcccgtg gaggacattt 1200
ccagcaatcg gatttataaa attttggaaac taaacgggta cgatcccaaa tatgcccgtt 1260
ccgtctttct gggatgggccc acgaaaaagt tcggcaagag gaacaccatc tggctgtttg 1320
ggcctgcaac taccgggaag accaaccatcg cggaggccat agcccacact gtgcccttct 1380
acgggtgcgt aaactggacc aatgagaact ttcccttcaa cgactgtgtc gacaagatgg 1440
tgatctggtg ggaggagggg aagatgaccg ccaaggtcgt ggagtcggcc aaagccattc 1500
tcggaggaag caaggtgcgc gtagaccaga aatgcaagtc ctccggcccag atagaccga 1560
ctcccgtgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg aactcaacga 1620
ccttcgaaca ccagcagccc ttgcaagacc ggatgttcaa atttgaaact acccgcgcgtc 1680
tggatcatga ctttgggaag gtcaccaagc aggaagtcaa agacttttcc cggtgggcaa 1740
aggatcacgt ggttgaggtg gagcatgaat tctacgtcaa aaagggtgga gccaaagaaa 1800
gaccgcgccc cagtgcgcga gatataagt agcccacaac ggtgcgcgag tcagttgcgc 1860
agccatcgac gtcagacgcg gaagcttcca tcaactacgc agacaggtag caaaacaaat 1920
gttctcgtea cgtgggcatg aatctgatgc tgtttccctg cagacaatgc gagagaatga 1980
atcagaatc aaatatctgc ttoactcag gacagaaaga ctgtttagag tgctttccc 2040
tgtcagaatc tcaaccgggt tctgtcgtca aaaaggcgta tcagaaactg tgctacattc 2100

-continued

atcatatcat	gggaaagtg	ccagacgctt	gcactgcctg	cgatctggtc	aatgtggatt	2160
tggatgactg	catctttgaa	caataaatga	tttaaatcag	gtatggctgc	cgatggttat	2220
cttcagatt	ggctcgagga	cactctctct	gaaggaataa	gacagtggtg	gaagctcaaa	2280
cctggcccac	caccacaaa	gcccgcagag	cggcataagg	acgacagcag	gggtcttctg	2340
cttcctgggt	acaagtacct	cggacccttc	aacggactcg	acaagggaga	gcccgtcaac	2400
gaggcagacg	ccgcgccct	cgagcacgac	aaagcctacg	accggcagct	cgacagcgga	2460
gacaaccctg	acctcaagta	caaccaogcc	gacgcggagt	ttcaggagcg	ccttaaagaa	2520
gatacgtctt	ttgggggcaa	cctcggacga	gcagtcttcc	aggcgaaaaa	gagggttctt	2580
gaacctctcg	gcctggttga	ggaacctgtt	aagacggctc	cgggaaaaaa	gaggccggtg	2640
gagcactctc	ctgtggagcc	agactcctcc	tcgggaaccg	gaaagccggg	ccagcagcct	2700
gcaagaaaaa	gattgaattt	tggtcagact	ggagacgcag	actcagtacc	tgacccccag	2760
cctctcggac	agccaccagc	agccccctct	ggtctgggaa	ctaatacgat	ggctacaggc	2820
agtggcgcac	caatggcaga	caataacgag	ggcgccgacg	gagtgggtaa	ttcctccgga	2880
aattggcatt	gcgattccac	atggatgggc	gacagagtca	tcaccaccag	caccogaacc	2940
tgggcccctg	ccacctacaa	caaccacctc	tacaacaaa	tttccagcca	atcaggagcc	3000
tcgaacgaca	atcactactt	tggtacagc	acccttggg	ggtattttga	cttcaacaga	3060
ttccactgcc	acttttcacc	acgtgactgg	caaagactca	tcaacaacaa	ctggggattc	3120
cgacccaaga	gactcaactt	caacctctt	aacattcaag	tcaaagaggt	cacgcagaat	3180
gacggtacga	cgacgattgc	caataacctt	accagcacgg	ttcaggtgtt	tactgactcg	3240
gagtaccagc	tcccgtacgt	cctcggctcg	gcgcatcaag	gatgcctccc	gcccgtccca	3300
gcagacgtct	tcattggtgc	acagtatgga	tacctcacc	tgaacaacgg	gagtacggca	3360
gtaggacgct	cttcatttta	ctgcctggag	tactttcctt	ctcagatgct	gcgtaccgga	3420
aacaacttta	ccttcagcta	cacttttgag	gacgttcctt	tcacagcag	ctacgctcac	3480
agccagagtc	tggaccgtct	catgaatcct	ctcatcgacc	agtacctgta	ttacttgagc	3540
agaacaaaca	ctccaagtgg	aaccaccacg	cagtcaaggc	ttcagtttcc	tcaggcccca	3600
gccagtgaca	ttcgggacca	gtctaggaac	tggcttcctg	gacctgtta	ccgccagcag	3660
cgagtatgaa	agacatctgc	ggataacaac	aacagtgaat	actcgtggac	tggagctacc	3720
aagtaccacc	tcaatggcag	agactctctg	gtgaatccgg	ggcccgccat	ggcaagccac	3780
aaggacgatg	aagaaaagtt	ttttcctcag	agcggggttc	tcctcttgg	gaagcaaggc	3840
tcagagaaaa	caaatgtgaa	cattgaaaag	gtcatgatta	cagacgaaga	ggaaatccca	3900
acaaccaatc	ccgtggctac	ggagcagtat	ggttctgtat	ctaccaacct	ccagagaggc	3960
aacagacaag	cagctaccgc	agatgtcaac	acacaaggcg	ttcttccagg	catggtctgg	4020
caggacagag	atgtgtacct	tcagggggccc	atctgggcaa	agattccaca	cacggacgga	4080
cattttcacc	cctctcccct	catgggtgga	ttcggactta	aacaccctcc	tcacagatt	4140
ctcatcaaga	acacccccgt	acctgcgaat	ccttcgacca	ccttcagtgc	ggcaaagtct	4200
gcttccttca	tcacacagta	ctccacggga	cacggtcagc	gtggagatcg	agtgggagct	4260
gcagaacgaa	aacagcaaac	gctggaatcc	cgaaattcag	tacacttcca	actacaacaa	4320
gtctgttaat	cgtggacttt	accgtggata	ctaattggcgt	gtattcagag	cctcgcccca	4380

-continued

ttggcaccag atacctgact cgtaatctgt aattgcttgt taatcaataa accgtttaat	4440
tcgtttcagt tgaactttgg tctctcgta tttctttctt atctagtttc catggctacg	4500
tagataagta gcatggcggg ttaatcatta actacaagga acccctagtg atggagtgg	4560
ccactccctc tctgcgcgct cgctcgctca ctgaggccgg gcgaccaaag gtcgcccagc	4620
gccccggctt tgccccggcg gcctcagtg gcgagcgagc gcgagagag ggagtgggca	4680
a	4681

<210> SEQ ID NO 19
 <211> LENGTH: 4683
 <212> TYPE: DNA
 <213> ORGANISM: AAV-6

<400> SEQUENCE: 19

ttggcacc cctctctg cgctcgctc ctcactgagg ccgggcgacc aaaggctgcc	60
cgacgcccgg gctttgccc ggccgctca gtgagcgagc gagcgcgac agagggagtg	120
gccaaactcca tctactagggg ttctctggagg ggtggagtgc tgacgtgaat tacgtcatag	180
ggtagggag gtcctgtatt agaggtcacg tgagtgtttt gcgacatttt gcgacacat	240
gtggtcacgc tgggtattta agcccagtg agcacgcagg gtctccattt tgaagcggga	300
ggtttgaacg cgcagcgcga tgccggggtt ttacgagatt gtgattaagg tccccagcga	360
ccttgacgag catctgccc gcatctctga cagctttgtg aactgggtgg ccgagaagga	420
atgggagtgg ccgccagatt ctgacatgga tctgaatctg attgagcagg caccctgac	480
cgtggccgag aagctgcagc gcgacttctt ggtccactgg ccgccgctga gtaaggcccc	540
ggaggccctc ttctttgttc agttcgagaa gggcgagtc tacttccacc tccatattct	600
ggtggagacc acgggggtca aatccatggt gctgggccc ttctgagtc agattagcga	660
caagctggtg cagaccatct accgcgggat cgagccgacc ctgcccact ggttcgcggt	720
gaccaagacg cgtaatggcg ccggaggggg gaacaaggtg gtggacgagt gctacatccc	780
caactacctc ctgcccaga ctcagcccga gctgcagtg gcgtggacta acatggagga	840
gtatataagc gcgtgtttaa acctggccga gcgcaaacgg ctctggcgc acgacctgac	900
ccacgtcagc cagaccagc agcagaacaa ggagaatctg aacccaatt ctgacgcgcc	960
tgatcatccg tcaaaaacct ccgcacgta catggagctg gtcgggtggc tggtagaccg	1020
gggcatcacc tccgagaagc agtggatcca ggaggaccag gcctcgtaca tctcctcaa	1080
cgccgcctcc aactcgcggt ccagatcaa ggcgctctg gacaatgcc gcaagatcat	1140
ggcgtgacc aaatccgcgc ccgactacct ggtaggcccc gctccgccc ccgacattaa	1200
aaccaaccgc atttaccgca tctggagct gaacggctac gacctgcct acgcccgtc	1260
cgtctttctc ggctgggccc agaaaagggt cggaaaacgc aacaccatct ggctgtttgg	1320
gcccggcacc acgggcaaga ccaacatcgc ggaagccatc gccacgccc tgccttcta	1380
cggtgcgctc aactggaaca atgagaactt tcccttcaac gattgcgctc acaagatggt	1440
gatctggtgg gaggagggca agatgacggc caaggtcgtg gactccgcca aggccattct	1500
cggcggcagc aaggtgcgcg tggacaaaa gtgcaagtcg tccgccaga tcgatccac	1560
ccccgtgatc gtcacctca acaccaacat gtgcgcccgt attgacggga acagaccac	1620
cttcgagcac cagcagccgt tgcaggaccg gatgttcaaa tttgaactca cccgcccct	1680

-continued

ggagcatgac	tttggcaagg	tgacaaagca	ggaagtcaaa	gagttcttcc	gctgggcgca	1740
ggatcacgtg	accgaggtgg	cgcatgagtt	ctacgtcaga	aagggtggag	ccaacaacag	1800
accgcccc	gatgacgogg	ataaaagcga	gcccgaagcg	gcctgcccct	cagtcgogg	1860
tccatcgacg	tcagacgogg	aaggagctcc	ggtggacttt	gccgacaggt	accaaaacaa	1920
atgttctcgt	cacgcgggca	tgcttcagat	gctgtttccc	tgcaaaacat	gcgagagaat	1980
gaatcagaat	ttcaacattt	gcttcacgca	cgggaccaga	gactgttcag	aatgtttccc	2040
cggcgtgtca	gaatctcaac	cggtcgtcag	aaagaggacg	tatcggaaac	tctgtgcat	2100
tcatcatctg	ctggggcggg	ctcccagat	tgcttgctcg	gcctgcgatc	tggtcaacgt	2160
ggatctggat	gactgtgttt	ctgagcaata	aatgacttaa	accaggtatg	gctgccgatg	2220
gttatcttcc	agattggctc	gaggacaacc	tctctgaggg	cattcggcag	tggtgggact	2280
tgaaacctgg	agccccgaaa	cccaaagcca	accagcaaaa	gcaggacgac	ggccggggtc	2340
tggtgcttcc	tggetacaag	tacctcggac	ccttcaacgg	actcgacaag	ggggagccc	2400
tcaacgcggc	ggatgcagcg	gccctcgagc	acgacaaggc	ctacgaccag	cagctcaaa	2460
cgggtgacaa	tccgtacctg	cggataaacc	acgccgacgc	cgagtttcag	gagcgtctgc	2520
aagaagatac	gtcttttggg	ggcaacctcg	ggcgagcagt	cttccaggcc	aagaagagg	2580
ttctcgaacc	ttttggtctg	ggtgaggaag	gtgctaagac	ggctcctgga	aagaaacgtc	2640
cggtagagca	gtccccacaa	gagccagact	cctcctcggg	cattggcaag	acaggccagc	2700
agcccgttaa	aaagagactc	aattttggtc	agactggcga	ctcagagtca	gtcccggacc	2760
cacaacctct	cggagaacct	ccagcaacct	ccgctgctgt	gggacctact	acaatggctt	2820
caggcgggtg	cgcaccaatg	gcagacaata	acgaaggcgc	cgacggagtg	ggtaatgcct	2880
caggaaattg	gcattgcgat	tccacatggc	tgggcgacag	agtcacaccc	accagcacc	2940
gaacatgggc	cttgcccacc	tataacaacc	acctctacaa	gcaaatctcc	agtgcttcaa	3000
cggggggccag	caacgacaac	cactacttcg	gctacagcac	ccccggggg	tattttgatt	3060
tcaacagatt	ccactgcoat	ttctcaccac	gtgactggca	gcgactcacc	aacaacaatt	3120
ggggattccg	gcccagaga	ctcaacttca	agctcttcaa	catccaagtc	aaggaggcca	3180
cgacgaatga	tggcgteacg	accatcgcta	ataaccttac	cagcacgggt	caagtcttgt	3240
cggactcggg	gtaccagttc	ccgtacgtcc	tcggctctgc	gcaccagggc	tgctccttc	3300
cgttcccggc	ggacgtgttc	atgattccgc	agtaaggcta	cctaaccgctc	aacaatggca	3360
gccaggcagt	gggacgctca	tccttttact	gcctggaata	tttccatcg	cagatgctga	3420
gaacgggcaa	taactttacc	ttcagetaca	ccttcgagga	cgtgccttcc	cacagcagct	3480
acgcgcacag	ccagagcctg	gaccggtgga	tgaatcctct	catcgaccag	tacctgtatt	3540
acctgaacag	aactcacaat	cagtccggaa	gtgcccaaaa	caaggacttg	ctgtttagcc	3600
gtgggtctcc	agctggcatg	tctgttcagc	ccaaaaactg	gctacctgga	cctgtttacc	3660
ggcagcagcg	cgtttctaaa	acaaaaacag	acaaacaaa	cagcaacttt	acctggactg	3720
gtgcttcaaa	atataacctt	aatggcggtg	aatctataat	caaccctggc	actgctatgg	3780
cctcacacaa	agacgacaaa	gacaagttct	ttcccatgag	cgggtgcatg	atttttggaa	3840
aggagagcgc	cggagcttca	aacactgcat	tggacaatgt	catgatcaca	gacgaagagg	3900
aaatcaaagc	cactaacccc	gtggccaccg	aaagatttgg	gactgtggca	gtcaatctcc	3960

-continued

```

agagcagcag cacagaccct gcgaccggag atgtgcatgt tatgggagcc ttacctggaa 4020
tggtgtggca agacagagac gtatacctgc agggtoctat ttgggccaaa attcctcaca 4080
cggatggaca ctttcaccog tctcctctca tggggggctt tggacttaag caccgcctc 4140
ctcagatcct catcaaaaac acgcctgttc ctgcgaatcc tccggcagag ttttcggcta 4200
caaagtttgc ttcattcatc acccagtatt ccacaggaca agtgagcgtg gagattgaat 4260
gggagctgca gaaagaaaac agcaaacgct ggaatcccga agtgcagtat acatctaact 4320
atgcaaaaac tgccaacggt gatttcactg tggacaacaa tggactttat actgagcctc 4380
gccccattgg cacccgctac ctcaccogtc cctgtgaatt gtgtgttaat caataaacgg 4440
gttaattcgt gtcagttgaa ctttggtctc atgtccttat tatcttatct ggtaaccata 4500
gcaaccggtt acacattaac tgcttagttg cgcttcgcca ataccctag tgatggagtt 4560
gcccactccc tctatgcgcg ctgcctcgtc cgggtggggcc ggcagagcag agctctgccc 4620
tctgcggaac tttggtcgcg aggccccacc gagcgagcga gcgcgcatag agggagtggc 4680
caa 4683
    
```

```

<210> SEQ ID NO 20
<211> LENGTH: 16
<212> TYPE: DNA
<213> ORGANISM: rep binding motif
    
```

```

<400> SEQUENCE: 20
    
```

```

gctcgtcgc tcgctg
    
```

16

1. (canceled)
2. A composition comprising 1×10^9 to 1×10^{16} genomes of a recombinant adenovirus having an AAV1 capsid comprising a vp1 protein, a vp2 protein, and a vp3 protein, wherein said vp3 protein has an amino acid sequence of SEQ ID NO:17, wherein said recombinant virus further comprises a heterologous molecule which comprises an AAV 5' inverted terminal repeat sequence (ITR), a transgene, and an AAV 3' ITR, and a pharmaceutically acceptable carrier.
3. The composition according to claim 2, comprising 1×10^{13} to 1×10^{16} genomes.
4. The composition according to claim 1, wherein said vp1 protein has the amino acid sequence of SEQ ID NO: 13.
5. The composition according to claim 1, wherein said vp2 protein has the amino acid sequence of SEQ ID NO: 15.
6. The composition according to claim 1, wherein the 5' ITR and 3' ITR are of AAV serotype 2.

7. The composition according to claim 1, further comprising a promoter which directs expression of the transgene.
8. The composition according to claim 1, wherein said transgene encodes a protein or peptide.
9. The composition according to claim 8, wherein said protein or peptide is a therapeutic protein or peptide.
10. The composition according to claim 8, wherein said protein or peptide is an immunogenic protein or peptide.
11. The composition according to claim 1, wherein said transgene encodes a cytokine, a hormone, or a growth factor.
12. The composition according to claim 1, wherein said composition is formulated for delivery to muscle.
13. The composition according to claim 7, wherein the promoter is a cytomegalovirus promoter.

* * * * *