



US00PP29482P2

(12) **United States Plant Patent**  
**Beekenkamp**

(10) **Patent No.:** **US PP29,482 P2**

(45) **Date of Patent:** **Jul. 10, 2018**

(54) **DAHLIA PLANT NAMED ‘BKDAMFPB’**

(50) Latin Name: *Dahlia hybrida*  
Varietal Denomination: **BKDAMFPB**

(71) Applicant: **Annie Cornelia Beekenkamp**,  
Maasdijk (NL)

(72) Inventor: **Annie Cornelia Beekenkamp**,  
Maasdijk (NL)

(73) Assignee: **Beekenkamp Plants B.V.**, Maasdijk  
(NL)

(\* ) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/731,107**

(22) Filed: **Apr. 19, 2017**

(51) **Int. Cl.**  
**A01H 5/02** (2018.01)

(52) **U.S. Cl.**  
USPC ..... **Plt./321**

(58) **Field of Classification Search**

USPC ..... Plt./321  
See application file for complete search history.

(56) **References Cited**

**PUBLICATIONS**

Pluto Plant Variety Database 208-02-10. p. 1.\*

\* cited by examiner

*Primary Examiner* — Annette H Para

(74) *Attorney, Agent, or Firm* — C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Dahlia* plant named ‘BKDAMFPB’, characterized by its broadly upright and sturdy plant habit; freely basal branching habit; dense and bushy growth habit; dark green-colored leaves; and large semi-double inflorescences with dark red purple and light purple bi-colored ray florets.

**2 Drawing Sheets**

**1**

Botanical designation: *Dahlia hybrida*.  
Cultivar denomination: ‘BKDAMFPB’.

**BACKGROUND OF THE INVENTION**

The present invention relates to a new and distinct cultivar of *Dahlia* plant, botanically known as *Dahlia hybrida* and hereinafter referred to by the name ‘BKDAMFPB’.

The new *Dahlia* plant is a product of a planned breeding program conducted by the Inventor in Maasdijk, The Netherlands. The objective of the breeding program is to create new sturdy container *Dahlia* plants that have a freely basal branching habit, and large inflorescences with attractive ray floret coloration.

The new *Dahlia* plant originated from an open-pollination in August, 2014 in Maasdijk, The Netherlands of a proprietary selection of *Dahlia hybrida* identified as code number 4002756, not patented, as the female, or seed, parent with an unknown selection of *Dahlia hybrida* as the male, or pollen, parent. The new *Dahlia* plant was discovered and selected by the Inventor as a single flowering plant from within the progeny of the stated open-pollination in a controlled greenhouse environment in Maasdijk, The Netherlands in December, 2014.

Asexual reproduction of the new *Dahlia* plant by terminal cuttings in a controlled greenhouse environment in Maasdijk, The Netherlands since March, 2015 has shown that the unique features of this new *Dahlia* plant are stable and reproduced true to type in successive generations.

**SUMMARY OF THE INVENTION**

Plants of the new *Dahlia* have not been observed under all possible combinations of environmental conditions and cul-

**2**

tural conditions. The phenotype may vary somewhat with variations in environmental conditions such as temperature and light intensity, without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘BKDAMFPB’. These characteristics in combination distinguish ‘BKDAMFPB’ as a new and distinct *Dahlia* plant:

1. Broadly upright and sturdy plant habit.
2. Freely basal branching habit; dense and bushy growth habit.
3. Dark green-colored leaves.
4. Large semi-double inflorescences with dark red purple and light purple bi-colored ray florets.

Plants of the new *Dahlia* differ primarily from plants of the female parent selection in the following characteristics:

1. Plants of the new *Dahlia* are smaller than plants of the female parent selection.
2. Plants of the new *Dahlia* and the female parent selection differ in ray floret color as plants of the female parent selection have lighter red purple-colored ray florets.

Plants of the new *Dahlia* can be compared to plants of *Dahlia hybrida* ‘Fidahnewy’, disclosed in U.S. Plant Pat. No. 21,257. In side-by-side comparisons, plants of the new *Dahlia* differ from plants of ‘Fidahnewy’ in the following characteristics:

1. Inflorescences of plants of the new *Dahlia* are larger than inflorescences of plants of ‘Fidahnewy’.
2. Inflorescences of plants of the new *Dahlia* have more ray florets than inflorescences of plants of ‘Fidahnewy’.

**BRIEF DESCRIPTION OF THE PHOTOGRAPHS**

The accompanying photographs illustrate the overall appearance of the new *Dahlia* plant showing the colors as

true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Dahlia* plant.

The photograph on the first sheet comprises a side perspective view of a typical flowering plant of 'BKDAMFPB' grown in a container.

The photograph on the second sheet is a close-up view of typical inflorescences of 'BKDAMFPB'.

#### DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and the following observations and measurements describe plants grown during the winter in 12-cm containers in a glass-covered greenhouse in Maasdijk, The Netherlands and under cultural practices typical of commercial *Dahlia* production. During the production of the plants, day and night temperatures ranged from 17° C. to 19° C. Plants were pinched one time and were nine weeks old when the photographs and description were taken. To induce inflorescence initiation and development, plants were grown under short nyctoperiod (long day) conditions. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2015 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Dahlia hybrida* 'BKDAMFPB'.

Parentage:

*Female, or seed, parent.*—Proprietary selection of *Dahlia hybrida* identified as code number 4002756, not patented.

*Male, or pollen, parent.*—Unknown selection of *Dahlia hybrida*, not patented.

Propagation:

*Type.*—By terminal cuttings.

*Time to initiate roots, summer.*—About 16 days at temperatures ranging from 18° C. to 21° C.

*Time to initiate roots, winter.*—About 19 days at temperatures ranging from 19° C. to 21° C.

*Time to produce a rooted young plant, summer.*—About 21 days at temperatures ranging from 18° C. to 21° C.

*Time to produce a rooted young plant, winter.*—About 23 days at temperatures ranging from 19° C. to 21° C.

*Root description.*—Medium in thickness, fibrous; typically creamy white to light brown in color, actual color of the roots is dependent on substrate composition, water quality, fertilizers, substrate temperature and physiological age of roots; tuber development has not been observed on plants of the new *Dahlia*.

*Rooting habit.*—Moderately freely branching; medium density.

Plant description:

*Plant and growth habit.*—Broadly upright and mounding plant form; overall plant shape, flattened globular; sturdy plant habit; freely basal branching habit with about eight primary branches developing per plant; inflorescences held above the foliar plane on strong peduncles; bushy and dense growth habit; pinching is not required but will improve branching habit; moderately vigorous growth habit.

*Plant height, soil level to top of foliar plane.*—About 22.7 cm.

*Plant height, soil level to top of floral plane.*—About 25 cm.

*Plant diameter or spread.*—About 38.9 cm.

*Lateral branches.*—Length: About 12.3 cm. Diameter: About 6 mm. Internode length: About 1.8 cm. Aspect: Primary branches are mostly erect; secondary branches, about 40° from primary branch axis. Strength: Moderately strong. Texture and luster: Smooth, glabrous; glossy. Color, developing: Close to 143A. Color, developed: Close to 143A.

Leaf & leaflet description:

*Arrangement.*—Leaves opposite and compound with three or five leaflets.

*Length, leaf.*—About 11.5 cm.

*Width, leaf.*—About 12.5 cm.

*Length, terminal leaflets.*—About 8.4 cm.

*Width, terminal leaflets.*—About 4.8 cm.

*Length, lateral leaflets.*—About 6.5 cm.

*Width, lateral leaflets.*—About 3.5 cm.

*Shape, leaves.*—Ovate.

*Shape, leaflets.*—Ovate.

*Apex, leaflets.*—Apiculate.

*Base, leaflets.*—Attenuate.

*Margin, leaflets.*—Coarsely serrate.

*Venation pattern, leaflets.*—Pinnate.

*Texture and luster, upper surface, leaflets.*—Smooth, sparsely pubescent; slightly velvety; slightly glossy.

*Texture and luster, lower surface, leaflets.*—Smooth, sparsely pubescent; slightly glossy.

*Color.*—Developing leaflets, upper surface: Close to 143A. Developing leaflets, lower surface: Close to between 143B and 146B. Fully expanded leaflets, upper surface: Close to between NN137A and 139A; venation, close to 143B. Fully expanded leaflets, lower surface: Close to 191A; venation, close to 146A.

*Petioles.*—Length: About 3.5 cm. Width: About 3.5 mm. Height: About 3 mm. Strength: Moderately strong to strong. Texture and luster, upper and lower surfaces: Smooth, glabrous; glossy. Color, upper surface: Close to 144A tinged with close to 197A. Color, lower surface: Close to 144A.

Inflorescence description:

*Appearance and arrangement.*—Semi-double inflorescence form with ray and disc florets forming acropetally on a receptacle; inflorescences positioned above and beyond the foliar plane on strong peduncles; inflorescences face mostly upright to slightly outwardly; freely flowering habit with about 15 developing and fully developed inflorescences per plant.

*Fragrance.*—None detected.

*Flowering response and flowering period.*—Early flowering habit, plants begin flowering about 60 days after planting; plants flower continuously during the autumn into the winter in The Netherlands.

*Post-production longevity.*—Inflorescences maintain good substance for about ten days on the plant; inflorescences persistent.

*Inflorescence buds.*—Height: About 1 cm. Diameter: About 1.2 cm. Shape: Flattened globular. Texture and luster: Smooth, glabrous; glossy. Color: Close to N144A.

*Inflorescence size*.—Diameter: About 8.5 cm. Depth (height): About 5.4 cm. Disc diameter: About 1.6 cm.

*Receptacles*.—Height: About 4 mm. Diameter: About 6 mm. Shape: Flattened globular. Color: Close to 145B to 145C.

*Ray florets*.—Quantity per inflorescence and arrangement: About 100 arranged in about five whorls. Length: About 3.5 cm. Width: About 1.8 cm. Shape: Broadly obovate. Apex: Obtuse. Base: Attenuate. Margin: Entire. Aspect: Upright to roughly horizontal and eventually downward; moderately to strongly concave. Texture and luster, upper and lower surfaces: Smooth, glabrous; velvety; matte. Color: When opening, upper surface: Close to 68A; towards the apex, close to 69C to 69D. When opening, lower surface: Close to 75D; towards the margins, close to 75B. Fully opened, upper surface: Close to between 60B and 61B; towards the apex, close to 75C; venation, same as lamina colors; colors do not change with development. Fully opened, lower surface: Close to 63B to 63C and 64B; venation, close to 69C; colors do not change with development.

*Disc florets*.—Quantity per inflorescence and arrangement: About 80 massed at the center of the inflorescence in about five spiral whorls. Length: About 1.1 cm. Diameter: About 6 mm. Shape: Tubular, elongated; apices, acute. Texture and luster, inner and outer surfaces: Smooth, glabrous; glossy. Color, when opening, inner and outer surfaces: Apex and mid-section: Close to 11D. Base: Close to 150D. Color, fully opened, inner and outer surfaces: Apex: Close to 13B to 13C. Mid-section: Close to 13D. Base: Close to 150D.

*Phyllaries*.—Quantity per inflorescence and arrangement: About eight arranged in a single whorl. Length: About 1.3 cm. Width: About 6 mm. Shape:

Elliptic. Apex: Bluntly acute. Base: Cuneate. Margin: Entire. Texture and luster, upper and lower surfaces: Smooth, glabrous; moderately glossy. Color, upper and lower surfaces: Close to NN137B.

*Peduncles*.—Length, terminal peduncle: About 10.2 cm. Diameter, terminal peduncle: About 3 mm. Strength: Strong. Texture and luster: Smooth, glabrous; moderately glossy. Color: Close to between 144A and 146B; distally, tinged with close to 197A.

*Reproductive organs*.—Androecium, present on disc florets only: Quantity per floret: About five. Filament length: About 1.5 mm. Filament color: Close to 157A. Anther shape: Narrowly oblong. Anther length: About 4 mm. Anther color: Close to 16C. Pollen amount: Moderate. Pollen color: Close to 23A. Gynoecium, present on disc florets only: Quantity per floret: One. Pistil length: About 7 mm. Style length: About 6 mm. Style color: Close to 150D. Stigma diameter: About 6 mm. Stigma shape: Cleft. Stigma color: Close to 21A. Ovary color: Close to 157D. Seeds and fruits: Seed and fruit development have not been observed on plants of the new *Dahlia* to date.

Disease & pest resistance: Plants of the new *Dahlia* have not been observed to be resistant to pathogens and pests common to *Dahlia* plants to date.

Temperature tolerance: Plants of the new *Dahlia* have been observed to tolerate high temperatures of about 35° C. and to be suitable for USDA Hardiness Zones 9 to 11.

It is claimed:

1. A new and distinct *Dahlia* plant named 'BKDAMFPB' as illustrated and described.

\* \* \* \* \*



