



US00D408052S

United States Patent [19]

Hayashi

[11] Patent Number: Des. 408,052
[45] Date of Patent: **Apr. 13, 1999

[54] STAMP RECEIVER

[75] Inventor: **Shiro Hayashi**, Nagoya, Japan
[73] Assignee: **Shachihata Inc.**, Aichi-ken, Japan
[**] Term: 14 Years

[21] Appl. No.: 29/089,385

[22] Filed: Jun. 15, 1998

[30] Foreign Application Priority Data

Dec. 22, 1997 [JP] Japan 9-79320
[51] LOC (6) Cl. 19-02
[52] U.S. Cl. D18/17; D19/70
[58] Field of Search D18/14-18; 118/264,
118/268; 101/103, 333, 334, 327, 405,
406, 371-373, 376; D19/70

[56] References Cited

U.S. PATENT DOCUMENTS

D. 192,459	3/1962	Pajek	D19/70
D. 219,842	2/1971	Miller	D18/15
D. 232,001	7/1974	Funahashi	D18/15
D. 348,898	7/1994	Nagasawa	D18/15
D. 366,894	2/1996	Vesey	D18/17
650,654	5/1900	Poulton	118/264

3,020,838 2/1962 Prost 101/333

Primary Examiner—Louis S. Zarfas
Assistant Examiner—G. Andoll
Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, PLLC

[57] CLAIM

The ornamental design for a stamp receiver, as shown.

DESCRIPTION

FIG. 1 is a right front perspective view of a stamp receiver taken from above;
FIG. 2 is a right front perspective view of the stamp receiver taken from under;
FIG. 3 is a front view of the stamp receiver;
FIG. 4 is a rear view of the stamp receiver;
FIG. 5 is a right side view of the stamp receiver and left side view of the stamp receiver is a mirror image thereof;
FIG. 6 is a top plan view of the stamp receiver;
FIG. 7 is a bottom view of the stamp receiver; and,
FIG. 8 is a perspective view of the stamp receiver in which a stamp is received.

The broken line showing of the stamp in FIG. 8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

