



US00D738690S

(12) **United States Design Patent**  
**Spaulding**

(10) **Patent No.:** **US D738,690 S**

(45) **Date of Patent:** **\*\* Sep. 15, 2015**

(54) **THERMAL INSULATOR FOR A BOWL**

(71) Applicant: **Mark Spaulding**, Santa Fe, NM (US)

(72) Inventor: **Mark Spaulding**, Santa Fe, NM (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/441,482**

(22) Filed: **Jan. 6, 2013**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**

USPC ..... **D7/607**

(58) **Field of Classification Search**

USPC ..... D7/607, 619.1-625, 624.2, 300, 387,  
D7/396.1-396.3; 62/457.1-457.9, 529,  
62/530; 220/592.16, 592.17, 592.2,  
220/737-739, 758, 902, 903; 150/901, 154;  
224/677, 607

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |                |           |
|---------------|---------|----------------|-----------|
| 5,598,946 A   | 2/1997  | Davis          |           |
| 5,842,596 A   | 12/1998 | Renfroe        |           |
| 5,904,264 A * | 5/1999  | Yamada et al.  | 220/62.18 |
| D429,447 S    | 8/2000  | Prag           |           |
| 6,152,319 A * | 11/2000 | Kamachi et al. | 220/592.2 |
| D442,833 S    | 5/2001  | Shuman         |           |

|              |         |                    |                |
|--------------|---------|--------------------|----------------|
| D514,897 S * | 2/2006  | Hoffman            | ..... D7/624.2 |
| 7,111,753 B2 | 9/2006  | Scheetz, II et al. |                |
| 7,228,987 B2 | 6/2007  | Jones et al.       |                |
| D605,900 S   | 12/2009 | Bodum              |                |
| D624,366 S   | 9/2010  | Sherron            |                |
| 7,866,358 B1 | 1/2011  | Simms, II          |                |
| D705,611 S * | 5/2014  | Britt et al.       | ..... D7/607   |

\* cited by examiner

*Primary Examiner* — Wan Laymon

*Assistant Examiner* — Mark Booker

(74) *Attorney, Agent, or Firm* — John Brooks Law LLC;  
John J. Brooks, III

(57) **CLAIM**

The ornamental design for a thermal insulator for a bowl, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a thermal insulator for a bowl showing my new design;

FIG. 2 is a front elevational view thereof, the right side, left side and rear elevational view are mirror images of the front elevational view;


FIG. 3 is a front elevational view thereof also illustrating a bowl positioned in the thermal insulator for a bowl;

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

The broken lines shown and described in the figures represent portions of the thermal insulator for a bowl that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5