



US00D464039S

(12) **United States Design Patent** (10) **Patent No.:** **US D464,039 S**
Boesen (45) **Date of Patent:** **** Oct. 8, 2002**

(54) **COMMUNICATION DEVICE**
(76) **Inventor:** **Peter V. Boesen**, 4026 Beaver Ave.,
Des Moines, IA (US) 50310

6,094,492 A 7/2000 Boesen
6,181,801 B1 1/2001 Puthuff et al.

(**) **Term:** **14 Years**

FOREIGN PATENT DOCUMENTS

GB 2 074 817 11/1981

(21) **Appl. No.:** **29/144,121**
(22) **Filed:** **Jun. 26, 2001**

OTHER PUBLICATIONS

Airmagic Wireless Headset User's Guide (not dated).
"Wireless Solutions for Hearing Instruments," by Anton
Bartschi, High Performance Hearing Solutions, vol. 3—Jan.
1999, pp. 48–52.

(51) **LOC (7) Cl.** **14-01**
(52) **U.S. Cl.** **D14/223**
(58) **Field of Search** D14/223, 205,
D14/206, 192, 225; 381/25, 68, 151, 158,
183, 187, 315, 328, 324, 355; D24/174;
379/444, 447, 450; 181/129, 130, 135

* cited by examiner

Primary Examiner—Paula A. Mortimer
(74) *Attorney, Agent, or Firm*—McKee, Voorhees & Sease,
P.L.C.

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS


I claim the ornamental design for a communication device,
substantially as shown.

1,556,775	A	*	10/1925	Fensky	181/130
D141,071	S	*	5/1945	Hechler	D24/174
2,787,670	A	*	4/1957	Rowland	381/324
D185,740	S	*	7/1959	Criswell	D24/174
D213,448	S	*	3/1969	Giller	D24/174
4,150,262	A		4/1979	Ono	
4,334,315	A		6/1982	Ono et al.	
4,588,867	A		5/1986	Konomi	
4,654,883	A		3/1987	Iwata	
4,791,673	A		12/1988	Schreiber	
5,191,602	A		3/1993	Regen et al.	
5,201,007	A		4/1993	Ward et al.	
5,280,524	A		1/1994	Norris	
5,295,193	A		3/1994	Ono	
5,298,692	A		3/1994	Ikeda et al.	
5,343,532	A		8/1994	Shugart, III	
D357,479	S	*	4/1995	Coomans	D14/223
5,420,930	A	*	5/1995	Shugart, III	381/315
5,606,621	A		2/1997	Reiter et al.	
5,721,783	A		2/1998	Anderson	
5,771,438	A		6/1998	Palermo et al.	
D411,540	S		6/1999	Mavrakis et al.	
5,987,146	A		11/1999	Pluvinage et al.	
6,021,207	A		2/2000	Puthuff et al.	

DESCRIPTION

FIG. 1 is a perspective view of the communication device;
FIG. 2 is a front elevational view of the communication
device;
FIG. 3 is a back elevational view of the communication
device;
FIG. 4 is a top elevational view of the communication
device;
FIG. 5 is a bottom elevational view of the communication
device;
FIG. 6 is a right side elevational view of the communication
device; and,
FIG. 7 is a left side elevational view of the communication
device.
The broken line showing of the human form in FIGS. 2 and
6 is for illustrative purposes only and forms no part of the
claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5




Fig. 7




Fig. 6