

(19)
(12)

(KR)
(B1)

(51) 。 Int. Cl. 7
F16M 11/06

(45)
(11)
(24)

2002 05 31
10 - 0339508
2002 05 22

(21) 10 - 1999 - 0030384
(22) 1999 07 26

(65) 2001 - 0011144
(43) 2001 02 15

(73) 298 - 5

298 - 5

(72) 298 - 5

298 - 5

(74)
:

(54)

3

가

1

(Ball Head), (stud bolt), (tripods supports)

1

2 1

3 2

4

5 6

10: 11: 12:

13: 14: 15:

16: "C" 17: 18:

19: 20; 20 - 1:

21:가 22: 23:

24: 25: 26:

30: 31: 32: 33:

()

가

(Ball Head)

가

가 (Ball)

가

가 (, DieCasting)
가

가

가

가

3

가

가

4

가

1
4

2

1

5

3

2

6

가

(11)

(10)

(11)

(12)

(12)

5) () (13) (14) (10) (1

(13) "C" () (16) (12) (17) ,
(17) (18) (18)
(19) (10) (20 - 1) (20) 가 (21) (15)
(22) (23) (24) , (2)

5) (22) (25) (23)가 (23) (26) ,

(20) (30) "C" (31) (32) (33)
(31) (10) (34)

12 - 1 , 16 - 1 , 35 36 , 37 38

1 2 1 3 2
(16) (ball race) (12) (14) (10) (13) "C"
(18) (17) (17) (17)
(15) (22) (19) 가 (21) 가 (19)
(23) (24) (stad bolt)

23) (22) (25) (25) (26) (23)가 (

C" 가 (21) (32) (20) (30) "
(31) (37) (33) (36) (38), ,

(supports)

(33) (37) (10) (32) 4

enter Bolt) (36) (38) (C

7)가
C"

(17) (24)가 (18) (17) (19) 가 'C" (16)
"C" (16) (17) (16,1
3 "

(Bi Axle System) 2 (19)

(24) 가 (24) 가 (19)
(19) (17) (24) (18) 2
(17) 가 (17)
(16)

(23)

(12 - 1) 가 (12) "C" (16) (16 - 1)
(10 - 1) (12) (12) (16 - 1) (12 - 1) 가
90 (12 - 1) 90

"C" (16)가 (12 - 1)

(23)

가 가 (가)
(23) (26) 가 (25) 가

(23) 가 (25) 가 (24)

(34) (31) 360
가 (32) 가

icro tension) 가 , 가 (m

가 2
3
가가

(57)

1.

(11) (10) (11) (12) (12) 가
, ,
(19) (24) (12) , (19)
(23) (19) 가 (21) (20)
(30) "C" (31) (32) (33)

2.

1 ,
(10) (13) "C" (16) (12) (17) (18)
(17) (18) (18)
(19) 가 (21)

3.


1 ,
(19) (22) (23) (24)
(19)

4.


1 3 ,
(22) (25) (23)가 (23)
(25) (26)

5.


1 ,
(20) (30) "C" (31) (32) (33)
1) (34) (3




2




3



4



5



6

