

(19) **DANMARK**

(10) **DK/EP 2380985 T3**



(12) Oversættelse af
europæisk patentskrift

Patent- og
Varemærkestyrelsen

-
- (51) Int.Cl.: **C 12 N 15/68 (2006.01)** **C 12 N 9/04 (2006.01)**
- (45) Oversættelsen bekendtgjort den: **2014-03-17**
- (80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: **2014-01-01**
- (86) Europæisk ansøgning nr.: **11156979.4**
- (86) Europæisk indleveringsdag: **2004-09-23**
- (87) Den europæiske ansøgnings publiceringsdag: **2011-10-26**
- (30) Prioritet: **2003-09-23 US 505527 P**
- (62) Stamansøgningsnr: **04789039.7**
- (84) Designerede stater: **AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR**
- (73) Patenthaver: **University of North Carolina at Chapel Hill, 308 Bynum Hall, Campus Box 4105, Chapel Hill, NC 27599, USA**
- (72) Opfinder: **Stafford, Darrel W., 300 Rainbow Drive, Carrboro, NC 27510, USA**
Li, Tao, 7831 Camino Noguera, San Diego, CA 92122, USA
- (74) Fuldmægtig i Danmark: **Budde Schou A/S, Hausergade 3, 1128 København K, Danmark**
- (54) Benævnelse: **Celler, der udtrykker vitamin K-epoxid-reduktase, samt deres anvendelse**
- (56) Fremdragne publikationer:
WO-A-00/03015
LI TAO ET AL: "Identification of the gene for vitamin K epoxide reductase", NATURE, NATURE PUBLISHING GROUP, LONDON, GB, vol. 427, no. 6974, 5 February 2004 (2004-02-05), pages 541-544, XP002318817, ISSN: 0028-0836
RIEDER M J ET AL: "Homo sapiens vitamin K epoxide reductase complex, subunit 1 (VKORC1) gene, complete cds", EMBL, 11 April 2004 (2004-04-11), XP002391711,
I. MUKHARJI ET AL: "Purification of a Vitamin K Epoxide Reductase That Catalyzes Conversion of Vitamin K 2,3-epoxide to 3-hydroxy-2-methyl-3-phytyl-2,3-dihydronaphthoquinone", PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES, vol. 82, no. 9, 1 May 1985 (1985-05-01), pages 2713-2717, XP55007122, ISSN: 0027-8424, DOI: 10.1073/pnas.82.9.2713
CHRISTINA R. WILSON ET AL: "Species comparison of vitamin K1 2,3-epoxide reductase activity in vitro: kinetics and warfarin inhibition", TOXICOLOGY, vol. 189, no. 3, 1 August 2003 (2003-08-01), pages 191-198, XP55007039, ISSN: 0300-483X, DOI: 10.1016/S0300-483X(03)00133-1
"Human secreted protein #230", EBI,, [Online] 27 December 2002 (2002-12-27), XP007905628, Retrieved from the Internet: URL: <http://www.ebi.ac.uk/cgi-bin/epo/epofetch?ADA57411> & WO 02/102994 A2 (HUMAN GENOME SCIENCES INC [US]; ROSEN CRAIG A [US]; RUBEN STEVEN M [US] 27 December 2002 (2002-12-27)

Description**Field of the Invention**

5 [0001] The present invention concerns host cells containing isolated nucleic encoding Vitamin K epoxide reductase (VKOR) acids, and methods of use thereof.

Background of the Invention

10 [0002] The function of numerous proteins requires the modification of multiple glutamic acid residues to γ -carboxy-glutamate. Among these vitamin K-dependent (VKD) coagulation proteins, FIX (Christmas factor), FVII, and prothrombin are the best known. The observation that a knock-out of the gene for matrix Gla protein results in calcification of the mouse's arteries (Luo et al. (1997) "Spontaneous calcification of arteries and cartilage in mice lacking matrix GLA protein" Nature 386:78-81) emphasizes the importance of the vitamin K cycle for proteins with functions other than coagulation.

15 Moreover, Gas6 and other Gla proteins of unknown function are expressed in neural tissue and warfarin exposure *in utero* results in mental retardation and facial abnormalities. This is consistent with the observation that the expression of VKD carboxylase, the enzyme that accomplishes the Gla modification, is temporally regulated in a tissue-specific manner with high expression in the nervous system during early embryonic stages. Concomitant with carboxylation, reduced vitamin K, a co-substrate of the reaction, is converted to vitamin K epoxide. Because the amount of vitamin K

20 in the human diet is limited, vitamin K epoxide must be converted back to vitamin K by vitamin K epoxide reductase (VKOR) to prevent its depletion. Warfarin, the most widely used anticoagulation drug, targets VKOR and prevents the regeneration of vitamin K. The consequence is a decrease in the concentration of reduced vitamin K, which results in a reduced rate of carboxylation by the γ -glutamyl carboxylase and in the production of undercarboxylated vitamin K-dependent proteins.

25 [0003] In the United States alone, warfarin is prescribed to more than one million patients per year and in Holland, it has been reported that approximately 2% of the population is on long term warfarin therapy. Because the dose of warfarin required for a therapeutic level of anticoagulation varies greatly between patients, the utilization of warfarin is accompanied by a significant risk of side effects. For example, it has been reported that following initiation of warfarin therapy, major bleeding episodes occurred in 1-2% of patients and death occurred in 0.1-0.7 % of patients. In spite of the dangers, it

30 has been estimated that warfarin use can prevent 20 strokes per induced bleeding episode and is probably underutilized because of the fear of induced bleeding.

[0004] The present invention overcomes previous shortcomings in the art by providing methods and compositions for correlating single nucleotide polymorphisms in a subject with an increased or decreased sensitivity to warfarin, thereby allowing for more accurate and rapid determination of therapeutic and maintenance doses of warfarin at reduced risk

35 to the subject.

Summary of the Invention

40 [0005] The present disclosure teaches a method of identifying a human subject having increased or decreased sensitivity to warfarin, comprising detecting in the subject the presence of a single nucleotide polymorphism in the VKOR gene, wherein the single nucleotide polymorphism is correlated with increased or decreased sensitivity to warfarin, thereby identifying the subject having increased or decreased sensitivity to warfarin.

[0006] Additionally provided is a method of identifying a human subject having increased or decreased sensitivity to warfarin, comprising: a) correlating the presence of a single nucleotide polymorphism in the VKOR gene with increased

45 or decreased sensitivity to warfarin; and b) detecting the single nucleotide polymorphism of step (a) in the subject, thereby identifying a subject having increased or decreased sensitivity to warfarin.

[0007] In a further embodiment, the disclosure teaches a method of identifying a single nucleotide polymorphism in the VKOR gene correlated with increased or decreased sensitivity to warfarin, comprising:

- 50 a) identifying a subject having increased or decreased sensitivity to warfarin;
 b) detecting in the subject the presence of a single nucleotide polymorphism in the VKOR gene; and
 c) correlating the presence of the single nucleotide polymorphism of step (b) with the increased or decreased sensitivity to warfarin in the subject, thereby identifying a single nucleotide polymorphism in the VKOR gene correlated with increased or decreased sensitivity to warfarin.
- 55

[0008] In addition, the present disclosure relates to a method of correlating a single nucleotide polymorphism in the VKOR gene of a subject with increased or decreased sensitivity to warfarin, comprising: a) identifying a subject having increased or decreased sensitivity to warfarin; b) determining the nucleotide sequence of the VKOR gene of the subject

of (a); c) comparing the nucleotide sequence of step (b) with the wild type nucleotide sequence of the VKOR gene; d) detecting a single nucleotide polymorphism in the nucleotide sequence of (b); and e) correlating the single nucleotide polymorphism of (d) with increased or decreased sensitivity to warfarin in the subject of (a).

[0009] A further aspect of the present disclosure relates to an isolated nucleic acid encoding vitamin K epoxide reductase (VKOR), particularly mammalian (e.g., human, ovine, bovine, monkey, etc.) VKOR. Examples include (a) nucleic acids as disclosed herein, such as isolated nucleic acids having the nucleotide sequence as set forth in SEQ ID NO: 8 or SEQ ID NO: 9; (b) nucleic acids that hybridize to isolated nucleic acids of (a) above or the complement thereof (e.g., under stringent conditions), and/or have substantial sequence identity to nucleic acids of (a) above (e.g., are 80, 85, 90 95 or 99% identical to nucleic acids of (a) above), and encode a VKOR; and (c) nucleic acids that differ from the nucleic acids of (a) or (b) above due to the degeneracy of the genetic code, but code for a VKOR encoded by a nucleic acid of (a) or (b) above.

[0010] The term "stringent" as used here refers to hybridization conditions that are commonly understood in the art to define the commodities of the hybridization procedure. Stringency conditions can be low, high or medium, as those terms are commonly known in the art and well recognized by one of ordinary skill. High stringency hybridization conditions that will permit homologous nucleotide sequences to hybridize to a nucleotide sequence as given herein are well known in the art. As one example, hybridization of such sequences to the nucleic acid molecules disclosed herein can be carried out in 25% formamide, 5X SSC, 5X Denhardt's solution and 5% dextran sulfate at 42°C, with wash conditions of 25% formamide, 5X SSC and 0.1% SDS at 42°C, to allow hybridization of sequences of about 60% homology. Another example includes hybridization conditions of 6X SSC, 0.1% SDS at about 45°C, followed by wash conditions of 0.2X SSC, 0.1% SDS at 50-65°C. Another example of stringent conditions is represented by a wash stringency of 0.3 M NaCl, 0.03M sodium citrate, 0.1% SDS at 60-70°C using a standard hybridization assay (see SAMBROOK et al., EDS., MOLECULAR CLONING: A LABORATORY MANUAL 2d ed. (Cold Spring Harbor, NY 1989). In various embodiments, stringent conditions can include, for example, highly stringent (i.e., high stringency) conditions (e.g., hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% sodium dodecyl sulfate (SDS), 1 mM EDTA at 65°C., and washing in 0.1xSSC/0.1% SDS at 68°C.), and/or moderately stringent (i.e., medium stringency) conditions (e.g., washing in 0.2xSSC/0.1% SDS at 42°C).

[0011] An additional aspect of the present disclosure relates to a recombinant nucleic acid comprising a nucleic acid encoding vitamin K epoxide reductase as described herein operatively associated with a heterologous promoter.

[0012] A further aspect of the present invention is a cell that contains and expresses a recombinant nucleic acid as defined in the appended claims. Suitable cells include plant, animal, mammal, insect, yeast and bacterial cells.

[0013] A further aspect of the present disclosure relates to an oligonucleotide that hybridizes to an isolated nucleic acid encoding VKOR as described herein.

[0014] A further aspect of the present disclosure concerns isolated and purified VKOR (e.g., VKOR purified to homogeneity) encoded by a nucleic acid as described herein. For example, the VKOR of this disclosure can comprise the amino acid sequence as set forth in SEQ ID NO:10.

[0015] A further aspect of the present invention is a method of making a vitamin K dependent protein which comprises culturing a host cell that expresses a nucleic acid encoding a vitamin K dependent protein as defined in the appended claims in the presence of vitamin K and produces a vitamin K dependent protein, and then harvesting the vitamin K dependent protein from the culture, the host cell containing and expressing a heterologous nucleic acid encoding vitamin K dependent carboxylase, and the host cell further containing and expressing a heterologous nucleic acid encoding vitamin K epoxide reductase (VKOR) and producing VKOR as described herein.

Brief Description of the Drawings

[0016]

Figures 1A-D Comparisons of warfarin dosages in wild type, heterozygous and homozygous subjects for SNPs vk 2581, vk3294 and vk4769, as well as a comparison of warfarin dosages in wild type and heterozygous subjects for P450 2Y9.

Figure 2. For each of the 13 siRNA pools, three T7 flasks containing A549 cells were transfected and VKOR activity determined after 72 h. The VKOR assay used 25 µM vitamin K epoxide. One siRNA pool specific for gene gi: 13124769 reduced VKOR activity by 64%-70% in eight repetitions.

Figure 3. Time course of inhibition of VKOR activity by the siRNA pool specific for gi:13124769 in A549 cells. VKOR activity decreased continuously during this time period while the level of its mRNA decreased rapidly to about 20% of normal. 25 µM vitamin K epoxide was used for this assay. The siRNA did not affect the activity of VKD carboxylase or the level of lamin A/C mRNA.

Figure 4. VKOR activity was detected when mGC_11276 was expressed in Sf9 insect cells. ~1x10⁶ cells were used in this assay. Reactions were performed using 32 µM KO at 30°C for 30 minutes in Buffer D. Blank Sf9 cells served

as a negative control and A549 cells as a reference.

Figure 5. Inhibition of VKOR by warfarin. Reactions were performed using 1.6 mg microsomal proteins made from VKOR_Sf9 cells, 60 μ M KO, and various concentration of warfarin at 30°C for 15 minutes in Buffer D.

Detailed Description of the Invention

[0017] As used herein, "a," "an" or "the" can mean one or more than one. For example, "a" cell can mean a single cell or a multiplicity of cells.

[0018] The present invention is explained in greater detail below. This description is not intended to be a detailed catalog of all the different ways in which the invention may be implemented, or all the features that may be added to the instant invention. For example, features illustrated with respect to one embodiment may be incorporated into other embodiments, and features illustrated with respect to a particular embodiment may be deleted from that embodiment. In addition, numerous variations and additions to the various embodiments suggested herein will be apparent to those skilled in the art in light of the instant disclosure which do not depart from the instant invention. Hence, the following specification is intended to illustrate some particular embodiments of the invention, and not to exhaustively specify all permutations, combinations and variations thereof.

[0019] The "Sequence Listing" attached hereto forms a part of the instant specification as if fully set forth herein.

[0020] The present invention may be carried out based on the instant disclosure and further utilizing methods, components and features known in the art, including but not limited to those described in US Patent No. 5,268,275 to Stafford and Wu and US Patent No. 6,531,298 to Stafford and Chang.

[0021] As used herein, "nucleic acids" encompass both RNA and DNA, including cDNA, genomic DNA, synthetic (e.g., chemically synthesized) DNA and chimeras of RNA and DNA. The nucleic acid may be double-stranded or single-stranded. Where single-stranded, the nucleic acid may be a sense strand or an antisense strand. The nucleic acid may be synthesized using oligonucleotide analogs or derivatives (e.g., inosine or phosphorothioate nucleotides). Such oligonucleotides can be used, for example, to prepare nucleic acids that have altered base-pairing abilities or increased resistance to nucleases.

[0022] An "isolated nucleic acid" is a DNA or RNA that is not immediately contiguous with both of the coding sequences with which it is immediately contiguous (one on the 5' end and one on the 3' end) in the naturally occurring genome of the organism from which it is derived. Thus, in one embodiment, an isolated nucleic acid includes some or all of the 5' non-coding (e.g., promoter) sequences that are immediately contiguous to the coding sequence. The term therefore includes, for example, a recombinant DNA that is incorporated into a vector, into an autonomously replicating plasmid or virus, or into the genomic DNA of a prokaryote or eukaryote, or which exists as a separate molecule (e.g., a cDNA or a genomic DNA fragment produced by PCR or restriction endonuclease treatment), independent of other sequences. It also includes a recombinant DNA that is part of a hybrid gene encoding an additional polypeptide sequence.

[0023] The term "isolated" can refer to a nucleic acid or polypeptide that is substantially free of cellular material, viral material, or culture medium (when produced by recombinant DNA techniques), or chemical precursors or other chemicals (when chemically synthesized). Moreover, an "isolated nucleic acid fragment" is a nucleic acid fragment that is not naturally occurring as a fragment and would not be found in the natural state.

[0024] The term "oligonucleotide" refers to a nucleic acid sequence of at least about six nucleotides to about 100 nucleotides, for example, about 15 to 30 nucleotides, or about 20 to 25 nucleotides, which can be used, for example, as a primer in a PCR amplification or as a probe in a hybridization assay or in a microarray. Oligonucleotides may be natural or synthetic, e.g., DNA, RNA, modified backbones, etc.

[0025] Where a particular nucleotide sequence is said to have a specific percent identity to a reference nucleotide sequence, the percent identity is relative to the reference nucleotide sequence. For example, a nucleotide sequence that is 50%, 75%, 85%, 90%, 95% or 99% identical to a reference nucleotide sequence that is 100 bases long can have 50, 75, 85, 90, 95 or 99 bases that are completely identical to a 50, 75, 85, 90, 95 or 99 nucleotide sequence of the reference nucleotide sequence. The nucleotide sequence can also be a 100 base long nucleotide sequence that is 50%, 75%, 85%, 90%, 95% or 99% identical to the reference nucleotide sequence over its entire length. Of course, there are other nucleotide sequences that will also meet the same criteria.

[0026] A nucleic acid sequence that is "substantially identical" to a VKOR nucleotide sequence is at least 80%, 85%, 90%, 95% or 99% identical to the nucleotide sequence of SEQ ID NO:8 or 9. For purposes of comparison of nucleic acids, the length of the reference nucleic acid sequence will generally be at least 40 nucleotides, e.g., at least 60 nucleotides or more nucleotides. Sequence identity can be measured using sequence analysis software (e.g., Sequence Analysis Software Package of the Genetics Computer Group, University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, Wis. 53705).

[0027] As is known in the art, a number of different programs can be used to identify whether a nucleic acid or amino acid has sequence identity or similarity to a known sequence. Sequence identity or similarity may be determined using standard techniques known in the art, including, but not limited to, the local sequence identity algorithm of Smith &

Waterman, Adv. Appl. Math. 2, 482 (1981), by the sequence identity alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48,443 (1970), by the search for similarity method of Pearson & Lipman, Proc. Natl. Acad. Sci. USA 85,2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Drive, Madison, WI), the Best Fit sequence program described by Devereux et al., Nucl. Acid Res. 12, 387-395 (1984), preferably using the default settings, or by inspection.

[0028] An example of a useful algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments. It can also plot a tree showing the clustering relationships used to create the alignment. PILEUP uses a simplification of the progressive alignment method of Feng & Doolittle, J. Mol. Evol. 35, 351-360 (1987); the method is similar to that described by Higgins & Sharp, CABIOS 5,151-153 (1989).

[0029] Another example of a useful algorithm is the BLAST algorithm, described in Altschul et al., J. Mol. Biol. 215, 403-410, (1990) and Karlin et al., Proc. Natl. Acad. Sci. USA 90, 5873-5787 (1993). A particularly useful BLAST program is the WU-BLAST-2 program that was obtained from Altschul et al., Methods in Enzymology, 266, 460-480 (1996). WU-BLAST-2 uses several search parameters, which are preferably set to the default values. The parameters are dynamic values and are established by the program itself depending upon the composition of the particular sequence and composition of the particular database against which the sequence of interest is being searched; however, the values may be adjusted to increase sensitivity. An additional useful algorithm is gapped BLAST as reported by Altschul et al. Nucleic Acids Res. 25, 3389-3402.

[0030] The CLUSTAL program can also be used to determine sequence similarity. This algorithm is described by Higgins et al. (1988) Gene 73:237; Higgins et al. (1989) CABIOS 5:151-153; Carpet et al. (1988) Nucleic Acids Res. 16: 10881-90; Huang et al. (1992) CABIOS 8: 155-65; and Pearson et al. (1994) Meth. Mol. Biol. 24: 307-331.

[0031] In addition, for sequences that contain either more or fewer nucleotides than the nucleic acids disclosed herein, it is understood that in one embodiment, the percentage of sequence identity will be determined based on the number of identical nucleotides in relation to the total number of nucleotide bases. Thus, for example, sequence identity of sequences shorter than a sequence specifically disclosed herein will be determined using the number of nucleotide bases in the shorter sequence, in one embodiment. In percent identity calculations, relative weight is not assigned to various manifestations of sequence variation, such as, insertions, deletions, substitutions, etc.

[0032] The VKOR polypeptides of the disclosure include, but are not limited to, recombinant polypeptides, synthetic peptides and natural polypeptides. The invention also encompasses nucleic acid sequences that encode forms of VKOR polypeptides in which naturally occurring amino acid sequences are altered or deleted. Preferred nucleic acids encode polypeptides that are soluble under normal physiological conditions. Also within the disclosure are nucleic acids encoding fusion proteins in which all or a portion of VKOR is fused to an unrelated polypeptide (e.g., a marker polypeptide or a fusion partner) to create a fusion protein. For example, the polypeptide, can be fused to a hexa-histidine tag to facilitate purification of bacterially expressed polypeptides, or to a hemagglutinin tag to facilitate purification of polypeptides expressed in eukaryotic cells, or to an HPC4 tag to facilitate purification of polypeptides by affinity chromatography or immunoprecipitation. The disclosure also includes isolated polypeptides (and the nucleic acids that encode these polypeptides) that include a first portion and a second portion; the first portion includes, e.g., all or a portion of a VKOR polypeptide, and the second portion includes, e.g., a detectable marker.

[0033] The fusion partner can be, for example, a polypeptide that facilitates secretion, e.g., a secretory sequence. Such a fused polypeptide is typically referred to as a preprotein. The secretory sequence can be cleaved by the cell to form the mature protein. Also within the disclosure are nucleic acids that encode VKOR fused to a polypeptide sequence to produce an inactive preprotein. Preproteins can be converted into the active form of the protein by removal of the inactivating sequence.

[0034] The disclosure also includes nucleic acids that hybridize, e.g., under stringent hybridization conditions (as defined herein) to all or a portion of the nucleotide sequence of SEQ ID NOS: 1-6, 8 or 9 or their complements. In particular embodiments, the hybridizing portion of the hybridizing nucleic acid is typically at least 15 (e.g., 20, 30, or 50) nucleotides in length. The hybridizing portion of the hybridizing nucleic acid is at least 80%, e.g., at least 95%, at least 98% or 100%, identical to the sequence of a portion or all of a nucleic acid encoding a VKOR polypeptide. Hybridizing nucleic acids of the type described herein can be used, for example, as a cloning probe, a primer (e.g., a PCR primer), or a diagnostic probe. Also included within the disclosure are small inhibitory RNAs (siRNAs) and/or antisense RNAs that inhibit the function of VKOR, as determined, for example, in an activity assay, as described herein and as is known in the art.

[0035] The invention features cells, e.g., transformed cells, that contain a nucleic acid as defined in the appended claims. A "transformed cell" is a cell into which (or into an ancestor of which) has been introduced, by means of recombinant nucleic acid techniques, a nucleic acid encoding all or a part of a VKOR polypeptide, and/or an antisense nucleic acid or siRNA. Both prokaryotic and eukaryotic cells are included, e.g., bacteria, yeast, insect, mouse, rat, human, plant and the like.

[0036] The disclosure also features nucleic acid constructs (e.g., vectors and plasmids) that include a nucleic acid of the invention that is operably linked to a transcription and/or translation control elements to enable expression, e.g.,

expression vectors. By "operably linked" is meant that a selected nucleic acid, e.g., a DNA molecule encoding a VKOR polypeptide, is positioned adjacent to one or more regulatory elements, e.g., a promoter, which directs transcription and/or translation of the sequence such that the regulatory elements can control transcription and/or translation of the selected nucleic acid

[0037] The present disclosure further relates to fragments or oligonucleotides of the nucleic acids of this invention, which can be used as primers or probes. Thus, in some embodiments, a fragment or oligonucleotide of this invention is a nucleotide sequence that is at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 125, 150, 175, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 1000, 1500, 2000, 2500 or 3000 contiguous nucleotides of the nucleotide sequence set forth in SEQ ID NO:8 or SEQ ID NO:9. Examples of oligonucleotides of this disclosure are contained in the Sequence Listing included herewith. Such fragments or oligonucleotides can be detectably labeled or modified, for example, to include and/or incorporate a restriction enzyme cleavage site when employed as a primer in an amplification (e.g., PCR) assay.

[0038] The disclosure also features purified or isolated VKOR polypeptides, such as, for example, a polypeptide comprising, consisting essentially of and/or consisting of the amino acid sequence of SEQ ID NO:10 or a biologically active fragment or peptide thereof. Such fragments or peptides are typically at least about ten amino acids of the amino acid sequence of SEQ ID NO:10 (e.g., 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 75, 85, 95, 100, 125, or 150 amino acids of the amino acid sequence of SEQ ID NO:10) and can be peptides or fragment of contiguous amino acids of the amino acid sequence of the VKOR protein (e.g., as set forth in SEQ ID NO:10). The biological activity of a fragment or peptide of this invention can be determined according to the methods provided herein and as are known in the art for identifying VKOR activity. The fragments and peptides of the VKOR protein of this disclosure can also be active as antigens for the production of antibodies. The identification of epitopes on a fragment or peptide of this disclosure is carried out by well known protocols and would be within the ordinary skill of one in the art.

[0039] As used herein, both "protein" and "polypeptide" mean any chain of amino acids, regardless of length or post-translational modification (e.g., glycosylation, phosphorylation or N-myristylation). Thus, the term "VKOR polypeptide" includes full-length, naturally occurring VKOR proteins, respectively, as well as recombinantly or synthetically produced polypeptides that correspond to a full-length, naturally occurring VKOR protein, or to a portion of a naturally occurring or synthetic VKOR polypeptide.

[0040] A "purified" or "isolated" compound or polypeptide is a composition that is at least 60% by weight the compound of interest, e.g., a VKOR polypeptide or antibody that is separated or substantially free from at least some of the other components of the naturally occurring organism or virus, for example, the cell or viral structural components or other polypeptides or nucleic acids commonly found associated with the polypeptide. As used herein, the "isolated" polypeptide is at least about 25%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 97%, 98%, 99% or more pure (w/w). Preferably the preparation is at least 75% (e.g., at least 90% or 99%) by weight the compound of interest. Purity can be measured by any appropriate standard method, e.g., column chromatography, polyacrylamide gel electrophoresis, or HPLC analysis.

[0041] Preferred VKOR polypeptides include a sequence substantially identical to all or a portion of a naturally occurring VKOR polypeptide. Polypeptides "substantially identical" to the VKOR polypeptide sequences described herein have an amino acid sequence that is at least 80% or 85% (e.g., 90%, 95% or 99%) identical to the amino acid sequence of the VKOR polypeptides of SEQ ID NO: 10. For purposes of comparison, the length of the reference VKOR polypeptide sequence will generally be at least 16 amino acids, e.g., at least 20, 25, 30, 35, 40, 45, 50, 75, or 100 amino acids.

[0042] In the case of polypeptide sequences that are less than 100% identical to a reference sequence, the non-identical positions are preferably, but not necessarily, conservative substitutions for the reference sequence. Conservative substitutions typically include, but are not limited to, substitutions within the following groups: glycine and alanine; valine, isoleucine, and leucine; aspartic acid and glutamic acid; asparagine and glutamine; serine and threonine; lysine and arginine; and phenylalanine and tyrosine.

[0043] Where a particular polypeptide is said to have a specific percent identity to a reference polypeptide of a defined length, the percent identity is relative to the reference polypeptide. Thus, for example, a polypeptide that is 50%, 75%, 85%, 90%, 95% or 99% identical to a reference polypeptide that is 100 amino acids long can be a 50, 75, 85, 90, 95 or 99 amino acid polypeptide that is completely identical to a 50, 75, 85, 90, 95 or 99 amino acid long portion of the reference polypeptide. It can also be a 100 amino acid long polypeptide that is 50%, 75%, 85%, 90%, 95% or 99% identical to the reference polypeptide over its entire length. Of course, other polypeptides also will meet the same criteria.

[0044] The disclosure also features purified or isolated antibodies that specifically bind to a VKOR polypeptide of this invention or to a fragment thereof. By "specifically binds" is meant that an antibody recognizes and binds a particular antigen, e.g., a VKOR polypeptide, or an epitope on a fragment or peptide of a VKOR polypeptide, but does not substantially recognize and bind other molecules in a sample. In one embodiment the antibody is a monoclonal antibody and in other embodiments, the antibody is a polyclonal antibody. The production of both monoclonal and polyclonal antibodies, including chimeric antibodies, humanized antibodies, single chain antibodies, bi-specific antibodies, antibody fragments, etc., is well known in the art.

[0045] In another aspect, the disclosure features a method for detecting a VKOR polypeptide in a sample. This method

comprises contacting the sample with an antibody that specifically binds a VKOR polypeptide or a fragment thereof under conditions that allow the formation of a complex between an antibody and VKOR; and detecting the formation of a complex, if any, as detection of a VKOR polypeptide or fragment thereof in the sample. Such immunoassays are well known in the art and include immunoprecipitation assays, immunoblotting assays, immunolabeling assays, ELISA, etc.

[0046] The present disclosure also relates to a method of detecting a nucleic acid encoding a VKOR polypeptide in a sample, comprising contacting the sample with a nucleic acid of this invention that encodes VKOR or a fragment thereof, or a complement of a nucleic acid that encodes VKOR or a fragment thereof, under conditions whereby a hybridization complex can form, and detecting formation of a hybridization complex, thereby detecting a nucleic acid encoding a VKOR polypeptide in a sample. Such hybridization assays are well known in the art and include probe detection assays and nucleic acid amplification assays.

[0047] Also encompassed by the invention is a method of obtaining a gene related to (i.e., a functional homologue of) the VKOR gene. Such a method entails obtaining or producing a detectably-labeled probe comprising an isolated nucleic acid which encodes all or a portion of VKOR, or a homolog thereof; screening a nucleic acid fragment library with the labeled probe under conditions that allow hybridization of the probe to nucleic acid fragments in the library, thereby forming nucleic acid duplexes; isolating labeled duplexes, if any; and preparing a full-length gene sequence from the nucleic acid fragments in any labeled duplex to obtain a gene related to the VKOR gene.

[0048] A further aspect of the present invention is a method of making a vitamin K dependent protein which comprises culturing a host cell that expresses a nucleic acid encoding a vitamin K dependent protein as defined in the appended claims in the presence of vitamin K and produces a vitamin K dependent protein, and then harvesting the vitamin K dependent protein from the culture, the host cell containing and expressing a heterologous nucleic acid encoding vitamin K dependent carboxylase, and the host cell further containing and expressing a heterologous nucleic acid encoding vitamin K epoxide reductase (VKOR) and producing VKOR as described herein. The expression of the VKOR-encoding nucleic acid and the production of the VKOR causes the cell to produce greater levels of the vitamin K dependent protein than would be produced in the absence of the VKOR.

[0049] Thus, in some embodiments, the present invention also provides a method of producing a vitamin K dependent protein, comprising:

a) introducing into a cell a nucleic acid that encodes a vitamin K dependent protein as defined in the appended claims under conditions whereby the nucleic acid is expressed and the vitamin K dependent protein is produced in the presence of vitamin K, wherein the cell comprises a heterologous nucleic acid encoding vitamin K dependent carboxylase and further comprises a heterologous nucleic acid encoding vitamin K epoxide reductase; and

b) optionally collecting the vitamin K dependent protein from the cell. The vitamin K dependent protein that can be produced can be any vitamin K dependent protein now known or later identified as such, including but not limited to Factor VII, Factor IX, Factor X, Protein C, Protein S and prothrombin, in any combination. Any host cell that can be transformed with the nucleic acids described can be used as described herein, although in some embodiments non-human or even non-mammalian host cells can be used. Nucleic acids encoding vitamin K dependent carboxylase and nucleic acids encoding vitamin K dependent proteins as described herein are well known in the art and their introduction into cells for expression would be carried out according to routine protocols.

[0050] Certain embodiments of this disclosure are based on the inventors' discovery that a subject's therapeutic dose of warfarin for anticoagulation therapy can be correlated with the presence of one or more single nucleotide polymorphisms in the VKOR gene of the subject. Thus, the present disclosure also relates to a method of identifying a human subject having increased or decreased sensitivity to warfarin, comprising detecting in the subject the presence of a single nucleotide polymorphism (SNP) in the VKOR gene, wherein the single nucleotide polymorphism is correlated with increased or decreased sensitivity to warfarin, thereby identifying the subject as having increased or decreased sensitivity to warfarin.

[0051] An example of a SNP correlated with an increased sensitivity to warfarin is a G→C alteration at nucleotide 2581 (SEQ ID NO:12) (in intron 2 of the VKOR gene; GenBank accession no. refSNP ID: rs8050894) of the nucleotide sequence of SEQ ID NO:11, which is a reference sequence encompassing the genomic sequence of SEQ ID NO:8 and approximately 1000 nucleotides preceding and following this sequence. This sequence can be located as having the genome position "human chromosome 16p11.2" or in the physical map in the NCBI database as human chromosome 16: 31009700-31013800.

[0052] Examples of SNPs correlated with a decreased sensitivity to warfarin are a T→C alteration at nucleotide 3294 (SEQ ID NO:13) (in intron 2 of the VKOR gene; GenBank accession no. refSNP ID: rs2359612) of the nucleotide sequence of SEQ ID NO:11 and a G→A alteration at nucleotide 4769 (SEQ ID NO:14) (in the 3' UTR of the VKOR gene; GenBank accession no. refSNP ID: rs7294) of the nucleotide sequence of SEQ ID NO:11.

[0053] As used herein, a subject having an "increased sensitivity to warfarin" is a subject for whom a suitable therapeutic or maintenance dose of warfarin is lower than the therapeutic or maintenance dose of warfarin that would be suitable for

a normal subject, i.e., a subject who did not carry a SNP in the VKOR gene that imparts a phenotype of increased sensitivity to warfarin. Conversely, as used herein, a subject having a "decreased sensitivity to warfarin" is a subject for whom a suitable therapeutic or maintenance dose of warfarin is higher than the therapeutic or maintenance dose of warfarin that would be suitable for a normal subject, i.e., a subject who did not carry a SNP in the VKOR gene that imparts a phenotype of decreased sensitivity to warfarin. An example of a typical therapeutic dose of warfarin for a normal subject is 35 mg per week, although this amount can vary (e.g., a dose range of 3.5 to 420 mg per week is described in Aithal et al. (1999) Lancet 353:717-719). A typical therapeutic dose of warfarin can be determined for a given study group according to the methods described herein, which can be used to identify subjects with therapeutic warfarin doses above or below this dose, thereby identifying subjects having decreased or increased sensitivity to warfarin.

[0054] Further disclosed herein is a method of identifying a human subject having increased or decreased sensitivity to warfarin, comprising: a) correlating the presence of a single nucleotide polymorphism in the VKOR gene with increased or decreased sensitivity to warfarin; and b) detecting the single nucleotide polymorphism of step (a) in the subject, thereby identifying a subject having increased or decreased sensitivity to warfarin.

[0055] In addition, the present disclosure relates to a method of identifying a single nucleotide polymorphism in the VKOR gene correlated with increased or decreased sensitivity to warfarin, comprising: a) identifying a subject having increased or decreased sensitivity to warfarin; b) detecting in the subject the presence of a single nucleotide polymorphism in the VKOR gene; and c) correlating the presence of the single nucleotide polymorphism of step (b) with the increased or decreased sensitivity to warfarin in the subject, thereby identifying a single nucleotide polymorphism in the VKOR gene correlated with increased or decreased sensitivity to warfarin.

[0056] Also disclosed herein is a method of correlating a single nucleotide polymorphism in the VKOR gene of a subject with increased or decreased sensitivity to warfarin, comprising: a) identifying a subject having increased or decreased sensitivity to warfarin; b) determining the nucleotide sequence of the VKOR gene of the subject of (a); c) comparing the nucleotide sequence of step (b) with the wild type nucleotide sequence of the VKOR gene; d) detecting a single nucleotide polymorphism in the nucleotide sequence of (b); and e) correlating the single nucleotide polymorphism of (d) with increased or decreased sensitivity to warfarin in the subject of (a).

[0057] A subject is identified as having an increased or decreased sensitivity to warfarin by establishing a therapeutic or maintenance dose of warfarin for anticoagulation therapy according to well known protocols and comparing the therapeutic or maintenance dose for that subject with the therapeutic or maintenance dose of warfarin for anticoagulation therapy of a population of normal subjects (e.g., subjects lacking any SNPs in the VKOR gene correlated with increased or decreased sensitivity to warfarin) from which an average or mean therapeutic or maintenance dose of warfarin is calculated. A subject having a therapeutic or maintenance dose of warfarin that is below the average therapeutic or maintenance dose of warfarin (e.g., the dose of warfarin that is therapeutic or provides a maintenance level for a subject that has a wild type VKOR gene, i.e., lacking any single nucleotide polymorphisms associated with warfarin sensitivity) is a subject identified as having an increased sensitivity to warfarin. A subject having a therapeutic or maintenance dose of warfarin that is above the average therapeutic or maintenance of warfarin is a subject identified as having a decreased sensitivity to warfarin. An average therapeutic or maintenance dose of warfarin for a subject with a wild type VKOR gene would be readily determined by one skilled in the art.

[0058] The nucleotide sequence of the VKOR gene of a subject is determined according to methods standard in the art, and as described in the Examples provided herein. For example, genomic DNA is extracted from cells of a subject and the VKOR gene is located and sequenced according to known protocols. Single nucleotide polymorphisms in the VKOR gene are identified by a comparison of a subject's sequence with the wild type sequence as known in the art (e.g., the reference sequence as shown herein as SEQ ID NO:11).

[0059] A SNP in the VKOR gene is correlated with an increased or decreased sensitivity to warfarin by identifying the presence of a SNP or multiple SNPs in the VKOR gene of a subject also identified as having increased or decreased sensitivity to warfarin, i.e., having a maintenance or therapeutic dose of warfarin that is above or below the average dose and performing a statistical analysis of the association of the SNP or SNPs with the increased or decreased sensitivity to warfarin, according to well known methods of statistical analysis. An analysis that identifies a statistical association (e.g., a significant association) between the SNP(s) (genotype) and increased or decreased warfarin sensitivity (phenotype) establishes a correlation between the presence of the SNP(s) in a subject and an increased or decreased sensitivity to warfarin in that subject.

[0060] It is contemplated that a combination of factors, including the presence of one or more SNPs in the VKOR gene of a subject, can be correlated with an increased or decreased sensitivity to warfarin in that subject. Such factors can include, but are not limited to cytochrome p450 2C9 polymorphisms, race, age, gender, smoking history and hepatic disease.

[0061] Thus, the present disclosure also relates to a method of identifying a human subject having increased or decreased sensitivity to warfarin, comprising identifying in the subject the presence of a combination of factors correlated with an increased or decreased sensitivity to warfarin selected from the group consisting of one or more single nucleotide polymorphisms of the VKOR gene, one or more cytochrome p450 2C9 polymorphisms, race, age, gender, smoking

history, hepatic disease and any combination of two or more of these factors, wherein the combination of factors is correlated with increased or decreased sensitivity to warfarin, thereby identifying the subject having increased or decreased sensitivity to warfarin.

[0062] Further disclosed herein is a method of identifying a human subject having increased or decreased sensitivity to warfarin, comprising: a) correlating the presence of a combination of factors with an increased or decreased sensitivity to warfarin, wherein the factors are selected from the group consisting of one or more single nucleotide polymorphisms of the VKOR gene, one or more cytochrome p450 2C9 polymorphisms, race, age, gender, smoking history, hepatic disease and any combination of two or more of these factors; and b) detecting the combination of factors of step (a) in the subject, thereby identifying a subject having increased or decreased sensitivity to warfarin.

[0063] In addition, the present disclosure relates to a method of identifying a combination of factors correlated with an increased or decreased sensitivity to warfarin, wherein the factors are selected from the group consisting of one or more single nucleotide polymorphisms of the VKOR gene, one or more cytochrome p450 2C9 polymorphisms, race, age, gender, smoking history, hepatic disease and any combination of two or more of these factors, comprising: a) identifying a subject having increased or decreased sensitivity to warfarin; b) detecting in the subject the presence of a combination of the factors; and c) correlating the presence of the combination of factors of step (b) with the increased or decreased sensitivity to warfarin in the subject, thereby identifying a combination of factors correlated with increased or decreased sensitivity to warfarin.

[0064] Also disclosed herein is a method of correlating a combination of factors, wherein the factors are selected from the group consisting of one or more single nucleotide polymorphisms of the VKOR gene, one or more cytochrome p450 2C9 polymorphisms, race, age, gender, smoking history, hepatic disease and any combination of two or more of these factors, with increased or decreased sensitivity to warfarin, comprising: a) identifying a subject having increased or decreased sensitivity to warfarin; b) identifying the presence of a combination of the factors in the subject; and c) correlating the combination of the factors of (b) with increased or decreased sensitivity to warfarin in the subject of (a).

[0065] A combination of factors as described herein is correlated with an increased or decreased sensitivity to warfarin by identifying the presence of the combination of factors in a subject also identified as having increased or decreased sensitivity to warfarin and performing a statistical analysis of the association of the combination of factors with the increased or decreased sensitivity to warfarin, according to well known methods of statistical analysis. An analysis that identifies a statistical association (e.g., a significant association) between the combination of factors and the warfarin sensitivity phenotype (increased or decreased) establishes a correlation between the presence of the combination of factors in a subject and an increased or decreased sensitivity to warfarin in that subject.

[0066] Further provided herein are nucleic acids encoding VKOR and comprising one or more SNPs as described herein. Thus, the present disclosure further relates to nucleic acids comprising, consisting essentially of and/or consisting of the nucleotide sequence as set forth in SEQ ID NOs: 12, 13, 14, 15 and 16. The nucleic acids can be present in a vector and the vector can be present in a cell. Further included are proteins encoded by a nucleic acid comprising a nucleotide sequence as set forth in SEQ ID NOs: 12, 13, 14, 15 and 16, as well as antibodies that specifically bind a protein encoded by a nucleic acid comprising a nucleotide sequence as set forth in SEQ ID NOs: 12, 13, 14, 15 and 16.

EXAMPLES

EXAMPLE I CORRELATION BETWEEN SNPS IN VKOR GENE AND INCREASED OR DECREASED SENSITIVITY TO WARFARIN

[0067] The most prevalent isoform of the VKOR gene is about 4 kb long, has three exons and encodes an enzyme of 163 amino acids with a mass of 18.4 kDa. In the present study, three mutations vk2581 (G>C), vk3294 (T>C) and vk4769 (G>A), identified as SNPs (heterozygosity ratios of 46.9%, 46.8% and 46.3%, respectively) were examined for a correlation between their presence in a subject and the maintenance dose of warfarin required to achieve a therapeutically effective response.

1. Selection of subjects

[0068] Subjects were obtained from the UNC Coagulation Clinic in the Ambulatory Care Center. Informed consent was obtained by a trained genetic counselor. Subjects not fluent in English were excluded because of the lack of translators and the requirement for consent. To qualify for the study, subjects had warfarin for at least six months, were older than 18 and were followed by the UNC Coagulation clinic at the Ambulatory Care Clinic.

2. Extraction of genomic DNA from whole blood

[0069] Genomic DNAs were extracted from the whole blood of subjects using QIAamp DNA Blood Mini Kit (QIAGEN

EP 2 380 985 B1

cat#51104). The DNA concentration was adjusted to 10 ng/μL.

3. Sequencing of the genomic DNA samples

[0070] Approximately 10 ng of DNA was used for polymerase chain reaction (PCR) assays. The primers used to amplify the VKOR gene were: Exon 1-5' CCAATCGCCGAGTCAGAGG (SEQ ID NO:29) and Exon 1-3' CCCAGTCCCCAGCACTGTCT (SEQ ID NO:30) for the 5'-UTR and Exon 1 region; Exon 2-5' AGGGGAGGATAGGGTCAGTG (SEQ ID NO:31) and Exon 2-3' CCTGTTAGTTACCTCCCCACA (SEQ ID NO:32) for the Exon 2 region; and Exon 3-5' ATACGTGCGTAAGCCACCAC (SEQ ID NO:33) and Exon 3-3' ACCCAGATATGCCCCCTTAG (SEQ ID NO:34) for the Exon3 and 3'-UTR region. Automated high throughput capillary electrophoresis DNA sequencing was used for detecting SNPs in the VKOR gene.

4. Detection of known SNPs using real-time PCR

[0071] The assay reagents for SNP genotyping were from the Assay-by-Design™ service (Applied Biosystems, cat#4332072). The primers and probes (FAM™ and VIC™ dye-labeled) were designed using Primer Express software and were synthesized in an Applied Biosystems synthesizer. The primer pairs for each SNP are located at the upstream/downstream position of the SNP site and can generate less than 100 bp length of a DNA fragment in the PCR reaction. The FAM™ and VIC™ dye-labeled probes were designed to cover the SNP sites with a length of 15-16 nt. The primer and probe sequences for each VKOR SNP are shown in Table 2.

[0072] The 2X TaqMan™ Universal PCR Master Mix, No AmpErase UNG (Applied Biosystems, cat#4324018) was used in the PCR reactions. Forty cycles of real-time PCR were performed in an Opticon II (MJ Research) machine. There was a 10 minute 95°C preheat followed by 92°C for 15 sec, 60°C for 1 min. and then a plate reading. The results were read according to the signal value of FAM and VIC dye.

5. Statistical analysis

[0073] The difference of average dose between different genotypes was compared by analysis of variance (ANOVA) using SAS version 8.0 (SAS, Inc., Cary, NC). A two-sided p value less than 0.05 was considered significant. Examination of the distribution and residuals for the average dose of treatment among the SNP groups indicated that a log transformation was necessary to satisfy the assumption of homogeneity of variance.

6. Correlation of SNPs with warfarin dosage

[0074] By direct genomic DNA sequencing and SNP real-time PCR detection, five SNPs were identified in the VKOR gene: one in the 5'-UTR, two in intron II, one in the coding region and one in the 3'-UTR (Table 1).

[0075] Among these SNPs, the vk563 and vk4501 SNPs allele were carried by only one of the 58 subjects of the study (a triple heterozygous, also carrying the 3'-UTR SNP allele), while the other SNPs were identified in 17-25 heterozygous patients.

[0076] Each marker was first analyzed independently. Figure 1A shows that the average warfarin dose for patients with the vk2581 wild type allele was 50.19 ± 3.20 mg per week (n=26), while those heterozygous and homozygous for this polymorphism were 35.19 ± 3.73 (n=17) and 31.14 ± 6.2 mg per week (n=15), respectively. Figure 1 B shows that the average warfarin dose for patients with the wild-type vk3294 allele was 25.29 ± 3.05 mg per week (n=11), while patients bearing the heterozygous and homozygous alleles were 41.68 ± 4.92 (n=25) and 47.73 ± 2.75 mg per week (n=22), respectively. Figure 1C shows the average warfarin dose for patients with vk4769 SNP wild type was 35.35 ± 4.01 mg per week (n=27), while patients with the heterozygous and homozygous alleles required 44.48 ± 4.80 (n=19) and 47.56 ± 3.86 mg per week (n=12), respectively. It was also observed that P450 2C9 *3 has a significant effect on warfarin dose (Figure 1 D), as previously reported (Joffe et al. (2004) "Warfarin dosing and cytochrome P450 2C9 polymorphism" Thromb Haemost 91:1123-1128). The average warfarin dose for patients with P450 2C9*1 (wild type) was 43.82 ± 2.75 mg per week (n=50), while patients heterozygous for this allele required 22.4 ± 4.34 mg per week (n=8).

7. Statistical analysis

[0077] The association of the Loge (warfarin average dosage)(LnDose) with the SNPs in the VKOR gene was examined by analysis of variance (ANOVA). SAS was used first to do a repeated procedure in which a series of factors (race, gender, smoking history, hepatic diseases, SNPs at cytochrome P450 2Y9 gene, etc.) were examined to identify factors,

EP 2 380 985 B1

excluding VKOR SNPs, which might affect dosage. P450 2C9 *3 was significantly associated with the average dose of warfarin; thus, it was included as a covariant for further analysis. The analysis indicated that the three VKOR SNPs were still significantly associated with weekly warfarin dose (vk2581, $P < 0.0001$; vk3294, $P < 0.0001$; and vk4769, $P = 0.0044$), when the covariance is included.

[0078] To specifically test if the three SNPs of VKOR were independently associated with warfarin dosage, the analysis was repeated in which two SNPs in the VKOR gene were included as covariates for the other SNP. The three VKOR SNPs are located within 2 kb distance of one another and are expected to be closely linked. It was clear from inspection that, at least for Caucasians, one haplotype (where A=vk2581 guanine and a=vk2581 cytosine; B=vk3294 thymine and b=vk3294 cytosine; C=vk4769 guanine and c=vk4769 adenine) was AAbbcc and another aaBBCC. The distribution of individual SNPs in patients was found to be significantly correlated with the others ($R = 0.63-0.87$, $p < 0.001$). Indeed, subjects with the haplotype AAbbcc ($n = 7$) required a significantly higher dosage of warfarin (warfarin dosage = 48.98 ± 3.93) compared to those patients with haplotype aaBBCC (25.29 ± 3.05 ; $p < 0.001$).

EXAMPLE 2 siRNA DESIGN AND SYNTHESIS

[0079] siRNAs were selected using an advanced version of a rational design algorithm (Reynolds et al. (2004) "Rational siRNA design for RNA interference" *Nature Biotechnology* 22:326-330). For each of the 13 genes, four siRNAs duplexes with the highest scores were selected and a BLAST search was conducted using the Human EST database. To minimize the potential for off-target silencing effects, only those sequence targets with more than three mismatches against unrelated sequences were selected (Jackson et al. (2003) "Expression profiling reveals off-target gene regulation by RNAi" *Nat Biotechnol* 21:635-7). All duplexes were synthesized in Dharmacon (Lafayette, CO) as 21-mers with UU overhangs using a modified method of 2'-ACE chemistry (Scaringe (2000) "Advanced 5'-silyl-2'-orthoester approach to RNA oligonucleotide synthesis" *Methods Enzymol* 317:3-18) and the AS strand was chemically phosphorylated to ensure maximum activity (Martinez et al. (2002) "Single-stranded antisense siRNAs guide target RNA cleavage in RNAi" *Cell* 110:563-74).

EXAMPLE 3 siRNA transfection

[0080] Transfection was essentially as previously described (Harborth et al. (2001) "Identification of essential genes in cultured mammalian cells using small interfering RNAs" *J Cell Sci* 114:4557-65) with minor modifications.

EXAMPLE 4 VKOR activity assay

[0081] siRNA transfected A549 cells were trypsinized and washed twice with cold PBS. 1.5×10^7 cells were taken for each VKOR assay. 200 μ L buffer D (250 mM Na_2HPO_4 - NaH_2PO_4 , 500 mM KCl, 20% glycerol and 0.75% CHAPS, pH 7.4) was added to the cell pellet, followed by sonication of the cell lysate. For assays of solubilized microsomes, microsomes were prepared from 2×10^9 cells as described (Lin et al. (2002) "The putative vitamin K-dependent gamma-glutamyl carboxylase internal propeptide appears to be the propeptide binding site" *J Biol Chem* 277:28584-91); 10 to 50 μ L of solubilized microsomes were used for each assay. Vitamin K epoxide was added to the concentration indicated in the figure legends and DTT was added to 4 mM to initiate the reaction. The reaction mixture was incubated in yellow light at 30°C for 30 minutes and stopped by adding 500 μ L 0.05 M AgNO_3 : isopropanol (5:9). 500 μ L hexane was added and the mixture was vortexed vigorously for 1 minute to extract the vitamin K and KO. After 5 minutes centrifugation, the upper organic layer was transferred to a 5-mL brown vial and dried with N_2 . 150 μ L HPLC buffer, acetonitrile:isopropanol: water (100:7:2), was added to dissolve the vitamin K and KO and the sample was analyzed by HPLC on an A C-18 column (Vydac, cat#218TP54).

EXAMPLE 5 RT-qPCR (reverse transcriptase quantitative PCR)

[0082] 1×10^6 cells were washed with PBS twice and total RNA was isolated with Trizol reagent according to the manufacturer's protocol (Invitrogen). 1 μ g of RNA was digested by RQ1 DNaseI (Promega) and heat-inactivated. First strand cDNA was made with M-MLV reverse transcriptase (Invitrogen). cDNAs were mixed with DyNAmo SYBR Green qPCR pre-mix (Finnzymes) and real-time PCR was performed with an Opticon II PCR thermal cycler (MJ Research). The following primers were used:

13124769-5' (F): (TCCAACAGCATATTCGGTTGC, SEQ ID NO: 1);
 13124769-3 (R)': (TTCTTGACCTCCGGAAACT, SEQ ID NO: 2);
 GAPDH-F: (GAAGGTGAAGGTCGGAGTC, SEQ ID NO: 3);
 GAPDH-R: (GAAGATGGTGATGGGATTTC, SEQ ID NO: 4);
 Lamin-RT-F: (CTAGGTGAGGCCAAGAAGCAA, SEQ ID NO: 5) and

EP 2 380 985 B1

Lamin-RT-R: (CTGTTCTCTCAGCAGACTGC, SEQ ID NO: 6).

EXAMPLE 6 Over-expression of VKOR in Sf9 insect cell line

[0083] The cDNA for the mGC11276 coding region was cloned into pVL1392 (Pharmingen), with the HPC4 tag (EDQVDPRLIDGK, SEQ ID NO: 7) at its amino terminus and expressed in Sf9 cells as described (Li et al. (2000) "Identification of a Drosophila vitamin K-dependent gamma-glutamyl carboxylase" J Biol Chem 275:18291-6).

EXAMPLE 7 Gene selection

[0084] The search for the VKOR gene was focused on human chromosome sixteen between markers D16S3131 and D16S419. This region corresponds to chromosome 16 at 50cM-65cM on the genetic map and 26-46.3Mb on the physical map. 190 predicted coding sequences in this region were analyzed by a BLASTX search of the NCBI non-redundant protein database. Those human genes and orthologs from related species with known function were eliminated. Because VKOR appears to be a transmembrane protein (Carlisle & Suttie (1980) "Vitamin K dependent carboxylase: subcellular location of the carboxylase and enzymes involved in vitamin K metabolism in rat liver" Biochemistry 19:1161-7), the remaining genes were translated according to the cDNA sequences in the NCBI database and analyzed with the programs TMHMM and TMAP (Biology WorkBench, San Diego Supercomputer System) to predict those with transmembrane domains. Thirteen genes predicted to code for integral membrane proteins were chosen for further analysis.

EXAMPLE 8 Cell line screening for VKOR activity

[0085] The strategy was to identify a cell line expressing relatively high amounts of VKOR activity and use siRNA to systematically knock down all thirteen candidate genes. siRNA, double stranded RNA of 21-23 nucleotides, has been shown to cause specific RNA degradation in cell culture (Hara et al. (2002) "Raptor, a binding partner of target of rapamycin (TOR), mediates TOR action" Cell 110:177-89; Krichevsky & Kosik (2002) "RNAi functions in cultured mammalian neurons" Proc Natl Acad Sci USA 99:11926-9; Burns et al. (2003) "Silencing of the Novel p53 Target Gene Snk/Plk2 Leads to Mitotic Catastrophe in Paclitaxel (Taxol)-Exposed Cells" Mol Cell Biol 23:5556-71). However, application of siRNA for large scale screening in mammalian cells has not previously been reported because of the difficulty in identifying a functional target for a specific mammalian cell RNA (Holen et al. (2003) "Similar behaviour of single-strand and double-strand siRNAs suggests they act through a common RNAi pathway" Nucleic Acids Res 31:2401-7). The development of a rational selection algorithm (Reynolds et al.) for siRNA design increases the probability that a specific siRNA can be developed; furthermore, the probability of success can be increased by pooling four rationally selected siRNAs. Using siRNA to search for previously unidentified genes has the advantage that, even if VKOR activity requires the product of more than one gene for activity, the screen should still be effective because the assay determines the loss of enzymatic activity.

[0086] Fifteen cell lines were screened and a human lung carcinoma line, A549, was identified to exhibit sufficient warfarin-sensitive VKOR activity for facile measurement. A second human colorectal adenocarcinoma cell line, HT29, which expressed very little VKOR activity, was used as a reference.

EXAMPLE 9 siRNA inhibition of VKOR activity in A549 cells

[0087] Each of the thirteen pools of siRNA were transfected in triplicate into A549 cells and assayed for VKOR activity after 72 hours. One siRNA pool specific for gene gi:13124769 reduced VKOR activity by 64%-70% in eight separate assays (Fig. 2).

[0088] One possible reason that VKOR activity was inhibited to only ~35% of its initial activity after 72 hours is that the half-life of mammalian proteins varies greatly (from minutes to days) (Zhang et al. (1996) "The major calpain isozymes are long-lived proteins. Design of an antisense strategy for calpain depletion in cultured cells" J Biol Chem 271:18825-30; Bohley (1996) "Surface hydrophobicity and intracellular degradation of proteins" Biol Chem 377:425-35; Dice & Goldberg (1975) "Relationship between in vivo degradative rates and isoelectric points of proteins" Proc Natl Acad Sci USA 72:3893-7), and mRNA translation is being inhibited, not enzyme activity. Therefore, the cells were carried through eleven days and their VKOR activity followed. Figure 3 shows that the level of mRNA for gi:13124769 mRNA decreased rapidly to about 20% of normal while VKOR activity decreased continuously during this time period. This reduction in activity is not a general effect of the siRNA or the result of cell death because the level of VKD carboxylase activity and lamin A/C mRNA remained constant. Furthermore, the level of gi:13124769 mRNA is four fold lower in HT-29 cells, which have low VKOR activity, than in A549 cells that exhibit high VKOR activity. These data indicate that gi:13124769 corresponds to the VKOR gene.

EXAMPLE 10 Identification of gene encoding VKOR

[0089] The gene, IMAGE 3455200 (gi:13124769, **SEQ ID NO: 8**), identified herein to encode VKOR, maps to human chromosome 16p11.2, mouse chromosome 7F3, and rat chromosome 1:180.8 Mb. There are 338 cDNA clones in the NCBI database representing seven different splicing patterns (NCBI AceView program). These are composed of all or part of two to four exons. Among these, the most prevalent isoform, mGC11276, has three exons and is expressed at high levels in lung and liver cells. This three exon transcript (**SEQ ID NO: 9**) encodes a predicted protein of 163 amino acids with a mass of 18.2 kDa (**SEQ ID NO: 10**). It is a putative N-myristylated endoplasmic reticulum protein with one to three transmembrane domains, depending upon the program used for prediction. It has seven cysteine residues, which is consistent with observations that the enzymatic activity is dependent upon thiol reagents (Thijssen et al. (1994) "Microsomal lipoamide reductase provides vitamin K epoxide reductase with reducing equivalents" Biochem J 297: 277-80). Five of the seven cysteines are conserved among human, mice, rat, zebrafish, *Xenopus* and *Anopheles*.

[0090] To confirm that the VKOR gene had been identified, the most prevalent form of the enzyme (three exons) was expressed in *Spodoptera frugiperda*, Sf9 cells. Sf9 cells have no measurable VKOR activity but exhibit warfarin sensitive activity when transfected with mGC11276 cDNA (Figure 4). VKOR activity is observed from constructs with an epitope tag at either their amino or carboxyl terminus. This tag should assist in the purification of VKOR.

[0091] VKOR should exhibit warfarin sensitivity, therefore microsomes were made from Sf9 cells expressing VKOR and tested for warfarin sensitivity. The VKOR activity is warfarin-sensitive (Figure 5).

[0092] In summary, the present invention provides the first example of using siRNA in mammalian cells to identify an unknown gene. The identity of the VKOR gene was confirmed by its expression in insect cells. The VKOR gene encodes several isoforms. It will be important to characterize the activity and expression pattern of each isoform. Millions of people world-wide utilize warfarin to inhibit coagulation; therefore it is important to further characterize VKOR as it can lead to more accurate dosing or design of safer, more effective, anti-coagulants.

[0093] The foregoing is illustrative of the present invention, and is not to be construed as limiting thereof. The invention is defined by the following claims, with equivalents of the claims to be included therein.

Table 1. Five SNPs examined in VKOR gene

SNPs	position	AA change	Heterozygous ratio
vk563 G>A (SEQ ID NO:15)	5'-UTR	N/A	1/58
vk2581 G>C (SEQ ID NO:12)	Intro n2	N/A	17/58
vk3294 T>C (SEQ ID NO:13)	Intro n2	N/A	25/58
vk4501 C>T (SEQ ID NO:16)	Exo n3	Leu120Leu	1/58
vk4769 G>A (SEQ ID NO:14)	3'-UTR	N/A	19/58

Table 2.

SNPs	VIC Probe Sequence	FAM Probe Sequence	Forward Primer	Reverse Primer
vk2681 G>C	TCATCACGGAGCGTC (SEQ ID NO:17)	TCATCACGGAGCGTC (SEQ ID NO:18)	GGTGATCCACACAGCTGACA (SEQ ID NO:19)	CCTGTTAGTTACCTCCCCACATC (SEQ ID NO:20)
vk3294 T>C	CCAGGACCATGGTGC (SEQ ID NO:21)	CCAGGACCGTGGTGC (SEQ ID NO:22)	GCTCCAGAGAGGCGCATCACT (SEQ ID NO:23)	GCCAAGTCTGAACCATGTGTCA (SEQ ID NO:24)
vk4769 G>A	ATACCCGCGCACATGAC (SEQ ID NO:25)	CATACCCACACATGAC (SEQ ID NO:26)	GTCCCTAGAAGGCCCTAGATGT (SEQ ID NO:27)	GTGTGGCACATTTGGTCCATT (SEQ ID NO:28)

SEQUENCE LISTING

[0094]

5 <110> University of North Carolina-Chapel Hill

 <120> Methods and compositions for the correlation of single nucleotide polymorphisms in the vitamin K epoxide reductase gene and warfarin dosage

10 <130> S3097 EP/3 S3

 <150> US 60/505,527

 <151> 2003-09-23

15 <160> 34

 <170> PatentIn version 3.2

 <210> 1

20 <211> 21

 <212> DNA

 <213> Artificial sequence

 <220>

25 <223> Synthetic oligonucleotide primer

 <400> 1

 tccaacagca tattcggttg c 21

30 <210> 2

 <211> 21

 <212> DNA

 <213> Artificial sequence

35 <220>

 <223> Synthetic oligonucleotide primer

 <400> 2

40 ttcttggaacc ttccggaaac t 21

 <210> 3

 <211> 19

 <212> DNA

 <213> Artificial sequence

45 <220>

 <223> Synthetic oligonucleotide primer

 <400> 3

50 gaaggtgaag gtcggagtc 19

 <210> 4

 <211> 20

 <212> DNA

55 <213> Artificial sequence

 <220>

 <223> Synthetic oligonucleotide primer

EP 2 380 985 B1

<400> 4
 gaagatggtg atgggatttc 20

5
 <210> 5
 <211> 21
 <212> DNA
 <213> Artificial sequence

10
 <220>
 <223> Synthetic oligonucleotide primer

<400> 5
 ctaggtgagg ccaagaagca a 21

15
 <210> 6
 <211> 21
 <212> DNA
 <213> Artificial sequence

20
 <220>
 <223> Synthetic oligonucleotide primer

<400> 6
 ctgttcctct cagcagactg c 21

25
 <210> 7
 <211> 12
 <212> PRT
 <213> Artificial sequence

30
 <220>
 <223> HPC4 tag sequence

<400> 7

35

Glu	Asp	Gln	Val	Asp	Pro	Arg	Leu	Ile	Asp	Gly	Lys
1				5					10		

40
 <210> 8
 <211> 3915
 <212> DNA
 <213> Homo sapiens

45
 <400> 8

50

ggtttttctcc	gcggg'gcgcct	cggggcggaac	ctggagataa	tgggcagcac	ctggggggagc	60
cctgggctggg	tgcggtctgc	tctttgcctg	acgggcttag	tgtctctcgt	ctacgcgctg	120
cacgtgaagg	cggcgcgcgc	ccgggaccgg	gattaccgcg	cgctctgcga	cgtgggcacc	180
gccatcagct	gttcgcgcgt	cttctcctcc	aggtgtgcac	gggagtggga	ggcgtggggc	240
ctcggagcag	ggcggccagg	atgccagatg	attattcttg	agtctgggat	cgggtgtgcc	300
ggggaacgga	cacggggctg	gactgctcgc	ggggtcgttg	cacaggggct	gagctaccca	360
gcgatactgg	tgttcgaaat	aagagtgcga	ggcaagggac	cagacagtgc	tggggactgg	420

EP 2 380 985 B1

	gattattccg	gggactcgca	cgtgaattgg	atgcçaagga	ataacggtga	ccaggaaagg	480
	cggggaggca	ggatggcggg	agagattgac	gatgggtctca	aggacggcgc	gcagggtgaag	540
5	gggggtgttg	gcgatggctg	cgcccaggaa	caagggtggc	cggtctggct	gtgcgtgatg	600
	gccaggcggt	agcataatga	cggaatacag	aggaggcgag	tgagtggcca	gggagctgga	660
	gattctgggg	tccagggcaa	agataatctg	ccccgactc	ccagtctctg	atgcaaaacc	720
10	gagtgaaccg	ttataccagc	cttgccattt	taagaattac	ttaagggccg	ggcgcggtgg	780
	cccactcctg	taatcccagc	actttggggag	gccgaggcgg	atggatcact	tgaagtcagg	840
	agttgaccag	cctggccaac	atggtgaaag	cctgtctcta	ccaaaaatag	aaaaattaat	900
15	cgggcgctat	ggcggggtgcc	ttaatcccag	ctactcgggg	gggctaaggc	aggagaatcg	960
	cttgaacccg	ggaggcggag	gtttcagtg	gccgagatcg	cgccactgca	ctccagcctg	1020
20	ggccagagt	agactccgtc	tcaaaaaaaaa	aaaaaaaaaa	aaaaaaaaag	agacttactt	1080
	aaggtctaag	atgaaaagca	gggcctacgg	agtagccacg	tccgggcctg	gtctggggag	1140
	aggggaggat	agggtcagtg	acatggaatc	ctgacgtggc	caaagggtgcc	cggtgccagg	1200
25	agatcatcga	cccttggaact	aggatgggag	gtcggggaac	agaggatagc	ccagggtggct	1260
	tcttggaat	cacctttctc	gggcagggtc	caaggcactg	ggttgacagt	cctaacctgg	1320
	ttccacccca	ccccaccctt	ctgccagggtg	gggcagggggt	ttcgggctgg	tggagcatgt	1380
30	gctgggacag	gacagcatcc	tcaatcaatc	caacagcata	ttcggttgca	tcttctacac	1440
	actacagcta	ttgttaggtg	agtggctccg	ccccctccct	gcccggccccg	ccccgcccct	1500
	catccccctt	ggtcagctca	gccccactcc	atgcaatctt	ggtgatccac	acagctgaca	1560
35	gccagctagc	tgctcatcac	ggagcgtcct	gcgggtgggg	atgtggggag	gtaactaaca	1620
	ggagtctttt	aattggttta	agtactgtta	gaggctgaag	ggcccttaaa	gacatcctag	1680
40	gtccccagg	tttttgtttg	ttgttggttt	gagacagggt	ctggctctgt	tgcccaaagt	1740
	gagggtctagg	atgcccttag	tgtgcaactg	cgtgatctca	gttcatggca	acctctgcct	1800
	ccctgcccga	gggatcctcc	caccttagcc	tccaagcag	ctggaatcac	aggcgtgcac	1860
45	cactatgccc	agctaatttt	tgtttttggt	tttttttggt	agagatgggtg	tctcgccatg	1920
	ttgcccaggc	tggctcaag	caatctgtct	gcctcagcct	cccaaagtgc	tggggggatt	1980
	acaggcgtga	gctaccatgc	cccaccaaca	ccccagtttt	gtggaaaaga	tgccgaaatt	2040
50	cctttttaag	gagaagctga	gcatgagcta	tcttttgtct	catttagtgc	tcagcaggaa	2100
	aatttgtatc	tagtcccata	agaacagaga	gaggaaccaa	gggagtggaa	gacgatggcg	2160
55	ccccaggcct	tgctgatgcc	atatgccgga	gatgagacta	tccattacca	cccttcccag	2220

EP 2 380 985 B1

caggctccca cgtcccttt gagtcacct tcccagctcc agagaaggca tcaactgaggg 2280
 aggcccagca ccatggctct ggctgacaca tgggttcagac ttggccgatt tatttaagaa 2340
 5 attttattgc tcagaacttt cctccctgg gcaatggcaa gagcttcaga gaccagtccc 2400
 ttggagggga cctgttgaag cttcttttt tttttttttt aagaaataat cttgctctgt 2460
 tgcccaggct ggagtgcagt ggcacaatca tagctcactg taacctggct caagcgatcc 2520
 10 tcctgagtag ctaggactat aggcatgtca ctgcaccag ctaatttttt tttttttttt 2580
 tttttttttt ttgcgacata gtctcgctct gtcaccaggc tggagtgcag tggcacgatc 2640
 ttggctcact gcaacctctg cctcccggt tcaagcaatt ttctgcctc agcctcctga 2700
 15 gtagctggga ctacaggcgc gtgtcaccac gccagctaa tttttgtatt tttagtggag 2760
 acagggtttc accatgttgg ctaggatggt ctcaatctct tgacctggtg atccatccgc 2820
 20 cttggcctcc caaagtgcta ggattacagg cgtgagtcaa cctcaccggg catttttttt 2880
 ttgagacgaa gtcttgcctc tgctgcccac gctggaatgt ggtggcatga tctcggtca 2940
 ctgcaacctc cactcctag gttcaagcga ttctccacct tagcctcccc agcagctggg 3000
 25 attacaggtg cccatcaaca caccggcta atttttgtat ttttattaga gatggggttt 3060
 tgccatgttg gccaggctgc tctcgaactc ctaacctcag gtgatccacc cccattggcc 3120
 tcccaaaata ctgggattac aggcatgagc caccgtgccc agctgaattt ctaaattttt 3180
 30 gatagagatc ggggtctttct atgttgccca agctggctct gaactcctag cctaaagcag 3240
 tcttcccacc tcggcctccc agagtgttg gaatacgtgc gtaagccacc acatctgccc 3300
 35 tggagcctct tgttttagag acccttccca gcagctcctg gcatctaggt agtgagtgga 3360
 catcatggag tgctcgggag gtggccagtg cctgaagccc acaccggacc ctcttctgcc 3420
 ttgcagggtg cctgcggaca cgtgggct ctgtcctgat gctgctgagc tccctgggtg 3480
 40 ctctcgctgg ttctgtctac ctggcctgga tcctgttctt cgtgctctat gatttctgca 3540
 ttgtttgtat caccacctat gctatcaacg tgagcctgat gtggctcagt ttccggaagg 3600
 tccaagaacc ccagggaag gctaagaggc actgagcct caacccaagc caggctgacc 3660
 45 tcatctgctt tgctttggca tgtgagcctt gcctaagggg gcatatctgg gtcctagaa 3720
 ggccctagat gtggggcttc tagattacc cctcctcctg ccatacccgc acatgacaat 3780
 ggaccaaagtg tgccacacgc tcgtctttt ttacaccag tgccctctgac tctgtccca 3840
 50 tgggctggtc tccaaagctc ttccattgc ccagggaggg aagggtctga gcaataaagt 3900
 ttcttagatc aatca 3915

55 <210> 9
 <211> 806
 <212> DNA
 <213> Homo sapiens

EP 2 380 985 B1

<220>

<221> CDS

<222> (48) .. (536)

5 <400> 9

```

ggcacgaggg ttttctccgc gggcgcctcg ggcggaacct ggagata atg ggc agc      56
                                     Met Gly Ser
                                     1
10 acc tgg ggg agc cct ggc tgg gtg cgg ctc gct ctt tgc ctg acg ggc      104
   Thr Trp Gly Ser Pro Gly Trp Val Arg Leu Ala Leu Cys Leu Thr Gly
       5                10                15

15 tta gtg ctc tcg ctc tac gcg ctg cac gtg aag gcg gcg cgc gcc cgg      152
   Leu Val Leu Ser Leu Tyr Ala Leu His Val Lys Ala Ala Arg Ala Arg
   20                25                30                35

20 gac cgg gat tac cgc gcg ctc tgc gac gtg ggc acc gcc atc agc tgt      200
   Asp Arg Asp Tyr Arg Ala Leu Cys Asp Val Gly Thr Ala Ile Ser Cys
       40                45                50

25 tcg cgc gtc ttc tcc tcc agg tgg ggc agg ggt ttc ggg ctg gtg gag      248
   Ser Arg Val Phe Ser Ser Arg Trp Gly Arg Gly Phe Gly Leu Val Glu
       55                60                65

30 cat gtg ctg gga cag gac agc atc ctc aat caa tcc aac agc ata ttc      296
   His Val Leu Gly Gln Asp Ser Ile Leu Asn Gln Ser Asn Ser Ile Phe
       70                75                80

35 ggt tgc atc ttc tac aca cta cag cta ttg tta ggt tgc ctg cgg aca      344
   Gly Cys Ile Phe Tyr Thr Leu Gln Leu Leu Leu Gly Cys Leu Arg Thr
   85                90                95

   cgc tgg gcc tct gtc ctg atg ctg ctg agc tcc ctg gtg tct ctc gct      392
   Arg Trp Ala Ser Val Leu Met Leu Leu Ser Ser Leu Val Ser Leu Ala
   100                105                110                115

40 ggt tct gtc tac ctg gcc tgg atc ctg ttc ttc gtg ctc tat gat ttc      440
   Gly Ser Val Tyr Leu Ala Trp Ile Leu Phe Phe Val Leu Tyr Asp Phe
       120                125                130

   tgc att gtt tgt atc acc acc tat gct atc aac gtg agc ctg atg tgg      488
   Cys Ile Val Cys Ile Thr Thr Tyr Ala Ile Asn Val Ser Leu Met Trp
       135                140                145

45 ctc agt ttc cgg aag gtc caa gaa ccc cag ggc aag gct aag agg cac      536
   Leu Ser Phe Arg Lys Val Gln Glu Pro Gln Gly Lys Ala Lys Arg His
       150                155                160

   tgagccctca acccaagcca ggctgacctc atctgctttg ctttggcatg tgagccttgc      596

   ctaagggggc atatctgggt ccctagaagg ccctagatgt ggggcttcta gattaccccc      656

50 tcctcctgcc ataccgcac atgacaatgg accaaatgtg ccacacgctc gctctttttt      716

   acaccagtg cctctgactc tgtccccatg ggctgggtctc caaagctctt tccattgccc      776

55 agggaggggaa gggtctgagc aataaagttt      806

```

<210> 10

EP 2 380 985 B1

<211> 163
 <212> PRT
 <213> Homo sapiens

5 <400> 10

Met Gly Ser Thr Trp Gly Ser Pro Gly Trp Val Arg Leu Ala Leu Cys
 1 5 10 15

10

Leu Thr Gly Leu Val Leu Ser Leu Tyr Ala Leu His Val Lys Ala Ala
 20 25 30

15

Arg Ala Arg Asp Arg Asp Tyr Arg Ala Leu Cys Asp Val Gly Thr Ala
 35 40 45

20

Ile Ser Cys Ser Arg Val Phe Ser Ser Arg Trp Gly Arg Gly Phe Gly
 50 55 60

25

Leu Val Glu His Val Leu Gly Gln Asp Ser Ile Leu Asn Gln Ser Asn
 65 70 75 80

Ser Ile Phe Gly Cys Ile Phe Tyr Thr Leu Gln Leu Leu Leu Gly Cys
 85 90 95

30

Leu Arg Thr Arg Trp Ala Ser Val Leu Met Leu Leu Ser Ser Leu Val
 100 105 110

35

Ser Leu Ala Gly Ser Val Tyr Leu Ala Trp Ile Leu Phe Phe Val Leu
 115 120 125

Tyr Asp Phe Cys Ile Val Cys Ile Thr Thr Tyr Ala Ile Asn Val Ser
 130 135 140

40

Leu Met Trp Leu Ser Phe Arg Lys Val Gln Glu Pro Gln Gly Lys Ala
 145 150 155 160

Lys Arg His

45

<210> 11
 <211> 5915
 <212> DNA
 <213> Homo sapiens

50

<400> 11

caccatcaga tgggacgtct gtgaaggaga gacctcatct ggccacagc ttggaaagga 60

55

EP 2 380 985 B1

gagactgact gttgagttga tgcaagctca ggtgttgcca ggcgggccc atgatagtag 120
 agaggttagg atactgtcaa ggggtgtgtgt ggccaaagga gtggttctgt gaatgtatgg 180
 5 gagaaagggga gaccgaccac caggaagcac tggtagggca ggacccggga ggatgggagg 240
 ctgcagccccg aatgggtgctt gaaatagttt caggggaaat gcttggttcc cgaatcggat 300
 cgccgtattc gctggatccc ctgatccgct ggtctctagg tcccggatgc tgcaattctt 360
 10 acaacaggac ttggcatagg gtaagcgcaa atgctgttaa ccacactaac acactttttt 420
 ttttcttttt tttttttgag acagagtctc actctgtcgg cctggctgga gtgcagtggc 480
 acgatctcgg ctcaactgcaa cctccggctc cccggctcaa gcaattctcc tgcctcagcc 540
 15 tcccagatag ctgggattac aggcattgtc caccacgccc ggctaatttt tgtattttta 600
 gttgagatgg ggtttcacca tgttgccgag gctggtcttg aactcctgac ctgaggaat 660
 20 ccgccagcct cggcctccca aagtgtctgg attacaagcg tgagccaccg tgcccggcca 720
 acagttttta aatctgtgga gacttcattt cccttgatgc cttgcagccg cgccgactac 780
 aactcccatc atgcctggca gccgctgggg ccgcgattcc gcacgtccct taccgcttc 840
 25 actagtcccg gcattcttcg ctgttttctt aactcgcccg cttgactagc gccctggaac 900
 agccatttgg gtcgtggagt gcgagcacgg ccggccaatc gccgagtcag agggccagga 960
 ggggcccggc cattcgccgc ccggcccttg ctccgtggct ggttttctcc gcgggcccct 1020
 30 ccggcggaac ctggagataa tgggcagcac ctgggggagc cctggctggg tgcggctcgc 1080
 tctttgcctg acgggcttag tgctctcgtc ctacgcgctg cacgtgaagg cggcgcgcg 1140
 ccgggaccgg gattaccgcg cgctctgcga cgtgggcacc gccatcagct gtccgcgcgt 1200
 35 cttctcctcc aggtgtgcac gggagtggga ggcgtggggc ctccggagcag ggcggccagg 1260
 atgccagatg attattctgg agtctgggat cgggtgtgcc ggggaacgga cacggggctg 1320
 gactgctcgc ggggtcgttg cacaggggct gagctacca gcgatactgg tgttcgaaat 1380
 40 aagagtgcga ggcaaggga cagacagtgc tggggactgg gattattccg gggactcgca 1440
 cgtgaattgg atgccaagga ataacggtga ccaggaaagg cggggaggca ggatggcgg 1500
 45 agagattgac gatggtctca aggacggcgc gcaggtgaag gggggtgttg gcgatggctg 1560
 cgcccaggaa caaggtggcc cggctctggc gtgctgatg gccaggcgtt agcataatga 1620
 cggaatacag aggaggcgag tgagtggcca gggagctgga gattctgggg tccagggcaa 1680
 50 agataatctg ccccgactc ccagtctctg atgcaaaacc gagtgaaccg ttataccagc 1740
 cttgccattt taagaattac ttaagggccg ggcgcggtgg cccactcctg taatcccagc 1800
 actttgggag gccgagggcg atggatcact tgaagtcagg agttgaccag cctggccaac 1860
 55

EP 2 380 985 B1

atggtgaaag cctgtctcta ccaaaaatag aaaaattaat cgggcgctat ggcgggtgcc 1920
 ttaatcccag ctactcgggg gggctaaggc aggagaatcg cttgaacccg ggaggcggag 1980
 5 gtttcagtga gccgagatcg cgccactgca ctccagcctg ggccagagtg agactccgtc 2040
 tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agacttactt aaggtctaag atgaaaagca 2100
 gggcctacgg agtagccacg tccgggcctg gtctggggag aggggaggat agggtcagtg 2160
 10 acatggaatc ctgacgtggc caaagggtgcc cgggtgccagg agatcatcga cccttggaact 2220
 aggatgggag gtcgggggaac agaggatagc ccagggtggct tcttggaat cacctttctc 2280
 gggcaggggt caaggcactg ggttgacagt cctaacctgg ttccacccca cccacccct 2340
 15 ctgccagggt gggcaggggt ttcgggctgg tggagcatgt gctgggacag gacagcatcc 2400
 tcaatcaatc caacagcata ttcggttgca tcttctacac actacagcta ttgttaggtg 2460
 agtggtccg cccctccct gcccgcccg ccccgccct catcccccct ggtcagctca 2520
 20 gcccactcc atgcaatctt ggtgatccac acagctgaca gccagctagc tgctcatcac 2580
 ggagcgtcct gcgggtgggg atgtggggag gtaactaaca ggagtctttt aattggttta 2640
 25 agtactgtta gaggtgaag ggccttaaa gacatcctag gtccccagggt tttttgtttg 2700
 ttgttgtttt gagacagggt ctggtctgt tgcccaaagt gaggtctagg atgcccttag 2760
 tgtgactgg cgtgatctca gtccatggca acctctgcct ccctgcccga gggatccctc 2820
 30 caccttagcc tccaagcag ctggaatcac aggcgtgcac cactatgccc agctaatttt 2880
 tgtttttgtt ttttttttgt agagatgggt tctcgccatg ttgcccaggc tgggtctcaag 2940
 caatctgtct gcctcagcct cccaaagtgc tggggggatt acaggcgtga gctaccatgc 3000
 35 cccaccaaca cccagtttt gtggaaaaga tgccgaaatt cctttttaag gagaagctga 3060
 gcatgagcta tcttttgtct catttagtgc tcagcaggaa aatttgtatc tagtcccata 3120
 40 agaacagaga gaggaaccaa gggagtggaa gacgatggcg ccccaggcct tgctgatgcc 3180
 atatgccgga gatgagacta tccattacca ccttcccag caggctccca cgctcccttt 3240
 gagtcaccct tcccagctcc agagaaggca tcaactgagg aggccagca ccatggctct 3300
 45 ggctgacaca tgggtcagac ttggccgatt tatttaagaa attttattgc tcagaacttt 3360
 ccctccctgg gcaatggcaa gagcttcaga gaccagtccc ttggagggga cctgttgaag 3420
 ccttcttttt tttttttttt aagaaataat ctgtctctgt tgcccaggct ggagtgcagt 3480
 50 ggcacaatca tagctcactg taacctgggt caagcgatcc tctgagtag ctaggactat 3540
 aggcattgtc ctgcaccag ctaatttttt tttttttttt tttttttttt ttgcgacata 3600
 gtctcgctct gtcaccaggc tggagtgcag tggcacgatc ttggctcact gcaacctctg 3660
 55 cctcccggt tcaagcaatt ttcctgcctc agcctcctga gtagctggga ctacaggcgc 3720

gtgtcaccac gccagctaa tttttgtatt tttagtggag acagggtttc accatgttgg 3780
 ctaggatggg ctcaatctct tgacctgggtg atccatccgc cttggcctcc caaagtgcta 3840
 5 ggattacagg cgtgagtcaa cctcaccggg catttttttt ttgagacgaa gtcttgctct 3900
 tgctgccccaa gctggaatgt ggtggcatga tctcggtca ctgcaacctc cacctcctag 3960
 gttcaagcga ttctccacct tagcctcccc agcagctggg attacaggtg cccatcaaca 4020
 10 cacccggtca atttttgtat ttttattaga gatgggggtt tgccatgttg gccaggctgc 4080
 tctcgaactc ctaacctcag gtgatccacc cccattggcc tcccaaaata ctgggattac 4140
 15 aggcattgagc caccgtgccc agctgaattt ctaaattttt gatagagatc ggggtcttct 4200
 atgttgcccc agctggtctt gaactcctag cctaaagcag tcttccacc tcggcctccc 4260
 agagtgtttg gaatacgtgc gtaagccacc acatctgccc tggagcctct tgttttagag 4320
 20 acccttcccc gcagctcctg gcattctagg agtgcatga catcatggag tgttcgggag 4380
 gtggccagtg cctgaagccc acaccggacc ctcttctgcc ttgcaggttg cctgaggaca 4440
 cgctgggcct ctgtcctgat gctgctgagc tccctggtgt ctctcgctgg ttctgtctac 4500
 25 ctggcctgga tctgttctt cgtgctctat gatttctgca ttgtttgtat caccacctat 4560
 gctatcaacg tgagcctgat gtggctcagt ttccggaagg tccaagaacc ccagggaag 4620
 gctaagaggc actgagccct caaccaagc caggctgacc tcatctgctt tgctttggca 4680
 30 tgtgagcctt gcctaagggg gcatactctg gtccctagaa ggccctagat gtggggcttc 4740
 tagattacc cctcctcctg ccataccgc acatgacaat ggaccaaagtg tgccacacgc 4800
 35 tcgctctttt ttacaccag tgccctctgac tctgtcccca tgggctgggc tccaaagctc 4860
 tttccattgc ccaggagggg aagggtctga gcaataaagt ttcttagatc aatcagccaa 4920
 gtctgaacca tgtgtctgcc atggactgtg gtgctgggccc tccctcggtg ttgccttctc 4980
 40 tggagctggg aagggtgagt cagagggaga gtggagggcc tgctgggaag ggtggttatg 5040
 ggtagtctca tctccagtgt gtggagtcag caaggcctgg ggcaccattg gccccaccc 5100
 ccaggaaaca ggctggcagc tcgctcctgc tgccacagc agccaggcct cctctcctgg 5160
 45 gaaggctgag cacacacctg gaagggcagg ctgcccttct gggtctgtaa atgcttgctg 5220
 ggaagtctct ccttgagttt aactttaacc cctccagttg ccttatcgac cattccaagc 5280
 cagtattggg agccttgag ggtcagggcc aggttggtgaa ggtttttggt ttgcctatta 5340
 50 tgccctgacc acttacctac atgccaagca ctgtttaaga acttggtgtg gcagggtgca 5400
 gtggctcaca cctgtaatcc ctgtactttg ggaggccaag gcaggaggat cacttgaggc 5460
 55 caggagtctc agaccagcct gggcaaaata gtgagacccc tgtctctaca aaaaaaaaaa 5520

EP 2 380 985 B1

	aaaaaaaaa	ttagccaggc	atggtggtgt	atgtacctat	agtcccaact	aatcggaag	5580
	ctggcgggaa	gactgcttga	gccagaagg	ttgaggctgc	agtgagccat	gatcactgca	5640
5	ctccagcctg	agcaacagag	caagaccgtc	tccaaaaaaa	aacaaaaaac	aaaaaaaaac	5700
	ttgtgttaac	gtgttaaact	cgtttaatct	ttacagtgat	ttatgagggtg	ggtactatta	5760
	ttatccctat	cttgatgata	gggacagagt	ggctaattag	tatgcctgag	atcacacagc	5820
10	tactgcagga	ggctctcagg	atttgaatcc	acctgggtcca	tctgggtcca	gcattctatat	5880
	gctttttttt	ttgttggttt	gtttttgaga	cggac			5915
15	<210> 12						
	<211> 5915						
	<212> DNA						
	<213> Homo sapiens						
20	<400> 12						
	caccatcaga	tgggacgtct	gtgaaggaga	gacctcatct	ggccacagc	ttggaagga	60
	gagactgact	gttgagttga	tgcaagctca	ggtgttgcca	ggcgggcgcc	atgatagtag	120
25	agaggttagg	atactgtcaa	gggtgtgtgt	ggccaaagga	gtggttctgt	gaatgtatgg	180
	gagaaagggg	gaccgaccac	caggaagcac	tggtgaggca	ggacccggga	ggatgggagg	240
30	ctgcagcccg	aatgggtgcct	gaaatagttt	caggggaaat	gcttgggtcc	cgaatcggat	300
	cgccgtatct	gctggatccc	ctgatccgct	ggtctctagg	tcccggatgc	tgcaattctt	360
	acaacaggac	ttggcatagg	gtaagcgcaa	atgctgttaa	ccacactaac	acactttttt	420
35	ttttcttttt	tttttttgag	acagagtctc	actctgtcgg	cctggctgga	gtgcagtggc	480
	acgatctcgg	ctcactgcaa	cctccggctc	cccggctcaa	gcaattctcc	tgctcagcc	540
	tcccagtag	ctgggattac	aggcatgtgc	caccacgccc	ggctaatttt	tgtattttta	600
40	gttgagatgg	ggtttcacca	tggtggcgag	gctggtcttg	aactcctgac	ctcaggtaat	660
	ccgcagcct	cggcctccca	aagtgtctgg	attacaagcg	tgagccaccg	tgcccgccca	720
	acagttttta	aatctgtgga	gacttcattt	cccttgatgc	cttgacgccc	cgccgactac	780
45	aactcccatc	atgcctggca	gcccgtgggg	ccgcgattcc	gcacgtccct	taccgcttc	840
	actagtcccg	gcattcttcg	ctgttttctc	aactcgcccc	cttgactagc	gccctggaac	900
	agccatttgg	gtcgtggagt	gcgagcacgg	ccggccaatc	gccgagtcag	agggccagga	960
50	ggggcgcggc	cattcgccgc	ccggcccctg	ctccgtggct	ggttttctcc	gcgggcgcct	1020
	cgggcggaac	ctggagataa	tgggcagcac	ctgggggagc	cctggctggg	tgcggtctgc	1080
55	tctttgcctg	acgggcttag	tgtctctcgt	ctacgcgctg	cacgtgaagg	cggcgcgcgc	1140
	ccgggaccgg	gattaccgcg	cgctctgcga	cgtgggcacc	gccatcagct	gttcgcgcgt	1200

EP 2 380 985 B1

cttctcctcc aggtgtgcac gggagtggga ggcgtggggc ctcggagcag ggcggccagg 1260
 atgccagatg attattctgg agtctgggat cgggtgtgcc ggggaacgga cacggggctg 1320
 5 gactgctcgc ggggtcgttg cacaggggct gagctacca gcgatactgg tgttcgaaat 1380
 aagagtgcga ggcaaggac cagacagtgc tggggactgg gattattccg gggactcgca 1440
 cgtgaattgg atgccaagga ataacggta ccaggaaagg cggggaggca ggatggcgg 1500
 10 agagattgac gatggctctca aggacggcgc gcaggatgaag ggggggtgtg gcgatggctg 1560
 cgcccaggaa caagggtggc cggctctggc gtgcgtgatg gccaggcggt agcataatga 1620
 cggaatacag aggaggcgag tgagtggcca gggagctgga gattctgggg tccagggcaa 1680
 15 agataatctg ccccgactc ccagtctctg atgcaaaacc gagtgaaccg ttataccagc 1740
 cttgccattt taagaattac ttaagggcgc ggcgcggtgg cccactcctg taatcccagc 1800
 actttgggag gccgaggcgg atggatcact tgaagtcagg agttgaccag cctggccaac 1860
 20 atgggtgaaag cctgtctcta ccaaaaatag aaaaattaat cgggcgctat ggcgggtgcc 1920
 ttaatcccag ctactcgggg gggctaaggc aggagaatcg cttgaacccg ggaggcggag 1980
 25 gtttcagtga gccgagatcg cgccactgca ctccagcctg ggccagagtg agactccgtc 2040
 tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agacttactt aaggcttaag atgaaaagca 2100
 gggcctacgg agtagccacg tccgggcctg gtctggggag aggggaggat agggctcagt 2160
 30 acatggaatc ctgacgtggc caaagggtgc cgggtgccagg agatcatcga cccttgact 2220
 aggatgggag gtcggggaac agaggatagc ccagggtggc tcttggaat cacctttctc 2280
 gggcagggtc caaggcactg ggttgacagt cctaacctgg tccacccca cccacccct 2340
 35 ctgccaggtg gggcaggggt ttcgggctgg tggagcatgt gctgggacag gacagcatcc 2400
 tcaatcaatc caacagcata ttcggttgca tcttctacac actacagcta ttgttaggtg 2460
 agtggtcccg cccctccct gcccgccccg ccccgccct catccccctt ggtcagctca 2520
 40 gccccactcc atgcaatctt ggtgatccac acagctgaca gccagctagc tgctcatcac 2580
 cgagcgtcct gcgggtgggg atgtggggag gtaactaaca ggagtctttt aattggttta 2640
 45 agtactgtta gaggtgaag ggcccttaa gacatcctag gtccccagg tttttgttg 2700
 ttgttgtttt gagacagggt ctggctctgt tgcccaaagt gaggtctagg atgcccttag 2760
 tgtgactgg cgtgatctca gttcatggca acctctgcct ccctgcccga gggatccctc 2820
 50 caccttagcc tccaagcag ctggaatcac aggcgtgcac cactatgccc agctaatttt 2880
 tgtttttgtt tttttttgg agagatgggt tctcgccatg ttgccaggc tggctctcaag 2940
 caatctgtct gcctcagcct cccaaagtgc tggggggatt acaggcgtga gctaccatgc 3000
 55 cccaccaaca cccagtttt gtggaaaaga tgccgaaatt cctttttaag gagaagctga 3060

EP 2 380 985 B1

gcatgagcta tcttttgtct catttagtgc tcagcaggaa aatttgtatc tagtcccata 3120
 agaacagaga gaggaaccaa gggagtggaa gacgatggcg ccccaggcct tgctgatgcc 3180
 5 atatgccgga gatgagacta tccattacca cccttcccag caggctecca cgctcccttt 3240
 gagtcaccct tcccagctcc agagaaggca tcaactgaggg agggccagca ccatggctct 3300
 ggctgacaca tgggttcagac ttggccgatt tatttaagaa attttattgc tcagaacttt 3360
 10 ccctccctgg gcaatggcaa gagcttcaga gaccagtccc ttggagggga cctgttgaag 3420
 ccttcttttt tttttttttt aagaaataat ctgtctctgt tgcccaggct ggagtgcagt 3480
 ggcacaatca tagctcactg taacctggct caagcgatcc tcctgagtag ctaggactat 3540
 15 aggcattgtca ctgcaccag ctaatttttt tttttttttt tttttttttt ttgcgacata 3600
 gtctcgctct gtcaccaggc tggagtgcag tggcacgatc ttggctcact gcaacctctg 3660
 cctcccggt tcaagcaatt ttctgcctc agcctcctga gtagctggga ctacaggcgc 3720
 20 gtgtcaccac gccagctaa tttttgtatt tttagtggag acagggtttc accatgttgg 3780
 ctaggatggc ctcaatctct tgacctgggt atccatccgc cttggcctcc caaagtgcct 3840
 25 ggattacagg cgtgagtcaa cctcaccggg catttttttt ttgagacgaa gtcttgctct 3900
 tgctgcccaa gctggaatgt ggtggcatga tctcggtcca ctgcaacctc cactcctag 3960
 gttcaagcga ttctccacct tagcctcccc agcagctggg attacagggt cccatcaaca 4020
 30 cacccggtc atttttgtat ttttattaga gatggggttt tgccatgttg gccaggctgc 4080
 tctcgaactc ctaacctcag gtgatccacc ccattggcc tcccaaaata ctgggattac 4140
 aggcattgag caccgtgccc agctgaattt ctaaattttt gatagagatc gggctcttct 4200
 35 atgttgccca agctggtctt gaactcctag cctaaagcag tcttcccacc tcggcctccc 4260
 agagtgtttg gaatacgtgc gtaagccacc acatctgccc tggagcctct tgttttagag 4320
 acccttccca gcagctcctg gcatctaggt agtgagtgat catcatggag tgttcgggag 4380
 40 gtggccagt cctgaagccc acaccggacc ctcttctgcc ttgcagggtt cctgaggaca 4440
 cgctgggcct ctgtcctgat gctgctgagc tccctgggtg ctctcgctgg ttctgtctac 4500
 45 ctggcctgga tctgttctt cgtgctctat gatttctgca ttgtttgtat caccacctat 4560
 gctatcaacg tgagcctgat gtggctcagt ttccggaagg tccaagaacc ccagggaag 4620
 gctaagaggc actgagccct caaccaagc caggctgacc tcatctgctt tgctttggca 4680
 50 tgtgagcctt gcctaagggg gcatatctgg gtccctagaa ggccctagat gtggggcttc 4740
 tagattacc cctcctcctg ccataccgc acatgacaat ggaccaaagtg tgccacacgc 4800
 55 tcgctctttt ttacaccag tgccctgac tctgtcccca tgggctggtc tccaaagctc 4860

EP 2 380 985 B1

	tttccattgc ccagggaggg aaggttctga gcaataaagt ttcttagatc aatcagccaa	4920
	gtctgaacca tgtgtctgcc atggactgtg gtgctgggcc tccctcgggtg ttgccttctc	4980
5	tggagctggg aaggggtgagt cagagggaga gtggagggcc tgcctgggaag ggtggttatg	5040
	ggtagtctca tctccagtgt gtggagtcag caaggcctgg ggcaccattg gccccaccc	5100
	ccaggaaaca ggctggcagc tcgctcctgc tgcccacagg agccaggcct cctctcctgg	5160
10	gaaggctgag cacacacctg gaagggcagg ctgcccttct ggttctgtaa atgcttgctg	5220
	ggaagtcttt ccttgagttt aactttaacc cctccagttg ccttatcgac cattccaagc	5280
	cagtattggt agccttgagg ggtcagggcc aggttggtgaa ggtttttgtt ttgcctatta	5340
15	tgccctgacc acttacctac atgccaagca ctgtttaaga acttggtgtg gcaggggtgca	5400
	gtggctcaca cctgtaatcc ctgtactttg ggaggccaag gcaggaggat cacttgaggc	5460
20	caggagtccc agaccagcct gggcaaaata gtgagacccc tgtctctaca aaaaaaaaaa	5520
	aaaaaaaaaa ttagccaggc atggtgggtg atgtacctat agtcccaact aatcggaag	5580
	ctggcgaggaa gactgcttga gccagaagg ttgaggtgc agtgagccat gatcactgca	5640
25	ctccagcctg agcaacagag caagaccgtc tccaaaaaaa aacaaaaaac aaaaaaaac	5700
	ttgtgttaac gtgttaaac cgtttaatct ttacagtgat ttatgaggtg ggtactatta	5760
	ttatccctat cttgatgata gggacagagt ggctaattag tatgcctgag atcacacagc	5820
30	tactgcagga ggctctcagg atttgaatcc acctggtcca tctgggtcca gcatctatat	5880
	gctttttttt ttgttggttt gtttttgaga cggac	5915
35	<210> 13	
	<211> 5915	
	<212> DNA	
	<213> Homo sapiens	
40	<400> 13	
	caccatcaga tgggacgtct gtgaaggaga gacctcatct ggcccacagc ttggaaagga	60
	gagactgact gttgagttga tgcaagctca ggtgttgcca ggcgggccc atgatagtag	120
45	agaggttagg atactgtcaa ggggtgtgtg ggccaaagga gtggttctgt gaatgtatgg	180
	gagaaaggga gaccgaccac caggaagcac tggtaggca ggaccggga ggatgggagg	240
	ctgcagcccg aatgggtgcct gaaatagttt caggggaaat gcttggttcc cgaatcggat	300
50	cgccgtattc gctggatccc ctgatccgct ggtctctagg tcccggatgc tgcaattctt	360
	acaacaggac ttggcatagg gtaagcgcaa atgctgttaa ccacactaac acactttttt	420
	ttttcttttt tttttttgag acagagtctc actctgtcgg cctgggtgga gtgcagtggc	480
55	acgatctcgg ctcaactgcaa cctccggctc cccggtcaa gcaattctcc tgccctagcc	540

EP 2 380 985 B1

	tccccagtag	ctgggattac	aggcatgtgc	caccacgccc	ggctaatttt	tgtattttta	600
	gttgagatgg	ggtttcacca	tggtggcgag	gctggctctg	aactcctgac	ctcaggtaat	660
5	ccgccagcct	cggcctccca	aagtgtctggg	attacaagcg	tgagccaccg	tgccccggcca	720
	acagttttta	aatctgtgga	gacttcattt	cccttgatgc	cttgagcccg	cgccgactac	780
	aactcccatc	atgcctggca	gccgctgggg	ccgcgattcc	gcacgtccct	tacccgcttc	840
10	actagtcccc	gcattcttcg	ctgttttcc	aactcgcccc	cttgactagc	gccctggaac	900
	agccattttg	gtcgtggagt	gcgagcacgg	ccggccaatc	gccgagtcag	agggccagga	960
	ggggcgcggc	cattcgccgc	ccggccccctg	ctccgtggct	ggttttctcc	gcgggcgcct	1020
15	cgggcggaac	ctggagataa	tgggcagcac	ctgggggagc	cctggctggg	tgcggtctgc	1080
	tctttgcctg	acgggcttag	tgctctcgt	ctacgcgctg	cacgtgaagg	cggcgcgcgc	1140
20	ccgggaccgg	gattaccgcg	cgctctgcga	cgtgggcacc	gccatcagct	gttcgcgcgt	1200
	cttctcctcc	aggtgtgcac	gggagtggga	ggcgtggggc	ctcggagcag	ggcggccagg	1260
	atgccagatg	attattctgg	agtctgggat	cgtgtgccc	ggggaacgga	cacggggctg	1320
25	gactgctcgc	ggggtcgttg	cacaggggct	gagctaccca	gcgatactgg	tgttcgaaat	1380
	aagagtgcga	ggcaagggac	cagacagtgc	tggggactgg	gattattccg	gggactcgca	1440
	cgtgaattgg	atgccaagga	ataacggtga	ccaggaaagg	cggggaggca	ggatggcggt	1500
30	agagattgac	gatgggtctca	aggacggcgc	gcaggtgaag	gggggtgttg	gcgatggctg	1560
	cgcccaggaa	caaggtggcc	cggtctggct	gtgcgtgatg	gccaggcggt	agcataatga	1620
	cggaatacag	aggaggcgag	tgagtggcca	gggagctgga	gattctgggg	tccagggcaa	1680
35	agataatctg	cccccgactc	ccagtctctg	atgcaaaacc	gagtgaaccg	ttataccagc	1740
	cttgccattt	taagaattac	ttaagggccg	ggcgcgggtg	cccactcctg	taatcccagc	1800
40	actttgggag	gccgaggcgg	atggatcact	tgaagtcagg	agttgaccag	cctggccaac	1860
	atggtgaaag	cctgtctcta	ccaaaaatag	aaaaattaat	cgggcgctat	ggcgggtgcc	1920
	ttaatcccag	ctactcgggg	gggctaaggc	aggagaatcg	cttgaaccgg	ggaggcggag	1980
45	gtttcagtga	gccgagatcg	cgccactgca	ctccagcctg	ggccagagtg	agactccgtc	2040
	tcaaaaaaaaa	aaaaaaaaaa	aaaaaaaaag	agacttactt	aaggtctaag	atgaaaagca	2100
	gggcctacgg	agtagccacg	tccgggcctg	gtctggggag	aggggaggat	agggtcagtg	2160
50	acatggaatc	ctgacgtggc	caaaggtgcc	cgtgtccagg	agatcatcga	cccttggaact	2220
	aggatgggag	gtcgggggaa	cagaggatagc	ccaggtggct	tcttggaat	cacettcttc	2280
	gggcagggtc	caaggcactg	ggttgacagt	cctaacctgg	ttccaccca	ccccaccct	2340
55	ctgccagggtg	gggcaggggt	ttcgggctgg	tggagcatgt	gctgggacag	gacagcatcc	2400

EP 2 380 985 B1

	tcaatcaatc caacagcata ttcggttgca tcttctacac actacagcta ttgttaggtg	2460
	agtggctccg cccctccct gcccgcccg ccccgccct catccccctt ggtcagctca	2520
5	gccccactcc atgcaatctt ggtgatccac acagctgaca gccagctagc tgctcatcac	2580
	ggagcgtcct gcgggtgggg atgtggggag gtaactaaca ggagtctttt aattggttta	2640
	agtactgtta gaggtgaag ggccttaaa gacatcctag gtccccaggt tttttgtttg	2700
10	ttgttgtttt gagacagggg ctggctctgt tgcccaaagt gaggtctagg atgcccttag	2760
	tgtgcactgg cgtgatctca gttcatggca acctctgcct ccctgccaa gggatcctcc	2820
	caccttagcc tcccaagcag ctggaatcac aggcgtgcac cactatgccc agctaatttt	2880
15	tgtttttgtt tttttttggg agagatgggt tctcgccatg ttgccaggc tggctctcaag	2940
	caatctgtct gcctcagcct cccaaagtgc tggggggatt acaggcgtga gctaccatgc	3000
20	cccaccaaca cccagtttt gtggaaaaga tgccgaaatt cctttttaag gagaagctga	3060
	gcatgagcta tcttttgtct catttagtgc tcagcaggaa aatttgtatc tagtcccata	3120
	agaacagaga gaggaacca gggagtggaa gacgatggcg cccaggcct tgctgatgcc	3180
25	atatgccgga gatgagacta tccattacca cccttcccag caggctccca cgctcccttt	3240
	gagtcaccct tcccagctcc agagaaggca tcactgaggg aggccagca ccacggtcct	3300
	ggctgacaca tggttcagac ttggccgatt tatttaagaa attttattgc tcagaacttt	3360
30	ccctccctgg gcaatggcaa gagcttcaga gaccagtccc ttggagggga cctgttgaag	3420
	ccttcttttt tttttttttt aagaaataat cttgctctgt tgcccaggct ggagtgcagt	3480
	ggcacaatca tagctcactg taacctggct caagcgatcc tcctgagtag ctaggactat	3540
35	aggcatgtca ctgcaccag ctaatttttt tttttttttt tttttttttt ttgcgacata	3600
	gtctcgctct gtcaccaggc tggagtgcag tggcacgac ttggctcact gcaacctctg	3660
40	cctcccgggt tcaagcaatt ttctgcctc agcctcctga gtagctggga ctacaggcgc	3720
	gtgtcaccac gccagctaa tttttgtatt tttagtggag acagggttcc accatgttgg	3780
	ctaggatggg ctcaatctct tgacctgggt atccatccgc cttggcctcc caaagtgcta	3840
45	ggattacagg cgtgagtcaa cctcaccggg catttttttt ttgagacgaa gtcttgctct	3900
	tgctgccaa gctggaatgt ggtggcatga tctcggtca ctgcaacctc cacctcctag	3960
	gttcaagcga ttctccacct tagcctcccc agcagctggg attacagggt cccatcaaca	4020
50	caccggcta atttttgtat ttttattaga gatggggttt tgccatgttg gccaggctgc	4080
	tctcgaactc ctaacctcag gtgatccacc ccattgggc tcccaaaata ctgggattac	4140
55	aggcatgagc caccgtgccc agctgaattt ctaaatTTTT gatagagatc gggctcttct	4200

atgttgccca agctgggtctt gaactcctag cctaaagcag tcttcccacc tcggcctccc 4260
 agagtgtttg gaatacgtgc gtaagccacc acatctgccc tggagcctct tgttttagag 4320
 5 accettecca gcagctcctg gcatctaggt agtgcagtga catcatggag tgttcgggag 4380
 gtggccagtg cctgaagccc acaccggacc ctcttctgcc ttgcaggttg cctgcggaca 4440
 cgctgggcct ctgtcctgat gctgctgagc tccctgggtg ctctcgctgg ttctgtctac 4500
 10 ctggcctgga tcctgttctt cgtgctctat gatttctgca ttgtttgtat caccacctat 4560
 gctatcaacg tgagcctgat gtggctcagt ttccggaagg tccaagaacc ccagggcaag 4620
 15 gctaagaggc actgagccct caacccaagc caggctgacc tcatctgctt tgctttggca 4680
 tgtgagcctt gcctaagggg gcatatctgg gtccctagaa ggccctagat gtggggcttc 4740
 tagattacce cctcctcctg ccataccgcg acatgacaat ggaccaaagt tgccacacgc 4800
 20 tcgctctttt ttacaccagc tgcctctgac tctgtcccca tgggctggtc tccaaagctc 4860
 tttccattgc ccagggaggg aagggtctga gcaataaagt ttcttagatc aatcagccaa 4920
 gtctgaacca tgtgtctgcc atggactgtg gtgctgggcc tccctcggtg ttgccttctc 4980
 25 tggagctggg aagggtgagt cagagggaga gtggagggcc tgctgggaag ggtggttatg 5040
 ggtagtctca tctccagtgt gtggagtcag caaggcctgg ggcaccattg gccccaccc 5100
 ccaggaaaca ggctggcagc tcgctcctgc tgcccacagg agccaggcct cctctcctgg 5160
 30 gaaggctgag cacacacctg gaagggcagg ctgcccttct ggttctgtaa atgcttgctg 5220
 ggaagttctt ccttgagttt aactttaacc cctccagttg ccttatcgac cattccaagc 5280
 35 cagtattggt agccttgag ggtcagggcc aggttggtgaa ggtttttgtt ttgcctatta 5340
 tgccctgacc acttacctac atgccaagca ctgtttaaga acttggttg gcagggtgca 5400
 gtggctcaca cctgtaatcc ctgtactttg ggaggccaag gcaggaggat cacttgaggc 5460
 40 caggagttcc agaccagcct gggcaaaaata gtgagacccc tgtctctaca aaaaaaaaaa 5520
 aaaaaaaaaa ttagccaggc atggtggtgt atgtacctat agtcccaact aatcggaag 5580
 ctggcgggaa gactgcttga gccagaagg ttgaggctgc agtgagccat gatcactgca 5640
 45 ctccagcctg agcaacagag caagaccgtc tccaaaaaaa aacaaaaaac aaaaaaaac 5700
 ttgtgttaac gtgttaaaact cgtttaatct ttacagtgat ttatgagggtg ggtactatta 5760
 ttatccctat cttgatgata gggacagagt ggctaattag tatgcctgag atcacacagc 5820
 50 tactgcagga ggctctcagg atttgaatcc acctggctcca tctggctcca gcatctatat 5880
 gctttttttt ttgttggttt gtttttgaga cggac 5915

55 <210> 14
 <211> 5915
 <212> DNA
 <213> Homo sapiens

<400> 14

	caccatcaga tgggacgtct gtgaaggaga gacctcatct ggcccacagc ttggaaagga	60
5	gagactgact gttgagttga tgcaagctca ggtgttgcca ggcgggcgcc atgatatag	120
	agaggtagg atactgtcaa ggggtgtgtgt ggccaaagga gtggttctgt gaatgtatgg	180
10	gagaaagggg gaccgaccac caggaagcac tggtagggca ggaccggga ggatgggagg	240
	ctgcagcccg aatgggtgcct gaaatagttt caggggaaat gcttggttcc cgaatcggat	300
	cgccgtattc gctggatccc ctgatccgct ggtctctagg tcccggatgc tgcaattctt	360
15	acaacaggac ttggcatagg gtaagcgcaa atgctgttaa ccacactaac acactttttt	420
	ttttcttttt tttttttgag acagagtctc actctgtcgg cctggctgga gtgcagtggc	480
	acgatctcgg ctactgcaa cctccggctc cccggctcaa gcaattctcc tgcctcagcc	540
20	tcccagatag ctgggattac aggcattgtgc caccacgccc ggctaatttt tgtattttta	600
	gttgagatgg ggtttcacca tgttggcgag gctggtcttg aactcctgac ctgaggaat	660
	ccgccagcct cggcctccca aagtgtctgg attacaagcg tgagccaccg tgcccgccca	720
25	acagttttta aatctgtgga gacttcattt cccttgatgc cttgcagccg cgccgactac	780
	aactcccatc atgcctggca gccgctgggg ccgcgattcc gcacgtccct taccgcttc	840
30	actagtcacc gcatctctcg ctgttttccct aactcgcccg cttgactagc gccctggaac	900
	agccatttgg gtcgtggagt gcgagcacgg ccggccaatc gccgagtcag agggccagga	960
	ggggcgcggc cattcgccgc ccggcccctg ctccgtggct ggttttctcc gcgggcgcc	1020
35	cgggcggaac ctggagataa tgggcagcac ctgggggagc cctggctggg tgcggctcgc	1080
	tctttgcctg acgggcttag tgctctcgct ctacgcgctg cacgtgaagg cggcgcgcg	1140
	ccgggaccgg gattaccgcg cgctctgcga cgtgggcacc gccatcagct gttcgcgct	1200
40	cttctcctcc aggtgtgcac gggagtggga ggcgtggggc ctcgagcag ggcggccagg	1260
	atgccagatg attattctgg agtctgggat cgggtgtgcc ggggaacgga cacggggctg	1320
	gactgctcgc ggggtcgttg cacaggggct gagctacca gcgatactgg tgttcgaaat	1380
45	aagagtgcga ggcaaggac cagacagtgc tggggactgg gattattccg gggactcgca	1440
	cgtgaattgg atgccaagga ataacggtga ccaggaaagg cggggaggca ggatggcgg	1500
	agagattgac gatggtctca aggacggcgc gcaggtgaag gggggtgttg gcgatggctg	1560
50	cgcccaggaa caagggtggc cggctctggct gtgcgtgatg gccaggcggt agcataatga	1620
	cgggaatacag aggaggcgag tgagtggcca gggagctgga gattctgggg tccagggcaa	1680
55	agataatctg ccccgactc ccagtctctg atgcaaaacc gagtgaaccg ttataccagc	1740

EP 2 380 985 B1

5 cttgccatTT taagaattac ttaagggccg ggcgcggtgg ccCactcctg taatcccagc 1800
 acttttgggag gccgagggcg atggatcact tgaagtcagg agttgaccag cctggccaac 1860
 atgggtgaaag cctgtctcta ccaaaaatag aaaaattaat cgggcgctat ggcggtgccc 1920
 ttaatcccag ctactcgggg gggctaaggc aggagaatcg cttgaacccg ggaggcggag 1980
 gtttcagtga gccgagatcg cgccactgca ctccagcctg ggccagagtg agactccgtc 2040
 10 tcaaaaaaaaa aaaaaaaaaa aaaaaaaag agacttactt aaggtctaag atgaaaagca 2100
 gggcctacgg agtagccacg tccgggcctg gtctggggag aggggaggat agggtcagtg 2160
 acatggaatc ctgacgtggc caaaggtgcc cggtgccagg agatcatcga cccttggact 2220
 15 aggatgggag gtcggggaac agaggatagc ccagggtggc tcttggaat cacctttctc 2280
 gggcagggtc caaggcactg ggttgacagt cctaacctgg tccacccca cccacccct 2340
 ctgccagggtg gggcaggggt ttcgggctgg tggagcatgt gctgggacag gacagcatcc 2400
 20 tcaatcaatc caacagcata ttcgggtgca tcttctacac actacagcta ttgttaggtg 2460
 agtggtcccg cccctccct gccgcgccg cccgcgccct catccccctt ggtcagctca 2520
 25 gccccactcc atgcaatctt ggtgatccac acagctgaca gccagctagc tgctcatcac 2580
 ggagcgtcct gcgggtgggg atgtggggag gtaactaaca ggagtctttt aattggttta 2640
 agtactgtta gaggtgaag ggcccttaa gacatcctag gtccccagg tttttgtttg 2700
 30 ttgttgtttt gagacagggt ctggctctgt tgcccaaagt gaggtctagg atgcccttag 2760
 tgtgcaactgg cgtgatctca gttcatggca acctctgcct ccctgcccga gggatcctcc 2820
 caccttagcc tcccagcag ctggaatcac aggcgtgcac cactatgcc agctaatttt 2880
 35 tgtttttgtt ttttttttgt agagatgggt tctcgccatg ttgccaggc tggctctcaag 2940
 caatctgtct gcctcagcct cccaaagtgc tggggggatt acaggcgtga gctaccatgc 3000
 cccaccaaca cccagtttt gtggaaaaga tgccgaaatt cctttttaag gagaagctga 3060
 40 gcatgagcta tcttttgtct catttagtgc tcagcaggaa aatttgtatc tagtcccata 3120
 agaacagaga gaggaaccaa gggagtggaa gacgatggcg cccaggcct tgctgatgcc 3180
 45 atatgccgga gatgagacta tccattacca cccttcccag caggctccca cgtcccttt 3240
 gagtaccct tcccagctcc agagaaggca tcaactgagg aggccagca ccatggtcct 3300
 ggctgacaca tgggtcagac ttggccgatt tatttaagaa attttattgc tcagaacttt 3360
 50 ccctccctgg gcaatggcaa gagcttcaga gaccagtccc ttggagggga cctgttgaag 3420
 ccttcttttt tttttttttt aagaaataat cttgctctgt tgcccaggct ggagtgcagt 3480
 55 ggcacaatca tagctcactg taacctggct caagcgatcc tctgagtag ctaggactat 3540

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

aggcattgtca ctgcacccag ctaatTTTTT TTTTTTTTTT TTTTTTTTTT ttgcgacata 3600
 gtctcgctct gtcaccaggc tggagtgcag tggcacgac ttggctcact gcaacctctg 3660
 cctcccgggt tcaagcaatt ttctgcctc agcctcctga gtagctggga ctacaggcgc 3720
 gtgtcaccac gccagctaa tttttgtatt tttagtggag acagggtttc accatgttgg 3780
 ctaggatggg ctcaatctct tgacctgggtg atccatccgc cttggcctcc caaagtgcta 3840
 ggattacagg cgtgagtcaa cctcaccggg cattTTTTTT ttgagacgaa gtcttgctct 3900
 tgctgcccac gctggaatgt ggtggcatga tctcggtca ctgcaacctc cacctcctag 3960
 gttcaagcga ttctccacct tagcctcccc agcagctggg attacagggtg cccatcaaca 4020
 caccgggcta atttttgtat ttttattaga gatgggggtt tgccatgttg gccaggctgc 4080
 tctcgaactc ctaacctcag gtgatccacc cccattggcc tcccaaaata ctgggattac 4140
 aggcattgagc caccgtgccc agctgaattt ctaaattttt gatagagatc gggctctttct 4200
 atgttgccca agctgggtct gaactcctag cctaaagcag tcttccacc tcggcctccc 4260
 agagtgtttg gaatacgtgc gtaagccacc acatctgccc tggagcctct tgttttagag 4320
 acccttccca gcagctcctg gcatctaggt agtgcagtga catcatggag tgttcgggag 4380
 gtggccagtg cctgaagccc acaccggacc ctcttctgcc ttgcagggtg cctgcggaca 4440
 cgctgggctt ctgtcctgat gctgctgagc tccctgggtg ctctcgctgg ttctgtctac 4500
 ctggcctgga tctgttctt cgtgctctat gatctctgca ttgtttgtat caccacctat 4560
 gctatcaacg tgagcctgat gtggctcagt ttccggaagg tccaagaacc ccagggcaag 4620
 gctaagaggc actgagccct caacccaagc caggctgacc tcatctgctt tgctttggca 4680
 tgtgagcctt gcctaagggg gcatactctg gtccctagaa ggccctagat gtggggcttc 4740
 tagattaccc cctcctcctg ccataccac acatgacaat ggaccaaag tgccacacgc 4800
 tcgctctttt ttacaccag tgctctgac tctgtcccca tgggctgggtc tccaaagctc 4860
 tttccattgc ccaggagggg aagggtctga gcaataaagt ttcttagatc aatcagccaa 4920
 gtctgaacca tgtgtctgcc atggactgtg gtgctgggct tccctcggtg ttgccttctc 4980
 tggagctggg aagggtgagt cagagggaga gtggagggcc tgctgggaag ggtggttatg 5040
 ggtagtctca tctccagtgt gtggagtcag caaggcctgg ggcaccattg gccccaccc 5100
 ccaggaaaca ggctggcagc tcgctcctgc tgccacagg agccaggcct cctctcctgg 5160
 gaaggctgag cacacacctg gaagggcagg ctgcccttct gggtctgtaa atgcttgctg 5220
 ggaagtctt ccttgagttt aactttaacc cctccagttg ccttatcgac cattccaagc 5280
 cagtattggg agccttgag ggtcagggcc aggttgtgaa ggtttttgtt ttgcctatta 5340
 tgccctgacc acttacctac atgccaagca ctgtttaaga acttgtgttg gcagggtgca 5400

EP 2 380 985 B1

gtggctcaca cctgtaatcc ctgtactttg ggaggccaag gcaggaggat cacttgagge 5460
 caggaggttcc agaccagcct gggcaaaata gtgagacccc tgtctctaca aaaaaaaaaa 5520
 5 aaaaaaaaaa ttagccaggc atgggtggtgt atgtacctat agtcccaact aatcggaag 5580
 ctggcgggaa gactgcttga gccagaagg ttgaggctgc agtgagccat gatcactgca 5640
 ctccagcctg agcaacagag caagaccgtc tccaaaaaaa aacaaaaaac aaaaaaaac 5700
 10 ttgtgttaac gtgttaaact cgtttaatct ttacagtgat ttatgaggtg ggtactatta 5760
 ttatccctat cttgatgata gggacagagt ggctaattag tatgcctgag atcacacagc 5820
 tactgcagga ggctctcagg atttgaatcc acctgggtcca tctgggtcca gcatctatat 5880
 15 gctttttttt ttgttggttt gtttttgaga cggac 5915

<210> 15

<211> 5915

20 <212> DNA

<213> Homo sapiens

<400> 15

25 caccatcaga tgggacgtct gtgaaggaga gacctcatct ggcccacagc ttggaaagga 60
 gagactgact gttgagttga tgcaagctca ggtgttgcca ggcgggcgcc atgatagtag 120
 agagggttagg atactgtcaa ggggtgtgtgt ggccaaagga gtgggttctgt gaatgtatgg 180
 30 gagaaagggg gaccgaccac caggaagcac tgggtgaggca ggaccggga ggatgggagg 240
 ctgcagcccg aatggtgcct gaaatagttt caggggaaat gcttggttcc cgaatcgat 300
 cgccgtattc gctggatccc ctgatccgct ggtctctagg tccgggatgc tgcaattctt 360
 35 acaacaggac ttggcatagg gtaagcgcaa atgctgttaa ccacactaac aactttttt 420
 ttttcttttt tttttttgag acagagtctc actctgtcgg cctggctgga gtgcagtggc 480
 acgatctcgg ctcaactgcaa cctccggctc cccggctcaa gcaattctcc tgcctcagcc 540
 40 tcccgagtag ctgggattac agacatgtgc caccacgccc ggctaatttt tgtattttta 600
 gttgagatgg ggtttcacca tgttggcgag gctgggtcttg aactcctgac ctgaggtaat 660
 45 ccgccagcct cggcctccca aagtgtcggg attacaagcg tgagccaccg tgcccgcca 720
 acagttttta aatctgtgga gacttcattt cccttgatgc cttgcagccg cgccgactac 780
 aactcccatc atgcctggca gccgctgggg ccgcgattcc gcacgtccct taccgcttc 840
 50 actagtcccg gcattcttcg ctgttttctt aactcgcccg cttgactagc gccctggaac 900
 agccatttgg gtcgtggagt gcgagcacgg ccggccaatc gccgagtcag agggccagga 960
 ggggcgcggc cattcgccgc ccggccctg ctccgtgget ggttttctcc gcgggcgcct 1020
 55 cgggcggaac ctggagataa tgggcagcac ctgggggagc cctggctggg tgcggctcgc 1080

EP 2 380 985 B1

tctttgcttg acgggcttag tgctctcgt ctacgcgctg cacgtgaagg cggcgcgcg 1140
 ccgggaccgg gattaccgcg cgctctgcga cgtgggcacc gccatcagct gttcgcgcgt 1200
 5 cttctcctcc aggtgtgcac gggagtggga ggcgtggggc ctccggagcag ggcggccagg 1260
 atgccagatg attattctgg agtctgggat cgggtgtgcc ggggaacgga cacggggctg 1320
 gactgctcgc ggggtcgttg cacaggggct gagctacca gcgatactgg tggtcgaaat 1380
 10 aagagtgcga ggcaaggga cagacagtgc tggggactgg gattattccg gggactcgca 1440
 cgtgaattgg atgccaagga ataacggtga ccaggaaagg cggggaggga ggatggcgg 1500
 agagattgac gatgggtctca aggacggcg gcaggtgaag ggggggtgtg gcgatggctg 1560
 15 cggccaggaa caagggtggc cggctctggc gtgcgtgatg gccaggcggt agcataatga 1620
 cggaatacag aggaggcgag tgagtggcca gggagctgga gattctgggg tccagggcaa 1680
 agataatctg ccccgactc ccagtctctg atgcaaaacc gagtgaaccg ttataccagc 1740
 20 cttgccattt taagaattac ttaagggccg ggcgcggtgg cccactcctg taatcccagc 1800
 actttgggag gccgaggcgg atggatcact tgaagtcagg agttgaccag cctggccaac 1860
 25 atggtgaaag cctgtctcta ccaaaaatag aaaaattaat cggcgctat ggcgggtgcc 1920
 ttaatcccag ctactcgggg gggctaaggc aggagaatcg cttgaaccg ggaggcggag 1980
 gtttcagtga gccgagatcg cgccactgca ctccagcctg ggccagagtg agactccgtc 2040
 30 tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agacttactt aaggtctaag atgaaaagca 2100
 gggcctacgg agtagccacg tccgggcctg gtctggggag aggggaggat agggtcagtg 2160
 acatggaatc ctgacgtggc caaagggtgc cggtgccagg agatcatcga cccttgact 2220
 35 aggatgggag gtcggggaac agaggatagc ccagggtggc tcttggaat cacctttctc 2280
 gggcagggc caaggcactg ggttgacagt cctaacctgg ttccaccca cccacccct 2340
 ctgccaggtg gggcaggggt ttcgggctg tggagcatgt gctgggacag gacagcatcc 2400
 40 tcaatcaatc caacagcata ttcggttgca tcttctacac actacagcta ttgttagtg 2460
 agtggctccg cccctccct gcccgcccg ccccgccct catccccct ggtcagctca 2520
 45 gcccactcc atgcaatctt ggtgatccac acagctgaca gccagctagc tgctcatcac 2580
 ggagcgtcct gcgggtgggg atgtggggag gtaactaaca ggagtctttt aattggttta 2640
 agtactgtta gaggctgaag ggcccttaa gacatcctag gtccccagg tttttgtttg 2700
 50 ttgttgttt gagacagggt ctggctctgt tgcccaaagt gaggtctagg atgcccttag 2760
 tgtgcactgg cgtgatctca gttcatggca acctctgcct cctgcccga gggatccctc 2820
 55 caccttagcc tcccaagcag ctggaatcac aggcgtgcac cactatgcc agctaatttt 2880

EP 2 380 985 B1

	tggtttttgtt	tttttttggg	agagatgggtg	tctcgccatg	ttgcccaggc	tggtctcaag	2940
	caatctgtct	gcctcagcct	cccaaagtgc	tggtggggatt	acaggcgtga	gctaccatgc	3000
5	cccaccaaca	ccccagtttt	gtggaaaaga	tgccgaaatt	ccttttttaag	gagaagctga	3060
	gcatgagcta	tcttttgtct	catttagtgc	tcagcaggaa	aatttgtatc	tagtcccata	3120
	agaacagaga	gaggaaccaa	gggagtggaa	gacgatggcg	ccccaggcct	tgctgatgcc	3180
10	atatgccgga	gatgagacta	tccattacca	cccttcccag	caggctccca	cgctcccttt	3240
	gagtcaccct	tcccagctcc	agagaaggca	tactgaggg	aggcccagca	ccatggctct	3300
	ggctgacaca	tggttcagac	ttggccgatt	tatttaagaa	attttattgc	tcagaacttt	3360
15	ccctccctgg	gcaatggcaa	gagcttcaga	gaccagtccc	ttggagggga	cctggtgaag	3420
	ccttcttttt	tttttttttt	aagaaataat	cttgctctgt	tgcccaggct	ggagtgcagt	3480
20	ggcacaaatca	tagctcactg	taacctggct	caagcgatcc	tcctgagtag	ctaggactat	3540
	aggcatgtca	ctgcaccag	ctaatttttt	tttttttttt	tttttttttt	ttgcgacata	3600
	gtctcgctct	gtcaccagc	tggtgtgcag	tggcacgac	ttggctcact	gcaacctctg	3660
25	cctcccgggt	tcaagcaatt	ttcctgcctc	agcctcctga	gtagctggga	ctacaggcgc	3720
	gtgtcaccac	gcccagctaa	tttttgtatt	tttagtggag	acagggtttc	accatgttgg	3780
	ctaggatggg	ctcaatctct	tgacctggtg	atccatccgc	cttggcctcc	caaagtgcta	3840
30	ggattacagg	cgtgagtcaa	cctcaccggg	catttttttt	ttgagacgaa	gtcttgctct	3900
	tgctgcccaa	gctggaatgt	ggtggcatga	tctcggtcca	ctgcaacctc	cacctcctag	3960
	gttcaagcga	ttctccacct	tagcctcccc	agcagctggg	attacagggtg	cccatcaaca	4020
35	caccgggcta	atttttgtat	ttttattaga	gatgggggtt	tgccatgttg	gccaggctgc	4080
	tctcgaaactc	ctaacctcag	gtgatccacc	cccattggcc	tcccaaaata	ctgggattac	4140
40	aggcatgagc	caccgtgccc	agctgaattt	ctaaattttt	gatagagatc	gggtctttct	4200
	atgttgccca	agctggtctt	gaactcctag	cctaaagcag	tcttcccacc	tcggcctccc	4260
	agagtgtttg	gaatacgtgc	gtaagccacc	acatctgccc	tggagcctct	tgtttttagag	4320
45	acccttccca	gcagctcctg	gcatctaggt	agtgcagtga	catcatggag	tgttcgggag	4380
	gtggccagtg	cctgaagccc	acaccggacc	ctcttctgcc	ttgcagggtg	cctgcggaca	4440
	cgctgggcct	ctgtcctgat	gctgctgagc	tcctgggtgt	ctctcgctgg	ttctgtctac	4500
50	ctggcctgga	tcctgttctt	cgtgctctat	gatttctgca	ttgtttgtat	caccacctat	4560
	gctatcaacg	tgagcctgat	gtggctcagt	ttccggaagg	tccaagaacc	ccagggcaag	4620
	gctaagaggc	actgagccct	caaccaagc	caggctgacc	tcactctgct	tgctttggca	4680
55	tgtgagcctt	gcctaagggg	gcatatctgg	gtccctagaa	ggccctagat	gtggggcttc	4740

EP 2 380 985 B1

tagattaccc cctcctcctg ccatacccg c acatgacaat ggaccaaagtg tgccacacgc 4800
 tcgctctttt ttacaccag tgccctctgac tctgtcccca tgggctgggc tccaaagctc 4860
 5 tttccattgc ccagggaggg aagggtctga gcaataaagt ttcttagatc aatcagccaa 4920
 gtctgaacca tgtgtctgcc atggactgtg gtgctgggccc tccctcggtg ttgccttctc 4980
 tggagctggg aaggggtgagt cagagggaga gtggagggccc tgcctgggaag ggtgggttatg 5040
 10 ggtagtctca tctccagtgt gtggagtcag caaggcctgg ggcaacattg gccccacccc 5100
 ccaggaaaca ggctggcagc tcgctcctgc tgccacacagg agccaggcct cctctcctgg 5160
 gaaggctgag cacacacctg gaagggcagg ctgcccttct gggtctgtaa atgcttgctg 5220
 15 ggaagttctt ccttgagttt aactttaacc cctccagttg ccttatcgac cattccaagc 5280
 cagtattggt agccttgagg ggtcagggcc aggttgtgaa ggtttttgtt ttgcctatta 5340
 20 tgccctgacc acttacctac atgccaaagca ctgtttaaga acttggtgtg gcaggggtgca 5400
 gtggctcaca cctgtaatcc ctgtactttg ggaggccaag gcaggaggat cacttgaggc 5460
 caggagtcc agaccagcct gggcaaaaata gtgagacccc tgtctctaca aaaaaaaaaa 5520
 25 aaaaaaaaaa ttagccaggc atgggtggtg atgtacctat agtcccaact aatcgggaag 5580
 ctggcgggaa gactgcttga gcccagaagg ttgaggctgc agtgagccat gatcactgca 5640
 ctccagcctg agcaacagag caagaccgtc tccaaaaaaa aacaaaaaac aaaaaaaac 5700
 30 ttgtgttaac gtgttaaact cgtttaatct ttacagtgat ttatgaggtg ggtactatta 5760
 ttatccctat cttgatgata gggacagagt ggctaattag tatgcctgag atcacacagc 5820
 tactgcagga ggctctcagg atttgaatcc acctgggtcca tctgggtcca gcatctatat 5880
 35 gctttttttt ttgttggttt gtttttgaga cggac 5915

<210> 16

<211> 5915

40 <212> DNA

<213> Homo sapiens

<400> 16

45 caccatcaga tgggacgtct gtgaaggaga gacctcatct ggccacagc ttggaaagga 60
 gagactgact gttgagttga tgcaagctca ggtgttgcca ggcgggcgcc atgatagtag 120
 50 agaggttagg atactgtcaa ggggtgtgtg ggccaaagga gtgggtctgt gaatgtatgg 180
 gagaaagga gaccgaccac caggaagcac tggtagggca ggaccggga ggatgggagg 240
 ctgcagcccg aatgggtgct gaaatagttt caggggaaat gcttggttcc cgaatcggat 300
 55 cgccgtatcc gctggatccc ctgatccgct ggtctctagg tcccgatgc tgcaattctt 360
 acaacaggac ttggcatagg gtaagcgcaa atgctgttaa ccacactaac acactttttt 420

EP 2 380 985 B1

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

ttttcttttt tttttttgag acagagtctc actctgtcgg cctggctgga gtgcagtggc 480
 acgatctcgg ctcaactgcaa cctccggctc cccggctcaa gcaattctcc tgcctcagcc 540
 tccccagtag ctgggattac aggcattgtgc caccacgccc ggctaatttt tgtattttta 600
 gttgagatgg ggtttcacca tgttggcgag gctggctcttg aactcctgac ctgaggtaat 660
 ccgccagcct cggcctccca aagtgtctggg attacaagcg tgagccaccg tgcccggcca 720
 acagttttta aatctgtgga gacttcattt cccttgatgc cttgcagccg cgccgactac 780
 aactcccatc atgcctggca gccgctgggg ccgcgattcc gcacgtccct taccgcttc 840
 actagtcccg gcattcttcg ctgttttccct aactcgcccc cttgactagc gccctggaac 900
 agccatttgg gtcgtggagt gcgagcacgg ccggccaatc gccgagtcag agggccagga 960
 ggggcgcggc cattcgccgc ccggcccctg ctccgtggct gggtttctcc gcgggcgcct 1020
 cgggcggaac ctggagataa tgggcagcac ctgggggagc cctggctggg tgcggtcgc 1080
 tctttgcctg acgggcttag tgcctcgcct ctacgcgctg cacgtgaagg cggcgcgcgc 1140
 ccgggaccgg gattaccgcg cgctctgcga cgtgggcacc gccatcagct gttcgcgcgt 1200
 cttctcctcc aggtgtgcac gggagtggga ggcgtggggc ctcgagcag gccggccagg 1260
 atgccagatg attattctgg agtctgggat cgggtgtgcc ggggaacgga cacggggctg 1320
 gactgctcgc ggggtcgttg cacaggggct gagctaccca gcgatactgg tgttcgaaat 1380
 aagagtgcga ggcaagggac cagacagtgc tggggactgg gattattccg gggactcgca 1440
 cgtgaattgg atgccaagga ataacggtga ccaggaaagg cggggaggca ggatggcggc 1500
 agagattgac gatggtctca aggacggcgc gcaggtgaag gggggtgttg gcgatggctg 1560
 cgcccaggaa caaggtggcc cggctctggc gtgcgtgatg gccaggcggt agcataatga 1620
 cggaatacag aggaggcgag tgagtggcca gggagctgga gattctgggg tccagggcaa 1680
 agataatctg cccccgaact ccagtctctg atgcaaaacc gagtgaaccg ttataccagc 1740
 cttgccattt taagaattac ttaagggcgg ggcgcggtgg cccactcctg taatcccagc 1800
 actttgggag gccgaggcgg atggatcact tgaagtcagg agttgaccag cctggccaac 1860
 atggtgaaag cctgtctcta ccaaaaatag aaaaattaat cgggcgctat ggcgggtgcc 1920
 ttaatcccag ctactcgggg gggctaaggc aggagaatcg cttgaaccgg ggaggcggag 1980
 gtttcagtga gccgagatcg cgccactgca ctccagcctg ggccagagtg agactccgtc 2040
 tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agacttactt aaggctaaag atgaaaagca 2100
 gggcctacgg agtagccacg tccgggcctg gtctggggag aggggaggat agggtcagtg 2160
 acatggaatc ctgacgtggc caaaggtgcc cgggtgccagg agatcatcga cccttggaact 2220

EP 2 380 985 B1

5 aggatgggag gtcggggaac agaggatagc ccagggtggct tcttggaat cacctttctc 2280
 gggcagggtc caaggcactg ggttgacagt cctaacctgg tccacccca cccacccct 2340
 ctgccagggtg gggcaggggt ttcgggctgg tggagcatgt gctgggacag gacagcatcc 2400
 tcaatcaatc caacagcata ttcgggtgca tcttctacac actacagcta ttgttaggtg 2460
 agtggctccg cccctccct gcccgcccg ccccgccct catccccctt ggtcagctca 2520
 10 gccccactcc atgcaatctt ggtgatccac acagctgaca gccagctagc tgctcatcac 2580
 ggagcgtcct gcgggtgggg atgtggggag gtaactaaca ggagtctttt aattggttta 2640
 agtactgtta gaggctgaag ggccttaaa gacatcctag gtcccagggt ttttgtttg 2700
 15 ttgttgtttt gagacagggt ctggctctgt tgcccaaagt gaggtctagg atgcccttag 2760
 tgtgactgg cgtgatctca gttcatggca acctctgcct cctgcccga gggatcctcc 2820
 20 caccttagcc tcccaagcag ctggaatcac aggcgtgcac cactatgcc agctaatttt 2880
 tgtttttgtt ttttttttgt agagatggtg tctcgccatg ttgccaggc tggctctcaag 2940
 caatctgtct gcctcagcct cccaaagtgc tggggggatt acaggcgtga gctaccatgc 3000
 25 cccaccaaca cccagtttt gtggaaaaga tgccgaaatt cctttttaag gagaagctga 3060
 gcatgagcta tcttttgtct catttagtgc tcagcaggaa aatttgtatc tagtcccata 3120
 agaacagaga gaggaacca gggagtggaa gacgatggcg cccaggcct tgctgatgcc 3180
 30 atatgccgga gatgagacta tccattacca cccttccag caggctocca cgctcccttt 3240
 gagtcaccct tccagctcc agagaaggca tctactgaggg agggccagca ccatggctct 3300
 ggctgacaca tggttcagac ttggccgatt tatttaagaa attttattgc tcagaacttt 3360
 35 ccctccctgg gcaatggcaa gagcttcaga gaccagtccc ttggagggga cctgttgaag 3420
 ccttcttttt tttttttttt aagaaataat cttgctctgt tgcccaggct ggagtgcagt 3480
 40 ggcacaatca tagctcactg taacctggct caagcgatcc tcctgagtag ctaggactat 3540
 aggcattgtc ctgcaccag ctaatttttt tttttttttt tttttttttt ttgcgacata 3600
 gtctcgctct gtcaccaggc tggagtgcag tggcacgatc ttggctcact gcaacctctg 3660
 45 cctcccgggt tcaagcaatt ttctgcctc agcctcctga gtagctggga ctacaggcgc 3720
 gtgtcaccac gccagctaa tttttgtatt tttagtggag acagggtttc accatgttgg 3780
 ctaggatgggt ctcaatctct tgacctgggt atccatccgc cttggcctcc caaagtgcta 3840
 50 ggattacagg cgtgagtcaa cctcaccggg catttttttt ttgagacgaa gtcttgctct 3900
 tgctgcccga gctggaatgt ggtggcatga tctcggtca ctgcaacctc cacctcctag 3960
 gttcaagcga ttctccacct tagcctcccc agcagctggg attacagggt ccatcaaca 4020
 55 caccgggcta atttttgtat ttttattaga gatgggggtt tgccatgttg gccaggctgc 4080

EP 2 380 985 B1

	tctcgaactc ctaacctcag gtgateccacc cccattggcc tcccaaaata ctgggattac	4140
	aggcatgagc caccgtgccc agctgaattt ctaaattttt gatagagatc gggctcttct	4200
5	atgttgccca agctggctct gaactcctag cctaaagcag tcttcccacc tcggcctccc	4260
	agagtgtttg gaatacgtgc gtaagccacc acatctgccc tggagcctct tgttttagag	4320
	acccttccca gcagctcctg gcactctaggt agtgcagtga catcatggag tgttcgggag	4380
10	gtggccagtg cctgaagccc acaccggacc ctcttctgcc ttgcagggtg cctgcggaca	4440
	cgctgggctt ctgtcctgat gctgctgagc tccttgggtg ctctcgctgg ttctgtctac	4500
	ttggcctgga tcctgttctt cgtgctctat gatttctgca ttgtttgtat caccacctat	4560
15	gctatcaacg tgagcctgat gtggctcagt ttccggaagg tccaagaacc ccagggcaag	4620
	gctaagaggc actgagccct caacccaagc caggctgacc tcatctgctt tgctttggca	4680
20	tgtgagcctt gcctaagggg gcatactctg gtccctagaa ggccctagat gtggggcttc	4740
	tagattaccc cctcctcctg ccatacccg c acatgacaat ggaccaaagtg tgccacacgc	4800
	tcgctctttt ttacaccag tgcctctgac tctgtccca tgggctggtc tccaaagctc	4860
25	tttccattgc ccagggaggg aagggtctga gcaataaagt ttcttagatc aatcagccaa	4920
	gtctgaacca tgtgtctgcc atggactgtg gtgctgggccc tcctcggtg ttgccttctc	4980
	tggagctggg aagggtgagt cagagggaga gtggagggcc tgctgggaag ggtggttatg	5040
30	ggtagtctca tctccagtgt gtggagtcag caaggcctgg ggcaccattg gccccaccc	5100
	ccaggaaaca ggctggcagc tcgctcctgc tgcccacagg agccaggcct cctctcctgg	5160
	gaaggctgag cacacacctg gaagggcagg ctgcccctct ggttctgtaa atgcttgctg	5220
35	ggaagttctt ccttgagttt aactttaacc cctccagttg ccttatcgac cattccaagc	5280
	cagtattggt agccttgag ggtcagggcc aggttgtgaa ggtttttgtt ttgcctatta	5340
	tgccctgacc acttacctac atgccaaagca ctgtttaaga acttggttg gcagggtgca	5400
40	gtggctcaca cctgtaatcc ctgtactttg ggaggccaag gcaggaggat cacttgaggc	5460
	caggagttcc agaccagcct gggcaaaaata gtgagacccc tgtctctaca aaaaaaaaaa	5520
45	aaaaaaaaaa ttagccaggc atggtgggtg atgtacctat agtcccaact aatcggggaag	5580
	ctggcgggaa gactgcttga gcccagaagg ttgaggctgc agtgagccat gatcactgca	5640
	ctccagcctg agcaacagag caagaccgtc tccaaaaaaa aacaaaaaac aaaaaaaac	5700
50	ttgtgttaac gtgttaaaact cgtttaatct ttacagtgat ttatgagggtg ggtactatta	5760
	ttatccctat cttgatgata gggacagagt ggctaattag tatgcctgag atcacacagc	5820
	tactgcagga ggctctcagg atttgaatcc acctgggtcca tctgggtcca gcactatat	5880
55		
	gctttttttt ttgttggttt gtttttgaga cggac	5915

EP 2 380 985 B1

<210> 17
 <211> 15
 <212> DNA
 <213> Artificial
 5
 <220>
 <223> vk2581 G>C VIC probe sequence
 <400> 17
 10 tcatcacgga gcgtc 15
 <210> 18
 <211> 15
 <212> DNA
 15 <213> Artificial
 <220>
 <223> vk2581 G>C FAM probe sequence
 <400> 18
 20 tcatcacgga gcgtc 15
 <210> 19
 <211> 20
 25 <212> DNA
 <213> Artificial
 <220>
 <223> PCR primer
 30 <400> 19
 ggtgatccac acagctgaca 20
 <210> 20
 35 <211> 23
 <212> DNA
 <213> Artificial
 <220>
 40 <223> PCR primer
 <400> 20
 cctgttagtt acctccccac atc 23
 <210> 21
 <211> 15
 <212> DNA
 <213> Artificial
 50 <220>
 <223> vk3294 T>C VIC probe sequence
 <400> 21
 55 ccaggaccat ggtgc 15
 <210> 22
 <211> 15
 <212> DNA

EP 2 380 985 B1

<213> Artificial
 <220>
 <223> vk3294 T>C FAM probe sequence
 5
 <400> 22
 ccaggaccgt ggtgc 15
 <210> 23
 10 <211> 20
 <212> DNA
 <213> Artificial
 <220>
 15 <223> PCR primer
 <400> 23
 gctccagaga aggcatcact 20
 20 <210> 24
 <211> 22
 <212> DNA
 <213> Artificial
 25 <220>
 <223> PCR primer
 <400> 24
 30 gccaaagtctg aaccatgtgt ca 22
 <210> 25
 <211> 15
 <212> DNA
 <213> Artificial
 35 <220>
 <223> vk4769 G>A VIC probe sequence
 <400> 25
 40 ataccgcac atgac 15
 <210> 26
 <211> 16
 <212> DNA
 45 <213> Artificial
 <220>
 <223> vk4769 G>A FAM probe sequence
 50 <400> 26
 catacccaca catgac 16
 <210> 27
 <211> 22
 55 <212> DNA
 <213> Artificial
 <220>

<223> PCR primer
 <400> 27
 gtcctagaa ggcctagat gt 22
 5
 <210> 28
 <211> 21
 <212> DNA
 <213> Artificial
 10
 <220>
 <223> PCR primer
 <400> 28
 15 gtgtggcaca ttgtccat t 21
 <210> 29
 <211> 19
 <212> DNA
 20 <213> Artificial
 <220>
 <223> PCR primer
 25 <400> 29
 ccaatcgccg agtcagagg 19
 <210> 30
 <211> 20
 30 <212> DNA
 <213> Artificial
 <220>
 <223> PCR primer
 35 <400> 30
 ccagtcgcc agcactgtct 20
 <210> 31
 40 <211> 20
 <212> DNA
 <213> Artificial
 <220>
 45 <223> PCR primer
 <400> 31
 aggggaggat aggtcagtg 20
 50 <210> 32
 <211> 21
 <212> DNA
 <213> Artificial
 55 <220>
 <223> PCR primer
 <400> 32

EP 2 380 985 B1

	cctgttagtt acctccccac a	21
5	<210> 33	
	<211> 20	
	<212> DNA	
	<213> Artificial	
10	<220>	
	<223> PCR primer	
	<400> 33	
	atacgtgagt aagccaccac	20
15	<210> 34	
	<211> 20	
	<212> DNA	
	<213> Artificial	
20	<220>	
	<223> PCR primer	
	<400> 34	
	accagatat gccccttag	20

PATENTKRAV

1. Celle, der indeholder og udtrykker en rekombinant nukleinsyre omfattende en nukleinsyre, der koder for vitamin K-epoxidreduktase (VKOR), funktionelt forbundet med en heterolog promotor, idet den nukleinsyre, der koder for VKOR, omfatter SEQ ID NO: 9 eller en nukleinsyre, der er mindst 80% identisk med SEQ ID NO: 9, og idet den udtrykte VKOR omdanner vitamin K-epoxid til vitamin K.
2. Celle ifølge krav 1, hvori den udtrykte VKOR er warfarin-følsom.
3. Celle ifølge krav 1 eller 2, som endvidere udtrykker en nukleinsyre, der koder for et vitamin K-afhængigt protein, og indeholder og udtrykker en heterolog nukleinsyre, der koder for vitamin K-afhængig carboxylase.
4. Celle ifølge krav 3, hvori det vitamin K-afhængige protein er valgt fra gruppen bestående af faktor VII, faktor IX, faktor X, protein C, protein S og prothrombin.
5. Fremgangsmåde til fremstilling af et vitamin K-afhængigt protein omfattende dyrkning af cellen ifølge krav 3 eller 4 i nærvær af vitamin K.

Fig. 1A vk2581




Fig. 1B vk3294




Fig. 1C vk4769




Fig. 1D p1075




Fig. 2





Fig. 3






Figure 4




Figure 5