

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
15 January 2004 (15.01.2004)

PCT

(10) International Publication Number
WO 2004/006601 A1

(51) International Patent Classification⁷: **H04Q 7/32**,
H04N 1/00, H04L 9/32

(21) International Application Number:
PCT/SE2003/001014

(22) International Filing Date: 16 June 2003 (16.06.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0202156-6 9 July 2002 (09.07.2002) SE

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): SMART-TRUST AB [SE/SE]; Box 471 54, S-100 74 Stockholm (SE).

Declaration under Rule 4.17:

— *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations*

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): LANNERSTRÖM, Sten [SE/SE]; Storgatan 17, S-171 63 Solna (SE).


Published:

— *with international search report*

(74) Agent: SÖDERMAN, Päivi; Smarttrust Systems Oy, P.O. Box 119, FIN-00511 Helsinki (FI).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD IN A MOBILE TELECOMMUNICATION NETWORK FOR OBTAINING LOCATION AND TIME INFORMATION ABOUT USERS



(57) Abstract: In the method of the invention for obtaining location and time information about users, a digital content is first created, which is stored in a user terminal. Location data is then retrieved from the user terminal. Either or both of the location data and the digital content is digitally signed in the user terminal. Said signed content and location data is combined and the combination is timestamped by a trusted third party.

METHOD IN A MOBILE TELECOMMUNICATION NETWORK FOR OBTAINING LOCATION AND TIME INFORMATION ABOUT USERS

5 TECHNICAL FIELD

The invention is concerned with a method in a mobile telecommunication network for obtaining location and time information about users as they visit various locations.

10

BACKGROUND ART

15 In mobile telecommunication systems it is possible to determine with relative accuracy a geographic location of a mobile station. Such exact location information can be used for numerous purposes such as to provide directions to a user who is lost, or trying to avoid road congestion, for obtaining information about a location or object close to the mobile station, etc.

20 Several techniques are known for obtaining a general location of a mobile station. For example the general location may be determined using Location Service Area (LSA) identification techniques employed in known SolSA techniques. A very common technique is the Global Positioning System (GPS) generating location information from a mobile device. GPS is performed by means of a
25 constellation of earth orbiting satellites that transmit standard signals that can be used for establishing the location of a user equipped with a GPS receiver. According to the GSM Specification 3GPP TS 11.14. V8.7.0 (20021-06) of the SIM application toolkit for the Subscriber Identity Module – Mobile Equipment (SIM ME) interface developed within the 3rd Generation Partnership Project, local
30 information is provided to the SIM including among others the mobile country code (MCC), the mobile network code (MNC) and the location area code (LAC).

These codes and the cell ID are coded as in TS 04.08 [8] (Paragraphs 10.5.1.1 and 10.5.1.3. in GSM 04.08. The location area identification is sent to the mobile station.

5 WO 01/49056 presents a precise location of a mobile station through interaction with a mobile communication network and a global computer network. This is accomplished by inputting to a subject mobile station, a digital image of a geographic location surrounding the subject mobile station or an object proximate the mobile station and transmitting the digital image to a mobile communication
10 network, such as General Packet Radio service (GPRS) or a Global System for Mobile Communication (GSM). A general location identifier is obtained for the mobile station, which identifier is compared with information based on the digital image to determine the geographic location of the mobile station.

15 US patent 6,154,727 relates to a system and method for tracking clients as they visit the locations of various recipients. The clients communicate with a computer that uses biometric parameters during the communication to identify the client. A method for tracking the clients making a cellular phone call is also disclosed, in which the geographic location of the phone call is identified.

20

DE19940649 uses a combination of a personal electronic signature, password or biometric characteristics as a digital signature and a GPS signal for location and time determination, which combination is sent along with a data file.

25 Also in US-patent 5,923,763, a GPS signal is used for location and time determination. Location signals are incorporated into the timestamp to certify both the time and the geographical location at which the document was timestamped.

30 In timestamping the goal might be digital data certification as well as time certification of a document. Examples include camera data recorders to

timestamp pictures, date/time recorders and computer clocks to timestamp file creation. Timestamping can also be used to conduct certain analysis of network traffic, so that a timestamp is associated with each data packet, the time stamp having a value representing the time at which the packet is placed onto the
5 network. The timestamping device might sign the time with a device specific private key to provide authenticity in addition to integrity. Even greater assurance can be provided by adding IDs, digital certificates, asymmetric or symmetric encryption, or other cryptographic techniques. US patent 5,923,763 presents a solution which combines these methods and includes also GPS localization
10 signals in the time stamp.

US patent 6,307,950 presents a method and system for embedding signatures within visual images in digital representation or film. A pattern of signature points selected from the pixels of an original image are used as signature in this
15 solution.

Digital signatures and asymmetric encryption is most commonly performed by means of Public Key Infrastructure (PKI). PKI is a system that can be used to authenticate users, sign information or encrypt information. In a PKI system, two
20 corresponding (also called asymmetric) keys, i.e. a public key and a private key, are used in connection with protecting information. Information, which is encrypted with one of the two keys, can be decrypted only with the other key. One important feature of PKI systems is that it is computationally unfeasible to use knowledge of one of the keys to deduce the other key. In a typical PKI
25 system, each of the systems possesses a set of two such keys. One of the keys is maintained private while the other is freely published.

A PKI distributes one or several public keys and determines whether a certain public key can be trusted for certain usage or not. An important concept in
30 infrastructures built on public key cryptography is that of the Certification Authority (CA). The weakness in a public key system is that, even though it is

desirable that the public keys for all users are easily available, it is also required to assert that it is truly known that a particular public key really belongs to the user that one is communicating with. Thus CA is used for getting a digital certificate. It uses its good name to guarantee the correctness of a public key by signing the key, the signed key being called a digital certificate.

Wireless Application Protocol (WAP) defines an industry-wide specification for developing applications that operate over wireless communication networks including a set of protocols in transport, session and application layers. The WMLScript Crypto Library part of WAP provides cryptographic functionality for a WAP client. The browser has a WMLScript function, `Crypto.signText`, defined in said library document for associating a digital signature with generated data and uses special signature keys distinct from authentication keys for the signature computation.

The signature process is performed with an algorithm on a hash of the plain text to be signed. The hash is e.g. obtained by means of a standard hash function, such as MD-5 or SHA-1. The main function of the signature algorithm includes encryption of the hash with a private key. In addition, the algorithm has further features such as adding attributes to the message. One example of an attribute is the nounce, which is an arbitrary number, so that the private key would be different each time it is used. An other attribute is a time attribute added to the message for avoiding reply attacks.

A special format for transmission of signed content to and from WAP devices is defined. In that format hash values of authenticated attributes are computed using a PKCS#7 template (an example of a structure for an encrypted message) to provide end-to-end authentication between WAP clients and devices supporting the PKCS#7 standard for signed data representation. In this formats, replay attacks are avoided by adding a time attribute by means of a counter.

THE OBJECT OF THE INVENTION

The object of the invention is a method to prove the location of a mobile user at a given time in a new and practical way.

5

SUMMARY OF THE INVENTION

In the method of the invention for obtaining location and time information about
10 users, a digital content is first created, which is stored in a user terminal. Location data is then retrieved from the user terminal. Either or both of the location data and the digital content is digitally signed in the user terminal. Said signed content and location data is combined and the combination is timestamped.

15 The advantageous embodiments of the invention are presented in the subclaims.

Whereas timestamping is a known method in itself for verifying the time for
sending a given file, the method of the invention provides "spacestamping", since
it is in first hand the location that is to be verified even if verification of the time
20 also is important.

The invention is in the first hand meant to be used by mobile terminal users.

Spacestamping, used to prove that a person has visited a given location at a
given time, is based on taking location-based information from the subscriber
Identity Module (SIM) of a mobile terminal, assembling it together with binary
25 data, such as a picture of the person, having this information being digitally
signed through the mobile terminal, and having this digital signature being
properly time-stamped. Thus the Spacestamp of the invention is a combined
package containing a digital content (e.g. an image), location based information,
the user's digital signature and a time-stamp.

30

Spacestamping gives the possibility to link a user with a location and provide means of assuring a third party that the user, having spacestamped information, was at a given location at a given moment of time.

5 The actual implementation of the invention, based on a combination of location-based information from the SIM, digital signatures, time-stamping and preferably an image can be done in several ways, some of which are more advantageous than others.

10 Two embodiments of the invention are presented below, one stronger and one weaker implementation.

In the most advantageous embodiment the digital content is a picture and it is taken by a camera, which is directly linked to the mobile terminal of the user. The mobile terminal then digitally signs the digital content. In other embodiments the
15 digital content might e.g. be a text file or a voice message. Preferably, the user needs to enter a correct PIN in order to have access to the private key, necessary for the signature in the signature process. Location data is retrieved from the mobile terminal and added as a signed attribute.

20 The signed content is then distributed to an "authorized" trusted third party for a time-stamp. The "authorized" third party, which can be the workstation itself or an external time stamp server, creates a time-stamp and thus completes the spacestamp.

25 As the location information is a relative point presented in the form of codes as standardized information inside a mobile operators network it need to be translated if it is desired to have an understandable geographical position. This should preferably take place before the final time-stamp. The translation of a cell position into a geographical position can also be digitally signed. It should then
30 be combined with the other parts into the final spacestamp.

In another embodiment the digital content, created by e.g. a digital camera is downloaded into e.g. a workstation and thereafter sent to the user terminal.

5 The location information is retrieved from the mobile terminal OTA (Over The Air) through an application residing in the workstation. The location data is converted into understandable geographical information, such as coordinates, and then combined with the digital content.

10 The digital content is sent to the mobile terminal for the user to be digitally signed. The user enters the correct PIN in order to have access to the private key, necessary for the signature.

The signed content is distributed back to the workstation and it is time-stamped. The time-stamp is handled by the workstation or distributed to, and handled by,
15 an "authorized" trusted third party. The time-stamp completes the spacestamp.

The location information retrieved within the SIM is a relative point inside a mobile operators network. A proper timestamp should preferably include a fixed geographical position (at least a position within a reasonable accurate area) and
20 not just a relative location within some operators network. Thus, it needs to be translated and the operator in use currently owns this translation table. This translation table can be made open to the public.

There are several possible uses for the invention. It is useful to have a method,
25 which can be used to prove that you e.g. has been present at a given event, in which time and space location together with a digital signature includes all what is needed. With the method of the invention, a night-guard can for example spacestamp all location in a nightly round. Furthermore, like people collecting first-day-issues of stamps, people might in the future collect spacestamps from
30 different cities, from first/last or other events etc.

In the following the invention will be described by means of some figures and detailed examples, which are for illustrative purposes only and not meant to restrict the invention in anyway, which is defined by the patent claims.

5

BRIEF DESCRIPTION OF DRAWINGS

Figure 1 presents an example of a network wherein the invention can be applied and a first embodiment

10

Figure 2 presents a detailed example of another embodiment of the invention in the form of a signaling sequence diagram

15

DETAILED DESCRIPTION

Figure 1 presents an example of a network wherein the invention can be applied.

20

It is assumed that a user having a mobile station MS is visiting an event, such as a sports event. The event has a PC with which the mobile station MS can communicate. The MS is in turn in network contact with a server communicating with a telecom operator. The mobile station also communicates with another mobile station MS2 or PC.

25

The event offers certain services to mobile users visiting the event by means of the PC. The PC might e.g. have pictures or other files stored, which the users wish to send to other terminals together with an appropriate space stamp as a greeting message or to prove that they really visited the event. There might also be a digital camera in connection with the PC, with which a picture can be taken of the user. This is performed by having the user positioned in front of the PC, which takes the picture by means of a digital camera linked to the PC. The picture is then stored as a file in the PC.

30

A mobile user can get access to the services offered by the PC by e.g. entering the phone number and sending it from the mobile station to the PC as a request for the service (Step1).

- 5 After that the mobile user have entered the phone number and got access to the service, a picture stored in the PC or taken of the user is sent to the mobile station of the user (Step 2).

10 The user now wants to have a digital signature and a time stamp to the file or a representation of the file is sent from the PC in step 2. The representation of the file can e.g. be in the form of a hash of the file or other compressed form. A picture can e.g. be represented as in US patent 6,307,950 by a pattern of a sufficient number of points. The file or the representation of the file is sent e.g. to a time stamp server for time stamping in step 3

15 In step 3, the mobile station also sends location data retrieved from the SIM (Subscriber Identity Module) card to the server TS. As the location data is presented as the mobile country code (MCC), the mobile network code (MNC), the location area code (LAC) and cell ID coded as in TS 04.08 [8] mentioned
20 earlier, the mobile station needs to have these location data converted to understandable geographical coordinates for the space stamp. The time stamp server TS fetches these geographical coordinates from the operator in steps 4,5 and send them together with the time stamped file or time stamped representation of the file back to the mobile station in step 6.

25 In an alternative embodiment the mobile station might itself fetch the geographical coordinates from the operator.

The mobile station then signs the time stamped file and sends it to the receiver in step 7. The format of the signed content differs from the one described in the
30 prior art section for transmission to and from WAP devices in that a location data attribute is added to the structure.

Figure 2 presents a detailed example of an other embodiment of the invention in the form of a signaling sequence diagram.

The network wherein this embodiment is implemented contains the same entities
5 as in that of figure 1.

A mobile user requests for a service from a PC that is equipped with a digital camera in step 1. The service can consist of a picture or text file to be downloaded, or a service consisting of taking a digital picture of the user. The P
10 notes the telephone number of the user and sends the requested file to the mobile station in step 3. Alternatively, a picture is taken of the user by the digital camera linked to the PC in step 2 before step 3 is performed.

In step 4, the mobile station signs the file, i.e. the picture or the text file.
15 Retrieving of location data from the SIM of the mobile station is involved in the signing algorithm. These location data is used in the invention, possible together with a picture taken with a digital camera as a space stamp to prove for the receiver that the user actually visited the event. The location data is presented as digital data not understandable, why the mobile user needs to convert the
20 location data to understandable geographical coordinates. For this purpose, a request for conversation data is sent in step 5 to the time stamp server also working as a server for other functions. The time stamp server TS fetches said geographical coordinates corresponding to the retrieved location data in steps 6, 7 from the operator and thereafter time stamps the signed message together with
25 said geographical coordinates in step 8 and sends the time stamped package back to the mobile user in step 9. The mobile user can now send a time stamped message to the receiver in step 10 to prove that he actually has visited the given event. The message includes a picture of the visited event possible together with a picture of the user, location data in an understandable form, the digital
30 signature of the user and a time stamp of the whole package.

CLAIMS

1. Method in a mobile telecommunication network for obtaining location and time information about users, the telecommunication network comprising one or more user terminals, a service entity, a time-stamp server and an operator, the method comprising the following steps
 - a) creating a digital content,
 - b) storing said content in a user terminal,
 - c) retrieving location data from the user terminal,
 - d) digitally signing the content of c) in said user terminal, and before or after step d),
 - e) distributing of the signed combination to a trusted third party for timestamping,
 - f) time-stamping the content of the foregoing steps by the trusted third party.
2. Method of claim 1, characterized in that the digital signing is performed after step c), whereafter the combination of signed content and location data is time-stamped.
3. Method of claim 1 or 2, characterized in that the digital content is created in step a) is a text file or a voice message.
4. Method of claim 1 or 2, characterized in that, the digital content is created in step a) by taking a picture with a digital camera.
5. Method of claim 4, characterized in that the digital camera is linked with the mobile device, which gets the picture directly.

6. Method of claim 4, c h a r a c t e r i z e d in that the digital camera is a separate network element, whereby the picture taken by the digital camera is downloaded to a workstation and thereafter sent to the mobile station.

5 7. Method of any of claims 1 - 6, c h a r a c t e r i z e d in that the digital signature is performed in step c) with the user's private key stored in the user terminal.

10 8. Method of claim 7, c h a r a c t e r i z e d in that a PIN code is entered by the user to access the private key.

9. Method of any of claims 1 - 8, c h a r a c t e r i z e d in that location data is retrieved from the user terminal during the signature process as an attribute, which is separately signed.

15 10. Method of any of claims 1 - 9, c h a r a c t e r i z e d in that before signing the location data, it is translated to understandable geographical data such as coordinates.

20 11. Method of any of claims 1 - 10, c h a r a c t e r i z e d in that the signed combination is distributed to the workstation for timestamping.

25 12. Method of any of claims 1 - 11, c h a r a c t e r i z e d in that in step d) the location data is retrieved from the user terminal over the air through an application residing in the workstation.




FIG. 1




FIG. 2

INTERNATIONAL SEARCH REPORT

International Application No

PCT/SE 03/01014

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 H04Q7/32 H04N1/00 H04L9/32

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04Q H04N H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, INSPEC

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 1 128 284 A (HEWLETT PACKARD CO) 29 August 2001 (2001-08-29) page 3, line 50 - line 57 page 7, line 49 -page 8, line 3; figure 9 abstract	1-7,9, 10,13
Y	--- EP 0 963 100 A (NOKIA MOBILE PHONES LTD) 8 December 1999 (1999-12-08) column 3, line 14 -column 4, line 24	1-7,9, 10,13
P,X	--- EP 1 304 859 A (TOKYO SHIBAURA ELECTRIC CO) 23 April 2003 (2003-04-23) figures 2,3 abstract	1-7,9, 10,13
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

12 September 2003

Date of mailing of the international search report

07.10.2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

CATHARINA KARLSSON/MN

INTERNATIONAL SEARCH REPORT

International Application No

PCT/SE 03/01014

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2002/083323 A1 (CROMER DARYL CARVIS ET AL) 27 June 2002 (2002-06-27) column 13 -column 14 column 19 -column 20 ---	1,7,8
A	WO 01 49054 A (HILTUNEN MATTI ;ROSSI JARKKO (FI); SONERA OYJ (FI); LOEFBERG LENNA) 5 July 2001 (2001-07-05) page 1, line 2 -page 2, line 20 ---	7,8
A	US 5 923 763 A (JORASCH JAMES A ET AL) 13 July 1999 (1999-07-13) abstract -----	1,11,12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/SE 03/01014

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1128284	A	29-08-2001	EP 1128284 A2	29-08-2001
			JP 2001268490 A	28-09-2001
			US 2001015756 A1	23-08-2001
			EP 1128285 A2	29-08-2001
			GB 2360661 A	26-09-2001
			JP 2001292394 A	19-10-2001
			US 2001017668 A1	30-08-2001
			US 2001016849 A1	23-08-2001
			US 2001015759 A1	23-08-2001

EP 0963100	A	08-12-1999	FI 981274 A	05-12-1999
			BR 9901766 A	18-01-2000
			CN 1238629 A	15-12-1999
			EP 0963100 A1	08-12-1999
			JP 2000078254 A	14-03-2000
			US 6308084 B1	23-10-2001

EP 1304859	A	23-04-2003	JP 2003125457 A	25-04-2003
			CN 1413026 A	23-04-2003
			EP 1304859 A2	23-04-2003
			US 2003073446 A1	17-04-2003

US 2002083323	A1	27-06-2002	NONE	

WO 0149054	A	05-07-2001	FI 992796 A	29-06-2001
			AU 2520101 A	09-07-2001
			WO 0149054 A1	05-07-2001

US 5923763	A	13-07-1999	AU 2421997 A	10-10-1997
			EP 0890238 A2	13-01-1999
			WO 9735403 A2	25-09-1997
			US 6263438 B1	17-07-2001
			US 2002120850 A1	29-08-2002
