

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
25 October 2001 (25.10.2001)

PCT

(10) International Publication Number
WO 01/79454 A1

(51) International Patent Classification⁷: **C12N 5/10**,
15/12, 15/63, 15/64, C07K 14/435, 14/47

Randall, F. [US/US]; 4138 Presidential Drive, Lafayette Hill, PA 19444 (US). **XIANG, Zhaoying** [CN/US]; 2413 Ridgeway, Fort Lee, NJ 07024 (US).

(21) International Application Number: PCT/US01/11797

(22) International Filing Date: 11 April 2001 (11.04.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/196,603 13 April 2000 (13.04.2000) US
60/199,417 24 April 2000 (24.04.2000) US

(74) Agents: **GIMMI, Edward, R.** et al.; SmithKline Beecham Corporation, Corporate Intellectual Property, UW2220, 709 Swedeland Road, P.O. Box 1539, King of Prussia, PA 19406-0939 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(71) Applicants (*for all designated States except US*):
SMITHKLINE BEECHAM CORPORATION [US/US]; One Franklin Plaza, Philadelphia, PA 19103 (US). **SMITHKLINE BEECHAM P.L.C.** [GB/GB]; New Horizons Court, Great West Road, Brentford, Middlesex TW8 9EP (GB).

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **AGARWAL, Pankaj** [IN/US]; 251 West DeKalb Pike, King of Prussia, PA 19406 (US). **MURDOCH, Paul, R.** [GB/GB]; New Frontiers Science Park South, Third Avenue, Harlow, Essex CM19 5AW (GB). **RIZVI, Safia, K.** [PK/US]; 4617 Pine Street, Philadelphia, PA 19143 (US). **SMITH,**

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NOVEL COMPOUNDS

(57) Abstract: Polypeptides and polynucleotides of the genes set forth in Table I and methods for producing such polypeptides by recombinant techniques are disclosed. Also disclosed are methods for utilizing polypeptides and polynucleotides of the genes set forth in Table I in diagnostic assays.



WO 01/79454 A1

Novel Compounds

Field of Invention

This invention relates to newly identified polypeptides and polynucleotides encoding such polypeptides, to their use in diagnosis and in identifying compounds that may be agonists, antagonists that are potentially useful in therapy, and to production of such polypeptides and polynucleotides. The polynucleotides and polypeptides of the present invention also relate to proteins with signal sequences which allow them to be secreted extracellularly or membrane-associated (hereinafter often referred collectively as secreted proteins or secreted polypeptides).

Background of the Invention

The drug discovery process is currently undergoing a fundamental revolution as it embraces "functional genomics", that is, high throughput genome- or gene-based biology. This approach as a means to identify genes and gene products as therapeutic targets is rapidly superseding earlier approaches based on "positional cloning". A phenotype, that is a biological function or genetic disease, would be identified and this would then be tracked back to the responsible gene, based on its genetic map position.

Functional genomics relies heavily on high-throughput DNA sequencing technologies and the various tools of bioinformatics to identify gene sequences of potential interest from the many molecular biology databases now available. There is a continuing need to identify and characterise further genes and their related polypeptides/proteins, as targets for drug discovery.

Proteins and polypeptides that are naturally secreted into blood, lymph and other body fluids, or secreted into the cellular membrane are of primary interest for pharmaceutical research and development. The reason for this interest is the relative ease to target protein therapeutics into their place of action (body fluids or the cellular membrane). The natural pathway for protein secretion into extracellular space is the endoplasmic reticulum in eukaryotes and the inner membrane in prokaryotes (Palade, 1975, Science, 189, 347; Milstein, Brownlee, Harrison, and Mathews, 1972, Nature New Biol., 239, 117; Blobel, and Dobberstein, 1975, J. Cell. Biol., 67, 835). On the other hand, there is no known natural pathway for exporting a protein from the exterior of the cells into the cytosol (with the exception of pinocytosis, a mechanism of snake venom toxin intrusion into cells). Therefore targeting protein therapeutics into cells poses extreme difficulties.

The secreted and membrane-associated proteins include but are not limited to all peptide hormones and their receptors (including but not limited to insulin, growth hormones, chemokines, cytokines, neuropeptides, integrins, kallikreins,

lamins, melanins, natriuretic hormones, neuropsin, neurotrophins, pituitary hormones, pleiotropins, prostaglandins, secretogranins, selectins, thromboglobulins, thymosins), the breast and colon cancer gene products, leptin, the obesity gene protein and its receptors, serum albumin, superoxide dismutase, spliceosome proteins, 7TM (transmembrane) proteins also called as G-protein coupled receptors, immunoglobulins, several families of serine proteinases (including but not limited to proteins of the blood coagulation cascade, digestive enzymes), deoxyribonuclease I, etc.

Therapeutics based on secreted or membrane-associated proteins approved by FDA or foreign agencies include but are not limited to insulin, glucagon, growth hormone, chorionic gonadotropin, follicle stimulating hormone, luteinizing hormone, calcitonin, adrenocorticotrophic hormone (ACTH), vasopressin, interleukines, interferones, immunoglobulins, lactoferrin (diverse products marketed by several companies), tissue-type plasminogen activator (Alteplase by Genentech), hyaluronidase (Wydase by Wyeth-Ayerst), dornase alpha (Pulmozyme by Genentech), Chymodiactin (chymopapain by Knoll), alglucerase (Ceredase by Genzyme), streptokinase (Kabikinase by Pharmacia) (Streptase by Astra), etc. This indicates that secreted and membrane-associated proteins have an established, proven history as therapeutic targets. Clearly, there is a need for identification and characterization of further secreted and membrane-associated proteins which can play a role in preventing, ameliorating or correcting dysfunction or disease, including but not limited to diabetes, breast-, prostate-, colon cancer and other malignant tumors, hyper- and hypotension, obesity, bulimia, anorexia, growth abnormalities, asthma, manic depression, dementia, delirium, mental retardation, Huntington's disease, Tourette's syndrome, schizophrenia, growth, mental or sexual development disorders, and dysfunctions of the blood cascade system including those leading to stroke. The proteins of the present invention which include the signal sequences are also useful to further elucidate the mechanism of protein transport which at present is not entirely understood, and thus can be used as research tools.

Summary of the Invention

The present invention relates to particular polypeptides and polynucleotides of the genes set forth in Table I, including recombinant materials and methods for their production. Such polypeptides and polynucleotides are of interest in relation to methods of treatment of certain diseases, including, but not limited to, the diseases set forth in Tables III and V, hereinafter referred to as "diseases of the invention". In a further aspect, the invention relates to methods for identifying agonists and antagonists (*e.g.*, inhibitors) using the

materials provided by the invention, and treating conditions associated with imbalance of polypeptides and/or polynucleotides of the genes set forth in Table I with the identified compounds. In still a further aspect, the invention relates to diagnostic assays for detecting diseases associated with inappropriate activity or levels the genes set forth in Table I.

5 Another aspect of the invention concerns a polynucleotide comprising any of the nucleotide sequences set forth in the Sequence Listing and a polypeptide comprising a polypeptide encoded by the nucleotide sequence. In another aspect, the invention relates to a polypeptide comprising any of the polypeptide sequences set forth in the Sequence Listing and recombinant materials and methods for their production. Another aspect of the invention
10 relates to methods for using such polypeptides and polynucleotides. Such uses include the treatment of diseases, abnormalities and disorders (hereinafter simply referred to as diseases) caused by abnormal expression, production, function and or metabolism of the genes of this invention, and such diseases are readily apparent by those skilled in the art from the homology to other proteins disclosed for each attached sequence. In still another aspect, the invention
15 relates to methods to identify agonists and antagonists using the materials provided by the invention, and treating conditions associated with the imbalance with the identified compounds. Yet another aspect of the invention relates to diagnostic assays for detecting diseases associated with inappropriate activity or levels of the secreted proteins of the present invention.

20 **Description of the Invention**

In a first aspect, the present invention relates to polypeptides the genes set forth in Table I. Such polypeptides include:

- (a) an isolated polypeptide encoded by a polynucleotide comprising a sequence set forth in the Sequence Listing, herein when referring to polynucleotides or polypeptides of the
25 Sequence Listing, a reference is also made to the Sequence Listing referred to in the Sequence Listing;
- (b) an isolated polypeptide comprising a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
- (c) an isolated polypeptide comprising a polypeptide sequence set forth in the Sequence
30 Listing;
- (d) an isolated polypeptide having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
- (e) a polypeptide sequence set forth in the Sequence Listing; and
- (f) an isolated polypeptide having or comprising a polypeptide sequence that has an
35 Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polypeptide sequence set

forth in the Sequence Listing;

(g) fragments and variants of such polypeptides in (a) to (f).

Polypeptides of the present invention are believed to be members of the gene families set forth in Table II. They are therefore of therapeutic and diagnostic interest for the reasons set forth in Tables III and V. The biological properties of the polypeptides and polynucleotides of the genes set forth in Table I are hereinafter referred to as "the biological activity" of polypeptides and polynucleotides of the genes set forth in Table I. Preferably, a polypeptide of the present invention exhibits at least one biological activity of the genes set forth in Table I.

Polypeptides of the present invention also include variants of the aforementioned polypeptides, including all allelic forms and splice variants. Such polypeptides vary from the reference polypeptide by insertions, deletions, and substitutions that may be conservative or non-conservative, or any combination thereof. Particularly preferred variants are those in which several, for instance from 50 to 30, from 30 to 20, from 20 to 10, from 10 to 5, from 5 to 3, from 3 to 2, from 2 to 1 or 1 amino acids are inserted, substituted, or deleted, in any combination.

Preferred fragments of polypeptides of the present invention include an isolated polypeptide comprising an amino acid sequence having at least 30, 50 or 100 contiguous amino acids from an amino acid sequence set forth in the Sequence Listing, or an isolated polypeptide comprising an amino acid sequence having at least 30, 50 or 100 contiguous amino acids truncated or deleted from an amino acid sequence set forth in the Sequence Listing. Preferred fragments are biologically active fragments that mediate the biological activity of polypeptides and polynucleotides of the genes set forth in Table I, including those with a similar activity or an improved activity, or with a decreased undesirable activity. Also preferred are those fragments that are antigenic or immunogenic in an animal, especially in a human.

Fragments of a polypeptide of the invention may be employed for producing the corresponding full-length polypeptide by peptide synthesis; therefore, these variants may be employed as intermediates for producing the full-length polypeptides of the invention. A polypeptide of the present invention may be in the form of the "mature" protein or may be a part of a larger protein such as a precursor or a fusion protein. It is often advantageous to include an additional amino acid sequence that contains secretory or leader sequences, pro-sequences, sequences that aid in purification, for instance multiple histidine residues, or an additional sequence for stability during recombinant production.

Polypeptides of the present invention can be prepared in any suitable manner, for

instance by isolation from naturally occurring sources, from genetically engineered host cells comprising expression systems (*vide infra*) or by chemical synthesis, using for instance automated peptide synthesizers, or a combination of such methods. Means for preparing such polypeptides are well understood in the art.

- 5 In a further aspect, the present invention relates to polynucleotides of the genes set forth in Table I. Such polynucleotides include:
- (a) an isolated polynucleotide comprising a polynucleotide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polynucleotide sequence set forth in the Sequence Listing;
 - 10 (b) an isolated polynucleotide comprising a polynucleotide set forth in the Sequence Listing;
 - (c) an isolated polynucleotide having at least 95%, 96%, 97%, 98%, or 99% identity to a polynucleotide set forth in the Sequence Listing;
 - (d) an isolated polynucleotide set forth in the Sequence Listing;
 - 15 (e) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
 - (f) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide set forth in the Sequence Listing;
 - 20 (g) an isolated polynucleotide having a polynucleotide sequence encoding a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
 - (h) an isolated polynucleotide encoding a polypeptide set forth in the Sequence Listing;
 - (i) an isolated polynucleotide having or comprising a polynucleotide sequence that has an
 - 25 Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polynucleotide sequence set forth in the Sequence Listing;
 - (j) an isolated polynucleotide having or comprising a polynucleotide sequence encoding a polypeptide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polypeptide sequence set forth in the Sequence Listing; and
 - 30 polynucleotides that are fragments and variants of the above mentioned polynucleotides or that are complementary to above mentioned polynucleotides, over the entire length thereof.

Preferred fragments of polynucleotides of the present invention include an isolated polynucleotide comprising an nucleotide sequence having at least 15, 30, 50 or 100 contiguous nucleotides from a sequence set forth in the Sequence Listing, or an isolated

polynucleotide comprising a sequence having at least 30, 50 or 100 contiguous nucleotides truncated or deleted from a sequence set forth in the Sequence Listing.

Preferred variants of polynucleotides of the present invention include splice variants, allelic variants, and polymorphisms, including polynucleotides having one or more
5 single nucleotide polymorphisms (SNPs).

Polynucleotides of the present invention also include polynucleotides encoding polypeptide variants that comprise an amino acid sequence set forth in the Sequence Listing and in which several, for instance from 50 to 30, from 30 to 20, from 20 to 10, from 10 to 5, from 5 to 3, from 3 to 2, from 2 to 1 or 1 amino acid residues are substituted, deleted or
10 added, in any combination.

In a further aspect, the present invention provides polynucleotides that are RNA transcripts of the DNA sequences of the present invention. Accordingly, there is provided an RNA polynucleotide that:

(a) comprises an RNA transcript of the DNA sequence encoding a polypeptide set
15 forth in the Sequence Listing;

(b) is a RNA transcript of a DNA sequence encoding a polypeptide set forth in the Sequence Listing;

(c) comprises an RNA transcript of a DNA sequence set forth in the Sequence Listing; or

20 (d) is a RNA transcript of a DNA sequence set forth in the Sequence Listing; and RNA polynucleotides that are complementary thereto.

The polynucleotide sequences set forth in the Sequence Listing show homology with the polynucleotide sequences set forth in Table II. A polynucleotide sequence set forth in the Sequence Listing is a cDNA sequence that encodes a polypeptide set forth in the
25 Sequence Listing. A polynucleotide sequence encoding a polypeptide set forth in the Sequence Listing may be identical to a polypeptide encoding a sequence set forth in the Sequence Listing or it may be a sequence other than a sequence set forth in the Sequence Listing, which, as a result of the redundancy (degeneracy) of the genetic code, also encodes a polypeptide set forth in the Sequence Listing. A polypeptide of a sequence set forth in the
30 Sequence Listing is related to other proteins of the gene families set forth in Table II, having homology and/or structural similarity with the polypeptides set forth in Table II. Preferred polypeptides and polynucleotides of the present invention are expected to have, *inter alia*, similar biological functions/properties to their homologous polypeptides and polynucleotides. Furthermore, preferred polypeptides and polynucleotides of the present
35 invention have at least one activity of the genes set forth in Table I.

Polynucleotides of the present invention may be obtained using standard cloning and screening techniques from a cDNA library derived from mRNA from the tissues set forth in Table IV (see for instance, Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989)).

- 5 Polynucleotides of the invention can also be obtained from natural sources such as genomic DNA libraries or can be synthesized using well known and commercially available techniques.

When polynucleotides of the present invention are used for the recombinant production of polypeptides of the present invention, the polynucleotide may include the
10 coding sequence for the mature polypeptide, by itself, or the coding sequence for the mature polypeptide in reading frame with other coding sequences, such as those encoding a leader or secretory sequence, a pre-, or pro- or prepro- protein sequence, or other fusion peptide portions. For example, a marker sequence that facilitates purification of the fused polypeptide can be encoded. In certain preferred embodiments of this aspect of the
15 invention, the marker sequence is a hexa-histidine peptide, as provided in the pQE vector (Qiagen, Inc.) and described in Gentz *et al.*, Proc Natl Acad Sci USA (1989) 86:821-824, or is an HA tag. A polynucleotide may also contain non-coding 5' and 3' sequences, such as transcribed, non-translated sequences, splicing and polyadenylation signals, ribosome binding sites and sequences that stabilize mRNA.

20 Polynucleotides that are identical, or have sufficient identity to a polynucleotide sequence set forth in the Sequence Listing, may be used as hybridization probes for cDNA and genomic DNA or as primers for a nucleic acid amplification reaction (for instance, PCR). Such probes and primers may be used to isolate full-length cDNAs and genomic clones encoding polypeptides of the present invention and to isolate cDNA and genomic
25 clones of other genes (including genes encoding paralogs from human sources and orthologs and paralogs from other species) that have a high sequence similarity to sequences set forth in the Sequence Listing, typically at least 95% identity. Preferred probes and primers will generally comprise at least 15 nucleotides, preferably, at least 30 nucleotides and may have at least 50, if not at least 100 nucleotides. Particularly preferred probes will have between
30 30 and 50 nucleotides. Particularly preferred primers will have between 20 and 25 nucleotides.

A polynucleotide encoding a polypeptide of the present invention, including homologs from other species, may be obtained by a process comprising the steps of screening a library under stringent hybridization conditions with a labeled probe having a
35 sequence set forth in the Sequence Listing or a fragment thereof, preferably of at least 15

nucleotides; and isolating full-length cDNA and genomic clones containing the polynucleotide sequence set forth in the Sequence Listing. Such hybridization techniques are well known to the skilled artisan. Preferred stringent hybridization conditions include overnight incubation at 42°C in a solution comprising: 50% formamide, 5xSSC (150mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10 % dextran sulfate, and 20 microgram/ml denatured, sheared salmon sperm DNA; followed by washing the filters in 0.1x SSC at about 65°C. Thus the present invention also includes isolated polynucleotides, preferably with a nucleotide sequence of at least 100, obtained by screening a library under stringent hybridization conditions with a labeled probe having the sequence set forth in the Sequence Listing or a fragment thereof, preferably of at least 15 nucleotides.

The skilled artisan will appreciate that, in many cases, an isolated cDNA sequence will be incomplete, in that the region coding for the polypeptide does not extend all the way through to the 5' terminus. This is a consequence of reverse transcriptase, an enzyme with inherently low "processivity" (a measure of the ability of the enzyme to remain attached to the template during the polymerisation reaction), failing to complete a DNA copy of the mRNA template during first strand cDNA synthesis.

There are several methods available and well known to those skilled in the art to obtain full-length cDNAs, or extend short cDNAs, for example those based on the method of Rapid Amplification of cDNA ends (RACE) (see, for example, Frohman et al., Proc Nat Acad Sci USA 85, 8998-9002, 1988). Recent modifications of the technique, exemplified by the Marathon (trade mark) technology (Clontech Laboratories Inc.) for example, have significantly simplified the search for longer cDNAs. In the Marathon (trade mark) technology, cDNAs have been prepared from mRNA extracted from a chosen tissue and an 'adaptor' sequence ligated onto each end. Nucleic acid amplification (PCR) is then carried out to amplify the "missing" 5' end of the cDNA using a combination of gene specific and adaptor specific oligonucleotide primers. The PCR reaction is then repeated using 'nested' primers, that is, primers designed to anneal within the amplified product (typically an adapter specific primer that anneals further 3' in the adaptor sequence and a gene specific primer that anneals further 5' in the known gene sequence). The products of this reaction can then be analyzed by DNA sequencing and a full-length cDNA constructed either by joining the product directly to the existing cDNA to give a complete sequence, or carrying out a separate full-length PCR using the new sequence information for the design of the 5' primer.

Recombinant polypeptides of the present invention may be prepared by processes

well known in the art from genetically engineered host cells comprising expression systems. Accordingly, in a further aspect, the present invention relates to expression systems comprising a polynucleotide or polynucleotides of the present invention, to host cells which are genetically engineered with such expression systems and to the production of

5 polypeptides of the invention by recombinant techniques. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention.

For recombinant production, host cells can be genetically engineered to incorporate expression systems or portions thereof for polynucleotides of the present invention.

10 Polynucleotides may be introduced into host cells by methods described in many standard laboratory manuals, such as Davis et al., Basic Methods in Molecular Biology (1986) and Sambrook *et al. (ibid)*. Preferred methods of introducing polynucleotides into host cells include, for instance, calcium phosphate transfection, DEAE-dextran mediated transfection, transfection, micro-injection, cationic lipid-mediated transfection, electroporation,

15 transduction, scrape loading, ballistic introduction or infection.

Representative examples of appropriate hosts include bacterial cells, such as *Streptococci*, *Staphylococci*, *E. coli*, *Streptomyces* and *Bacillus subtilis* cells; fungal cells, such as yeast cells and *Aspergillus* cells; insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS, HeLa, C127, 3T3, BHK, HEK 293 and Bowes

20 melanoma cells; and plant cells.

A great variety of expression systems can be used, for instance, chromosomal, episomal and virus-derived systems, *e.g.*, vectors derived from bacterial plasmids, from bacteriophage, from transposons, from yeast episomes, from insertion elements, from yeast chromosomal elements, from viruses such as baculoviruses, papova viruses, such as SV40,

25 vaccinia viruses, adenoviruses, fowl pox viruses, pseudorabies viruses and retroviruses, and vectors derived from combinations thereof, such as those derived from plasmid and bacteriophage genetic elements, such as cosmids and phagemids. The expression systems may contain control regions that regulate as well as engender expression. Generally, any system or vector that is able to maintain, propagate or express a polynucleotide to produce a

30 polypeptide in a host may be used. The appropriate polynucleotide sequence may be inserted into an expression system by any of a variety of well-known and routine techniques, such as, for example, those set forth in Sambrook *et al.*, (*ibid*). Appropriate secretion signals may be incorporated into the desired polypeptide to allow secretion of the translated protein into the lumen of the endoplasmic reticulum, the periplasmic space or the

35 extracellular environment. These signals may be endogenous to the polypeptide or they

may be heterologous signals.

If a polypeptide of the present invention is to be expressed for use in screening assays, it is generally preferred that the polypeptide be produced at the surface of the cell. In this event, the cells may be harvested prior to use in the screening assay. If the
5 polypeptide is secreted into the medium, the medium can be recovered in order to recover and purify the polypeptide. If produced intracellularly, the cells must first be lysed before the polypeptide is recovered.

Polypeptides of the present invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol
10 precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography is employed for purification. Well known techniques for refolding proteins may be employed to regenerate active conformation when the
15 polypeptide is denatured during intracellular synthesis, isolation and/or purification.

Polynucleotides of the present invention may be used as diagnostic reagents, through detecting mutations in the associated gene. Detection of a mutated form of a gene is characterized by the polynucleotides set forth in the Sequence Listing in the cDNA or genomic sequence and which is associated with a dysfunction. Will provide a diagnostic
20 tool that can add to, or define, a diagnosis of a disease, or susceptibility to a disease, which results from under-expression, over-expression or altered spatial or temporal expression of the gene. Individuals carrying mutations in the gene may be detected at the DNA level by a variety of techniques well known in the art.

Nucleic acids for diagnosis may be obtained from a subject's cells, such as from
25 blood, urine, saliva, tissue biopsy or autopsy material. The genomic DNA may be used directly for detection or it may be amplified enzymatically by using PCR, preferably RT-PCR, or other amplification techniques prior to analysis. RNA or cDNA may also be used in similar fashion. Deletions and insertions can be detected by a change in size of the amplified product in comparison to the normal genotype. Point mutations can be identified
30 by hybridizing amplified DNA to labeled nucleotide sequences of the genes set forth in Table I. Perfectly matched sequences can be distinguished from mismatched duplexes by RNase digestion or by differences in melting temperatures. DNA sequence difference may also be detected by alterations in the electrophoretic mobility of DNA fragments in gels, with or without denaturing agents, or by direct DNA sequencing (see, for instance, Myers *et al.*, Science (1985) 230:1242). Sequence changes at specific locations may also be revealed
35

by nuclease protection assays, such as RNase and S1 protection or the chemical cleavage method (see Cotton *et al.*, Proc Natl Acad Sci USA (1985) 85: 4397-4401).

5 An array of oligonucleotides probes comprising polynucleotide sequences or fragments thereof of the genes set forth in Table I can be constructed to conduct efficient screening of *e.g.*, genetic mutations. Such arrays are preferably high density arrays or grids. Array technology methods are well known and have general applicability and can be used to address a variety of questions in molecular genetics including gene expression, genetic linkage, and genetic variability, see, for example, M. Chee *et al.*, Science, 274, 610-613 (1996) and other references cited therein.

10 Detection of abnormally decreased or increased levels of polypeptide or mRNA expression may also be used for diagnosing or determining susceptibility of a subject to a disease of the invention. Decreased or increased expression can be measured at the RNA level using any of the methods well known in the art for the quantitation of polynucleotides, such as, for example, nucleic acid amplification, for instance PCR, RT-PCR, RNase protection, 15 Northern blotting and other hybridization methods. Assay techniques that can be used to determine levels of a protein, such as a polypeptide of the present invention, in a sample derived from a host are well-known to those of skill in the art. Such assay methods include radio-immunoassays, competitive-binding assays, Western Blot analysis and ELISA assays.

Thus in another aspect, the present invention relates to a diagnostic kit comprising:
 20 (a) a polynucleotide of the present invention, preferably the nucleotide sequence set forth in the Sequence Listing, or a fragment or an RNA transcript thereof;
 (b) a nucleotide sequence complementary to that of (a);
 (c) a polypeptide of the present invention, preferably the polypeptide set forth in the Sequence Listing or a fragment thereof; or
 25 (d) an antibody to a polypeptide of the present invention, preferably to the polypeptide set forth in the Sequence Listing.

It will be appreciated that in any such kit, (a), (b), (c) or (d) may comprise a substantial component. Such a kit will be of use in diagnosing a disease or susceptibility to a disease, particularly diseases of the invention, amongst others.

30 The polynucleotide sequences of the present invention are valuable for chromosome localisation studies. The sequences set forth in the Sequence Listing are specifically targeted to, and can hybridize with, a particular location on an individual human chromosome. The mapping of relevant sequences to chromosomes according to the present invention is an important first step in correlating those sequences with gene associated 35 disease. Once a sequence has been mapped to a precise chromosomal location, the physical

position of the sequence on the chromosome can be correlated with genetic map data. Such data are found in, for example, V. McKusick, Mendelian Inheritance in Man (available online through Johns Hopkins University Welch Medical Library). The relationship between genes and diseases that have been mapped to the same chromosomal region are then

5 identified through linkage analysis (co-inheritance of physically adjacent genes). Precise human chromosomal localisations for a genomic sequence (gene fragment etc.) can be determined using Radiation Hybrid (RH) Mapping (Walter, M. Spillett, D., Thomas, P., Weissenbach, J., and Goodfellow, P., (1994) A method for constructing radiation hybrid maps of whole genomes, *Nature Genetics* 7, 22-28). A number of RH panels are available

10 from Research Genetics (Huntsville, AL, USA) e.g. the GeneBridge4 RH panel (*Hum Mol Genet* 1996 Mar;5(3):339-46 A radiation hybrid map of the human genome. Gyapay G, Schmitt K, Fizames C, Jones H, Vega-Czarny N, Spillett D, Muselet D, Prud'Homme JF, Dib C, Auffray C, Morissette J, Weissenbach J, Goodfellow PN). To determine the chromosomal location of a gene using this panel, 93 PCRs are performed using primers

15 designed from the gene of interest on RH DNAs. Each of these DNAs contains random human genomic fragments maintained in a hamster background (human / hamster hybrid cell lines). These PCRs result in 93 scores indicating the presence or absence of the PCR product of the gene of interest. These scores are compared with scores created using PCR products from genomic sequences of known location. This comparison is conducted at

20 <http://www.genome.wi.mit.edu/>.

The polynucleotide sequences of the present invention are also valuable tools for tissue expression studies. Such studies allow the determination of expression patterns of polynucleotides of the present invention which may give an indication as to the expression patterns of the encoded polypeptides in tissues, by detecting the mRNAs that encode them.

25 The techniques used are well known in the art and include in situ hybridization techniques to clones arrayed on a grid, such as cDNA microarray hybridization (Schena *et al*, *Science*, 270, 467-470, 1995 and Shalon *et al*, *Genome Res*, 6, 639-645, 1996) and nucleotide amplification techniques such as PCR. A preferred method uses the TAQMAN (Trade mark) technology available from Perkin Elmer. Results from these studies can provide an

30 indication of the normal function of the polypeptide in the organism. In addition, comparative studies of the normal expression pattern of mRNAs with that of mRNAs encoded by an alternative form of the same gene (for example, one having an alteration in polypeptide coding potential or a regulatory mutation) can provide valuable insights into the role of the polypeptides of the present invention, or that of inappropriate expression thereof

35 in disease. Such inappropriate expression may be of a temporal, spatial or simply

quantitative nature.

A further aspect of the present invention relates to antibodies. The polypeptides of the invention or their fragments, or cells expressing them, can be used as immunogens to produce antibodies that are immunospecific for polypeptides of the present invention. The
5 term "immunospecific" means that the antibodies have substantially greater affinity for the polypeptides of the invention than their affinity for other related polypeptides in the prior art.

Antibodies generated against polypeptides of the present invention may be obtained by administering the polypeptides or epitope-bearing fragments, or cells to an animal,
10 preferably a non-human animal, using routine protocols. For preparation of monoclonal antibodies, any technique which provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kohler, G. and Milstein, C., *Nature* (1975) 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor *et al.*, *Immunology Today* (1983) 4:72) and the EBV-hybridoma
15 technique (Cole *et al.*, *Monoclonal Antibodies and Cancer Therapy*, 77-96, Alan R. Liss, Inc., 1985).

Techniques for the production of single chain antibodies, such as those described in U.S. Patent No. 4,946,778, can also be adapted to produce single chain antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms, including other
20 mammals, may be used to express humanized antibodies.

The above-described antibodies may be employed to isolate or to identify clones expressing the polypeptide or to purify the polypeptides by affinity chromatography. Antibodies against polypeptides of the present invention may also be employed to treat diseases of the invention, amongst others.

25 Polypeptides and polynucleotides of the present invention may also be used as vaccines. Accordingly, in a further aspect, the present invention relates to a method for inducing an immunological response in a mammal that comprises inoculating the mammal with a polypeptide of the present invention, adequate to produce antibody and/or T cell immune response, including, for example, cytokine-producing T cells or cytotoxic T cells,
30 to protect said animal from disease, whether that disease is already established within the individual or not. An immunological response in a mammal may also be induced by a method comprises delivering a polypeptide of the present invention *via* a vector directing expression of the polynucleotide and coding for the polypeptide *in vivo* in order to induce such an immunological response to produce antibody to protect said animal from diseases of
35 the invention. One way of administering the vector is by accelerating it into the desired

cells as a coating on particles or otherwise. Such nucleic acid vector may comprise DNA, RNA, a modified nucleic acid, or a DNA/RNA hybrid. For use a vaccine, a polypeptide or a nucleic acid vector will be normally provided as a vaccine formulation (composition). The formulation may further comprise a suitable carrier. Since a polypeptide may be broken
5 down in the stomach, it is preferably administered parenterally (for instance, subcutaneous, intra-muscular, intravenous, or intra-dermal injection). Formulations suitable for parenteral administration include aqueous and non-aqueous sterile injection solutions that may contain anti-oxidants, buffers, bacteriostats and solutes that render the formulation isotonic with the blood of the recipient; and aqueous and non-aqueous sterile suspensions that may include
10 suspending agents or thickening agents. The formulations may be presented in unit-dose or multi-dose containers, for example, sealed ampoules and vials and may be stored in a freeze-dried condition requiring only the addition of the sterile liquid carrier immediately prior to use. The vaccine formulation may also include adjuvant systems for enhancing the immunogenicity of the formulation, such as oil-in water systems and other systems known
15 in the art. The dosage will depend on the specific activity of the vaccine and can be readily determined by routine experimentation.

Polypeptides of the present invention have one or more biological functions that are of relevance in one or more disease states, in particular the diseases of the invention hereinbefore mentioned. It is therefore useful to identify compounds that stimulate or
20 inhibit the function or level of the polypeptide. Accordingly, in a further aspect, the present invention provides for a method of screening compounds to identify those that stimulate or inhibit the function or level of the polypeptide. Such methods identify agonists or antagonists that may be employed for therapeutic and prophylactic purposes for such diseases of the invention as hereinbefore mentioned. Compounds may be identified from a
25 variety of sources, for example, cells, cell-free preparations, chemical libraries, collections of chemical compounds, and natural product mixtures. Such agonists or antagonists so-identified may be natural or modified substrates, ligands, receptors, enzymes, etc., as the case may be, of the polypeptide; a structural or functional mimetic thereof (see Coligan *et al.*, Current Protocols in Immunology 1(2):Chapter 5 (1991)) or a small molecule. Such
30 small molecules preferably have a molecular weight below 2,000 daltons, more preferably between 300 and 1,000 daltons, and most preferably between 400 and 700 daltons. It is preferred that these small molecules are organic molecules.

The screening method may simply measure the binding of a candidate compound to the polypeptide, or to cells or membranes bearing the polypeptide, or a fusion protein
35 thereof, by means of a label directly or indirectly associated with the candidate compound.

Alternatively, the screening method may involve measuring or detecting (qualitatively or quantitatively) the competitive binding of a candidate compound to the polypeptide against a labeled competitor (*e.g.* agonist or antagonist). Further, these screening methods may test whether the candidate compound results in a signal generated by activation or inhibition of the polypeptide, using detection systems appropriate to the cells bearing the polypeptide. Inhibitors of activation are generally assayed in the presence of a known agonist and the effect on activation by the agonist by the presence of the candidate compound is observed. Further, the screening methods may simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide of the present invention, to form a mixture, measuring an activity of the genes set forth in Table I in the mixture, and comparing activity of the mixture of the genes set forth in Table I to a control mixture which contains no candidate compound.

Polypeptides of the present invention may be employed in conventional low capacity screening methods and also in high-throughput screening (HTS) formats. Such HTS formats include not only the well-established use of 96- and, more recently, 384-well micotiter plates but also emerging methods such as the nanowell method described by Schullek et al, *Anal Biochem.*, 246, 20-29, (1997).

Fusion proteins, such as those made from Fc portion and polypeptide of the genes set forth in Table I, as hereinbefore described, can also be used for high-throughput screening assays to identify antagonists for the polypeptide of the present invention (see D. Bennett *et al.*, *J Mol Recognition*, 8:52-58 (1995); and K. Johanson *et al.*, *J Biol Chem*, 270(16):9459-9471 (1995)).

The polynucleotides, polypeptides and antibodies to the polypeptide of the present invention may also be used to configure screening methods for detecting the effect of added compounds on the production of mRNA and polypeptide in cells. For example, an ELISA assay may be constructed for measuring secreted or cell associated levels of polypeptide using monoclonal and polyclonal antibodies by standard methods known in the art. This can be used to discover agents that may inhibit or enhance the production of polypeptide (also called antagonist or agonist, respectively) from suitably manipulated cells or tissues.

A polypeptide of the present invention may be used to identify membrane bound or soluble receptors, if any, through standard receptor binding techniques known in the art. These include, but are not limited to, ligand binding and crosslinking assays in which the polypeptide is labeled with a radioactive isotope (for instance, ^{125}I), chemically modified (for instance, biotinylated), or fused to a peptide sequence suitable for detection or purification, and incubated with a source of the putative receptor (cells, cell membranes, cell

supernatants, tissue extracts, bodily fluids). Other methods include biophysical techniques such as surface plasmon resonance and spectroscopy. These screening methods may also be used to identify agonists and antagonists of the polypeptide that compete with the binding of the polypeptide to its receptors, if any. Standard methods for conducting such assays are well understood in the art.

Examples of antagonists of polypeptides of the present invention include antibodies or, in some cases, oligonucleotides or proteins that are closely related to the ligands, substrates, receptors, enzymes, etc., as the case may be, of the polypeptide, *e.g.*, a fragment of the ligands, substrates, receptors, enzymes, etc.; or a small molecule that bind to the polypeptide of the present invention but do not elicit a response, so that the activity of the polypeptide is prevented.

Screening methods may also involve the use of transgenic technology and the genes set forth in Table I. The art of constructing transgenic animals is well established. For example, the genes set forth in Table I may be introduced through microinjection into the male pronucleus of fertilized oocytes, retroviral transfer into pre- or post-implantation embryos, or injection of genetically modified, such as by electroporation, embryonic stem cells into host blastocysts. Particularly useful transgenic animals are so-called "knock-in" animals in which an animal gene is replaced by the human equivalent within the genome of that animal. Knock-in transgenic animals are useful in the drug discovery process, for target validation, where the compound is specific for the human target. Other useful transgenic animals are so-called "knock-out" animals in which the expression of the animal ortholog of a polypeptide of the present invention and encoded by an endogenous DNA sequence in a cell is partially or completely annulled. The gene knock-out may be targeted to specific cells or tissues, may occur only in certain cells or tissues as a consequence of the limitations of the technology, or may occur in all, or substantially all, cells in the animal. Transgenic animal technology also offers a whole animal expression-cloning system in which introduced genes are expressed to give large amounts of polypeptides of the present invention

Screening kits for use in the above described methods form a further aspect of the present invention. Such screening kits comprise:

- (a) a polypeptide of the present invention;
 - (b) a recombinant cell expressing a polypeptide of the present invention;
 - (c) a cell membrane expressing a polypeptide of the present invention; or
 - (d) an antibody to a polypeptide of the present invention;
- which polypeptide is preferably that set forth in the Sequence Listing.

It will be appreciated that in any such kit, (a), (b), (c) or (d) may comprise a substantial component.

Glossary

5 The following definitions are provided to facilitate understanding of certain terms used frequently hereinbefore.

"Antibodies" as used herein includes polyclonal and monoclonal antibodies, chimeric, single chain, and humanized antibodies, as well as Fab fragments, including the products of an

Fab or other immunoglobulin expression library.

10 "Isolated" means altered "by the hand of man" from its natural state, *i.e.*, if it occurs in nature, it has been changed or removed from its original environment, or both. For example, a polynucleotide or a polypeptide naturally present in a living organism is not "isolated," but the same polynucleotide or polypeptide separated from the coexisting materials of its natural state is "isolated", as the term is employed herein. Moreover, a
15 polynucleotide or polypeptide that is introduced into an organism by transformation, genetic manipulation or by any other recombinant method is "isolated" even if it is still present in said organism, which organism may be living or non-living.

"Secreted protein activity or secreted polypeptide activity" or "biological activity of the secreted protein or secreted polypeptide" refers to the metabolic or physiologic function
20 of said secreted protein including similar activities or improved activities or these activities with decreased undesirable side-effects. Also included are antigenic and immunogenic activities of said secreted protein.

"Secreted protein gene" refers to a polynucleotide comprising any of the attached nucleotide sequences or allelic variants thereof and/or their complements.

25 "Polynucleotide" generally refers to any polyribonucleotide (RNA) or polydeoxribonucleotide (DNA), which may be unmodified or modified RNA or DNA. "Polynucleotides" include, without limitation, single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising
30 DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, "polynucleotide" refers to triple-stranded regions comprising RNA or DNA or both RNA and DNA. The term "polynucleotide" also includes DNAs or RNAs containing one or more modified bases and DNAs or RNAs with backbones modified for stability or for other reasons. "Modified"
35 bases include, for example, tritylated bases and unusual bases such as inosine. A variety of

modifications may be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically or metabolically modified forms of polynucleotides as typically found in nature, as well as the chemical forms of DNA and RNA characteristic of viruses and cells.

5 "Polynucleotide" also embraces relatively short polynucleotides, often referred to as oligonucleotides.

"Polypeptide" refers to any polypeptide comprising two or more amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres.

"Polypeptide" refers to both short chains, commonly referred to as peptides, oligopeptides or oligomers, and to longer chains, generally referred to as proteins. Polypeptides may contain amino acids other than the 20 gene-encoded amino acids. "Polypeptides" include amino acid sequences modified either by natural processes, such as post-translational processing, or by chemical modification techniques that are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications may occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present to the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched and branched cyclic polypeptides may result from post-translation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, biotinylation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cystine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination (see, for instance, *Proteins - Structure and Molecular Properties*, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York, 1993; Wold, F., *Post-translational Protein Modifications: Perspectives and Prospects*, 1-12, in *Post-translational Covalent Modification of Proteins*, B. C. Johnson, Ed., Academic Press, New York, 1983; Seifter *et al.*, "Analysis for protein modifications and nonprotein cofactors", *Meth Enzymol*, 182, 626-646, 1990, and Rattan *et al.*, "Protein Synthesis: Post-

10

15

20

25

30

35

translational Modifications and Aging", Ann NY Acad Sci, 663, 48-62, 1992).

"Fragment" of a polypeptide sequence refers to a polypeptide sequence that is shorter than the reference sequence but that retains essentially the same biological function or activity as the reference polypeptide. "Fragment" of a polynucleotide sequence refers to a polynucleotide sequence that is shorter than the reference sequence set forth in the Sequence Listing.

"Variant" refers to a polynucleotide or polypeptide that differs from a reference polynucleotide or polypeptide, but retains the essential properties thereof. A typical variant of a polynucleotide differs in nucleotide sequence from the reference polynucleotide.

Changes in the nucleotide sequence of the variant may or may not alter the amino acid sequence of a polypeptide encoded by the reference polynucleotide. Nucleotide changes may result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference sequence, as discussed below. A typical variant of a polypeptide differs in amino acid sequence from the reference polypeptide. Generally, alterations are limited so that the sequences of the reference polypeptide and the variant are closely similar overall and, in many regions, identical. A variant and reference polypeptide may differ in amino acid sequence by one or more substitutions, insertions, deletions in any combination. A substituted or inserted amino acid residue may or may not be one encoded by the genetic code. Typical conservative substitutions include Gly, Ala; Val, Ile, Leu; Asp, Glu; Asn, Gln; Ser, Thr; Lys, Arg; and Phe and Tyr. A variant of a polynucleotide or polypeptide may be naturally occurring such as an allele, or it may be a variant that is not known to occur naturally. Non-naturally occurring variants of polynucleotides and polypeptides may be made by mutagenesis techniques or by direct synthesis. Also included as variants are polypeptides having one or more post-translational modifications, for instance glycosylation, phosphorylation, methylation, ADP ribosylation and the like. Embodiments include methylation of the N-terminal amino acid, phosphorylations of serines and threonines and modification of C-terminal glycines.

"Allele" refers to one of two or more alternative forms of a gene occurring at a given locus in the genome.

"Polymorphism" refers to a variation in nucleotide sequence (and encoded polypeptide sequence, if relevant) at a given position in the genome within a population.

"Single Nucleotide Polymorphism" (SNP) refers to the occurrence of nucleotide variability at a single nucleotide position in the genome, within a population. An SNP may occur within a gene or within intergenic regions of the genome. SNPs can be assayed using Allele Specific Amplification (ASA). For the process at least 3 primers are required. A

common primer is used in reverse complement to the polymorphism being assayed. This common primer can be between 50 and 1500 bps from the polymorphic base. The other two (or more) primers are identical to each other except that the final 3' base wobbles to match one of the two (or more) alleles that make up the polymorphism. Two (or more) PCR reactions are then conducted on sample DNA, each using the common primer and one of the Allele Specific Primers.

"Splice Variant" as used herein refers to cDNA molecules produced from RNA molecules initially transcribed from the same genomic DNA sequence but which have undergone alternative RNA splicing. Alternative RNA splicing occurs when a primary RNA transcript undergoes splicing, generally for the removal of introns, which results in the production of more than one mRNA molecule each of that may encode different amino acid sequences. The term splice variant also refers to the proteins encoded by the above cDNA molecules.

"Identity" reflects a relationship between two or more polypeptide sequences or two or more polynucleotide sequences, determined by comparing the sequences. In general, identity refers to an exact nucleotide to nucleotide or amino acid to amino acid correspondence of the two polynucleotide or two polypeptide sequences, respectively, over the length of the sequences being compared.

"% Identity" - For sequences where there is not an exact correspondence, a "% identity" may be determined. In general, the two sequences to be compared are aligned to give a maximum correlation between the sequences. This may include inserting "gaps" in either one or both sequences, to enhance the degree of alignment. A % identity may be determined over the whole length of each of the sequences being compared (so-called global alignment), that is particularly suitable for sequences of the same or very similar length, or over shorter, defined lengths (so-called local alignment), that is more suitable for sequences of unequal length.

"Similarity" is a further, more sophisticated measure of the relationship between two polypeptide sequences. In general, "similarity" means a comparison between the amino acids of two polypeptide chains, on a residue by residue basis, taking into account not only exact correspondences between a between pairs of residues, one from each of the sequences being compared (as for identity) but also, where there is not an exact correspondence, whether, on an evolutionary basis, one residue is a likely substitute for the other. This likelihood has an associated "score" from which the "% similarity" of the two sequences can then be determined.

Methods for comparing the identity and similarity of two or more sequences are

well known in the art. Thus for instance, programs available in the Wisconsin Sequence Analysis Package, version 9.1 (Devereux J et al, Nucleic Acids Res, 12, 387-395, 1984, available from Genetics Computer Group, Madison, Wisconsin, USA), for example the programs BESTFIT and GAP, may be used to determine the % identity between two polynucleotides and the % identity and the % similarity between two polypeptide sequences. BESTFIT uses the "local homology" algorithm of Smith and Waterman (J Mol Biol, 147,195-197, 1981, Advances in Applied Mathematics, 2, 482-489, 1981) and finds the best single region of similarity between two sequences. BESTFIT is more suited to comparing two polynucleotide or two polypeptide sequences that are dissimilar in length, the program assuming that the shorter sequence represents a portion of the longer. In comparison, GAP aligns two sequences, finding a "maximum similarity", according to the algorithm of Needleman and Wunsch (J Mol Biol, 48, 443-453, 1970). GAP is more suited to comparing sequences that are approximately the same length and an alignment is expected over the entire length. Preferably, the parameters "Gap Weight" and "Length Weight" used in each program are 50 and 3, for polynucleotide sequences and 12 and 4 for polypeptide sequences, respectively. Preferably, % identities and similarities are determined when the two sequences being compared are optimally aligned.

Other programs for determining identity and/or similarity between sequences are also known in the art, for instance the BLAST family of programs (Altschul S F et al, J Mol Biol, 215, 403-410, 1990, Altschul S F et al, Nucleic Acids Res., 25:389-3402, 1997, available from the National Center for Biotechnology Information (NCBI), Bethesda, Maryland, USA and accessible through the home page of the NCBI at www.ncbi.nlm.nih.gov) and FASTA (Pearson W R, Methods in Enzymology, 183, 63-99, 1990; Pearson W R and Lipman D J, Proc Nat Acad Sci USA, 85, 2444-2448, 1988, available as part of the Wisconsin Sequence Analysis Package).

Preferably, the BLOSUM62 amino acid substitution matrix (Henikoff S and Henikoff J G, Proc. Nat. Acad Sci. USA, 89, 10915-10919, 1992) is used in polypeptide sequence comparisons including where nucleotide sequences are first translated into amino acid sequences before comparison.

Preferably, the program BESTFIT is used to determine the % identity of a query polynucleotide or a polypeptide sequence with respect to a reference polynucleotide or a polypeptide sequence, the query and the reference sequence being optimally aligned and the parameters of the program set at the default value, as hereinbefore described.

"Identity Index" is a measure of sequence relatedness which may be used to compare a candidate sequence (polynucleotide or polypeptide) and a reference sequence.

Thus, for instance, a candidate polynucleotide sequence having, for example, an Identity Index of 0.95 compared to a reference polynucleotide sequence is identical to the reference sequence except that the candidate polynucleotide sequence may include on average up to five differences per each 100 nucleotides of the reference sequence. Such differences are
 5 selected from the group consisting of at least one nucleotide deletion, substitution, including transition and transversion, or insertion. These differences may occur at the 5' or 3' terminal positions of the reference polynucleotide sequence or anywhere between these terminal positions, interspersed either individually among the nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence. In other words, to
 10 obtain a polynucleotide sequence having an Identity Index of 0.95 compared to a reference polynucleotide sequence, an average of up to 5 in every 100 of the nucleotides of the in the reference sequence may be deleted, substituted or inserted, or any combination thereof, as hereinbefore described. The same applies *mutatis mutandis* for other values of the Identity Index, for instance 0.96, 0.97, 0.98 and 0.99.

15 Similarly, for a polypeptide, a candidate polypeptide sequence having, for example, an Identity Index of 0.95 compared to a reference polypeptide sequence is identical to the reference sequence except that the polypeptide sequence may include an average of up to five differences per each 100 amino acids of the reference sequence. Such differences are selected from the group consisting of at least one amino acid deletion, substitution,
 20 including conservative and non-conservative substitution, or insertion. These differences may occur at the amino- or carboxy-terminal positions of the reference polypeptide sequence or anywhere between these terminal positions, interspersed either individually among the amino acids in the reference sequence or in one or more contiguous groups within the reference sequence. In other words, to obtain a polypeptide sequence having an
 25 Identity Index of 0.95 compared to a reference polypeptide sequence, an average of up to 5 in every 100 of the amino acids in the reference sequence may be deleted, substituted or inserted, or any combination thereof, as hereinbefore described. The same applies *mutatis mutandis* for other values of the Identity Index, for instance 0.96, 0.97, 0.98 and 0.99.

30 The relationship between the number of nucleotide or amino acid differences and the Identity Index may be expressed in the following equation:

$$n_a \leq x_a - (x_a \bullet I),$$

in which:

n_a is the number of nucleotide or amino acid differences,

x_a is the total number of nucleotides or amino acids in a sequence set forth in the

35 Sequence Listing,

I is the Identity Index,

• is the symbol for the multiplication operator, and

in which any non-integer product of x_a and I is rounded down to the nearest integer prior to subtracting it from x_a .

5 "Homolog" is a generic term used in the art to indicate a polynucleotide or polypeptide sequence possessing a high degree of sequence relatedness to a reference sequence. Such relatedness may be quantified by determining the degree of identity and/or similarity between the two sequences as hereinbefore defined. Falling within this generic term are the terms "ortholog", and "paralog". "Ortholog" refers to a polynucleotide or
10 polypeptide that is the functional equivalent of the polynucleotide or polypeptide in another species. "Paralog" refers to a polynucleotide or polypeptide that within the same species which is functionally similar.

"Fusion protein" refers to a protein encoded by two, often unrelated, fused genes or fragments thereof. In one example, EP-A-0 464 533-A discloses fusion proteins comprising
15 various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, employing an immunoglobulin Fc region as a part of a fusion protein is advantageous for use in therapy and diagnosis resulting in, for example, improved pharmacokinetic properties [see, *e.g.*, EP-A 0232 262]. On the other hand, for some uses it would be desirable to be able to delete the Fc part after the fusion
20 protein has been expressed, detected and purified.

All publications and references, including but not limited to patents and patent applications, cited in this specification are herein incorporated by reference in their entirety as if each individual publication or reference were specifically and individually indicated to be incorporated by reference herein as being fully set forth. Any patent application to which
25 this application claims priority is also incorporated by reference herein in its entirety in the manner described above for publications and references.

Table I.

Gene Name	GSK Gene ID	Nucleic Acid SEQ ID NO's	Corresponding Protein SEQ ID NO's
sbg300828GLY	300828	SEQ ID NO:1 SEQ ID NO:2	SEQ ID NO:25 SEQ ID NO:26
sbg290600OLF	290600	SEQ ID NO:3	SEQ ID NO:27
sbg224366CALa	224366	SEQ ID NO:4 SEQ ID NO:5	SEQ ID NO:28 SEQ ID NO:29
sbg317645CRF	317645	SEQ ID NO:6	SEQ ID NO:30
sbg323398LYS	323398	SEQ ID NO:7	SEQ ID NO:31
sbg222729Cda	222729	SEQ ID NO:8 SEQ ID NO:9	SEQ ID NO:32 SEQ ID NO:33
sbg313227VDCCa	313227	SEQ ID NO:10 SEQ ID NO:11	SEQ ID NO:34 SEQ ID NO:35
sbg327427mia	327427	SEQ ID NO:12	SEQ ID NO:36
sbg318729proa	318729	SEQ ID NO:13 SEQ ID NO:14	SEQ ID NO:37 SEQ ID NO:38
sbg263419CARa	263419	SEQ ID NO:15 SEQ ID NO:16	SEQ ID NO:39 SEQ ID NO:40
sbg334109TES	334109	SEQ ID NO:17 SEQ ID NO:18	SEQ ID NO:41 SEQ ID NO:42
sbg323357SRCR	sbg323357	SEQ ID NO:19	SEQ ID NO:43
sbg294576LAPP	294576	SEQ ID NO:20	SEQ ID NO:44
sbg320795MMPa	320795	SEQ ID NO:21 SEQ ID NO:22	SEQ ID NO:45 SEQ ID NO:46
sbh312883.PLK	312883	SEQ ID NO:23	SEQ ID NO:47
sbg66804SPARCra	66804	SEQ ID NO:24	SEQ ID NO:48

Table II

Gene Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg300828-GLY	Proteoglycan	SC:DJ994D16 Submitted (20-JAN-2001) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human GROS1-L protein, gi:11127638, Kaul,S.C., Sugihara,T., Yoshida,A., Nomura,H. and Wadhwa,R. Oncogene 19 (32), 3576-3583 (2000)	Secreted
sbg290600-OLF	Olfactomedin-related protein	SC:BA292C23 Submitted by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Rat neuronal olfactomedin-related ER localized protein precursor, GB:Q62609, Danielson,P.E., Forss-Petter,S., Battenberg,E.L., deLecea,L., Bloom,F.E., and Sutcliffe,J.G., 1994, J. Neurosci. Res. 38:468-478	Secreted
sbg224366-CALa	Cadherin	GB:AC006203 Submitted (18-DEC-1998) Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Human cadherin 20, gi:10834607, Kools,P., Van Imschoot,G. and van Roy,F. Genomics 68 (3), 283-295 (2000)	Secreted
sbg317645-CRF	C1q-related factor (CRF)	GB:AC019017 Submitted (28-DEC-1999) Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA.	Human C1q-related factor, GI:5729785, Berube NG, Swanson XH, Bertram MJ, Kittle JD, Didenko V, Baskin DS, Smith JR and Pereira-Smith OM., 1999, Brain Res. Mol. Brain Res. 63:233-240.	Secreted
sbg323398-LYS	Lysozyme C precursor	GB:Z98304, Submitted (12-MAY-1999) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Human Hydrolase protein-1, geneseq: Y52597, Submitted by INCYTE PHARM INC, Publication number and date: WO200028045-A2, 18-MAY-00	Secreted
sbg222729-Cda	Leukocyte differentiation antigen	GB:AC012471 Submitted (28-OCT-1999) by Genome Therapeutics Corporation, 100 Beaver Street, Waltham, MA 02453, USA	Mouse lymphocyte antigen 108 isoforms, gi:9887091, Submitted (21-MAR-2000) Department of Microbiology and Immunology, Vanderbilt University School of Medicine, 1161 21st Ave South / AA4206 Medical Center North, Nashville, TN 37232-2363, USA	Secreted
sbg313227-VDCCa	Voltage-dependent calcium channel	GB:AC005342 and GB:AC005343 Both were submitted (31-JUL-1998) by Molecular and Human Genetics, Baylor College of Medicine, One Baylor Plaza, Houston, TX 77030, USA	Mouse calcium channel alpha2delta, gi: 6753236, Klugbauer,N., Lacinova,L., Marais,E., Hobom,M. and Hofmann,F., J. Neurosci. 19, 648-691 (1999)	Membrane-bound
sbg327427-MIA	Melanoma inhibitory activity protein	SC:AL034428 Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Human melanoma derived growth regulatory protein precursor, gi:2498559 Blesch A, Bosserhoff AK, Apfel R, Behl C, Hessdoerfer B, Schmitt A, Jachimczak P, Lottspeich F, Buettner R, Bogdahn U, 1994, Cancer Res. 54:5695-5701.	Secreted

Table II (cont).

Gene Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg318729-proa	2-19 protein precursor	GB:AC022471 Submitted (04-FEB-2000) by Lita Annenberg Hazen Genome Sequencing Center, Cold Spring Harbor Laboratory, 1 Bungtown Road, Cold Spring Harbor, NY 11724, USA	Human 2-19 protein precursor gi:2135170 Bione S, Tamanini F, Maestrini E, Tribioli C, Poustka A, Torri G, Rivella S, Toniolo D. Transcriptional organization of a 450-kb region of the human X chromosome in Xq28. Proc Natl Acad Sci U S A 1993 Dec 1; 90(23): 10977-81	Secreted
sbg263419-CARa	Carboxypeptidase A1	GB:AC007938 Submitted (01-JUL-1999) by Human Genome Center, University of Washington, Box 352145, Seattle, WA 98195, USA.	Pig carboxypeptidase A1, gi:4336196, Submitted (02-JUL-1998) by LBBN, CNRS-UPRESA 6033, Faculte des Sciences et Techniques de St. Jerome, Universite d'Aix-Marseille, Av. Escadrille Normandie Niemen, Marseille 13397, France	Cytosolic
sbg334109-TES	Testatin precursor	GB:AL121894 Submitted (17-MAR-2000) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Mouse testatin precursor (cystatin 9), gi:6753546 Tohonen V, Osterlund C, and Nordqvist K, 1998, Proc Natl Acad Sci USA 95:14208-13.	Secreted
sbg323357-SRCR	Scavenger receptor cysteine-rich (SRCR)	GB:AL161645 Submitted (17-MAR-2000) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Bovine WC1 antigen, gi:26741, Wijngaard PL, Metzelaar MJ, MacHugh ND, Morrison WI, and Clevers HC, 1992, J. Immunol. 149:3273-3277.	Membrane-bound
sbg294576-LAPP	Lysosomal acid phosphatase precursor	JGI: CITB-E1_2568A17 Joint Genome Institute, Department of Energy, USA	Mouse lysosomal acid phosphatase precursor, gi:130728, Geier C, von Figura K, and Pohlmann R, 1991, Biol Chem Hoppe Seyler 372:301-4.	Secreted
sbg320795-MMPa	Matrix metalloproteinase	GB:AL158835 Submitted (05-MAR-2000) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Xenopus laevis matrix metalloproteinase gene, gi:3211705, Yang, M., Murray, M.T. and Kurkinen, M., A novel matrix metalloproteinase gene (XMMP) encoding vitronectin-like motifs is transiently expressed in Xenopus laevis early embryo development. 1997 J. Biol. Chem. 272 (21), 13527-13533	Secreted
sbh312883.-PLK	Proteoglycan link protein (PLK)	GB:AC003967 Submitted (31-DEC-1997) by Human Genome Center, Lawrence Livermore National Laboratory, 7000 East Ave., Livermore, CA 94551, USA	Chicken cartilage link protein, gi:130309, Deak, F., Kiss, I., Sparks, K.J., Argraves, W.S., Hampikian, G. and Goetinck, P.F, Proc. Natl. Acad. Sci. U.S.A. 83 (11), 3766-3770 (1986)	Secreted
sbg66804-SPARCra	Sparc-related protein	GB:AL135747 Submitted by Genoscope - Centre National de Sequencage :BP 19191006 EVRY cedex, France	Mouse SPARC-related protein, gi:5305327 Submitted (05-Jun-1998) by GeneCraft, Treskowst. 10, Muenster 48163, Germany.	Membrane-bound

Table III

Gene Name	Uses	Associated Diseases
sbg300828-GLY	An embodiment of the invention is the use of sbg300828GLY, a proteoglycan, to control the sequence of ganglion cell differentiation and initial direction of axons and/or the differentiation of cells during development and maintenance of tissue organization. Proteoglycans are complex glycoconjugates containing a core protein to which a variable number of glycosaminoglycan chains (such as heparin sulfate, chondroitin sulfate, etc.) are covalently attached (Hassel J.R., Kimura J.H., and Hascall V.C., 1986, Annu. Rev. Biochem. 55:539-567). Interactions between negatively charged glycosaminoglycan chains and molecules such as growth factors are essential for differentiation of cells during development and maintenance of tissue organization (Prydz K, and Dalen KT, 2000, J Cell Sci 113:193-205). It has also been reported that in the developing retina a chondroitin sulfate proteoglycan appears to play an essential role in controlling the sequence of ganglion cell differentiation and initial direction of axons (Silver J, 1994, J Neurol 242:S22-4).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation.
sbg290600-OLF	An embodiment of the invention is the use of sbg290600OLF, a glycoprotein, in chemoreception and the central nervous system. A close homologue of sbg290600OLF is olfactomedin. Olfactomedin is a glycoprotein, and reacts with proteins of olfactory cilia. It was originally discovered at the mucociliary surface of the amphibian olfactory neuroepithelium and subsequently found throughout the mammalian brain (Danielson,P.E., Forss-Petter,S., Battenberg,E.L., deLecea,L., Bloom,F.E., and Sutcliffe,J.G., 1994, J. Neurosci. Res. 38:468-478). Its noticeable deposition at the chemosensory surface of the olfactory neuroepithelium suggests a role for this protein in chemoreception (Snyder DA, Rivers AM, Yokoe H, Menco BP, and Anholt RR, 1991, Biochemistry 30:9143-53). The widespread occurrence of olfactomedin among mammals also suggests its new functions in the central nervous system (Karavanich CA, and Anholt RR, 1998, Mol Biol Evol 15:718-26).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation.
sbg224366-CALa	An embodiment of the invention is the use of sbg224366CALa, a secreted protein, in the identification of targets for new cancer therapies. A close homologue of sbg224366CALa is the mouse cadherin 7 precursor. The cadherins are calcium dependent cell adhesion proteins that preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may contribute to the sorting of heterogeneous cell types and is claimed to be involved in tumor progression. (Faulkner-Jones,B.E., Godhino,L.N.M., Pasquini,G.F., Reese,B.E. and Tan,S.-S. Cloning And Expression Of Mouse Cadherin-7, A Type-II Cadherin Isolated From the Developing Eye. Molecular and Cellular Neurosciences. Mol. Cell. Neurosci. (1999) In press).	Infections, cancers, autoimmune disorders, wound healing disorders, and hematopoietic disorders.
sbg317645-CRF	An embodiment of the invention is the use of sbg317645CRF in functions of the central nervous system, particularly the brain and motor functions. A close homologue of sbg224366CALa is C1q. C1q is a subunit of the C1 enzyme complex that activates the serum complement system. It has been shown that human CRF transcript is expressed at highest levels in the brain, particularly in the brainstem. Similarly, in mouse brain CRF transcripts are most abundant in areas of the nervous system involved in motor function (Berube NG, Swanson XH, Bertram MJ, Kittle JD, Didenko V, Baskin DS, Smith JR, and Pereira-Smith OM., 1999, Brain Res. Mol. Brain Res. 63:233-240).	Nervous system disorder.
sbg323398-LYS	An embodiment of the invention is the use of sbg323398LYS, a lysozyme, to enhance the activity of immunoagents in tissue and body fluids. Lysozymes are originally a bacteriolytic defensive agent and has been adapted to serve a digestive function (Qasba PK, Kumar S, 1997, Crit Rev Biochem Mol Biol 32:255-306). It has been suggested that lysozymes may serve as biomarkers of periodontal disease activity from inflammatory cell origin (Eley BM, and Cox SW, 1998, Br Dent J 184:323-8).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation.

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg222729-CDa	An embodiment of the invention is the use of sbg222729Cda, a secreted protein, in the diagnosis and treatment of cancer and autoimmune disorders. A close homologue of sbg222729Cda is leukocyte differentiation antigen CD84 isoform. CD84, a member of the immunoglobulin superfamily, shows high homology with several molecules belonging to the CD2 family of differentiation antigens, is proposed to be useful in the diagnosis and treatment of cancer and autoimmune disorders (Palou E, Piroto F, Sole J, Freed JH, Peral B, Vilardell C, Vilella R, Vives J, Gaya A. Genomic characterization of CD84 reveals the existence of five isoforms differing in their cytoplasmic domains. Tissue Antigens 2000 Feb;55(2):118-27).	Cancer, autoimmune disorder, wound healing disorder, infections and hematopoietic disorders
sbg313227-VDCCa	An embodiment of the invention is the use of sbg313227-VDCCa in excitation-contraction coupling, and drug screening for obtaining agonists and antagonists. A close homologue of sbg313227-VDCCa is the calcium channel, voltage dependent, alpha2/delta subunit 3. The I-type calcium channel is composed of four subunits: alpha-1, alpha-2, beta and gamma. Alpha-2 and delta forms heterodimers that are disulfide-linked. Alpha2/delta-3 is expressed exclusively in the brain, e.g., in the hippocampus, cerebellum, and cortex, whereas alpha2/delta-2 is found in several tissues.	Cancer, Infections, autoimmune disorders, wound healing disorders and hematopoietic disorders
sbg327427-MIA	An embodiment of the invention is the use of sbg327427MIA, a growth regulating protein, as a future antitumor therapeutical agent. Close homologues of sbg327427MIA are melanoma inhibitory activity (MIA) proteins. MIA proteins have growth inhibition on melanoma cells in vitro as well as some other neuroectodermal tumors, including gliomas. (Blesch A, Bosserhoff AK, Apfel R, Behl C, Hessdoerfer B, Schmitt A, Jachimczak P, Lottspeich F, Buettner R, Bogdahn U, 1994, Cancer Res. 54:5695-5701).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation.
sbg318729-PROa	An embodiment of the invention is the use of sbg318729PROa, a secreted protein, in the diagnosis and treatment of diseases of muscle and brain tissues. A close homologue of sbg318729PROa is the 2-19 protein precursor. The 2-19 protein maps to Xq28, is highly expressed in muscle and brain, and may be responsible for muscle or neurological disorders mapped to distal Xq28 (Bione S, Tamanini F, Maestrini E, Tribioli C, Poustka A, Torri G, Rivella S, Toniolo D. Transcriptional organization of a 450-kb region of the human X chromosome in Xq28. Proc Natl Acad Sci U S A 1993 Dec 1;90(23):10977-81).	Cancer, autoimmune disorders, infections, wound healing disorders and hematopoietic disorders
sbg263419-CARa	An embodiment of the invention is the use of sbg263419CARa in antibody-direct enzyme pro-drug therapy of viral infections. A close homologue of sbg263419CARa is human carboxypeptidase A1. Human carboxypeptidase A1 is useful in antibody-direct enzyme prodrug therapy of viral infections (MOORE JT, OHMSTEDE C and DEV IK, Molecular chimaera for use in enzyme gene therapy - is activated in a target cell to express a secretable enzyme which cleaves a prodrug outside the cell into a cytotoxic or cytostatic agent. Accession Number R97618. Publication Date: 30-MAY-96).	Infections, cancers, autoimmune disorders, wound healing disorders and hematopoietic disorders
sbg334109-TES	An embodiment of the invention is the use of sbg334109TES in natural tissue remodeling events such as bone resorption and embryo implantation and/or tumor formation and metastasis. A close homologue of sbg334109TES is testatin. Testatin is related to a group of cysteine protease inhibitors known as cystatins. Testatins and their target proteases can induce testis formation in foetal gonads, and may be associated with tumor formation and metastasis. In addition, it is suggested that they are also involved in natural tissue remodeling events such as bone resorption and embryo implantation (Tohonen V, Osterlund C, and Nordqvist K, 1998, Proc Natl Acad Sci USA 95:14208-13).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and infertility

TABLE III (CONT.)

Gene Name	Uses	Associated Diseases
sbg323357-SRCR	An embodiment of the invention is the use of sbg323357SRCR in receptor-mediated endocytosis of chemically modified lipoproteins and the pathogenesis of atherosclerosis. Close homologues of sbg323357SRCR are scavenger receptors. Scavenger receptors are involved in receptor-mediated endocytosis of chemically modified lipoproteins, such as acetylated and oxidized LDL, and therefore have been implicated in the pathogenesis of atherosclerosis (Adachi H, Tsujimoto M, Arai H, and Inoue K, 1997, J Biol Chem 272:31217-20). Especially, macrophage scavenger receptors have been implicated both in the deposition of lipoprotein cholesterol in artery walls during the formation of atherosclerotic plaques and in host defense against infections (Krieger M, 1992 Trends Biochem Sci 17:141-6).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation
sbg294576-LAPP	An embodiment of the invention is the use of sbg294576LAPP in the diagnosis and treatment of prostatic cancer, osteolysis, Gaucher's disease of the spleen, and hairy cell leukemia. Close homologues of sbg294576LAPP are acid phosphatases. The acid phosphatases have been used as a marker for prostatic cancer, and have been linked with miscellaneous disorders, notably increased osteolysis, Gaucher's disease of spleen, and hairy cell leukemia (Moss DW, Raymond FD, and Wile DB; 1995; Crit Rev Clin Lab Sci 32:431-67).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, increased osteolysis, and Gaucher's disease
sbg320795-MMPa	An embodiment of the invention is the use of sbg320795-MMPa, a secreted protein, in the treatment, prevention, and diagnosis of diabetic nephropathy, glomerulonephritis, fibrosis, liver cirrhosis, and metabolic bone diseases such as osteoporosis. A close homologue of sbg320795-MMPa is xenopus laevis matrix metalloproteinase. Xenopus laevis matrix metalloproteinase specifically activates pro-gelatinase a, which is involved in extracellular matrix turn-over on the surface of cells and is involved in the matrix remodeling of blood vessels (Yang, M., Murray, M.T. and Kurkinen, M., A novel matrix metalloproteinase gene (XMMP) encoding vitronectin-like motifs is transiently expressed in Xenopus laevis early embryo development. J. Biol. Chem. 272 (21), 13527-13533 (1997)).	Diabetic nephropathy, glomerulonephritis, fibrosis, liver cirrhosis and metabolic bone disease such as osteoporosis
sbh312883-PLK	An embodiment of the invention is the use of sbh312883-PLK to treat autoimmune diseases such as insulin dependent diabetes mellitus, multiple sclerosis, autoimmune thyroiditis, uveoretinitis, rheumatoid arthritis, and abnormal inflammatory immune responses. Close homologues of sbh312883-PLK are immunotherapeutic agents. Similar peptides have been used as antigen base immunotherapeutic agents in hosts afflicted with autoimmune diseases.	Hematopoietic disorders, wound healing disorders, viral and bacterial infection, cancer, and autoimmune diseases such as insulin dependent diabetes mellitus, multiple sclerosis, autoimmune thyroiditis, uveoretinitis, rheumatoid arthritis, and abnormal inflammatory immune responses
sbg66804-SPARCra	An embodiment of the invention is the use of sbg66804-SPARCra, a secreted protein, in remodeling, development, cell turnover, tissue repair, counter adhesion, and antiproliferation. A close homologue of sbg66804-SPARCra, is the mouse SPARC-related protein. SPARC (secreted protein, acidic and rich in cysteine) is a unique matricellular glycoprotein that is expressed by many different types of cells and is associated with development, remodeling, cell turnover, and tissue repair. Its principal functions in vitro are counter adhesion and antiproliferation, which proceed via different signaling pathways. SPARC has demonstrated activities in angiogenesis, cataractogenesis, and wound healing. SPARC has also been identified in tumors. The sequence of SPARC has been highly conserved among species.	Cataractogenesis, angiogenesis, wound healing, tumors.

Table IV. Quantitative, Tissue-specific mRNA expression detected using SYBRman

Quantitative, tissue-specific, mRNA expression patterns of the genes were measured using SYBR-Green Quantitative PCR (Applied Biosystems, Foster City, CA; see Schmittgen T.D. et al., Analytical Biochemistry 285:194-204, 2000) and human cDNAs prepared from various human tissues. Gene-specific PCR primers were designed using the first nucleic acid sequence listed in the Sequence List for each gene. Results are presented as the number of copies of each specific gene's mRNA detected in 1ng mRNA pool from each tissue. Two replicate mRNA measurements were made from each tissue RNA.

Gene Name	Tissue-Specific mRNA Expression (copies per ng mRNA; avg. $\pm$ range for 2 data points per tissue)									
	Brain	Heart	Lung	Liver	Kidney	Skeletal muscle	Intestine	Spleen lymph	Placenta	Testis
sbg300828-GLY	2513 ± 66	4268 ± 154	4488 ± 236	4229 ± 250	4801 ± 79	1801 ± 29	2108 ± 138	7431 ± 152	15800 ± 364	14682 ± 1152
sbg290600-OLF	5164 ± 119	234 ± 19	266 ± 41	88 ± 13	378 ± 43	187 ± 115	177 ± 23	159 ± 31	239 ± 27	292 ± 4
sbg224366-CALa	636 ± 34	13 ± 4	6 ± 1	-13 ± 2	20 ± 0	73 ± 16	-1 ± 1	3 ± 1	-1 ± 1	5 ± 2
sbg323398-LYS	142 ± 8	151 ± 2	201 ± 14	61 ± 6	232 ± 23	72 ± 13	69 ± 12	176 ± 4	240 ± 0	4015 ± 251
sbg222729-CDa	12 ± 1	50 ± 2	304 ± 2	50 ± 8	100 ± 6	145 ± 4	166 ± 4	2703 ± 75	150 ± 8	133 ± 12
sbg313227-VDCCa	28 ± 6	5 ± 3	22 ± 2	6 ± 8	7 ± 2	6 ± 2	1 ± 4	23 ± 1	91 ± 22	419 ± 15
sbg263419-CARa	26 ± 5	16 ± 3	29 ± 10	-2 ± 6	42 ± 4	143 ± 3	3 ± 1	112 ± 11	177 ± 10	8301 ± 627
sbg323357-SRCR	131 ± 8	78 ± 7	131 ± 20	57 ± 5	193 ± 18	107 ± 3	59 ± 1	178 ± 3	197 ± 50	181 ± 47
sbg294576-LAPP	113 ± 10	89 ± 1	67 ± 20	16 ± 1	51 ± 12	91 ± 1	61 ± 14	80 ± 1	74 ± 0	1618 ± 117
sbg320795-MMPa	19 ± 0	258 ± 26	2886 ± 114	219 ± 7	367 ± 27	168 ± 19	4232 ± 277	46644 ± 1535	340 ± 22	4160 ± 205
sbg312883-PLK	364 ± 4	3 ± 3	3 ± 0	96 ± 11	8 ± 0	4 ± 2	22 ± 2	-6 ± 4	3 ± 0	-5 ± 7
sbg66804-SPARCra	296 ± 53	24 ± 0	4 ± 1	457 ± 21	7 ± 0	68 ± 3	9 ± 1	439 ± 11	128 ± 1	1037 ± 17

Table V. Additional diseases based on mRNA expression in specific tissues

Tissue Expression	Additional Diseases
Brain	Neurological and psychiatric diseases, including Alzheimers, parasupranuclear palsey, Huntington's disease, myotonic dystrophy, anorexia, depression, schizophrenia, headache, amnesias, anxiety disorders, sleep disorders, multiple sclerosis
Heart	Cardiovascular diseases, including congestive heart failure, dilated cardiomyopathy, cardiac arrhythmias, Hodgson's Disease, myocardial infarction, cardiac arrhythmias
Lung	Respiratory diseases, including asthma, Chronic Obstructive Pulmonary Disease, cystic fibrosis, acute bronchitis, adult respiratory distress syndrome
Liver	Dyslipidemia, hypercholesterolemia, hypertriglyceridemia, cirrhosis, hepatic encephalopathy, fatty hepatocirrhosis, viral and nonviral hepatitis, Type II Diabetes Mellitis, impaired glucose tolerance
Kidney	Renal diseases, including acute and chronic renal failure, acute tubular necrosis, cystinuria, Fanconi's Syndrome, glomerulonephritis, renal cell carcinoma, renovascular hypertension
Skeletal muscle	Eulenburg's Disease, hypoglycemia, obesity, tendinitis, periodic paralyses, malignant hyperthermia, paramyotonia congenita, myotonia congenita
Intestine	Gastrointestinal diseases, including Myotonia congenita, Ileus, Intestinal Obstruction, Tropical Sprue, Pseudomembranous Enterocolitis
Spleen/lymph	Lymphangiectasia, hypersplenism, angiomas, ankylosing spondylitis, Hodgkin's Disease, macroglobulinemia, malignant lymphomas, rheumatoid arthritis
Placenta	Choriocarcinoma, hydatidiform mole, placenta previa
Testis	Testicular cancer, male reproductive diseases, including low testosterone and male infertility
Pancreas	Diabetic ketoacidosis, Type 1 & 2 diabetes, obesity, impaired glucose tolerance

What is claimed is:

1. An isolated polypeptide selected from the group consisting of:
 - (a) an isolated polypeptide encoded by a polynucleotide comprising a sequence set forth in
5 Table I;
 - (b) an isolated polypeptide comprising a polypeptide sequence set forth in Table I; and
 - (c) a polypeptide sequence of a gene set forth in Table I.
2. An isolated polynucleotide selected from the group consisting of:
 - 10 (a) an isolated polynucleotide comprising a polynucleotide sequence set forth in Table I;
 - (b) an isolated polynucleotide of a gene set forth in Table I;
 - (c) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide
set forth in Table I;
 - (d) an isolated polynucleotide encoding a polypeptide set forth in Table I;
 - 15 (e) a polynucleotide which is an RNA equivalent of the polynucleotide of (a) to (d);
or a polynucleotide sequence complementary to said isolated polynucleotide.
3. An expression vector comprising a polynucleotide capable of producing a polypeptide of
claim 1 when said expression vector is present in a compatible host cell.
20
4. A process for producing a recombinant host cell which comprises the step of introducing
an expression vector comprising a polynucleotide capable of producing a polypeptide of claim
1 into a cell such that the host cell, under appropriate culture conditions, produces said
polypeptide.
25
5. A recombinant host cell produced by the process of claim 4.
6. A membrane of a recombinant host cell of claim 5 expressing said polypeptide.
- 30 7. A process for producing a polypeptide which comprises culturing a host cell of claim 5
under conditions sufficient for the production of said polypeptide and recovering said
polypeptide from the culture.

SEQUENCE LISTING

<110> SMITHKLINE BEECHAM CORPORATION
SMITHKLINE BEECHAM p.l.c.

<120> NOVEL COMPOUNDS

<130> GP50022

<140> TO BE ASSIGNED

<141> 2001-04-11

<150> 60/196,603

<151> 2000-04-13

<150> 60/199,417

<151> 2000-04-24

<160> 48

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 2127

<212> DNA

<213> Homo sapiens

<400> 1

atggcggtac ggcggttgaa gctgctgacc aactgctgg ctgtcgtggc cgctgcctcc	60
caagccgagg tcgagtccga ggcaggatgg ggcattggtga cgcctgatct gctcttcgcc	120
gaggggaccg cagcctacgc gcgcggggac tggcccgggg tggtcctgag catggaacgg	180
gcgctgcgct cccgggcagc cctccgcgcc ctctgcctgc gctgccgcac ccagtgtgcc	240
gccgacttcc cgtgggagct ggaccccgac tgggtcccca gcccgccca ggcctcgggc	300
gccgccgccc tgcgcgacct gagcttcttc gggggccttc tgcgtcgcgc tgcctgcctg	360
cgccgctgcc tcgggcccgc gcccgccac tcgctcagcg aagagatgga gctggagttc	420
cgcaagcgga gccctacaa ctacctgcag gtgcctact tcaagatcaa caagttggag	480
aaagctgttg ctgcagcaca caccttcttc gtgggcaatc ctgagcacat ggaaatgcag	540
cagaacctag actattacca aacctgtct ggagtgaagg aggccgactt caaggatctt	600
gagactcaac cccatatgca agaatttcga ctgggagtgc gactctactc agaggaaacag	660
ccacaggaag ctgtgcccc cctagaggcg gcgctgcaag aatactttgt ggcctatgag	720
gagtgccgtg ccctctgcga agggccctat gactacgatg gctacaacta ccttgagtac	780

aacgctgacc	tcttccaggc	catcacagat	cattacatcc	aggctcctcaa	ctgtaagcag	840
aactgtgtca	cggagcttgc	ttcccaccca	agtcgagaga	agccctttga	agacttcctc	900
ccatcgcat	ataattatct	gcagtttgcc	tactataaca	agacaatctg	ctattgtaat	960
cttccttgtc	ttctgaaaat	ctatagaaaa	aagaagagt	ccaaggagta	ccgacagcga	1020
agcctactgg	aaaaagaact	gcttttcttc	gcttatgatg	tttttggaat	tccttttgtg	1080
gatccggatt	catggactcc	agaagaagt	attcccaaga	gattgcaaga	gaaacagaag	1140
tcagaacggg	aaacagccgt	acgcactctc	caggagattg	ggaaccttat	gaaggaaatc	1200
gagacccttg	tggaagagaa	gaccaaggag	tcactggatg	tgagcagact	gacccgggaa	1260
gggtggcccc	tgctgtatga	aggcatcagt	ctcaccatga	actccaaact	cctgaatggt	1320
tcccagcggg	tggtgatgga	cggcgtaatc	tctgaccacg	agtgtcagga	gctgcagaga	1380
ctgaccaatg	tggcagcaac	ctcaggagat	ggctaccggg	gtcagacctc	cccacatact	1440
cccaatgaaa	agttctatgg	tgctactgtc	ttcaaagccc	tcaagctggg	gcaagaaggc	1500
aaagtccctc	tcgagagtgc	ccacctgtac	tacaacgtga	cggagaagg	gcggcgcac	1560
atggagtcc	acttcgcct	ggatacgccc	ctctactttt	cctactctca	tctggtgtgc	1620
cgcactgcca	tcgaagaggt	ccaggcagag	aggaaggatg	atagtcatcc	agtccacgtg	1680
gacaactgca	tcctgaatgc	cgagaccctc	gtgtgtgtca	aagagcccc	agcctacacc	1740
ttccgcgact	acagcgccat	cctttaccta	aatggggact	tcgatggcgg	aaacttttat	1800
ttcactgaac	tggatgcca	gaccgtgacg	gcagaggtgc	agcctcagt	tggaagagcc	1860
gtgggattct	cttcaggcac	tgaaaaccca	catggagtga	aggctgtcac	cagggggcag	1920
cgctgtgcca	tcgccctgtg	gttcaccctg	gaccctcgac	acagcgagcg	ggacaggggtg	1980
caggcagatg	acctggtgaa	gatgctcttc	agcccagaag	agatggacct	ctcccaggag	2040
cagcccctgg	atgccagca	gggtcccccc	gaacctgcac	aagagtctct	ctcaggcagt	2100
gaatcgaagc	ccaaggatga	gctatga				2127

<210> 2

<211> 2211

<212> DNA

<213> Homo sapiens

<400> 2

atggcgggtac	gcgcgttgaa	gctgctgacc	acactgctgg	ctgtcgtggc	cgctgcctcc	60
caagccgagg	tcgagtccga	ggcaggatgg	ggcatgggtga	cgctgatct	gctcttcgcc	120
gaggggaccg	cagcctacgc	gcgcggggac	tggcccgggg	tggtcctgag	catggaacgg	180
gcgctgcgct	cccgggcagc	cctccgcgcc	cttcgcctgc	gctgccgcac	ccagtgtgcc	240
gccgacttcc	cgtgggagct	ggaccccgac	tgggtcccca	gcccggccca	ggcctcgggc	300
gccgcgcgcc	tgcgcgacct	gagcttcttc	gggggccttc	tgctgcgcgc	tgctgcctg	360
cgccgctgcc	tcgggcccgc	ggccgcccac	tcgctcagcg	aagagatgga	gctggagtcc	420
cgcaagcggg	gcccctacaa	ctacctgcag	gtcgcctact	tcaagatcaa	caagtggag	480
aaagtgtttg	ctgcagcaca	caccttcttc	gtgggcaatc	ctgagcacat	ggaaatgcag	540
cagaacctag	actattacca	aacctgtct	ggagtgaagg	aggccgactt	caaggatctt	600
gagactcaac	cccatatgca	agaatttcga	ctgggagtgc	gactctactc	agaggaacag	660
ccacaggaag	ctgtgcccc	cctagaggcg	gcgctgcaag	aatactttgt	ggcctatgag	720

gagtgcctgtg	ccctctgcga	agggccctat	gactacgatg	gctacaacta	ccttgagtac	780
aacgtgacc	tcttcaggc	catcacagat	cattacatcc	aggtcctcaa	ctgtaagcag	840
aactgtgtca	cggagcttgc	ttcccaccca	agtcgagaga	agccctttga	agacttcctc	900
ccatcgcatt	ataattatct	gcagtttgcc	tactataaca	ttgggaatta	tacacaggct	960
gttgaatgtg	ccaagacctt	tcttctcttc	ttcccctaatg	acgagggtgat	gaacccaaat	1020
ttggcctatt	atgcagctat	gcttggagaa	gaacacacca	gatccatcgg	cccccgtag	1080
agtgccaagg	agtaccgaca	gcgaagccta	ctggaaaaag	aactgctttt	cttcgcttat	1140
gatgtttttg	gaattccctt	tgtggatccg	gattcatgga	ctccagaaga	agtgattccc	1200
aagagattgc	aagagaaaca	gaagtcagaa	cgggaaacag	ccgtacgcat	ctcccaggag	1260
attgggaacc	ttatgaagga	aatcgagacc	cttgtggaag	agaagaccaa	ggagtcaactg	1320
gatgtgagca	gactgacccg	ggaagggtggc	cccctgctgt	atgaaggcat	cagtctcacc	1380
atgaactcca	aactcctgaa	tgggtcccg	cgggtggtga	tggacggcgt	aatctctgac	1440
cacgagtgtc	aggagctgca	gagactgacc	aatgtggcag	caacctcagg	agatggctac	1500
cggggtcaga	cctccccaca	tactcccaat	gaaaagttct	atgggtgtcac	tgtcttcaaa	1560
gccctcaagc	tggggcaaga	aggcaaagtt	cctctgcaga	gtgccacct	gtactacaac	1620
gtgacggaga	aggtgcggcg	catcatggag	tctacttcc	gcctggatac	gcccctctac	1680
ttttcctact	ctcatctggt	gtgccgcact	gccatcgaag	aggtccaggc	agagaggaag	1740
gatgatagtc	atccagtcca	cgtggacaac	tgcactctga	atgccgagac	cctcgtgtgt	1800
gtcaaagagc	ccccagccta	caccttccgc	gactacagcg	ccatccttta	cctaaatggg	1860
gacttcgatg	gcggaaactt	ttatttctact	gaactggatg	ccaagaccgt	gacggcagag	1920
gtgcagcctc	agtgtggaag	agccgtggga	ttctcttcag	gactgaaaa	cccacatgga	1980
gtgaaggctg	tcaccagggg	gcagcgctgt	gccatcgccc	tgtggttcac	cctggaccct	2040
cgacacagcg	agcgggacag	ggtgcaggca	gatgacctgg	tgaagatgct	cttcagccca	2100
gaagagatgg	acctctccca	ggagcagccc	ctggatgccc	agcagggtcc	ccccgaacct	2160
gcacaagagt	ctctctcagg	cagtgaatcg	aagcccaagg	atgagctatg	a	2211

<210> 3

<211> 1437

<212> DNA

<213> Homo sapiens

<400> 3

atgagtcctc	caactgctgaa	gcttggcgct	gtgcttagta	ccatggcaat	gatctcaaac	60
tggatgtccc	aaactctccc	atccttgggtg	ggactgaaca	ccacgaggct	gtcgactccg	120
gataccttaa	ctcagattag	tcctaaagaa	gggtggcagg	tgtacagctc	agctcaggat	180
cctgatgggc	ggtgcatttg	cacagttgtt	gctccagaac	aaaacctgtg	ttcccgggat	240
gccaaaagca	ggcaacttcg	ccaactactg	gaaaagggttc	agaacatgtc	ccagtctatt	300
gaagtcttaa	acttgagaac	tcagagagat	ttccaatatg	ttttaaaaaat	ggaaacccaa	360
atgaaagggc	tgaaggcaaa	atttcggcag	attgaagatg	atcgaaagac	acttatgacc	420
aagcattttc	aggagttgaa	agagaaaatg	gacgagctcc	tgcctttgat	ccccgtgctg	480
gaacagtaca	aaacagatgc	taagttaatc	accagttca	aggaggaaat	aaggaatctg	540
tctgctgtcc	tcactgggtat	tcaggaggaa	attgggtgct	atgactacga	ggaactacac	600

caaagagtgc	tgagcttgga	aacaagactt	cgtgactgca	tgaaaaagct	aacatgtggc	660
aaactgatga	aaatcacagg	cccagttaca	gtcaagacat	ctggaacccg	at ttggtgct	720
tggatgacag	acccttttagc	atctgagaaa	aacaacagag	tctggtacat	ggacagttat	780
actaacaata	aaattgttcg	tgaatacaaa	tcaattgcag	actttgtcag	tggggctgaa	840
tcaaggacat	acaaccttcc	tttcaagtgg	gcaggaacta	accatgttgt	ctacaatggc	900
tcactctatt	ttaacaagta	tcagagtaat	atcatcatca	aatacagctt	tgatatgggg	960
agagtgcctt	cccaacgaag	cctggagtat	gctgggttttc	ataatgttta	cccctacaca	1020
tggggtggat	tctctgacat	cgacctaatg	gctgatgaaa	tcgggctgtg	ggctgtgtat	1080
gcaactaacc	agaatgcagg	caatattgtc	atcagccaac	ttaaccaaga	taccttggag	1140
gtgatgaaga	gctggagcac	tggctacccc	aagagaagtg	caggggaatc	tttcatgata	1200
tgtgggacac	tgtatgtcac	caactcccac	ttaactggag	ccaaggtgta	ttattcctat	1260
tccacaaaaa	cctccacata	tgagtacaca	gacattccct	tccataacca	atactttcac	1320
atatccatgc	ttgactacaa	tgcaagagat	cgagctctct	atgcctggaa	caatggccac	1380
caggtgctgt	tcaatgtcac	ccttttccat	atcatcaaga	cagaggatga	cacatag	1437

<210> 4

<211> 1770

<212> DNA

<213> Homo sapiens

<400> 4

atgtggactt	ctggtagaat	gagcaatgca	aagaactggc	ttggacttgg	catgtccttg	60
tacttctggg	ggctgatgga	ccttacgacc	accgttctct	cggacacccc	aacaccacaa	120
ggtgaattag	aagcactcct	gtcagacaag	ccacagtcac	atcagcggac	caagaggagc	180
tgggttttga	accagttttt	cgttctggaa	gagtacactg	ggaccgacct	tttgtatgtc	240
ggcaagcttc	attcagatat	ggacagggga	gacggatcca	tcaaatacat	cctctcggga	300
gaagtgctg	gcatcgtgtt	taccatcgac	gacaccactg	gagacatcca	cgccattcag	360
aggctcgacc	gagaggaaa	agcccagtat	actctaaggg	ctcaagccct	agacaggcgg	420
acgggcaggc	caatggagcc	cgagtcagag	ttcatcatca	aaattcaaga	catcaatgac	480
aatgagccca	agttcctgga	cggaccttat	gtggccactg	tgccagaaat	gtcccctgtg	540
ggtacctccg	tcatccaagt	gacagccaca	gatgcagatg	acccgacctc	cggcaacagt	600
gccagggtgg	tgtacagcat	tcttcagggc	cagccatatt	tttctgtgga	ctctaaaaca	660
ggtgtaatta	ggacagcgct	catgaacatg	gacagagaag	caaagaata	ctacgaagtg	720
attatccaag	ccaaggacat	gggagggcag	cctggaggat	tagctgggac	cacaacagtc	780
aacatcacc	tctcagatgt	caatgataac	ccaccccgct	ttccccagaa	acattaccag	840
atgagtgtgt	tggaatcagc	tccaattagc	tccactgtcg	ggagagtgtt	tgccaaggac	900
ttggatgaag	gcatcaatgc	agagatgaaa	tatactattg	tggatggaga	tgggtgcagat	960
gccttttgaca	ttagcacaga	tccaattttc	caagttggta	tcataactgt	gaagaagccc	1020
ctgagttttg	aaagcaagaa	aagctacacc	ttaaagggtg	aggagagcaa	tcctcaccta	1080
gagatgcgtt	ttctgaactt	gggcccat	caggacacaa	caacagtgc	catcagtgtg	1140
gaagacgtgg	acgagcccc	tgtgtttgaa	cctggctttt	actttgtgga	ggtgcctgag	1200
gatgtggcga	ttggaacaac	catacagatc	atctctgcca	aggaccaga	tgtgaccaac	1260

aactcaatca	gatactccat	tgatagaagc	agtgaccctg	gaagatTTTT	ctatgttgac	1320
attacaacag	gtgcccta	gacagcaaga	cccctagacc	gggaagaatt	ttcttggcat	1380
aatatcactg	tccttgctat	ggaaatgaac	aatccctccc	aggttggaag	tgttcctgtc	1440
acaatcaaag	tcttagatgt	gaatgacaat	gctccagagt	tccccagatt	ctatgaagct	1500
tttgtctgtg	agaacgccaa	ggcaggacag	ctgatccaga	cagtgagtgc	ggtggaccaa	1560
gatgaccac	gcaatggcca	gcatttctac	tacagcttgg	ctcctgaggc	tgctaacaac	1620
cccaacttta	ccataaggga	caaccaaggt	aatcaggtgg	atggttggct	atctgtgctt	1680
ttctacagca	taggccagct	actttgggtt	actgtcttat	gcaaacagtg	tcaaaggcta	1740
cctgttccat	accagcaggg	aggatgttaa				1770

<210> 5

<211> 2406

<212> DNA

<213> Homo sapiens

<400> 5

atgtggactt	ctggtagaat	gagcaatgca	aagaactggc	ttggacttgg	catgtccttg	60
tacttctggg	ggctgatgga	ccttacgacc	accgttctct	cggacacccc	aacaccacaa	120
ggtgaattag	aagcactcct	gtcagacaag	ccacagtcac	atcagcggac	caagaggagc	180
tgggttttga	accagttttt	cgttctggaa	gagtacactg	ggaccgaccc	tttgtatgtc	240
ggcaagcttc	attcagatat	ggacagggga	gacggatcca	tcaaatacat	cctctcggga	300
gaagtgctg	gcatcgtgtt	taccatcgac	gacaccactg	gagacatcca	cgccattcag	360
aggctcgacc	gagaggaaag	agcccagtat	actctaaggg	ctcaagccct	agacaggcgg	420
acgggcaggc	caatggagcc	cgagtcagag	ttcatcatca	aaattcaaga	catcaatgac	480
aatgagccca	agttcctgga	cggaccttat	gtggccactg	tgccagaaat	gtcccctgtg	540
ggtacctccg	tcatccaagt	gacagccaca	gatgcagatg	acccgaccta	cggcaacagt	600
gccagggttg	tgtacagcat	tcttcagggc	cagccatatt	tttctgtgga	ctctaaaaca	660
ggtgtaatta	ggacagcgct	catgaacatg	gacagagaag	caaagaata	ctacgaagtg	720
attatccaag	ccaaggacat	gggagggcag	cttgaggatg	tagctgggac	cacaacagtg	780
aacatcacc	tctcagatgt	caatgataac	ccaccccgct	ttccccagaa	acattaccag	840
atgagtgtgt	tggaatcagc	tccaattagc	tccactgtcg	ggagagtgtt	tgccaaggac	900
ttggatgaag	gcatcaatgc	agagatgaaa	tatactattg	tggatggaga	tggtgcagat	960
gcctttgaca	ttagcacaga	tccaattttc	caagttggta	tcataactgt	gaagaagccc	1020
ctgagttttg	aaagcaagaa	aagctacacc	ttaaaggtgg	aggagaccaa	tcctcaccta	1080
gagatgcgtt	ttctgaactt	gggcccatct	caggacacaa	caacagtgca	catcagtgtg	1140
gaagacgtgg	acgagcccc	tgtgtttgaa	cctggctttt	actttgtgga	ggtgcctgag	1200
gatgtggcga	ttggaacaac	catacagatc	atcttctgcca	aggaccacga	tgtgaccaac	1260
aactcaatca	gatactccat	tgatagaagc	agtgaccctg	gaagatTTTT	ctatgttgac	1320
attacaacag	gtgcccta	gacagcaaga	cccctagacc	gggaagaatt	ttcttggcat	1380
aatatcactg	tccttgctat	ggaaatgaac	aatccctccc	aggttggaag	tgttcctgtc	1440
acaatcaaag	tcttagatgt	gaatgacaat	gctccagagt	tccccagatt	ctatgaagct	1500
tttgtctgtg	agaacgccaa	ggcaggacag	ctgatccaga	cagtgagtgc	ggtggaccaa	1560

gatgacccac	gcaatgggtca	gcattttctac	tacagcttgg	ctcctgaggc	tgctaacaac	1620
cccaacttta	ccataaggga	caaccaagat	aacacagcac	ggatttctaac	caggaggtct	1680
ggttttccggc	agcaggagca	gagtgtcttt	cacctgccta	tcctgatagc	agatagcggg	1740
cagcccgtgc	tgagcagcac	aggcacactg	accatccaag	tgtgcagctg	tgatgacgac	1800
ggccacgtca	tgtcctgcag	cccagaggcc	tacatgctcc	cagtcagtgt	gagccggggc	1860
gccctcattg	ccatcctcgc	ctgcattctt	gtcctcttag	tgctggtgtt	gctcattttg	1920
tccatgaggc	ggcaccggaa	acaaccatac	atcatcgacg	acgaggaaaa	catccacgag	1980
aacatcgctc	gctacgacga	cgaggggcgc	ggcgaggagg	acaccgaggc	cttcgacatc	2040
gcggccatgt	ggaacccccg	ggaggcgagc	gcggggggccg	cccccaagac	gcggcaggac	2100
atgctgccccg	agatcgagag	cctctcccg	tacgtgcctc	agacgtgcgc	agtgaacagc	2160
actgtccaca	gctacgtgct	ggccaagctc	tacgaggccg	acatggacct	gtgggcaccg	2220
cccttcgact	ccctccagac	gtatatgttc	gagggggacg	gctctgtggc	ggggtcgctg	2280
agctccctgc	agtcggccac	gtcggactcg	gaacagagct	tcgacttcct	gacggactgg	2340
gggccccgct	tccggaagct	ggccgagctc	tacggggcgt	cggagggacc	cgcgccgctg	2400
tggtga						2406

<210> 6

<211> 864

<212> DNA

<213> Homo sapiens

<400> 6

atggcactgg	ggctgctgat	cgcggtgcct	ctgctgctgc	aggcggcgcc	ccccggagcg	60
gctcactacg	agatgctggg	cacctgccgc	atgatctgtg	accatacag	cgctcgctccc	120
gcagggggac	ccgcgggcgc	caaggctcca	ccgccgggac	ccagtaccgc	tgccctggaa	180
gttatgcagg	acctcagcgc	caaccccccg	cctccgttta	tccagggacc	aaaggggtgat	240
ccggggcgac	caggcaagcc	agggcctcgg	ggctcctctg	gagagccagg	gcctcctggg	300
cccaggggtc	ccccgggaga	gaaaggagac	tcggggaggc	cagggctacc	cggactgcag	360
ttgacaacca	gcgcggcccg	tggcgttgga	gtggtgagtg	gcggaaccgg	gggcggtggc	420
gacacggagg	gagaagtgac	cagtgcgctg	agcgccgcct	tcagcgggtc	caagatcgcc	480
ttctacgtgg	gactcaagag	ccccacgaa	ggctacgagg	tgctcaagtt	cgacgacgtg	540
gtcaccaatc	ttggcaatca	ctacgacccc	actacaggca	agttcagctg	ccaggtgcgg	600
ggcatctact	tcttcaogta	ccacattctc	atgcgtggcg	gcgacggaac	cagcatgtgg	660
gcggatctct	gcaagaacgg	gcaggtgcga	gccagcgcca	tagcccagga	cgcggaccag	720
aattacgact	acgccagcaa	cagcgtggta	ctgcacctgg	attcaggcga	tgaagtctac	780
gtgaagctgg	acggcgggaa	ggctcacggc	ggcaacaata	acaagtacag	cacgttctcg	840
ggcttctctc	tgtatccgga	ttag				864

<210> 7

<211> 480

<212> DNA

<213> Homo sapiens

<400> 7

atgaaggcct	ggggcactgt	ggtagtgacc	ttggccacgc	tgatggttgt	cactgtggat	60
gccaagatct	atgaacgctg	cgagctggcg	gcaagactgg	agagagcagg	gctgaacggc	120
tacaagggct	acggcggttg	agactggctg	tgcattggctc	attatgagag	tggttttgac	180
accgccttcg	tggaccacaa	tcctgatggc	agcagtgaat	atggcatttt	ccaactgaat	240
tctgcctggg	ggtgtgacaa	tggcattaca	cccaccaaga	acctctgcca	catggattgt	300
catgacctgc	tcaatcgcca	tattctggat	gacatcaggt	gtgccaagca	gatttgtgtcc	360
tcacagaatg	ggctttctgc	ctggacttct	tggaggctac	actgttctgg	ccatgattta	420
tctgaatggc	tcaaggggtg	tgatatgcat	gtgaaaattg	atccaaaaat	tcattccatga	480

<210> 8

<211> 663

<212> DNA

<213> Homo sapiens

<400> 8

atggtcagga	acatttttaa	aacctttcct	tctgtgttta	cagggaatgt	agtttcacaa	60
agcagcttaa	ccccattgat	ggtgaacggg	attctggggg	agtcagtaac	tcttcccctg	120
gagtttcctg	caggagagaa	ggtcaacttc	atcacttggc	ttttcaatga	aacatctctt	180
gccttcatag	taccccatga	aacccaaagt	ccagaaatcc	acgtgactaa	tccgaaacag	240
ggaaagcgac	tgaacttcac	ccagtcttac	tccttgcaac	tcagcaacct	gaagatggaa	300
gacacaggct	cttacagagc	ccagatatcc	acaaagacct	ctgcaaagct	gtccagttac	360
actctgagga	tattaagaca	actgaggaac	atacaagtta	ccaatcacag	tcagctattt	420
cagaatatga	cctgtgagct	ccatctgact	tgctctgttg	aggatgcaga	tgacaatgtc	480
tcattcagat	gggaggcctt	gggaaacaca	ctttcaagtc	agccaaacct	cactgtctcc	540
tgggaccca	ggatttccag	tgaacaggac	tacacctgca	tagcagagaa	tgctgtcagt	600
aatttatcct	tctctgtctc	tgcccagaag	ctttgcgaag	gtaacagcct	gcctcaggtc	660
tga						663

<210> 9

<211> 1041

<212> DNA

<213> Homo sapiens

<400> 9

atgactgcct	caaggtctca	agcaccagtc	ttcaccgcgg	aaagcatggt	gtggctgttc	60
caatcgctcc	tgtttgtctt	ctgctttggc	ccagggaatg	tagtttcaca	aagcagctta	120
acccattga	tggatgaacg	gattctgggg	gagtcagtaa	ctcttcccct	ggagtttcct	180
gcaggagaga	aggtcaactt	catcaattgg	cttttcaatg	aaacatctct	tgccttcata	240
gtaccccatg	aaacccaaag	tccagaaatc	cacgtgacta	atccgaaaca	gggaaagcga	300
ctgaacttca	cccagtccta	ctccctgcaa	ctcagcaacc	tgaagatgga	agacacaggc	360

tcttacagag	cccagatatc	cacaaagacc	tctgcaaagc	tgtccagtta	caactctgagg	420
atattaagac	aactgaggaa	catacaagtt	accaatcaca	gtcagctatt	tcagaatatg	480
acctgtgagc	tccatctgac	ttgctctgtg	gaggatgcag	atgacaatgt	ctcattcaga	540
tgggaggcct	tgggaaacac	actttcaagt	cagccaaacc	tcactgtctc	ctgggacccc	600
aggatttcca	gtgaacagga	ctacacctgc	atagcagaga	atgctgtcag	taatttatcc	660
ttctctgtct	ctgccagaa	gctttgcgaa	gatgttaaaa	ttcaatatac	agataccaaa	720
atgattctgt	ttatggtttc	tgggatatgc	atagtcttcg	gtttcatcat	actgctgtta	780
cttgttttga	ggaaaagaag	agattcccta	tctttgtcta	ctcagcgaac	acagggcccc	840
gagtcgcaa	ggaacctaga	gtatgtttca	gtgtctccaa	cgaacaacac	tgtgtatgct	900
tcagtcactc	attcaaacag	ggaaacagaa	atctggacac	ctagagaaaa	tgatactatc	960
acaatttact	ccacaattaa	tcattccaaa	gagagtaaac	ccactttttc	cagggcaact	1020
gcccttgaca	atgtcgtgta	a				1041

<210> 10

<211> 3228

<212> DNA

<213> Homo sapiens

<400> 10

atgggcacgg	cttatctctg	ctgtcctcaa	gtgctcctcc	tcctctgcct	gccccggaga	60
gtgaagctat	gggctgacac	cttcggcggg	gacctgtata	acactgtgac	caaatactca	120
ggctctctct	tgctgcagaa	gaagtacaag	gatgtggagt	ccagtctgaa	gacgcaggag	180
gtggatggct	tggagctggg	gaggaagttc	tcagaggaca	tggagaacat	gctgcggagg	240
aaagtgcagg	cgggtccagaa	tctggtggaa	gctgcgcagg	aggccgacct	gaaccacgaa	300
ttcaatgaat	ccctggtggt	cgactattac	aactcgggtc	tgatcaacga	gagggacgag	360
aagggcaact	tcgtggagct	gggcgcgcag	ttcctcctgg	agtccaatgc	tcacttcagc	420
aacctgccgg	tgaacacctc	catcagcagc	gtgcagctgc	ccaccaacgt	gtacaacaaa	480
gaccagata	ttttaaatgg	agtctacatg	tctgaagcct	tgaatgctgt	cttcgtggag	540
aacttcaga	gagaccaaac	gttgacctgg	caatattttg	gcagtgcaac	tggattcttc	600
aggatctatc	caggataaaa	atggacacct	gatgagaatg	gagtcattac	ttttgactgc	660
cgaaacccgc	gctggtacat	tcaagctgct	acttctccca	aggacatagt	gattttggtg	720
gacgtgagcg	gcagtatgaa	ggggctgagg	atgactattg	ccaagcacac	catcaccacc	780
atcttgga	ccctggggga	gaatgacttc	attaatatca	tagcgtacaa	tgactacgtc	840
cattacatcg	agccttggtt	taaagggatc	ctcgtccagg	cggaccgaga	caatcgagag	900
catttcaaac	tgctggtgga	ggagttgatg	gtcaaagggtg	tgggggtcgt	ggaccaagcc	960
ctgagagaag	ccttcagat	cctgaagcag	ttccaagagg	ccaagcaagg	aagcctctgc	1020
aaccaggcca	tcattgctcat	cagcgacggc	gccgtggagg	actacgagcc	ggtgtttgag	1080
aagtataact	ggccagactg	taagggtccga	gttttcaactt	acctcattgg	gagagaagtg	1140
tcttttgctg	accgcatgaa	gtggattgca	tgcaacaaca	aaggctacta	cacgcagatc	1200
tcaacgctgg	cggacaccca	ggagaacgtg	atggaatacc	tgcacgtgct	cagccgcccc	1260
atggtcatca	accacgacca	cgacatcatc	tggacagagg	cctacatgga	cagcaagctc	1320
ctcagctcgc	aggctcagag	cctgacactg	ctcaccactg	tggccatgcc	agtcttcagc	1380

aagaagaacg	aaacgcgac	ccatggcatt	ctcctgggtg	tgggtgggctc	agatgtggcc	1440
ctgagagagc	tgatgaagct	ggcgccccgg	tacaagcttg	gagtgcacgg	atacgccctt	1500
ctgaacacca	acaatggcta	catcctctcc	catcccgacc	tccggcccct	gtacagagag	1560
gggaagaaac	taaaacccaa	acctaactac	aacagtgtgg	atctctccga	agtggagtgg	1620
gaagaccagg	ctgaatctct	gagaacagcc	atgatcaata	gggaaacagg	tactctctcg	1680
atggatgtga	aggttccgat	ggataaagg	aagcgagttc	ttttcctgac	caatgactac	1740
ttcttcacgg	acatcagcga	caccctcttc	agtttggggg	tggtgctgtc	ccggggccac	1800
ggagaataca	tccttctggg	gaacacgtct	gtggaagaag	gcctgcatga	cttgcttcac	1860
ccagacctgg	ccctggccgg	tgactggatc	tactgcatca	cagatattga	cccagaccac	1920
cggaaagctca	gccagctaga	ggccatgac	cgcttcctca	ccaggaagga	cccagacctg	1980
gagtgtgacg	aggagctgg	ccgggagggtg	ctgtttgacg	cgggtggtag	agccccatg	2040
gaagcctact	ggacagcgct	ggccctcaac	atgtccgagg	agtctgaaca	cgtggtggac	2100
atggccttcc	tgggcacccg	ggctggcctc	ctgagaagca	gcttgctcgt	gggctccgag	2160
aaggtctccg	acaggaagtt	cctgacacct	gaggacgagg	ccagcgtgtt	caccctggac	2220
cgcttcccgc	tgtggtaccg	ccaggcctca	gagcatcctg	ctggcagctt	cgtcttcaac	2280
ctccgctggg	cagaaggacc	agaaagtgcg	ggtgaacca	tgggtggtgac	ggcaagcaca	2340
gctgtggcgg	tgaccgtgga	caagaggaca	gccattgctg	cagccgcggg	cgtccaaatg	2400
aagctggaat	tcctccagcg	caaattctgg	gcggaacgc	ggcagtgcag	cactgtggat	2460
gggccgtgca	cacagagctg	cgaggacagt	gatctggact	gcttcgtcat	cgacaacaac	2520
gggttcattc	tgatctccaa	gaggtcccg	gagacgggaa	gatttctggg	ggaggtggat	2580
ggtgctgtcc	tgaccagct	gctcagcatg	ggggtgttca	gccaagtgc	tatgtatgac	2640
tatcaggcca	tgtgcaaacc	ctcgagtcac	caccacagtg	cagcccagcc	cctggtcagc	2700
ccaatttctg	ccttcttgac	ggcgaccagg	tggctgctgc	aggagctgg	gctgttcctg	2760
ctggagtgg	gtgtctggg	ctcctggtac	gacagagggg	ccgaggccca	caaacacaag	2820
aagcaggacc	cgctgcagcc	ctgcgacacg	gagtaccccg	tgttcgtgta	ccagccggcc	2880
atccgggagg	ccaacgggat	cgtggagtgc	gggccctgcc	agaaggatt	tgtggtgcag	2940
cagattccca	acagtaacct	cctcctcctg	gtgacagacc	ccaccttctg	cagaatgggc	3000
tccggtcctg	agatattgac	cttaacagtg	gcttctgcac	ataatgcctc	tgtcaaatgt	3060
gaccggatgc	gctcccagaa	gctccgccgg	cgaccagact	cctgccacgc	cttccatcca	3120
gaggagaatg	cccaggactg	cggcggcgcc	tccgacacct	cagcctcgcc	gccctacttc	3180
ctgctgcctg	tgtgtgcctg	ggggctactg	ccccactcc	tgcggtga		3228

<210> 11

<211> 3345

<212> DNA

<213> Homo sapiens

<400> 11

atgcctgcaa	ctcccaactt	cctcgcaaac	cccagctcca	gcagccgctg	gattccccctc	60
cagccaatgc	ccgtggcctg	ggcctttgtg	cagaagacct	cgccctcct	gtggctgctg	120
cttctaggca	cctccctgtc	ccctgcgtgg	ggacaggcca	agattcctct	ggaacagtg	180
aagctatggg	ctgacacctt	cggcggggac	ctgtataaca	ctgtgaccaa	atactcaggc	240

tctctcttgc	tgcagaagaa	gtacaaggat	gtggagtcca	gtctgaagat	cgaggagggtg	300
gatggcttgg	agctggtgag	gaagttctca	gaggacatgg	agaacatgct	gcggagggaaa	360
gtcgaggcgg	tccagaatct	ggtggaagct	gccgaggagg	ccgacctgaa	ccacgaattc	420
aatgaatccc	tgggtgttca	ctattacaac	tcggtcctga	tcaacgagag	ggacgagaag	480
ggcaacttcg	tggagctggg	cgccgagttc	ctcctggagt	ccaatgctca	cttcagcaac	540
ctgccggtga	acacctccat	cagcagcgtg	cagctgcca	ccaacgtgta	caacaagac	600
ccagatat	taaatggagt	ctacatgtct	gaagccttga	atgctgtctt	cgtggagaac	660
ttccagagag	acccaacgtt	gacctggcaa	tattttggca	gtgcaactgg	attcttcagg	720
atctatccag	gtataaaatg	gacacctgat	gagaatggag	tcattacttt	tgactgccga	780
aaccgcggct	ggtacattca	agctgctact	tctcccaagg	acatagtgat	tttgggtggac	840
gtgagcggca	gtatgaaggg	gctgaggatg	actattgcca	agcacaccat	caccaccatc	900
ttggacacccc	tgggggagaa	tgacttcatt	aatatcatag	cgtacaatga	ctacgtccat	960
tacatcgagc	cttgttttaa	agggatcctc	gtccaggcgg	accgagacaa	tcgagagcat	1020
ttcaaactgc	tgggtggagga	gttgatggtc	aaagggtgtg	gggtcgtgga	ccaagccctg	1080
agagaagcct	tccagatcct	gaagcagttc	caagaggcca	agcaagggaag	cctctgcaac	1140
caggccatca	tgctcatcag	cgacggcgcc	gtggaggact	acgagccggt	gtttgagaag	1200
tataactggc	cagactgtaa	ggtccgagtt	ttcacttacc	tcattgggag	agaagtgtct	1260
tttgctgacc	gcatgaagtg	gattgcatgc	aacaacaaag	gctactacac	gcagatctca	1320
acgctggcgg	acaccagga	gaacgtgatg	gaatacctgc	acgtgctcag	ccgccccatg	1380
gtcatcaacc	acgaccacga	catcatcttg	acagaggcct	acatggacag	caagctcctc	1440
agctcgcagg	ctcagagcct	gacactgctc	accactgttg	ccatgccagt	cttcagcaag	1500
aagaacgaaa	cgcgatccca	tggcattctc	ctgggtgttg	tgggctcaga	tgtggccctg	1560
agagagctga	tgaagctggc	gccccggtag	aagcttggag	tgcacggata	cgcctttctg	1620
aacaccaaca	atggctacat	cctctcccat	cccgacctcc	ggccccctgta	cagagagggg	1680
aagaaactaa	aacccaaacc	taactacaac	agtgtggatc	tctccgaagt	ggagtgggaa	1740
gaccaggctg	aatctctgag	aacagccatg	atcaataggg	aaacaggtag	tctctcgatg	1800
gatgtgaagg	ttccgatgga	taaaggggaag	cgagttcttt	tcctgaccaa	tgactacttc	1860
ttcacggaca	tcagcgacac	ccctttcagt	ttgggggttg	tgctgtccc	gggccacgga	1920
gaatacatcc	ttctggggaa	cacgtctgtg	gaagaaggcc	tgcattgactt	gcttcaccca	1980
gacctggccc	tggccgggtga	ctggatctac	tgcattcacag	atattgaccc	agaccaccgg	2040
aagctcagcc	agctagaggc	catgatccgc	ttcctcacca	ggaaggaccc	agacctggag	2100
tgtgacgagg	agctggtccg	ggaggtgctg	tttgacgcgg	tggtagacagc	ccccatggaa	2160
gcctactgga	cagcgtggc	cctcaacatg	tccgaggagt	ctgaacacgt	ggtggacatg	2220
gccttctctg	gcacccgggc	tggcctcctg	agaagcagct	tgttcgtggg	ctccgagaag	2280
gtctccgaca	ggaagtccct	gacacctgag	gacgaggcca	gcgtgttcac	cctggaccgc	2340
ttcccgtgt	ggtaccgcca	ggcctcagag	catcctgctg	gcagcttcgt	cttcaacctc	2400
cgctgggcag	aaggaccaga	aagtgcgggt	gaacccatgg	tggtagcggc	aagcacagct	2460
gtggcggtga	ccgtggacaa	gaggacagcc	attgctgcag	ccgcgggcgt	ccaaatgaag	2520
ctggaattcc	tccagcgcaa	attctgggcg	gcaacgcggc	agtgcagcac	tgtggatggg	2580
ccgtgcacac	agagctgcga	ggacagtgat	ctggactgct	tcgtcatcga	caacaacggg	2640
ttcattctga	tctccaagag	gtcccagagag	acgggaagat	ttctggggga	ggtggatggt	2700
gctgtcctga	cccagctgct	cagcatgggg	gtgttcagcc	aagtgactat	gtatgactat	2760

caggccatgt	gcaaaccctc	gagtcaccac	cacagtgcag	cccagcccct	ggtcagccca	2820
atttctgcct	tcttgacggc	gaccaggtgg	ctgctgcagg	agctgggtgt	gttcctgctg	2880
gagtggagtg	tctggggctc	ctggtagcac	agaggggccc	aggcccacaa	acacaagaag	2940
caggacccgc	tgcagccctg	cgacacggag	taccccggtg	tcgtgtacca	gccggccatc	3000
cgggaggcca	acgggatcgt	ggagtgcggg	ccctgccaga	aggtatttgt	ggtgcagcag	3060
attcccaaca	gtaacctcct	cctcctgggtg	acagacccca	ccttctgcag	aatgggctcc	3120
ggtcctgaga	tattgacctt	aacagtgggt	tctgcacata	atgcctctgt	caaattgtgac	3180
cggatgcgct	cccagaagct	ccgcggcgga	ccagactcct	gccacgcctt	ccatccagag	3240
gagaatgcc	aggactgcgg	cggcgccctg	gacacctcag	cctcgccgcc	cctactcctg	3300
ctgcctgtgt	gtgcctgggg	gctactgccc	caactcctgc	ggtga		3345

<210> 12

<211> 387

<212> DNA

<213> Homo sapiens

<400> 12

atggcaagaa	tattgttact	tttcctcccg	ggtcttgtgg	ctgtatgtgc	tgtgcatgga	60
atatttatgg	accgtctagc	ttccaagaag	ctctgtgcag	atgatgagtg	tgtctatact	120
atttctctgg	ctagtgtctc	agaagattat	aatgccccgg	actgtagatt	cattaacgtt	180
aaaaaagggc	agcagatcta	tgtgtactca	aagctggtaa	aagaaaatgg	agctggagaa	240
ttttgggctg	gcagtgttta	tggatgatgg	caggacgaga	tgggagtcgt	gggttatttc	300
cccaggaact	tggatcaagg	acagcgtgtg	taccaggaag	ctaccaagga	agttcccacc	360
acggatattg	acttcttctg	cgagtaa				387

<210> 13

<211> 648

<212> DNA

<213> Homo sapiens

<400> 13

atgggtctca	cctggatcct	agtcaccatc	ctcctagggtg	gtcctgggtg	tggccttcct	60
cgaattcagc	agttcttcac	cagcccagag	aactcagtga	ctgcagaacc	aagggccagg	120
aagtacaaat	gcggcctgcc	ccagccttgt	cctgaagagc	acctgagctt	tcgaatagtc	180
agcggggctg	ccaatgtcat	cgggcccagg	atctgcctcg	aggacaagat	gctcatgagc	240
agcgtcaaag	acaatgtggg	ccgtggcctg	aacatcgccc	tggatgaatg	ggtcagtggg	300
gagctcctag	aagccagagc	ctttgacatg	tgggctggag	atgtcaatga	tctcttgaag	360
ttcatccggc	cactgcatga	aggtaccctg	gtgtttgtgg	cttcctatga	tgatccagct	420
accaagatga	atgaagagac	caggaagctt	ttttctgagc	tgggcagcag	gaatgccaag	480
gatctagcct	tccgtgacag	ctgggtgttt	gtgggagcca	aaggtgtgca	gaacaagagc	540
ccctttgagc	agcatatgaa	gaacagtaag	cacaccaaca	agtatgaggg	ctggccagag	600
gccctggaga	tgggaaggctg	tatccctcga	aggagcatag	cgggctag		648

<210> 14
 <211> 693
 <212> DNA
 <213> Homo sapiens

<400> 14

atgaggttgg	caggccccct	gogcatcgtg	gccctaata	tcattatggg	tctcacctgg	60
atcctagtca	ccatcctcct	aggtgggtcct	ggtggtggcc	ttcctcgaat	tcagcagttc	120
ttcaccagcc	cagagaactc	agtgaactga	gaaccaaggg	ccaggaagta	caaagcgggc	180
ctgccccagc	cttgctcctga	agagcacctg	agcttttcgaa	tagtcagcgg	ggctgccaat	240
gtcatcgggg	ccaagatctg	cctcgaggac	aagatgctca	tgagcagcgt	caaagacaat	300
gtggggcgtg	gcctgaacat	cgccctgggtg	aatgggggtca	gtggtgagct	cctagaagcc	360
agagcctttg	acatgtgggc	tggagatgtc	aatgatctct	tgaagtccat	ccggccactg	420
catgaaggta	ccctgggtgtt	tgtgggtcttc	tatgatgatc	cagctaccaa	gatgaatgaa	480
gagaccagga	agctttttttc	tgagctgggc	agcaggaatg	ccaaggatct	agccttccgt	540
gacagctggg	tgtttggtggg	agccaaaggt	gtgcagaaca	agagccccct	tgagcagcat	600
atgaagaaca	gtaagcacac	caacaagtat	gagggctggc	cagaggccct	ggagatggaa	660
ggctgtatcc	ctcgaaggag	catagcgggc	tag			693

<210> 15
 <211> 1311
 <212> DNA
 <213> Homo sapiens

<400> 15

atgcagggca	cccctggagg	cgggacgcgc	cctggggccat	cccccggtga	caggcggaca	60
ctcctggtct	tcagctttat	cctggcagca	gctttggggc	aaatgaattt	cacaggggac	120
caggttcttc	gagtcctggc	caaagatgag	aagcagcttt	cacttctcgg	ggatctggag	180
ggcctgaaac	cccagaaggt	ggacttcttg	cgtggcccag	ccaggcccag	cctccctgtg	240
gatatgagag	ttcctttctc	tgaactgaaa	gacatcaaag	cttatctgga	gtctcatgga	300
cttgcttaca	gcatcatgat	aaaggacatc	caggtgctgc	tggatgagga	aagacaggcc	360
atggcgaaat	cccgcgggct	ggagcgcagc	accaacagct	tcagttactc	atcataccac	420
accctggagg	agatatatat	ctggattgac	aactttgtaa	tggagcattc	cgatattgtc	480
tcaaaaattc	agattggcaa	cagctttgaa	aaccagtcca	ttcttgctct	gaagttcagc	540
actggagggt	ctcggcacc	agccatctgg	attgacactg	gaattcactc	ccgggagtgg	600
atcaccatg	ccaccggcat	ctggactgcc	aataagattg	tcagtgatta	tggcaaagac	660
cgtgtcctga	cagacatact	gaatgccatg	gacatcttca	tagagctcgt	cacaaaccct	720
gatgggtttg	cttttacc	cagcatgaac	cgcttatggc	ggaagaacaa	gtccatcaga	780
cctggaatct	tctgcatcgg	cgtggatctc	aacaggaact	ggaagtcggg	ttttggagga	840
aatggttcta	acagcaaccc	ctgctcagaa	acttatcacg	ggccctcccc	tcagtcgagg	900
ccggagggtg	ctgccatagt	gaacttcate	acagcccatg	gcaacttcaa	ggctctgatc	960

tccatccaca gctactctca gatgcttatg tacccttacg gccgattgct ggagcccgtt	1020
tcaaatcaga gggagttgta cgatcttgcc aaggatgcgg tggaggcctt gtataaggctc	1080
catgggatcg agtacatctt tggcagcatc agcaccaccc tctatgtggc cagtgggatac	1140
accgtcgact gggcctatga cagtggcatc aagtacgcct tcagctttga gctccgggac	1200
actgggcagt atggcttcct gctgccggcc acacagatca tccccacggc ccaggagacg	1260
tggatggcgc ttcggaccat catggagcac accctgaatc acccctacta g	1311

<210> 16

<211> 1260

<212> DNA

<213> Homo sapiens

<400> 16

atgcggacac tcctggtctt cagctttatc ctggcagcag ctttgggcca aatgaatttc	60
acaggggacc aggttcttcg agtcctggcc aaagatgaga agcagctttc acttctcggg	120
gatctggagg gcctgaaacc ccagaagggtg gacttctggc gtggcccagc caggcccagc	180
ctccctgtgg atatgagagt tcctttctct gaactgaaag acatcaaagc ttatctggag	240
tctcatggac ttgcttacag catcatgata aaggacatcc aggtgctgct ggatgaggaa	300
agacaggcca tggcgaaatc ccgccggctg gagcgcagca ccaacagctt cagttactca	360
tcataccaca ccctggagga gatatatagc tggattgaca actttgtaat ggagcattcc	420
gatattgtct caaaaattca gattggcaac agctttgaaa accagtccat tcttgtcctg	480
aagttcagca ctggagggtc tcggcaccca gccatctgga ttgacactgg aattcactcc	540
cgggagtgga tcacccatgc caccggcatc tggactgcca ataagattgt cagtgattat	600
ggcaaagacc gtgtcctgac agacatactg aatgccatgg acatcttcat agagctcgtc	660
acaaaccctg atgggtttgc ttttaccac agcatgaacc gcttatggcg gaagaacaag	720
tccatcagac ctggaatctt ctgcatcggc gtggatctca acaggaactg gaagtcgggt	780
tttggaggaa atgggttctaa cagcaacccc tgctcagaaa cttatcacgg gccctcccct	840
cagtcggagc cggagggtggc tgccatagtg aacttcatca cagcccatgg caacttcaag	900
gctctgatct ccatccacag ctactctcag atgcttatgt acccttacgg ccgattgctg	960
gagcccgttt caaatcagag ggagttgtac gatcttgcca aggatgcggg ggaggccttg	1020
tataagggtcc atgggatcga gtacatctt ggcagcatca gcaccaccct ctatgtggcc	1080
agtgggatca ccgtcgactg ggcctatgac agtggcatca agtacgcctt cagctttgag	1140
ctccgggaca ctgggcagta tggcttcctg ctgccggcca cacagatcat cccacggcc	1200
caggagacgt ggatggcgct tcggaccatc atggagcaca ccctgaatca cccctactag	1260

<210> 17

<211> 360

<212> DNA

<213> Homo sapiens

<400> 17

atgtggagtc tgccgccgag cagggtctctg tcctgtgcgc cactgctgct tctcttcagc	60
--	----

ttccagttcc	tggttaccta	tgcttggcgt	ttccaagagg	aagaggagtg	gaatgaccaa	120
aaacaaattg	ctgtttatct	ccctcccacc	ctggagtttg	ccgtgtacac	attcaacaag	180
cagagcaagg	actggtatgc	ctacaagctg	gtgcctgtcc	tggttccctg	gaaggagcag	240
gttgatgagc	acatcctttt	ctgcactagt	gtccagcaca	ggctgctgag	tgatgggcag	300
gggtggcagc	gtgtggggca	gggcttaacc	aggactcctg	gttcaccatt	tgtagtctaa	360

<210> 18

<211> 447

<212> DNA

<213> Homo sapiens

<400> 18

atgtcagagtc	cgcagaggag	gaaggctatg	ccctgggcac	tgtcactgct	tctcatgggc	60
ttccagctcc	tgggtgactta	tgccctgggt	tctgaagagg	aaatgggtgg	taataataaa	120
atagtccagg	atcctatggt	cctcgccaca	gtggagtttg	ccttgaacac	tttcaacgtg	180
cagagcaagg	aggagcatgc	ctacaggctg	ttgcgcgtcc	tgagttcatg	gagggaggat	240
agcatggaca	gaaagatggg	gttctccatg	aatctgcaac	tgcgccaaac	cgtatgtagg	300
aaatttgaag	atgacattga	caactgccct	tttcaagaaa	gcctggagct	gaacaacact	360
ttcacctgct	tcttcaccat	cagcaccagg	ccctggatga	ctcagttcag	cctcctgaac	420
aagacctgct	tggagggatt	ccactga				447

<210> 19

<211> 2697

<212> DNA

<213> Homo sapiens

<400> 19

atgagggcag	ctctctggac	cctgggactc	gggccccttc	ttctgaatct	ctgggcagtc	60
cccattgggtg	gaccaggtgc	tctgaggctg	gcgtacagac	acagcacgtg	cgacggagtg	120
gtgttggtcc	gacaccacgg	ggcatgggga	tacgtgtgca	accaggagtg	gacgctggca	180
gaggcctctg	tcgtgtgcag	gcagctgggc	tgcgcccttg	ccgtgggcgc	ccccaaagtat	240
gtcccgtctg	ctggagagat	ggcccagccc	tggttccaca	acgtgtcctg	ccggggcaac	300
gagtcctccc	tctgggagtg	cagccttggc	tcatgggtgcc	agagcccgtg	ccccacgca	360
tgggtgggtg	tcgcgctgtg	ctccaacggc	actttccggg	agctccggct	ggtgaagggc	420
cgcagtccct	gcgcgggact	ccccgagatc	agaaacgtga	atgggggtgga	ccgcctctgt	480
gtcctgcatg	tggaggaggc	catggtgttc	tgccgggagc	tggggtgcgg	ccctgtgctc	540
caggcccccc	gccgggacgt	gggcgtcgtc	aggaagtacc	tggcctgcag	gggtaccgag	600
cccaccatcc	gcagctgcag	actggacaac	aacttccgca	gcggctgcga	cctgcggctg	660
gacgcagagg	tgggtctgctc	aggacacacc	gaggcccgac	tgggtggcg	cgagaccccc	720
tgcgccgggc	gcctggaggt	gacctggggc	accgtctgtg	atgcggccct	ggacctggcc	780
acggcccacg	tgggtgtgccg	ggagctgcag	tgtggggcgg	tcgtgtccac	gcccaggggc	840
gcccgccttcg	gccggggctc	ggggccgggtg	tggacggagg	ccttccgctg	tgccgggcaac	900

gagtcgctgc	tgttccactg	cccacggggg	cgtgggagcc	agtgtgggca	tggtcacgac	960
gcggggctca	ggtgctcaga	gttcaggatg	gtcaacggca	gcagcagctg	tgaggggccgc	1020
gtggagttcc	aggtgcaggg	gtcctgggca	cccctctgtg	ccaccactg	ggacatagca	1080
gatgccaccg	tcctctgcca	ccagctcaac	tgtggcaacg	cgggtggccgc	acctggagga	1140
ggccattttg	gggacgggga	cgctgccatc	tggcctgatg	cctttcactg	tgagggggaca	1200
gagtcctact	tgtggaattg	cccagtaagc	accctggggg	ccccggcctg	tgccccggga	1260
aacacagcct	ccgcggtctg	ctcaggtctg	gcccacgccc	tgcgactgag	ggaaggacag	1320
agccgctgtg	acggcccgct	ggaggtctcc	ctggatggcg	tgtggggccg	cgctctggac	1380
gatgcctggg	acctgcgcgg	cgcgggcgtg	gtgtgccggc	aactcgggtg	cagagggggcc	1440
cagcaagcct	atgacgcacc	tgcccccagc	cgcggatccg	tccaggtggc	gctgagccgc	1500
gtgcgctgtc	tgggcaccga	aaccgcctg	actcagtgc	acgtgtccgc	gaccctgcag	1560
gagcccgcgg	ggacctcgcg	ggacgcgggc	gtggtgtgct	ccggtgaggt	cggaaccgcg	1620
tcccccatgg	cccgtcgcca	cgggatcccg	ggcgccctga	ctctgtctct	ccacagggag	1680
cctcaggggtg	cggctggccg	cggggccggg	gcgctgcacg	ggggcgcgctg	gggcaccgtg	1740
tgtgacgatg	cctgggacct	gcgggacgcg	cacgtggtct	gcaggcagct	gggctgtggc	1800
cgcgccctga	gcgccctggg	ggccgcacac	ttcggagccg	gggcagggcg	catctggctg	1860
gacgagctgg	gctgccaggg	ccacgagtct	gcgctgtggc	agtgcccgct	ggcgggctgg	1920
gggcggcacg	actggaggca	caaggaggac	gccggcgctct	tctgctcaga	gtcggtggct	1980
ctgaggctgc	gaggtgggac	ctgctgctgt	gctgggtggc	tggacgtgtt	ctacaatggg	2040
acctggggcg	ccatgtgcag	caatgccctg	aaggacctct	ccttgtccat	catctgcaag	2100
cagctgggggt	gtgggggtgtg	gggagtgggg	ctggctggag	aacaggccct	tcccctcgcg	2160
ggcaccggga	ccgcctgggt	ggacaacatc	gagtgccgca	ggctgcccga	ctccactctg	2220
tggcaatgcc	cttcccaccc	atggcaccgc	cactcttgcg	accttcgaga	gcagggtctgg	2280
attacctgtg	cagtgaccgc	agcccccttt	gcagaggagg	gcgcactgcg	cgtgcgcggg	2340
ggcgaggacc	gctgctccgg	gcgcgtggag	ctctggcacg	cgggctcctg	gggcaccgtg	2400
tgcgacgatg	gctgggacct	ggcggacgcg	gaggtcgtgt	gccgccagct	gggctgtggt	2460
cgggcccgtc	ccgccctggg	ggccgcgcgc	tttgcccttg	gctccggggc	cgtgtggctg	2520
gacgaggtgg	ggtgccgggg	cagcgaggcg	tcctgtggg	gctgccctgc	ggagcgtggg	2580
ggacgcggag	accgcgcgca	cgaggaggac	gcgggcgtgc	gctgctgggg	tgagtggggg	2640
gcggtgggaa	gtcgggtcatg	gggcgggcag	agggcgctgg	gatggagtca	gtccttga	2697

<210> 20

<211> 1281

<212> DNA

<213> Homo sapiens

<400> 20

atggccgggc	tggggttttg	gggccacct	gctggacctc	tcctgctgct	gctgctgctg	60
gtgctgccac	cccggggcct	gccagaagga	cccctgggtg	tcgtggctct	ggtattccgc	120
catggcgacc	gggccccgct	ggcctcctac	cccatggacc	cacacaagga	ggtggcctcc	180
accctgtggc	cacgaggcct	gggccagctg	accacggagg	gggtccgcca	gcagctggag	240
ctggggccgct	tcctgaggag	ccgctacgag	gccttcctga	gtccggagta	ccggcgggag	300

gaggtgtaca	tccgcagcac	ggacttttgac	cgcacgctgg	agagtgccca	ggccaacctt	360
gccgggctgt	ttcccagagg	tgtccaggg	agccccgagg	cccgcctggag	gccgatcccc	420
gtgcacacgg	tgcccggtgg	tgaggataag	ctgctgaggt	tccccatgcg	cagctgtccc	480
cgataccacg	agctgctgcg	ggaggccacc	gaggccgccc	agtaccagga	ggccctggag	540
ggctggacgg	gcttcctgag	tcgcctggag	aacttcacgg	gactgtcgct	ggttggagag	600
ccactgcgca	gggcatggaa	ggttctggac	accctcatgt	gccagcaagc	ccacggtctt	660
ccactaccag	cctgggcctc	cccagatgtc	ctgcggactc	ttgccagat	ctcggctttg	720
gatatgtggag	cccacgtggg	cccaccccg	gcagcagaga	aggcccagct	gacagggggg	780
atcctgctga	atgctatcct	tgc aaacttc	tcccgggtcc	agcgcctggg	gctgccctc	840
aagatggtca	tgtactcagc	tcatgacagc	accctgctgg	ccctccaggg	ggccctgggc	900
ctctatgatg	gacacacccc	gccatatgct	gcctgcctcg	gctttgagtt	ccggaagcac	960
ctggggaatc	ccgcaaaga	tggagggaat	gtcacctct	ccctcttcta	ccgcaatgac	1020
tccgccacc	tgccctgcc	tctcagcctc	cccgggtgcc	cggccccctg	tccactaggc	1080
cgcttctacc	agctgactgc	cccggcccg	cctcccgccc	atggggctctc	ctgccatggc	1140
ccctatgagg	ctgccatccc	cccagctcca	gtgggtgccc	tgctggccgg	agctgtagct	1200
gtgctggtgg	cactcagctt	ggggctgggc	ctgctggcct	ggagaccagg	gtgcctgcgg	1260
gccttggggg	gccccgtgtg	a				1281

<210> 21

<211> 1428

<212> DNA

<213> Homo sapiens

<400> 21

atgctcgccg	cctccatctt	ccgtccgaca	ctgctgctct	gctggctggc	tgtccctgg	60
cccaccagc	ccgagagtct	cttccacagc	cgggaccgct	cggacctgga	gccgtcccca	120
ctgcgccagg	ccaagcccat	tgccgacctc	cacgctgctc	agcggttcct	gtccagatac	180
ggctggtcag	gggtgtgggc	ggcctggggg	cccagtcctg	aggggcccgc	ggagaccccc	240
aaggcgccg	ccctggccga	ggcgggtgcg	aggttccagc	gggcgaacgc	gctgccggcc	300
agcggggagc	tggacgcggc	caccctagcg	gccatgaacc	ggccgcgctg	cgggggtccc	360
gacatgcgcc	caccgcccc	ctccgccccg	ccttcgcccc	cgggccccgc	ccccagagcc	420
cgctccaggc	gtcccccgcg	ggcgccgctg	tccttgtccc	ggcggggttg	gcagccccgg	480
ggctaccccg	acggcggagc	tgcccaggcc	ttctccaaga	ggacgctgag	ctggcggctg	540
ctgggcgagg	ccctgagcag	ccaactgtcc	gtggccgacc	agcggcgcat	tgtggcgctg	600
gccttcagga	tgtggagcga	ggtgacgcgc	ctggacttcc	gcgaggacct	ggccgcccc	660
ggggccgcgg	tcgacatcaa	gctgggcttt	gggagaggct	cctgtgaggg	atcatttgat	720
actgcgtttg	actggattcg	caaagagaga	aaccaatatg	gagagggtgat	ggtgagattt	780
agcacatatt	tcttccgtaa	cagctggtac	tggcttttatg	aaaatcgaaa	caataggaca	840
cgctatgggg	accctatcca	aatcctcact	ggctggcctg	gaatcccaac	acacaacata	900
gatgcctttg	ttcacatctg	gacatggaaa	agagatgaac	gttatttttt	tcaaggaaat	960
caatactgga	gatatgacag	tgacaaggat	caggccctca	cagaagatga	acaaggaaaa	1020
agctatccca	aattgatttc	agaaggattt	cctggcatcc	caagtcccct	agacacggcg	1080

ttttatgacc	gaagacagaa	gttaatttac	ttcttcaagg	agtcccttgt	atattgcattt	1140
gatgtcaaca	gaaatcgagt	acttaattct	tatccaaaga	ggattactga	agttttttcca	1200
gcagtaatac	cacaaaaatca	tccttttcaga	aatatagatt	ccgcttatta	ctcctatgca	1260
tacaactcca	ttttcttttt	caaaggcaat	gcatactgga	aggtagttaa	tgacaaggac	1320
aaacaacaga	attcctggct	tcctgctaata	ggcttatttc	caaaaaagtt	tattttcagag	1380
aagtggtttg	atgtttgtga	cgtccatata	tccacactga	acatgtaa		1428

<210> 22

<211> 1590

<212> DNA

<213> Homo sapiens

<400> 22

atgctcgccg	cctccatctt	ccgtccgaca	ctgctgctct	gctggctggc	tgctccctgg	60
cccaccacgc	ccgagagtct	cttccacagc	cgggaccgct	cggacctgga	gccgtcccca	120
ctgcgccagg	ccaagcccat	tgccgacctc	cacgctgctc	agcggttcct	gtccagatac	180
ggctggctcag	gggtgtgggc	ggcctggggg	cccagtcctc	aggggcccgc	ggagaccccc	240
aagggcgccg	ccctggccga	ggcgggtgcgc	aggttcacgc	gggcgaacgc	gctgccggcc	300
agcgggggagc	tggacgcggc	caccctagcg	gccatgaacc	ggccgcgctg	cgggcccccg	360
ggctaccccc	acggcgggagc	tgcccaggcc	ttctccaaga	ggacgctgag	ctggcggctg	420
ctgggcgagg	ccctgagcag	ccaactgtcc	gtggccgacc	agcggcgcat	tgtggcgctg	480
gccttcagga	tgtggagcga	ggtgacgccg	ctggacttcc	gcgaggacct	ggccgcccc	540
ggggccgcgg	tcgacatcaa	gctgggcttt	gggagaggcc	ggcacctggg	ctgtccgcgg	600
gccttcgatg	ggagcgggca	ggagtttgca	cacgcctggc	gcctaggtga	catttacttt	660
gacgacgacg	agcacttcac	acctcccacc	agtgacacgg	gcatcagcct	tctcaagggtg	720
gccgtccatg	aaattggcca	tgtcctgggc	ttgcctcaca	cctacaggac	gggatccata	780
atgcaaccaa	attacattcc	ccaggagcct	gcctttgagt	tggactggtc	agacaggaaa	840
gcaattcaaa	agctgtatgg	ctcctgtgag	ggatcatttg	atactgcgtt	tgactggatt	900
cgcaaagaga	gaaaccaata	tggagagggtg	atggtgagat	ttagcacata	tttcttccgt	960
aacagctggg	actggcttta	tgaaaatcga	aacaatagga	cacgctatgg	ggaccctatc	1020
caaatcctca	ctggctggcc	tggaaatcca	acacacaaca	tagatgcctt	tgttcacatc	1080
tggacatgga	aaagagatga	acgttatttt	tttcaaggaa	atcaatactg	gagatatgac	1140
agtgacaagg	atcaggccct	cacagaagat	gaacaaggaa	aaagctatcc	caaattgatt	1200
tcagaaggat	ttcctggcat	cccaagtccc	ctagacacgg	cgttttatga	ccgaagacag	1260
aagttaattt	acttcttcaa	ggagtccttt	gtatttgcat	ttgatgtcaa	cagaaatcga	1320
gtacttaatt	cttatccaaa	gaggattact	gaagtttttc	cagcagtaat	accacaaaat	1380
catcctttca	gaaatataga	ttccgcttat	tactcctatg	catacaactc	cattttcttt	1440
ttcaaaggca	atgcatactg	gaaggtagtt	aatgacaagg	acaaacaaca	gaattcctgg	1500
cttctgcta	atggcttatt	tccaaaaaag	tttatttcag	agaagtgggt	tgatgtttgt	1560
gacgtccata	tctccacact	gaacatgtaa				1590

<210> 23

<211> 1209

<212> DNA

<213> Homo sapiens

<400> 23

atggtgtgcg	ctcggggcggc	cctcgggtccc	ggcgcgctct	gggccgcggc	ctggggcgctc	60
ctgctgctca	cagccccctgc	ggggggcgag	cgtggccgga	agaaggctcgt	gcacgtgctg	120
gagggtgagt	cgggctcggg	agtggtagag	acagcgcttg	ggcagggtgg	aagccaccgt	180
ggtggcacca	tctgtcttgcc	ctgccgctac	cactatgagg	cagccgcca	cggtcacgac	240
ggcgtccggc	tcaagtggac	aaagggtggg	gaccgcgtgg	ccttcaccga	cgtcttcgtg	300
gcactaggcc	cccagcaccg	ggcattcggc	agctaccgtg	ggcgggctga	gctgcagggc	360
gacgggcctg	gggatgcctc	cctgggtcctc	cgcaacgtca	cgctgcaaga	ctacgggcgc	420
tatgagtgcg	aagtcaacaa	tgagctggaa	gatgacgctg	gcatgggtcaa	gctggacctg	480
gaaggcgtgg	tctttcccta	ccacccccgt	ggaggccgat	acaagctgac	cttcgcggag	540
gcgcagcgcg	cgtgcgcgca	gcaggacggc	atcctggcat	ctgcagaaca	gctgcacgcg	600
gcctggcgcg	acggcctgga	ctgggtgcaac	gcgggctggg	tgcgcgacgg	ctcagtgcaa	660
tacccccgtg	accggccccg	ggagccctgc	ggcggcctgg	gggggaccgg	gagtgcaggg	720
ggcggcggtg	atgccaacgg	gggcctgcgc	aactacgggt	atcgccataa	cgccgaggaa	780
cgctacgacg	ccttctgctt	cacgtccaac	ctgccggggc	gcgtgttctt	cctgaagccg	840
ctgcgacctg	tacccttctc	cggagctgcg	cgcgcgcttg	ctgcgcgtgg	cgcgccctg	900
gccaaggtgg	ggcagctggt	cgccgcgtgg	aagctgcagc	tgctagaccg	ctgcaccgcg	960
ggttggtggt	ccgatggcag	tgcgcgctac	cccatcgtga	acccgcgagc	gcgctgcgga	1020
ggccgcaggc	ctggtgtgcg	cagcctcggc	ttcccggacg	ccacccgacg	gctcttcggc	1080
gtctactgct	accgcgctcc	aggagcaccg	gacccggcac	ctggcggtcg	gggctggggc	1140
tgggcggggc	gcggcggtcg	ggcagggggc	gcgcgcgac	ctgctgcctg	gaccctctg	1200
cacgtctag						1209

<210> 24

<211> 1326

<212> DNA

<213> Homo sapiens

<400> 24

atgctgcccg	cgcgctgcgc	ccgcctgctc	acgccccact	tgctgctggg	gttgggtgcag	60
ctgtcccctg	ctcgcggcca	ccgcaccaca	ggccccaggt	ttctaataag	tgaccgtgac	120
ccacagtgc	acctccactg	ctccaggact	caacccaaac	ccatctgtgc	ctctgatggc	180
aggtcctacg	agtccatgtg	tgagtaccag	cgagccaagt	gccgagacc	gaccctgggc	240
gtggtgcatc	gaggtagatg	caaagatgct	ggccagagca	agtgtcgcct	ggagcgggct	300
caagccctgg	agcaagccaa	gaagcctcag	gaagctgtgt	ttgtcccaga	gtgtggcgag	360
gatggctcct	ttaccaggt	gcagtgccat	acttacactg	ggtactgctg	gtgtgtcacc	420
ccggatggga	agcccatcag	tggtctctct	gtgcagaata	aaactcctgt	atgttcagggt	480
tcagtcaccg	acaagccctt	gagccagggg	aactcaggaa	ggaaagatga	cgggtctaag	540

```

ccgacaccca cgatggagac ccagccggtg ttcgatggag atgaaatcac agccccaact      600
ctatggatta aacacttggg gatcaaggac tccaaactga acaacaccaa cataagaaat      660
tcagagaaaag tctattcgtg tgaccaggag aggcagagtg ccctggaaga ggcccagcag      720
aatccccgtg aggggtattgt catccctgaa tgtgcccttg ggggactcta taagccagtg      780
caatgccacc agtccactgg ctactgctgg tgtgtgctgg tggacacagg gcgcccgtg      840
cctgggacct ccacacgcta cgtgatgccc agttgtgaga gcgacgccag ggccaagact      900
acagaggcgg atgacccctt caaggacagg gagctaccag gctgtccaga agggaagaaa      960
atggagttta tcaccagcct actggatgct ctcaccactg acatggttca ggccattaac     1020
tcagcagcgc ccactggagg tgggaggttc tcagagccag accccagcca caccctggag     1080
gagcgggtag tgactggta tttcagccag ctggacagca atagcagcaa cgacattaac     1140
aagcgggaga tgaagccctt caagcgctac gtgaagaaga aagccaagcc caagaaatgt     1200
gcccgcggtt tcaccgacta ctgtgacctg aacaaagaca aggtcatttc actgcctgag     1260
ctgaagggtt gcctgggtgt tagcaaagaa ggtggtagcc ttggcagttt cccccaggca     1320
aatga                                           1326

```

<210> 25

<211> 708

<212> PRT

<213> Homo sapiens

<400> 25

```

Met Ala Val Arg Ala Leu Lys Leu Leu Thr Thr Leu Leu Ala Val Val
 1              5              10              15
Ala Ala Ala Ser Gln Ala Glu Val Glu Ser Glu Ala Gly Trp Gly Met
      20              25              30
Val Thr Pro Asp Leu Leu Phe Ala Glu Gly Thr Ala Ala Tyr Ala Arg
      35              40              45
Gly Asp Trp Pro Gly Val Val Leu Ser Met Glu Arg Ala Leu Arg Ser
      50              55              60
Arg Ala Ala Leu Arg Ala Leu Arg Leu Arg Cys Arg Thr Gln Cys Ala
      65              70              75              80
Ala Asp Phe Pro Trp Glu Leu Asp Pro Asp Trp Ser Pro Ser Pro Ala
      85              90              95
Gln Ala Ser Gly Ala Ala Ala Leu Arg Asp Leu Ser Phe Phe Gly Gly
      100             105             110
Leu Leu Arg Arg Ala Ala Cys Leu Arg Arg Cys Leu Gly Pro Pro Ala
      115             120             125
Ala His Ser Leu Ser Glu Glu Met Glu Leu Glu Phe Arg Lys Arg Ser
      130             135             140
Pro Tyr Asn Tyr Leu Gln Val Ala Tyr Phe Lys Ile Asn Lys Leu Glu
      145             150             155             160
Lys Ala Val Ala Ala Ala His Thr Phe Phe Val Gly Asn Pro Glu His

```

20/57

500 505 510
 Val Thr Glu Lys Val Arg Arg Ile Met Glu Ser Tyr Phe Arg Leu Asp
 515 520 525
 Thr Pro Leu Tyr Phe Ser Tyr Ser His Leu Val Cys Arg Thr Ala Ile
 530 535 540
 Glu Glu Val Gln Ala Glu Arg Lys Asp Asp Ser His Pro Val His Val
 545 550 555 560
 Asp Asn Cys Ile Leu Asn Ala Glu Thr Leu Val Cys Val Lys Glu Pro
 565 570 575
 Pro Ala Tyr Thr Phe Arg Asp Tyr Ser Ala Ile Leu Tyr Leu Asn Gly
 580 585 590
 Asp Phe Asp Gly Gly Asn Phe Tyr Phe Thr Glu Leu Asp Ala Lys Thr
 595 600 605
 Val Thr Ala Glu Val Gln Pro Gln Cys Gly Arg Ala Val Gly Phe Ser
 610 615 620
 Ser Gly Thr Glu Asn Pro His Gly Val Lys Ala Val Thr Arg Gly Gln
 625 630 635 640
 Arg Cys Ala Ile Ala Leu Trp Phe Thr Leu Asp Pro Arg His Ser Glu
 645 650 655
 Arg Asp Arg Val Gln Ala Asp Asp Leu Val Lys Met Leu Phe Ser Pro
 660 665 670
 Glu Glu Met Asp Leu Ser Gln Glu Gln Pro Leu Asp Ala Gln Gln Gly
 675 680 685
 Pro Pro Glu Pro Ala Gln Glu Ser Leu Ser Gly Ser Glu Ser Lys Pro
 690 695 700
 Lys Asp Glu Leu
 705

<210> 26
 <211> 736
 <212> PRT
 <213> Homo sapiens

<400> 26
 Met Ala Val Arg Ala Leu Lys Leu Leu Thr Thr Leu Leu Ala Val Val
 1 5 10 15
 Ala Ala Ala Ser Gln Ala Glu Val Glu Ser Glu Ala Gly Trp Gly Met
 20 25 30
 Val Thr Pro Asp Leu Leu Phe Ala Glu Gly Thr Ala Ala Tyr Ala Arg
 35 40 45
 Gly Asp Trp Pro Gly Val Val Leu Ser Met Glu Arg Ala Leu Arg Ser
 50 55 60

Arg	Ala	Ala	Leu	Arg	Ala	Leu	Arg	Leu	Arg	Cys	Arg	Thr	Gln	Cys	Ala
65					70					75					80
Ala	Asp	Phe	Pro	Trp	Glu	Leu	Asp	Pro	Asp	Trp	Ser	Pro	Ser	Pro	Ala
				85						90					95
Gln	Ala	Ser	Gly	Ala	Ala	Ala	Leu	Arg	Asp	Leu	Ser	Phe	Phe	Gly	Gly
			100						105					110	
Leu	Leu	Arg	Arg	Ala	Ala	Cys	Leu	Arg	Arg	Cys	Leu	Gly	Pro	Pro	Ala
			115						120					125	
Ala	His	Ser	Leu	Ser	Glu	Glu	Met	Glu	Leu	Glu	Phe	Arg	Lys	Arg	Ser
			130						135					140	
Pro	Tyr	Asn	Tyr	Leu	Gln	Val	Ala	Tyr	Phe	Lys	Ile	Asn	Lys	Leu	Glu
145					150					155					160
Lys	Ala	Val	Ala	Ala	Ala	His	Thr	Phe	Phe	Val	Gly	Asn	Pro	Glu	His
					165					170					175
Met	Glu	Met	Gln	Gln	Asn	Leu	Asp	Tyr	Tyr	Gln	Thr	Met	Ser	Gly	Val
			180							185					190
Lys	Glu	Ala	Asp	Phe	Lys	Asp	Leu	Glu	Thr	Gln	Pro	His	Met	Gln	Glu
			195							200					205
Phe	Arg	Leu	Gly	Val	Arg	Leu	Tyr	Ser	Glu	Glu	Gln	Pro	Gln	Glu	Ala
			210												220
Val	Pro	His	Leu	Glu	Ala	Ala	Leu	Gln	Glu	Tyr	Phe	Val	Ala	Tyr	Glu
225					230					235					240
Glu	Cys	Arg	Ala	Leu	Cys	Glu	Gly	Pro	Tyr	Asp	Tyr	Asp	Gly	Tyr	Asn
					245					250					255
Tyr	Leu	Glu	Tyr	Asn	Ala	Asp	Leu	Phe	Gln	Ala	Ile	Thr	Asp	His	Tyr
			260							265					270
Ile	Gln	Val	Leu	Asn	Cys	Lys	Gln	Asn	Cys	Val	Thr	Glu	Leu	Ala	Ser
			275							280					285
His	Pro	Ser	Arg	Glu	Lys	Pro	Phe	Glu	Asp	Phe	Leu	Pro	Ser	His	Tyr
			290												300
Asn	Tyr	Leu	Gln	Phe	Ala	Tyr	Tyr	Asn	Ile	Gly	Asn	Tyr	Thr	Gln	Ala
305					310					315					320
Val	Glu	Cys	Ala	Lys	Thr	Tyr	Leu	Leu	Phe	Phe	Pro	Asn	Asp	Glu	Val
					325					330					335
Met	Asn	Gln	Asn	Leu	Ala	Tyr	Tyr	Ala	Ala	Met	Leu	Gly	Glu	Glu	His
					340					345					350
Thr	Arg	Ser	Ile	Gly	Pro	Arg	Glu	Ser	Ala	Lys	Glu	Tyr	Arg	Gln	Arg
			355							360					365
Ser	Leu	Leu	Glu	Lys	Glu	Leu	Leu	Phe	Phe	Ala	Tyr	Asp	Val	Phe	Gly
			370							375					380
Ile	Pro	Phe	Val	Asp	Pro	Asp	Ser	Trp	Thr	Pro	Glu	Glu	Val	Ile	Pro
385					390					395					400

Lys Arg Leu Gln Glu Lys Gln Lys Ser Glu Arg Glu Thr Ala Val Arg
 405 410 415
 Ile Ser Gln Glu Ile Gly Asn Leu Met Lys Glu Ile Glu Thr Leu Val
 420 425 430
 Glu Glu Lys Thr Lys Glu Ser Leu Asp Val Ser Arg Leu Thr Arg Glu
 435 440 445
 Gly Gly Pro Leu Leu Tyr Glu Gly Ile Ser Leu Thr Met Asn Ser Lys
 450 455 460
 Leu Leu Asn Gly Ser Gln Arg Val Val Met Asp Gly Val Ile Ser Asp
 465 470 475 480
 His Glu Cys Gln Glu Leu Gln Arg Leu Thr Asn Val Ala Ala Thr Ser
 485 490 495
 Gly Asp Gly Tyr Arg Gly Gln Thr Ser Pro His Thr Pro Asn Glu Lys
 500 505 510
 Phe Tyr Gly Val Thr Val Phe Lys Ala Leu Lys Leu Gly Gln Glu Gly
 515 520 525
 Lys Val Pro Leu Gln Ser Ala His Leu Tyr Tyr Asn Val Thr Glu Lys
 530 535 540
 Val Arg Arg Ile Met Glu Ser Tyr Phe Arg Leu Asp Thr Pro Leu Tyr
 545 550 555 560
 Phe Ser Tyr Ser His Leu Val Cys Arg Thr Ala Ile Glu Glu Val Gln
 565 570 575
 Ala Glu Arg Lys Asp Asp Ser His Pro Val His Val Asp Asn Cys Ile
 580 585 590
 Leu Asn Ala Glu Thr Leu Val Cys Val Lys Glu Pro Pro Ala Tyr Thr
 595 600 605
 Phe Arg Asp Tyr Ser Ala Ile Leu Tyr Leu Asn Gly Asp Phe Asp Gly
 610 615 620
 Gly Asn Phe Tyr Phe Thr Glu Leu Asp Ala Lys Thr Val Thr Ala Glu
 625 630 635 640
 Val Gln Pro Gln Cys Gly Arg Ala Val Gly Phe Ser Ser Gly Thr Glu
 645 650 655
 Asn Pro His Gly Val Lys Ala Val Thr Arg Gly Gln Arg Cys Ala Ile
 660 665 670
 Ala Leu Trp Phe Thr Leu Asp Pro Arg His Ser Glu Arg Asp Arg Val
 675 680 685
 Gln Ala Asp Asp Leu Val Lys Met Leu Phe Ser Pro Glu Glu Met Asp
 690 695 700
 Leu Ser Gln Glu Gln Pro Leu Asp Ala Gln Gln Gly Pro Pro Glu Pro
 705 710 715 720
 Ala Gln Glu Ser Leu Ser Gly Ser Glu Ser Lys Pro Lys Asp Glu Leu
 725 730 735

<210> 27
 <211> 478
 <212> PRT
 <213> Homo sapiens

<400> 27

```

Met Ser Pro Pro Leu Leu Lys Leu Gly Ala Val Leu Ser Thr Met Ala
1          5          10          15
Met Ile Ser Asn Trp Met Ser Gln Thr Leu Pro Ser Leu Val Gly Leu
          20          25          30
Asn Thr Thr Arg Leu Ser Thr Pro Asp Thr Leu Thr Gln Ile Ser Pro
          35          40          45
Lys Glu Gly Trp Gln Val Tyr Ser Ser Ala Gln Asp Pro Asp Gly Arg
          50          55          60
Cys Ile Cys Thr Val Val Ala Pro Glu Gln Asn Leu Cys Ser Arg Asp
65          70          75          80
Ala Lys Ser Arg Gln Leu Arg Gln Leu Leu Glu Lys Val Gln Asn Met
          85          90          95
Ser Gln Ser Ile Glu Val Leu Asn Leu Arg Thr Gln Arg Asp Phe Gln
          100          105          110
Tyr Val Leu Lys Met Glu Thr Gln Met Lys Gly Leu Lys Ala Lys Phe
          115          120          125
Arg Gln Ile Glu Asp Asp Arg Lys Thr Leu Met Thr Lys His Phe Gln
          130          135          140
Glu Leu Lys Glu Lys Met Asp Glu Leu Leu Pro Leu Ile Pro Val Leu
145          150          155          160
Glu Gln Tyr Lys Thr Asp Ala Lys Leu Ile Thr Gln Phe Lys Glu Glu
          165          170          175
Ile Arg Asn Leu Ser Ala Val Leu Thr Gly Ile Gln Glu Glu Ile Gly
          180          185          190
Ala Tyr Asp Tyr Glu Glu Leu His Gln Arg Val Leu Ser Leu Glu Thr
          195          200          205
Arg Leu Arg Asp Cys Met Lys Lys Leu Thr Cys Gly Lys Leu Met Lys
          210          215          220
Ile Thr Gly Pro Val Thr Val Lys Thr Ser Gly Thr Arg Phe Gly Ala
225          230          235          240
Trp Met Thr Asp Pro Leu Ala Ser Glu Lys Asn Asn Arg Val Trp Tyr
          245          250          255
Met Asp Ser Tyr Thr Asn Asn Lys Ile Val Arg Glu Tyr Lys Ser Ile
          260          265          270
Ala Asp Phe Val Ser Gly Ala Glu Ser Arg Thr Tyr Asn Leu Pro Phe

```

275	280	285
Lys Trp Ala Gly Thr Asn His Val Val Tyr Asn Gly Ser Leu Tyr Phe		
290	295	300
Asn Lys Tyr Gln Ser Asn Ile Ile Ile Lys Tyr Ser Phe Asp Met Gly		
305	310	315
Arg Val Leu Ala Gln Arg Ser Leu Glu Tyr Ala Gly Phe His Asn Val		
325	330	335
Tyr Pro Tyr Thr Trp Gly Gly Phe Ser Asp Ile Asp Leu Met Ala Asp		
340	345	350
Glu Ile Gly Leu Trp Ala Val Tyr Ala Thr Asn Gln Asn Ala Gly Asn		
355	360	365
Ile Val Ile Ser Gln Leu Asn Gln Asp Thr Leu Glu Val Met Lys Ser		
370	375	380
Trp Ser Thr Gly Tyr Pro Lys Arg Ser Ala Gly Glu Ser Phe Met Ile		
385	390	395
Cys Gly Thr Leu Tyr Val Thr Asn Ser His Leu Thr Gly Ala Lys Val		
405	410	415
Tyr Tyr Ser Tyr Ser Thr Lys Thr Ser Thr Tyr Glu Tyr Thr Asp Ile		
420	425	430
Pro Phe His Asn Gln Tyr Phe His Ile Ser Met Leu Asp Tyr Asn Ala		
435	440	445
Arg Asp Arg Ala Leu Tyr Ala Trp Asn Asn Gly His Gln Val Leu Phe		
450	455	460
Asn Val Thr Leu Phe His Ile Ile Lys Thr Glu Asp Asp Thr		
465	470	475

<210> 28

<211> 589

<212> PRT

<213> Homo sapiens

<400> 28

Met Trp Thr Ser Gly Arg Met Ser Asn Ala Lys Asn Trp Leu Gly Leu
1 5 10 15
Gly Met Ser Leu Tyr Phe Trp Gly Leu Met Asp Leu Thr Thr Thr Val
20 25 30
Leu Ser Asp Thr Pro Thr Pro Gln Gly Glu Leu Glu Ala Leu Leu Ser
35 40 45
Asp Lys Pro Gln Ser His Gln Arg Thr Lys Arg Ser Trp Val Trp Asn
50 55 60
Gln Phe Phe Val Leu Glu Glu Tyr Thr Gly Thr Asp Pro Leu Tyr Val
65 70 75 80

Gly	Lys	Leu	His	Ser	Asp	Met	Asp	Arg	Gly	Asp	Gly	Ser	Ile	Lys	Tyr	85	90	95
Ile	Leu	Ser	Gly	Glu	Gly	Ala	Gly	Ile	Val	Phe	Thr	Ile	Asp	Asp	Thr	100	105	110
Thr	Gly	Asp	Ile	His	Ala	Ile	Gln	Arg	Leu	Asp	Arg	Glu	Glu	Arg	Ala	115	120	125
Gln	Tyr	Thr	Leu	Arg	Ala	Gln	Ala	Leu	Asp	Arg	Arg	Thr	Gly	Arg	Pro	130	135	140
Met	Glu	Pro	Glu	Ser	Glu	Phe	Ile	Ile	Lys	Ile	Gln	Asp	Ile	Asn	Asp	145	150	155
Asn	Glu	Pro	Lys	Phe	Leu	Asp	Gly	Pro	Tyr	Val	Ala	Thr	Val	Pro	Glu	165	170	175
Met	Ser	Pro	Val	Gly	Thr	Ser	Val	Ile	Gln	Val	Thr	Ala	Thr	Asp	Ala	180	185	190
Asp	Asp	Pro	Thr	Tyr	Gly	Asn	Ser	Ala	Arg	Val	Val	Tyr	Ser	Ile	Leu	195	200	205
Gln	Gly	Gln	Pro	Tyr	Phe	Ser	Val	Asp	Ser	Lys	Thr	Gly	Val	Ile	Arg	210	215	220
Thr	Ala	Leu	Met	Asn	Met	Asp	Arg	Glu	Ala	Lys	Glu	Tyr	Tyr	Glu	Val	225	230	235
Ile	Ile	Gln	Ala	Lys	Asp	Met	Gly	Gly	Gln	Leu	Gly	Gly	Leu	Ala	Gly	245	250	255
Thr	Thr	Thr	Val	Asn	Ile	Thr	Leu	Ser	Asp	Val	Asn	Asp	Asn	Pro	Pro	260	265	270
Arg	Phe	Pro	Gln	Lys	His	Tyr	Gln	Met	Ser	Val	Leu	Glu	Ser	Ala	Pro	275	280	285
Ile	Ser	Ser	Thr	Val	Gly	Arg	Val	Phe	Ala	Lys	Asp	Leu	Asp	Glu	Gly	290	295	300
Ile	Asn	Ala	Glu	Met	Lys	Tyr	Thr	Ile	Val	Asp	Gly	Asp	Gly	Ala	Asp	305	310	315
Ala	Phe	Asp	Ile	Ser	Thr	Asp	Pro	Asn	Phe	Gln	Val	Gly	Ile	Ile	Thr	325	330	335
Val	Lys	Lys	Pro	Leu	Ser	Phe	Glu	Ser	Lys	Lys	Ser	Tyr	Thr	Leu	Lys	340	345	350
Val	Glu	Gly	Ala	Asn	Pro	His	Leu	Glu	Met	Arg	Phe	Leu	Asn	Leu	Gly	355	360	365
Pro	Phe	Gln	Asp	Thr	Thr	Thr	Val	His	Ile	Ser	Val	Glu	Asp	Val	Asp	370	375	380
Glu	Pro	Pro	Val	Phe	Glu	Pro	Gly	Phe	Tyr	Phe	Val	Glu	Val	Pro	Glu	385	390	395
Asp	Val	Ala	Ile	Gly	Thr	Thr	Ile	Gln	Ile	Ile	Ser	Ala	Lys	Asp	Pro	405	410	415

Asp Val Thr Asn Asn Ser Ile Arg Tyr Ser Ile Asp Arg Ser Ser Asp
 420 425 430
 Pro Gly Arg Phe Phe Tyr Val Asp Ile Thr Thr Gly Ala Leu Met Thr
 435 440 445
 Ala Arg Pro Leu Asp Arg Glu Glu Phe Ser Trp His Asn Ile Thr Val
 450 455 460
 Leu Ala Met Glu Met Asn Asn Pro Ser Gln Val Gly Ser Val Pro Val
 465 470 475 480
 Thr Ile Lys Val Leu Asp Val Asn Asp Asn Ala Pro Glu Phe Pro Arg
 485 490 495
 Phe Tyr Glu Ala Phe Val Cys Glu Asn Ala Lys Ala Gly Gln Leu Ile
 500 505 510
 Gln Thr Val Ser Ala Val Asp Gln Asp Asp Pro Arg Asn Gly Gln His
 515 520 525
 Phe Tyr Tyr Ser Leu Ala Pro Glu Ala Ala Asn Asn Pro Asn Phe Thr
 530 535 540
 Ile Arg Asp Asn Gln Gly Asn Gln Val Asp Gly Trp Leu Ser Val Leu
 545 550 555 560
 Phe Tyr Ser Ile Gly Gln Leu Leu Trp Val Thr Val Leu Cys Lys Gln
 565 570 575
 Cys Gln Arg Leu Pro Val Pro Tyr Gln Gln Gly Gly Cys
 580 585

<210> 29

<211> 801

<212> PRT

<213> Homo sapiens

<400> 29

Met Trp Thr Ser Gly Arg Met Ser Asn Ala Lys Asn Trp Leu Gly Leu
 1 5 10 15
 Gly Met Ser Leu Tyr Phe Trp Gly Leu Met Asp Leu Thr Thr Thr Val
 20 25 30
 Leu Ser Asp Thr Pro Thr Pro Gln Gly Glu Leu Glu Ala Leu Leu Ser
 35 40 45
 Asp Lys Pro Gln Ser His Gln Arg Thr Lys Arg Ser Trp Val Trp Asn
 50 55 60
 Gln Phe Phe Val Leu Glu Glu Tyr Thr Gly Thr Asp Pro Leu Tyr Val
 65 70 75 80
 Gly Lys Leu His Ser Asp Met Asp Arg Gly Asp Gly Ser Ile Lys Tyr
 85 90 95
 Ile Leu Ser Gly Glu Gly Ala Gly Ile Val Phe Thr Ile Asp Asp Thr

100	105	110
Thr Gly Asp Ile His Ala Ile Gln Arg Leu Asp Arg Glu Glu Arg Ala		
115	120	125
Gln Tyr Thr Leu Arg Ala Gln Ala Leu Asp Arg Arg Thr Gly Arg Pro		
130	135	140
Met Glu Pro Glu Ser Glu Phe Ile Ile Lys Ile Gln Asp Ile Asn Asp		
145	150	155
Asn Glu Pro Lys Phe Leu Asp Gly Pro Tyr Val Ala Thr Val Pro Glu		
165	170	175
Met Ser Pro Val Gly Thr Ser Val Ile Gln Val Thr Ala Thr Asp Ala		
180	185	190
Asp Asp Pro Thr Tyr Gly Asn Ser Ala Arg Val Val Tyr Ser Ile Leu		
195	200	205
Gln Gly Gln Pro Tyr Phe Ser Val Asp Ser Lys Thr Gly Val Ile Arg		
210	215	220
Thr Ala Leu Met Asn Met Asp Arg Glu Ala Lys Glu Tyr Tyr Glu Val		
225	230	235
Ile Ile Gln Ala Lys Asp Met Gly Gly Gln Leu Gly Gly Leu Ala Gly		
245	250	255
Thr Thr Thr Val Asn Ile Thr Leu Ser Asp Val Asn Asp Asn Pro Pro		
260	265	270
Arg Phe Pro Gln Lys His Tyr Gln Met Ser Val Leu Glu Ser Ala Pro		
275	280	285
Ile Ser Ser Thr Val Gly Arg Val Phe Ala Lys Asp Leu Asp Glu Gly		
290	295	300
Ile Asn Ala Glu Met Lys Tyr Thr Ile Val Asp Gly Asp Gly Ala Asp		
305	310	315
Ala Phe Asp Ile Ser Thr Asp Pro Asn Phe Gln Val Gly Ile Ile Thr		
325	330	335
Val Lys Lys Pro Leu Ser Phe Glu Ser Lys Lys Ser Tyr Thr Leu Lys		
340	345	350
Val Glu Gly Ala Asn Pro His Leu Glu Met Arg Phe Leu Asn Leu Gly		
355	360	365
Pro Phe Gln Asp Thr Thr Thr Val His Ile Ser Val Glu Asp Val Asp		
370	375	380
Glu Pro Pro Val Phe Glu Pro Gly Phe Tyr Phe Val Glu Val Pro Glu		
385	390	395
Asp Val Ala Ile Gly Thr Thr Ile Gln Ile Ile Ser Ala Lys Asp Pro		
405	410	415
Asp Val Thr Asn Asn Ser Ile Arg Tyr Ser Ile Asp Arg Ser Ser Asp		
420	425	430
Pro Gly Arg Phe Phe Tyr Val Asp Ile Thr Thr Gly Ala Leu Met Thr		

435	440	445
Ala Arg Pro Leu Asp Arg Glu Glu Phe Ser Trp His Asn Ile Thr Val		
450	455	460
Leu Ala Met Glu Met Asn Asn Pro Ser Gln Val Gly Ser Val Pro Val		
465	470	475
Thr Ile Lys Val Leu Asp Val Asn Asp Asn Ala Pro Glu Phe Pro Arg		
485	490	495
Phe Tyr Glu Ala Phe Val Cys Glu Asn Ala Lys Ala Gly Gln Leu Ile		
500	505	510
Gln Thr Val Ser Ala Val Asp Gln Asp Asp Pro Arg Asn Gly Gln His		
515	520	525
Phe Tyr Tyr Ser Leu Ala Pro Glu Ala Ala Asn Asn Pro Asn Phe Thr		
530	535	540
Ile Arg Asp Asn Gln Asp Asn Thr Ala Arg Ile Leu Thr Arg Arg Ser		
545	550	555
Gly Phe Arg Gln Gln Glu Gln Ser Val Phe His Leu Pro Ile Leu Ile		
565	570	575
Ala Asp Ser Gly Gln Pro Val Leu Ser Ser Thr Gly Thr Leu Thr Ile		
580	585	590
Gln Val Cys Ser Cys Asp Asp Asp Gly His Val Met Ser Cys Ser Pro		
595	600	605
Glu Ala Tyr Met Leu Pro Val Ser Leu Ser Arg Gly Ala Leu Ile Ala		
610	615	620
Ile Leu Ala Cys Ile Phe Val Leu Leu Val Leu Val Leu Leu Ile Leu		
625	630	635
Ser Met Arg Arg His Arg Lys Gln Pro Tyr Ile Ile Asp Asp Glu Glu		
645	650	655
Asn Ile His Glu Asn Ile Val Arg Tyr Asp Asp Glu Gly Gly Gly Glu		
660	665	670
Glu Asp Thr Glu Ala Phe Asp Ile Ala Ala Met Trp Asn Pro Arg Glu		
675	680	685
Ala Gln Ala Gly Ala Ala Pro Lys Thr Arg Gln Asp Met Leu Pro Glu		
690	695	700
Ile Glu Ser Leu Ser Arg Tyr Val Pro Gln Thr Cys Ala Val Asn Ser		
705	710	715
Thr Val His Ser Tyr Val Leu Ala Lys Leu Tyr Glu Ala Asp Met Asp		
725	730	735
Leu Trp Ala Pro Pro Phe Asp Ser Leu Gln Thr Tyr Met Phe Glu Gly		
740	745	750
Asp Gly Ser Val Ala Gly Ser Leu Ser Ser Leu Gln Ser Ala Thr Ser		
755	760	765
Asp Ser Glu Gln Ser Phe Asp Phe Leu Thr Asp Trp Gly Pro Arg Phe		

770 775 780
 Arg Lys Leu Ala Glu Leu Tyr Gly Ala Ser Glu Gly Pro Ala Pro Leu
 785 790 795 800
 Trp

<210> 30
 <211> 287
 <212> PRT
 <213> Homo sapiens

<400> 30
 Met Ala Leu Gly Leu Leu Ile Ala Val Pro Leu Leu Leu Gln Ala Ala
 1 5 10 15
 Pro Pro Gly Ala Ala His Tyr Glu Met Leu Gly Thr Cys Arg Met Ile
 20 25 30
 Cys Asp Pro Tyr Ser Val Ala Pro Ala Gly Gly Pro Ala Gly Ala Lys
 35 40 45
 Ala Pro Pro Pro Gly Pro Ser Thr Ala Ala Leu Glu Val Met Gln Asp
 50 55 60
 Leu Ser Ala Asn Pro Pro Pro Pro Phe Ile Gln Gly Pro Lys Gly Asp
 65 70 75 80
 Pro Gly Arg Pro Gly Lys Pro Gly Pro Arg Gly Pro Pro Gly Glu Pro
 85 90 95
 Gly Pro Pro Gly Pro Arg Gly Pro Pro Gly Glu Lys Gly Asp Ser Gly
 100 105 110
 Arg Pro Gly Leu Pro Gly Leu Gln Leu Thr Thr Ser Ala Ala Gly Gly
 115 120 125
 Val Gly Val Val Ser Gly Gly Thr Gly Gly Gly Gly Asp Thr Glu Gly
 130 135 140
 Glu Val Thr Ser Ala Leu Ser Ala Ala Phe Ser Gly Pro Lys Ile Ala
 145 150 155 160
 Phe Tyr Val Gly Leu Lys Ser Pro His Glu Gly Tyr Glu Val Leu Lys
 165 170 175
 Phe Asp Asp Val Val Thr Asn Leu Gly Asn His Tyr Asp Pro Thr Thr
 180 185 190
 Gly Lys Phe Ser Cys Gln Val Arg Gly Ile Tyr Phe Phe Thr Tyr His
 195 200 205
 Ile Leu Met Arg Gly Gly Asp Gly Thr Ser Met Trp Ala Asp Leu Cys
 210 215 220
 Lys Asn Gly Gln Val Arg Ala Ser Ala Ile Ala Gln Asp Ala Asp Gln
 225 230 235 240

```
<210> 31
<211> 159
<212> PRT
<213> Homo sapiens
```

```
<210> 32
<211> 220
<212> PRT
<213> Homo sapiens
```

31/57

Val Val Ser Gln Ser Ser Leu Thr Pro Leu Met Val Asn Gly Ile Leu
 20 25 30
 Gly Glu Ser Val Thr Leu Pro Leu Glu Phe Pro Ala Gly Glu Lys Val
 35 40 45
 Asn Phe Ile Thr Trp Leu Phe Asn Glu Thr Ser Leu Ala Phe Ile Val
 50 55 60
 Pro His Glu Thr Lys Ser Pro Glu Ile His Val Thr Asn Pro Lys Gln
 65 70 75 80
 Gly Lys Arg Leu Asn Phe Thr Gln Ser Tyr Ser Leu Gln Leu Ser Asn
 85 90 95
 Leu Lys Met Glu Asp Thr Gly Ser Tyr Arg Ala Gln Ile Ser Thr Lys
 100 105 110
 Thr Ser Ala Lys Leu Ser Ser Tyr Thr Leu Arg Ile Leu Arg Gln Leu
 115 120 125
 Arg Asn Ile Gln Val Thr Asn His Ser Gln Leu Phe Gln Asn Met Thr
 130 135 140
 Cys Glu Leu His Leu Thr Cys Ser Val Glu Asp Ala Asp Asp Asn Val
 145 150 155 160
 Ser Phe Arg Trp Glu Ala Leu Gly Asn Thr Leu Ser Ser Gln Pro Asn
 165 170 175
 Leu Thr Val Ser Trp Asp Pro Arg Ile Ser Ser Glu Gln Asp Tyr Thr
 180 185 190
 Cys Ile Ala Glu Asn Ala Val Ser Asn Leu Ser Phe Ser Val Ser Ala
 195 200 205
 Gln Lys Leu Cys Glu Gly Asn Ser Leu Pro Gln Val
 210 215 220

<210> 33

<211> 346

<212> PRT

<213> Homo sapiens

<400> 33

Met Thr Ala Ser Arg Ser Gln Ala Pro Val Phe Thr Ala Glu Ser Met
 1 5 10 15
 Leu Trp Leu Phe Gln Ser Leu Leu Phe Val Phe Cys Phe Gly Pro Gly
 20 25 30
 Asn Val Val Ser Gln Ser Ser Leu Thr Pro Leu Met Val Asn Gly Ile
 35 40 45
 Leu Gly Glu Ser Val Thr Leu Pro Leu Glu Phe Pro Ala Gly Glu Lys
 50 55 60
 Val Asn Phe Ile Thr Trp Leu Phe Asn Glu Thr Ser Leu Ala Phe Ile

65		70		75		80									
Val	Pro	His	Glu	Thr	Lys	Ser	Pro	Glu	Ile	His	Val	Thr	Asn	Pro	Lys
			85					90					95		
Gln	Gly	Lys	Arg	Leu	Asn	Phe	Thr	Gln	Ser	Tyr	Ser	Leu	Gln	Leu	Ser
		100						105					110		
Asn	Leu	Lys	Met	Glu	Asp	Thr	Gly	Ser	Tyr	Arg	Ala	Gln	Ile	Ser	Thr
		115					120					125			
Lys	Thr	Ser	Ala	Lys	Leu	Ser	Ser	Tyr	Thr	Leu	Arg	Ile	Leu	Arg	Gln
	130					135					140				
Leu	Arg	Asn	Ile	Gln	Val	Thr	Asn	His	Ser	Gln	Leu	Phe	Gln	Asn	Met
145				150					155					160	
Thr	Cys	Glu	Leu	His	Leu	Thr	Cys	Ser	Val	Glu	Asp	Ala	Asp	Asp	Asn
			165					170					175		
Val	Ser	Phe	Arg	Trp	Glu	Ala	Leu	Gly	Asn	Thr	Leu	Ser	Ser	Gln	Pro
		180						185					190		
Asn	Leu	Thr	Val	Ser	Trp	Asp	Pro	Arg	Ile	Ser	Ser	Glu	Gln	Asp	Tyr
	195					200						205			
Thr	Cys	Ile	Ala	Glu	Asn	Ala	Val	Ser	Asn	Leu	Ser	Phe	Ser	Val	Ser
	210					215					220				
Ala	Gln	Lys	Leu	Cys	Glu	Asp	Val	Lys	Ile	Gln	Tyr	Thr	Asp	Thr	Lys
225				230					235					240	
Met	Ile	Leu	Phe	Met	Val	Ser	Gly	Ile	Cys	Ile	Val	Phe	Gly	Phe	Ile
			245					250					255		
Ile	Leu	Leu	Leu	Leu	Val	Leu	Arg	Lys	Arg	Arg	Asp	Ser	Leu	Ser	Leu
		260						265					270		
Ser	Thr	Gln	Arg	Thr	Gln	Gly	Pro	Glu	Ser	Ala	Arg	Asn	Leu	Glu	Tyr
	275					280					285				
Val	Ser	Val	Ser	Pro	Thr	Asn	Asn	Thr	Val	Tyr	Ala	Ser	Val	Thr	His
	290					295					300				
Ser	Asn	Arg	Glu	Thr	Glu	Ile	Trp	Thr	Pro	Arg	Glu	Asn	Asp	Thr	Ile
305				310					315					320	
Thr	Ile	Tyr	Ser	Thr	Ile	Asn	His	Ser	Lys	Glu	Ser	Lys	Pro	Thr	Phe
			325					330					335		
Ser	Arg	Ala	Thr	Ala	Leu	Asp	Asn	Val	Val						
		340						345							

<210> 34
 <211> 1075
 <212> PRT
 <213> Homo sapiens

<400> 34

Met	Gly	Thr	Ala	Tyr	Leu	Cys	Cys	Pro	Gln	Val	Leu	Leu	Leu	Leu	Cys
1				5					10					15	
Leu	Pro	Arg	Arg	Val	Lys	Leu	Trp	Ala	Asp	Thr	Phe	Gly	Gly	Asp	Leu
			20					25					30		
Tyr	Asn	Thr	Val	Thr	Lys	Tyr	Ser	Gly	Ser	Leu	Leu	Leu	Gln	Lys	Lys
		35					40						45		
Tyr	Lys	Asp	Val	Glu	Ser	Ser	Leu	Lys	Ile	Glu	Glu	Val	Asp	Gly	Leu
	50					55					60				
Glu	Leu	Val	Arg	Lys	Phe	Ser	Glu	Asp	Met	Glu	Asn	Met	Leu	Arg	Arg
65				70					75					80	
Lys	Val	Glu	Ala	Val	Gln	Asn	Leu	Val	Glu	Ala	Ala	Glu	Glu	Ala	Asp
				85					90					95	
Leu	Asn	His	Glu	Phe	Asn	Glu	Ser	Leu	Val	Phe	Asp	Tyr	Tyr	Asn	Ser
		100						105					110		
Val	Leu	Ile	Asn	Glu	Arg	Asp	Glu	Lys	Gly	Asn	Phe	Val	Glu	Leu	Gly
	115						120					125			
Ala	Glu	Phe	Leu	Leu	Glu	Ser	Asn	Ala	His	Phe	Ser	Asn	Leu	Pro	Val
	130					135					140				
Asn	Thr	Ser	Ile	Ser	Ser	Val	Gln	Leu	Pro	Thr	Asn	Val	Tyr	Asn	Lys
145				150					155					160	
Asp	Pro	Asp	Ile	Leu	Asn	Gly	Val	Tyr	Met	Ser	Glu	Ala	Leu	Asn	Ala
			165					170						175	
Val	Phe	Val	Glu	Asn	Phe	Gln	Arg	Asp	Pro	Thr	Leu	Thr	Trp	Gln	Tyr
		180					185						190		
Phe	Gly	Ser	Ala	Thr	Gly	Phe	Phe	Arg	Ile	Tyr	Pro	Gly	Ile	Lys	Trp
	195						200					205			
Thr	Pro	Asp	Glu	Asn	Gly	Val	Ile	Thr	Phe	Asp	Cys	Arg	Asn	Arg	Gly
	210				215					220					
Trp	Tyr	Ile	Gln	Ala	Ala	Thr	Ser	Pro	Lys	Asp	Ile	Val	Ile	Leu	Val
225				230					235					240	
Asp	Val	Ser	Gly	Ser	Met	Lys	Gly	Leu	Arg	Met	Thr	Ile	Ala	Lys	His
			245					250					255		
Thr	Ile	Thr	Thr	Ile	Leu	Asp	Thr	Leu	Gly	Glu	Asn	Asp	Phe	Ile	Asn
		260					265					270			
Ile	Ile	Ala	Tyr	Asn	Asp	Tyr	Val	His	Tyr	Ile	Glu	Pro	Cys	Phe	Lys
	275					280					285				
Gly	Ile	Leu	Val	Gln	Ala	Asp	Arg	Asp	Asn	Arg	Glu	His	Phe	Lys	Leu
	290				295					300					
Leu	Val	Glu	Glu	Leu	Met	Val	Lys	Gly	Val	Gly	Val	Val	Asp	Gln	Ala
305				310					315					320	
Leu	Arg	Glu	Ala	Phe	Gln	Ile	Leu	Lys	Gln	Phe	Gln	Glu	Ala	Lys	Gln
			325					330					335		

Gly Ser Leu Cys Asn Gln Ala Ile Met Leu Ile Ser Asp Gly Ala Val
 340 345 350
 Glu Asp Tyr Glu Pro Val Phe Glu Lys Tyr Asn Trp Pro Asp Cys Lys
 355 360 365
 Val Arg Val Phe Thr Tyr Leu Ile Gly Arg Glu Val Ser Phe Ala Asp
 370 375 380
 Arg Met Lys Trp Ile Ala Cys Asn Asn Lys Gly Tyr Tyr Thr Gln Ile
 385 390 395 400
 Ser Thr Leu Ala Asp Thr Gln Glu Asn Val Met Glu Tyr Leu His Val
 405 410 415
 Leu Ser Arg Pro Met Val Ile Asn His Asp His Asp Ile Ile Trp Thr
 420 425 430
 Glu Ala Tyr Met Asp Ser Lys Leu Leu Ser Ser Gln Ala Gln Ser Leu
 435 440 445
 Thr Leu Leu Thr Thr Val Ala Met Pro Val Phe Ser Lys Lys Asn Glu
 450 455 460
 Thr Arg Ser His Gly Ile Leu Leu Gly Val Val Gly Ser Asp Val Ala
 465 470 475 480
 Leu Arg Glu Leu Met Lys Leu Ala Pro Arg Tyr Lys Leu Gly Val His
 485 490 495
 Gly Tyr Ala Phe Leu Asn Thr Asn Asn Gly Tyr Ile Leu Ser His Pro
 500 505 510
 Asp Leu Arg Pro Leu Tyr Arg Glu Gly Lys Lys Leu Lys Pro Lys Pro
 515 520 525
 Asn Tyr Asn Ser Val Asp Leu Ser Glu Val Glu Trp Glu Asp Gln Ala
 530 535 540
 Glu Ser Leu Arg Thr Ala Met Ile Asn Arg Glu Thr Gly Thr Leu Ser
 545 550 555 560
 Met Asp Val Lys Val Pro Met Asp Lys Gly Lys Arg Val Leu Phe Leu
 565 570 575
 Thr Asn Asp Tyr Phe Phe Thr Asp Ile Ser Asp Thr Pro Phe Ser Leu
 580 585 590
 Gly Val Val Leu Ser Arg Gly His Gly Glu Tyr Ile Leu Leu Gly Asn
 595 600 605
 Thr Ser Val Glu Glu Gly Leu His Asp Leu Leu His Pro Asp Leu Ala
 610 615 620
 Leu Ala Gly Asp Trp Ile Tyr Cys Ile Thr Asp Ile Asp Pro Asp His
 625 630 635 640
 Arg Lys Leu Ser Gln Leu Glu Ala Met Ile Arg Phe Leu Thr Arg Lys
 645 650 655
 Asp Pro Asp Leu Glu Cys Asp Glu Glu Leu Val Arg Glu Val Leu Phe
 660 665 670

Asp	Ala	Val	Val	Thr	Ala	Pro	Met	Glu	Ala	Tyr	Trp	Thr	Ala	Leu	Ala	675	680	685
Leu	Asn	Met	Ser	Glu	Glu	Ser	Glu	His	Val	Val	Asp	Met	Ala	Phe	Leu	690	695	700
Gly	Thr	Arg	Ala	Gly	Leu	Leu	Arg	Ser	Ser	Leu	Phe	Val	Gly	Ser	Glu	705	710	715
Lys	Val	Ser	Asp	Arg	Lys	Phe	Leu	Thr	Pro	Glu	Asp	Glu	Ala	Ser	Val	725	730	735
Phe	Thr	Leu	Asp	Arg	Phe	Pro	Leu	Trp	Tyr	Arg	Gln	Ala	Ser	Glu	His	740	745	750
Pro	Ala	Gly	Ser	Phe	Val	Phe	Asn	Leu	Arg	Trp	Ala	Glu	Gly	Pro	Glu	755	760	765
Ser	Ala	Gly	Glu	Pro	Met	Val	Val	Thr	Ala	Ser	Thr	Ala	Val	Ala	Val	770	775	780
Thr	Val	Asp	Lys	Arg	Thr	Ala	Ile	Ala	Ala	Ala	Ala	Gly	Val	Gln	Met	785	790	795
Lys	Leu	Glu	Phe	Leu	Gln	Arg	Lys	Phe	Trp	Ala	Ala	Thr	Arg	Gln	Cys	805	810	815
Ser	Thr	Val	Asp	Gly	Pro	Cys	Thr	Gln	Ser	Cys	Glu	Asp	Ser	Asp	Leu	820	825	830
Asp	Cys	Phe	Val	Ile	Asp	Asn	Asn	Gly	Phe	Ile	Leu	Ile	Ser	Lys	Arg	835	840	845
Ser	Arg	Glu	Thr	Gly	Arg	Phe	Leu	Gly	Glu	Val	Asp	Gly	Ala	Val	Leu	850	855	860
Thr	Gln	Leu	Leu	Ser	Met	Gly	Val	Phe	Ser	Gln	Val	Thr	Met	Tyr	Asp	865	870	875
Tyr	Gln	Ala	Met	Cys	Lys	Pro	Ser	Ser	His	His	His	Ser	Ala	Ala	Gln	885	890	895
Pro	Leu	Val	Ser	Pro	Ile	Ser	Ala	Phe	Leu	Thr	Ala	Thr	Arg	Trp	Leu	900	905	910
Leu	Gln	Glu	Leu	Val	Leu	Phe	Leu	Leu	Glu	Trp	Ser	Val	Trp	Gly	Ser	915	920	925
Trp	Tyr	Asp	Arg	Gly	Ala	Glu	Ala	His	Lys	His	Lys	Lys	Gln	Asp	Pro	930	935	940
Leu	Gln	Pro	Cys	Asp	Thr	Glu	Tyr	Pro	Val	Phe	Val	Tyr	Gln	Pro	Ala	945	950	955
Ile	Arg	Glu	Ala	Asn	Gly	Ile	Val	Glu	Cys	Gly	Pro	Cys	Gln	Lys	Val	965	970	975
Phe	Val	Val	Gln	Gln	Ile	Pro	Asn	Ser	Asn	Leu	Leu	Leu	Leu	Val	Thr	980	985	990
Asp	Pro	Thr	Phe	Cys	Arg	Met	Gly	Ser	Gly	Pro	Glu	Ile	Leu	Thr	Leu	995	1000	1005

Thr Val Ala Ser Ala His Asn Ala Ser Val Lys Cys Asp Arg Met Arg
 1010 1015 1020
 Ser Gln Lys Leu Arg Arg Arg Pro Asp Ser Cys His Ala Phe His Pro
 1025 1030 1035 1040
 Glu Glu Asn Ala Gln Asp Cys Gly Gly Ala Ser Asp Thr Ser Ala Ser
 1045 1050 1055
 Pro Pro Leu Leu Leu Leu Pro Val Cys Ala Trp Gly Leu Leu Pro Gln
 1060 1065 1070
 Leu Leu Arg
 1075

<210> 35
 <211> 1114
 <212> PRT
 <213> Homo sapiens

<400> 35

Met Pro Ala Thr Pro Asn Phe Leu Ala Asn Pro Ser Ser Ser Ser Arg
 1 5 10 15
 Trp Ile Pro Leu Gln Pro Met Pro Val Ala Trp Ala Phe Val Gln Lys
 20 25 30
 Thr Ser Ala Leu Leu Trp Leu Leu Leu Leu Gly Thr Ser Leu Ser Pro
 35 40 45
 Ala Trp Gly Gln Ala Lys Ile Pro Leu Glu Thr Val Lys Leu Trp Ala
 50 55 60
 Asp Thr Phe Gly Gly Asp Leu Tyr Asn Thr Val Thr Lys Tyr Ser Gly
 65 70 75 80
 Ser Leu Leu Leu Gln Lys Lys Tyr Lys Asp Val Glu Ser Ser Leu Lys
 85 90 95
 Ile Glu Glu Val Asp Gly Leu Glu Leu Val Arg Lys Phe Ser Glu Asp
 100 105 110
 Met Glu Asn Met Leu Arg Arg Lys Val Glu Ala Val Gln Asn Leu Val
 115 120 125
 Glu Ala Ala Glu Glu Ala Asp Leu Asn His Glu Phe Asn Glu Ser Leu
 130 135 140
 Val Phe Asp Tyr Tyr Asn Ser Val Leu Ile Asn Glu Arg Asp Glu Lys
 145 150 155 160
 Gly Asn Phe Val Glu Leu Gly Ala Glu Phe Leu Leu Glu Ser Asn Ala
 165 170 175
 His Phe Ser Asn Leu Pro Val Asn Thr Ser Ile Ser Ser Val Gln Leu
 180 185 190
 Pro Thr Asn Val Tyr Asn Lys Asp Pro Asp Ile Leu Asn Gly Val Tyr

195	200	205
Met Ser Glu Ala Leu Asn Ala Val Phe Val Glu Asn Phe Gln Arg Asp		
210	215	220
Pro Thr Leu Thr Trp Gln Tyr Phe Gly Ser Ala Thr Gly Phe Phe Arg		
225	230	235
Ile Tyr Pro Gly Ile Lys Trp Thr Pro Asp Glu Asn Gly Val Ile Thr		
245	250	255
Phe Asp Cys Arg Asn Arg Gly Trp Tyr Ile Gln Ala Ala Thr Ser Pro		
260	265	270
Lys Asp Ile Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu		
275	280	285
Arg Met Thr Ile Ala Lys His Thr Ile Thr Thr Ile Leu Asp Thr Leu		
290	295	300
Gly Glu Asn Asp Phe Ile Asn Ile Ile Ala Tyr Asn Asp Tyr Val His		
305	310	315
Tyr Ile Glu Pro Cys Phe Lys Gly Ile Leu Val Gln Ala Asp Arg Asp		
325	330	335
Asn Arg Glu His Phe Lys Leu Leu Val Glu Glu Leu Met Val Lys Gly		
340	345	350
Val Gly Val Val Asp Gln Ala Leu Arg Glu Ala Phe Gln Ile Leu Lys		
355	360	365
Gln Phe Gln Glu Ala Lys Gln Gly Ser Leu Cys Asn Gln Ala Ile Met		
370	375	380
Leu Ile Ser Asp Gly Ala Val Glu Asp Tyr Glu Pro Val Phe Glu Lys		
385	390	395
Tyr Asn Trp Pro Asp Cys Lys Val Arg Val Phe Thr Tyr Leu Ile Gly		
405	410	415
Arg Glu Val Ser Phe Ala Asp Arg Met Lys Trp Ile Ala Cys Asn Asn		
420	425	430
Lys Gly Tyr Tyr Thr Gln Ile Ser Thr Leu Ala Asp Thr Gln Glu Asn		
435	440	445
Val Met Glu Tyr Leu His Val Leu Ser Arg Pro Met Val Ile Asn His		
450	455	460
Asp His Asp Ile Ile Trp Thr Glu Ala Tyr Met Asp Ser Lys Leu Leu		
465	470	475
Ser Ser Gln Ala Gln Ser Leu Thr Leu Leu Thr Thr Val Ala Met Pro		
485	490	495
Val Phe Ser Lys Lys Asn Glu Thr Arg Ser His Gly Ile Leu Leu Gly		
500	505	510
Val Val Gly Ser Asp Val Ala Leu Arg Glu Leu Met Lys Leu Ala Pro		
515	520	525
Arg Tyr Lys Leu Gly Val His Gly Tyr Ala Phe Leu Asn Thr Asn Asn		

530	535	540
Gly Tyr Ile Leu Ser His Pro Asp Leu Arg Pro Leu Tyr Arg Glu Gly		
545	550	555
Lys Lys Leu Lys Pro Lys Pro Asn Tyr Asn Ser Val Asp Leu Ser Glu		
565	570	575
Val Glu Trp Glu Asp Gln Ala Glu Ser Leu Arg Thr Ala Met Ile Asn		
580	585	590
Arg Glu Thr Gly Thr Leu Ser Met Asp Val Lys Val Pro Met Asp Lys		
595	600	605
Gly Lys Arg Val Leu Phe Leu Thr Asn Asp Tyr Phe Phe Thr Asp Ile		
610	615	620
Ser Asp Thr Pro Phe Ser Leu Gly Val Val Leu Ser Arg Gly His Gly		
625	630	635
Glu Tyr Ile Leu Leu Gly Asn Thr Ser Val Glu Glu Gly Leu His Asp		
645	650	655
Leu Leu His Pro Asp Leu Ala Leu Ala Gly Asp Trp Ile Tyr Cys Ile		
660	665	670
Thr Asp Ile Asp Pro Asp His Arg Lys Leu Ser Gln Leu Glu Ala Met		
675	680	685
Ile Arg Phe Leu Thr Arg Lys Asp Pro Asp Leu Glu Cys Asp Glu Glu		
690	695	700
Leu Val Arg Glu Val Leu Phe Asp Ala Val Val Thr Ala Pro Met Glu		
705	710	715
Ala Tyr Trp Thr Ala Leu Ala Leu Asn Met Ser Glu Glu Ser Glu His		
725	730	735
Val Val Asp Met Ala Phe Leu Gly Thr Arg Ala Gly Leu Leu Arg Ser		
740	745	750
Ser Leu Phe Val Gly Ser Glu Lys Val Ser Asp Arg Lys Phe Leu Thr		
755	760	765
Pro Glu Asp Glu Ala Ser Val Phe Thr Leu Asp Arg Phe Pro Leu Trp		
770	775	780
Tyr Arg Gln Ala Ser Glu His Pro Ala Gly Ser Phe Val Phe Asn Leu		
785	790	795
Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly Glu Pro Met Val Val Thr		
805	810	815
Ala Ser Thr Ala Val Ala Val Thr Val Asp Lys Arg Thr Ala Ile Ala		
820	825	830
Ala Ala Ala Gly Val Gln Met Lys Leu Glu Phe Leu Gln Arg Lys Phe		
835	840	845
Trp Ala Ala Thr Arg Gln Cys Ser Thr Val Asp Gly Pro Cys Thr Gln		
850	855	860
Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe Val Ile Asp Asn Asn Gly		

865 870 875 880
 Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu Thr Gly Arg Phe Leu Gly
 885 890 895
 Glu Val Asp Gly Ala Val Leu Thr Gln Leu Leu Ser Met Gly Val Phe
 900 905 910
 Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala Met Cys Lys Pro Ser Ser
 915 920 925
 His His His Ser Ala Ala Gln Pro Leu Val Ser Pro Ile Ser Ala Phe
 930 935 940
 Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu Leu Val Leu Phe Leu Leu
 945 950 955 960
 Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp Arg Gly Ala Glu Ala His
 965 970 975
 Lys His Lys Lys Gln Asp Pro Leu Gln Pro Cys Asp Thr Glu Tyr Pro
 980 985 990
 Val Phe Val Tyr Gln Pro Ala Ile Arg Glu Ala Asn Gly Ile Val Glu
 995 1000 1005
 Cys Gly Pro Cys Gln Lys Val Phe Val Val Gln Gln Ile Pro Asn Ser
 1010 1015 1020
 Asn Leu Leu Leu Leu Val Thr Asp Pro Thr Phe Cys Arg Met Gly Ser
 1025 1030 1035 1040
 Gly Pro Glu Ile Leu Thr Leu Thr Val Ala Ser Ala His Asn Ala Ser
 1045 1050 1055
 Val Lys Cys Asp Arg Met Arg Ser Gln Lys Leu Arg Arg Arg Pro Asp
 1060 1065 1070
 Ser Cys His Ala Phe His Pro Glu Glu Asn Ala Gln Asp Cys Gly Gly
 1075 1080 1085
 Ala Ser Asp Thr Ser Ala Ser Pro Pro Leu Leu Leu Leu Pro Val Cys
 1090 1095 1100
 Ala Trp Gly Leu Leu Pro Gln Leu Leu Arg
 1105 1110

<210> 36

<211> 128

<212> PRT

<213> Homo sapiens

<400> 36

Met Ala Arg Ile Leu Leu Leu Phe Leu Pro Gly Leu Val Ala Val Cys
 1 5 10 15
 Ala Val His Gly Ile Phe Met Asp Arg Leu Ala Ser Lys Lys Leu Cys
 20 25 30

Ala Asp Asp Glu Cys Val Tyr Thr Ile Ser Leu Ala Ser Ala Gln Glu
 35 40 45
 Asp Tyr Asn Ala Pro Asp Cys Arg Phe Ile Asn Val Lys Lys Gly Gln
 50 55 60
 Gln Ile Tyr Val Tyr Ser Lys Leu Val Lys Glu Asn Gly Ala Gly Glu
 65 70 75 80
 Phe Trp Ala Gly Ser Val Tyr Gly Asp Gly Gln Asp Glu Met Gly Val
 85 90 95
 Val Gly Tyr Phe Pro Arg Asn Leu Val Lys Glu Gln Arg Val Tyr Gln
 100 105 110
 Glu Ala Thr Lys Glu Val Pro Thr Thr Asp Ile Asp Phe Phe Cys Glu
 115 120 125

<210> 37
 <211> 215
 <212> PRT
 <213> Homo sapiens

<400> 37
 Met Gly Leu Thr Trp Ile Leu Val Thr Ile Leu Leu Gly Gly Pro Gly
 1 5 10 15
 Val Gly Leu Pro Arg Ile Gln Gln Phe Phe Thr Ser Pro Glu Asn Ser
 20 25 30
 Val Thr Ala Glu Pro Arg Ala Arg Lys Tyr Lys Cys Gly Leu Pro Gln
 35 40 45
 Pro Cys Pro Glu Glu His Leu Ser Phe Arg Ile Val Ser Gly Ala Ala
 50 55 60
 Asn Val Ile Gly Pro Lys Ile Cys Leu Glu Asp Lys Met Leu Met Ser
 65 70 75 80
 Ser Val Lys Asp Asn Val Gly Arg Gly Leu Asn Ile Ala Leu Val Asn
 85 90 95
 Gly Val Ser Gly Glu Leu Leu Glu Ala Arg Ala Phe Asp Met Trp Ala
 100 105 110
 Gly Asp Val Asn Asp Leu Leu Lys Phe Ile Arg Pro Leu His Glu Gly
 115 120 125
 Thr Leu Val Phe Val Ala Ser Tyr Asp Asp Pro Ala Thr Lys Met Asn
 130 135 140
 Glu Glu Thr Arg Lys Leu Phe Ser Glu Leu Gly Ser Arg Asn Ala Lys
 145 150 155 160
 Asp Leu Ala Phe Arg Asp Ser Trp Val Phe Val Gly Ala Lys Gly Val
 165 170 175
 Gln Asn Lys Ser Pro Phe Glu Gln His Met Lys Asn Ser Lys His Thr

```

                180                185                190
Asn Lys Tyr Glu Gly Trp Pro Glu Ala Leu Glu Met Glu Gly Cys Ile
                195                200                205
Pro Arg Arg Ser Ile Ala Gly
                210                215

<210> 38
<211> 230
<212> PRT
<213> Homo sapiens

<400> 38
Met Arg Leu Ala Gly Pro Leu Arg Ile Val Ala Leu Ile Ile Ile Met
  1                5                10                15
Gly Leu Thr Trp Ile Leu Val Thr Ile Leu Leu Gly Gly Pro Gly Val
                20                25                30
Gly Leu Pro Arg Ile Gln Gln Phe Phe Thr Ser Pro Glu Asn Ser Val
                35                40                45
Thr Ala Glu Pro Arg Ala Arg Lys Tyr Lys Cys Gly Leu Pro Gln Pro
                50                55                60
Cys Pro Glu Glu His Leu Ser Phe Arg Ile Val Ser Gly Ala Ala Asn
  65                70                75                80
Val Ile Gly Pro Lys Ile Cys Leu Glu Asp Lys Met Leu Met Ser Ser
                85                90                95
Val Lys Asp Asn Val Gly Arg Gly Leu Asn Ile Ala Leu Val Asn Gly
                100                105                110
Val Ser Gly Glu Leu Leu Glu Ala Arg Ala Phe Asp Met Trp Ala Gly
                115                120                125
Asp Val Asn Asp Leu Leu Lys Phe Ile Arg Pro Leu His Glu Gly Thr
                130                135                140
Leu Val Phe Val Ala Ser Tyr Asp Asp Pro Ala Thr Lys Met Asn Glu
  145                150                155                160
Glu Thr Arg Lys Leu Phe Ser Glu Leu Gly Ser Arg Asn Ala Lys Asp
                165                170                175
Leu Ala Phe Arg Asp Ser Trp Val Phe Val Gly Ala Lys Gly Val Gln
                180                185                190
Asn Lys Ser Pro Phe Glu Gln His Met Lys Asn Ser Lys His Thr Asn
                195                200                205
Lys Tyr Glu Gly Trp Pro Glu Ala Leu Glu Met Glu Gly Cys Ile Pro
                210                215                220
Arg Arg Ser Ile Ala Gly
  225                230

```

<210> 39
 <211> 436
 <212> PRT
 <213> Homo sapiens

<400> 39
 Met Gln Gly Thr Pro Gly Gly Gly Thr Arg Pro Gly Pro Ser Pro Val
 1 5 10 15
 Asp Arg Arg Thr Leu Leu Val Phe Ser Phe Ile Leu Ala Ala Ala Leu
 20 25 30
 Gly Gln Met Asn Phe Thr Gly Asp Gln Val Leu Arg Val Leu Ala Lys
 35 40 45
 Asp Glu Lys Gln Leu Ser Leu Leu Gly Asp Leu Glu Gly Leu Lys Pro
 50 55 60
 Gln Lys Val Asp Phe Trp Arg Gly Pro Ala Arg Pro Ser Leu Pro Val
 65 70 75 80
 Asp Met Arg Val Pro Phe Ser Glu Leu Lys Asp Ile Lys Ala Tyr Leu
 85 90 95
 Glu Ser His Gly Leu Ala Tyr Ser Ile Met Ile Lys Asp Ile Gln Val
 100 105 110
 Leu Leu Asp Glu Glu Arg Gln Ala Met Ala Lys Ser Arg Arg Leu Glu
 115 120 125
 Arg Ser Thr Asn Ser Phe Ser Tyr Ser Ser Tyr His Thr Leu Glu Glu
 130 135 140
 Ile Tyr Ser Trp Ile Asp Asn Phe Val Met Glu His Ser Asp Ile Val
 145 150 155 160
 Ser Lys Ile Gln Ile Gly Asn Ser Phe Glu Asn Gln Ser Ile Leu Val
 165 170 175
 Leu Lys Phe Ser Thr Gly Gly Ser Arg His Pro Ala Ile Trp Ile Asp
 180 185 190
 Thr Gly Ile His Ser Arg Glu Trp Ile Thr His Ala Thr Gly Ile Trp
 195 200 205
 Thr Ala Asn Lys Ile Val Ser Asp Tyr Gly Lys Asp Arg Val Leu Thr
 210 215 220
 Asp Ile Leu Asn Ala Met Asp Ile Phe Ile Glu Leu Val Thr Asn Pro
 225 230 235 240
 Asp Gly Phe Ala Phe Thr His Ser Met Asn Arg Leu Trp Arg Lys Asn
 245 250 255
 Lys Ser Ile Arg Pro Gly Ile Phe Cys Ile Gly Val Asp Leu Asn Arg
 260 265 270
 Asn Trp Lys Ser Gly Phe Gly Gly Asn Gly Ser Asn Ser Asn Pro Cys

275 280 285
 Ser Glu Thr Tyr His Gly Pro Ser Pro Gln Ser Glu Pro Glu Val Ala
 290 295 300
 Ala Ile Val Asn Phe Ile Thr Ala His Gly Asn Phe Lys Ala Leu Ile
 305 310 315 320
 Ser Ile His Ser Tyr Ser Gln Met Leu Met Tyr Pro Tyr Gly Arg Leu
 325 330 335
 Leu Glu Pro Val Ser Asn Gln Arg Glu Leu Tyr Asp Leu Ala Lys Asp
 340 345 350
 Ala Val Glu Ala Leu Tyr Lys Val His Gly Ile Glu Tyr Ile Phe Gly
 355 360 365
 Ser Ile Ser Thr Thr Leu Tyr Val Ala Ser Gly Ile Thr Val Asp Trp
 370 375 380
 Ala Tyr Asp Ser Gly Ile Lys Tyr Ala Phe Ser Phe Glu Leu Arg Asp
 385 390 395 400
 Thr Gly Gln Tyr Gly Phe Leu Leu Pro Ala Thr Gln Ile Ile Pro Thr
 405 410 415
 Ala Gln Glu Thr Trp Met Ala Leu Arg Thr Ile Met Glu His Thr Leu
 420 425 430
 Asn His Pro Tyr
 435

<210> 40
 <211> 419
 <212> PRT
 <213> Homo sapiens

<400> 40
 Met Arg Thr Leu Leu Val Phe Ser Phe Ile Leu Ala Ala Ala Leu Gly
 1 5 10 15
 Gln Met Asn Phe Thr Gly Asp Gln Val Leu Arg Val Leu Ala Lys Asp
 20 25 30
 Glu Lys Gln Leu Ser Leu Leu Gly Asp Leu Glu Gly Leu Lys Pro Gln
 35 40 45
 Lys Val Asp Phe Trp Arg Gly Pro Ala Arg Pro Ser Leu Pro Val Asp
 50 55 60
 Met Arg Val Pro Phe Ser Glu Leu Lys Asp Ile Lys Ala Tyr Leu Glu
 65 70 75 80
 Ser His Gly Leu Ala Tyr Ser Ile Met Ile Lys Asp Ile Gln Val Leu
 85 90 95
 Leu Asp Glu Glu Arg Gln Ala Met Ala Lys Ser Arg Arg Leu Glu Arg
 100 105 110

Ser Thr Asn Ser Phe Ser Tyr Ser Ser Tyr His Thr Leu Glu Glu Ile
 115 120 125
 Tyr Ser Trp Ile Asp Asn Phe Val Met Glu His Ser Asp Ile Val Ser
 130 135 140
 Lys Ile Gln Ile Gly Asn Ser Phe Glu Asn Gln Ser Ile Leu Val Leu
 145 150 155 160
 Lys Phe Ser Thr Gly Gly Ser Arg His Pro Ala Ile Trp Ile Asp Thr
 165 170 175
 Gly Ile His Ser Arg Glu Trp Ile Thr His Ala Thr Gly Ile Trp Thr
 180 185 190
 Ala Asn Lys Ile Val Ser Asp Tyr Gly Lys Asp Arg Val Leu Thr Asp
 195 200 205
 Ile Leu Asn Ala Met Asp Ile Phe Ile Glu Leu Val Thr Asn Pro Asp
 210 215 220
 Gly Phe Ala Phe Thr His Ser Met Asn Arg Leu Trp Arg Lys Asn Lys
 225 230 235 240
 Ser Ile Arg Pro Gly Ile Phe Cys Ile Gly Val Asp Leu Asn Arg Asn
 245 250 255
 Trp Lys Ser Gly Phe Gly Gly Asn Gly Ser Asn Ser Asn Pro Cys Ser
 260 265 270
 Glu Thr Tyr His Gly Pro Ser Pro Gln Ser Glu Pro Glu Val Ala Ala
 275 280 285
 Ile Val Asn Phe Ile Thr Ala His Gly Asn Phe Lys Ala Leu Ile Ser
 290 295 300
 Ile His Ser Tyr Ser Gln Met Leu Met Tyr Pro Tyr Gly Arg Leu Leu
 305 310 315 320
 Glu Pro Val Ser Asn Gln Arg Glu Leu Tyr Asp Leu Ala Lys Asp Ala
 325 330 335
 Val Glu Ala Leu Tyr Lys Val His Gly Ile Glu Tyr Ile Phe Gly Ser
 340 345 350
 Ile Ser Thr Thr Leu Tyr Val Ala Ser Gly Ile Thr Val Asp Trp Ala
 355 360 365
 Tyr Asp Ser Gly Ile Lys Tyr Ala Phe Ser Phe Glu Leu Arg Asp Thr
 370 375 380
 Gly Gln Tyr Gly Phe Leu Leu Pro Ala Thr Gln Ile Ile Pro Thr Ala
 385 390 395 400
 Gln Glu Thr Trp Met Ala Leu Arg Thr Ile Met Glu His Thr Leu Asn
 405 410 415
 His Pro Tyr

<211> 119

<212> PRT

<213> Homo sapiens

<400> 41

```

Met Trp Ser Leu Pro Pro Ser Arg Ala Leu Ser Cys Ala Pro Leu Leu
 1              5              10              15
Leu Leu Phe Ser Phe Gln Phe Leu Val Thr Tyr Ala Trp Arg Phe Gln
              20              25              30
Glu Glu Glu Glu Trp Asn Asp Gln Lys Gln Ile Ala Val Tyr Leu Pro
              35              40              45
Pro Thr Leu Glu Phe Ala Val Tyr Thr Phe Asn Lys Gln Ser Lys Asp
              50              55              60
Trp Tyr Ala Tyr Lys Leu Val Pro Val Leu Ala Ser Trp Lys Glu Gln
65              70              75              80
Val Asp Glu His Ile Leu Phe Cys Thr Ser Val Gln His Arg Leu Leu
              85              90              95
Ser Asp Gly Gln Gly Trp Gln Arg Val Gly Gln Gly Leu Thr Arg Thr
              100              105              110
Pro Gly Ser Pro Phe Val Val
              115

```

<210> 42

<211> 148

<212> PRT

<213> Homo sapiens

<400> 42

```

Met Ser Ser Pro Gln Arg Arg Lys Ala Met Pro Trp Ala Leu Ser Leu
 1              5              10              15
Leu Leu Met Gly Phe Gln Leu Leu Val Thr Tyr Ala Trp Cys Ser Glu
              20              25              30
Glu Glu Met Gly Gly Asn Asn Lys Ile Val Gln Asp Pro Met Phe Leu
              35              40              45
Ala Thr Val Glu Phe Ala Leu Asn Thr Phe Asn Val Gln Ser Lys Glu
              50              55              60
Glu His Ala Tyr Arg Leu Leu Arg Val Leu Ser Ser Trp Arg Glu Asp
65              70              75              80
Ser Met Asp Arg Lys Met Val Phe Ser Met Asn Leu Gln Leu Arg Gln
              85              90              95
Thr Val Cys Arg Lys Phe Glu Asp Asp Ile Asp Asn Cys Pro Phe Gln
              100              105              110

```

Glu Ser Leu Glu Leu Asn Asn Thr Phe Thr Cys Phe Phe Thr Ile Ser
 115 120 125
 Thr Arg Pro Trp Met Thr Gln Phe Ser Leu Leu Asn Lys Thr Cys Leu
 130 135 140
 Glu Gly Phe His
 145

<210> 43
 <211> 898
 <212> PRT
 <213> Homo sapiens

<400> 43
 Met Arg Ala Ala Leu Trp Thr Leu Gly Leu Gly Pro Leu Leu Leu Asn
 1 5 10 15
 Leu Trp Ala Val Pro Ile Gly Gly Pro Gly Ala Leu Arg Leu Ala Tyr
 20 25 30
 Arg His Ser Thr Cys Asp Gly Val Val Leu Val Arg His His Gly Ala
 35 40 45
 Trp Gly Tyr Val Cys Asn Gln Glu Trp Thr Leu Ala Glu Ala Ser Val
 50 55 60
 Val Cys Arg Gln Leu Gly Cys Gly Pro Ala Val Gly Ala Pro Lys Tyr
 65 70 75 80
 Val Pro Leu Pro Gly Glu Met Ala Gln Pro Trp Leu His Asn Val Ser
 85 90 95
 Cys Arg Gly Asn Glu Ser Ser Leu Trp Glu Cys Ser Leu Gly Ser Trp
 100 105 110
 Cys Gln Ser Pro Cys Pro His Ala Trp Val Val Val Ala Leu Cys Ser
 115 120 125
 Asn Gly Thr Phe Arg Glu Leu Arg Leu Val Lys Gly Arg Ser Pro Cys
 130 135 140
 Ala Gly Leu Pro Glu Ile Arg Asn Val Asn Gly Val Asp Arg Leu Cys
 145 150 155 160
 Val Leu His Val Glu Glu Ala Met Val Phe Cys Arg Glu Leu Gly Cys
 165 170 175
 Gly Pro Val Leu Gln Ala Pro Arg Arg Asp Val Gly Val Val Arg Lys
 180 185 190
 Tyr Leu Ala Cys Arg Gly Thr Glu Pro Thr Ile Arg Ser Cys Arg Leu
 195 200 205
 Asp Asn Asn Phe Arg Ser Gly Cys Asp Leu Arg Leu Asp Ala Glu Val
 210 215 220
 Val Cys Ser Gly His Thr Glu Ala Arg Leu Val Gly Gly Glu His Pro

225		230		235		240									
Cys	Ala	Gly	Arg	Leu	Glu	Val	Thr	Trp	Gly	Thr	Val	Cys	Asp	Ala	Ala
		245		250		255									
Leu	Asp	Leu	Ala	Thr	Ala	His	Val	Val	Cys	Arg	Glu	Leu	Gln	Cys	Gly
		260		265		270									
Ala	Val	Val	Ser	Thr	Pro	Glu	Gly	Ala	Arg	Phe	Gly	Arg	Gly	Ser	Gly
		275		280		285									
Pro	Val	Trp	Thr	Glu	Ala	Phe	Arg	Cys	Ala	Gly	Asn	Glu	Ser	Leu	Leu
		290		295		300									
Phe	His	Cys	Pro	Arg	Gly	Arg	Gly	Ser	Gln	Cys	Gly	His	Gly	His	Asp
305				310		315									320
Ala	Gly	Leu	Arg	Cys	Ser	Glu	Phe	Arg	Met	Val	Asn	Gly	Ser	Ser	Ser
				325		330									335
Cys	Glu	Gly	Arg	Val	Glu	Phe	Gln	Val	Gln	Gly	Ser	Trp	Ala	Pro	Leu
				340		345									350
Cys	Ala	Thr	His	Trp	Asp	Ile	Ala	Asp	Ala	Thr	Val	Leu	Cys	His	Gln
		355				360									365
Leu	Asn	Cys	Gly	Asn	Ala	Val	Ala	Ala	Pro	Gly	Gly	Gly	His	Phe	Gly
		370				375									380
Asp	Gly	Asp	Ala	Ala	Ile	Trp	Pro	Asp	Ala	Phe	His	Cys	Glu	Gly	Thr
385				390		395									400
Glu	Ser	Tyr	Leu	Trp	Asn	Cys	Pro	Val	Ser	Thr	Leu	Gly	Ala	Pro	Ala
				405		410									415
Cys	Ala	Pro	Gly	Asn	Thr	Ala	Ser	Ala	Val	Cys	Ser	Gly	Leu	Ala	His
				420		425									430
Ala	Leu	Arg	Leu	Arg	Glu	Gly	Gln	Ser	Arg	Cys	Asp	Gly	Arg	Val	Glu
				435		440									445
Val	Ser	Leu	Asp	Gly	Val	Trp	Gly	Arg	Val	Leu	Asp	Asp	Ala	Trp	Asp
				450		455									460
Leu	Arg	Gly	Ala	Gly	Val	Val	Cys	Arg	Gln	Leu	Gly	Cys	Arg	Gly	Ala
465				470		475									480
Gln	Gln	Ala	Tyr	Asp	Ala	Pro	Ala	Pro	Ser	Arg	Gly	Ser	Val	Gln	Val
				485		490									495
Ala	Leu	Ser	Arg	Val	Arg	Cys	Leu	Gly	Thr	Glu	Thr	Arg	Leu	Thr	Gln
				500		505									510
Cys	Asn	Val	Ser	Ala	Thr	Leu	Gln	Glu	Pro	Ala	Gly	Thr	Ser	Arg	Asp
				515		520									525
Ala	Gly	Val	Val	Cys	Ser	Gly	Glu	Val	Gly	Thr	Ala	Ser	Pro	Met	Ala
				530		535									540
Arg	Arg	His	Gly	Ile	Pro	Gly	Ala	Leu	Thr	Leu	Ser	Leu	His	Arg	Glu
545				550		555									560
Pro	Gln	Gly	Ala	Ala	Gly	Arg	Gly	Ala	Gly	Ala	Leu	His	Gly	Gly	Ala

49/57

<210> 44
 <211> 426
 <212> PRT
 <213> Homo sapiens

<400> 44
 Met Ala Gly Leu Gly Phe Trp Gly His Pro Ala Gly Pro Leu Leu Leu
 1 5 10 15
 Leu Leu Leu Leu Val Leu Pro Pro Arg Ala Leu Pro Glu Gly Pro Leu
 20 25 30
 Val Phe Val Ala Leu Val Phe Arg His Gly Asp Arg Ala Pro Leu Ala
 35 40 45
 Ser Tyr Pro Met Asp Pro His Lys Glu Val Ala Ser Thr Leu Trp Pro
 50 55 60
 Arg Gly Leu Gly Gln Leu Thr Thr Glu Gly Val Arg Gln Gln Leu Glu
 65 70 75 80
 Leu Gly Arg Phe Leu Arg Ser Arg Tyr Glu Ala Phe Leu Ser Pro Glu
 85 90 95
 Tyr Arg Arg Glu Glu Val Tyr Ile Arg Ser Thr Asp Phe Asp Arg Thr
 100 105 110
 Leu Glu Ser Ala Gln Ala Asn Leu Ala Gly Leu Phe Pro Glu Ala Ala
 115 120 125
 Pro Gly Ser Pro Glu Ala Arg Trp Arg Pro Ile Pro Val His Thr Val
 130 135 140
 Pro Val Ala Glu Asp Lys Leu Leu Arg Phe Pro Met Arg Ser Cys Pro
 145 150 155 160
 Arg Tyr His Glu Leu Leu Arg Glu Ala Thr Glu Ala Ala Glu Tyr Gln
 165 170 175
 Glu Ala Leu Glu Gly Trp Thr Gly Phe Leu Ser Arg Leu Glu Asn Phe
 180 185 190
 Thr Gly Leu Ser Leu Val Gly Glu Pro Leu Arg Arg Ala Trp Lys Val
 195 200 205
 Leu Asp Thr Leu Met Cys Gln Gln Ala His Gly Leu Pro Leu Pro Ala
 210 215 220
 Trp Ala Ser Pro Asp Val Leu Arg Thr Leu Ala Gln Ile Ser Ala Leu
 225 230 235 240
 Asp Ile Gly Ala His Val Gly Pro Pro Arg Ala Ala Glu Lys Ala Gln
 245 250 255
 Leu Thr Gly Gly Ile Leu Leu Asn Ala Ile Leu Ala Asn Phe Ser Arg
 260 265 270

Val Gln Arg Leu Gly Leu Pro Leu Lys Met Val Met Tyr Ser Ala His
 275 280 285
 Asp Ser Thr Leu Leu Ala Leu Gln Gly Ala Leu Gly Leu Tyr Asp Gly
 290 295 300
 His Thr Pro Pro Tyr Ala Ala Cys Leu Gly Phe Glu Phe Arg Lys His
 305 310 315 320
 Leu Gly Asn Pro Ala Lys Asp Gly Gly Asn Val Thr Val Ser Leu Phe
 325 330 335
 Tyr Arg Asn Asp Ser Ala His Leu Pro Leu Pro Leu Ser Leu Pro Gly
 340 345 350
 Cys Pro Ala Pro Cys Pro Leu Gly Arg Phe Tyr Gln Leu Thr Ala Pro
 355 360 365
 Ala Arg Pro Pro Ala His Gly Val Ser Cys His Gly Pro Tyr Glu Ala
 370 375 380
 Ala Ile Pro Pro Ala Pro Val Val Pro Leu Leu Ala Gly Ala Val Ala
 385 390 395 400
 Val Leu Val Ala Leu Ser Leu Gly Leu Gly Leu Leu Ala Trp Arg Pro
 405 410 415
 Gly Cys Leu Arg Ala Leu Gly Gly Pro Val
 420 425

<210> 45

<211> 475

<212> PRT

<213> Homo sapiens

<400> 45

Met Leu Ala Ala Ser Ile Phe Arg Pro Thr Leu Leu Leu Cys Trp Leu
 1 5 10 15
 Ala Ala Pro Trp Pro Thr Gln Pro Glu Ser Leu Phe His Ser Arg Asp
 20 25 30
 Arg Ser Asp Leu Glu Pro Ser Pro Leu Arg Gln Ala Lys Pro Ile Ala
 35 40 45
 Asp Leu His Ala Ala Gln Arg Phe Leu Ser Arg Tyr Gly Trp Ser Gly
 50 55 60
 Val Trp Ala Ala Trp Gly Pro Ser Pro Glu Gly Pro Pro Glu Thr Pro
 65 70 75 80
 Lys Gly Ala Ala Leu Ala Glu Ala Val Arg Arg Phe Gln Arg Ala Asn
 85 90 95
 Ala Leu Pro Ala Ser Gly Glu Leu Asp Ala Ala Thr Leu Ala Ala Met
 100 105 110
 Asn Arg Pro Arg Cys Gly Val Pro Asp Met Arg Pro Pro Pro Pro Ser

115	120	125
Ala Pro Pro Ser Pro Pro Gly	Pro Pro Pro Arg	Ala Arg Ser Arg Arg
130	135	140
Ser Pro Arg Ala Pro Leu Ser	Leu Ser Arg Arg	Gly Trp Gln Pro Arg
145	150	155
Gly Tyr Pro Asp Gly Gly Ala	Ala Gln Ala Phe Ser	Lys Arg Thr Leu
165	170	175
Ser Trp Arg Leu Leu Gly Glu	Ala Leu Ser Ser	Gln Leu Ser Val Ala
180	185	190
Asp Gln Arg Arg Ile Val Ala	Leu Ala Phe Arg Met	Trp Ser Glu Val
195	200	205
Thr Pro Leu Asp Phe Arg Glu	Asp Leu Ala Ala	Pro Gly Ala Ala Val
210	215	220
Asp Ile Lys Leu Gly Phe Gly	Arg Gly Ser Cys Glu	Gly Ser Phe Asp
225	230	235
Thr Ala Phe Asp Trp Ile Arg	Lys Glu Arg Asn	Gln Tyr Gly Glu Val
245	250	255
Met Val Arg Phe Ser Thr Tyr	Phe Phe Arg Asn	Ser Trp Tyr Trp Leu
260	265	270
Tyr Glu Asn Arg Asn Asn Arg	Thr Arg Tyr Gly	Asp Pro Ile Gln Ile
275	280	285
Leu Thr Gly Trp Pro Gly Ile	Pro Thr His Asn	Ile Asp Ala Phe Val
290	295	300
His Ile Trp Thr Trp Lys Arg	Asp Glu Arg Tyr	Phe Phe Gln Gly Asn
305	310	315
Gln Tyr Trp Arg Tyr Asp Ser	Asp Lys Asp Gln	Ala Leu Thr Glu Asp
325	330	335
Glu Gln Gly Lys Ser Tyr Pro	Lys Leu Ile Ser	Glu Gly Phe Pro Gly
340	345	350
Ile Pro Ser Pro Leu Asp Thr	Ala Phe Tyr Asp	Arg Arg Gln Lys Leu
355	360	365
Ile Tyr Phe Phe Lys Glu Ser	Leu Val Phe Ala	Phe Asp Val Asn Arg
370	375	380
Asn Arg Val Leu Asn Ser Tyr	Pro Lys Arg Ile	Thr Glu Val Phe Pro
385	390	395
Ala Val Ile Pro Gln Asn His	Pro Phe Arg Asn	Ile Asp Ser Ala Tyr
405	410	415
Tyr Ser Tyr Ala Tyr Asn Ser	Ile Phe Phe Phe	Lys Gly Asn Ala Tyr
420	425	430
Trp Lys Val Val Asn Asp Lys	Asp Lys Gln Gln	Asn Ser Trp Leu Pro
435	440	445
Ala Asn Gly Leu Phe Pro Lys	Lys Phe Ile Ser	Glu Lys Trp Phe Asp

450 455 460
 Val Cys Asp Val His Ile Ser Thr Leu Asn Met
 465 470 475

 <210> 46
 <211> 529
 <212> PRT
 <213> Homo sapiens

 <400> 46
 Met Leu Ala Ala Ser Ile Phe Arg Pro Thr Leu Leu Leu Cys Trp Leu
 1 5 10 15
 Ala Ala Pro Trp Pro Thr Gln Pro Glu Ser Leu Phe His Ser Arg Asp
 20 25 30
 Arg Ser Asp Leu Glu Pro Ser Pro Leu Arg Gln Ala Lys Pro Ile Ala
 35 40 45
 Asp Leu His Ala Ala Gln Arg Phe Leu Ser Arg Tyr Gly Trp Ser Gly
 50 55 60
 Val Trp Ala Ala Trp Gly Pro Ser Pro Glu Gly Pro Pro Glu Thr Pro
 65 70 75 80
 Lys Gly Ala Ala Leu Ala Glu Ala Val Arg Arg Phe Gln Arg Ala Asn
 85 90 95
 Ala Leu Pro Ala Ser Gly Glu Leu Asp Ala Ala Thr Leu Ala Ala Met
 100 105 110
 Asn Arg Pro Arg Cys Gly Pro Arg Gly Tyr Pro Asp Gly Gly Ala Ala
 115 120 125
 Gln Ala Phe Ser Lys Arg Thr Leu Ser Trp Arg Leu Leu Gly Glu Ala
 130 135 140
 Leu Ser Ser Gln Leu Ser Val Ala Asp Gln Arg Arg Ile Val Ala Leu
 145 150 155 160
 Ala Phe Arg Met Trp Ser Glu Val Thr Pro Leu Asp Phe Arg Glu Asp
 165 170 175
 Leu Ala Ala Pro Gly Ala Ala Val Asp Ile Lys Leu Gly Phe Gly Arg
 180 185 190
 Gly Arg His Leu Gly Cys Pro Arg Ala Phe Asp Gly Ser Gly Gln Glu
 195 200 205
 Phe Ala His Ala Trp Arg Leu Gly Asp Ile His Phe Asp Asp Asp Glu
 210 215 220
 His Phe Thr Pro Pro Thr Ser Asp Thr Gly Ile Ser Leu Leu Lys Val
 225 230 235 240
 Ala Val His Glu Ile Gly His Val Leu Gly Leu Pro His Thr Tyr Arg
 245 250 255

Thr Gly Ser Ile Met Gln Pro Asn Tyr Ile Pro Gln Glu Pro Ala Phe
 260 265 270
 Glu Leu Asp Trp Ser Asp Arg Lys Ala Ile Gln Lys Leu Tyr Gly Ser
 275 280 285
 Cys Glu Gly Ser Phe Asp Thr Ala Phe Asp Trp Ile Arg Lys Glu Arg
 290 295 300
 Asn Gln Tyr Gly Glu Val Met Val Arg Phe Ser Thr Tyr Phe Phe Arg
 305 310 315 320
 Asn Ser Trp Tyr Trp Leu Tyr Glu Asn Arg Asn Asn Arg Thr Arg Tyr
 325 330 335
 Gly Asp Pro Ile Gln Ile Leu Thr Gly Trp Pro Gly Ile Pro Thr His
 340 345 350
 Asn Ile Asp Ala Phe Val His Ile Trp Thr Trp Lys Arg Asp Glu Arg
 355 360 365
 Tyr Phe Phe Gln Gly Asn Gln Tyr Trp Arg Tyr Asp Ser Asp Lys Asp
 370 375 380
 Gln Ala Leu Thr Glu Asp Glu Gln Gly Lys Ser Tyr Pro Lys Leu Ile
 385 390 395 400
 Ser Glu Gly Phe Pro Gly Ile Pro Ser Pro Leu Asp Thr Ala Phe Tyr
 405 410 415
 Asp Arg Arg Gln Lys Leu Ile Tyr Phe Phe Lys Glu Ser Leu Val Phe
 420 425 430
 Ala Phe Asp Val Asn Arg Asn Arg Val Leu Asn Ser Tyr Pro Lys Arg
 435 440 445
 Ile Thr Glu Val Phe Pro Ala Val Ile Pro Gln Asn His Pro Phe Arg
 450 455 460
 Asn Ile Asp Ser Ala Tyr Tyr Ser Tyr Ala Tyr Asn Ser Ile Phe Phe
 465 470 475 480
 Phe Lys Gly Asn Ala Tyr Trp Lys Val Val Asn Asp Lys Asp Lys Gln
 485 490 495
 Gln Asn Ser Trp Leu Pro Ala Asn Gly Leu Phe Pro Lys Lys Phe Ile
 500 505 510
 Ser Glu Lys Trp Phe Asp Val Cys Asp Val His Ile Ser Thr Leu Asn
 515 520 525
 Met

<210> 47

<211> 402

<212> PRT

<213> Homo sapiens

<400> 47

Met Val Cys Ala Arg Ala Ala Leu Gly Pro Gly Ala Leu Trp Ala Ala
 1 5 10 15
 Ala Trp Gly Val Leu Leu Leu Thr Ala Pro Ala Gly Ala Gln Arg Gly
 20 25 30
 Arg Lys Lys Val Val His Val Leu Glu Gly Glu Ser Gly Ser Val Val
 35 40 45
 Val Gln Thr Ala Pro Gly Gln Val Val Ser His Arg Gly Gly Thr Ile
 50 55 60
 Val Leu Pro Cys Arg Tyr His Tyr Glu Ala Ala Ala His Gly His Asp
 65 70 75 80
 Gly Val Arg Leu Lys Trp Thr Lys Val Val Asp Pro Leu Ala Phe Thr
 85 90 95
 Asp Val Phe Val Ala Leu Gly Pro Gln His Arg Ala Phe Gly Ser Tyr
 100 105 110
 Arg Gly Arg Ala Glu Leu Gln Gly Asp Gly Pro Gly Asp Ala Ser Leu
 115 120 125
 Val Leu Arg Asn Val Thr Leu Gln Asp Tyr Gly Arg Tyr Glu Cys Glu
 130 135 140
 Val Thr Asn Glu Leu Glu Asp Asp Ala Gly Met Val Lys Leu Asp Leu
 145 150 155 160
 Glu Gly Val Val Phe Pro Tyr His Pro Arg Gly Gly Arg Tyr Lys Leu
 165 170 175
 Thr Phe Ala Glu Ala Gln Arg Ala Cys Ala Glu Gln Asp Gly Ile Leu
 180 185 190
 Ala Ser Ala Glu Gln Leu His Ala Ala Trp Arg Asp Gly Leu Asp Trp
 195 200 205
 Cys Asn Ala Gly Trp Leu Arg Asp Gly Ser Val Gln Tyr Pro Val Asn
 210 215 220
 Arg Pro Arg Glu Pro Cys Gly Gly Leu Gly Gly Thr Gly Ser Ala Gly
 225 230 235 240
 Gly Gly Gly Asp Ala Asn Gly Gly Leu Arg Asn Tyr Gly Tyr Arg His
 245 250 255
 Asn Ala Glu Glu Arg Tyr Asp Ala Phe Cys Phe Thr Ser Asn Leu Pro
 260 265 270
 Gly Arg Val Phe Phe Leu Lys Pro Leu Arg Pro Val Pro Phe Ser Gly
 275 280 285
 Ala Ala Arg Ala Cys Ala Ala Arg Gly Ala Ala Val Ala Lys Val Gly
 290 295 300
 Gln Leu Phe Ala Ala Trp Lys Leu Gln Leu Leu Asp Arg Cys Thr Ala
 305 310 315 320
 Gly Trp Leu Ala Asp Gly Ser Ala Arg Tyr Pro Ile Val Asn Pro Arg

```

                325                330                335
Ala Arg Cys Gly Gly Arg Arg Pro Gly Val Arg Ser Leu Gly Phe Pro
                340                345                350
Asp Ala Thr Arg Arg Leu Phe Gly Val Tyr Cys Tyr Arg Ala Pro Gly
                355                360                365
Ala Pro Asp Pro Ala Pro Gly Gly Trp Gly Trp Gly Trp Ala Gly Gly
                370                375                380
Gly Gly Trp Ala Gly Gly Ala Arg Asp Pro Ala Ala Trp Thr Pro Leu
385                390                395                400
His Val

```

```

<210> 48
<211> 441
<212> PRT
<213> Homo sapiens

```

```

<400> 48
Met Leu Pro Ala Arg Cys Ala Arg Leu Leu Thr Pro His Leu Leu Leu
 1                5                10                15
Val Leu Val Gln Leu Ser Pro Ala Arg Gly His Arg Thr Thr Gly Pro
                20                25                30
Arg Phe Leu Ile Ser Asp Arg Asp Pro Gln Cys Asn Leu His Cys Ser
                35                40                45
Arg Thr Gln Pro Lys Pro Ile Cys Ala Ser Asp Gly Arg Ser Tyr Glu
                50                55                60
Ser Met Cys Glu Tyr Gln Arg Ala Lys Cys Arg Asp Pro Thr Leu Gly
65                70                75                80
Val Val His Arg Gly Arg Cys Lys Asp Ala Gly Gln Ser Lys Cys Arg
                85                90                95
Leu Glu Arg Ala Gln Ala Leu Glu Gln Ala Lys Lys Pro Gln Glu Ala
                100                105                110
Val Phe Val Pro Glu Cys Gly Glu Asp Gly Ser Phe Thr Gln Val Gln
                115                120                125
Cys His Thr Tyr Thr Gly Tyr Cys Trp Cys Val Thr Pro Asp Gly Lys
                130                135                140
Pro Ile Ser Gly Ser Ser Val Gln Asn Lys Thr Pro Val Cys Ser Gly
145                150                155                160
Ser Val Thr Asp Lys Pro Leu Ser Gln Gly Asn Ser Gly Arg Lys Asp
                165                170                175
Asp Gly Ser Lys Pro Thr Pro Thr Met Glu Thr Gln Pro Val Phe Asp
                180                185                190

```

Gly Asp Glu Ile Thr Ala Pro Thr Leu Trp Ile Lys His Leu Val Ile
 195 200 205
 Lys Asp Ser Lys Leu Asn Asn Thr Asn Ile Arg Asn Ser Glu Lys Val
 210 215 220
 Tyr Ser Cys Asp Gln Glu Arg Gln Ser Ala Leu Glu Glu Ala Gln Gln
 225 230 235 240
 Asn Pro Arg Glu Gly Ile Val Ile Pro Glu Cys Ala Pro Gly Gly Leu
 245 250 255
 Tyr Lys Pro Val Gln Cys His Gln Ser Thr Gly Tyr Cys Trp Cys Val
 260 265 270
 Leu Val Asp Thr Gly Arg Pro Leu Pro Gly Thr Ser Thr Arg Tyr Val
 275 280 285
 Met Pro Ser Cys Glu Ser Asp Ala Arg Ala Lys Thr Thr Glu Ala Asp
 290 295 300
 Asp Pro Phe Lys Asp Arg Glu Leu Pro Gly Cys Pro Glu Gly Lys Lys
 305 310 315 320
 Met Glu Phe Ile Thr Ser Leu Leu Asp Ala Leu Thr Thr Asp Met Val
 325 330 335
 Gln Ala Ile Asn Ser Ala Ala Pro Thr Gly Gly Gly Arg Phe Ser Glu
 340 345 350
 Pro Asp Pro Ser His Thr Leu Glu Glu Arg Val Val His Trp Tyr Phe
 355 360 365
 Ser Gln Leu Asp Ser Asn Ser Ser Asn Asp Ile Asn Lys Arg Glu Met
 370 375 380
 Lys Pro Phe Lys Arg Tyr Val Lys Lys Lys Ala Lys Pro Lys Lys Cys
 385 390 395 400
 Ala Arg Arg Phe Thr Asp Tyr Cys Asp Leu Asn Lys Asp Lys Val Ile
 405 410 415
 Ser Leu Pro Glu Leu Lys Gly Cys Leu Gly Val Ser Lys Glu Gly Gly
 420 425 430
 Ser Leu Gly Ser Phe Pro Gln Ala Lys
 435 440

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US01/11797

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C12N 5/10, 15/12, 15/63, 15/64; C07K 14/435, 14/47

US CL : Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 530/350; 435/69.1, 471, 71.1, 71.2, 471, 252.3, 254.11, 325, 320 1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 92/05256 A1 (GENETICS INSTITUTE, INC.) 02 April 1992 (02.04.92), see entire document.	1-7

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

02 JULY 2001

Date of mailing of the international search report

06 AUG 2001

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

PREMA MERTZ

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US01/11797

A. CLASSIFICATION OF SUBJECT MATTER:

US CL :

530/350; 485/69.1, 471, 71.1, 71.2, 471, 252.3, 254.11, 325, 320.1