Dec. 28, 1926. 1,612,055

R. RICE

GLOVE

Filed March 25, 1926 2 Sheets-Sheet 1




Fig. 1.




Fig. 3.




Fig. 2.




Fig. 4.

INVENTOR.
Rannel Rice,
Geo. P. Kimmel
ATTORNEY.

Dec. 28, 1926. 1,612,055

R. RICE

GLOVE

Filed March 25, 1926 2 Sheets-Sheet 2

Fig. 5.




Fig. 7.




Fig. 8.




Fig. 6.

INVENTOR.
Rannel Rice,
BY
Geo. P. Kimmel.
ATTORNEY.

Patented Dec. 28, 1926. 1,612,055

UNITED STATES PATENT OFFICE.

RANNEL RICE, OF EAST ST. LOUIS, ILLINOIS.

GLOVE.

Application filed March 25, 1926. Serial No. 97,360.

This invention relates to gloves and has for its object to provide, in a manner as hereinafter set forth, an article of such class having as a part thereof a normally concealed mirror at its back.

A further object of the invention is to provide, in a manner as hereinafter set forth, an article of the class referred to having a normally concealed holder for the wearer's address at the back thereof.

A further object of the invention is to provide, in a manner as hereinafter set forth, an article of the class referred to having at the cuff thereof a normally closed and concealed receptacle for the storage of jewelry and cash.

Further objects of the invention are to provide, in a manner as hereinafter set forth, a glove provided with the attachments referred to which is simple in its construction and arrangement, strong, durable, compact, thoroughly efficient in its use, readily set up and comparatively inexpensive to manufacture.

With the foregoing and other objects in view the invention consists of the novel construction, combination and arrangement of parts as hereinafter more specifically described and illustrated in the accompanying drawings, wherein are shown embodiments of the invention, but it is to be understood that changes, variations and modifications can be resorted to which fall within the scope of the claims hereunto appended.

In the drawings wherein like reference characters denote corresponding parts throughout the several views:—

Figure 1 is an elevation of a glove, in accordance with this invention, looking towards the palm thereof and with the cuff and concealing flap extended.

Figure 2 is a view similar to Figure 1 looking towards the back of the glove and with the concealing flap and cuff extended.

Figure 3 is a section on line 3—3 Figure 1.

Figure 4 is a cross sectional view of the glove with the concealing flap secured in closed position.

Figure 5 is an elevation of a modification of a glove in accordance with this invention looking towards the palm thereof and with the concealing flap and cuff extended.

Figure 6 is a view similar to Figure 5 looking towards the back of the glove and with the concealing flap and cuff extended.

Figure 7 is a cross sectional view through the body of the glove and illustrating the concealing flap secured in closed position.

Figure 8 is a cross sectional view through the cuff of the glove and with the latter connected in closed position.

In both forms of glove as shown, each form comprises a one piece body portion, formed from single ply of material and bent upon itself to provide an outer section, which is the back portion of the glove, and an inner section, which is the palm portion of the glove. The sections of the body portions are connected together at their edges. The outer section indicated generally at 1 is of greater length than the inner section, indicated generally at 2. The said sections are so constructed as to provide, when connected together, the finger stalls 3 and thumb stall 4. The section 1 of each form shown, has projecting from its side edge at a point inwardly with respect to the thumb stall 4 an integral imperforate rectangular extension of substantial width and length to provide a one-ply concealing flap formed throughout of the same material as that of the outer section 1 and imperforate throughout. The flap shown in Figures 1, 2 and 4 is indicated at 5 and the flap shown in Figures 5, 6 and 7 is indicated at 6. The outer section 1, of each of the forms shown, at one side thereof is formed with a rectangular extension of greater length and width than the concealing flap. The rectangular extension is arranged in proximity to the flap 5. The rectangular extension in connection with that part from which it projects provides the cuff of the glove. The rectangular extension shown in Figures 1 and 2 is indicated at 7 and the rectangular extension shown in Figures 5, 6 and 8 is indicated at 8.

Referring to Figures 1 to 4 of the drawings the reference character 9 indicates the cuff portion of the glove and positioned in proximity thereto and secured on the outer face of the section 1, which is the back of the glove, is a frame 10 for connecting a mirror 11 to said section 1. The mirror 11 is positioned with respect to the flap 5 so that when the latter is closed it will conceal the mirror 11. The inner face of the flap 5 has secured thereto a frame 12 which constitutes a holder for connecting to the flap 5 a card 13 provided with the address 14 of the wearer of the glove. The section 1 adjacent to one side of the frame 10 is provided with a snap fastener 14 which coacts with a

snap fastener 15 carried by the flap 5 for the purpose of securing the latter in closed position to conceal the mirror 11 and such position is as indicated in Figure 4 of the drawings. When the flap 5 is in closed position, or rather when the free end of the flap 5 is connected to the inner section 1, the address holder is positioned against the frame 10 of the mirror. See Figure 4. The outer face of the section 1, at the cuff 9 thereof is provided with a set of snap fastener members 16, which coact with a set of snap fasteners 17, carried by the outer end of the extension 7 for the purpose of maintaining the cuff in closed position about the wrist of the wearer.

Referring to Figures 5 to 8 of the drawings the outer face of the section 1 in proximity to the cuff portion 18 of the glove has secured therewith a frame 19 which constitutes a holder for retaining a card 20 provided with the address 21 of the wearer. The frame 19 is arranged on what may be termed the back of the glove. The flap 6 is adapted to conceal the wearer's address and when in concealing position overlaps the frame 19, and is detachably secured in such position by a snap fastener member 22 carried by the section 1, and which coacts with a snap fastener member 23 carried by the outer end of the concealing flap 6. When the flap 6 conceals the address of the wearer of the glove, it is in the position as shown in Figure 7 of the drawings.

Secured to the inner face of the extension 8 and of less length than the length of the latter, but of the same width, is a pocket forming member 24. The inner end and each side of said member 24 is secured to the extension 8 by a row of stitching 25. The member 24 in connection with the extension 8 provides a pocket 26 opening near the outer end of the extension 8.

The mouth of the pocket 26 is closed by bending the extension 8 inwardly upon itself as shown in Figure 8 and further indicated at 27. The cuff 18 of the glove is formed with a set of fastener members 28, in proximity to the inner terminus of the extension 8. The extension 8 at its free end adjacent the mouth of the pocket 26 is provided with a set of fastener members 29 and said extension 8 is furthermore provided adjacent the fastener members 29 with a set of duplex fastener members 30. When the extension is bent upon itself, as indicated at 27, one side of the fastener members 30 coacts with the fastener members 28 for the purpose of closing the cuff and the other side of the fastener members 30 coacts with the fastener members 29 to provide for closing the mouth of the pocket 26.

It is thought the many advantages of a glove, in accordance with this invention can be readily understood, and although the preferred embodiments of the invention are as illustrated and described, yet it is to be understood that changes in the details of construction can be had which will fall within the scope of the invention as claimed.

What I claim is:—

1. A glove comprising a one piece body portion formed of a single ply of material and bent upon itself to form an outer and an inner section opposing each other and secured together at their edges, said outer section having an integral imperforate part thereof forming a one ply extension projecting from the secured edge of said outer section and providing an imperforate one ply concealing flap when the free end of the extension is secured to the outer face of the outer section

2. A glove comprising a body portion bent upon itself to form an outer and an inner section opposing each other and secured together, an extension projecting from one side edge of said outer section in proximity to the inner end edge of said inner section and providing a concealing flap when the free end of said extension is secured to the outer face of said outer section, and a frame providing a wearer's address retaining means secured to said concealing flap on the inner face thereof.

3. A glove comprising a body portion bent upon itself to form an outer and an inner section opposing each other and secured together, an extension projecting from one side edge of said outer section in proximity to the inner end edge of said inner section and providing a concealing flap when the free end of said extension is secured to the outer face of said outer section and a mirror secured to the outer face of said outer section and concealed by said flap when the free end thereof is connected to said outer section.

4. A glove comprising a body portion bent upon itself to form an outer and an inner section opposing each other and secured together, a mirror secured to the outer face of said outer section, a wearer's address holding means, and an extension projecting from one side edge of said outer section and adapted to have its free end secured to the outer face of said outer section, said extension carrying said holding means and concealing the same and said mirror when the flap is detachably connected to the outer face of said outer section.

5. A glove comprising a body portion bent upon itself to form an outer and an inner section opposing each other and secured together, said outer section being of greater length than and projecting from the inner end of said inner section, and an extension projecting from one side of that portion of said outer section which extends inwardly from the inner end of said inner

section and providing in connection with such portion, when the free end of such extension is secured to the outer face of such portion, the cuff of the glove, and means carried by said extension and coacting with means carried by said outer section for detachably connecting the free end of said extension to said outer section.

6. A glove comprising a one-piece body portion bent upon itself to form an outer and an inner section opposing each other and secured together, said outer section being of greater length than and projecting from the inner end of said inner section, said outer section having an inherent part thereof forming a rectangular extension projecting from one side of that portion of the outer section which extends inwardly from the inner end of the inner section and providing in connection with said portion, when the free end of the extension is secured to the outer face of such portion, the cuff of the glove and said extension and portion having coacting means for detachably connecting the free end of said extension to said portion.

In testimony whereof, I affix my signature hereto.

RANNEL RICE.