



US 20090076927A1

(19) **United States**

(12) **Patent Application Publication**
Sridhar et al.

(10) **Pub. No.: US 2009/0076927 A1**
(43) **Pub. Date: Mar. 19, 2009**

(54) **DISTINGUISHING ACCESSORIES FROM PRODUCTS FOR RANKING SEARCH RESULTS**

(22) Filed: **Aug. 27, 2008**

Related U.S. Application Data

(75) Inventors: **Srinath Sridhar**, Pittsburgh, PA (US); **Ashutosh Garg**, Sunnyvale, CA (US); **Kedar Dhamdhere**, Sunnyvale, CA (US); **Varun Kacholia**, Mountain View, CA (US)

(60) Provisional application No. 60/968,302, filed on Aug. 27, 2007.

Publication Classification

(51) **Int. Cl.**
G06Q 30/00 (2006.01)
G06F 17/30 (2006.01)

(52) **U.S. Cl.** **705/26; 707/5; 707/E17.017**


(57) **ABSTRACT**

Offer listings can be classified as accessory offers or product offers using a classification operation performed on a corpus of offers. Data from the classification operation can be used to classify received queries as either product or accessory, and to classify results as products or accessories for purposes of presenting a relevant list of results to a user.

Correspondence Address:
FISH & RICHARDSON P.C.
PO BOX 1022
MINNEAPOLIS, MN 55440-1022 (US)

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

(21) Appl. No.: **12/199,795**






FIG. 1




FIG. 2A

214 →




FIG. 2B

300 ↘




FIG. 3A




FIG. 3B

400 →




FIG. 4

500 →

KEYWORD		PRICE
LAPTOP	0	987.99
LAPTOP	1	53.99

↑
ACCESSORY

502
504

FIG. 5A

506 →

KEYWORD	PRODUCT MEAN	PRODUCT STANDARD DEVIATION	ACCESSORY MEAN	ACCESSORY STANDARD DEVIATION
LAPTOP	1025.68	302.44	32.67	7.92

FIG. 5B

DISTINGUISHING ACCESSORIES FROM PRODUCTS FOR RANKING SEARCH RESULTS

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This Application claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Application Ser. No. 60/968,302, filed on Aug. 27, 2007, the disclosure of which is incorporated herein by reference.

BACKGROUND

[0002] The present disclosure relates to ranking search results for presentation to a computer user.

[0003] Search engines provide users with a list of results identified from a set of candidate data. A query that includes one or more keywords related to information being sought is entered, and the system returns a set of results from which the user can choose. The identification of the results included in the results set can use any number of identification algorithms and criteria.

[0004] Search engines are often used by consumers to perform research regarding products of interest in order to make a purchasing decision. For example, a user may wish to obtain information regarding a product's price, features, or availability. The set of data from which a given system identifies results generally includes listings for products as well as a variety of accessories related to those products. An accessory is an item that is sold separate from a product but is associated with the product (for example, through its function, features, operation, appearance, etc.) such that the accessory might appear in search results for the product.

[0005] A user search for information regarding a given product often returns a set of results that includes both product and accessory listings. The product and accessory results can be intermingled in the order of the results presented to the user. This can prove frustrating. For example, if the user is researching a product to make a purchasing decision, the user is likely to be less interested in results related to a product accessory for a product that the user does not yet own. Unfortunately, in cases where the results set includes intermingled product and accessory result listings, the user may have to visually scan each individual result to determine if the result is of interest. To determine if a given result is related to a product or accessory, the user may have to select the result, by clicking on it for example, to review it more thoroughly.

SUMMARY

[0006] This specification describes technologies relating to distinguishing accessories from products for ranking search results.

[0007] In general, one aspect of the subject matter described in this specification can be embodied in methods that include the actions of receiving a query, identifying a set of ranked results corresponding to the query from a corpus of offer data, classifying the query as a product query or an accessory query, generating a set of modified ranked results based on the classification of the query, generating the set of modified ranked results including, if the query is a product query, for each result in the set of ranked results, determining if the result is an accessory result, and if the result is an accessory result, demoting the rank of the result, and sending

at least a subset of highest ranked results in the modified ranked results in response to the query.

[0008] Particular embodiments of the subject matter described in this specification can be implemented to realize one or more of the following advantages. The invention can provide a set of results more relevant to a user query. If a user query is indicative of a product search, for example, accessory results can be decreased in rank or omitted from the results presented to the user.

[0009] The details of one or more embodiments of the subject matter described in this specification are set forth in the accompanying drawings and the description below. Other features, aspects, and advantages of the subject matter will become apparent from the description, the drawings, and the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] FIG. 1 is a block diagram of an example environment of an example search engine configured to distinguish accessories from products.

[0011] FIG. 2A is a flowchart of an example method for generating distribution data from offer records.

[0012] FIG. 2B is a flowchart of an example method for generating prior probabilities data from offer records.

[0013] FIG. 3A is a flowchart of an example method for processing results returned by a query.

[0014] FIG. 3B is a flowchart of an example method for determining if a query should be processed as a product query.

[0015] FIG. 4 is a flowchart of an example method for processing a result set for a product query.

[0016] FIG. 5A shows two example output records of an intermediate preprocessing step.

[0017] FIG. 5B shows an example price distribution output record.

[0018] Like reference numbers and designations in the various drawings indicate like elements.

DETAILED DESCRIPTION

[0019] FIG. 1 is a block diagram of an example environment 100 of an example search engine 102 configured to distinguish accessories from products. The search engine 102 includes a front end server 104 that interfaces with the network 106. The front end server 104 can be, for example, a web server that communicates with one or more client computers over the Internet. The front end server 104 can, for example, provide hypertext markup language formatted web pages to a web browser of the computer 108. A web browser running on the computer 108 can interpret these web pages for display on the computer 108. The displayed web pages can function as a user interface of the search engine 102.

[0020] The front end server 104 can accept a query from the client computer 108 that includes one or more keywords. The query can be passed on to the query processor 110 for processing. The query processor 110 can identify one or more results corresponding to the query and return the results to the front end server 104 for transmission to the client computer 108. Individual results in a set of results can be ordered according to a ranking score computed by the query processor 110. A result set can be delivered to the client computer 108 as a complete set of results or delivered in segments. For example, the 10 highest ranked results can be delivered first in

one web page that includes a link that can be selected by a user to cause the front end server **104** to deliver the next 10 highest ranked results.

[0021] The offer data store **116** includes offer records corresponding to items offered for sale by one or more merchants. The merchants can, for example, register with the search engine **102** to upload offer records to the offer data store **116**. Alternatively, or in addition, the search engine **102** can retrieve offer records from merchant servers, through, for example, downloading a file including the offer records from merchants, and/or using a network crawling application.

[0022] The search engine **102** can search a corpus of offer data, for example, search the data store **116** to identify one or more query results from the offer records. In some implementations, the search engine can identify query results from both offer records in the data store **116** and an index of documents available on the network **106** that is created and updated by periodically searching the network **106**. In some implementations, a user of the computer **108** can indicate, using the user interface provided by the front end server **104**, that only items for sale should be included in the returned results. In such a case the search engine **102** can return results found in the offer data store **116** without searching the document index.

[0023] Merchants registered with the search engine **102** can upload offer records to the offer data store **116** from one or more merchant servers **118A**, **118B**, . . . **118n**. For example, the merchant servers can upload offer records corresponding to items offered on an online store operated by the merchant. The offer records can include multiple fields such as, for example, a title of the offer, a description of the item for sale, a price at which the item is offered for sale, and/or a category of the offer. The category field can include a category name and/or identifier from a list of categories designated by the search engine provider and provided to merchants. For instance, the list of categories can be provided to registered merchants, and the merchants can be instructed to categorize offer records by selecting one or more categories from the category list.

[0024] An offer processor **120** of the search engine can perform preprocessing operations using offer records from the offer data store **116** to generate distribution data stored in the distribution data store **122** and prior probabilities data stored in the prior probabilities data store **124**. The prior probabilities data in the data store **124** can be used, for example, by the query classifier **112** and/or the result classifier **114**, as described in more detail below, to compare query keywords and keywords from identified results to offer record keywords that have a calculated probability of being associated with an accessory.

[0025] The query processor **110** can use this comparison to distinguish between accessory related results and product related results in the set of search results. The query processor **110**, as further described below, can use offer records from the offer data store **116**, data from the distribution data store **122**, and/or data from the prior probabilities data store **124** to distinguish accessory related results from product related results. In some implementations, the query processor assigns lower ranking scores to accessory results than to product results so that product results appear higher in a ranked list of search results than accessory results.

[0026] FIG. 2A is a flowchart of an example method **200** for generating distribution data from offer records. The offer processor **120** can, for example, perform the method **200** using offer records stored in the offer data store **116** to gen-

erate the distribution data that is stored in the distribution data store **122**. The offer records are classified into either a “product” cluster or an “accessory” cluster (**202**). For example, offer records can be heuristically classified based on information in one or more fields of an offer record.

[0027] In some implementations, only a subset of the offer records is classified as products or accessories. The subset can be selected based on the category field of the offer record. For instance, offer records belonging to categories that are known to include products that often have corresponding accessories can be classified, but not offer records that belong to other categories. Example categories that often have products with corresponding accessories include categories related to computers, video games, and electronics in general.

[0028] In some implementations, the offer processor **120** can heuristically classify a given offer by reading a title field of the offer to determine if the title includes words that are often associated with accessories. In some implementations, the classification can be based on the prior probabilities data in the data store **124**. In some implementations, and/or in situations where no prior probabilities data is available (for example, the offer records are new and no prior probabilities data has yet been generated) the title field can be compared to a blacklist that includes words that are known to often be associated with accessories such as, e.g., “accessory”, “case”, “cartridge”, etc.

[0029] In some implementations, the offer processor **120** can also read the category field of the offer record to determine if the offer is a product or an accessory. If the corresponding category is, for example, specifically a category for accessories, the offer can be classified as an accessory. In some implementations, the output of the offer processor **120**, upon the offer processor **120** completing a heuristic classification step, can be a classification output in a format including one line for each offer title word (for example, see the format shown in FIG. 5A). Offer title words can include, for example, significant words that are included in the title field of the offer records in the offer data store **116** omitting short words and stemming prefixes and/or suffixes from root words. A given offer record can include more than one title word in its title field such that multiple lines of the classification output format can correspond to a single offer record. The classification output format can also include the price of the offer record associated with the offer title word and an indication as to the heuristic classification (as product or accessory) of the offer record. For example, the classification indication can be a logical yes or no as to whether the offer record was classified as an accessory.

[0030] Following the heuristic classification, a price distribution of the offers placed in the products cluster and the offers placed in the accessories cluster is computed (**204**). Price distribution data can be stored in the distribution data store **122**. The price distribution can be computed using, for example, the output of the classification step. For each unique title word in each cluster of the classification output, central tendency pricing data, such as a mean and standard deviation of the prices for that title word, can be computed. For example, the mean value and a standard deviation of the value in the price field for lines in the classification output that have a title word of “laptop” and a classification of “product” are computed. The mean and standard deviation of prices for lines having the title word “laptop” that are classified as “accessory” are also computed. In some implementations, the format of the generated price distribution data is a title word

followed by the mean and standard deviation of prices of the product cluster, and the mean and standard deviation of prices of the accessory cluster (for example see the format shown in FIG. 5B).

[0031] Title word listings extracted from the offer records are then reclassified based on the likelihood that the corresponding offer is a product offer or an accessory offer according to the price distribution data (206). The likelihood calculation can assume equal prior probabilities and a single Gaussian distribution for each corresponding accessory and product offer. For example, a title keyword “laptop” extracted from an offer record having a price of “53.99” can be compared to the price distribution data 506 shown in FIG. 5B for offers including the keyword “laptop”. The offer from which the keyword in row 504 corresponds can be classified as an accessory since, given the price distribution 506, it is more likely that the corresponding offer is for an accessory than a product.

[0032] Depending on iteration criteria, a check is performed to determine if the classification process is complete (208). The iteration criteria can be, for example, a number of title word listings that were reclassified based on the likelihood calculation. For instance, if this number is above a certain threshold, the process can return to 204 to recompute the price distributions using the reclassified clusters. Otherwise the process ends (210).

[0033] Distributions other than a price distribution can also be used to classify offers. For example, offers can be classified according to title unigram distribution and title word pairs distribution.

[0034] FIG. 2B is a flowchart of an example method for generating prior probabilities data from offer records. An offer keyword is read along with its corresponding classifications (216). For instance, the output of the classification process can be read (for example, see the format shown in FIG. 5A). For a given keyword (e.g. “cartridge”) the number of times the keyword is found to be associated with an accessory and the number of times the keyword is found to be associated with a product can be counted and used to compute a probability that the keyword is associated with an accessory (218). The computed probability can be stored with the keyword in the prior probabilities data (220). Prior probabilities data in the datastore 124 can be used, for example, by the query classifier 112 to classify a query as described below.

[0035] FIG. 3A is a flowchart of an example method 300 for processing results returned by a query. A query is received (302). A determination is made as to whether the query is related to a product (304). If the query is found to not be related to a product, results of the query are processed as if the query is for an accessory (306). If the query is found to be related to a product, the results of the query are processed as if the query is for a product (308).

[0036] In some implementations, the method 300 is performed by the query classifier 112 of the query processor 110. The determination as to whether a given query relates to a product can include, for example, comparing query keywords to words in the prior probabilities data in the datastore 124. In some implementations, the prior probabilities data includes a blacklist that includes words that have been found to have a high probability of being associated with accessories. Such a blacklist could include, for example, words such as “accessory”, “case”, and “cartridge”.

[0037] The determination can also include retrieving a set of results for the query and checking the category field of any

offer record corresponding to a given result. If a threshold number of results in the results set correspond to offer records that belong to product related categories, the query can be determined to be a product query. In some implementations, the query classifier 112 can accept an input parameter that identifies a file that includes a list of product related categories.

[0038] The determination can also include checking a classification of offer records corresponding to results in the result set to determine if a large number of the offer records are classified as accessories. For example, if more than a threshold number of offer records corresponding to the results in the result set are classified as accessories, then the query can be determined to be an accessory query (and not a product query).

[0039] FIG. 3B is a flowchart of an example method 310 for determining if a query should be processed as a product query. In some implementations the method 310 is performed by the query classifier 112 of the query processor 110. The query keywords of a received query are analyzed to determine if they are indicative of an accessory query. For example, the query keywords can be compared to the prior probabilities data (312). If a probability calculation based on one or more query keywords and the prior probabilities data indicates that the query is an accessory query, a result set of the query is processed as if the query is for an accessory (314).

[0040] If the query is not found to be an accessory query, the number of results belonging to a product related category is compared to a threshold number (316). In some implementations, the query classifier 112 can accept an input parameter that identifies a file that includes a list of product related categories. The query classifier can also accept the threshold number as an input. For example, the threshold number and product related categories file can be given as command line inputs to a query classifier 112 executable file. If the threshold number of results belonging to product related categories is found, a result set of the query is processed as if the query is for a product (318). For example, if a set of results includes 200 results, the threshold number used can be 10. In this case, if there are 10 or more product related results in the set of 200 results, the query is classified as a product query.

[0041] If the threshold number of results belonging to product related categories is not met, the number of results in the result set that are classified as accessory offers is compared to a second threshold number (320). This threshold number can be provided as a command line input parameter as well. If the threshold number of results classified as accessories is met, the result set is processed as if the query is for an accessory (314). If the threshold number of results classified as accessories is not met, the result set is processed as if the query is for a product (314). For example, if a set of results includes 200 results, 195 can be used as the second threshold number. In this case, if 195 of the 200 results are accessory related results, the query is classified as an accessory query.

[0042] In some implementations, a result set processed as if the query is for an accessory is processed normally without any modification to a ranking of the results in the results set based on the offers’ classification as a product or accessory.

[0043] FIG. 4 is a flowchart of an example method 400 for processing a result set for a product query. In some implementations, the method 400 is performed by the result classifier 114 of the query processor 110. An offer result in the query results set is read (402). Words found in the offer result are compared to the prior probabilities data stored, for

example, in the prior probabilities data store 124. If a comparison of the prior probabilities data and the keywords included in the offer indicates that the offer result is an accessory, the offer result is demoted (408). In some implementations, the prior probabilities data includes a blacklist that includes words known to be associated with accessories. If an offer result includes a blacklisted word (for example, in its title, and/or in its description) the offer result is demoted.

[0044] If comparison of the prior probabilities data with the offer result does not indicate that the offer result is an accessory offer, the likelihood that the offer result is an accessory based on the corresponding price of the offer result and the distribution data is computed (404). In some implementations, computing the likelihood that the offer result is an accessory includes computing a likelihood ratio of products and accessories according to the following:

$$P_{TOTAL} = \frac{\log(Pr[\text{price}|\text{keyword}_1, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_1, \text{product}]) + \log(Pr[\text{price}|\text{keyword}_2, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_2, \text{product}]) \dots \log(Pr[\text{price}|\text{keyword}_n, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_n, \text{product}])}{\log(Pr[\text{price}|\text{keyword}_1, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_1, \text{product}]) + \log(Pr[\text{price}|\text{keyword}_2, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_2, \text{product}]) \dots \log(Pr[\text{price}|\text{keyword}_n, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_n, \text{product}])}$$

Where the query includes the keywords:

keyword₁ keyword₂ . . . keyword_n,

and

Pr[price|keyword_n,product]

is the probability that a given offer result is a product offer based on the offer result's price and the product mean and product standard deviation of the nth keyword in the query, and

Pr[price|keyword_n,accessory]

is the probability that a given offer result is an accessory offer based on the offer result's price and the accessory mean and accessory standard deviation of the nth keyword in the query.

[0045] If the computed value of P_{TOTAL} is greater than a threshold value (1 for example), the offer result is classified as an accessory, and otherwise it is classified as a product. The probabilities Pr[price|keyword_n, product] can be computed by assuming a Gaussian distribution using the parameters from the distribution data stored, for example in the data store 122 (i.e. the output of the process 200 described with respect to FIG. 2).

[0046] If the offer result is not found to be an accessory, the offer result is not demoted, and the next offer result in the result set is read (402). If the offer result is found to be an accessory, the offer result is demoted (408). In some implementations, the results in the result set include an initial ranking. If the offer result is found to be an accessory, the offer result is demoted by decreasing this initial ranking. Demotion of accessory results lowers the ranking of these results to move them down the ranked list of the results set. Product results are not demoted so that product results appear earlier in the ranked list than accessory results.

[0047] Although the above disclosure describes demoting accessory results of a query classified as a product query to move these results lower in a list of ranked results, product results can, alternatively, be promoted to move product results higher in a list of ranked results. For example, an initial rank of product results for a product query can be increased in rank by a constant amount to move these results toward the top of a list of ranked results.

[0048] In some implementations, if a query is determined to be an accessory query, rather than a product query as described above, by the query classifier 112, the result classifier 114 of the query processor 110 can demote any results determined to be product results or, alternatively, promote accessory results.

[0049] FIG. 5A shows example output records 500 of an intermediate preprocessing step. The records include a keyword field, a Boolean field that indicates whether the corresponding offer is classified as an accessory or not, and a price field. Example record 502 is classified as a product, and example record 504 is classified as an accessory. These records can be output, for example, by the heuristic classification and/or the reclassification operations of the method 200.

[0050] FIG. 5B shows an example price distribution output record 506. The example record 506 includes a keyword field followed by four floating point numbers. These numbers correspond to, in order: the mean price of offer records classified as products that include the indicated keyword in their titles, the standard deviation of offer records classified as products that include the indicated keyword in their titles, the mean price of offer records classified as accessories that include the indicated keyword in their titles, and the standard deviation of offer records classified as accessories that include the indicated keyword in their titles.

[0051] Embodiments of the subject matter and the functional operations described in this specification can be implemented in digital electronic circuitry, or in computer software, firmware, or hardware, including the structures disclosed in this specification and their structural equivalents, or in combinations of one or more of them. Embodiments of the subject matter described in this specification can be implemented as one or more computer program products, i.e., one or more modules of computer program instructions encoded on a tangible program carrier for execution by, or to control the operation of, data processing apparatus. The tangible program carrier can be a propagated signal or a computer-readable medium. The propagated signal is an artificially generated signal, e.g., a machine-generated electrical, optical, or electromagnetic signal, that is generated to encode information for transmission to suitable receiver apparatus for execution by a computer. The computer-readable medium can be a machine-readable storage device, a machine-readable storage substrate, a memory device, a composition of matter effecting a machine-readable propagated signal, or a combination of one or more of them.

[0052] The term "data processing apparatus" encompasses all apparatus, devices, and machines for processing data, including by way of example a programmable processor, a computer, or multiple processors or computers. The apparatus can include, in addition to hardware, code that creates an execution environment for the computer program in question, e.g., code that constitutes processor firmware, a protocol stack, a database management system, an operating system, or a combination of one or more of them.

[0053] A computer program (also known as a program, software, software application, script, or code) can be written in any form of programming language, including compiled or interpreted languages, or declarative or procedural languages, and it can be deployed in any form, including as a stand-alone program or as a module, component, subroutine, or other unit suitable for use in a computing environment. A computer program does not necessarily correspond to a file in

a file system. A program can be stored in a portion of a file that holds other programs or data (e.g., one or more scripts stored in a markup language document), in a single file dedicated to the program in question, or in multiple coordinated files (e.g., files that store one or more modules, sub-programs, or portions of code). A computer program can be deployed to be executed on one computer or on multiple computers that are located at one site or distributed across multiple sites and interconnected by a communication network.

[0054] The processes and logic flows described in this specification can be performed by one or more programmable processors executing one or more computer programs to perform functions by operating on input data and generating output. The processes and logic flows can also be performed by, and apparatus can also be implemented as, special purpose logic circuitry, e.g., an FPGA (field programmable gate array) or an ASIC (application-specific integrated circuit).

[0055] Processors suitable for the execution of a computer program include, by way of example, both general and special purpose microprocessors, and any one or more processors of any kind of digital computer. Generally, a processor will receive instructions and data from a read-only memory or a random access memory or both. The essential elements of a computer are a processor for performing instructions and one or more memory devices for storing instructions and data. Generally, a computer will also include, or be operatively coupled to receive data from or transfer data to, or both, one or more mass storage devices for storing data, e.g., magnetic, magneto-optical disks, or optical disks. However, a computer need not have such devices.

[0056] Computer-readable media suitable for storing computer program instructions and data include all forms of non-volatile memory, media and memory devices, including by way of example semiconductor memory devices, e.g., EPROM, EEPROM, and flash memory devices; magnetic disks, e.g., internal hard disks or removable disks; magneto-optical disks; and CD-ROM and DVD-ROM disks. The processor and the memory can be supplemented by, or incorporated in, special purpose logic circuitry.

[0057] To provide for interaction with a user, embodiments of the subject matter described in this specification can be implemented on a computer having a display device, e.g., a CRT (cathode ray tube) or LCD (liquid crystal display) monitor, for displaying information to the user and a keyboard and a pointing device, e.g., a mouse or a trackball, by which the user can provide input to the computer. Other kinds of devices can be used to provide for interaction with a user as well; for example, feedback provided to the user can be any form of sensory feedback, e.g., visual feedback, auditory feedback, or tactile feedback; and input from the user can be received in any form, including acoustic, speech, or tactile input.

[0058] While this specification contains many specific implementation details, these should not be construed as limitations on the scope of any invention or of what may be claimed, but rather as descriptions of features that may be specific to particular embodiments of particular inventions. Certain features that are described in this specification in the context of separate embodiments can also be implemented in combination in a single embodiment. Conversely, various features that are described in the context of a single embodiment can also be implemented in multiple embodiments separately or in any suitable subcombination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more fea-

tures from a claimed combination can in some cases be excised from the combination, and the claimed combination may be directed to a subcombination or variation of a subcombination.

[0059] Similarly, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be advantageous. Moreover, the separation of various system components in the embodiments described above should not be understood as requiring such separation in all embodiments, and it should be understood that the described program components and systems can generally be integrated together in a single software product or packaged into multiple software products.

[0060] Particular embodiments of the subject matter described in this specification have been described. Other embodiments are within the scope of the following claims. For example, the actions recited in the claims can be performed in a different order and still achieve desirable results. As one example, the processes depicted in the accompanying figures do not necessarily require the particular order shown, or sequential order, to achieve desirable results. In certain implementations, multitasking and parallel processing may be advantageous.

What is claimed is:

1. A computer implemented method comprising:
 - receiving a query from a client device;
 - identifying a set of ranked results corresponding to the query from a corpus of offer data;
 - classifying the query as a product query or an accessory query;
 - if the query is classified as a product query:
 - for each result in the set of ranked results, determining if the result is an accessory result;
 - if the result is an accessory result, demoting the rank of the result in a set of modified ranked results; and
 - sending to the client device at least a subset of highest ranked results in the modified ranked results in response to the query.
2. The method of claim 1, wherein determining if a result is an accessory result comprises:
 - comparing keywords of the result to an accessory blacklist; and
 - classifying the result as an accessory result if keywords of the result are found in the accessory blacklist.
3. The method of claim 1, wherein:
 - determining if a result is an accessory result comprises determining likelihood score based on query keywords and keyword price distribution data determined from the corpus of offer data.
4. The method of claim 3, wherein the likelihood score is a log likelihood ratio score of product prices and accessory prices.
5. The method of claim 4, wherein the likelihood ratio score is determined according to:

$$P_{TOTAL} = \log(P_r[\text{price}|\text{keyword}_1, \text{accessory}]) - \log(P_r[\text{price}|\text{keyword}_1, \text{product}]) + \log(P_r[\text{price}|\text{keyword}_2, \text{accessory}]) - \log(P_r[\text{price}|\text{keyword}_2, \text{product}]) \dots \log(P_r[\text{price}|\text{keyword}_n, \text{accessory}]) - \log(P_r[\text{price}|\text{keyword}_n, \text{product}]),$$

wherein:

keyword₁, keyword₂, through keyword_n, are the query keywords;

Pr [price|keyword_n, product] is a probability that a given result is a product result based on a result price and a product price mean and product price standard deviation of an nth keyword in the query;

Pr [price|keyword_n, accessory] is a probability that a given result is an accessory result based on the result price and an accessory price mean and an accessory price standard deviation of the nth keyword in the query; and

the result is determined to be an accessory result if P_{TOTAL} is greater than a threshold score.

6. The method of claim 3, further comprising:

determining the keyword price distribution data from the corpus of offer data.

7. The method of claim 6, wherein determining the keyword price distribution data from the corpus of offer data comprises:

classifying offers in the corpus of offer data as product offers and accessory offers;

determining a product price mean and a product price standard deviation for offer keywords of product offers; and

determining an accessory price mean and an accessory price standard deviation for offer keywords of accessory offers.

8. The method of claim 6, wherein determining the keyword price distribution data from the corpus of offer data comprises:

heuristically classifying offers in the corpus of offer data as product offers and accessory offers;

determining price distributions for offer keywords corresponding to offers classified as accessory offers;

determining price distributions for offer keywords corresponding to offers classified as product offers; and

reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

9. The method of claim 8, wherein determining the keyword price distribution data from the corpus of offer data further comprises:

until a number of reclassified offers is below a threshold number:

determining price distributions for offer keywords corresponding to offers classified as accessory offers;

determining price distributions for offer keywords corresponding to offers classified as product offers; and

reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

10. The method of claim 8, wherein the price distributions are Gaussian distributions.

11. The method of claim 1, wherein classifying the query as a product query or an accessory query comprises:

comparing query keywords to an accessory blacklist;

classifying the query as an accessory query if query keywords are found in the accessory blacklist.

12. The method of claim 1, wherein classifying the query as a product query or an accessory query comprises:

if a threshold number of results are classified as accessory offers according to a classification operation, classifying the query as an accessory query.

13. The method of claim 12, wherein the previous classification operation comprises:

heuristically classifying offers in the corpus of offer data as product offers and accessory offers;

determining price distributions for offer keywords corresponding to offers classified as accessory offers;

determining price distributions for offer keywords corresponding to offers classified as product offers; and

reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

14. A system comprising:

one or more processing devices; and

software stored on a computer readable medium comprising instructions executable by the one or more processing devices and upon such execution cause the one or more processing devices to perform operations comprising:

receive a query;

identify a set of ranked results corresponding to the query from a corpus of offer data;

classify the query as a product query or an accessory query;

if the query is classified as a product query:

for each result in the set of ranked results, determining if the result is an accessory result; and

if the result is an accessory result, demoting the rank of the result in a set of modified ranked results, and

the front end processor further operable to send at least a subset of highest ranked results in the modified ranked results to the client device in response to the query.

15. The system of claim 14, wherein determining if a result is an accessory result comprises:

comparing keywords of the result to an accessory blacklist; and

classifying the result as an accessory result if keywords of the result are found in the accessory blacklist.

16. The method of claim 14, wherein:

determining if a result is an accessory result comprises determining a likelihood score based on query keywords and keyword price distribution data determined from the corpus of offer data.

17. The method of claim 16, wherein the likelihood score is a log likelihood ratio score of products prices and accessory prices.

18. The method of claim 17, wherein the likelihood ratio score is determined according to:

$$P_{TOTAL} = \log(Pr[\text{price}|\text{keyword}_1, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_1, \text{product}]) + \log(Pr[\text{price}|\text{keyword}_2, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_2, \text{product}]) \dots \log(Pr[\text{price}|\text{keyword}_n, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_n, \text{product}]),$$

wherein:

keyword₁, keyword₂, through keyword_n are the query keywords;

Pr [price|keyword_n, product] is a probability that a given result is a product result based on a result price and a

product price mean and a product price standard deviation of an n^{th} keyword in the query;

Pr [price|keyword_n, accessory] is a probability that a given result is an accessory result based on the result price and an accessory price mean and an accessory price standard deviation of the n^{th} keyword in the query; and

the result is determined to be an accessory result if P_{TOTAL} is greater than a threshold score.

19. The system of claim 18, further comprising an offer processor operable to determine the keyword price distribution data from the corpus of offer data.

20. The system of claim 19, wherein determining the keyword price distribution data from the corpus of offer data comprises:

- classifying offers in the corpus of offer data as product offers and accessory offers;
- determining a product price mean and a product price standard deviation for offer keywords of product offers; and
- determining an accessory price mean and an accessory price standard deviation for offer keywords of accessory offers.

21. The system of claim 19, wherein determining the keyword price distribution data from the corpus of offer data comprises:

- heuristically classifying offers in the corpus of offer data as product offers and accessory offers;
- determining price distributions for offer keywords corresponding to offers classified as accessory offers;
- determining price distributions for offer keywords corresponding to offers classified as product offers; and
- reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

22. The system of claim 21, wherein determining the keyword price distribution data from the corpus of offer data further comprises:

- until a number of reclassified offers are below a threshold number:
 - determining price distributions for offer keywords corresponding to offers classified as accessory offers;
 - determining price distributions for offer keywords corresponding to offers classified as product offers; and
 - reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

23. The system of claim 21, wherein the price distributions are Gaussian distributions.

24. The system of claim 14, wherein classifying the query as a product query or an accessory query comprises:

- comparing query keywords to an accessory blacklist;
- classifying the query as an accessory query if query keywords are found in the accessory blacklist.

25. The system of claim 14, wherein classifying the query as a product query or an accessory query comprises:

- if a threshold number of results are classified as accessory offers according to a classification operation, classifying the query as an accessory query.

26. The system of claim 25, further comprising an offer processor operable to perform the classification operation, the previous classification operation comprising:

- heuristically classifying offers in the corpus of offer data as product offers and accessory offers;
- determining price distributions for offer keywords corresponding to offers classified as accessory offers;
- determining price distributions for offer keywords corresponding to offers classified as product offers;
- reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

27. A computer implemented method comprising:

- receiving a query from a client device;
- classifying the query as a product query or an accessory query;
- if the query is classified as a product query:
 - identifying a set of ranked results corresponding to the product query from a corpus of offer data, where a rank of a result is selectively modified based on whether the result is classified as a product result or an accessory result, such classification being based at least in part on price distribution of the offer data.

28. The method of claim 27, wherein selectively modifying a rank of a result based on whether the result is classified as a product result of an accessory result comprises demoting a rank of a result classified as an accessory.

29. The method of claim 27, wherein selectively modifying a rank of a result based on whether the result is classified as a product result of an accessory result comprises promoting a rank of a result classified as a product.

30. The method of claim 27, wherein:

- a result is classified as a product result or an accessory result according to a likelihood score based on query keywords and keyword price distribution data determined from the corpus of offer data.

31. The method of claim 30, wherein the likelihood score is a log likelihood ratio score of product prices and accessory prices.

32. The method of claim 31, wherein the likelihood ratio score is determined according to:

$$P_{TOTAL} = \log(Pr[\text{price}|\text{keyword}_1, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_1, \text{product}]) + \log(Pr[\text{price}|\text{keyword}_2, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_2, \text{product}]) \dots \log(Pr[\text{price}|\text{keyword}_n, \text{accessory}]) - \log(Pr[\text{price}|\text{keyword}_n, \text{product}]),$$

wherein:

- keyword₁, keyword₂, through keyword_n, are the query keywords;
- Pr [price|keyword_n, product] is a probability that a given result is a product result based on a result price and a product price mean and product price standard deviation of an n^{th} keyword in the query;
- Pr [price|keyword_n, accessory] is a probability that a given result is an accessory result based on the result price and an accessory price mean and an accessory price standard deviation of the n^{th} keyword in the query; and

the result is determined to be an accessory result if P_{TOTAL} is greater than a threshold score.

33. A computer implemented method comprising:

- classifying offers from a corpus of offer data into a cluster of product offers and a cluster of accessory offers;
- computing a price distribution of the cluster of product offers;
- computing a price distribution of the cluster of accessory offers;

classifying title word listings associated with the offers based on a likelihood that the offer belongs to a cluster according to the price distributions.

34. The method of claim **33**, wherein classifying offers from a corpus of offer data into a cluster of product offers and a cluster of accessory offers comprises:

heuristically classifying offers in the corpus of offer data as product offers and accessory offers;
determining price distributions for offer keywords corresponding to offers classified as accessory offers;
determining price distributions for offer keywords corresponding to offers classified as product offers; and
reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

35. The method of claim **34**, wherein classifying offers from a corpus of offer data into a cluster of product offers and a cluster of accessory offers further comprises:

until a number of reclassified offers is below a threshold number:

determining price distributions for offer keywords corresponding to offers classified as accessory offers;
determining price distributions for offer keywords corresponding to offers classified as product offers; and
reclassifying the offers based on a determined likelihood that a given offer is a product offer or an accessory offer according to the price of the offer and the determined price distributions.

* * * * *