

(19)



NL Octrooi Centrum

(11)

2007902**(12) C OCTROOI**

(21)

Aanvraagnummer: **2007902**

(51)

Int.Cl.:

H04N 21/431 (2011.01)
(2011.01)**H04N 21/2343**

(22)

Aanvraag ingediend: **30.11.2011****H04N 21/2743** (2011.01)

(30)

Voorrang:
14.01.2011 US 13/006811

(73)

Octrooihouder(s):
**Google Inc. te MOUNTAIN VIEW, California,
Verenigde Staten van Amerika (US).**

(43)

Aanvraag gepubliceerd:
-

(72)

Uitvinder(s):
**Dmitry Broyde
te Mountain View, California (US).
Slave Jovanovski
te Mountain View, California (US).
Vijnan Shastri
te Mountain View, California (US).
Stanley Wang
te Mountain View, California (US).**

(47)

Octrooi verleend:
17.07.2012

(45)

Octrooischrift uitgegeven:
25.07.2012

(74)

Gemachtigde:
mr. ir. J. van Breda c.s. te Amsterdam.

(54)

Video Processing Feedback.

(57)

A system for providing video processing feedback to content providers uploading a video file. As the content provider uploads a video file to the video processing server, the server processes the uploading file and extracts representative video frames from the video file. The video processing server embeds the representative frames into a processing feedback page hosted on a web server in the video processing server. Each representative frame in the feedback page represents a part of the uploading video. The feedback page is accessible through the content provider's browser and the feedback page includes a sequence of representative frames in temporal order. In one embodiment, the representative frames in the feedback page are colored or shaded to indicate whether the video part represented by a particular frame has been processed.

NL C 2007902

Dit octrooi is verleend ongeacht het bijgevoegde resultaat van het onderzoek naar de stand van de techniek en schriftelijke opinie. Het octrooischrift komt overeen met de oorspronkelijk ingediende stukken.

Video Processing Feedback

BACKGROUND

Field of Invention

[0001] The embodiments of the invention generally relates to the field of processing online content, in particular to providing video processing feedback.

Description of the Related Art

[0002] Most online users are familiar with online video-hosting services where individuals and content publishers can upload videos for viewing by others. Typically, these services provide online tools for a user to upload videos. The user selects a video from a local storage, and initiates the upload process. The video-hosting service then determines the format of the received audio and video in the received content and decodes the received content. Because the video-hosting service receives content in numerous formats, determining the format of the video and audio in the received content, and decoding the received content using the correct decoder is an essential part of the video-hosting service. The user is typically given very little information about the status of this video processing, and the user at best is presented with a generic "progress bar" that shows uploading of the video as an arbitrary percentage of the video that has been processed. For example, a progress bar showing that 78% of the video has been uploaded does not provide the user with adequate information as to the progress of processing the video and whether the video was decoded successfully or not.

[0003] Moreover, the generic progress bar can be misleading at times because the user and the service have different definitions of progress. For example, the service may process the uploaded video into an undesired format such that the quality of the processed video is unacceptable. Accordingly, the user may see the progress bar indicating that the uploaded video has been successfully processed when the processed video undesirably comprises blocky or black frames. In such cases, the user is misled into believing that the video has been successfully uploaded and processed.

SUMMARY

[0004] A video processing server provides feedback to content providers uploading a video file which includes displaying a sequence of frames that have been processed. As the content provider uploads a video file to the video processing server, the server processes the uploading file and extracts representative video frames from the video file. The video processing server places the representative frames into a processing feedback page hosted on a web server in the video processing server. Each representative frame in the feedback page represents a part of the uploading video. The feedback page is accessible through the content provider's browser and the feedback page includes the sequence of representative frames in temporal order. In one embodiment, the representative frames in the feedback page are colored or shaded to indicate whether the video part represented by a particular frame has been processed.

[0005] The features and advantages described in the specification are not all inclusive and, in particular, many additional features and advantages will be apparent to one of ordinary skill in the art in view of the drawings, specification, and claims. Moreover, it should be noted that the language used in the specification has been principally selected for readability and instructional purposes, and may not have been selected to delineate or circumscribe the disclosed subject matter.

BRIEF DESCRIPTION OF DRAWINGS

[0006] Fig. 1 is a block diagram illustrating a computing environment for providing video processing feedback according to one embodiment.

[0007] Fig. 2 is a block diagram illustrating a video upload hosting service according to one embodiment.

[0008] Fig. 3 is a block diagram illustrating a thumbnail module according to one embodiment.

[0009] Fig. 4 is a trace diagram illustrating a method for providing video processing feedback according to one embodiment.

[0010] Fig. 5 is a screenshot illustrating a web page that provides video processing feedback according to one embodiment.

5

DETAILED DESCRIPTION

[0011] The computing environment described herein provides video processing feedback to a user. The figures and the following description describe certain embodiments by way of illustration only. One skilled in the art will readily recognize from the following description that alternative embodiments of the structures and methods illustrated herein may be employed without departing from the principles described herein. Reference will now be made in detail to several embodiments, examples of which are illustrated in the accompanying figures. It is noted that wherever practicable similar or like reference numbers may be used in the figures and may indicate similar or like functionality.

SYSTEM ENVIRONMENT

[0012] Referring to Fig. 1, a computing environment 100 for providing video processing feedback comprises a content provider client 104, an end user client 106, a video upload hosting server 102 and a network 110. One of ordinary skill in the art will understand that additional video upload hosting servers 102 may also be present in the computing environment 100 and the figure depicts only one server 102 for illustration purposes. Similarly, additional clients 104-106 may also be present in the computing environment 100. The browser can, for example, view a web page that contains a video to be watched or a web page that has an embedded video, where the video is downloaded from the video upload hosting server 102.

[0013] The end user client 104 and the content provider client 106 are computing devices with a processor and a memory capable of running applications like browser 108. Examples of clients 104-106 include a desktop, a laptop and a handheld computing device. The browser 108 is an application that runs on clients 104-106, and the browser 108 retrieves and presents online data available on various entities like the video upload hosting server 102.

[0014] The video upload hosting server 102 stores and processes video files for later transmission to an end user client 106. The video upload hosting server 102 receives video files from content providers through their client 104, processes the received file into an appropriate format and stores the processed file. In one embodiment, the video upload hosting server 102 later transmits the stored file for display to the content provider's client 104 as part of the feedback for video processing. The video upload hosting server 102 is further described in context of Fig. 2.

[0015] The network 110 represents the communication pathways between the content provider client 104, the end user client 106, and the video upload hosting server 102. In one embodiment, the network 110 is the Internet. The network 110 can also use dedicated or private communications links that are not necessarily part of the Internet.

OVERVIEW

[0016] A content provider launches a browser 108a on client 104 and accesses an upload web page on the video upload hosting server 102 to upload a video file. As the video file is being uploaded, the video upload hosting server 102 processes the video and provides feedback regarding the processing including a sequence of representative frames that have been processed. The feedback is available on the same web page used to upload the video or another web page linked or directed from the upload web page.

[0017] Fig. 5 illustrates an example of a web page providing such video processing feedback. The web page displays the title 502 of the video and provides the video processing feedback. The feedback beneficially includes sequential frames 504a-f from the video representing various parts of the video that have been processed by the server 102. Additionally, in one embodiment, the sequential frames 504a-e also include a temporal indicator 506a-e identifying the temporal position (e.g. time code) of the frame in the video. Moreover, in one embodiment, the feedback also includes the frames that have already been processed and the frames that will be processed in the near future. As illustrated in Fig. 5, such feedback is

provided by displaying the processed video frames 504a-d in a shade or a color that is different from the shade or color of the unprocessed video frames 504e-f. The sequence of frames 504 is updated as the server 102 processes additional frames, and the frames are progressively shifted from right to left, thus providing a dynamic indication of the specific portions of the video that have been and remain to be processed.

[0018] The content provider can now look at the provided feedback and determine the parts of the video that have been processed. Unlike a plain progress bar displaying the percentage of the processed video, the sequential frames provide the content provider with useful information about the frames of the video that have been processed, along with a visual indication of how fast they are being processed, indicated by the rate at which new representative frames are displayed and moved across the screen. The content provider therefore does not have to guess or calibrate the displayed percentage in a plain progress bar to determine the processed part of the video.

[0019] After the video file is uploaded and processed, the video file is available for transmission. An end user later accesses through browser 108b on end user client 106 a display web page where the processed videos are available for viewing.

[0020] As described, particular functions are described as being performed by various entities, particularly the video processing server and client. This description and the function assignment are for illustration purposes and do not limit entities like the server or the client to their assigned functions. One of ordinary skill in the art will understand that functions described in one embodiment as being performed on the server side can also be performed on the client side in other embodiments if appropriate. Similarly, the client side functions can be performed by the server if appropriate. Additionally, the functionality attributed to a particular component can be performed by different or multiple components operating together, as deemed appropriate by the implementer.

VIDEO UPLOAD HOSTING SERVER

[0021] Fig. 2 is a block diagram illustrating the video upload hosting server 102 according to one embodiment. The video upload hosting server 102 comprises a video stream feedback module 204, an ingest module 206, a video processing module 208, a thumbnail module 210, a web server 212 and a digital content database 214.

[0022] The video stream feedback module 204 receives and responds to requests for processed video content. The video stream feedback module 204 includes logic for searching the digital content database 214 in response to receiving a request for processing feedback. In one embodiment, the video stream feedback module 204 receives as part of a request for processing feedback, an index corresponding to a particular part of the processed or being processed video file (e.g., a time code). The video stream feedback module 204 transmits the corresponding part of the video file in response to receiving the index and the video file is played as part of the processing feedback.

[0023] The ingest module 206 receives the video being uploaded from the content provider client 106 and the video processing module 208 processes the uploading video for storage in the digital content database 214. This processing can include format conversion (transcoding), scaling, compression, metadata tagging, content analysis, fingerprinting, and other data processing. Additionally, the video processing module 208 retrieves representative frames from the received video and transmits the representative frames to the thumbnail module 210.

[0024] The thumbnail module 210 stores a sequence of frames representative of processed and unprocessed video parts and transmits the stored frames for display on the web page providing the video processing feedback. Referring to Fig. 3, the thumbnail module 210 comprises a thumbnail retriever 302, a thumbnail server 304 and a thumbnail cache 306.

[0025] The thumbnail retriever 302 receives a sequence of representative frames from the video processing module 208 and stores the received frames in the thumbnail cache 306. Each received representative frame is associated with a portion of

the video received and eventually processed by the video processing module 208. The associated video portion is part of the video in vicinity of the scene depicted by the representative frame. For example, a representative frame depicting a scene at the fifth second of the video can represent the first five seconds of the video. Similarly, a representative frame depicting a scene at the eleventh second of the video can represent the video from the eleventh second to the thirteenth second. An example of the representative frames is an I-frame or an intra-coded frame in a video file.

[0026] In one embodiment, the thumbnail retriever 302 also receives and stores a temporal indicator representing a position of the received frame in the video file. Additionally, in one embodiment, the thumbnail retriever 302 converts the received frame into a desirable image format like JPEG and stores the converted frame in the thumbnail cache 306. In another embodiment, the thumbnail retriever 302 stores the received frame into thumbnail cache 306 without converting the frame to another format. As the video processing module 208 progresses in processing the video file, the thumbnail retriever 302 repeatedly receives additional frames and/or update messages including progress information about the processing progress from the video processing module 208. The progress information includes an identification of the one or more processed frames indicating that the identified frames have been processed. In one embodiment, the thumbnail retriever 302 repeatedly polls the video processing module 208 for the newly available frames and the progress information instead of receiving the frames and the progress information from the video processing module 208. Regardless of how the thumbnail retriever 302 receives the frames and the progress information, the thumbnail retriever 302 stores the frames and the progress information in the thumbnail cache 306.

[0027] In one embodiment, the thumbnail retriever 302 also receives additional information from the video processing module 208 corresponding to a representative frame. For example, the thumbnail retriever 302 receives a bit rate or a format associated with the frame. The bit rate is the bit rate of the processed video content represented by the frame. Similarly,

the format is the format of the processed video content represented by the frame. Additionally, the thumbnail retriever 302 receives an index to the processed video content represented by the frame in the video file. Additionally, the thumbnail retriever 302 may also receive (or calculate) the amount of time taken to process the video content represented by the frame. Additionally, in one embodiment, if the frame represents a part of the video file that is yet to be processed, the thumbnail retriever 302 receives from the video processing module 208 (or calculates) the estimated time required to process the represented video content. The thumbnail retriever 302 receives one or more of the above mentioned pieces of additional information and stores the received information in the thumbnail cache 306.

[0028] The thumbnail cache 306 stores the received frames from the thumbnail retriever 302 and later retrieves the stored frames responsive to receiving a request from the thumbnail server 304. Additionally, in one embodiment, the thumbnail cache 306 also stores the temporal information and progress information corresponding to the stored frames. Alternatively, the thumbnail cache 306 receives from the thumbnail retriever 302 the additional information mentioned above and the thumbnail cache 306 also stores this received information.

[0029] The thumbnail server 304 receives and serves a request for the representative frames either from the content provider client 104 or an intermediary entity providing the feedback to the content provider client 104. In one embodiment, the thumbnail server 304 receives a request with an identification for a video and the server 304 retrieves from the thumbnail cache 306 the representative frames for the requested video. In one embodiment, the thumbnail server 304 retrieves frames that represent video scenes at approximately equal intervals in the video. For example, the thumbnail server 304 can retrieve every Nth frame (e.g., every 15th frame), or a frame every M seconds. In another embodiment, the thumbnail server 304 retrieves all the frames or every other frame stored for the requested video. Alternatively, the thumbnail server 304 also retrieves additional information,

like time code information, corresponding to the frames and stored in the thumbnail cache 306. The thumbnail server 304 then transmits the retrieved frames and optionally the additional information for display on the browser 108a installed on the content provider client 104. The frames are preferably transmitted in a sequential order corresponding to their times. In case the thumbnail server 304 does not transmit the retrieved frames in a sequential order, an intermediary entity like the web server 212 reorders the frames in a sequential order. Such reordering beneficially ensures that the frames are displayed on browser 108a in the same order in which the video processing module 208 processes the video parts corresponding to the frames.

[0030] Referring back to Fig. 2, the web server 212 is responsible for communication between the video upload hosting server 102 and clients 104-106. The web server 212 receives requests for web objects including web pages, videos and related information, and provides videos and other requested objects in return. Additionally, the web server 212 populates a web page with links to objects providing video processing feedback and transmits the populated web page upon receiving a request for the page. For example, the web server 212 embeds links for representative frames representing a video being processed. Additionally, the web server 212 embeds in the web page links for additional information associated with the representative frames. Alternatively, the web server 212 embeds in the web page the additional information itself instead of a link to the information.

[0031] The digital content database 214 stores the videos processed by the video upload hosting server 102. In addition to the video content, the digital content database 214 stores metadata associated with the video content. The metadata is provided by the content provider, the operator of video upload hosting server 102, or the third parties. Examples of metadata include a video ID, artist, video title, label, genre, time length, and optionally georestrictions that can be used for data collection or content blocking on a geographic basis. The video content is retrieved from the digital content database

214 by the video stream feedback module 204 to provide feedback for video processing to the content provider.

VIDEO PROCESSING FEEDBACK METHODOLOGY

5 **[0032]** Fig. 4 is a trace diagram illustrating a method for providing video processing feedback. The content provider accesses a web page through the browser 108a on content provider client 104 and the content provider selects a video file to be uploaded to the video upload hosting server 102. Consequently, 10 the content provider client 104 starts transmitting the video. After the content provider 104 transmits 402 a video block, the video upload hosting server 102 stores 404 the received video block, starts processing 405 the received video block, detects the representative frames in the video block and 15 stores 406 the representative frames.

[0033] Later, as part of the feedback, the video upload hosting server 102 transmits 408 one or more of the stored representative frames to the content provider client 104. In one embodiment, the video upload hosting server 102 also 20 transmits the progress information corresponding to the transmitted frames. The progress information indicates the transmitted frames that have been processed and/or the transmitted frames that have yet to be processed. The content provider client 104 receives the transmitted frames and optionally the 25 transmitted progress information. Based on the received information, the content provider client 104 provides video processing feedback by displaying 410 a web page with one or more of the received frames. An example of such a web page is illustrated in Fig. 5 described above.

30 **[0034]** In the meantime, the video upload hosting server 102 keeps processing 412 additional unprocessed video parts. As the video upload hosting server 102 processes more video parts, the video upload hosting server 102 transmits 414 additional representative frames, progress information about the 35 additional representative frames, and/or progress information about the previously transmitted representative frames. Based on the transmitted information, the content provider client 104 displays a web page with updated representative frames.

[0035] For example, while processing a video, the video upload hosting server 102 transmits first six representative frames to the content provider client 104 at step 408. Additionally, the video processing server 102 transmits progress information indicating that the first four of the six transmitted frames have been processed. Consequently, the content provider client 104 displays the web page with the first four processed frames in one shade and the next two unprocessed frames in another shade. Later, the video upload hosting server 102 processes the remaining two frames of the previously six transmitted frames and the server 102 transmits a processing update message indicating the processing of the two frames. The content provider client 104 receives the update message and displays the updated web page displaying all six processed frames. In one embodiment, the update messages are not directly received by the content provider client 104. Instead the update messages are received by the thumbnail module 210 from the video processing module 208 within the video upload hosting server 102. Responsive to receiving the update message, the thumbnail module 210 updates the shades or color of the stored frames. The updated frames are then embedded in a web page and a link to the updated embedded frames is sent by the web server 212 to the browser 108a on the content provider client 104. The browser 108a then retrieves the updated frames and displays the updated frame embedded in the web page.

[0036] After the frames are displayed on the web page, a user can select one of the displayed frames to get additional information. In response to receiving the user's selection of a particular frame, the browser 108 retrieves from the video upload hosting server 102 and displays information like the bit rate or format associated with the part of the video represented by the selected frame. Alternatively, the browser displays the time taken to process the represented video part or the estimated time required to process the represented video part (if the represented video part has not been processed yet). Additionally, in one embodiment, the browser retrieves temporal information associated with the frames and displays the temporal information with the frames. Moreover,

in another embodiment, upon receiving the user's selection, the browser 108 plays the video part associated with the selected frame.

[0037] The foregoing description of the embodiments of the invention has been presented for the purpose of illustration; it is not intended to be exhaustive or to limit the invention to the precise forms disclosed. Persons skilled in the relevant art can appreciate that many modifications and variations are possible in light of the above disclosure.

[0038] Some portions of this description describe the embodiments of the invention in terms of algorithms and symbolic representations of operations on information. These algorithmic descriptions and representations are commonly used by those skilled in the data processing arts to convey the substance of their work effectively to others skilled in the art. These operations, while described functionally, computationally, or logically, are understood to be implemented by computer programs or equivalent electrical circuits, microcode, or the like. Furthermore, it has also proven convenient at times, to refer to these arrangements of operations as modules, without loss of generality. The described operations and their associated modules may be embodied in software, firmware, hardware, or any combinations thereof.

[0039] Any of the steps, operations, or processes described herein may be performed or implemented with one or more hardware or software modules, alone or in combination with other devices. In one embodiment, a software module is implemented with a computer program product comprising a computer-readable medium containing computer program code, which can be executed by a computer processor for performing any or all of the steps, operations, or processes described.

[0040] Embodiments of the invention may also relate to an apparatus for performing the operations herein. This apparatus may be specially constructed for the required purposes, and/or it may comprise a general-purpose computing device selectively activated or reconfigured by a computer program stored in the computer. Such a computer program may be stored in a non transitory, tangible computer readable storage medium, or any type of media suitable for storing electronic instructions, which

may be coupled to a computer system bus. Furthermore, any computing systems referred to in the specification may include a single processor or may be architectures employing multiple processor designs for increased computing capability.

5 **[0041]** Embodiments of the invention may also relate to a product that is produced by a computing process described herein. Such a product may comprise information resulting from a computing process, where the information is stored on a non transitory, tangible computer readable storage medium and may
10 include any embodiment of a computer program product or other data combination described herein.

[0042] Finally, the language used in the specification has been principally selected for readability and instructional purposes, and it may not have been selected to delineate or
15 circumscribe the inventive subject matter. It is therefore intended that the scope of the invention be limited not by this detailed description, but rather by any claims that issue on an application based hereon. Accordingly, the disclosure of the embodiments of the invention is intended to be illustrative, but not limiting, of the scope of the invention, which
20 is set forth in the following claims.

CONCLUSIES

1. Computerprogrammaproduct voor het verschaffen van terugkoppeling betreffende de bewerking van een videocontent, welk computerprogrammaproduct een computer-leesbaar opslagmedium omvat met computerprogrammacode voor:

5 het verzenden van een stroom videocontent naar een video-upload-hostingserver;

het van de video-upload-hostingserver ontvangen van representatieve beelden geëxtraheerd van de videocontent door de video-upload-hostingserver, welke representatieve beelden zijn
10 ontvangen gedurende een tijdsperiode die overlapt met een tijd wanneer de video-upload-hostingserver de stroom videocontent bewerkt; en

het weergeven van de ontvangen representatieve beelden in een sequentiële temporale volgorde, waarbij de weergegeven representatieve beelden de voortgang van de video-upload-hostingserver indiceren in het verwerken van de stroom videocontent.
15

2. Computerprogrammaproduct volgens conclusie 1, waarbij de representatieve beelden weergegeven worden terwijl de video-upload-hostingserver de stroom video bewerkt en voordat de video-upload hostingserver de bewerking van de stroom videocontent afrondt.
20

3. Computerprogrammaproduct volgens conclusie 1, waarin de ontvangen representatieve beelden bewerkte beelden en onbewerkte beelden omvatten, waarbij de bewerkte beelden
25 het bewerkte deel van de videocontent representeren en de onbewerkte beelden het onbewerkte deel van de videocontent representeren, waarbij de bewerkte beelden en de onbewerkte beelden worden weergegeven in twee verschillende schaduwen of twee verschillende kleuren.

30 4. Computerprogrammaproduct volgens conclusie 1, verder omvattende computerprogrammacode voor:
het weergeven van een formaat of een bitsnelheid van een bewerkte videocontent gerepresenteerd door een weergegeven representatief beeld.

35 5. Computerprogrammaproduct volgens conclusie 1, verder omvattende computerprogrammacode voor:

het weergeven van een temporale waarde met een weergegeven representatief beeld, waarbij de temporale waarde een positie van het weergegeven representatieve beeld aangeeft in de bewerkte videocontent, waarin videocontent die weergegeven wordt
5 door het weergegeven representatieve beeld gespeeld wordt tot de temporale waarde in reactie op selectie van het weergegeven representatieve beeld.

6. Computerprogrammaproduct volgens conclusie 1, waarin de ontvangen representatieve beelden bewerkte beelden
10 en onbewerkte beelden omvatten, waarbij de bewerkte beelden het bewerkte deel van de video content representeren en de onbewerkte beelden onbewerkte beelden van de videocontent representeren, waarbij het computerprogrammaproduct verder een computerprogramma omvat voor:
15 het weergeven van de geschatte overblijvende tijd voor het bewerken van het deel van de video gerepresenteerd door een onbewerkt beeld in reactie op de selectie van het onbewerkte beeld.

7. Computerprogrammaproduct volgens conclusie 1,
20 waarin de ontvangen representatieve beelden, bewerkte beelden en onbewerkte beelden omvatten, waarbij de bewerkte beelden bewerkte delen van de videocontent representeren en de onbewerkte beelden onbewerkte beelden van de videocontent representeren, waarbij het computerprogrammaproduct verder een com-
25 puterprogramma omvat voor:
het weergeven van de bewerkingstijd die gebruikt is voor het bewerken van het deel van de video gerepresenteerd door een bewerkt beeld in reactie op de selectie van het bewerkte beeld.

100




FIG. 1




FIG. 2

210




FIG. 3




FIG. 4




FIG. 5



Agentschap NL
Ministerie van Economische Zaken,
Landbouw en Innovatie

OCTROOIAANVRAAG NR.:
NO 138046
NL 2007902

ONDERZOEKSRAPPORT

BETREFFENDE HET RESULTAAT VAN HET ONDERZOEK NAAR DE STAND VAN DE TECHNIEK

RELEVANTE LITERATUUR			
Categorie ¹	Literatuur met, voor zover nodig, aanduiding van speciaal van belang zijnde tekstgedeelten of figuren.	Van belang voor conclusie(s) nr.	Classificatie (IPC)
X	Dima Broyde and Slave Jovanovski: "New Thumbnail "Flipbook" in Upload Shows Video Processing Progress", 27 januari 2010 (2010-01-27), XP002669651, Gevonden op het Internet: URL: http://youtube-global.blogspot.com/2010/01/new-thumbnail-flipbook-in-upload-shows.html [gevonden op 2012-02-15] * The whole of the Internet posting including the screenshot * -----	1-7	INV. H04N21/431 H04N21/2343 H04N21/2743
A	JP 2004 040502 A (SONY CORP) 5 februari 2004 (2004-02-05) * samenvatting * * figuur 3 *	5	
A	WO 2007/126295 A1 (LG ELECTRONICS INC [KR]; KIM JEONG SIM [KR]) 8 november 2007 (2007-11-08) * bladzijde 14, regel 4 - bladzijde 15, regel 4 * * figuren 2A, 2B, 2C *	6,7	Onderzochte gebieden van de techniek H04N
A	US 2007/174774 A1 (LERMAN DAVID R [US] ET AL LERMAN DAVID ROSS [US] ET AL) 26 juli 2007 (2007-07-26) * alinea [0086] - alinea [0088] * * figuren 7,8 *	5-7	
Indien gewijzigde conclusies zijn ingediend, heeft dit rapport betrekking op de conclusies ingediend op:			
Plaats van onderzoek: 's-Gravenhage		Datum waarop het onderzoek werd voltooid: 15 februari 2012	Bevoegd ambtenaar: Arpaci, Mutlu
¹ CATEGORIE VAN DE VERMELDE LITERATUUR			
X: de conclusie wordt als niet nieuw of niet inventief beschouwd ten opzichte van deze literatuur Y: de conclusie wordt als niet inventief beschouwd ten opzichte van de combinatie van deze literatuur met andere geciteerde literatuur van dezelfde categorie, waarbij de combinatie voor de vakman voor de hand liggend wordt geacht A: niet tot de categorie X of Y behorende literatuur die de stand van de techniek beschrijft O: niet-schriftelijke stand van de techniek P: tussen de voorangsdatum en de indieningsdatum gepubliceerde literatuur T: na de indieningsdatum of de voorangsdatum gepubliceerde literatuur die niet bezwarend is voor de octrooiaanvraag, maar wordt vermeld ter verheldering van de theorie of het principe dat ten grondslag ligt aan de uitvinding E: eerdere octrooi(aanvraag), gepubliceerd op of na de indieningsdatum, waarin dezelfde uitvinding wordt beschreven D: in de octrooiaanvraag vermeld L: om andere redenen vermelde literatuur &: lid van dezelfde octrooifamilie of overeenkomstige octrooipublicatie			

**AANHANGSEL BEHORENDE BIJ HET RAPPORT BETREFFENDE
HET ONDERZOEK NAAR DE STAND VAN DE TECHNIEK,
UITGEVOERD IN DE OCTROOIAANVRAGE NR.**

NO 138046
NL 2007902

Het aanhangsel bevat een opgave van elders gepubliceerde octrooiaanvragen of octrooien (zogenaamde leden van dezelfde octroofamilie), die overeenkomen met octrooschriften genoemd in het rapport.

De opgave is samengesteld aan de hand van gegevens uit het computerbestand van het Europees Octrooibureau per
De juistheid en volledigheid van deze opgave wordt noch door het Europees Octrooibureau, noch door het Bureau voor de Industriële eigendom gegarandeerd; de gegevens worden verstrekt voor informatiedoeleinden.

15-02-2012

In het rapport genoemd octrooi­ geschrift	Datum van publicatie	Overeenkomend(e) geschrift(en)	Datum van publicatie
JP 2004040502 A	05-02-2004	JP 4165134 B2 JP 2004040502 A	15-10-2008 05-02-2004
WO 2007126295 A1	08-11-2007	CN 101433083 A EP 2022261 A1 KR 20070107352 A US 2009129741 A1 WO 2007126295 A1	13-05-2009 11-02-2009 07-11-2007 21-05-2009 08-11-2007
US 2007174774 A1	26-07-2007	US 2007174774 A1 US 2007183741 A1 US 2007189708 A1	26-07-2007 09-08-2007 16-08-2007



Agentschap NL
Ministerie van Economische Zaken,
Landbouw en Innovatie

SCHRIFTELIJKE OPINIE

DOSSIER NUMMER NO138046	INDIENINGSDATUM 30.11.2011	VOORRANGSDATUM 14.01.2011	AANVRAAGNUMMER NL2007902
CLASSIFICATIE INV. H04N21/431 H04N21/2343 H04N21/2743			
AANVRAGER Google Inc.			

Deze schriftelijke opinie bevat een toelichting op de volgende onderdelen:

- ☒ Onderdeel I Basis van de schriftelijke opinie
- ☐ Onderdeel II Voorrang
- ☐ Onderdeel III Vaststelling nieuwheid, inventiviteit en industriële toepasbaarheid niet mogelijk
- ☐ Onderdeel IV De aanvraag heeft betrekking op meer dan één uitvinding
- ☒ Onderdeel V Gemotiveerde verklaring ten aanzien van nieuwheid, inventiviteit en industriële toepasbaarheid
- ☐ Onderdeel VI Andere geciteerde documenten
- ☐ Onderdeel VII Overige gebreken
- ☐ Onderdeel VIII Overige opmerkingen

	DE BEVOEGDE AMBTENAAR Arpaci, Mutlu
--	--

SCHRIFTELIJKE OPINIE

Aanvraag nr.:
NL2007902

Onderdeel I Basis van de Schriftelijke Opinie

1. Deze schriftelijke opinie is opgesteld op basis van de meest recente conclusies ingediend voor aanvang van het onderzoek.
2. Met betrekking tot **nucleotide en/of aminozuur sequenties** die genoemd worden in de aanvraag en relevant zijn voor de uitvinding zoals beschreven in de conclusies, is dit onderzoek gedaan op basis van:
 - a. type materiaal:
 - ☐ sequentie opsomming
 - ☐ tabel met betrekking tot de sequentie lijst
 - b. vorm van het materiaal:
 - ☐ op papier
 - ☐ in elektronische vorm
 - c. moment van indiening/aanlevering:
 - ☐ opgenomen in de aanvraag zoals ingediend
 - ☐ samen met de aanvraag elektronisch ingediend
 - ☐ later aangeleverd voor het onderzoek
3. ☐ In geval er meer dan één versie of kopie van een sequentie opsomming of tabel met betrekking op een sequentie is ingediend of aangeleverd, zijn de benodigde verklaringen ingediend dat de informatie in de latere of additionele kopieën identiek is aan de aanvraag zoals ingediend of niet meer informatie bevatten dan de aanvraag zoals oorspronkelijk werd ingediend.
4. Overige opmerkingen:

SCHRIFTELIJKE OPINIE

Aanvraag nr.:

NL2007902

Onderdeel V Gemotiveerde verklaring ten aanzien van nieuwheid, inventiviteit en industriële toepasbaarheid

1. Verklaring

Nieuwheid	Ja: Conclusies 5-7 Nee: Conclusies 1-4
Inventiviteit	Ja: Conclusies Nee: Conclusies 1-7
Industriële toepasbaarheid	Ja: Conclusies 1-7 Nee: Conclusies

2. Citaties en toelichting:

Zie aparte bladzijde

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

- D1 Dima Broyde and Slave Jovanovski: "New Thumbnail "Flipbook" in Upload Shows Video Processing Progress",
 , 27 januari 2010 (2010-01-27),
 Gevonden op het Internet:
 URL:<http://youtube-global.blogspot.com/2010/01/new-thumbnail-flipbook-in-upload-shows.html>
 [gevonden op 2012-02-15]
- D2 JP 2004 040502 A (SONY CORP) 5 februari 2004 (2004-02-05)
- D3 WO 2007/126295 A1 (LG ELECTRONICS INC [KR]; KIM JEONG SIM [KR]) 8 november 2007 (2007-11-08)
- D4 US 2007/174774 A1 (LERMAN DAVID R [US] ET AL LERMAN DAVID ROSS [US] ET AL) 26 juli 2007 (2007-07-26)

- 1 The present application does not meet the criteria of patentability, because the subject-matter of claims 1-4 is not novel, and because the subject-matter of claims 5-7 does not involve an inventive step.
- 2 Novelty and Inventive Step
- 2.1 Document D1 presents information and a screenshot of a product which provides feedback regarding processing of video content as it is being uploaded. D1 discloses all features of claims 1-4, including different shadings of processed and unprocessed frames, and the format information (the file extension ".3gp" in the screenshot identifying the format).
- 2.2 The additional features of dependent claim 5 are directed to displaying temporal values and playing back selected segments. These additional features are within the obvious reach of the skilled person from documents such as D2 (D2; abstract and figure 3).

- 2.3 The additional features of dependent claims 6 and 7 are directed to providing information related to estimated processing times and already occurred processing times, and are well-known in the field. See, for example, D3 (D3; page 14, lines 10-15, "a time taken to perform encoding"; figure 2A, "Expect 10 min") or D4 (D4; paragraphs [0086]-[0088]; figures 7 and 8).