



(12) **United States Design Patent**  
**Fraser et al.**

(10) **Patent No.:** **US D906,384 S**  
(45) **Date of Patent:** **\*\* Dec. 29, 2020**

- (54) **SHIM**
- (71) Applicant: **Redwood Plastics and Rubber Corp.,**  
Langley (CA)
- (72) Inventors: **Gregory A. Fraser,** Langley (CA);  
**Graeme K. Fraser,** Mission (CA);  
**Christian Guckel,** Langley (CA)
- (73) Assignee: **Redwood Plastics and Rubber Corp.,**  
Langley (CA)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/674,127**
- (22) Filed: **Dec. 19, 2018**

**Related U.S. Application Data**

- (62) Division of application No. 29/582,278, filed on Oct. 26, 2016, now Pat. No. Des. 836,685.

**Foreign Application Priority Data**

- (30) Apr. 26, 2016 (CA) ..... 168207
- May 25, 2016 (CA) ..... 168680

- (51) **LOC (12) Cl.** ..... **15-03**
- (52) **U.S. Cl.**  
USPC ..... **D15/135**

(58) **Field of Classification Search**

USPC ..... D15/122, 135, 136, 137, 138-141, 142,  
D15/199; D25/112-118, 136, 138, 151,  
D25/152, 153, 156

CPC ... C04B 28/04; C04B 14/06; C04B 2103/304;  
C04B 2103/32; C04B 40/0028; C04B  
40/0071; C04B 18/0418; C04B  
2103/0094; C04B 22/062; C04B 24/005;  
C04B 24/02; C04B 28/02; C04B 41/5016;  
C04B 41/502; C04B 24/2623; C04B  
28/006; C04B 40/0231; C04B 40/0625;  
C04B 41/483; C04B 41/4869; C04B  
18/08; C04B 2103/008; C04B 22/0093;

C04B 24/121; C04B 24/2635; C04B  
24/2641; C04B 24/2652; C04B 24/32;  
C04B 24/38; C04B 40/0014; C04B  
40/0032; C04B 40/0082; C04B 2103/10;  
C04B 2111/00017; C04B 2111/00051;  
C04B 2111/0006; C04B 2111/0075; C04B  
2111/00793; C04B 2111/21; C04B  
2111/60; C04B 2235/3215; C04B  
2235/3272; C04B 2235/36; C04B  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

150,710 A \* 5/1874 Prindle ..... E01C 5/00  
404/19  
D581,549 S \* 11/2008 Thorkelson ..... D25/113  
D598,572 S \* 8/2009 Stephansky ..... D25/113  
(Continued)

*Primary Examiner* — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Chernoff Vilhauer LLP


(57) **CLAIM**

We claim an ornamental design for the shim, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the shim;  
FIG. 2 is a rear elevation view of the shim of FIG. 1;  
FIG. 3 is a left side elevation view of the shim of FIG. 1;  
FIG. 4 is a top plan view, which is identical to the bottom  
plan view, of the shim of FIG. 1;  
FIG. 5 is a right side elevation view of the shim of FIG. 1;  
and,  
FIG. 6 is a front elevation view of the shim of FIG. 1.  
The break lines shown in FIGS. 1-6 represent that the shim  
is of variable thickness.  
The dashed lines are included for illustrating environmental  
structure and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



(58) **Field of Classification Search**  
CPC ... 2235/422; C04B 2235/6021; C04B 2235/60  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D646,798 S *	10/2011	MacKenny .....	D25/113
D812,113 S *	3/2018	Sakaguchi .....	D15/135
D812,114 S *	3/2018	Sakaguchi .....	D15/135
D836,685 S *	12/2018	Fraser .....	D15/135

\* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6