



(43) International Publication Date
8 June 2017 (08.06.2017)

(10) International Publication Number
WO 2017/093986 A1

- (51) International Patent Classification:
A61K 31/35 (2006.01) *A61K 31/352* (2006.01)
- (21) International Application Number:
PCT/IB2016/057368
- (22) International Filing Date:
5 December 2016 (05.12.2016)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
62/263,617 5 December 2015 (05.12.2015) US
- (71) Applicant: CANABUZZ-MED [IL/IL]; 1 Tsabei ha-Nakhal, Emek Hefer (IL).
- (72) Inventors: EYAL, Aharon M.; 16 Levy, 93629 Jerusalem (IL). LIN-COHEN, Netta; 3 Hashaked st. Moshav, 73188 Shilat (IL). LIN, Youval; 34 Hameiasdim st., Kfar Billo (IL). ARIEL, Meir; P.O. Box 5714, Kazir (IL).
- (81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,

KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

- (84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*
- *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))*

Published:

- *with international search report (Art. 21(3))*

(54) Title: VETERINARY COMPOSITION AND METHODS FOR PRODUCTION AND USE

(57) Abstract: Veterinary compositions and methods for production and use. A method of treating bees at or near a bee hive with a first and/or second veterinary composition is described including administering to bees a veterinary composition comprising at least one cannabinoid, and/or at least two non-cannabinoid cannabis compounds, with or without a carrier, thereby enhancing bees performance.



WO 2017/093986 A1

VETERINARY COMPOSITION AND METHODS FOR PRODUCTION AND USE

Cross-Reference to Related Applications

[0001] The present application claims the benefit of U.S. Provisional Application Ser. No. 62/263,617 filed December 5, 2015, the disclosure of which is expressly incorporated by reference herein in its entirety.

Technical Field

[0002] The field of art to which this invention generally pertains is veterinary compositions, and specifically treatment methods and compositions for bees.

Background

[0003] The productivity of bees can be very sensitive to such things as viruses, stress, etc. This can show itself in many ways, such as, for example, amount of honey produced per a particular bee hive. Accordingly, there is a constant search in this area for ways to address these issues.

Brief Summary

[0004] A method of treating bees at or near a bee hive with a veterinary first composition is described including administering to bees a veterinary first composition comprising at least one cannabinoid, and/or, at least two non-cannabinoid cannabis compounds, thereby enhancing bees performance.

[0005] Additional embodiments include: the method described above where said enhancing includes one or more of treating bees virus, treating bees inflammation, treating bees stress, treating bees against Colony Collapse Disorder, treating bees against Varroa, increasing the number of bee hive brood cells, including the number of bee hive sealed brood cells, improving bees pollination activity, strengthening bees immune system and improving bees honey production; the method described above where said veterinary composition comprises an extract of cannabis plant material; the method described above where said veterinary composition comprises tetrahydrocannabinol (THC) and/or cannabidiol (CBD); the method described above where said veterinary composition additionally contains an emulsifier and/or an antioxidant; the method described above where said veterinary composition includes at least one terpene; the method described above where said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains and/or to Indica

strains; the method described above where said veterinary composition additionally contains an additive selected from the group consisting of sugars, pollen, pollen substitutes, pollen supplements, omega-3 fatty acids, vegetable oil, minerals, vitamins, fats, essential oils, invertase enzyme and combinations thereof; the method described above where said veterinary composition additionally contains an additive selected from the group consisting of compounds characteristic to eucalyptus flowers, compounds characteristic to avocado flowers, compounds characteristic to orange blossom, compounds characteristic to wild flowers, characteristic to Tribulus terrestris and combinations thereof; the method described above including administering said veterinary composition to the bees in combination with bees feed, or with bees feed additives or with both. The method of Claim 1, comprising administering said veterinary composition to the bees in combination with sugars; the method of claim 1 including administering said veterinary composition to the bees in combination with a protein ingredient; the method described above where said administering comprises vaporizing the composition in the beehive, spraying the composition into the atmosphere of the beehive, spraying the composition on honeycombs in the beehive, spraying the composition on brood-containing honeycombs, incorporating the composition into beeswax used to form the beehive frames or combination thereof; the method described above including administering said veterinary composition to the bees between 2 and 12 times per year; the method described above including administering said veterinary composition to the bees during winter; the method described above where said treating comprises administering to the bees between 1 milligram (mg) and 1000 milligram (mg) veterinary composition per beehive; the method of claim 1 including administering said veterinary composition to the bees when present at or near a beehive containing brood cells, wherein the count of brood cells in said beehive, the count of sealed brood cells in said beehive or both is at least 10% greater than those in a beehive under the same conditions receiving no veterinary composition treatment; the method described above where average size of said bees is at least 10% greater than that of bees under the same conditions receiving no veterinary composition treatment; the method of claim 1 where the bees contain Varroa and the average Varroa count in said bees is at least 10% lower than that of bees under the same conditions receiving no veterinary composition treatment.

[0006] A veterinary second composition particularly adapted for treatment of bees is also described including at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds; a carrier; and optionally water where said at least one cannabinoid and/or said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier; the

composition includes a cannabinoid and the weight ratio between said carrier and said cannabinoid is greater than 5; the composition includes a cannabinoid and water and the weight ratio between the water and said cannabinoid is greater than 5; and/or the composition includes water and the weight ratio between said carrier and the water is greater than 0.5.

[0007] Additional embodiments include: the composition described above where said carrier comprises at least one of a sugar, honey, beeswax, pollen, pollen substitutes, and pollen supplements; the composition described above where said carrier comprises honey; the composition described above where the carrier comprises a sugar selected from the group consisting of sucrose, glucose, fructose and combinations thereof; the composition described above including at least 0.001% by weight cannabinoid, at least 0.001% by weight non-cannabinoid cannabis compounds and at least 40% by weight carrier; the composition described above where at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds, at least 40% by weight sugar and at least 40% by weight water; the composition described above where at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds and additionally containing pollen, pollen substitutes and/or pollen supplements; the composition described above where at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds and additionally containing 30% protein; the composition described above additionally containing compounds characteristic to eucalyptus flowers, avocado flowers, orange blossom, wild flowers, Tribulus terrestris and/or combinations thereof; the composition described above additionally containing at least one terpene other than cannabis terpenes; the composition described above including non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains and/or to Indica strains; the composition described above including tetrahydrocannabinol (THC) and/or cannabidiol (CBD); the composition described above including tetrahydrocannabinol and cannabidiol at weight/weight ratio between 1:10 and 10:1; the composition described above where at least one of said non-cannabinoid cannabis compounds is selected from the group consisting of terpenes and flavonoids; the composition described above additionally containing an emulsifier and/or an antioxidant; the composition described above additionally containing a pharmaceutical; the composition described above additionally containing an additive selected from the group consisting of omega-3 fatty acids, minerals, vitamins, fats, invertase enzyme, essential oils, and combinations thereof. A bee feed supplement and an aerosol containing the veterinary second composition containing the composition described above are also described.

[0008] A method of treating bees at or near a bee hive with a veterinary second composition is also described including administering to bees a veterinary composition described above thereby enhancing bees performance is also described.

[0009] Additional embodiments include: the method described above where said enhancing includes one or more of treating bees virus, treating bees inflammation, treating bees stress, treating bees against Colony Collapse Disorder, treating bees against varroa, increasing the number of bee hive brood cells, including the number of sealed brood cells, improving bees pollination activity, strengthening bees immune system and improving bees honey production.

[0010] A method of preparing the veterinary second composition described above is also described including extracting a cannabis plant material with an extractant to form a cannabis extract; and homogeneously blending said cannabis extract with a carrier to form said veterinary composition .

[0011] Additional embodiments include: the method described above including extracting a first cannabis plant material with a first extractant to form a first cannabis extract; extracting a second cannabis plant material with a second extractant to form a second cannabis extract; and homogeneously blending at least a fraction of said first cannabis extract with at least a fraction of said second cannabis extract and with a carrier to form said veterinary composition; the method described above where said extracting comprises contacting said cannabis plant material with an extractant to form a extractant-containing cannabis extract, removing at least a fraction of said extractant from said extractant-containing cannabis extract to form a desolventized cannabis extract and blending said desolventized cannabis extract with said carrier to form said veterinary composition; the method described above where said extracting comprises contacting said cannabis plant material with an extractant to form a extractant-containing extract, blending said extractant-containing extract with said carrier to form an extractant-containing homogeneous mixture and removing said extractant from said extractant-containing homogeneous mixture to form said veterinary composition; the method described above where said carrier comprises at least one of vegetable oil, proteins, honey, beeswax, pollen, pollen substitutes, pollen supplements nectar and/or fibers; the method described above including the homogeneous blending of said extract and said carrier with a pharmaceutical; the method described above including the homogeneous blending of said extract and said carrier with an antioxidant; the method described above including the homogeneous blending of said extract

and said carrier with an emulsifier; the method described above including the homogeneous blending of said extract and said carrier with a texturizer; and the method described above including the homogeneous blending of said extract and said carrier with an extract of a plant other than a cannabis plant.

[0012] A description of these embodiments is included in greater detail below.

Definitions

[0013] Unless specified otherwise, all concentrations are weight concentrations and all ratios are weight per weight (weight/weight) ratios.

[0014] As used herein, the term "cannabinoid(s)" refers to both cannabinoid(s) in carboxylic acid form and cannabinoids in decarboxylated form. The same is true for each cannabinoid, e.g. THC and CBD.

[0015] As used herein, the term "non-cannabinoid cannabis compound" refers to a non-cannabinoid compound present in at least one strain of cannabis plants.

[0016] As used herein the term "terpene" refers to compounds comprising at least one isoprene unit. The terms "terpene" and "terpenoid" are used herein interchangeably.

[0017] As used herein the term "terpene other than cannabis terpenes" refers to a terpene that is not common to or typically doesn't exist in cannabis plants.

[0018] As used herein the term "flavonoid other than cannabis flavonoids" refers to a flavonoid that is not common to or typically doesn't exist in cannabis plants.

[0019] As used herein the term "extract of a non-cannabis plant" refers to any product of extracting a plant other than a cannabis plant.

[0020] As used herein, the term carrier refers to any non-cannabis compound.

[0021] As used herein, the term non-cannabis compound refers to compounds not present in cannabis plant or present there at concentration of less than 5%.

[0022] As used herein, the term cannabis plant material refers to material derived from a cannabis plant.

[0023] As used herein, the terms pollen, pollen substitutes and pollen supplements refer to protein-containing feed ingredients, whether containing flower pollen or not.

[0024] As used herein, the terms "honeycomb", "honeycomb frames", and "frames" are interchangeable.

[0025] As used herein, the terms administering a composition to bees refers to dispensing or applying the composition in a way that makes the composition available to bees, to bees brood and/or to bees pathogens.

[0026] As used herein, invert sugar and inverted sugar refer to the product of sucrose hydrolysis (into glucose and fructose) e.g. the result of treating sucrose with the enzyme invertase.

[0027] As used herein the term honey refers to concentrated sugar compositions referred to commercially as honey and excludes cannabis extract as such. As used herein, the term a comprising honey refers to comprising components of commercial pure honey (sugars, amino acids, organic acids, furfurals, vitamins, minerals).

[0028] As used herein, the term commercial pure honey refers to unadulterated honey sold globally at a rate of at least one ton per year.

[0029] As used herein, the term excipient refers to a compound used to formulate an active ingredient.

Detailed Description of the Invention

[0030] Provided is a method of treating bees at or near a bee hive with a veterinary first composition comprising administering to bees a veterinary composition comprising at least one cannabinoid, and/or, at least two non-cannabinoid cannabis compounds, thereby enhancing bees performance.

[0031] Any form of administering and any combination of the veterinary composition with other ingredients are suitable. According to an embodiment, treating comprises administering, dispensing or supplying said veterinary composition to the bees in combination with bees feed, or with bees feed additives or with both. As use herein, the term in combination with refers to incorporated in, blended with or administering concurrently with.

[0032] For example, in many cases, bees keepers feed the bees sugar solution as an energy source during the time when nectar supply is insufficient to support the activity, e.g. before spring starts. Typically, the solutions are of 50-60% sugar and contain, sucrose, glucose, fructose, high-fructose corn syrup, inverted sugar or combinations thereof. According to an embodiment, the veterinary composition is blended with the sugar solution before feeding it to the bees or during feeding. According to an embodiment, said veterinary composition is administered in combination with each one of the sugar feeding. According to an embodiment, said veterinary composition is administered in combination with each one of the sugar feeding, whereby the veterinary composition is evenly consumed and/or evenly enhancing performance in the bee hive.

[0033] Alternatively, or additionally bees keepers feed bees with a protein ingredient, such as pollen, pollen substitutes, pollen supplements. According to an embodiment, the veterinary composition is blended with the protein ingredient before feeding it to the bees or during feeding. Any source of pollen is suitable, including cannabis pollen. According to an embodiment, said veterinary composition is administered in combination with each one of the protein feeding. According to an embodiment, said veterinary composition is administered in combination with each one of the protein feeding, whereby the veterinary composition is evenly consumed and/or evenly enhancing performance in the bee hive.

[0034] According to an embodiment, administering the veterinary composition comprises vaporizing the composition in the beehive, spraying the composition into the atmosphere of the beehive, spraying the composition on honeycombs in the beehive, spraying the composition on brood-containing honeycombs, incorporating the composition into beeswax used to form the beehive frames or combination thereof.

[0035] The boiling points of cannabinoids and of non-cannabinoid cannabis compounds, such as terpenes, typically range between about 100°C and about 200°C. Heating to this temperature

range (or to a lower temperature at sub-atmospheric pressure and/or on using a carrier gas) leads to the formation of suitable vapors to be administered to the bees. Vaporizers similar to those used for administering medical cannabis to patients can be used to form such vapors.

[0036] According to an embodiment, said veterinary composition is administered to the bees between 2 and 12 times per year, between 2 and 10, between 3 and 9, between 3 and 8 or between 3 and 6. According to an embodiment, said veterinary composition is administered to the bees during winter, during spring or within several weeks (e.g. within 4-6 weeks) before blooming start is predicted. According to an embodiment, said veterinary composition is administered to the bees during shortage in food, during times of negative energy balance in the hive (more energy is used than provided) during high pathogens content, during times when ambient temperature is lower than 25°C, lower than 20°C lower than 15°C, or lower than 10°C or during times when ambient temperature is higher than 35°C.

[0037] According to an embodiment, treating comprises administering to the bees between 1 milligram (mg) and 1000 milligram veterinary composition per beehive, between 1.5mg and 400mg, between 2mg and 300mg or between 2.5mg and 200mg. According to an embodiment, treating comprises administering to the bees between 0.1mg and 300mg cannabinoid per bee hive, between 0.2mg and 200mg, between 0.3mg and 150mg or between 0.5mg and 100mg. According to an embodiment, treating comprises administering to the bees between 0.1mg and 300mg non-cannabinoid cannabis compounds per bee hive, between 0.2mg and 200mg, between 0.3mg and 150mg or between 0.5mg and 100mg.

[0038] According to an embodiment, said veterinary composition comprises at least two cannabinoids, at least three, at least four or at least five. According to an embodiment, said veterinary composition comprises at least three non-cannabinoid cannabis compounds, at least four, at least five, at least six or at least ten.

[0039] According to an embodiment, said cannabinoid is selected from the group consisting of Tetrahydrocannabinol (THC), Cannabidiol (CBD), Cannabigerol (CBG), Cannabichromene (CBC), Cannabinol (CBN), Cannabielsoin (CBE), iso-Tetrahydrocannabinol (iso-THC), Cannabicyclol (CBL), Cannabicitran (CBT), Cannabivarin (CBV), Tetrahydrocannabivarin (THCV), Cannabidivarin (CBDV), Cannabichromevarin (CBCV), Cannabigerovarin (CBGV) and Cannabigerol Monomethyl Ether (CBGM), derivatives thereof and mixtures thereof.

[0040] According to an embodiment, at least one of said non-cannabinoid cannabis compounds is selected from the group consisting of terpenes, flavonoids, alkaloids, carotenoids and compositions thereof. According to an embodiment, at least one of said non-cannabinoid cannabis compounds is selected from the group consisting of pinenes, limonene, linalool, caryophyllene, myrcene, humulene, borneol, eucalyptol, terpineol and combinations thereof.

[0041] According to various embodiments, said veterinary composition comprises tetrahydrocannabinol (THC), cannabidiol (CBD) or both. According to various embodiment, said veterinary composition comprises both THC and CBD at a weight/weight ratio between 30:1 and 1:30, between 20:1 and 1:20, or between 10:1 and 1:10.

[0042] According to an embodiment, said veterinary composition includes at least one terpene, at least two, at least three non-cannabinoid cannabis compounds, at least four, at least five, at least six or at least ten. According to an embodiment, said veterinary composition includes at least one flavonoid, at least two, at least three non-cannabinoid cannabis compounds, at least four or at least five.

[0043] According to an embodiment, said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains and/or to Indica strains. According to an embodiment, said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains. According to an embodiment, said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Indica cannabis strains. By characteristic to such strains recited is meant that the compounds are typically contained in each of the strains recited in an amount serving to identify it as associated with such strain, but not exclusively contained in such strain, i.e., may also be present in other of the strains as well.

[0044] According to an embodiment, said veterinary composition comprises an extract of cannabis plant material, e.g. as formed in contacting said plant material with an extractant, and/or as formed by distilling components out of said plant material, e.g. as in steam distillation. Any extractant is suitable. According to an embodiment, said extractant is ethanol, a hydrocarbon, carbon dioxide or a combination thereof.

[0045] According to an embodiment, said veterinary composition additionally contains an emulsifier and/or an antioxidant. According to an embodiment, said veterinary composition, further comprises a compound selected from the group consisting of mono-glycerides, diglycerides, lecithin, gums (e.g. xanthan gum) and polysaccharides. According to an embodiment, said veterinary composition is lipophilic in nature and is administered in a blend with an aqueous solution and said emulsifier is selected to enable homogeneous dispersion of the veterinary composition in said aqueous solution. According to an embodiment, said emulsifier is food approved, biological and/or natural. Optionally, said veterinary composition comprises an antioxidant, whereby said veterinary composition is better protected during prolonged storage.

[0046] According to an embodiment, said veterinary composition additionally contains an additive selected from the group consisting of sugars, pollen, pollen substitutes, pollen supplements, polyunsaturated fatty acids, omega-3 fatty acids from various sources, vegetable oil (e.g. coconut oil), minerals, vitamins, fats, essential oils, naringin, beeswax, invertase enzyme and combinations thereof. According to an embodiment, said veterinary composition additionally contains a pharmaceutical. According to an embodiment, said pharmaceutical comprises antibiotics. According to an embodiment, said pharmaceutical is selected from oxytetracycline and dabcycline.

[0047] According to an embodiment, the content of said at least one cannabinoid and/or the content of said at least two non-cannabinoid cannabis compounds, reduces the required amount of pharmaceutical compared with veterinary compositions containing the same pharmaceutical, but without inclusion of any cannabinoids. According to an embodiment, said veterinary composition administered to bees comprise antibiotics at an amount of less than 60mg per beehive, less than 50mg, less than 40mg, less than 30mg or less than 20mg.

[0048] According to an embodiment, said veterinary composition additionally contains an additive selected from the group consisting of compounds characteristic to eucalyptus flowers, compounds characteristic to avocado flowers, compounds characteristic to orange blossom, compounds characteristic to wild flowers, characteristic to Tribulus terrestris and combinations thereof. By characteristic to such flowers and materials recited is meant that the compounds are typically contained in each of the flowers and materials recited in an amount serving to identify it as associated with such flower or material, but not exclusively contained in such material, i.e., may also be present in other of the flowers and materials recited as well.

[0049] According to an embodiment, said enhancing bees performance includes one or more of treating bees virus, treating bees inflammation, treating bees stress, treating bees against Colony Collapse Disorder (CCD), treating bees against Varroa, increasing the number of bee hive brood cells, increasing the number of bee hive sealed brood cells, improving bees pollination activity, strengthening bees immune system and improving bees honey production.

[0050] According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby reducing Varroa count. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby reducing Nosema count. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby reducing CCD. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby increasing bees body size. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby increasing honey production. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby increasing the number of brood cells, the number of sealed brood cells, or both. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary composition, thereby increasing nectar collection, increasing pollen collection, or both.

[0051] The inventors have found that administering to bees at or near a bee hive said veterinary composition enhances bees performance, e.g. as demonstrated by increased honey production, increased number of brood cells, larger bees, and accelerated movement of bees out of the hive and into it. Without wishing to be limited to a theory, such enhanced performance may result from direct effects on the bees, e.g.: increasing their need for sugars, which leads to increasing nectar collection activity; improving their health, improving their immune system and/or reducing their stress, which provides for better protection from pathogens; increasing the amount of laid eggs, which adds brood cells and increases thereby the need for pollen collection; etc. Alternatively or additionally, such enhanced performance may result from direct effects on bees pathogens, e.g. viruses, Varroa, Nosema, bacteria associated with brood diseases, etc. According to this alternative, administering said veterinary composition to the bees could also be understood to include administering it to bees pathogens.

[0052] According to an embodiment, the count of brood cells in said beehive, the count of sealed brood cells in said bee hive or both, is at least 10% greater than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, at least 100% greater or at least 150% greater.

[0053] According to an embodiment, the average size of said bees is at least 10% greater than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0054] According to an embodiment, the bees contain Varroa and the average Varroa count is at least 10% lower than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0055] According to an embodiment, the bees contain Nosema and the average Nosema count is at least 10% lower than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0056] According to an embodiment, the range of pollination of said bees, is greater by at least 5%, compared with bees under the same conditions receiving no veterinary composition treatment, at least 10%, at least 20%, at least 40%, at least 60%, at least 80%, at least 100%, or at least 150%. As use herein, range of pollination refers to the distance of the pollinated flowers from the treated bee hive.

[0057] According to an embodiment, the amount of pollen collected by said bees, is greater by at least 5%, compared with bees under the same conditions receiving no veterinary composition treatment, at least 10%, at least 20%, at least 40%, at least 60%, at least 80%, at least 100%, or at least 150%.

[0058] According to an embodiment, the amount of honey produced is at least 10% greater than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0059] According to another embodiment, provided is a veterinary second composition particularly adapted for treatment of bees comprising, at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds; a carrier; and optionally water wherein (a) said at least one cannabinoid and/or said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier; (b) the composition includes a cannabinoid and the weight ratio between said carrier and said cannabinoid is greater than 5; (c) the composition includes a cannabinoid and water and the weight ratio between the water and said cannabinoid is greater than 5; and/or (d) the composition includes water and the weight ratio between said carrier and the water is greater than 0.5. According to various embodiments, in said composition, at least two of (a), (b), (c) or (d) are present; at least three of (a), (b), (c) or (d) are present; or all four of (a), (b), (c) and (d) are present.

[0060] According to an embodiment, said veterinary second composition comprises at least two cannabinoids, at least three, at least four or at least five. According to an embodiment, said veterinary second composition comprises at least three non-cannabinoid cannabis compounds, at least four, at least five, at least six or at least ten.

[0061] According to an embodiment, said cannabinoid is selected from the group consisting of Tetrahydrocannabinol (THC), Cannabidiol (CBD), Cannabigerol (CBG), Cannabichromene (CBC), Cannabinol (CBN), Cannabielsoin (CBE), iso-Tetrahydrocannabinol (iso-THC), Cannabicyclol (CBL), Cannabicitran (CBT), Cannabivarin (CBV), Tetrahydrocannabivarin (THCV), Cannabidivarin (CBDV), Cannabichromevarin (CBCV), Cannabigerovarin (CBGV) and Cannabigerol Monomethyl Ether (CBGM), derivatives thereof and mixtures thereof.

[0062] According to an embodiment, at least one of said non-cannabinoid cannabis compounds is selected from the group consisting of terpenes, flavonoids, alkaloids, carotenoids and compositions thereof. According to an embodiment, at least one of said non-cannabinoid cannabis compounds is selected from the group consisting of pinenes, limonene, linalool, caryophyllene, myrcene, humulene, borneol, eucalyptol, terpineol and combinations thereof.

[0063] According to various embodiments, said veterinary second composition comprises tetrahydrocannabinol (THC), cannabidiol (CBD) or both. According to various embodiments, said veterinary second composition comprises both THC and CBD at a weight/weight ratio between 30:1 and 1:30, between 20:1 and 1:20, or between 10:1 and 1:10.

[0064] According to an embodiment, said veterinary second composition includes at least one terpene, at least two, at least three non-cannabinoid cannabis compounds, at least four, at least five, at least six or at least ten. According to an embodiment, said veterinary second composition includes at least one flavonoid, at least two, at least three non-cannabinoid cannabis compounds, at least four or at least five.

[0065] According to an embodiment, said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains and/or to Indica cannabis strains. According to an embodiment, said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains. According to an embodiment, said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Indica cannabis strains. By characteristic to such strains recited is meant that the compounds are typically contained in each of the strains recited in an amount serving to identify it as associated with such strain, but not exclusively contained in such strain, i.e., may also be present in other of the strains as well.

[0066] According to an embodiment, said veterinary second composition comprises at least one extract of cannabis plant material, e.g. as formed in contacting said plant material with an extractant, and/or as formed by distilling components out of said plant material, e.g. as in steam distillation. Any extractant is suitable. According to an embodiment, said extractant is ethanol, a hydrocarbon, carbon dioxide or a combination thereof.

[0067] According to an embodiment, said carrier comprises at least one of a sugar, honey, beeswax, pollen, pollen substitutes, pollen supplements, a protein ingredient, vegetable oil and fiber. According to an embodiment, said carrier comprises a sugar selected from the group consisting of sucrose, glucose, fructose, high fructose corn syrup, invert sugar and combinations thereof. According to an embodiment, said carrier comprises honey. According to an embodiment, said carrier comprises sugar and honey.

[0068] According to an embodiment, said carrier comprises an aqueous solution of at least one sugar. According to an embodiment, said carrier comprises an aqueous solution of glucose and fructose. According to an embodiment, said carrier comprises an aqueous solution of inverted sugar. According to an embodiment, sugars concentration in said aqueous solution is in the range between 20% and 80, between 30% and 70% or between 45% and 65%.

[0069] According to an embodiment, said carrier comprises solid sugar. According to an embodiment, said carrier comprises solid sugar powder. According to an embodiment, said carrier comprises a protein preparation or protein-containing plant material. According to an embodiment, said carrier comprises a mixture of pollen and sugar.

[0070] According to an embodiment, said veterinary second composition is characterized by being homogenous or of consistent composition. According to an embodiment, said at least one cannabinoid is homogeneously dispersed in said carrier. As used herein, homogeneously dispersed means consistently distributed. According to an embodiment, at least two samples of at least about 500mg each, taken from said veterinary second composition have similar concentrations of said at least one cannabinoid, e.g. within 10% difference. According to an embodiment, at least two samples of at least about 500mg each, taken from said veterinary second composition comprising multiple cannabinoids, have similar concentrations of multiple (e.g. at least 2, at least 3, at least 5 or at least 10) cannabinoid, e.g. within 10% difference (e.g. in case said therapeutic composition comprises cannabinoid A and cannabinoid B, the concentration of cannabinoid A in one sample is similar to the concentration of cannabinoid A in another sample and the concentration of cannabinoid B in one sample is similar to the concentration of cannabinoid B in another sample).

[0071] According to an embodiment, said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier. According to an embodiment, at least two samples of at least about 500mg each, taken from said veterinary second composition have similar concentrations of said at least two non-cannabinoid cannabis compounds, e.g. within 10% difference.

[0072] According to an embodiment, said veterinary second composition includes a cannabinoid and the weight ratio between said carrier and said cannabinoid is greater than 5, greater than 8,

greater than 15, greater than 20, greater than 25, greater than 30, greater than 40, greater than 50, greater than 60, or greater than 80. According to an embodiment, said veterinary second composition includes non-cannabinoid cannabis compounds and the weight ratio between said carrier and said non-cannabinoid cannabis compounds is greater than 5, greater than 8, greater than 15, greater than 20, greater than 25, greater than 30, greater than 40, greater than 50, greater than 60, or greater than 80.

[0073] According to an embodiment, said veterinary second composition comprises at least 0.001% by weight cannabinoid, at least 0.001% by weight non-cannabinoid cannabis compounds and at least 40% by weight carrier. According to an embodiment, it comprises at least 0.001% by weight cannabinoid, at least 0.002%, at least 0.004%, at least 0.006%, at least 0.008%, at least 0.01%, at least 0.02%, at least 0.03%, at least 0.04%, at least 0.06%, at least 0.08%, at least 0.1%, at least 0.2%, at least 0.4%, at least 0.6%, at least 0.8% or at least 1%. According to an embodiment, it comprises less than 10% by weight cannabinoid, less than 8%, less than 6%, less than 4%, less than 2%, less than 1%, less than 0.8% or less than 0.5%. According to an embodiment, said veterinary second composition comprises at least 0.001% by weight non-cannabinoid cannabis compounds, at least 0.002%, at least 0.004%, at least 0.006%, at least 0.008%, at least 0.01%, at least 0.02%, at least 0.03%, at least 0.04%, at least 0.06%, at least 0.08%, at least 0.1%, at least 0.2%, at least 0.4%, at least 0.6%, at least 0.8% or at least 1%. According to an embodiment, it comprises less than 10% by weight non-cannabinoid cannabis compounds, less than 8%, less than 6%, less than 4%, less than 2%, less than 1%, less than 0.8% or less than 0.5%. According to an embodiment, said veterinary second composition comprises at least 45% by weight carrier, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80% or at least 85%.

[0074] According to an embodiment, said veterinary second composition includes a cannabinoid and water and the weight ratio between the water and said cannabinoid is greater than 5, greater than 8, greater than 15, greater than 20, greater than 25, greater than 30, greater than 40, greater than 50, greater than 60, or greater than 80.

[0075] According to an embodiment, said veterinary second composition includes non-cannabinoid cannabis compounds and water and the weight ratio between the water and said non-cannabinoid cannabis compounds is greater than 5, greater than 8, greater than 15, greater

than 20, greater than 25, greater than 30, greater than 40, greater than 50, greater than 60, or greater than 80.

[0076] According to various embodiments, said veterinary second composition comprises at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds, at least 40% by weight sugar and at least 40% by weight water; at least one cannabinoid, at least 40% by weight sugar and at least 40% by weight water; at least two non-cannabinoid cannabis compounds, at least 40% by weight sugar and at least 40% by weight water; or at least one cannabinoid, at least two non-cannabinoid cannabis compounds, at least 40% by weight sugar and at least 40% by weight water.

[0077] According to various embodiments, in said veterinary second composition said at least one cannabinoid and/or said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier; said at least one cannabinoid is homogeneously dispersed in said carrier; said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier; or said at least one cannabinoid and said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier.

[0078] According to an embodiment, said veterinary second composition comprises at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds and additionally containing pollen, pollen substitutes and/or pollen supplements. Any source of pollen is suitable, including cannabis pollen. According to an embodiment, said veterinary second composition includes at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds and additionally contains 30% protein.

[0079] According to an embodiment, said veterinary second composition additionally contains an emulsifier and/or an antioxidant. According to an embodiment, said emulsifier is food approved, biological and/or natural. According to an embodiment, said veterinary second composition, further comprises a compound selected from the group consisting of mono-glycerides, diglycerides, lecithin, gums (e.g. xanthan gum) and polysaccharides. Optionally, said veterinary second composition comprises an antioxidant, whereby said veterinary second composition is better protected during prolonged storage.

[0080] According to an embodiment, said veterinary second composition additionally contains an additive selected from the group consisting of sugars, pollen, pollen substitutes, pollen supplements, omega- polyunsaturated fatty acids, 3 fatty acids from various sources, vegetable oil (e.g. coconut oil), minerals, vitamins, fats, essential oils, beeswax, naringin, invertase enzyme, and combinations thereof. According to an embodiment, said veterinary second composition additionally contains a pharmaceutical. According to an embodiment, said pharmaceutical comprises antibiotics. According to an embodiment, said pharmaceutical is selected from oxytetracycline and dabicycline.

[0081] According to an embodiment, said veterinary second composition additionally contains an additive, e.g. a terpene, selected from the group consisting of compounds characteristic to eucalyptus flowers, compounds characteristic to avocado flowers, compounds characteristic to orange blossom, compounds characteristic to wild flowers, characteristic to Tribulus terrestris and combinations thereof. By characteristic to such flowers and materials recited is meant that the compounds are typically contained in each of the flowers and materials recited in an amount serving to identify it as associated with such flower or material, but not exclusively contained in such material, i.e., may also be present in other of the flowers and materials recited as well.

[0082] According to an embodiment, said veterinary second composition, further comprises at least 10ppm terpene other than cannabis terpenes, at least 50ppm, at least 100ppm, at least 500ppm, at least 1000ppm, at least 3000ppm, at least 5000ppm or at least 10000ppm.

[0083] According to an embodiment, said veterinary second composition, further comprises at least one excipient. According to an embodiment, said excipient is said carrier. According to an embodiment, said at least one cannabinoid and at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier and said veterinary second composition comprises said homogeneous dispersion and at least one excipient. According to an embodiment, said excipient coats said homogeneous dispersion.

[0084] According to an embodiment, said veterinary second composition is in solid form, in liquid form, in aerosol form, in gel form, in tablet form or in a capsule form. According to an embodiment, further provided is an aerosol comprising said veterinary second composition. According to an embodiment, further provided is a solid preparation comprising said veterinary

second composition. According to an embodiment, further provided is a liquid preparation comprising said veterinary second composition.

[0085] According to an embodiment, further provided is a bee feed supplement containing said veterinary second composition.

[0086] According to an embodiment, further provided is bee veterinary medication comprising said veterinary second composition.

[0087] According to an embodiment, further provided is a method of treating bees at or near a bee hive with a veterinary second composition comprising administering to bees a said veterinary second composition thereby enhancing bees performance. According to an embodiment, said enhancing includes one or more of treating bees virus, treating bees inflammation, treating bees stress, treating bees against Colony Collapse Disorder, treating bees against Varroa, increasing the number of bee hive brood cells, increasing the number of bee hive sealed brood cells, improving bees pollination activity, strengthening bees immune system and improving bees honey production.

[0088] According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby reducing Varroa count. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby reducing Nosema count. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby reducing CCD. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby increasing bees body size. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby increasing honey production. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby increasing the number of brood cells, the number of sealed brood cells, or both. According to an embodiment, said method of treating bees at or near a bee hive, comprises administering to bees said veterinary second composition, thereby increasing nectar collection, increasing pollen collection, or both.

[0089] The inventors have found that administering to bees at or near a bee hive said veterinary second composition enhances bees performance, e.g. as demonstrated by increased honey production, increased number of brood cells, larger bees, and accelerated movement of bees out of the hive and into it. Without wishing to be limited to a theory, such enhanced performance may result from direct effects on the bees, e.g.: increasing their need for sugars, which leads to increasing nectar collection activity; improving their health, improving their immune system and/or reducing their stress, which provides for better protection from pathogens; increasing the number of laid eggs, which adds brood cells and increases thereby the need for pollen collection; etc. Alternatively or additionally, such enhanced performance may result from direct effects on bees pathogens, e.g. viruses, Varroa, Nosema, bacteria associated with brood diseases, etc. According to this alternative, administering said veterinary second composition to the bees could result in administering the composition to bees pathogens.

[0090] According to an embodiment, the count of brood cells in said beehive, the count of sealed brood cells in said bee hive or both, is at least 10% greater than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, at least 100% greater or at least 150% greater.

[0091] According to an embodiment, the average size of said bees is at least 10% greater than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0092] According to an embodiment, the bees contain Varroa and the average Varroa count is at least 10% lower than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0093] According to an embodiment, the bees contain Nosema and the average Nosema count is at least 10% lower than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0094] According to an embodiment, the amount of honey produced is at least 10% greater than that in a bee hive under the same conditions receiving no veterinary composition treatment, at least 20% greater, at least 30% greater, at least 40% greater, at least 50% greater, at least 60% greater, at least 80% greater, or at least 100% greater.

[0095] According to an embodiment, said veterinary second composition is administered to the bees between 2 and 12 times per year, between 2 and 10, between 3 and 9, between 3 and 8 or between 3 and 6. According to an embodiment, said veterinary second composition is administered to the bees during winter, during spring or within several weeks (e.g. within 4-6 weeks) before blooming start is predicted. According to an embodiment, said veterinary second composition is administered to the bees during shortage in food, during times of negative energy balance in the hive (more energy is used than provided) during high pathogens content, during times when ambient temperature is lower than 25°C, lower than 20°C lower than 15°C, or lower than 10°C or during times when ambient temperature is higher than 35°C.

[0096] According to an embodiment, further provided is a method of preparing said veterinary second composition, comprising extracting a cannabis plant material with an extractant to form a cannabis extract; and homogeneously blending said cannabis extract with a carrier to form said veterinary second composition. According to an embodiment, said extracting comprises contacting said plant material with an extractant, and/or distilling components out of said plant material, e.g. as in steam distillation. Any extractant is suitable. According to an embodiment, said extractant comprises ethanol, hydrocarbon, carbon dioxide (e.g. in a super-critical, near critical, or a sub-critical form) or carbon dioxide mixtures with other solvents, e.g. ethanol.

[0097] According to an embodiment, said method comprises extracting a first cannabis plant material with a first extractant to form a first cannabis extract; extracting a second cannabis plant material with a second extractant to form a second cannabis extract; and homogeneously blending at least a fraction of said first cannabis extract with at least a fraction of said second cannabis extract and with a carrier to form said veterinary second composition. According to an embodiment, said first extractant is similar to said second extractant, e.g. both comprise at least 60% of a given component (e.g. ethanol), at least 70%, at least 80% or at least 90%.

[0098] According to an embodiment, said method comprises extracting multiple cannabis plant materials (e.g. two, three, four, five or more) with extractants to form multiple cannabis extracts and forming said veterinary second composition by homogeneous mixing fractions of multiple

extracts and said carrier. According to various embodiments, extractant is at least partially removed from at least some of the extracts prior to said mixing or simultaneously with it and most of the residual extractant is removed post said mixing.

[0099] According to an embodiment, said method further comprises keeping cannabis plant material prior to said extracting at conditions suitable for reducing their moisture content, e.g. in contact with low-moisture air, to form partially dried cannabis plant material. According to an embodiment, water content of said cannabis plant material is less than 20%, less than 18%, less than 16%, less than 14%, less than 12% or less than 10%. According to an embodiment, said cannabis plant material is kept at suitable conditions for duration long enough to reach an even distribution of the moisture.

[0100] According to an embodiment, said extracting comprises contacting said cannabis plant material with an extractant to form an extractant-containing cannabis extract, removing at least a fraction of said extractant from said extractant-containing cannabis extract to form a desolventized cannabis extract and homogeneously blending said desolventized cannabis extract with said carrier to form said veterinary second composition.

[0101] According to an embodiment, said extracting comprises contacting said cannabis plant material with an extractant to form an extractant-containing extract, optionally removing a fraction of said extractant and homogeneously blending said extractant containing extract with said carrier to form an extractant-containing homogeneous mixture and removing said extractant from said extractant-containing homogeneous mixture to form said veterinary second composition. According to an embodiment, said carrier is crystalline and/or solid (e.g. sugar, pollen or beeswax) and said blending said extractant containing extract with said carrier comprises spraying said extractant containing extract on said carrier.

[0102] According to various embodiments, said method includes homogeneous blending of said extract and said carrier with a pharmaceutical; homogeneous blending of said extract and said carrier with an antioxidant; homogeneous blending of said extract and said carrier with an emulsifier; homogeneous blending of said extract and said carrier with a texturizer; and/or homogeneous blending of said extract and said carrier with an extract of a plant other than a cannabis plant. Any sequence of mixing is suitable.

[0103] According to an embodiment, said method further includes homogeneously blending of said extract or extracts (extractant comprising or desolventized) and said carrier with at least two out of the group consisting of a pharmaceutical, an antioxidant, an emulsifier, a texturizer, a flavoring, naringin, polyunsaturated fatty acids, a vitamin, and an extract of a plant other than a cannabis plant, at least three, at least four or at least five. Any sequence of mixing is suitable.

[0104] Any form of extractant removal is suitable. According to an embodiment, extractant is removed by distillation.

[0105] According to an embodiment, said method further comprises maintaining at least one of said extractant-comprising extract, desolventized cannabis extract, extractant-comprising homogeneous mixture and desolventized homogeneous mixture at a temperature and for a duration sufficient for decarboxylating, at least partially, acid form of comprised cannabinoids.

Examples

Example 1: Preparing cannabis extracts

[0106] Buds of two strains were dried at ambient temperature and at controlled moisture. The dried buds were then ground and mixed well for homogenization. Moisture content was 11.2%wt. The dried and ground plant material was extracted by mixing with 95% ethanol solution at 10 milliliter (ml) ethanol solution per 1 gram of plant material. Mixing was conducted at ambient temperature for 30 minutes. Then the plant material was filtered out and the solution was evaporated at sub-atmospheric pressure for removing the majority of the ethanol. The remaining solution was kept in a freezer for at least 24hours, followed by filtering out waxes. The de-waxed solution was further evaporated for removing the rest of the ethanol. The residual solution was then kept at a temperature of 120°C until bubbling stopped to form the decarboxylated extract. Samples of the extracts were analyzed for their cannabinoids content. The results are summarized in Table 1:

Table 1

Extract	Strain (source in Israel)	CBD(%wt)	CBN(%wt)	THC(%wt)
1	CHEESE-PIE (Better)	61.1		2.8
2	QUARTZ (BOL)		1.0	61.3

Example 2: Blending extracts with sucrose solutions

[0107] Food-grade sucrose was mixed with water to form an aqueous solution of 55% sucrose.

Comparative method:

[0108] Several trials were made to form homogeneous mixtures where said 55% sucrose solution forms a carrier to deliver the extracts of Example 1. The weight/weight ratios between the extracts and the 55% sucrose solutions were selected to reach cannabinoids concentration in the mixture in the range between 20ppm and 1000ppm. No homogeneous solution was formed. At least a fraction of the extract remained undissolved and tended to stick to the walls of the sugar container.

Working method:

[0109] The extract was mixed with honey to form extract-honey mixtures and those extract-honey mixtures were mixed with the 55% sucrose solution. Thus, 30-50 grams honey as such or after dilution with 10% water, 20% water or 30% water, was warmed to 45°C. Then the extract was gradually added, while thoroughly mixing. Mixing was continued for 30 minutes after the addition is completed, whereby extract-honey mixtures were formed. The 55% sucrose solution was gradually added to the extract-honey mixtures until the desired overall cannabinoid concentration was reached. The weight/weight ratio between honey and the sucrose solution were in the range between 1:10 and 1:1000. At all tested cannabinoid concentrations, up to several thousand parts per million, the formed final solutions were homogeneous.

Example 3: Production of the veterinary composition

[0110] The working method of Example 2 was used to prepare veterinary compositions containing 55% sucrose, honey and extract. In preparing the veterinary composition, the weight/weight ratio between honey and the sucrose solution was 1:20. Three types of veterinary composition were prepared according to Table 2.

Table 2: Veterinary compositions

Veterinary composition	Source [1]	Cannabinoid concentration (ppm)	
		THC	CBD
A	Extract 1	2	41
B	Extract 2	41	
C	Extract 1 + Extract 2	20.5	20.5

[1] Source of cannabinoids and of non-cannabinoid cannabis compounds

Example 4: Administering the veterinary compositions

[0111] For administering the veterinary compositions to bees at or near a bee hive, freshly prepared veterinary compositions, containing the desired amounts of cannabinoids and of non-cannabinoid cannabis compounds, were mixed with 55% sucrose solution to form feeds. The feeds were provided to the bees in feeding trays. The majority of the feed was consumed within several hours.

Example 5: Trial bee hive setting

[0112] Eighteen bee hives were selected and randomly divided into three groups – Group 1, Group 2 and Group 3 – each one containing six hives. All hives were positioned at the same location in a field at Kfar Bilu, Israel.

Example 6: Feeds for the various groups

[0113] The groups were fed four times during February and March 2016:

Group I received three feeds (1st, 3rd and 4th) prepared by forming veterinary compositions according to A in Example 3 and mixing them with 55% sucrose solution according to Example 4. The 2nd feeding was prepared by forming a veterinary composition according to C in Example 3 and mixing it with 55% sucrose solution according to Example 4.

[0114] Group 2 received four feeds prepared by forming veterinary compositions according to B in Example 3 and mixing them with 55% sucrose solution according to Example 4.

[0115] Group 3 (control) received four 55% sucrose solutions.

Example 7: Feeding schedule and details

[0116] The feeding and their timing are summarized in Table 3.

Table 3: Feeding schedule and details

		Group 1	Group 2	Group 3
1 st feeding	Date			
	Feed amount per hive (Kg)(kilograms)	3	3	3
	Cannabinoid per hive	3mg CBD	3mg THC	0
	Non-cannabinoid [1] per hive	2mg	2mg	0
2 nd feeding	Date			
	Feed amount per hive (Kg)	3	3	3
	Cannabinoid per hive	1.5mg CBD + 1.5mg THC	3mg THC	0
	Non-cannabinoid [1] per hive	2mg	2mg	0
3 rd feeding	Date			
	Feed amount per hive (Kg)	3	3	3
	Cannabinoid per hive	6.7mg CBD	6.7mg THC	0
	Non-cannabinoid [1] per hive	4.4mg	4.4mg	0
4 th feeding	Date			
	Feed amount per hive (Kg)	3	3	3
	Cannabinoid per hive	6.7mg CBD	6.7mg THC	0
	Non-cannabinoid [1] per hive	4.4mg	4.4mg	0

[1] Non-cannabinoid cannabis composition

Example 8: Number of full honeycombs

[0117] At various dates, all hives were checked for the number of full honeycombs therein.

Table 4 summarizes the average number of full honeycombs per hive at the checking dates.

Table 4: Average number of full honeycombs per hive

	Full honeycombs per hive		
	Group 1	Group 2	Group 3
Date			
Feb 5, 2016	6.2	5.2	6
Feb 16, 2016	8.3	6.4	7.8
March 6, 2016	9.8	9.2	9.7
March 14, 2016	14	15.5	11.3
March 22, 2016	18	17.4	11.3
April 5, 2016	22.4	21.2	14.2
May 2, 2016	23.6	21.3	18.7

[0118] These number of full honeycombs per hive demonstrate 60% enhancement in performance as a result of administering few milligrams of cannabinoid and/or few milligrams of non-cannabinoid cannabis compounds per bee hive.

Example 9: Honey harvest

[0119] Honey was first harvested on May 18, 2016. Second harvest was on August 1, 2016.

The average amounts of honey per hive are summarized in Table 5.

Table 5: Average amount of harvested honey per hive

	Harvested honey per hive (Kg)		
	Group 1	Group 2	Group 3
1 st harvest	22.7	18.1	14.8
2 nd harvest	16.6	18.9	12.1
Total	39.3	37.0	26.9

[0120] The average amount of harvested honey is another indication of improved performance on administering few milligrams of cannabinoid and/or few milligrams of non-cannabinoid cannabis compounds per bee hive.

Example 10: Varroa count

[0121] Varroa count was conducted on August 1, 2016. The results of average Varroa count per bee hive are summarized in Table 6.

Table 6: Average Varroa count per hive

	Varroa count per hive		
	Group 3	Group 2	Group 1
Varroa count	438	480	313

Claims

1. A method of treating bees at or near a bee hive with a veterinary first composition comprising
administering to bees a veterinary first composition comprising
at least one cannabinoid, and/or,
at least two non-cannabinoid cannabis compounds,
thereby enhancing bees performance.
2. The method of Claim 1, wherein said enhancing includes one or more of treating bees virus, treating bees inflammation, treating bees stress, treating bees against Colony Collapse Disorder, treating bees against Varroa, increasing the number of bee hive brood cells, including the number of bee hive sealed brood cells, improving bees pollination activity, strengthening bees immune system and improving bees honey production.
3. The method of Claim 1, wherein said veterinary composition comprises an extract of cannabis plant material.
4. The method of Claim 1, wherein said veterinary composition comprises tetrahydrocannabinol (THC) and/or cannabidiol (CBD).
5. The method of Claim 1, wherein said veterinary composition additionally contains an emulsifier and/or an antioxidant.
6. The method of Claim 1, wherein said veterinary composition includes at least one terpene.
7. The method of Claim 1, wherein said non-cannabinoid cannabis compounds comprise non-cannabinoid cannabis compounds characteristic to Sativa cannabis strains and/or to Indica strains.
8. The method of Claim 1, wherein said veterinary composition additionally contains an additive selected from the group consisting of sugars, pollen, pollen substitutes, pollen

supplements, omega-3 fatty acids, vegetable oil, minerals, vitamins, fats, essential oils, invertase enzyme and combinations thereof.

9. The method of Claim 1, wherein said veterinary composition additionally contains an additive selected from the group consisting of compounds characteristic to eucalyptus flowers, compounds characteristic to avocado flowers, compounds characteristic to orange blossom, compounds characteristic to wild flowers, characteristic to *Tribulus terrestris* and combinations thereof.

10. The method of Claim 1, comprising administering said veterinary composition to the bees in combination with bees feed, or with bees feed additives or with both.

11. The method of Claim 1, comprising administering said veterinary composition to the bees in combination with sugars.

12. The method of Claim 1, comprising administering said veterinary composition to the bees in combination with a protein ingredient.

13. The method of Claim 1, wherein said administering comprises vaporizing the composition in the beehive, spraying the composition into the atmosphere of the beehive, spraying the composition on honeycombs in the beehive, spraying the composition on brood-containing honeycombs, incorporating the composition into beeswax used to form the beehive frames or combination thereof.

14. The method of Claim 1, comprising administering said veterinary composition to the bees between 2 and 12 times per year.

15. The method of Claim 1, comprising administering said veterinary composition to the bees during winter.

16. The method of Claim 1, wherein said treating comprises administering to the bees between 1 milligram (mg) and 1000 milligram (mg) veterinary composition per beehive.

17. The method of Claim 1, comprising administering said veterinary composition to the bees when present at or near a beehive containing brood cells, wherein the count of brood cells in said beehive, the count of sealed brood cells in said beehive or both is at least 10% greater than those in a beehive under the same conditions receiving no veterinary composition treatment.
18. The method of Claim 1, wherein average size of said bees is at least 10% greater than that of bees under the same conditions receiving no veterinary composition treatment.
19. The method of Claim 1, wherein the bees contain Varroa and the average varroa count in said bees is at least 10% lower than that of bees under the same conditions receiving no veterinary composition treatment.
20. A veterinary second composition particularly adapted for treatment of bees comprising,
(i) at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds;
(ii) a carrier; and
(iii) optionally water
wherein
(a) said at least one cannabinoid and/or said at least two non-cannabinoid cannabis compounds are homogeneously dispersed in said carrier;
(b) the composition includes a cannabinoid and the weight ratio between said carrier and said cannabinoid is greater than 5;
(c) the composition includes a cannabinoid and water and the weight ratio between the water and said cannabinoid is greater than 5; and/or
(d) the composition includes water and the weight ratio between said carrier and the water is greater than 0.5.
21. A veterinary composition according to Claim 20, wherein said carrier comprises at least one of a sugar, honey, beeswax, pollen, pollen substitutes, and pollen supplements.
22. A veterinary composition according to Claim 20, wherein said carrier comprises honey.
23. A veterinary composition according to Claim 20, wherein said carrier comprises a sugar selected from the group consisting of sucrose, glucose, fructose and combinations thereof.

24. A veterinary composition according to Claim 20, comprising at least 0.001% by weight cannabinoid, at least 0.001% by weight non-cannabinoid cannabis compounds and at least 40% by weight carrier.
25. A veterinary composition according to Claim 20, comprising at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds, at least 40% by weight sugar and at least 40% by weight water.
26. A veterinary composition according to Claim 20, comprising at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds and additionally containing pollen, pollen substitutes and/or pollen supplements.
27. A veterinary composition according to Claim 20, comprising at least one cannabinoid and/or at least two non-cannabinoid cannabis compounds and additionally containing 30% protein.
28. A veterinary composition according to Claim 20, additionally containing compounds characteristic to eucalyptus flowers, avocado flowers, orange blossom, wild flowers, Tribulus terrestris and/or combinations thereof.
29. A veterinary composition according to Claim 20, additionally containing at least one terpene other than cannabis terpenes.
30. A veterinary composition according to Claim 20, including non-cannabinoid cannabis compounds characteristic to cannabis Sativa strains and/or to Indica strains.
31. A veterinary composition according to Claim 20, comprising tetrahydrocannabinol (THC) and/or cannabidiol (CBD).
32. A veterinary composition according to Claim 20, comprising tetrahydrocannabinol and cannabidiol at weight/weight ratio between 1:10 and 10:1.

33. A veterinary composition according to Claim 20, wherein at least one of said non-cannabinoid cannabis compounds is selected from the group consisting of terpenes and flavonoids.
34. A veterinary composition according to Claim 20, additionally containing an emulsifier and/or an antioxidant.
35. A veterinary composition according to Claim 20, additionally containing a pharmaceutical.
36. A veterinary composition according to Claim 20, additionally containing an additive selected from the group consisting of omega-3 fatty acids, minerals, vitamins, fats, invertase enzyme, essential oils, and combinations thereof.
37. A bee feed supplement containing the veterinary second composition according to claim 20.
38. An aerosol containing the veterinary second composition according to claim 20.
39. A method of treating bees at or near a bee hive with a veterinary composition comprising administering to bees a veterinary second composition according to claim 20 thereby enhancing bees performance.
40. The method of Claim 39, wherein said enhancing includes one or more of treating bees virus, treating bees inflammation, treating bees stress, treating bees against Colony Collapse Disorder, treating bees against varroa, increasing the number of bee hive brood cells, including the number of sealed brood cells, improving bees pollination activity, strengthening bees immune system and improving bees honey production.
41. A method of preparing the veterinary second composition of claim 20 comprising
- (i) extracting a cannabis plant material with an extractant to form a cannabis extract; and
 - (ii) homogeneously blending said cannabis extract with a carrier to form said veterinary composition .

42. A method according to Claim 41, comprising
- (i) extracting a first cannabis plant material with a first extractant to form a first cannabis extract;
 - (ii) extracting a second cannabis plant material with a second extractant to form a second cannabis extract; and
 - (iii) homogeneously blending at least a fraction of said first cannabis extract with at least a fraction of said second cannabis extract and with a carrier to form said veterinary composition.
43. A method according to Claim 41, wherein said extracting comprises contacting said cannabis plant material with an extractant to form a extractant-containing cannabis extract, removing at least a fraction of said extractant from said extractant-containing cannabis extract to form a desolventized cannabis extract and blending said desolventized cannabis extract with said carrier to form said veterinary composition.
44. A method according to Claim 41, wherein said extracting comprises contacting said cannabis plant material with an extractant to form a extractant-containing extract, blending said extractant-containing extract with said carrier to form an extractant-containing homogeneous mixture and removing said extractant from said extractant-containing homogeneous mixture to form said veterinary composition.
45. A method according to Claim 41, wherein said carrier comprises at least one of vegetable oil, proteins, honey, beeswax, pollen, pollen substitutes, pollen supplements nectar and/or fibers.
46. A method according to Claim 41, including the homogeneous blending of said extract and said carrier with a pharmaceutical.
47. A method according to Claim 41, including the homogeneous blending of said extract and said carrier with an antioxidant.
48. A method according to Claim 41, including the homogeneous blending of said extract and said carrier with an emulsifier.
49. A method according to Claim 41, including the homogeneous blending of said extract and said carrier with a texturizer.

50. A method according to Claim 41, including the homogeneous blending of said extract and said carrier with an extract of a plant other than a cannabis plant.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB2016/057368

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - A61K 31/35; A61K 31/352 (2017.01)

CPC - A61K 31/35; A61K 31/352 (2017.02)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

See Search History document

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

USPC - 514/454; 514/456 (keyword delimited)

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

See Search History document

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 2009/013506 A1 (GW PHARMA LIMITED) 29 January 2009 (29.01.2009) entire document	20-36, 38, 41-50
Y	US 2015/0057342 A1 (CANNABICS PHARMACEUTICALS INC) 26 February 2015 (26.02.2015) entire document	20-36, 38, 41-50
Y	US 2014/0302086 A1 (BROOKS KELLY RESEARCH LLC) 09 October 2014 (09.10.2014) entire document	22
Y	ES 2 038 081 A1 (POZUELO HERGUIDO PALMIRA) 01 July 1993 (01.07.1993) see machine translation	25
Y	RO 122437 B1 (INSTITUTUL NATIONAL CERCETARE DEZVOLTARE) 30 June 2009 (30.06.2009) see machine translation	26
Y	US 2013/0203692 A1 (MERIAL LIMITED) 08 August 2013 (08.08.2013) entire document	27
Y	CN 105012684 A (ZHENGZHOU NUBLION BIOTECHNOLOGY) 04 November 2015 (04.11.2015) see machine translation	28
Y	WO 2000/120207 A2 (YISSUM RESEARCH DEVELOPMENT COMPANY OF THE HEBREW UNIVERSITY OF JERUSALEM) 09 October 2008 (09.10.2008) entire document	35, 36, 46, 47
Y	US 9,186,386 B2 (SPEIER) 17 November 2015 (17.11.2015) entire document	43, 44
Y	US 7,431,938 B2 (ROSO et al) 07 October 2008 (07.10.2008) entire document	49

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

27 February 2017

Date of mailing of the international search report

17 MAR 2017

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents
P.O. Box 1450, Alexandria, VA 22313-1450

Facsimile No. 571-273-8300

Authorized officer

Blaine R. Copenheaver

PCT Helpdesk: 571-272-4300
PCT OSP: 571-272-7774

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB2016/057368

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2009/0209499 A1 (ORBAN) 20 August 2009 (20.08.2009) entire document	1-50