



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2128726 C 2002/01/15

(11)(21) **2 128 726**

(12) **BREVET CANADIEN
CANADIAN PATENT**

(13) **C**

(86) Date de dépôt PCT/PCT Filing Date: 1993/01/22
(87) Date publication PCT/PCT Publication Date: 1993/08/05
(45) Date de délivrance/Issue Date: 2002/01/15
(85) Entrée phase nationale/National Entry: 1994/07/22
(86) N° demande PCT/PCT Application No.: AU 93/00032
(87) N° publication PCT/PCT Publication No.: WO 93/14631
(30) Priorité/Priority: 1992/01/24 (241387) NZ

(51) Cl.Int.⁵/Int.Cl.⁵ A01N 25/14, A01N 43/40, A01N 41/04,
A01N 53/00
(72) Inventeurs/Inventors:
Baker, Kevin Ross, NZ;
Lloyd, John Malcolm, NZ
(73) Propriétaire/Owner:
ICI Australia Operations Proprietary Limited, AU
(74) Agent: MOFFAT & CO.

(54) Titre : GRANULES DE PESTICIDES LIQUIDES, DISPERSIBLES DANS L'EAU
(54) Title: WATER DISPERSIBLE GRANULES OF LIQUID PESTICIDES

(57) **Abrégé/Abstract:**

Water dispersible granules suitable for agricultural application are prepared by first preparing absorbent water dispersible granules and then loading biologically active substances into the preformed absorbent granules.





WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

(51) International Patent Classification ⁵ : A01N 25/12, 25/14, 25/26 A01N 43/40, 41/02, 57/16 A01N 53/00	A1	(11) International Publication Number: WO 93/14631	(43) International Publication Date: 5 August 1993 (05.08.93)
(21) International Application Number: PCT/AU93/00032 (22) International Filing Date: 22 January 1993 (22.01.93) (30) Priority data: 241387 24 January 1992 (24.01.92) NZ (71) Applicant: ICI AUSTRALIA OPERATIONS PROPRIETARY LIMITED [AU/AU]; 1 Nicholson Street, Melbourne, VIC 3000 (AU). (72) Inventors: LLOYD, John, Malcolm ; 24 Surrey Road, Richmond, Nelson (NZ). BAKER, Kevin, Ross ; 6 Boyce Street, Richmond, Nelson (NZ). (81) Designated States: AT, AU, BB, BG, BR, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG).		Published <i>With international search report.</i> 2128726	
(54) Title: WATER DISPERSIBLE GRANULES OF LIQUID PESTICIDES			
(57) Abstract Water dispersible granules suitable for agricultural application are prepared by first preparing absorbent water dispersible granules and then loading biologically active substances into the preformed absorbent granules.			

2128726

- 1 -

WATER DISPERSIBLE GRANULES OF LIQUID PESTICIDES

TECHNICAL FIELD OF THE INVENTION

This invention relates to water dispersible granules for agricultural use. More particularly, the invention relates to water dispersible granules that carry biologically active substances, in liquid form, including pesticides and/or adjuvants which enable the active substances to be delivered to target species.

10 BACKGROUND OF THE INVENTION

Biologically active substances for the control of weeds, insects, fungi and other pests are extensively used and are generically referred to as pesticides. They may also include beneficial agents such as plant growth regulators. When the active substances are in a liquid state at ambient temperatures they have been formulated in a number of ways that, to varying extents, are adapted for ease of transport, handling and application. It is generally desirable with these various formulations

SUBSTITUTE SHEET

2128726

- 2 -

that the active substance be delivered in the form of an aqueous spray. Examples of types of formulations that may be applied in this manner are emulsifiable concentrates (EC), wettable powders (WP), suspension concentrates (SC) and water dispersible granules (WG). EC, WP and SC formulations have disadvantages either during manufacture, transport, storage or use. Limitations of EC formulations include the dangers in packaging, storing and handling highly flammable solvents. WP formulations can present handling problems with the nuisance and potential health hazard of dust to the user. SC formulations can have storage problems and are difficult to clean up after spillage.

WG formulations offer significant advantages in packaging, ease of handling and safety. Typically these consist of small granules of 0.1 - 3 mm in diameter and preferably of uniform size and which are free flowing, low dusting and readily disperse in water to form an homogenous suspension of very small particles which may pass through conventional spray nozzles. Ideally WG formulations when dispersed in water under gentle agitation for five minutes have residues of less than 0.01% on a 150 μ m sieve screen and less than 0.5% on a 53 μ m screen. The granules can usually be measured accurately by volume which is convenient for the end user.

Generally, WG comprise a biologically active substance, a filler (also referred to as diluent), surface active agents (which term may include dispersants and wetting agents) and auxiliary agents such as binders, stabilisers and buffering agents. The amounts of individual ingredients may vary widely, with the biologically active substance generally being present in an amount from 5 to 95% w/w, the filler generally 5 to 90% w/w, the surface

- 3 -

active agent generally 0.1 to 20% w/w and the auxiliary agent generally .01 to 10%. WG formulations may also be prepared without a filler or auxiliary agent.

5 UK Patent 1,304,543 describes four basic methods for preparing granular formulations. The four methods are extrusion; application of a surface coating onto a granule; absorbing an active substance into a granule; and finally applying a binder and active material to a
10 suitable powder and forming granules from the powder mix.

The preparation of granules via an extrusion process is well known. Most of the known processes extrude a premix of active material and other
15 ingredients under relatively high pressure, (and generally in excess of 100 psi), cut the spaghetti like extrudate into short lengths. These may be subsequently dried. An alternative process is use of low pressure extrudation (< 30 psi) of a wet mix having relatively
20 high levels of water. This leads to an extrudate of low compactness which readily breaks into small segments by gentle rolling or tumbling action which also tends to round the ends of the granules. Again these granules may be subsequently dried. Whilst these processes are
25 generally satisfactory, when the active substance is a liquid the granules so formed tend to deteriorate on storage leading to poor dispersibility and suspensibility. Also dispersibility and suspensibility are adversely affected by storage, particularly at
30 elevated temperatures.

Granules may also be prepared by coating a core granule with an absorbent coating of filler particles. A liquid active material may then be loaded onto the surface layer of the granules. Such a process is
35 disclosed in NZ Patent 154,193 where

2128726

- 4 -

the objective was to produce granules with reduced absorptive properties compared to granules prepared from minerals such as attapulgite. However these granules are designed for direct application to
5 soil, pastures or other locus and as they have cores of particle size approximately 250 μm they would not be suitable for use as WG as the granule would not pass through the spray nozzle.

UK Patent 1,304,543 discloses a novel
10 process wherein absorbant granules are prepared and subsequently liquid active substances are absorbed into the granules. However these compositions have granules which are calcined zeolites of several hundred microns in diameter. As with the NZ patent
15 discussed above these granules will not disperse to produce the fine particles required for WG and are designed for direct application to the locus.

The fourth basic method of preparing granules involves a preliminary step of forming a
20 wettable powder by blending the ingredients and milling them to provide the desired particle size. The wettable powder is then subsequently formed into granules by a range of techniques including agglomeration, spray drying, or other means such as
25 pan granulation. Examples of such processes are also described by D A Hovde in the paper entitled "Laboratory Development and Evaluation of Water Dispersible Granules" presented at: ASTM E-35.22 Symposium on Pesticide Formulations and Application
30 Systems: Third Symposium, October 11-14 1982, Fort Mitchell, Kentucky. While such processes are generally acceptable, it is not always possible to achieve good dispersibility and shelf life with all formulations especially with compositions where the
35 biologically active agent is in a liquid state and relatively high levels of active agent are included in the granule.

2128726

- 5 -

There is thus a need for alternative granulation methods in order to enable a wider spectrum of liquid pesticides to be formulated in an effective and economical manner.

5 It is an object of this invention to provide a formulation method and formulations which will at least provide a useful alternative in the granulation art, but which in certain situations will provide a number of advantages over currently
10 employed techniques.

SUMMARY OF INVENTION

The invention therefore provides in one aspect a water dispersible granule prepared by
15 absorbing a liquid biologically active substance or adjuvant therefor, into an absorbent water dispersible granule prepared from filler particles in a finely divided state and a dispersing agent.

Another aspect the invention provides a method of preparing a water dispersible granule
20 containing a biologically active substance or adjuvant therefor, comprising preforming a water dispersible granule comprised of finely divided filler particles and then loading a biologically active substance or adjuvant therefor in a liquid
25 state and in a form that is miscible with water onto the preformed granule.

The invention further provides a water dispersible granule containing a biologically active substance or adjuvant therefor made by the above
30 methods.

The invention further provides a method for changing a living organism comprising preforming an absorbent granule, adding the liquid biologically active substance as described above, dispersing the
35 granule in water, and then applying the aqueous dispersion of the active substance in such a manner as to subject the living organism to the effect of that substance.

2128726

- 6 -

DETAILED DESCRIPTION OF THE INVENTION

In this specification, the term biologically active substance is used in its broadest sense to include not only the control of unwanted plants and animals but also substances which are applied to an animal or plant to achieve a beneficial effect. The substance can be, for example, a plant growth regulator or an animal growth regulator. In the case of plants, the pests will be weeds or other undesired vegetation in a particular locus. In the case of animals, arthropods, nematodes and the like and larger animals such as rabbits, rats and mice and the like. Lower organisms are also included within the scope of the invention, particularly where they are harmful in a particular locus, such as fungi, algae and other micro-organisms. The term pesticides will include substances which control such pests, e.g. substances which destroy the pest but also substances which stop the pest from multiplying or reproducing. The term can thus cover herbicides, insecticides, molluscicides, nematocides, fungicides and the like.

The biologically active substance need not be an inanimate chemical entity, it can include micro-organisms which have a pesticidal effect, as that term has been used above, as well as organisms that have a beneficial effect.

The biologically active substance in accordance with this invention needs to be in a liquid state or formed into a liquid state, by for example dissolution in a suitable solvent or non-volatile compatible material, such as vegetable or mineral oils. The non-volatile compatible material may be another biologically active substance surface active agent or adjuvant therefor. Low melting point biologically active substances may be rendered suitable by using temperatures above their melting

2128726

- 7 -

point for the process but this is not preferred. Whilst solvents or diluents may be used it is preferred however that the use of additional materials, particularly when they are volatile solvents is kept to a minimum to maintain the advantages over EC. If a solvent or diluent is used it is preferable that it does not cause the dispersant to be adversely effected.

The biologically active substance is preferably in a form in which it is miscible with the water. Where it is not inherently miscible with water, it will need to be made miscible preferably by addition of suitable emulsifiers or by use of a suitable solvent or cosolvent. In practice it is found that EC formulations of active substances with the omission of the carrier organic solvent are suitable for absorption into the absorbent granules. It is within the scope of the present invention for the active substance to be rendered water miscible after it has been added to the absorbent granules. This can be achieved by pre-adding or post-adding suitable surfactants to the granules. The surfactants are such that if pre-blended with the active ingredient, the mixture is water miscible.

In this invention, by the term miscible we mean that at the microscopic level the mixture of water and active ingredient is uniform and this may mean it can be in the form of a fine colloidal emulsion or suspension as well as a true solution.

The finely divided filler particles that are used to prepare the absorbent granules of this invention will normally be selected from inert mineral fillers but in some embodiments the fillers may also be biologically active.

The particle size of the finely divided filler will depend upon the ultimate use of the granule. When used in spray tanks with conventional

2128726

- 8 -

spray equipment the filler will need to be of a size to ensure that it passes freely through the spray nozzles without blockage. The preferred particle size will be less than 150 um. The most preferred range will be 1-50 um. The filler materials should adhere also be of a type that do not of themselves adhere and form agglomerates that will not redisperse readily. Accordingly we have found precipitated silica is not preferred but can be tolerated at low levels. Agglomerability can be a function of the nature of the material as well as the methods of grinding or preparation of that material to a fine particle size. Preferred materials and the particles can be prepared using grinding or air separation techniques or combinations thereof.

Suitable substances for use as the finely divided filler include mineral earths and clays such as bentonite, kaolin, attapulgite, diatomaceous earth, zeolites, calcium carbonate, talc, muscovite mica and manufactured materials such as precipitated silicas and silicates, fused sodium potassium, aluminium silicate (heat processed perlite) or organic materials such as coals, lignites and plastics. The fillers are preferably water insoluble. The finely divided filler itself may be absorbent as in the case of diatomaceous earth, attapulgite or zeolites but this is not essential as it is the overall absorbency of the granule rather than that of the individual particles that is important to the working of the invention. However, we have found that the overall absorbency of granules usually increases when absorbent particles are used.

Preferred materials include heat processed perlite, talc and muscovite mica, and combinations of such materials. It is believed the generally plate-like particle shape of these materials enables

2128726

- 9 -

them to separate from each other more readily when granules, manufactured by extrusion, pan granulating or other means, are dispersed in water.

The absorbency of the granules is believed, without limiting the scope of the invention, to result in part from inclusions of voids between the finely divided particles. Accordingly the degree of packing will influence the degree of absorbency of the granules. The absorbency can also be varied by choosing different fillers that effect the packing. The degree of absorbency can be fine tuned further by using a mixture of different fillers. For example heat processed expanded perlite fillers tend to lead to highly absorbent granules while mica or talc fillers lead to less absorbent granules. The degree of absorbency of a granule can thus be varied by varying the ratio of heat processed perlite to mica.

The absorbency of the granules may also be varied by adjusting the overall compactness of the granules. In the case of extrusion of wet premix the compactness is effected by both the pressure of extrudation and the amount of water present. Low pressure extrusion, for example 10-30 p.s.i. leads to highly absorbent granules.

It is important that the finely divided filler particles are water dispersible and this is achieved by including a dispersing agent. In a preferred form of the invention, the preformed granule will be formed from the finely divided filler and a dispersing agent selected such that it will dissolve on contact with a minimum amount of water. Generally this means the dispersant is at least 20% soluble in water.

The dispersing agent on the other hand will need to be an agent which is not adversely effected by physical or chemical reaction with the liquid biologically active substance. The biologically

2128726

- 10 -

active substance can be a concentrated aqueous solution or suspension in which the amount of free water is insufficient to cause dissolution of the dispersant. The amount of dispersing agent will vary
5 from a minimum, when it does not enable dispersion to occur in a reasonable period of time for application to a maximum where no greater benefit is achieved by increasing the amount. Generally, the amount of dispersing agent will range from 1-30% w/w
10 of the absorbent granule and more preferably 5-15% w/w of granule.

Suitable dispersing or wetting agents include surface active agents and water soluble polymers, for example, lignosulphonate salts, polyacrylates
15 and phosphate esters condensation products of formaldehyde, polyethylene glycol, and sugars. Suitable absorbent granules have been prepared with the following dispersing agent:

"Morwet D425" (sodium naphthalene formaldehyde
20 condensate ex Witco Corporation, USA) "Morwet EFW Sulfated Alkyl Carboxylate and Alkyl Naphthalene Sulfonate - Sodium Salt "Tamol PP" (sodium salt of a phenolsulphonic acid condensate) "Reax 80N" (sodium lignosulphonate) "Wettol D1" sodium alkylnaphthalene
25 sulphonate (ex BASF). Generally the dispersing or wetting agents are anionic surfactants.

The use of special binding agents is not generally necessary as the binding ability of the dispersing agent is generally adequate but binding
30 agents may prove useful in certain formulations and are embraced within the scope of the present invention. Suitable binding agents may be selected from a range of natural or synthetic gums, sugars,
35 and polymers. Materials that do not swell rapidly upon hydration or become viscous are preferred.

2128726

- 11 -

Additional auxiliary agents such as surfactants and disintegrating agents may be added where desired to modify the properties of the granules.

- 5 The materials comprising the preformed granule may be combined in any sequence and blended in a suitable blender and granulated using known methods and equipment for making granules. For example, the finely divided filler and dispersant
10 may be blended together with water being added either before, during or after the blending of the dry ingredients. Alternatively the dispersant may be dissolved first in the water used for blending. After formation of the granules, they are then dried
15 to remove the excess moisture.

The amount of water used will vary depending on the desired absorptive capacity of the inert granules which is also controlled by varying the ratio of the fillers.

- 20 Granulating conditions and the type and level of dispersant used will also have an influence on the amount of water required.

- Typically the amount of water may range from 5kg-150kg per 100kg dry mix (fillers and
25 dispersant) and more typically is 20-70kg water/100kg dry mix.

- Granules can be dried by any suitable means (e.g. on trays) that does not result in attrition or damage. Band or static bed dryers are satisfactory.
30 A fluid bed dryer is preferred because of its relative efficiency.

- To ensure satisfactory physical stability (and to avoid degradation of the loaded product) granules are preferably dried to a moisture content
35 of not more than 1.0% w/w (as loss on drying). Temperature during drying is preferably controlled to a low temperature such as below 50°C.

2128726

- 12 -

Preformed granules can be stored and then used to take up a predetermined amount of the liquid biologically active substance at an appropriate time and place. The invention thus enables a granulating plant to be established at a most appropriate place to service a particular area while loading plants where the granules are loaded with the active substances can be sited closer to the end user. Loading of the substance can take place in any suitable apparatus. The apparatus will deliver the liquid substance to the agitated granules in such a manner that the liquid is taken up uniformly amongst all granules without damaging the granules. A suitable apparatus can therefore be a rotating cylinder, for example a Diosna universal mixer ex Dierks and Sohne GmbH & Co KG, a cone mixer with the liquid substance being delivered rapidly to the preformed granules via spray nozzles in a manner to distribute the substance over the surface of the absorbent granules as quickly as possible. The spray can be introduced through air atomising nozzles to ensure even spread of the liquid active substance the granules. Flat spray jets will in some cases be appropriate. Other means of delivering the liquid in the manner required can also be used. The amount of liquid substance that is absorbed onto the granule will vary dependent upon the desired end use.

It is preferred in loading the preformed granules with the liquid that a uniform loading per granule is achieved. Equilibration between unevenly loaded granules is believed to take place but this may take substantial periods of time. Where the absorbency of the granule is to be substantially fully saturated then the liquid can simply be poured onto the granules and granules agitated until they become fully saturated. It has been found that in some cases a fully saturated granule may not disperse in

water as rapidly as do partially saturated granules.

It is therefore preferred to partially saturate the granules. For example, when the loading capacity is 40% it is preferred to only lead
5 to 32%, i.e. 80% of its capacity. It is preferably to load the granules to 60-90% and more preferably 70-85% of their capacity. Besides using the spraying techniques such as air atomising nozzles, it is possible to cool the liquid to increase its
10 viscosity so that it does not flow into the granules so quickly. Agitation of the granules in the cooled liquid will lead to an even spread of the liquid over each granule and as the temperature rises absorption by each granule of its liquid coating and
15 hence granules of uniform absorption.

The invention has as one of its advantages the ability to provide granules with a high carrying capacity for the biologically active substance. The maximum amount of liquid substance that can be
20 incorporated will be limited by the absorptive capacity of the granules. Levels of up to 40% w/w active substance to dry granule are achievable with the process of the present invention.

Preferably the biologically active substance
25 will be mixed with an emulsifier to form an emulsifiable concentrate in a liquid form which can then be absorbed onto the preformed granule. Alternatively, the liquid substance can be dissolved in a suitable solvent, selected such that the
30 solution is miscible with water, and then be absorbed onto the granule. The amount of solvent used in such a situation will be as low as possible in order to enable loading as high a concentration of the active substance into each granule as may be
35 desired. If the liquid substance is miscible with water in its natural state, then it can be loaded onto the preformed granules without further modification.

2128726

- 14 -

Where the liquid active is not miscible with water, but is able to be rendered so by the addition of a suitable emulsifier it is possible for the surfactant and active material to be absorbed sequentially into the granules rather than as a
5 premix. It is also possible for the granules to be prepared with the emulsifier present and the liquid active substance is then subsequently absorbed into the granules. Dispersibility is still maintained in these variations.

10 Suitable biologically active substances for the water dispersible granules of the present invention are liquid at ambient temperature of from 5-50°C but this is not essential. A number of
actives, e.g. lambda-cyhalothrin (mp 49) is a
15 solid at ambient temperature, but can be converted to a liquid form (usually by warming) in admixture with suitable liquid emulsifiers, solvent or other non aqueous liquids. We have found the
actives most suitable for the working of this
20 invention have low water solubility, less than 20g/litre. It is believed in some cases this may aid the dispersibility of the filler particles as the dispersant is usually insoluble in such actives.

Examples of suitable pesticides are set out
25 in the following table where all the pesticides are liquids at 25°C apart from lambda-cyhalothrin which is a solid at 25°C.

2128726

- 15 -

	<u>Chemical</u>	<u>Type</u>	<u>Solubility in water</u>
	Acetochlor	Herbicide	223 mg/l
	Butachlor	Herbicide	23 mg/l
	Butylate	Herbicide	46 mg/l
5	Chlorfenvinphos	Insecticide	145 mg/l
	Chlorimephos	Insecticide	60 mg/l
	Diazinon	Insecticide	40 mg/l
	Dinocap	Acaricide Fung.	(Sp.soluble)
	Fenitrophion	Insecticide	14 mg/l
10	Fluazifop-P-butyl	Herbicide	1 mg/l
	Fonofos	Insecticide	13 mg/l
	Heptopargil	Plant growth Regulator	1 g/l
	Isofenphos	Insecticide	23.8 mg/l
15	Lambda-cyhalothrin	Insecticide	0.005 mg/l
	Mecarbam	Acaricide Insect.	< 1 gm/l
	Metolachlor	Germination Inhib.	530 mg/l
	Omethoate	Acaricide Insect.	0.5 g/l
	Pebulate	Herbicide	60 mg/l
20	Pirimiphos-methyl	Acaricide Insect	5 mg/l
	Propetamphos	Insecticide	110 mg/l
	Propargite	Acaricide	1.9 mg/l
	Prosulfocarb	Herbicide	13.2 mg/l
	Pyraclofos	Insecticide	33 mg/l
25	Sulprofos	Insecticide	< 5 mg/l
	Thiobencarb	Herbicide	30 mg/l
	Triazophos	Acaricide Insect.	30-40 mg/l
	Bromophos-ethyl	Insecticide	0.14 mg/l
	Butamifos	Herbicide	5.1 mg/l
30	Carbophenothion	Acaricide Insect.	< 1 mg/l
	Cyhalothrin	Insecticide	0.003 mg/l

2128726

- 16 -

		Solubility	
Chemical	Type	in water	
Demeton-S-methyl	Insecticide	3.3 g/l	
Dichloruos	Insecticide	10 g/l	
5 Disulfoton	Acaricide Insect.	25 mg/l	
Fenpropimorph	Fungicide	10 mg/l	
Heptenophos	Insecticide	2.2 g/l	
Hydroprene	Insect growth reg.	0.54 mg/l	
Malathion	Acaricide Insect.	145 mg/l	
10 Mephosfolan	Insecticide	57 mg/l	
Molinate	Herbicide	880 mg/l	
Parathion	Acaricide Insec.	24 mg/l	
Permethrin	Insecticide	0.2 mg/l	
Profenofos	Insecticide	20 mg/l	
15 Propiconazole	Fungicide	110 mg/l	
Prothiofos	Insecticide	1.7 mg/l	
Pyrifenox	Fungicide	115 mg/l	
Tebutam	Herbicide	Almost Insoluble in water	
20 Thiometon	Insecticide	200 mg/l	
Tridemorph	Fungicide	11.7 mg/l	

The preferred liquid biologically active substances are propargite, fluazifop-P-butyl and lambda-cyhalothrin

The emulsifiers that can be used in accordance with the invention will depend on the liquid pesticide and will usually be chosen such that they would form an acceptable EC when combined with the active ingredient. In most cases binary or even tertiary mixtures of suitable emulsifiers are used.

Emulsifiers chosen should be compatible with the liquid active and other components of the formulation. A preferred characteristic is that

2128726

- 17 -

they do not (at the level incorporated) cause the liquid active to solidify. Some liquid actives are completely miscible in water and may not require an emulsifier. Emulsifier may be used at rates ranging from say 1-75% w/w of the EC active ingredient.

- 5 Preferred emulsifiers for propargite and fluazipfop-P-butyl are:
"Teric 200" (alkyl phenol propylene oxide/ethylene oxide condensate)
"Kemmat SC 15B" (calcium salt of dodecyl benzene
10 sulphonate).

These emulsifiers are usually used in admixture. The actual ratio varies depending on the liquid active. Emulsifiers can be of the anionic, cationic or non-ionic type.

- 15 Examples of the anionic type include soaps, salts of aliphatic monoesters or sulphuric acid such as sodium lauryl sulphate, salts of sulphonated aromatic compounds, for example sodium
dodecylbenzenesulphonate, sodium, calcium or
20 ammonium lignosulphonate, alkyl naphthalene sulphonates such as salts of diisopropyl- and 10 triiso-propylnaphthalene sulphonates, phosphate esters, sulphosuccinates and mixtures thereof.
Suitable agents of the non-ionic type include, for
25 example, the condensation products of ethylene oxide with fatty alcohols such as oleyl alcohol or cetyl alcohol, e.g. tridecyl alcohol ethoxylate, or with alkyl phenols such as octyl phenol, nonyl phenol and octyl cresol. Other non-ionic agents are the
30 partial esters with ethylene oxide and the lecithins and phosphorylated surfactants such as phosphorylated ethylene oxide/propylene oxide block copolymer and ethoxylated and phosphorylated styryl substituted phenol.

2128726

- 18 -

In accordance with a further feature of the invention, the preformed absorbent granules can be used to absorb liquid adjuvants which in accordance with this invention are substances designed to enhance the effect of the biologically active substance. Thus adjuvants can include substances which assist in penetration of the active agent into a plant in the case of a systemically active pesticide. The adjuvant can be incorporated with the liquid biologically active substance where the adjuvant and the substance are mutually compatible and remain so or alternatively a preformed granule can be loaded with a biologically active substance and then be subsequently loaded with an adjuvant. Alternatively, the biologically active substance can be loaded into a first sample of the preformed granules and the adjuvant loaded into a second sample and these two samples added to water for spraying.

It is also within the scope of the invention for a solid biologically active substance to be used as the finely divided filler, as long as the biologically active substance is miscible or can be rendered miscible in water. The preformed granule containing the biologically active substance can then be used to absorb an adjuvant which is an enhancer for that particular biologically active substance. The substance in this aspect of the invention need not be the sole finely divided filler used to make the granules, mixtures with other biologically active substances which are mutually compatible or with other finely divided powders may also be employed. The preformed granule containing the biologically active substance can also be used to absorb another biologically active substance in liquid form.

- 19 -

2128726

The method by which the granules are formed in accordance with the invention is not particularly critical. However the type of granulation technique used may effect the absorbancy of the granules. For example, we have found the granulation technique described in our copending application PCT/AU 88/00201 to be particularly advantageous.

The following Examples illustrate various features of the invention:

EXAMPLE 1

10 Preparation of 35% w/w active content fluazifop-P-butyl herbicide.

(a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Perlite SP 412 (Diaclite 412 ex Induplex Inc. Philippines)	45
15	Mica 20 (20 micron) (Mintech (NZ) Ltd)	45
	Reax 80N (Westvaco Pacific Pty Ltd North Sydney Sodium Lignin sulphonate)	10

20 (b) Active Substance Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl Tech. grade (90.9% a.i.)	88.0
	Teric 200 (ICI Australia, poly propylene ethylene oxide surfactant)	9.6
25	Kemmat SC15 (Calcium dodecyl benzene sulphonate emulsifier) Harcros Industrial Chemicals, NSW	2.4

- 20 -

(c) Finished Product Composition

	<u>Component</u>	<u>% w/w</u>
	Absorbent granules	56.24
5	Active Substance formulation	43.76

(d) Finished Product Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl, tech grade	38.509
10	Perlite SP 412	25.308
	Mica 20	25.308
	Reax 80N	5.625
	Teric 200	4.200
	Kemmat SC 15B	1.050

15 The absorbent granules were prepared by adding water to
the granule pre-mix at a ratio of 47 litres per 100kg of
dry mix and using a process in which a wet premix is
extruded from a reciprocating low pressure (20 psi)
extruder to give a low compact extruder which is broken
20 and rounded into granules by a gentle rolling action.
The granules are dried and the active substance
formulation is added to the granules to give a loading
of 80% of the available absorptivity. The total loading
capacity of a granule is determined by monitoring the
25 addition of a mobile oil to a sample of granules and
assessing the free flowability of the samples. Maximum
absorption is deemed to be the point at which free
flowability ceases. The test is preferably completed
over a 10 minutes test period to enable consistent
30 results to be achieved.

- 21 - 2128726

EXAMPLE 2

Preparation of 25% w/w active content fluazifop-P-butyl herbicide.

(a) <u>Absorbent Granule Formula</u>		
5	<u>Ingredient</u>	<u>% w/w</u>
	Mica 20	60
	Perlite SP412	30
	Reax 80N	10
(b) <u>Active Substance Formula</u>		
10	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl	
	Tech. grade (90.9% a.i.)	88
	Teric 200	9.6
	Kemmat SC15	2.4
15	(c) <u>Finished Product Composition</u>	
	<u>Component</u>	<u>% w/w</u>
	Absorbent granule	68.74
	Active substance formulation	31.26
(d) <u>Finished Product Formula</u>		
20	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl, tech grade	27.510
	Mica 20	41.244
	Perlite SP412	20.622
	Reax 80N	6.874
25	Kemmat SC 15B	0.750
	Teric 200	3.000

2128726

- 22 -

The process of Example 1 was repeated to provide granules with 25% w/w Fluazifop-P-butyl herbicide.

EXAMPLE 3

Preparation of 30% w/w active content propargite aracide

5 (a) Absorbent Granule FormulaIngredient% w/w

Mica 20

50

Perlite SP412

40

Reax 80N

10

10 (b) Active Substance FormulaIngredient% w/wPropargite, technical
grade (85.1% a.i.)

90.0

Teric 200

7.0

15 Kemmat SC15

3.0

(c) Finished Product CompositionComponent% w/w

Absorbent granules

60.83

Active substance formulation

39.17

20 (d) Finished Product FormulaIngredient% w/w

Propargite, tech. grade

35.253

Mica 20

30.415

Perlite SP412

24.332

25 Reax 80N

6.083

Teric 200

2.742

Kemmat SC 15

1.175

2128726

- 23 -

The process of Example 1 was used to provide granules with 30% Propargite acaricide.

EXAMPLE 4

Preparation of 30% active content fluazifop-P-
5 butyl herbicide.

(a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Perlite SP412	50
	Mica 20	40
10	Tamol PP (ex BASF) (Sodium salt of phenolsulphonic acid condensation product).	10

(b) Active Substance Formula

	<u>Ingredient</u>	<u>% w/w</u>
15	Fluazifop-P-butyl Tech. grade (90.9% a.i.)	88
	Teric 200	9.6
	Kemmat SC15	2.4

(c) Finished Product Composition

20	<u>Component</u>	<u>% w/w</u>
	Absorbent granules	62.49
	Active substance formulation	37.51

The process of Example 1 was used to provide granules with 30% fluzifop-P-butyl herbicide.

2128726

- 24 -

EXAMPLE 5

Preparation of 30% active content fluazifop-P-butyl herbicide with different surfactant in the absorbent granule.

5 (a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Perlite SP412	50
	Mica 20	38
	Lomar PWM	12
10	(Sodium salt of condensed Naphthalene sulfonic acid (Henkel Corporation, USA)).	

(b) Active Substance Formula

15	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl	
	Tech. grade (90.9% a.i.)	88
	Teric 200	9.6
	Kemmat SC15	2.4

20 (c) Finished Product Composition

	<u>Component</u>	<u>% w/w</u>
	Absorbent granules	62.49
	Active substance formulation	37.51

The process of Example 1 was repeated to provide
25 granules with 30% fluzifop-P-butyl herbicide.

2128726

- 25 -

EXAMPLE 6

Preparation of 30% active content fluazifop-P-butyl herbicide using fillers that differ from Example 5.

5 (a) Absorbent Granule Formula

<u>Ingredient</u>	<u>% w/w</u>
Perlite SP412	50
Talc Superfine 15	40
Morwet D425	10

10 (b) Active Substance Formula

<u>Ingredient</u>	<u>% w/w</u>
Fluazifop-P-butyl	
Tech. grade (90.9% a.i.)	88
Teric 200	9.6
15 Kemmat SC15B	2.4

(c) Finished Product Composition

<u>Component</u>	<u>% w/w</u>
Absorbent granules	62.49
Active substance formulation	37.51

20 The process of Example 1 was repeated to provide granules with 30% fluzifop-P-butyl herbicide.

2128726

- 26 -

EXAMPLE 7

Preparation of 30% active content fluazifop-P-butyl herbicide using the process of Example 1 but varying the filler composition of the absorbent granule.

(a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Talc Superfine 15	75
	Microcel E	15
10	Morwet D425	10

(b) Active Substance Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl	
	Tech. grade (90.9% a.i.)	88
15	Teric 200	9.6
	Kemmat SC15B	2.4

(c) Finished Product Composition

	<u>Component</u>	<u>% w/w</u>
	Absorbent granules	62.49
20	Active substance formulation	37.51

EXAMPLE 8

Manufacture of water dispersible granules comprising 25% to 30% a.i. w/w fluazifop-P-butyl from inert absorbent granules prepared by different methods.

25 A 15 kg batch of absorbent granule premix was prepared as follows:

2128726

- 27 -

(Finished product formula, dry weight basis)

Ingredient% w/w

	Perlite SP412	55
	Talc 'Superfine 15'	35
5	(ex Commercial Minerals Ltd, Aust) (95% <15M).	
	'Ultrazine NA'	10
	(Sodium lignosulphonate ex Borregaard, Norway)	
10	Water was added to the premix at the rate of 600g/kg dry material.	

Method

The perlite and talc were added to a ribbon blender and blended dry for 5 minutes.

- 15 The 'Ultrazine NA' was first dissolved in 75% of the water and delivered from a pressure vessel to the dry mix in the ribbon blender via spray nozzles. The balance of the water was applied by the same means. This served to flush the liquid delivery
- 20 system and ensure all the 'Ultrazine NA' was conveyed to the premix.

- The damp premix was blended for a total of 10 minutes in 2 minute cycles. At the end of each cycle the blender was stopped to clear material from
- 25 the ribbons and other surfaces where build up had occurred. This was to ensure that the final damp mixture was reasonably homogenous.

Granulation Trial No. 1

- 30 5 Kg of the damp premix was passed through a small hammermill fitted with a 12.5 mm aperture screen to

2128726

- 28 -

reduce the few agglomerates of over-damp material present.

The damp hammermilled premix was placed in a 600 mm dia. granulating bowl rotating at 27 rpm.

5 Water was applied to the tumbling mass of damp powder as a fine spray from a hand operated spray gun fitted with an air atomizing nozzle. A large spatula was used occasionally to remove loose build up from the walls of the bowl.

10 The premix agglomerated readily and the water overspray was discontinued when granules of approximately the desired size had formed. These were dried on a static bed dryer at a temperature not exceeding 50 deg. C.

15 A dry sieve analysis was carried out on a representative sample of the dried granules by subjecting them to 10 minutes on a 'Rotap' sieve shaker.

20 Results

	<u>Sieve (aperture size)</u>	<u>% w/w retained</u> (cumulative)
	+2057 μm	13.6
	-2057 + 1180 μm	15.4
	-1180 + 710 μm	52.4
25	- 710 + 425 μm	14.8
	- 425 + 150 μm	3.6
	- 150 μm	0.2

Granules sized -1180 + 710 μm were removed from the main sample by screening and retained for
30 loading with emulsifiable fluazifop-P-butyl.

2128726

- 29 -

Moisture tests were carried out on damp and dried material, results as follows:

Moisture Content
(as loss on drying)

5	Damp premix after hammermilling	37.7%
	Wet granules	42.7%
	Dried granules	1.24%

Granule Loading

- 10 A sample of water dispersible granules comprising 25% a.i. w/w emulsifiable fluazifop-P-butyl was prepared in the laboratory as follows:

Active substance formula:

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl technical grade	
15	@ 88.3% a.i. w/w	88.0
	'Teric 200'	9.6
	Kemmat HF60	2.4

Loading Recipe

	<u>Ingredient</u>	<u>% w/w</u>
20	Absorbent granules	67.8
	Active substance formulation	32.2

- 25 A 500g sample of above was prepared by adding the granules to pre-weighed active substance formulation of fluazifop-P-butyl in a polythene bag, sealing the end of the bag by twisting and mixing the contents vigorously by hand. The granules appeared 'wet' initially but became free flowing after approximately 60 seconds as the liquid was absorbed.

2128726 - 30 -

Laboratory tests were carried out on the loaded granules initially and after periods of storage at a constant 50 deg. C.

Initial Test Results

Time to disperse	165 seconds
Suspensibility (total solids)	85%
Wet sieve analysis of dispersed granules (% retained, cumulative)	
150 μ m	0.009
53 μ m	0.014

Granulation Trial No. 2

The balance of the damp premix prepared for granulation trial No. 1 was taken direct from the blender and passed through a vertical paddle mixer where it was converted to a soft 'dough'. This dough passed from the base of the paddle mixer via a 6 mm aperture mesh to form large soft extrusions. The extrusions were dried on a static bed at a temperature not exceeding 50 deg. C before being passed through a 'Manesty Rotor-gran' fitted with a 1.31 mm aperture mesh.

The action of the 'Manesty Rotor-gran' reduced the dried extrusions to angular granules (chips) of different sizes from which product within the -1180 +710 μ m size range was removed by screening. This was subsequently loaded with emulsifiable fluazifop-P-butyl in the manner described for trial No. 1.

- 31 -

2128726

Laboratory tests were carried out on the loaded granules initially and after periods of storage at 50 deg. C.

Initial Test Results

5	Time to disperse	150 seconds
	Suspensibility (total solids)	88%
	Wet sieve analysis of dispersed granules (% retained, cumulative)	
10	150 μ m	0.003
	53 μ m	0.004

EXAMPLE 9

This Example illustrates the preparation of water dispersible granules of two samples, 9A and 9B comprising 30% w/w diazinon. It was prepared in the laboratory as follows:

Active substance formulation

	<u>Ingredient</u>	<u>% w/w</u>
20	Diazinon technical grade @ 95% AI	90
	Teric 200	5
	Kemmat HF 60	5

Granule Composition 9A

		<u>% w/w</u>
25	Perlite SP 412	55
	Talc Superfine 15	35
	Supragil MNS 90	10

2128726

- 32 -

Granule Composition 9B

	<u>% w/w</u>
Perlite SP 412	55
Talc Superfine 15	35
5 Ultrazine NA	10

Loading Recipe for 9A & 9B

<u>Ingredient</u>	<u>% w/w</u>
Absorbent Granules	64.91
Active substance formulation	35.09
10 A 500 gram sample of the above was prepared by adding 324.55 gram of granules to 175.45 grams of diazinon formulation in a polythene bag. The end of the bag was sealed by twisting and the contents were thoroughly mixed by hand.	
15 The granules appeared wet initially but became free-flowing after approximately 30 seconds as the liquid was absorbed	

Final Formulation Details

<u>Ingredient</u>	<u>% w/w</u>
20 <u>Diazinon 300 9A</u>	
Perlite SP 412	35.71
Talc Superfine 15	22.72
Supragil MNS 90	6.49
Diazinon technical grade @95% AI	31.58
25 Teric 200	1.75
Kemmat HF 60	1.75

2128726

- 33 -

Diazinon 300 9B

	<u>% w/w</u>
Perlite SP 412	35.71
Talc Superfine 15	22.72
Ultrazine NA	6.49
5 Diazinon technical grade @95%	31.58
Teric 200	1.75
Kemmat HF60	1.75

Laboratory Test ResultsInitial

10	<u>Sieve Tests</u>	<u>% Retained 150mm</u>	<u>% Retained 53mm</u>
	Diazinon 300 9A	0.008	0.012
	Diazinon 700 9B	0.012	0.033

Dispersion

	Diazinon 300 9A	80 seconds
15	Diazinon 300 9A	105 seconds

Suspensibility (total solids)

	Diazinon 300 9A	75.3%
	Diazinon 300 9B	90.1%

EXAMPLE 10

- 20 Preparation and biological testing of 25% active content fluazifop-P-butyl herbicide.

2128726

- 34 -

(a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Perlite SP 412	55
	Talc superfine 15	35
5	Ultrazine NA	10

(b) Active Substance Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl (Tech. grade)	88
	Teric 200	9.6
10	Kemmat HF 60	2.4

(c) Finished Product Composition

<u>Component</u>	<u>% w/w</u>
Absorbent granules	67.8
Active substance formulation	32.2

15 (d) Finished Product Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl (tech grade)	28.34
	Perlite SP 412	37.29
	Talc superfine 15	23.73
20	Ultrazine NA	6.78
	Teric 200	3.09
	Kemmat HF 60	0.77

Granules were prepared as in Example 1 using 32 litres of water per 100 kg of dry premix.

2128726

- 35 -

Biological Evaluation

Chemical treatments were applied post emergence to barnyard grass (*Echinochloa crus-galli*) at the three leaf to three tiller stage and to soybeans at the 1 to 2 trifoliate leaf stage.

The barnyard grass density was 176 plants/m² of which 21% were tillered.

RESULTS

Visual estimates of percent control of barnyard grass were made 27 DAA (days after application) and panicle counts were made 56 DAA.

Visual estimates of percent crop damage were made 27 and 56 DAA and of percent crop cover 27 DAA.

Barnyard Grass (Table 1)

At 27 DAA, the WG treatments were slightly more active than the EC. However, there was no difference between any of the treatments at 56 DAA when they all gave excellent reduction (> 97%) in seed head counts.

At all of these assessments there were no significant differences between spray treatments.

2128726

- 36 -

TABLE 1

Fluazifop-P-butyl herbicides WG, comparison of formulations on barnyard grass in soybeans at 187.5 GAI/HA

5 Location: Coree South, Southern N.S.W

Treatment	% Control	Seed Heads/M2
	27 DAA	56 DAA
	Means	Means *1
Untreatment control	0	161.4
10 Application Date: 03/02/91		
Spray volume: 100 L/HA		

EXAMPLE 11

This example shows the preparation of 12.5% w/w active content fluazifop-P-butyl herbicide with a mineral oil also present in the granule

(a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Perlite SP412	55
	Mica 20	25
	Morwet EFW (Napthalene Sulphonate)	10
20	Ultrazine NA	10

2128726

- 37 -

(b) Active Substance Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl	
	Tech. grade (88.3% a.i.)	43.4
5	Teric 200	12.5
	Tween 20 (polyethylene sorbitan fatty acid ester)	19.8
	Prosol P12 (mineral oil, ex Caltex)	24.3

(c) Finished Product Composition

	<u>Component</u>	<u>% w/w</u>
	Absorbent granules	67.3
	Active substance formulation	32.7

The granules (12.5% w/w active) were prepared as for Example 5.

15 EXAMPLE 12

This example shows the preparation of a 25% w/w active content fluzifop-P-butyl herbicide where the active substance formula has alternative surfactants to that used in Example 11. The granules were prepared as for Example 11, using the same weight amounts and process except that the active substance formula was as follows:

	<u>Ingredient</u>	<u>% w/w</u>
	Fluazifop-P-butyl (Tech. grade)	88
25	Sopropor 4D/384 (Sulfated p-arylphenol ethoxyate ex Rhone-Poulenc)	12

2128726

- 38 -

EXAMPLE 13

This example illustrates the use of an active substance that is normally solid but is applicable to the present invention by transforming the active substance to liquid form. This example shows the
 5 preparation of a 5% w/w lambda-cyhalothrin active substance.

(a) Absorbent Granule Formula

	<u>Ingredient</u>	<u>% w/w</u>
	Perlite SP412	55
10	Mica 20	25
	1) Wettol DI	15
	2) Wettol NTI	5

(b) Active Substance Formula

	<u>Ingredient</u>	<u>% w/w</u>
15	Cotton seed oil	53
	Lambda-cyhalothrin, technical grade @ 89.9% a.i.	35
	3) Teric 17A2	10.8
	4) Teric 17A3	1.2

20 Loading Formula

Absorbent granule	84.1%
Active substance formulation	15.9%

- 1) Sodium salt of a phenol-sulphonic acid
condensation product - dispersing agent supplied
by BASF.
- 25 2) Sodium alkylnapthalene sulphonate - wetting
agent supplied by BASF.

2128726

- 39 -

- 3) Cetyl-oleyl alcohol ethoxylate - emulsifier supplied by ICI Australia.
- 4) Cetyl-oleyl alcohol ethoxylate - emulsifier supplied by ICI Australia.

5 The Active ingredient formulation is prepared by warming all the ingredients to 50 deg. C. Upon cooling to ambient temperature the formulation remained in a liquid state.

The absorbent granule manufacturing process and
10 loading procedure were as set out in Example 1.

While in accordance with the invention specific features may have been mentioned, the invention is not to be construed as being limited thereto. Furthermore where materials and steps have
15 been described, and known equivalents exist thereto, such known equivalents are incorporated herein as if specifically set forth.

- 40 -

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE
PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

- 5 1. A method for preparing water dispersible granules by
preparing an absorbent water dispersible granule from
finely divided filler particles and a dispersing agent
and then absorbing a liquid biologically active
substance, alone or in combination with an adjuvant
therefore into said absorbent granule.
- 10 2. A method for preparing water dispersible granules as
defined in claim 1 wherein the biologically active
substance or adjuvant therefor is in a form that is
miscible with water.
- 15 3. A method for preparing water dispersible granules as
defined in either claim 1 or claim 2 wherein the
biologically active substance is a liquid at less than
50°C.
- 20 4. A method for preparing water dispersible granules as
defined in claim 3, wherein the biologically active
substance has a water solubility of less than 20g/litre.
5. A method for preparing water dispersible granules as
defined in claim 1 wherein the finely divided fillers are
water insoluble and have particle size less than 50
micron.
- 25 6. A method for preparing water dispersible granules as
defined in claim 5 wherein at least a portion of the
fillers are plate-like in shape.

7. A method for preparing water dispersible granules as defined in claim 1 wherein a portion of the filler is selected from heat processed expanded perlite, talc and muscovite mica.
- 5 8. A process for preparing water dispersible granules as defined in claim 1 wherein the granules are formed by a low pressure extrusion process followed by gentle rolling or tumbling action.
- 10 9. A process for preparing water dispersible granules as defined in any one of claims 1 - 8 wherein the quantity of biologically active substance or adjuvant therefore that is absorbed into the absorbent granule is chosen such that 60-90% of the absorptive capacity of the absorbent granules is attained.
- 15 10. A process for preparing water dispersible granules as defined in any one of claims 1 - 9, wherein the active substance is selected from the group consisting of fluazifop-P-butyl, lambda-cyhalothrin and propargite.