



(86) Date de dépôt PCT/PCT Filing Date: 2002/06/04
(87) Date publication PCT/PCT Publication Date: 2002/12/12
(45) Date de délivrance/Issue Date: 2011/07/26
(85) Entrée phase nationale/National Entry: 2003/12/02
(86) N° demande PCT/PCT Application No.: CA 2002/000824
(87) N° publication PCT/PCT Publication No.: 2002/099034
(30) Priorité/Priority: 2001/06/04 (CA2,348,042)

(51) Cl.Int./Int.Cl. *C12Q 1/68* (2006.01),
C07H 21/00 (2006.01), *C07H 21/04* (2006.01),
C40B 30/04 (2006.01), *C40B 40/06* (2006.01),
C12N 15/31 (2006.01)


(72) Inventeurs/Inventors:
HULETSKY, ANN, CA;
ROSSBACH, VALERY, CA

(73) Propriétaire/Owner:
GENEOHM SCIENCES CANADA INC., CA

(74) Agent: GOUDREAU GAGE DUBUC

(54) Titre : SEQUENCES DE DETECTION ET D'IDENTIFICATION DE STAPHYLOCCOCUS AUREUS RESISTANT A LA METHICILLINE

(54) Title: SEQUENCES FOR DETECTION AND IDENTIFICATION OF METHICILLIN-RESISTANT STAPHYLOCCOCUS AUREUS



(57) Abrégé/Abstract:

The present invention describes novel SCCmec right extremity junction sequences for the detection of methicillin-resistant *Staphylococcus aureus* (MRSA). It relates to the use of these DNA sequences for diagnostic purposes.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 December 2002 (12.12.2002)

PCT

(10) International Publication Number
WO 02/099034 A3

(51) International Patent Classification⁷: **C12Q 1/68**

(21) International Application Number: PCT/CA02/00824

(22) International Filing Date: 4 June 2002 (04.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2,348,042 4 June 2001 (04.06.2001) CA

(71) Applicant (for all designated States except US): **INFECTIO DIAGNOSTIC (I.D.I.) INC.** [CA/CA]; 2050 René-Lévesque Blvd. Ouest, 4th Floor, Sainte-Foy, Quebec G1V 2K8 (CA).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HULETSKY, Ann**

[CA/CA]; 1231 des Pins Avenue, Sillery, Quebec G1S 4J3 (CA). **ROSSBACH, Valery** [CA/CA]; 55 rue du Sauternes, Aylmer, Quebec J9H 3W7 (CA).


(74) Agents: **DUBUC, J., Prince** et al.; Goudreau Gage Dubuc, Stock Exchange Tower, Suite 3400, 800 Place Victoria, P.O. Box 242, Montréal, Québec H4Z 1E9 (CA).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,

[Continued on next page]

(54) Title: SEQUENCES FOR DETECTION AND IDENTIFICATION OF METHICILLIN-RESISTANT *STAPHYLOCCOCUS AUREUS*



(57) Abstract: The present invention describes novel SCCmec right extremity junction sequences for the detection of methicillin-resistant *Staphylococcus aureus* (MRSA). It relates to the use of these DNA sequences for diagnostic purposes.



WO 02/099034 A3

WO 02/099034 A3



GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
NE, SN, TD, TG).

(88) Date of publication of the international search report:

6 November 2003

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

SEQUENCES FOR DETECTION AND IDENTIFICATION OF METHICILLIN-RESISTANT *STAPHYLOCOCCUS AUREUS*

5

BACKGROUND OF THE INVENTION

Clinical significance of *Staphylococcus aureus*

10

The coagulase-positive species *Staphylococcus aureus* is well documented as a human opportunistic pathogen. Nosocomial infections caused by *S. aureus* are a major cause of morbidity and mortality. Some of the most common infections caused by *S. aureus* involve the skin, and they include furuncles or boils, cellulitis, impetigo, and postoperative wound infections at various sites. Some of the more serious infections produced by *S. aureus* are bacteremia, pneumonia, osteomyelitis, acute endocarditis, myocarditis, pericarditis, cerebritis, meningitis, scalded skin syndrome, and various abscesses. Food poisoning mediated by staphylococcal enterotoxins is another important syndrome associated with *S. aureus*. Toxic shock syndrome, a community-acquired disease, has also been attributed to infection or colonization with toxigenic *S. aureus* (Murray *et al.* Eds, 1999, Manual of Clinical Microbiology, 7th Ed., ASM Press, Washington, D.C.).

Methicillin-resistant *S. aureus* (MRSA) emerged in the 1980s as a major clinical and epidemiologic problem in hospitals. MRSA are resistant to all β -lactams including penicillins, cephalosporins, carbapenems, and monobactams, which are the most commonly used antibiotics to cure *S. aureus* infections. MRSA infections can only be treated with more toxic and more costly antibiotics, which are normally used as the last line of defence. Since MRSA can spread easily from patient to patient via personnel, hospitals over the world are confronted with the

problem to control MRSA. Consequently, there is a need to develop rapid and simple screening or diagnostic tests for detection and/or identification of MRSA to reduce its dissemination and improve the diagnosis and treatment of infected patients.

5

Methicillin resistance in *S. aureus* is unique in that it is due to acquisition of DNA from other coagulase-negative staphylococci (CNS), coding for a supernumerary β -lactam-resistant penicillin-binding protein (PBP), which takes over the biosynthetic functions of the normal PBPs when the cell is exposed to β -lactam antibiotics. *S. aureus* normally contains four PBPs, of which PBPs 1, 2 and 3 are essential. The low-affinity PBP in MRSA, termed PBP 2a (or PBP2'), is encoded by the chromosomal *mecA* gene and functions as a β -lactam-resistant transpeptidase. The *mecA* gene is absent from methicillin-sensitive *S. aureus* but is widely distributed among other species of staphylococci and is highly conserved (Ubukata *et al.*, 1990, Antimicrob. Agents Chemother. **34**:170-172).

By nucleotide sequence determination of the DNA region surrounding the *mecA* gene from *S. aureus* strain N315 (isolated in Japan in 1982), Ito & Hiramatsu (Ito & Hiramatsu 1998, Yonsei Med J **39** (6):526-533) have found that the *mecA* gene is carried by a novel genetic element, designated staphylococcal cassette chromosome *mec* (SCC*mec*), inserted into the chromosome. SCC*mec* is a mobile genetic element characterized by the presence of terminal inverted and direct repeats, a set of site-specific recombinase genes (*ccrA* and *ccrB*), and the *mecA* gene complex (Ito *et al.*, 1999, Antimicrob. Agents Chemother. **43**:1449-1458; Katayama *et al.*, 2000, Antimicrob. Agents Chemother. **44**:1549-1555). The element is precisely excised from the chromosome of *S. aureus* strain N315 and integrates into a specific *S. aureus* chromosomal site in the same orientation through the function of a unique set of recombinase genes comprising *ccrA* and *ccrB*. Two novel genetic elements that shared similar structural features of SCC*mec* were found by cloning and sequencing the DNA

region surrounding the *mecA* gene from MRSA strains NCTC 10442 (the first MRSA strain isolated in England in 1961) and 85/2082 (a strain from New Zealand isolated in 1985). The three SCC*mec* have been designated type I (NCTC 10442), type II (N315) and type III (85/2082) based on the year of isolation of the strains (Ito *et al.*, 2001, Antimicrob. Agents Chemother. **45**:1323-1336) (Figure 1).

Ma *et al.* (Ma *et al.* 2002, Antimicrob. Agents Chemother. **46**:1147-1152) have found that the SCC*mec* DNAs are integrated at a specific site in the methicillin-sensitive *S. aureus* (MSSA) chromosome. They characterized the nucleotide sequences of the regions around the left and right boundaries of SCC*mec* DNA (i.e. *attL* and *attR*, respectively) as well as those of the regions around the SCC*mec* DNA integration site (i.e. *attB_{sc}* which is the bacterial chromosome attachment site for SCC*mec* DNA). The *attB_{sc}* site was located at the 3' end of a novel open reading frame (ORF), *orfX*. The *orfX* potentially encodes a 159-amino acid polypeptide sharing identity with some previously identified polypeptides, but of unknown function (Ito *et al.*, 1999, Antimicrob. Agents Chemother. **43**:1449-1458). Recently, a new type of SCC*mec* (type IV) has been described by both Ma *et al.* (Ma *et al.*, 2002, Antimicrob. Agents Chemother. **46**:1147-1152) and Oliveira *et al.* (Oliveira *et al.*, 2001, Microb. Drug Resist. **7**:349-360). The sequences of the right extremity of the new type IV SCC*mec* from *S. aureus* strains CA05 and 8/6-3P published by Ma *et al.* (Ma *et al.*, 2002, Antimicrob. Agents Chemother. **46**:1147-1152) were nearly identical over 2000 nucleotides to that of type II SCC*mec* of *S. aureus* strain N315 (Ito *et al.*, 2001, Antimicrob. Agents Chemother. **45**:1323-1336). No sequence at the right extremity of the SCC*mec* type IV is available from the *S. aureus* strains HDE288 and PL72 described by Oliveira *et al.* (Oliveira *et al.*, 2001, Microb. Drug Resist. **7**:349-360).

Previous methods used to detect and identify MRSA (Saito *et al.*, 1995, J. Clin. Microbiol. **33**:2498-2500; Ubukata *et al.*, 1992, J. Clin. Microbiol. **30**:1728-1733; Murakami *et al.*, 1991, J. Clin. Microbiol. **29**:2240-2244; Hiramatsu *et al.*, 1992,

Microbiol. Immunol. 36:445-453), which are based on the detection of the *mecA* gene and *S. aureus*-specific chromosomal sequences, encountered difficulty in discriminating MRSA from methicillin-resistant coagulase-negative staphylococci (CNS) because the *mecA* gene is widely distributed in both *S. aureus* and CNS species (Suzuki *et al.*, 1992, Antimicrob. Agents. Chemother. 36:429-434). Hiramatsu *et al.* (US patent 6,156,507) have described a PCR assay specific for MRSA by using primers that can specifically hybridize to the right extremities of the 3 types of SCC*mec* DNAs in combination with a primer specific to the *S. aureus* chromosome, which corresponds to the nucleotide sequence on the right side of the SCC*mec* integration site. Since nucleotide sequences surrounding the SCC*mec* integration site in other staphylococcal species (such as *S. epidermidis* and *S. haemolyticus*) are different from those found in *S. aureus*, this PCR assay was specific for the detection of MRSA. This PCR assay also supplied information for MREP typing (standing for «*mec* right extremity polymorphism») of SCC*mec* DNA (Ito *et al.*, 2001, Antimicrob. Agents Chemother. 45:1323-1336; Hiramatsu *et al.*, 1996, J. Infect. Chemother. 2:117-129). This typing method takes advantage of the polymorphism at the right extremity of SCC*mec* DNAs adjacent to the integration site among the three types of SCC*mec*. Type III has a unique nucleotide sequence while type II has an insertion of 102 nucleotides to the right terminus of SCC*mec* type I. The MREP typing method described by Hiramatsu *et al.* (Ito *et al.*, 2001, Antimicrob. Agents Chemother. 45:1323-1336; Hiramatsu *et al.*, 1996, J. Infect. Chemother. 2:117-129) defines the SCC*mec* type I as MREP type i, SCC*mec* type II as MREP type ii and SCC*mec* type III as MREP type iii. It should be noted that the MREP typing method cannot differentiate the new SCC*mec* type IV described by Ma *et al.* (Ma *et al.*, 2002, Antimicrob. Agents Chemother. 46:1147-1152) from SCC*mec* type II because these two SCC*mec* types exhibit the same nucleotide sequence to the right extremity.

The set of primers described by Hiramatsu *et al.* (Hiramatsu *et al.*, 1996 Infect Chem 2: 117-129) as being the optimal primer combination (SEQ ID NOs.: 22, 24, 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60, respectively, in the present invention) have been used in the present invention to test by PCR a variety of MRSA and
5 MSSA strains (Figure 1 and Table 1). Twenty of the 39 MRSA strains tested were not amplified by the Hiramatsu *et al.* multiplex PCR assay (Tables 2 and 3). Hiramatsu's method indeed was successful in detecting less than 50% of the tested 39 MRSA strains.

This finding demonstrates that some MRSA strains have sequences at the right extremity of SCC*mec*-chromosome right extremity junction different from those identified by
10 Hiramatsu *et al.* (Hiramatsu *et al.*, 1996 Infect Chem 2: 117-119). Consequently, the system developed by Hiramatsu *et al.* does not allow the detection of all MRSA. The present invention relates to the generation of SCC*mec*-chromosome right extremity junction sequence data required to detect more MRSA strains in order to improve the Hiramatsu *et al.* assay. There is a need for developing more ubiquitous
15 primers and probes for the detection of most MRSA strains around the world.

SUMMARY OF THE INVENTION

20 It is an object of the present invention to provide a specific, ubiquitous and sensitive method using probes and/or amplification primers for determining the presence and/or amount of nucleic acids from all MRSA strains.

Ubiquity of at least 50% amongst the strains representing MRSA strains types IV
25 to X is an objective of this invention.

Therefore, in accordance with the present invention is provided a method to detect the presence of a methicillin-resistant *Staphylococcus aureus* (MRSA) strain in a sample, the MRSA strain being resistant because of the presence of an SCC*mec*

insert containing a *mecA* gene, said *SCC_{mec}* being inserted in bacterial nucleic acids thereby generating a polymorphic right extremity junction (MREJ), the method comprising the step of annealing the nucleic acids of the sample with a plurality of probes and/or primers, characterized by:

- 5 (i) the primers and/or probes are specific for MRSA strains and capable of annealing with polymorphic MREJ nucleic acids, the polymorphic MREJ comprising MREJ types i to x; and
 - (ii) the primers and/or probes altogether can anneal with at least four MREJ types selected from MREJ types i to x.
- 10 In a specific embodiment, the primers and/or probes are all chosen to anneal under common annealing conditions, and even more specifically, they are placed altogether in the same physical enclosure.

A specific method has been developed using primers and/or probes having at least 10 nucleotides in length and capable of annealing with MREJ types i to iii, defined

15 in any one of SEQ ID NOs: 1, 20, 21, 22, 23, 24, 25, 41, 199 ; 2, 17, 18, 19, 26, 40, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 185, 186, 197 ; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 104, 184, 198 and with one or more of MREJ/MREP types iv to ix, having SEQ ID NOs: 42, 43, 44, 45, 46, 51 ; 47, 48, 49, 50, 171, 165, 166, 167, 168. To be perfectly ubiquitous with the all the sequenced MREJs,

20 the primers and/or probes altogether can anneal with said SEQ ID NOs of MREJ types i to ix.

The following specific primers and/or probes having the following sequences have been designed:

25 66, 100, 101, 105, 52, 53, 54, 55, 56, 57, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63 32, 83, 84, 160, 161, 162, 163, 164 30 85, 86, 87, 88, 89	for the detection of MREJ type i
---	---

66, 97, 99, 100, 101, 106, 117, for the detection of MREJ type ii
 118, 124, 125, 52, 53, 54, 55, 56, 57
 64, 71, 72, 73, 74, 75, 76, 70,
 103, 130, 132, 158, 159

5 59, 62
 126, 127
 128, 129, 131, 200, 201
 60, 61, 63
 32, 83, 84, 160, 161, 162, 163, 164
 10 85, 86, 87, 88, 89

67, 98, 102, 107, 108 for the detection of MREJ type iii
 64, 71, 72, 73, 74, 75, 76, 70,
 103, 130, 132, 158, 159

15 58,
 59, 62
 126, 127
 128, 129, 131, 200, 201
 60, 61, 63
 20 32, 83, 84, 160, 161, 162, 163, 164
 85, 86, 87, 88, 89

79, 77, 145, 147 for the detection of MREJ type iv

64, 71, 72, 73, 74, 75, 76, 70,
 25 103, 130, 132, 158, 159
 59, 62
 126, 127
 128, 129, 131, 200, 201
 60, 61, 63
 30 68
 32, 83, 84, 160, 161, 162, 163, 164
 85, 86, 87, 88, 89

65, 80, 146, 154, 155 for the detection of MREJ type v

35 64, 71, 72, 73, 74, 75, 76,
 70, 103, 130, 132, 158, 159
 59, 62
 126, 127
 128, 129, 131, 200, 201
 40 60, 61, 63
 32, 83, 84, 160, 161, 162, 163, 164
 85, 86, 87, 88, 89

WO 02/099034

PCT/CA02/00824

202, 203, 204

for the detection of MREJ type vi

64, 71, 72, 73, 74, 75, 76, 70,

103, 130, 132, 158, 159

59, 62

5 126, 127

128, 129, 131, 200, 201

60, 61, 63

32, 83, 84, 160, 161, 162, 163, 164

85, 86, 87, 88, 89

10

112, 113, 114, 119, 120, 121, 122

for the detection of MREJ type vii,

123, 150, 151, 153

64, 71, 72, 73, 74, 75, 76, 70, 103,

130, 132, 158, 159

15 59, 62

126, 127

128, 129, 131, 200, 201

60, 61, 63

32, 83, 84, 160, 161, 162, 163, 164

20 85, 86, 87, 88, 89

115, 116, 187, 188, 207, 208 for the detection of MREJ type viii

64, 71, 72, 73, 74, 75, 76, 70,

103, 130, 132, 158, 159

25 59, 62

126, 127

128, 129, 131, 200, 201

60, 61, 63

32, 83, 84, 160, 161, 162, 163, 164

30 85, 86, 87, 88, 89

109, 148, 149, 205, 206

for the detection of MREJ type ix.

64, 71, 72, 73, 74, 75, 76

70, 103, 130, 132, 158, 159

35 59, 62

126, 127

128, 129, 131, 200, 201

60, 61, 63

32, 83, 84, 160, 161, 162, 163, 164

40 85, 86, 87, 88, 89

Amongst these, the following primer pairs having the following sequences are used:

- | | | |
|----|-------------------------------------|-------------------------------------|
| | 64/66, 64/100, 64/101; 59/52, | for the detection of type i MREJ |
| | 59/53, 59/54, 59/55, 59/56, 59/57, | |
| 5 | 60/52, 60/53, 60/54, 60/55, 60/56 | |
| | 60/57, 61/52, 61/53, 61/54, 61/55 | |
| | 61/56, 61/57, 62/52, 62/53, 62/54 | |
| | 62/55, 62/56, 62/57, 63/52, 63/53 | |
| | 63/54, 63/55, 63/56, 63/57 | |
| 10 | | |
| | 64/66, 64/97, 64/99, 64/100, 64/101 | for the detection of type ii MREJ |
| | 59/52, 59/53, 59/54, 59/55, 59/56, | |
| | 59/57, 60/52, 60/53, 60/54, 60/55, | |
| | 60/56, 60/57, 61/52, 61/53, 61/54, | |
| 15 | 61/55, 61/56, 61/57, 62/52, 62/53, | |
| | 62/54, 62/55, 62/56, 62/57, 63/52 | |
| | 63/53, 63/54, 63/55, 63/56, 63/57 | |
| | | |
| | 64/67, 64/98, 64/102 ; 59/58, | for the detection of type iii MREJ |
| 20 | 60/58, 61/58, 62/58, 63/58 | |
| | | |
| | 64/79 | for the detection of type iv MREJ |
| | 64/80 | for the detection of type v MREJ |
| | 64/204 | for the detection of type vi MREJ |
| 25 | 64/112, 64/113 | for the detection of type vii MREJ |
| | 64/115, 64/116 | for the detection of type viii MREJ |
| | 64/109 | for the detection of type ix MREJ |

As well, amongst these, the following probes having the following sequences are used:

SEQ ID NOs: 32, 83, 84, 160, 161, 162, 163, 164 for the detection of MREJ types i to ix.

In the most preferred embodied method, the following primers and/or probes having the following nucleotide sequences are used together. The preferred combinations make use of:

- 5 i) SEQ ID NOs: 64, 66, 84, 163, 164 for the detection of MREJ type i
- ii) SEQ ID NOs: 64, 66, 84, 163, 164 for the detection of MREJ type ii
- iii) SEQ ID NOs: 64, 67, 84, 163, 164 for the detection of MREJ type iii
- iv) SEQ ID NOs: 64, 79, 84, 163, 164 for the detection of MREJ type iv
- v) SEQ ID NOs: 64, 80, 84, 163, 164 for the detection of MREJ type v
- 10 vi) SEQ ID NOs: 64, 112, 84, 163, 164 for the detection of MREJ type
- vii.

All these probes and primers can even be used together in the same physical enclosure.

- 15 It is another object of this invention to provide a method for typing a MREJ of a MRSA strain, which comprises the steps of: reproducing the above method with primers and/or probes specific for a determined MREJ type, and detecting an annealed probe or primer as an indication of the presence of a determined MREJ type.

- 20 It is further another object of this invention to provide a nucleic acid selected from SEQ ID NOs:

- i) SEQ ID NOs: 43, 44, 45, 46, 51 for sequence of MREJ type iv ;
- ii) SEQ ID NOs: 47, 48, 49, 50 for sequence of MREJ type v ;
- iii) SEQ ID NOs: 171 for sequence of MREJ type vi ;
- 25 iv) SEQ ID NOs: 165, 166 for sequence of MREJ type vii ;
- v) SEQ ID NOs: 167 for sequence of MREJ type viii ;
- vi) SEQ ID NOs: 168 for sequence of MREJ type ix.

Oligonucleotides of at least 10 nucleotides in length which hybridize with any of these nucleic acids and which hybridize with one or more MREJ of types selected from iv to ix are also objects of this invention. Amongst these, primer pairs (or probes) having the following SEQ ID NOs:

- | | | |
|----|---|-------------------------------------|
| 5 | 64/66, 64/100, 64/101; 59/52,
59/53, 59/54, 59/55, 59/56, 59/57,
60/52, 60/53, 60/54, 60/55, 60/56
60/57, 61/52, 61/53, 61/54, 61/55
61/56, 61/57, 62/52, 62/53, 62/54 | for the detection of type i MREJ |
| 10 | 62/55, 62/56, 62/57, 63/52, 63/53
63/54, 63/55, 63/56, 63/57 | |
| | | |
| 15 | 64/66, 64/97, 64/99, 64/100, 64/101
59/52, 59/53, 59/54, 59/55, 59/56,
59/57, 60/52, 60/53, 60/54, 60/55,
60/56, 60/57, 61/52, 61/53, 61/54,
61/55, 61/56, 61/57, 62/52, 62/53,
62/54, 62/55, 62/56, 62/57, 63/52
63/53, 63/54, 63/55, 63/56, 63/57 | for the detection of type ii MREJ |
| 20 | | |
| | | |
| | 64/67, 64/98, 64/102 ; 59/58,
60/58, 61/58, 62/58, 63/58 | for the detection of type iii MREJ |
| | | |
| | 64/79 | for the detection of type iv MREJ |
| 25 | 64/80 | for the detection of type v MREJ |
| | 64/204 | for the detection of type vi MREJ |
| | 64/112, 64/113 | for the detection of type vii MREJ |
| | 64/115, 64/116 | for the detection of type viii MREJ |
| | 64/109 | for the detection of type ix MREJ, |
| 30 | are also within the scope of this invention. | |

Further, internal probes having nucleotide sequences defined in any one of SEQ ID NOs: 32, 83, 84, 160, 161, 162, 163, 164, are also within the scope of this invention. Compositions of matter comprising the primers and/or probes annealing or hybridizing with one or more MREJ of types selected from iv to ix as well as with
 5 the above nucleic acids, comprising or not primers and/or probes, which hybridize with one or more MREJ of types selected from i to iii, are further objects of this invention. The preferred compositions would comprise the primers having the nucleotide sequences defined in SEQ ID NOs:

64/66, 64/100, 64/101; 59/52, for the detection of type i MREJ

10 59/53, 59/54, 59/55, 59/56, 59/57,
 60/52, 60/53, 60/54, 60/55, 60/56
 60/57, 61/52, 61/53, 61/54, 61/55
 61/56, 61/57, 62/52, 62/53, 62/54
 62/55, 62/56, 62/57, 63/52, 63/53
 15 63/54, 63/55, 63/56, 63/57

64/66, 64/97, 64/99, 64/100, 64/101 for the detection of type ii MREJ
 59/52, 59/53, 59/54, 59/55, 59/56,
 59/57, 60/52, 60/53, 60/54, 60/55,
 20 60/56, 60/57, 61/52, 61/53, 61/54,
 61/55, 61/56, 61/57, 62/52, 62/53,
 62/54, 62/55, 62/56, 62/57, 63/52
 63/53, 63/54, 63/55, 63/56, 63/57

25 64/67, 64/98, 64/102 ; 59/58, for the detection of type iii MREJ
 60/58, 61/58, 62/58, 63/58

64/79 for the detection of type iv MREJ

64/80 for the detection of type v MREJ

30 64/204 for the detection of type vi MREJ

64/112, 64/113 for the detection of type vii MREJ

64/115, 64/116 for the detection of type viii MREJ

64/109 for the detection of type ix MREJ,

or probes, which SEQ ID NOs are: 32, 83, 84, 160, 161, 162, 163, 164, or both.

5 **DETAILED DESCRIPTION OF THE INVENTION**

Here is particularly provided a method wherein each of MRSA nucleic acids or a variant or part thereof comprises a selected target region hybridizable with said primers or probes developed to be ubiquitous;

10 wherein each of said nucleic acids or a variant or part thereof comprises a selected target region hybridizable with said primers or probes ;

 said method comprising the steps of contacting said sample with said probes or primers and detecting the presence and/or amount of hybridized probes or amplified products as an indication of the presence and/or amount of MRSA.

15

In the method, sequences from DNA fragments of SCC*mec*-chromosome right extremity junction, thereafter named MREJ standing for « *mec* right extremity junction » including sequences from SCC*mec* right extremity and chromosomal DNA to the right of the SCC*mec* integration site are used as parental sequences
20 from which are derived the primers and/or the probes. MREJ sequences include our proprietary sequences as well as sequences obtained from public databases and from US patent 6,156,507 and were selected for their capacity to sensitively, specifically, ubiquitously and rapidly detect the targeted MRSA nucleic acids.

25 Our proprietary DNA fragments and oligonucleotides (primers and probes) are also another object of this invention.

Composition of matters such as diagnostic kits comprising amplification primers or probes for the detection of MRSA are also objects of the present invention.

In the above methods and kits, probes and primers are not limited to nucleic acids and may include, but are not restricted to, analogs of nucleotides. The diagnostic reagents constituted by the probes and the primers may be present in any suitable
 5 form (bound to a solid support, liquid, lyophilized, etc.).

In the above methods and kits, amplification reactions may include but are not restricted to: a) polymerase chain reaction (PCR), b) ligase chain reaction (LCR), c) nucleic acid sequence-based amplification (NASBA), d) self-sustained sequence
 10 replication (3SR), e) strand displacement amplification (SDA), f) branched DNA signal amplification (bDNA), g) transcription-mediated amplification (TMA), h) cycling probe technology (CPT), i) nested PCR, j) multiplex PCR, k) solid phase amplification (SPA), l) nuclease dependent signal amplification (NDSA), m) rolling circle amplification technology (RCA), n) Anchored strand displacement
 15 amplification, o) Solid-phase (immobilized) rolling circle amplification.

In the above methods and kits, detection of the nucleic acids of target genes may include real-time or post-amplification technologies. These detection technologies can include, but are not limited to fluorescence resonance energy transfer (FRET)-
 20 based methods such as adjacent hybridization of probes (including probe-probe and probe-primer methods), *TaqMan* probe, molecular beacon probe, Scorpion probe, nanoparticle probe and Amplifluor™ probe. Other detection methods include target gene nucleic acids detection via immunological methods, solid phase hybridization methods on filters, chips or any other solid support. In these systems,
 25 the hybridization can be monitored by fluorescence, chemiluminescence, potentiometry, mass spectrometry, plasmon resonance, polarimetry, colorimetry, flow cytometry or scanometry. Nucleotide sequencing, including sequencing by dideoxy termination or sequencing by hybridization (e.g. sequencing using a DNA

chip) represents another method to detect and characterize the nucleic acids of target genes.

In a preferred embodiment, a PCR protocol is used for nucleic acid amplification.

5

A method for detection of a plurality of potential MRSA strains having different MREJ types may be conducted in separate reactions and physical enclosures, one type at the time. Alternatively, it could be conducted simultaneously for different types in separate physical enclosures, or in the same physical enclosures. In the latter scenario a multiplex PCR reaction could be conducted which would require that the oligonucleotides are all capable of annealing with a target region under common conditions. Since many probes or primers are specific for a determined MREJ/MREP type, typing a MRSA strain is a possible embodiment. When a mixture of oligonucleotides annealing together with more than one type is used in a single physical enclosure or container, different labels would be used to distinguish one type from another.

We aim at developing a DNA-based test or kit to detect and identify MRSA. Although the sequences from *orfX* genes and some *SCCmec* DNA fragments are available from public databases and have been used to develop DNA-based tests for detection of MRSA, new sequence data allowing to improve MRSA detection and identification which are object of the present invention have either never been characterized previously or were known but not shown to be located at the right extremity of *SCCmec* adjacent to the integration site (Table 4). These novel sequences could not have been predicted nor detected by the MRSA-specific PCR assay developed by Hiramatsu *et al.* (US patent 6,156,507). These sequences will allow to improve current DNA-based tests for the diagnosis of MRSA because they allow the design of ubiquitous primers and probes for the detection and

identification of more MRSA strains including all the major epidemic clones from around the world.

The diagnostic kits, primers and probes mentioned above can be used to detect
5 and/or identify MRSA, whether said diagnostic kits, primers and probes are used for *in vitro* or *in situ* applications. The said samples may include but are not limited to: any clinical sample, any environmental sample, any microbial culture, any microbial colony, any tissue, and any cell line.

10 It is also an object of the present invention that said diagnostic kits, primers and probes can be used alone or in combination with any other assay suitable to detect and/or identify microorganisms, including but not limited to: any assay based on nucleic acids detection, any immunoassay, any enzymatic assay, any biochemical
15 assay, any lysotypic assay, any serological assay, any differential culture medium, any enrichment culture medium, any selective culture medium, any specific assay medium, any identification culture medium, any enumeration culture medium, any cellular stain, any culture on specific cell lines, and any infectivity assay on animals.

20 In the methods and kits described herein below, the oligonucleotide probes and amplification primers have been derived from larger sequences (i.e. DNA fragments of at least 100 base pairs). All DNA sequences have been obtained either from our proprietary sequences or from public databases (Tables 5, 6, 7, 8 and 9).

25

It is clear to the individual skilled in the art that oligonucleotide sequences other than those described in the present invention and which are appropriate for detection and/or identification of MRSA may also be derived from the proprietary fragment sequences or selected public database sequences. For example, the

oligonucleotide primers or probes may be shorter but of a length of at least 10 nucleotides or longer than the ones chosen; they may also be selected anywhere else in the proprietary DNA fragments or in the sequences selected from public databases; they may also be variants of the same oligonucleotide. If the target DNA or a variant thereof hybridizes to a given oligonucleotide, or if the target DNA or a variant thereof can be amplified by a given oligonucleotide PCR primer pair, the converse is also true; a given target DNA may hybridize to a variant oligonucleotide probe or be amplified by a variant oligonucleotide PCR primer. Alternatively, the oligonucleotides may be designed from said DNA fragment sequences for use in amplification methods other than PCR. Consequently, the core of this invention is the detection and/or identification of MRSA by targeting genomic DNA sequences which are used as a source of specific and ubiquitous oligonucleotide probes and/or amplification primers. Although the selection and evaluation of oligonucleotides suitable for diagnostic purposes require much effort, it is quite possible for the individual skilled in the art to derive, from the selected DNA fragments, oligonucleotides other than the ones listed in Tables 5, 6, 7, 8 and 9 which are suitable for diagnostic purposes. When a proprietary fragment or a public database sequence is selected for its specificity and ubiquity, it increases the probability that subsets thereof will also be specific and ubiquitous.

The proprietary DNA fragments have been obtained as a repertory of sequences created by amplifying MRSA nucleic acids with new primers. These primers and the repertory of nucleic acids as well as the repertory of nucleotide sequences are further objects of this invention (Tables 4, 5, 6, 7, 8 and 9).

Claims therefore are in accordance with the present invention.

SEQUENCES FOR DETECTION AND IDENTIFICATION OF MRSA

In the description of this invention, the terms «nucleic acids» and «sequences» might be used interchangeably. However, «nucleic acids» are chemical entities while «sequences» are the pieces of information encoded by these «nucleic acids». Both nucleic acids and sequences are equivalently valuable sources of information for the matter pertaining to this invention.

10 **Oligonucleotide primers and probes design and synthesis**

As part of the design rules, all oligonucleotides (probes for hybridization and primers for DNA amplification by PCR) were evaluated for their suitability for hybridization or PCR amplification by computer analysis using standard programs (i.e. the GCG Wisconsin package programs, the primer analysis software Oligo™ 6 and MFOLD 3.0). The potential suitability of the PCR primer pairs was also evaluated prior to their synthesis by verifying the absence of unwanted features such as long stretches of one nucleotide and a high proportion of G or C residues at the 3' end (Persing *et al.*, 1993, Diagnostic Molecular Microbiology: Principles and Applications, American Society for Microbiology, Washington, D.C.). Oligonucleotide amplification primers were synthesized using an automated DNA synthesizer (Applied Biosystems). Molecular beacon designs were evaluated using criteria established by Tyagi and Kramer (Tyagi & Kramer 1996, Nat Biotechnol 14:303-308).

25 The oligonucleotide sequence of primers or probes may be derived from either strand of the duplex DNA. The primers or probes may consist of the bases A, G, C, or T or analogs and they may be degenerated at one or more chosen nucleotide position(s) (Nichols *et al.*, 1994, Nature 369:492-493). Primers and probes may also consist of nucleotide analogs such as Locked Nucleic Acids (LNA) (Koskinen

al., 1998, Tetrahedron **54**:3607-3630), and Peptide Nucleic Acids (PNA) (Egholm *et al.*, 1993, Nature **365**:566-568). The primers or probes may be of any suitable length and may be selected anywhere within the DNA sequences from proprietary fragments, or from selected database sequences which are suitable for the detection
5 of MRSA.

Variants for a given target microbial gene are naturally occurring and are attributable to sequence variation within that gene during evolution (Watson *et al.*, 1987, Molecular Biology of the Gene, 4th ed., The Benjamin/Cummings Publishing
10 Company, Menlo Park, CA; Lewin, 1989, Genes IV, John Wiley & Sons, New York, NY). For example, different strains of the same microbial species may have a single or more nucleotide variation(s) at the oligonucleotide hybridization site. The person skilled in the art is well aware of the existence of variant nucleic acids and/or sequences for a specific gene and that the frequency of sequence variations
15 depends on the selective pressure during evolution on a given gene product. The detection of a variant sequence for a region between two PCR primers may be demonstrated by sequencing the amplification product. In order to show the presence of sequence variations at the primer hybridization site, one has to amplify a larger DNA target with PCR primers outside that hybridization site. Sequencing
20 of this larger fragment will allow the detection of sequence variation at this primer hybridization site. A similar strategy may be applied to show variations at the hybridization site of a probe. Insofar as the divergence of the target nucleic acids and/or sequences or a part thereof does not affect significantly the sensitivity and/or specificity and/or ubiquity of the amplification primers or probes, variant
25 microbial DNA is under the scope of this invention. Variants of the selected primers or probes may also be used to amplify or hybridize to a variant target DNA.

DNA amplification

For DNA amplification by the widely used PCR method, primer pairs were derived from our proprietary DNA fragments or from public database sequences.

5

During DNA amplification by PCR, two oligonucleotide primers binding respectively to each strand of the heat-denatured target DNA from the microbial genome are used to amplify exponentially *in vitro* the target DNA by successive thermal cycles allowing denaturation of the DNA, annealing of the primers and
10 synthesis of new targets at each cycle (Persing *et al.*, 1993, Diagnostic Molecular Microbiology: Principles and Applications, American Society for Microbiology, Washington, D.C.).

Briefly, the PCR protocols on a standard thermocycler (PTC-200 from MJ
15 Research Inc., Watertown, MA) were as follows: Treated standardized bacterial suspensions or genomic DNA prepared from bacterial cultures or clinical specimens were amplified in a 20 µl PCR reaction mixture. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 2.5 mM MgCl₂, 0.4 µM of each primer, 200 µM of each of the four dNTPs (Pharmacia Biotech), 3.3 µg/µl bovine
20 serum albumin (BSA) (Sigma-Aldrich Canada Ltd, Oakville, Ontario, Canada) and 0.5 unit of *Taq* DNA polymerase (Promega Corp., Madison, WI) combined with the *TaqStart*TM antibody (BD Biosciences, Palo Alto, CA). The *TaqStart*TM antibody, which is a neutralizing monoclonal antibody to *Taq* DNA polymerase, was added to all PCR reactions to enhance the specificity and the sensitivity of the
25 amplifications (Kellogg *et al.*, 1994, Biotechniques 16:1134-1137). The treatment of bacterial cultures or of clinical specimens consists in a rapid protocol to lyse the microbial cells and eliminate or neutralize PCR inhibitors (described in application WO 03/008636). For amplification from purified genomic DNA, the samples were added directly to the PCR amplification mixture. An internal control,

derived from sequences not found in the target MREJ sequences or in the human genome, was used to verify the efficiency of the PCR reaction and the absence of significant PCR inhibition.

- 5 The number of cycles performed for the PCR assays varies according to the sensitivity level required. For example, the sensitivity level required for microbial detection directly from a clinical specimen is higher than for detection from a microbial culture. Consequently, more sensitive PCR assays having more thermal cycles are probably required for direct detection from clinical specimens.

10

The person skilled in the art of nucleic acid amplification knows the existence of other rapid amplification procedures such as ligase chain reaction (LCR), reverse transcriptase PCR (RT-PCR), transcription-mediated amplification (TMA), self-sustained sequence replication (3SR), nucleic acid sequence-based amplification
15 (NASBA), strand displacement amplification (SDA), branched DNA (bDNA), cycling probe technology (CPT), solid phase amplification (SPA), rolling circle amplification technology (RCA), solid phase RCA, anchored SDA and nuclease dependent signal amplification (NDSA) (Lee *et al.*, 1997, Nucleic Acid Amplification Technologies: Application to Disease Diagnosis, Eaton Publishing,
20 Boston, MA; Persing *et al.*, 1993, Diagnostic Molecular Microbiology: Principles and Applications, American Society for Microbiology, Washington, D.C.; Westin *et al.*, 2000, Nat. Biotechnol. 18:199-204). The scope of this invention is not limited to the use of amplification by PCR, but rather includes the use of any nucleic acid amplification method or any other procedure which may be used to
25 increase the sensitivity and/or the rapidity of nucleic acid-based diagnostic tests. The scope of the present invention also covers the use of any nucleic acids amplification and detection technology including real-time or post-amplification detection technologies, any amplification technology combined with detection, any hybridization nucleic acid chips or array technologies, any amplification chips or

combination of amplification and hybridization chip technologies. Detection and identification by any nucleotide sequencing method is also under the scope of the present invention.

- 5 Any oligonucleotide derived from the *S. aureus* MREJ DNA sequences and used with any nucleic acid amplification and/or hybridization technologies are also under the scope of this invention.

Evaluation of the MRSA detection method developed by Hiramatsu *et al.*

10

According to Ito *et al.* (Ito *et al.*, 1999, Antimicrob. Agents Chemother. **43**:1449-1458; Katayama *et al.*, 2000, Antimicrob. Agents Chemother. **44**:1549-1555; Ito *et al.*, 2001, Antimicrob. Agents Chemother. **45**:1323-1336, Ma *et al.*, 2002, Antimicrob. Agents Chemother. **46**:1147-1152), four types of SCCmec DNA are
 15 found among MRSA strains. They have found that SCCmec DNAs are integrated at a specific site of the MSSA chromosome (named *orfX*). They developed a MRSA-specific multiplex PCR assay including primers that can hybridize to the right extremity of SCCmec types I, II and III (SEQ ID NOs.: 18, 19, 20, 21, 22, 23, 24 in US patent 6,156,507 corresponding to SEQ ID NOs.: 52, 53, 54, 55, 56, 57,
 20 58, respectively, in the present invention) as well as primers specific to the *S. aureus* chromosome to the right of the SCCmec integration site (SEQ ID NO.: 25, 28, 27, 26, 29 in US patent 6,156,507 corresponding to SEQ ID NOs.: 59, 60, 61, 62, 63, respectively, in the present invention) (Table 1 and Figure 1). The set of primers described by Hiramatsu *et al.* (Hiramatsu *et al.*, 1996, J Infect Chemother **2**:117-
 25 129) as being the optimal primer combination (SEQ ID NOs.: 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60 in the present invention) was used in the present invention to test by PCR a variety of MRSA, MSSA, methicillin-resistant CNS (MRCNS) and methicillin-sensitive CNS (MSCNS) strains (Table 2). A PCR assay performed using a standard thermocycler (PTC-200 from MJ Research Inc.) was

used to test the ubiquity, the specificity and the sensitivity of these primers using the following protocol: one μ l of a treated standardized bacterial suspension or of a genomic DNA preparation purified from bacteria were amplified in a 20 μ l PCR reaction mixture. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 2.5 mM MgCl₂, 0.4 μ M of each of the SCCmec- and *S. aureus* chromosome-specific primers (SEQ ID NOs.: 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60 in the present invention), 200 μ M of each of the four dNTPs (Pharmacia Biotech), 3.3 μ g/ μ l BSA (Sigma), and 0.5 U *Taq* polymerase (Promega) coupled with *TaqStart*TM Antibody (BD Biosciences).

PCR reactions were then subjected to thermal cycling 3 min at 94°C followed by 40 cycles of 60 seconds at 95°C for the denaturation step, 60 seconds at 55°C for the annealing step, and 60 seconds at 72°C for the extension step, then followed by a terminal extension of 7 minutes at 72°C using a standard thermocycler (PTC-200 from MJ Research Inc.). Detection of the PCR products was made by electrophoresis in agarose gels (2 %) containing 0.25 μ g/ml of ethidium bromide. Twenty of the 39 MRSA strains tested were not amplified with the PCR assay developed by Hiramatsu *et al.* (Example 1, Tables 2 and 3).

20

With a view of establishing a rapid diagnostic test for MRSAs, the present inventors developed new sets of primers specific to the right extremity of SCCmec types I and II (SEQ ID NOs.: 66, 100 and 101) (Annex 1), SCCmec type II (SEQ ID NOs.: 97 and 99), SCCmec type III (SEQ ID NOs.: 67, 98 and 102) and in the *S. aureus* chromosome to the right of the SCCmec integration site (SEQ ID NOs.: 64, 70, 71, 72, 73, 74, 75 and 76) (Table 5). These primers, amplifying short amplicons (171 to 278 bp), are compatible for use in rapid PCR assays (Table 7). The design of these primers was based on analysis of multiple sequence alignments of *orfX* and SCCmec sequences described by Hiramatsu *et al.* (US patent

6,156,507) or available from GenBank (Table 10, Annex I). These different sets of primers were used to test by PCR a variety of MRSA, MSSA, MRCNS and MSCNS strains. Several amplification primers were developed to detect all three SCCmec types (SEQ ID NOs.: 97 and 99 for SCCmec type II, SEQ ID NOs.: 66, 100 and 101 for SCCmec types I and II and SEQ ID NOs.: 67, 98 and 102 for SCCmec type III). Primers were chosen according to their specificity for MRSA strains, their analytical sensitivity in PCR and the length of the PCR product. A set of two primers was chosen for the SCCmec right extremity region (SEQ ID NO.: 66 specific to SCCmec types I and II; SEQ ID NO.: 67 specific to SCCmec type III). Of the 8 different primers designed to anneal on the *S. aureus* chromosome to the right of the SCCmec integration site (targeting *orfX* gene) (SEQ ID NOs.: 64, 70, 71, 72, 73, 74, 75 and 76), only one (SEQ ID.: 64) was found to be specific for MRSA based on testing with a variety of MRSA, MSSA, MRCNS and MSCNS strains (Table 12). Consequently, a PCR assay using the optimal set of primers (SEQ ID NOs.: 64, 66 and 67) which could amplify specifically MRSA strains containing SCCmec types I, II and III was developed (Figure 2, Annex I). While the PCR assay developed with this novel set of primers was highly sensitive (i.e. allowed the detection of 2 to 5 copies of genome for all three SCCmec types) (Table 11), it had the same shortcomings (i.e. lack of ubiquity) of the test developed by Hiramatsu et al. The 20 MRSA strains which were not amplified by the Hiramatsu et al. primers were also not detected by the set of primers comprising SEQ ID NOs.: 64, 66 and 67 (Tables 3 and 12). Clearly, diagnostic tools for achieving at least 50% ubiquity amongst the tested strains are needed.

With a view to establish a more ubiquitous (i.e. ability to detect all or most MRSA strains) detection and identification method for MRSA, we determined the sequence of the MREJ/MREP present in these 20 MRSA strains which were not amplified. This research has led to the discovery and identification of seven novel distinct MREJ/MREP target sequences which can be used for diagnostic purposes.

These seven new MREJ/MREP sequences could not have been predicted nor detected with the system described in US patent 6,156,507 by Hiramatsu *et al.* Namely, the present invention represents an improved method for the detection and identification of MRSA because it provides a more ubiquitous diagnostic method which allows for the detection of all major epidemic MRSA clones from around the world.

Sequencing of MREJ nucleotide sequences from MRSA strains not amplifiable with primers specific to SCCmec types I, II and III

Since DNA from twenty MRSA strains were not amplified with the set of primers developed by Hiramatsu *et al.* (SEQ ID NOs.: 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60 in the present invention) (Tables 2 and 3) nor with the set of primers developed in the present invention based on the same three SCCmec types (I, II and III) sequences (SEQ ID NOs.: 64, 66 and 67) (Table 12), the nucleotide sequence of the MREJ/MREP was determined for sixteen of these twenty MRSA strains.

Transposase of IS431 is often associated with the insertion of resistance genes within the *mec* locus. The gene encoding this transposase has been described frequently in one or more copies within the right segment of SCCmec (Oliveira *et al.*, 2000, Antimicrob. Agents Chemother. **44**:1906-1910; Ito *et al.*, 2001, Antimicrob. Agents Chemother. **45**:1323-36). Therefore, in a first attempt to sequence the novel MREJ/MREP for 16 of the 20 MRSA strains described in Table 3, a primer was designed in the sequence of the gene coding for the transposase of IS431 (SEQ ID NO.: 68) and combined with an *orfX*-specific primer to the right of the SCCmec integration site (SEQ ID NO.: 70) (Tables 5 and 8). The strategy used to select these primers is illustrated in Figure 3.

The MREJ/MREP fragments to be sequenced were amplified using the following amplification protocol: one μL of treated cell suspension (or of a purified genomic DNA preparation) was transferred directly into 4 tubes containing 39 μL of a PCR reaction mixture. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% TritonTM X-100, 2.5 mM MgCl_2 , 1 μM of each of the 2 primers (SEQ ID NOs.: 68 and 70), 200 μM of each of the four dNTPs, 3.3 $\mu\text{g}/\mu\text{L}$ of BSA (Sigma-Aldrich Canada Ltd) and 0.5 unit of *Taq* DNA polymerase (Promega) coupled with the *TaqStart*TM Antibody (BD Biosciences). PCR reactions were submitted to cycling using a standard thermocycler (PTC-200 from MJ Research Inc.) as follows: 3 min at 94 °C followed by 40 cycles of 5 sec at 95 °C for the denaturation step, 30 sec at 55 °C for the annealing step and 2 min at 72 °C for the extension step.

Subsequently, the four PCR-amplified mixtures were pooled and 10 μL of the mixture were resolved by electrophoresis in a 1.2% agarose gel containing 0.25 $\mu\text{g}/\text{mL}$ of ethidium bromide. The amplicons were then visualized with an Alpha-Imager (Alpha Innotech Corporation, San Leandro, CA) by exposing to UV light at 254 nm. Amplicon size was estimated by comparison with a 1 kb molecular weight ladder (Life Technologies, Burlington, Ontario, Canada). The remaining PCR-amplified mixture (150 μL , total) was also resolved by electrophoresis in a 1.2% agarose gel. The amplicons were then visualized by staining with methylene blue (Flores *et al.*, 1992, Biotechniques, 13:203-205). Amplicon size was once again estimated by comparison with a 1 kb molecular weight ladder. Of the sixteen strains selected from the twenty described in Table 3, six were amplified using SEQ ID NOs.: 68 and 70 as primers (CCRI-178, CCRI-8895, CCRI-8903, CCRI-1324, CCRI-1331 and CCRI-9504). For these six MRSA strains, an amplification product of 1.2 kb was obtained. The band corresponding to this specific amplification product was excised from the agarose gel and purified using the QIAquickTM gel extraction kit (QIAGEN Inc., Chatsworth, CA). The gel-

purified DNA fragment was then used directly in the sequencing protocol. Both strands of the MREJ amplification products were sequenced by the dideoxynucleotide chain termination sequencing method by using an Applied Biosystems automated DNA sequencer (model 377) with their Big Dye™ Terminator Cycle Sequencing Ready Reaction Kit (Applied Biosystems, Foster City, CA). The sequencing reactions were performed by using the same primers (SEQ ID NOs.: 68 and 70) and 10 ng/100 bp per reaction of the gel-purified amplicons. Sequencing of MREJ from the six MRSA strains (CCRI-178, CCRI-8895, CCRI-8903, CCRI-1324, CCRI-1331 and CCRI-9504) described in Table 3 yielded SEQ ID NOs.: 42, 43, 44, 45, 46 and 51, respectively (Table 4). Once sequenced, SEQ ID NO.: 42 was however shown not to include the *orfX* region and thus only comprises the polymorphic right extremity of the SCC*mec*.

In order to ensure that the determined sequence did not contain errors attributable to the sequencing of PCR artefacts, we have sequenced two preparations of the gel-purified MREJ amplification products originating from two independent PCR amplifications. For most target fragments, the sequences determined for both amplicon preparations were identical. Furthermore, the sequences of both strands were 100% complementary thereby confirming the high accuracy of the determined sequence. The MREJ sequences determined using the above strategy are described in the Sequence Listing and in Table 4.

In order to sequence MREJ in strains for which no amplicon had been obtained using the strategy including primers specific to the transposase gene of IS431 and *orfX*, another strategy using primers targeting *mecA* and *orfX* sequences was used to amplify longer genomic fragments. A new PCR primer targeting *mecA* (SEQ ID NO.: 69) (Table 8) to be used in combination with the same primer in the *orfX* sequence (SEQ ID NO.: 70). The strategy used to select these primers is illustrated in Figure 3.

The following amplification protocol was used: Purified genomic DNA (300 ng) was transferred to a final volume of 50 μ l of a PCR reaction mixture. Each PCR reaction contained 1X *Herculase* buffer (Stratagene, La Jolla, CA), 0.8 μ M of each of the 2 primers (SEQ ID NOs.: 69 and 70), 0.56 mM of each of the four dNTPs and 5 units of *Herculase* (Stratagene). PCR reactions were subjected to cycling using a standard thermal cycler (PTC-200 from MJ Research Inc.) as follows: 2 min at 92 °C followed by 35 or 40 cycles of 10 sec at 92 °C for the denaturation step, 30 sec at 55 °C for the annealing step and 30 min at 68 °C for the extension step.

Subsequently, 10 μ L of the PCR-amplified mixture were resolved by electrophoresis in a 0.7% agarose gel containing 0.25 μ g/mL of ethidium bromide. The amplicons were then visualized as described above. Amplicon size was estimated by comparison with a 1 kb molecular weight ladder (Life Technologies).

A reamplification reaction was then performed in 2 to 5 tubes using the same protocol with 3 μ l of the first PCR reaction used as test sample for the second amplification. The PCR-reamplified mixtures were pooled and also resolved by electrophoresis in a 0.7% agarose gel. The amplicons were then visualized by staining with methylene blue as described above. An amplification product of approximately 12 kb was obtained using this amplification strategy for all strains tested. The band corresponding to the specific amplification product was excised from the agarose gel and purified as described above. The gel-purified DNA fragment was then used directly in the sequencing protocol as described above. The sequencing reactions were performed by using the same amplification primers (SEQ ID NOs.: 69 and 70) and 425-495 ng of the gel-purified amplicons per reaction. Subsequently, internal sequencing primers (SEQ ID NOs.: 65, 77 and 96) (Table 8) were used to obtain sequence data on both strands for a larger portion of the amplicon. Five of the 20 MRSA strains (CCRI-1331, CCRI-1263, CCRI-1377, CCRI-1311 and CCRI-2025) described in Table 3 were sequenced using this

strategy, yielding SEQ ID NOs.: 46, 47, 48, 49 and 50, respectively (Table 4). Sequence within *mecA* gene was also obtained from the generated amplicons yielding SEQ ID NOs: 27, 28, 29, 30 and 31 from strains CCRI-2025, CCRI-1263, CCRI-1311, CCRI-1331 and CCRI-1377, respectively (Table 4). Longer
5 sequences within the *mecA* gene and from downstream regions were also obtained for strains CCRI-2025, CCRI-1331, and CCRI-1377 as described below.

In order to obtain longer sequences of the *orfX* gene, two other strategies using primers targeting *mecA* and *orfX* sequences (at the start codon) was used to amplify
10 longer chromosome fragments. A new PCR primer was designed in *orfX* (SEQ ID NO.: 132) to be used in combination with the same primer in the *mecA* gene (SEQ ID NO.: 69). The strategy used to select these primers is illustrated in Figure 3. Eight *S. aureus* strains were amplified using primers SEQ ID NOs.: 69 and 132 (CCRI-9860, CCRI-9208, CCRI-9504, CCRI-1331, CCRI-9583, CCRI-9681,
15 CCRI-2025 and CCRI-1377). The strategy used to select these primers is illustrated in Figure 3.

The following amplification protocol was used: Purified genomic DNA (350 to 500 ng) was transferred to a 50 µl PCR reaction mixture. Each PCR reaction
20 contained 1X Herculase buffer (Stratagene), 0.8 µM of each of the set of 2 primers (SEQ ID NOs.: 69 and 132), 0.56 mM of each of the four dNTPs and 7.5 units of *Herculase* (Stratagene) with 1 mM MgCl₂. PCR reactions were subjected to thermocycling as described above.

25 Subsequently, 5 µL of the PCR-amplified mixture were resolved by electrophoresis in a 0.8% agarose gel containing 0.25 µg/mL of ethidium bromide. The amplicons were then visualized as described above. For one *S. aureus* strain (CCRI-9583), a reamplification was then performed by using primers SEQ ID NOs.: 96 and 158 (Figure 3) in 4 tubes, using the same PCR protocol, with 2 µl of

the first PCR reaction as test sample for the second amplification. The PCR-reamplified mixtures were pooled and also resolved by electrophoresis in a 0.8% agarose gel. The amplicons were then visualized by staining with methylene blue as described above. A band of approximately 12 to 20 kb was obtained using this

5 amplification strategy depending on the strains tested. The band corresponding to the specific amplification product was excised from the agarose gel and purified using the QIAquick™ gel extraction kit or QIAEX II gel extraction kit (QIAGEN Inc.). Two strains, CCRI-9583 and CCRI-9589, were also amplified with primers SEQ ID NOs.: 132 and 150, generating an amplification product of 1.5 kb. Long

10 amplicons (12-20 kb) were sequenced using 0.6 to 1 µg per reaction, while short amplicons (1.5 kb) were sequenced using 150 ng per reaction. Sequencing reactions were performed using different sets of primers for each *S. aureus* strain:

1) SEQ ID NOs.: 68, 70, 132, 145, 146, 147, 156, 157 and 158 for strain CCRI-9504; 2) SEQ ID NOs.: 70, 132, 154 and 155 for strain CCRI-2025; 3) SEQ ID

15 NOs.: 70, 132, 148, 149, 158 and 159 for strain CCRI-9681; 4) SEQ ID NOs.: 70, 132, 187, and 188 for strain CCRI-9860; 5) SEQ ID NOs.: 70, 132, 150 and 159 for strain CCRI-9589, 6) SEQ ID NOs.: 114, 123, 132, 150 and 158 for strain CCRI-9583; 7) SEQ ID NOs.: 70, 132, 154 and 155 for strain CCRI-1377, 8) SEQ ID

20 NOs.: 70, 132, 158 and 159 for strain CCRI-9208; 9) SEQ ID NOs.: 68, 70, 132, 145, 146, 147 and 158 for strain CCRI-1331; and 10) SEQ ID NOs.: 126 and 127 for strain CCRI-9770.

In one strain (CCRI-9770), the *orfX* and *orfSA0022* genes were shown to be totally or partially deleted based on amplification using primers specific to these genes

25 (SEQ ID NOs.: 132 and 159 and SEQ ID NOs.: 128 and 129, respectively) (Table 8). Subsequently, a new PCR primer was designed in *orfSA0021* (SEQ ID NO.: 126) to be used in combination with the same primer in the *mecA* gene (SEQ ID NO.: 69). An amplification product of 4.5 kb was obtained with this primer set.

Amplification, purification of amplicons and sequencing of amplicons were performed as described above.

To obtain the sequence of the *SSCmec* region containing *mecA* for ten of the 20
 5 MRSA strains described in Table 3 (CCRI-9504, CCRI-2025, CCRI-9208, CCRI-1331, CCRI-9681, CCRI-9860, CCRI-9770, CCRI-9589, CCRI-9583 and CCRI-1377), the primer described above designed in *mecA* (SEQ ID NO.: 69) was used in combination with a primer designed in the downstream region of *mecA* (SEQ ID NO.: 118) (Table 8). An amplification product of 2 kb was obtained for all the
 10 strains tested. For one strain, CCRI-9583, a re-amplification with primers SEQ ID NOs.: 96 and 118 was performed with the amplicon generated with primers SEQ ID NOs.: 69 and 132 described above. The amplification, re-amplification, purification of amplicons and sequencing reactions were performed as described above. Sequencing reactions were performed with amplicons generated with SEQ
 15 ID NOs.: 69 and 132 described above or SEQ ID NOs.: 69 and 118. Different sets of sequencing primers were used for each *S. aureus* strain: 1) SEQ ID NOs.: 69, 96, 117, 118, 120, 151, 152 for strains CCRI-9504, CCRI-2025, CCRI-1331, CCRI-9770 and CCRI-1377; 2) SEQ ID NOs.: 69, 96, 118 and 120 for strains CCRI-9208, CCRI-9681 and CCRI-9589; 3) SEQ ID NOs.: 69, 96, 117, 118, 120
 20 and 152 for strain CCRI-9860; and 4) SEQ ID NOs.: 96, 117, 118, 119, 120, 151 and 152 for strain CCRI-9583.

The sequences obtained for 16 of the 20 strains non-amplifiable by the Hiramatsu assay (Table 4) were then compared to the sequences available from public
 25 databases. In all cases, portions of the sequence had an identity close to 100% to publicly available sequences for *orfX* (SEQ ID NOs.: 43-51, 165-168 and 171) or *mecA* and downstream region (SEQ ID NOs.: 27-31, 189-193, 195, 197-199 and 225). However, while the *orfX* portion of the fragments (SEQ ID NOs.: 43-51, 165-168 and 171) shared nearly 100% identity with the *orfX* gene of MSSA strain

NCTC 8325 described by Hiramatsu *et al.* (SEQ ID NO.: 3), the DNA sequence within the right extremity of SCC*mec* itself was shown to be very different from those of types I, II, III and IV described by Hiramatsu *et al.* (Table 13, Figure 4). Six different novel sequence types were obtained. As for SEQ ID NO.: 42 (MREP
 5 type iv), the sequence was too short to include any portion of the *orfX*.

It should be noted that Hiramatsu *et al.* demonstrated that SCC*mec* type I could be associated with MREP type i, SCC*mec* types II and IV are associated with MREP type ii, and SCC*mec* type III is associated with MREP type iii. Our MREJ sequencing data from various MRSA strains led to the discovery of 6 novel
 10 MREP/MREJ types designated types iv, v, vi, vii, viii, and ix. The MREJ comprising distinct MREP types were named according to the MREP numbering scheme. Hence, MREP type i is comprised within MREJ type i, MREP type ii is comprised within MREJ type ii and so on up to MREP type ix.

The sequences within the right extremity of SCC*mec* obtained from strains CCRI-
 15 178, CCRI-8895, CCRI-8903, CCRI-1324, CCRI-1331 and CCRI-9504 (SEQ ID NOs.: 42, 43, 44, 45, 46 and 51) were nearly identical to each other and exhibited nearly 100% identity with IS431 (GenBank accession numbers AF422691, ABO37671, AF411934). However, our sequence data revealed for the first time the location of this IS431 sequence at the right extremity of SCC*mec* adjacent to
 20 the integration site. Therefore, as the sequences at the right extremity of SCC*mec* from these 6 MRSA strains were different from those of SCC*mec* type I from strain NCTC 10442, SCC*mec* type II from strain N315, SCC*mec* type III from strain 85/2082 and SCC*mec* type IV from strains CA05 and 8/6-3P described by Hiramatsu *et al.* (Ito *et al.*, 2001, Antimicrob. Agents Chemother. **45**:1323-1336;
 25 Ma *et al.*, 2002, Antimicrob. Agents Chemother. **46**:1147-1152), these new sequences were designated as MREJ type iv (SEQ ID NOs.: 43-46 and 51). A BLAST search with the SCC*mec* portion of MREP type iv sequences produced significant alignments with sequences coding for portions of a variety of known transposases. For example, when compared to Genbank accession no. AB037671,

MREP type iv from SEQ ID NO. 51 shared 98% identity with the putative transposase of IS431 and its downstream region; two gaps of 7 nucleotides each were also present in the alignment.

Sequences obtained from strains CCRI-1263, CCRI-1377, CCRI-1311 and CCRI-2025 (SEQ ID NOs.: 47-50) were nearly identical to each other and different from all three SCC*mec* types and MREP type iv and, consequently, were designated as MREP/MREJ type v. When compared with Genbank sequences using BLAST, MREP/MREJ type v sequences did not share any significant homology with any published sequence, except for the first 28 nucleotides. That short stretch corresponded to the last 11 coding nucleotides of *orfX*, followed by the 17 nucleotides downstream, including the right inverted repeat (IR-R) of SCC*mec*.

Sequence obtained from strain CCRI-9208 was also different from all three SCC*mec* types and MREP/MREJ types iv and v and, consequently, was designated as MREP/MREJ type vi (SEQ ID NO.: 171). Upon a BLAST search, MREP/MREJ type vi was shown to be unique, exhibiting no significant homology to any published sequence.

Sequences obtained from strains CCRI-9583 and CCRI-9589 were also different from all three SCC*mec* types and MREP/MREJ types iv to vi and were therefore designated as MREP/MREJ type vii (SEQ ID NOs.: 165 and 166). Upon a BLAST search, MREP type vii was also shown to be unique, exhibiting no significant homology to any published sequence.

Sequence obtained from strain CCRI-9860 was also different from all three SCC*mec* types and MREP/MREJ types iv to vii and was therefore designated as MREP/MREJ type viii (SEQ ID NO.: 167). Sequence obtained from strain CCRI-9681 was also different from all three SCC*mec* types and MREP/MREJ types iv to viii and was therefore designated as MREP/MREJ type ix (SEQ ID NO.: 168). BLAST searches with the SCC*mec* portion of MREP/MREJ types viii and ix sequences yielded significant alignments, but only for the first ~150 nucleotides of each MREJ type. For example, the beginning of the MREJ type viii sequence had

88% identity with a portion of Genbank accession no. AB063173, but no significant homology with any published sequence was found for the rest of the sequence. In the same manner, the first ~150 nucleotides of MREJ type ix had 97% identity with the same portion of AB063173, with the rest of the sequence being
 5 unique. The short homologous portion of MREJ types viii and ix corresponds in AB063173 to the last 14 coding nucleotides of *orfX*, the IR-R of *SCCmec*, and a portion of *orfCM009*. Although sharing resemblances, MREJ types viii and ix are very different from one another; as shown in Table 13, there is only 55.2% identity between both types for the first 500 nucleotides of the *SCCmec* portion.

10 Finally, we did not obtain any sequence within *SSCmec* from strain CCRI-9770. However, as described in the section "Sequencing of MREJ nucleotide sequences from MRSA strains not amplifiable with primers specific to *SCCmec* types I, II and III", this strain has apparently a partial or total deletion of the *orfX* and *orfSA0022* genes in the chromosomal DNA to the right of the *SCCmec* integration
 15 site and this would represent a new right extremity junction. We therefore designated this novel sequence as MREP/MREJ type x (SEQ ID NO.: 172). Future sequencing should reveal whether this so called MREJ type x contains a novel MREP type x or if the lack of amplification is indeed caused by variation in the chromosomal part of the MREJ.

20

The sequences of the first 500-nucleotide portion of the right extremity of all *SCCmec* obtained in the present invention were compared to those of *SCCmec* types I, II and III using GCG programs Pileup and Gap. Table 13 depicts the identities at the nucleotide level between *SCCmec* right extremities of the six novel
 25 sequences with those of *SCCmec* types I, II and III using the GCG program Gap. While *SCCmec* types I and II showed nearly 79.2% identity (differing only by a 102 bp insertion present in *SCCmec* type II) (Figures 1, 2 and 4), all other MREP types showed identities varying from 40.9 to 57.1%. This explains why the right

extremities of the novel MREP types iv to ix disclosed in the present invention could not have been predicted nor detected with the system described by Hiramatsu *et al.*

5 Four strains (CCRI-1312, CCRI-1325, CCRI-9773 and CCRI-9774) described in Table 3 were not sequenced but rather characterized using PCR primers. Strains CCRI-1312 and CCRI-1325 were shown to contain MREP type v using specific amplification primers described in Examples 4, 5 and 6 while strains CCRI-9773 and CCRI-9774 were shown to contain MREP type vii using specific amplification
10 primers described in Example 7.

To obtain the complete sequence of the SCC*mec* present in the MRSA strains described in the present invention, primers targeting the *S. aureus* chromosome to the left (upstream of the *mecA* gene) of the SCC*mec* integration site were
15 developed. Based on available public database sequences, 5 different primers were designed (SEQ ID NOs.: 85-89) (Table 9). These primers can be used in combination with *S. aureus* chromosome-specific primers in order to sequence the entire SCC*mec* or, alternatively, used in combination with a *mecA*-specific primer (SEQ ID NO.: 81) in order to sequence the left extremity junction of SCC*mec*. We
20 have also developed several primers specific to known SCC*mec* sequences spread along the locus in order to obtain the complete sequence of SCC*mec* (Table 9). These primers will allow to assign a SCC*mec* type to the MRSA strains described in the present invention.

25 Selection of amplification primers from SCC*mec*/orfX sequences

The MREJ sequences determined by the inventors or selected from public databases were used to select PCR primers for detection and identification of

MRSA. The strategy used to select these PCR primers was based on the analysis of multiple sequence alignments of various MREJ sequences.

Upon analysis of the six new MREP/MREJ types iv to ix sequence data described above, primers specific to each new MREP type sequence (SEQ ID NOs.: 79, 80, 109, 112, 113, 115, 116 and 204) were designed (Figure 2, Table 5, Examples 3, 4, 5, 6, 7 and 8). Primers specific to MREP types iv, v and vii (SEQ ID NOs.: 79, 80 and 112) were used in multiplex with the three primers to detect SCC_{mec} types I, II and III (SEQ ID NOs: 64, 66 and 67) and the primer specific to the *S. aureus* *orfX* (SEQ ID NO. 64) (Examples 3, 4, 5, 6 and 7). Primers specific to MREP types vi, viii and ix (SEQ ID NOs.: 204, 115, 116 and 109) were also designed and tested against their specific target (Example 8).

Detection of amplification products

15

Classically, the detection of PCR amplification products is performed by standard ethidium bromide-stained agarose gel electrophoresis as described above. It is however clear that other methods for the detection of specific amplification products, which may be faster and more practical for routine diagnosis, may be used. Examples of such methods are described in patent application WO01/23604 A2.

20

Amplicon detection may also be performed by solid support or liquid hybridization using species-specific internal DNA probes hybridizing to an amplification product. Such probes may be generated from any sequence from our repertoire and designed to specifically hybridize to DNA amplification products which are objects of the present invention. Alternatively, amplicons can be characterized by sequencing. See patent application WO01/23604 A2 for examples of detection and sequencing methods.

25

In order to improve nucleic acid amplification efficiency, the composition of the reaction mixture may be modified (Chakrabarti and Schutt, 2002, Biotechniques, 32:866-874; Al-Soud and Radstrom, 2002, J. Clin. Microbiol., 38:4463-4470; Al-Soud and Radstrom, 1998, Appl. Environ. Microbiol., 64:3748-3753; Wilson, 1997, Appl. Environ. Microbiol., 63:3741-3751). Such modifications of the amplification reaction mixture include the use of various polymerases or the addition of nucleic acid amplification facilitators such as betaine, BSA, sulfoxides, protein gp32, detergents, cations, tetramethylammonium chloride and others.

In a preferred embodiment, real-time detection of PCR amplification was monitored using molecular beacon probes in a SmartCycler[®] apparatus (Cepheid, Sunnyvale, CA). A multiplex PCR assay containing primers specific to MREP types i to v and *orfX* of *S. aureus* (SEQ ID NOs.: 64, 66, 67, 79 and 80), a molecular beacon probe specific to the *orfX* sequence (SEQ ID NO. 84, see Annex II and Figure 2) and an internal control to monitor PCR inhibition was developed. The internal control contains sequences complementary to MREP type iv- and *orfX*-specific primers (SEQ ID NOs. 79 and 64). The assay also contains a molecular beacon probe labeled with tetrachloro-6-carboxyfluorescein (TET) specific to sequence within DNA fragment generated during amplification of the internal control. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 3.45 mM MgCl₂, 0.8 μM of each of the MREP-specific primers (SEQ ID NOs.: 66 and 67) and *orfX*-specific primer (SEQ ID NO.: 64), 0.4 μM of each of the MREP-specific primers (SEQ ID NOs.: 79 and 80), 80 copies of the internal control, 0.2 μM of the TET-labeled molecular beacon probe specific to the internal control, 0.2 μM of the molecular beacon probe (SEQ ID NO.: 84) labeled with 6-carboxyfluorescein (FAM), 330 μM of each of the four dNTPs (Pharmacia Biotech), 3.45 μg/μl of BSA (Sigma), and 0.875 U *Taq* polymerase (Promega) coupled with *TaqStart*[™] Antibody (BD Biosciences). The PCR

amplification on the Smart Cycler[®] was performed as follows: 3 min. at 95°C for initial denaturation, then forty-eight cycles of three steps consisting of 5 seconds at 95°C for the denaturation step, 15 seconds at 60°C for the annealing step and 15 seconds at 72°C for the extension step. Sensitivity tests performed by using
5 purified genomic DNA from one MRSA strain of each MREP/MREJ type (i to v) showed a detection limit of 2 to 10 genome copies (Example 5). None of the 26 MRCNS or 10 MSCNS tested were positive with this multiplex assay. The eight MRSA strains (CCRI-9208, CCRI-9770, CCRI-9681, CCRI-9860, CCRI-9583, CCRI-9773, CCRI-9774, CCRI-9589) which harbor the new MREP/MREJ types
10 vi, viii, ix and x sequences described in the present invention remained undetectable (Example 5).

In a preferred embodiment, detection of MRSA using the real-time multiplex PCR assay on the Smart Cycler[®] apparatus (Cepheid, Sunnyvale, CA) directly from
15 clinical specimens was evaluated. A total of 142 nasal swabs were collected during a MRSA hospital surveillance program at the Montreal General Hospital (Montreal, Quebec, Canada). The swab samples were tested at the Centre de Recherche en Infectiologie de l'Université Laval within 24 hours of collection. Upon receipt, the swabs were plated onto mannitol agar and then the nasal material
20 from the same swab was prepared with a simple and rapid specimen preparation protocol described in patent application number WO 03/008636. Classical identification of MRSA was performed by standard culture methods.

The PCR assay detected 33 of the 34 samples positive for MRSA based on the
25 culture method. As compared to culture, the PCR assay detected 8 additional MRSA positive specimens for a sensitivity of 97.1 % and a specificity of 92.6 % (Example 6). This multiplex PCR assay represents a rapid and powerful method for the specific detection of MRSA carriers directly from nasal specimens and can

be used with any types of clinical specimens such as wounds, blood or blood culture, CSF, etc.

In a preferred embodiment, a multiplex PCR assay containing primers specific to MREP types i, ii, iii, iv, v and vi and orfX of *S. aureus* (SEQ ID NOs.: 66, 67, 79, 80 and 112), and three molecular beacons probes specific to orfX sequence which allowed detection of the two sequence polymorphisms identified in this region of the orfX sequence was developed. Four of the strains which were not detected with the multiplex assay for the detection of MREP/MREJ types i to v were now detected with this multiplex assay while the four MRSA strains (CCRI-9208, CCRI-9770, CCRI-9681, CCRI-9860) which harbor the MREP/MREJ types vi, viii, ix and x described in the present invention remained undetectable (Example 7). Primers specific to MREP types vi, viii and ix (SEQ ID NOs.: 204, 115, 116 and 109) were also designed and were shown to detect their specific target strains (Example 8). While the primers and probes derived from the teaching of Hiramatsu *et al.*, permitted the detection of only 48.7% (19 strains out of 39) of the MRSA strains of Table 2, the primers and probes derived from the present invention enable the detection of 97.4 % of the strains (38 strains out of 39) (see examples 7 and 8). Therefore it can be said that our assay has a ubiquity superior to 50% for the MRSA strains listed in Table 2.

Specificity, ubiquity and sensitivity tests for oligonucleotide primers and probes

The specificity of oligonucleotide primers and probes was tested by amplification of DNA or by hybridization with staphylococcal species. All of the staphylococcal species tested were likely to be pathogens associated with infections or potential contaminants which can be isolated from clinical specimens. Each target DNA could be released from microbial cells using standard chemical and/or physical treatments to lyse the cells (Sambrook *et al.*, 1989, Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY) or alternatively, genomic DNA purified with the GNOME™ DNA kit (Qbiogene, Carlsbad, CA) was used. Subsequently, the DNA was subjected to

amplification with the set of primers. Specific primers or probes hybridized only to the target DNA.

Oligonucleotides primers found to amplify specifically DNA from the target
5 MRSA were subsequently tested for their ubiquity by amplification (i.e. ubiquitous
primers amplified efficiently most or all isolates of MRSA). Finally, the analytical
sensitivity of the PCR assays was determined by using 10-fold or 2-fold dilutions
of purified genomic DNA from the targeted microorganisms. For most assays,
sensitivity levels in the range of 2-10 genome copies were obtained. The
10 specificity, ubiquity and analytical sensitivity of the PCR assays were tested either
directly with bacterial cultures or with purified bacterial genomic DNA.

Molecular beacon probes were tested using the Smart Cycler® platform as
described above. A molecular beacon probe was considered specific only when it
15 hybridized solely to DNA amplified from the MREJ of *S. aureus*. Molecular
beacon probes found to be specific were subsequently tested for their ubiquity (i.e.
ubiquitous probes detected efficiently most or all isolates of the MRSA) by
hybridization to bacterial DNAs from various MRSA strains.

20 ***Bacterial strains***

The reference strains used to build proprietary *SCCmec*-chromosome right
extremity junction sequence data subrepertories, as well as to test the amplification
and hybridization assays, were obtained from (i) the American Type Culture
25 Collection (ATCC), (ii) the Laboratoire de santé publique du Québec (LSPQ) (Ste-
Anne de Bellevue, Québec, Canada), (iii) the Centers for Disease Control and
Prevention (CDC) (Atlanta, GA), (iv) the Institut Pasteur (Paris, France), and V)
the Harmony Collection (London, United Kingdom) (Table 14). Clinical isolates of
MRSA, MSSA, MRCNS and MSCNS from various geographical areas were also

used in this invention (Table 15). The identity of our MRSA strains was confirmed by phenotypic testing and reconfirmed by PCR analysis using *S. aureus*-specific primers and *mecA*-specific primers (SEQ ID NOs.: 69 and 81) (Martineau *et al.*, 2000, Antimicrob. Agents Chemother. **44**:231-238).

5

For sake of clarity, below is a list of the Examples, Tables, Figures and Annexes of this invention.

DESCRIPTION OF THE EXAMPLES

10

Example 1: Primers developed by Hiramatsu *et al.* can only detect MRSA strains belonging to MREP types i, ii, and iii while missing prevalent novel MREP types.

Example 2: Detection and identification of MRSA using primers specific to MREP types i, ii and iii sequences developed in the present invention.

15 **Example 3:** Development of a multiplex PCR assay on a standard thermocycler for detection and identification of MRSA based on MREP types i, ii, iii, iv and v sequences.

Example 4: Development of a real-time multiplex PCR assay on the Smart Cycler[®] for detection and identification of MRSA based on MREP types i, ii, iii, iv
20 and v sequences.

Example 5: Development of a real-time multiplex PCR assay on the Smart Cycler[®] for detection and identification of MRSA based on MREP types i, ii, iii, iv and v sequences and including an internal control.

Example 6: Detection of MRSA using the real-time multiplex assay on the Smart
25 Cycler[®] based on MREP types i, ii, iii, iv and v sequences for the detection of MRSA directly from clinical specimens.

Example 7: Development of a real-time multiplex PCR assay on the Smart Cycler[®] for detection and identification of MRSA based on MREP types i, ii, iii, iv, v, vi and vii sequences.

Example 8: Developement of real-time PCR assays on the Smart Cyclor[®] for detection and identification of MRSA based on MREP types vi, viii and ix.

DESCRIPTION OF THE TABLES

5

Table 1 provides information about all PCR primers developed by Hiramatsu *et al.* in US patent 6,156,507.

Table 2 is a compilation of results (ubiquity and specificity) for the detection of SCCmec-orfX right extremity junction using primers described by Hiramatsu *et al.*

10 in US patent 6,156,507 on a standard thermocycler.

Table 3 is a list of MRSA strains not amplifiable using primers targeting types I, II and III of SCCmec-orfX right extremity junction sequences.

Table 4 is a list of novel sequences revealed in the present invention.

Table 5 provides information about all primers developed in the present invention.

15 **Table 6** is a list of molecular beacon probes developed in the present invention.

Table 7 shows amplicon sizes of the different primer pairs described by Hiramatsu *et al.* in US patent 6,156,507 or developed in the present invention.

Table 8 provides information about primers developed in the present invention to sequence the SCCmec-chromosome right extremity junction.

20 **Table 9** provides information about primers developed in the present invention to obtain sequence of the complete SCCmec.

Table 10 is a list of the sequences available from public databases (GenBank, genome projects or US patent 6,156,507) used in the present invention to design primers and probes.

25 **Table 11** gives analytical sensitivity of the PCR assay developed in the present invention using primers targeting types I, II and III of SCCme-orfX right extremity junction sequences and performed using a standard thermocycler.

Table 12 is a compilation of results (ubiquity and specificity) for the detection of MRSA using primers developed in the present invention which target types I, II

and III of *SCCmec-orfX* right extremity junction sequences and performed using a standard thermocycler.

Table 13 shows a comparison of sequence identities between the first 500 nucleotides of *SCCmec* right extremities between 9 types of MREP.

5 **Table 14** provides information about the reference strains of MRSA, MSSA, MRCNS and MSCNS used to validate the PCR assays developed in the present invention.

Table 15 provides information about the origin of clinical strains of MRSA, MSSA, MRCNS and MSCNS used to validate the PCR assays described in the
10 present invention.

Table 16 depicts the analytical sensitivity of the PCR assay developed in the present invention using primers targeting 5 types of MREP sequences and performed on a standard thermocycler.

Table 17 is a compilation of results (ubiquity and specificity) for the PCR assay
15 developed in the present invention using primers targeting 5 types of MREP sequences and performed on a standard thermocycler.

Table 18 depicts the analytical sensitivity of the PCR assay developed in the present invention using the SmartCycler[®] platform for the detection of 5 types of MREP.

20 **Table 19** is a compilation of results (ubiquity and specificity) for the PCR assay developed in the present invention using primers and a molecular beacon probe targeting 5 types of MREP sequences and performed on the Smart Cycler[®] platform.

Table 20 depicts the analytical sensitivity of the PCR assay developed in the
25 present invention using the SmartCycler[®] platform for the detection of 6 MREP types.

Table 21 is a compilation of results (ubiquity and specificity) for the PCR assay developed in the present invention using primers and a molecular beacon probe

targeting 6 types of MREP sequences and performed on the Smart Cyclers[®] platform.

DESCRIPTION OF THE FIGURES

5

Figure 1 is a diagram illustrating the position of the primers developed by Hiramatsu *et al.* (US patent 6,156,507) in the SCC*mec*-chromosome right extremity junction for detection and identification of MRSA.

Figure 2 is a diagram illustrating the position of the primers selected in the present invention in the SCC*mec-orfX* right extremity junction for detection and identification of MRSA.

Figure 3 is a diagram illustrating the position of the primers selected in the present invention to sequence new MREP/MREJ types.

Figure 4 illustrates a sequence alignment of nine MREP types.

15

FIGURE LEGENDS

Figure 1. Schematic organization of types I, II and III SCC*mecorfX* right extremity junctions and localization of the primers (SEQ ID NOs: 52-63) described by Hiramatsu *et al.* for the detection and identification of MRSA. Amplicon sizes are depicted in Table 7.

Figure 2. Schematic organization of MREJ types i, ii, iii, iv, v, vi, vii, viii and ix and localization of the primers and molecular beacon targeting all MREJ types (SEQ ID NOs. 20, 64, 66, 67, 79, 80, 84, 112, 115, 116, 84, 163 and 164) which were developed in the present invention. Amplicon sizes are depicted in Table 7.

Figure 3. Schematic organization of the SCC*mec*-chromosome right extremity junctions and localization of the primers (SEQ ID NOs. 65, 68, 69, 70, 77, 96, 118, 126, 132, 150 and 158) developed in the present invention for the sequencing of MREJ types iv, v, vi, vii, viii, ix and x.

Figure 4. Multiple sequence alignment of representatives of nine MREP types (represented by portions of SEQ IDNOs.: 1, 2, 104, 51, 50, 171, 165, 167 and 168 for types i, ii, iii, iv, v, vi, vii, viii and ix, respectively).

5 DESCRIPTION OF THE ANNEXES

The Annexes show the strategies used for the selection of primers and internal probes:

Annex I illustrates the strategy for the selection of primers from *SCCmec* and *orfX* sequences specific for *SCCmec* types I and II.

Annex II illustrates the strategy for the selection of specific molecular beacon probes for the real-time detection of *SCCmec-orfX* right extremity junctions.

As shown in these Annexes, the selected amplification primers may contain inosines and/or base ambiguities. Inosine is a nucleotide analog able to specifically bind to any of the four nucleotides A, C, G or T. Alternatively, degenerated oligonucleotides which consist of an oligonucleotide mix having two or more of the four nucleotides A, C, G or T at the site of mismatches were used. The inclusion of inosine and/or of degeneracies in the amplification primers allows mismatch tolerance thereby permitting the amplification of a wider array of target nucleotide sequences (Dieffenbach and Dveksler, 1995, PCR Primer: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Plainview, New York).

EXAMPLES

EXAMPLE 1:

Primers developed by Hiramatsu *et al.* can only detect MRSA strains belonging to MREP types i, ii, and iii while missing prevalent novel MREP types.

As shown in Figure 1, Hiramatsu *et al.* have developed various primers that can specifically hybridize to the right extremities of types I, II and III SCC mec DNAs. They combined these primers with primers specific to the *S. aureus* chromosome region located to the right of the SCC mec integration site for the detection of MRSA. The primer set (SEQ ID NOs.: 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60 in the present invention) was shown by Hiramatsu *et al.* to be the most specific and ubiquitous for detection of MRSA. This set of primers gives amplification products of 1.5 kb for SCC mec type I, 1.6 kb for SCC mec type II and 1.0 kb for SCC mec type III (Table 7). The ubiquity and specificity of this multiplex PCR assay was tested on 39 MRSA strains, 41 MSSA strains, 9 MRCNS strains and 11 MSCNS strains (Table 2). One μ L of a treated standardized bacterial suspension or of a bacterial genomic DNA preparation purified from bacteria were amplified in a 20 μ l PCR reaction mixture. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 2.5 mM MgCl₂, 0.4 μ M of each of the SCC mec - and *orfX*-specific primers (SEQ ID NOs.: 56, 58 and 60), 200 μ M of each of the four dNTPs (Pharmacia Biotech), 3.3 μ g/ μ l of BSA (Sigma), and 0.5 U *Taq* polymerase (Promega) coupled with *TaqStart*TM Antibody (BD Biosciences).

PCR reactions were then subjected to thermal cycling: 3 min at 94°C followed by 40 cycles of 60 seconds at 95°C for the denaturation step, 60 seconds at 55°C for the annealing step, and 60 seconds at 72°C for the extension step, then followed by a terminal extension of 7 minutes at 72°C using a standard thermocycler (PTC-200 from MJ Research Inc.). Detection of the PCR products was made by electrophoresis in agarose gels (2 %) containing 0.25 μ g/ml of ethidium bromide.

None of the MRCNS or MSCNS strains tested were detected with the set of primers detecting SCCmec types I, II and III. Twenty of the 39 MRSA strains tested were not detected with this multiplex PCR assay (Tables 2 and 3). One of these undetected MRSA strains corresponds to the highly epidemic MRSA Portuguese clone (strain CCRI-9504; De Lencastre *et al.*, 1994. Eur. J. Clin. Microbiol. Infect. Dis. 13:64-73) and another corresponds to the highly epidemic MRSA Canadian clone CMRSA1 (strain CCRI-9589; Simor *et al.* CCDC 1999, 25-12, June 15). These data demonstrate that the primer set developed by Hiramatsu *et al.* (SEQ ID NOs.: 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60 in the present invention) is not ubiquitous for the detection of MRSA and suggest that some MRSA strains have sequences at the SCCmec right extremity junction which are different from those identified by Hiramatsu *et al.* other types of SCCmec sequences or other sequences at the right extremity of SCCmec (MREP type) are found in MRSA. A limitation of this assay is the non-specific detection of 13 MSSA strains (Table 2).

EXAMPLE 2:

Detection and identification of MRSA using primers specific to MREP types i, ii and iii sequences developed in the present invention. Based on analysis of multiple sequence alignments of *orfX* and SCCmec sequences described by Hiramatsu *et al.* or available from GenBank, a set of primers (SEQ ID NOs: 64, 66, 67) capable of amplifying short segments of types I, II and III of SCCmec-*orfX* right extremity junctions from MRSA strains and discriminating from MRCNS (Annex I and Figure 2) were designed. The chosen set of primers gives amplification products of 176 bp for SCCmec type I, 278 pb for SCCmec type II and 223 bp for SCCmec type III and allows rapid PCR amplification. These primers were used in multiplex PCR to test their ubiquity and specificity using 208 MRSA strains, 252 MSSA strains, 41 MRCNS strains and 21 MRCNS strains

(Table 12). The PCR amplification and detection was performed as described in Example 1. PCR reactions were then subjected to thermal cycling (3 minutes at 94°C followed by 30 or 40 cycles of 1 second at 95°C for the denaturation step and 30 seconds at 60°C for the annealing-extension step, and then followed by a terminal extension of 2 minutes at 72°C) using a standard thermocycler (PTC-200 from MJ Research Inc.). Detection of the PCR products was made as described in Example 1.

None of the MRCNS or MSCNS strains tested were detected with this set of primers (Table 12). However, the twenty MRSA strains which were not detected with the primer set developed by Hiramatsu *et al.* (SEQ ID NOs: 56, 58 and 60) were also not detected with the primers developed in the present invention (Tables 3 and 12). These data also demonstrate that some MRSA strains have sequences at the SCC*mec*-chromosome right extremity junction which are different from those identified by Hiramatsu *et al.* Again, as observed with the Hiramatsu primers, 13 MSSA strains were also detected non-specifically (Table 12). The clinical significance of this finding remains to be established since these apparent MSSA strains could be the result of a recent deletion in the *mec* locus (Deplano *et al.*, 2000, J. Antimicrob. Chemotherapy, **46**:617-619; Inglis *et al.*, 1990, J. Gen. Microbiol., **136**:2231-2239; Inglis *et al.*, 1993, J. Infect. Dis., **167**:323-328; Lawrence *et al.* 1996, J. Hosp. Infect., **33**:49-53; Wada *et al.*, 1991, Biochem. Biophys. Res. Comm., **176**:1319-1326).

EXAMPLE 3:

Development of a multiplex PCR assay on a standard thermocycler for detection and identification of MRSA based on MREP types i, ii, iii, iv and v sequences. Upon analysis of two of the new MREP types iv and v sequence data described in the present invention, two new primers (SEQ ID NOs.: 79 and 80)

were designed and used in multiplex with the three primers SEQ ID NOs.: 64, 66 and 67 described in Example 2. PCR amplification and detection of the PCR products was performed as described in Example 2. Sensitivity tests performed by using ten-fold or two-fold dilutions of purified genomic DNA from various MRSA strains of each MREP/MREJ type showed a detection limit of 5 to 10 genome copies (Table 16). Specificity tests were performed using 0,1 ng of purified genomic DNA or 1 µl of a standardized bacterial suspension. All MRCNS or MSCNS strains tested were negative with this multiplex assay (Table 17). Twelve of the 20 MRSA strains which were not detected with the multiplex PCR described in Examples 1 and 2 were now detected with this multiplex assay. Again, as observed with the Hiramatsu primers, 13 MSSA strains were also detected non-specifically (Table 12). The eight MRSA strains (CCRI-9208, CCRI-9583, CCRI-9773, CCRI-9774, CCRI-9589, CCRI-9860, CCRI-9681, CCRI-9770) and which harbor the new MREP/MREJ types vi, vii, viii, ix and x sequences described in the present invention remained undetectable.

EXAMPLE 4:

Development of a real-time multiplex PCR assay on the Smart Cycler® for detection and identification of MRSA based on MREP types i, ii, iii, iv and v sequences. The multiplex PCR assay described in Example 3 containing primers (SEQ ID NOs.: 64, 66, 67, 79 and 80) was adapted to the Smart Cycler® platform (Cepheid). A molecular beacon probe specific to the *orfX* sequence was developed (SEQ ID NO. 84, see Annex II). Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 3.5 mM MgCl₂, 0.4 µM of each of the SCC*mec*- and *orfX*-specific primers (SEQ ID NOs.: 64, 66, 67, 79 and 80), 0.2 µM of the FAM-labeled molecular beacon probe (SEQ ID NO.: 84), 200 µM of each of the four dNTPs, 3.3 µg/µl of BSA, and 0.5 U *Taq* polymerase coupled with *TaqStart*TM Antibody. The PCR amplification on the Smart Cycler® was performed

as follows: 3 min. at 94°C for initial denaturation, then forty-five cycles of three steps consisting of 5 seconds at 95°C for the denaturation step, 15 seconds at 59°C for the annealing step and 10 seconds at 72°C for the extension step. Fluorescence detection was performed at the end of each annealing step. Sensitivity tests performed by using purified genomic DNA from several MRSA strains of each MREP/MREJ type showed a detection limit of 2 to 10 genome copies (Table 18). None of the MRCNS or MSCNS were positive with this multiplex assay (Table 19). Again, as observed with the Hiramatsu primers, 13 MSSA strains were also detected non-specifically. Twelve of the twenty MRSA strains which were not detected with the multiplex PCR described in Examples 1 and 2 were detected by this multiplex assay. As described in Example 3, the eight MRSA strains which harbor the new MREP/MREJ types vi, vii, viii, ix and x sequences described in the present invention remained undetectable.

15 EXAMPLE 5:

Development of a real-time multiplex PCR assay on the Smart Cycler® for detection and identification of MRSA based on MREP types i, ii, iii, iv and v sequences including an internal control. The multiplex PCR assay described in Example 4 containing primers specific to MREP types i to v and *orfX* of *S. aureus* (SEQ ID NOs.: 64, 66, 67, 79 and 80) and a molecular beacon probe specific to the *orfX* sequence (SEQ ID NO. 84, see Annex II) was optimized to include an internal control to monitor PCR inhibition. This internal control contains sequences complementary to MREP type iv- and *orfX*-specific primers (SEQ ID NOs. 79 and 20 and 64). The assay also contains a TET-labeled molecular beacon probe specific to sequence within the amplicon generated by amplification of the internal control. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 3.45 mM MgCl₂, 0.8 µM of each of the MREP-specific primers (SEQ ID NOs.: 66 and 67) and *orfX*-specific primer (SEQ ID NO.: 64), 0.4 µM of each of 25

the MREP-specific primers (SEQ ID NOs.: 79 and 80), 80 copies of the internal control, 0.2 μ M of the TET-labeled molecular beacon probe specific to the internal control, 0.2 μ M of the FAM-labeled molecular beacon probe (SEQ ID NO.: 84), 330 μ M of each of the four dNTPs (Pharmacia Biotech), 3.45 μ g/ μ l of BSA (Sigma), and 0.875 U *Taq* polymerase (Promega) coupled with *TaqStart*TM Antibody (BD Biosciences). The PCR amplification on the Smart Cycler[®] was performed as follows: 3 min. at 95°C for initial denaturation, then forty-eight cycles of three steps consisting of 5 seconds at 95°C for the denaturation step, 15 seconds at 60°C for the annealing step and 15 seconds at 72°C for the extension step. Sensitivity tests performed by using purified genomic DNA from one MRSA strain of each MREP/MREJ type (i to v) showed a detection limit of 2 to 10 genome copies. None of the 26 MRCNS or 10 MSCNS were positive with this multiplex assay. Again, as observed with the Hiramatsu primers, 13 MSSA strains were also detected non-specifically. As described in Examples 3 and 4, the eight MRSA strains which harbor the new MREP/MREJ types vi to x sequences described in the present invention remained undetectable.

EXAMPLE 6:

Detection of MRSA using the real-time multiplex assay on the Smart Cycler[®] based on MREP types i, ii, iii, iv and v sequences directly from clinical specimens. The assay described in Example 5 was adapted for detection directly from clinical specimens. A total of 142 nasal swabs collected during a MRSA hospital surveillance program at the Montreal General Hospital (Montreal, Quebec, Canada) were tested. The swab samples were tested at the Centre de Recherche en Infectiologie de l'Université Laval within 24 hours of collection. Upon receipt, the swabs were plated onto mannitol agar and then the nasal material from the same swab was prepared with a simple and rapid specimen preparation protocol

described in patent application number WO 03/008636. Classical identification of MRSA was performed by standard culture methods.

The PCR assay described in Example 5 detected 33 of the 34 samples positive for MRSA based on the culture method. As compared to culture, the PCR assay detected 8 additional MRSA positive specimens for a sensitivity of 97.1 % and a specificity of 92.6 %. This multiplex PCR assay represents a rapid and powerful method for the specific detection of MRSA carriers directly from nasal specimens and can be used with any type of clinical specimens such as wounds, blood or blood culture, CSF, etc.

EXAMPLE 7:

Development of a real-time multiplex PCR assay on the Smart Cycler[®] for detection and identification of MRSA based on MREP types i, ii, iii, iv, v and vii sequences. Upon analysis of the new MREJ type vii sequence data described in the present invention (SEQ ID NOs.: 165 and 166), two new primers (SEQ ID NOs.: 112 and 113 specific for the MREP type vii) were designed and tested in multiplex with the three primers SEQ ID NOs.: 64, 66 and 67 described in Example 2. Primer SEQ ID NO.: 112 was selected for use in the multiplex based on its sensitivity. Three molecular beacon probes specific to the *orfX* sequence which allowed detection of two sequence polymorphisms identified in this region of the *orfX* sequence, based on analysis of SEQ ID NOs.: 173-186, were also used in the multiplex (SEQ ID NOs.: 84, 163 and 164). Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 3.45 mM MgCl₂, 0.8 μM of each of the SCC*mec*-specific primers (SEQ ID NOs.: 66 and 67) and *orfX*-specific primer (SEQ ID NO.: 64), 0.4 μM of each of the SCC*mec*-specific primers (SEQ ID NOs.: 79 and 80), 0.2 μM of the FAM-labeled molecular beacon probe (SEQ ID NO.: 84), 330 μM of each of the four dNTPs (Pharmacia Biotech), 3.45

5 $\mu\text{g}/\mu\text{l}$ of BSA (Sigma), and 0.875 U of *Taq* polymerase (Promega) coupled with *TaqStart*TM Antibody (BD Biosciences). The PCR amplification on the Smart
 10 *Cycler*[®] was performed as follows: 3 min. at 95°C for initial denaturation, then
 40 forty-eight cycles of three steps consisting of 5 seconds at 95°C for the
 5 denaturation step, 15 seconds at 60°C for the annealing step and 15 seconds at
 72°C for the extension step. The detection of fluorescence was done at the end of
 each annealing step. Sensitivity tests performed by using purified genomic DNA
 from several MRSA strains of each MREP/MREJ type showed a detection limit of
 2 genome copies (Table 20). None of the 26 MRCNS or 8 MSCNS were positive
 10 with this multiplex assay. Again, as observed with the Hiramatsu primers, 13
 MSSA strains were also detected non-specifically (Table 21). Four of the strains
 which were not detected with the multiplex assay for the detection of
 MREP/MREJ types i to v were now detected with this multiplex assay while the
 four MRSA strains (CCRI-9208, CCRI-9770, CCRI-9681, CCRI-9860) which
 15 harbor the MREP/MREJ types vi, viii, ix and x described in the present invention
 remained undetectable.

EXAMPLE 8:

20 **Developement of real-time PCR assays on the Smart Cycler[®] for detection
 and identification of MRSA based on MREP types vi, viii, ix.** Upon analysis of
 the new MREP/MREJ types vi, viii and ix sequence data described in the present
 invention, one new primers specific to MREP type vi (SEQ ID NO.: 201), one
 primer specific to MREP type viii (SEQ ID NO.: 115), a primer specific to MREP
 type ix (SEQ ID NO.: 109) and a primer specific to both MREP types viii and ix
 25 (SEQ ID NO.: 116) were designed. Each PCR primer was used in combination
 with the *orfX*-specific primer (SEQ ID NO.: 64) and tested against its specific
 target strain. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0),
 0.1% Triton X-100, 3.45 mM MgCl₂, 0.4 μM of each of the SCC*mec*- and *orfX*-
 specific primers, 200 μM of each of the four dNTPs, 3.4 $\mu\text{g}/\mu\text{l}$ of BSA, and 0.875

U *Taq* polymerase coupled with *TaqStart*TM Antibody. The PCR amplification was performed as described in Example 7. Sensitivity tests performed by using genomic DNA purified from their respective MRSA target strains showed that the best primer pair combination was SEQ ID NOs.: 64 and 115 for the detection of MREJ types viii and ix simultaneously. These new *SCCmec*-specific primers may be used in multiplex with primers specific to MREJ types i, ii, iii, iv, v and vii (SEQ ID NOs.: 64, 66, 67, 79 and 80) described in previous examples to provide a more ubiquitous MRSA assay.

10 In conclusion, we have improved the ubiquity of detection of MRSA strains. New MREJ types iv to x have been identified. Amongst strains representative of these new types, Hiramitsu's primers and/or probes succeeded in detecting less than 50% thereof. We have therefore amply passed the bar of at least 50% ubiquity, since our primers and probes were designed to detect 100% of the strains tested as
15 representatives of MREJ types iv to ix. Therefore, although ubiquity depends on the pool of strains and representatives that are under analyse, we know now that close to 100% ubiquity is an attainable goal, when using the sequences of the right junctions (MREJ) to derive probes and primers dealing with polymorphism in this region. Depending on how many unknown types of MREJ exist, we have a margin
20 of manoeuvre going from 50% (higher than Hiramitsu's primers for the tested strains) to 100% if we sequence all the existing MREJs to derive properly the present diagnostic tools and methods, following the above teachings.

**This invention has been described herein above, and it is readily apparent
25 that modifications can be made thereto without departing from the spirit of this invention. These modifications are under the scope of this invention, as defined in the appended claims.**

WO 02/099034

PCT/CA02/00824

Table 1. PCR amplification primers reported by Hiramatsu et al. in US patent 6,156,507 found in the sequence listing

5	SEQ ID NO.:	Target	Position ^{a,b}	SEQ ID NO.:
	(present invention)			(US pat. 6,156,507)
10	52	MREP types i and ii	480	18
	53	MREP types i and ii	758	19
	54	MREP types i and ii	927	20
	55	MREP types i and ii	1154	21
	56	MREP types i and ii	1755	22
	57	MREP types i and ii	2302	23
	58	MREP type iii	295 ^c	24
	59	<i>orfX</i>	1664	25
15	60	<i>orfSA0022</i> ^d	3267	28
	61	<i>orfSA0022</i> ^d	3585	27
	62	<i>orfX</i>	1389	26
	63	<i>orfSA0022</i> ^d	2957	29

20

^a Position refers to nucleotide position of the 5' end of primer.

^b Numbering for SEQ ID NOs.: 52-57 refers to SEQ ID NO.: 2; numbering for SEQ ID NO.: 58 refers to SEQ ID NO.: 4; numbering for SEQ ID NOs.: 59-63 refers to SEQ ID NO.: 3.

25

^c Primer is reverse-complement of target sequence.

^d *orfSA0022* refers to the open reading frame designation from GenBank accession number AP003129 (SEQ ID NO.: 231).

Table 2. Specificity and ubiquity tests performed on a standard thermocycler using the optimal set of primers described by Hiramatsu *et al.* (SEQ ID NOs. : 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60, respectively, in the present invention) for the detection of MRSA

Strains	PCR results for SCCmec - <i>orfX</i> right extremity junction	
	Positive (%)	Negative (%)
MRSA - 39 strains	19 (48.7)	20 (51.2)
MSSA - 41 strains	13 (31.7)	28 (68.3)
MRCNS - 9 strains*	0 (0%)	9 (100%)
MSCNS - 11 strains*	0 (0%)	11 (100%)

* Details regarding CNS strains:

MRCNS : *S. caprae* (1)
S. cohnii cohnii (1)
S. epidermidis (1)
S. haemolyticus (2)
S. hominis (1)
S. sciuri (1)
S. simulans (1)
S. warneri (1)

MSCNS : *S. cohnii cohnii* (1)
S. epidermidis (1)
S. equorum (1)
S. gallinarum (1)
S. haemolyticus (1)
S. lentus (1)
S. lugdunensis (1)
S. saccharolyticus (1)
S. saprophyticus (2)
S. xylosus (1)

Table 3. Origin of MRSA strains not amplifiable using primers developed by Hiramatsu *et al.* (SEQ ID NOs.: 22, 24 and 28 in US patent 6,156,507 corresponding to SEQ ID NOs.: 56, 58 and 60, respectively, in the present invention) as well as primers developed in the present invention targeting MREP types i, ii and iii (SEQ ID NOs.: 64, 66 and 67)

<i>Staphylococcus aureus</i> strain designation:		Origin
Original	CCRI ^a	
ATCC BAA-40 ^b	CCRI-9504	Portugal
ATCC 33592	CCRI-178	USA
R991282	CCRI-2025	Québec, Canada
4508	CCRI-9208	Québec, Canada
19121	CCRI-8895	Denmark
Z109	CCRI-8903	Denmark
45302	CCRI-1263	Ontario, Canada
R655	CCRI-1324	Québec, Canada
MA 50428	CCRI-1311	Québec, Canada
MA 50609	CCRI-1312	Québec, Canada
MA 51363	CCRI-1331	Québec, Canada
MA 51561	CCRI-1325	Québec, Canada
14A0116	CCRI-9681	Poland
23 (CCUG 41787)	CCRI-9860	Sweden
SE26-1	CCRI-9770	Ontario, Canada
SE1-1	CCRI-9583	Ontario, Canada
ID-61880 ^c	CCRI-9589	Ontario, Canada
SE47-1	CCRI-9773	Ontario, Canada
SE49-1	CCRI-9774	Ontario, Canada
39795-2	CCRI-1377	Québec, Canada

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

^b Portuguese clone.

^c Canadian clone EMRSA1.

Table 4. *Staphylococcus aureus* MREJ nucleotide sequences revealed in the present invention

	SEQ ID	<i>Staphylococcus aureus</i>		Genetic Target
5	NO.	strain designation:		
		Original	CCRI ^a	
10	27	R991282	CCRI-2025	<i>mecA</i>
	28	45302	CCRI-1263	<i>mecA</i>
	29	MA 50428	CCRI-1311	<i>mecA</i>
	30	MA 51363	CCRI-1331	<i>mecA</i>
	31	39795-2	CCRI-1377	<i>mecA</i> and 1.5 kb of downstream region
15	42	ATCC 33592	CCRI-178	MREP type iv
	43	19121	CCRI-8895	MREP type iv
	44	Z109	CCRI-8903	MREP type iv
	45	R655	CCRI-1324	MREP type iv
	46	MA 51363	CCRI-1331	MREP type iv
20	47	45302	CCRI-1263	MREP type v
	48	39795-2	CCRI-1377	MREP type v
	49	MA 50428	CCRI-1311	MREP type v
	50	R991282	CCRI-2025	MREP type v
	51	ATCC BAA-40	CCRI-9504	MREP type iv
25	165	SE1-1	CCRI-9583	MREP type vii
	166	ID-61880	CCRI-9589	MREP type vii
	167	23 (CCUG 41787)	CCRI-9860	MREP type viii
	168	14A016	CCRI-9681	MREP type ix
	171	4508	CCRI-9208	MREP type vi
30	172	SE26-1	CCRI-9770	<i>orfSA0021^b</i> and 75 bp of <i>orfSA0022^b</i>
	173	26 (98/10618)	CCRI-9864	MREP type ii
	174	27 (98/26821)	CCRI-9865	MREP type ii
	175	28 (24344)	CCRI-9866	MREP type ii
	176	12 (62305)	CCRI-9867	MREP type ii
35	177	22 (90/14719)	CCRI-9868	MREP type ii
	178	23 (98/14719)	CCRI-9869	MREP type ii
	179	32 (97S99)	CCRI-9871	MREP type ii
	180	33 (97S100)	CCRI-9872	MREP type ii
	181	38 (825/96)	CCRI-9873	MREP type ii
40	182	39 (842/96)	CCRI-9874	MREP type ii
	183	43 (N8-892/99)	CCRI-9875	MREP type ii
	184	46 (9805-0137)	CCRI-9876	MREP type iii
	185	1	CCRI-9882	MREP type ii
	186	29	CCRI-9885	MREP type ii
45	189	SE1-1	CCRI-9583	<i>mecA</i> and 2.2 kb of downstream region, including IS431 <i>mec</i>
	190	ATCC BAA-40	CCRI-9504	<i>mecA</i> and 1.5 kb of downstream region
	191	4508	CCRI-9208	<i>mecA</i> and 0.9 kb of downstream region
	192	ID-61880	CCRI-9589	<i>mecA</i> and 0.9 kb of downstream region
	193	14A016	CCRI-9681	<i>mecA</i> and 0.9 kb of downstream region
50	195	SE26-1	CCRI-9770	<i>mecA</i> and 1.5 kb of downstream region, including IS431 <i>mec</i>
	197	ATCC 43300	CCRI-175	MREP type ii
	198	R522	CCRI-1262	MREP type iii
	199	13370	CCRI-8894	MREP type i
	219	ATCC BAA-40	CCRI-9504	<i>tetK</i>

Table 4. *Staphylococcus aureus* MREJ nucleotide sequences revealed in the present invention (continued)

5	SEQ ID NO.	<i>Staphylococcus aureus</i> strain designation:		Genetic Target ^a
		Original	CCRI ^b	
10	220	MA 51363	CCRI-1331	<i>mecA</i> and 1.5 kb of downstream region
	221	39795-2	CCRI-1377	IS431 <i>mec</i> and 0.6 kb of upstream region
	222	R991282	CCRI-2025	<i>mecA</i> and 1.5 kb of downstream region
	223	R991282	CCRI-2025	IS431 <i>mec</i> and 0.6 kb of upstream region
	224	23 (CCUG 41787)	CCRI-9860	<i>mecA</i> and 1.5 kb of downstream region
	225	23 (CCUG 41787)	CCRI-9860	IS431 <i>mec</i> and 0.6 kb of upstream region
	233	14A016	CCRI-9681	MREP type ix

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

^b *orfSA0021* and *orfSA0022* refer to the open reading frame designation from GenBank accession number AP003129 (SEQ ID NO.: 231).

Table 5. PCR primers developed in the present invention

	SEQ ID NO.	Target	Originating DNA	
			Position ^a	SEQ ID NO.
5	64	<i>orfX</i>	1720	3
	70	<i>orfX</i>	1796	3
	71	<i>orfX</i>	1712	3
	72	<i>orfX</i>	1749	3
10	73	<i>orfX</i>	1758	3
	74	<i>orfX</i>	1794	3
	75	<i>orfX</i>	1797	3
	76	<i>orfX</i>	1798	3
15	66	MREP types i and ii	2327	2
	100	MREP types i and ii	2323	2
	101	MREP types i and ii	2314	2
	97	MREP type ii	2434	2
	99	MREP type ii	2434	2
20	67	MREP type iii	207 ^b	4
	98	MREP type iii	147 ^b	4
	102	MREP type iii	251 ^b	4
	79	MREP type iv	74 ^b	43
	80	MREP type v	50 ^b	47
25	109	MREP type ix	652 ^b	168
	204	MREP type vi	642 ^b	171
	112	MREP type vii	503 ^b	165
	113	MREP type vii	551 ^b	165
	115	MREP type viii	514 ^b	167
30	116	MREP type viii	601 ^b	167

^a Position refers to nucleotide position of 5' end of primer.

^b Primer is reverse-complement of target sequence.

Table 6. Molecular beacon probes developed in the present invention

	SEQ ID NO.	Target	Position
5	32	<i>orfX</i>	86 ^a
	83	<i>orfX</i>	86 ^a
	84	<i>orfX</i>	34 ^{a,b}
	160	<i>orfX</i>	55 ^{a,b}
10	161	<i>orfX</i>	34 ^{a,b}
	162	<i>orfX</i>	114 ^a
	163	<i>orfX</i>	34 ^{a,b}
	164	<i>orfX</i>	34 ^{a,b}
15			

^a Position refers to nucleotide position of the 5' end of the molecular beacon's loop on SEQ ID NO.: 3.

^b Sequence of molecular beacon's loop is reverse-complement of SEQ ID NO.: 3.

Table 7. Length of amplicons obtained with the different primer pairs which are objects of the present invention

	SEQ ID NO.	Target ^d	Amplicon length ^a
5	59/52 ^b	orfX/MREP type i and ii	2079 (type i);2181 (type ii)
	59/53 ^b	orfX/MREP type i and ii	1801 (type i);1903 (type ii)
	59/54 ^b	orfX/MREP type i and ii	1632 (type i);1734 (type ii)
	59/55 ^b	orfX/MREP type i and ii	1405 (type i);1507 (type ii)
10	59/56 ^b	orfX/MREP type i and ii	804 (type i);906 (type ii)
	59/57 ^b	orfX/MREP type i and ii	257 (type i);359 (type ii)
	60/52 ^b	orfSA0022/MREP type i and ii	2794 (type i);2896 (type ii)
	60/53 ^b	orfSA0022/MREP type i and ii	2516 (type i);2618 (type ii)
	60/54 ^b	orfSA0022/MREP type i and ii	2347 (type i);2449 (type ii)
15	60/55 ^b	orfSA0022/MREP type i and ii	2120 (type i);2222 (type ii)
	60/56 ^b	orfSA0022/MREP type i and ii	1519 (type i);1621 (type ii)
	60/57 ^b	orfSA0022/MREP type i and ii	972 (type i);1074 (type ii)
	61/52 ^b	orfSA0022/MREP type i and ii	2476 (type i);2578 (type ii)
	61/53 ^b	orfSA0022/MREP type i and ii	2198 (type i);2300 (type ii)
20	61/54 ^b	orfSA0022/MREP type i and ii	2029 (type i);2131 (type ii)
	61/55 ^b	orfSA0022/MREP type i and ii	1802 (type i);1904 (type ii)
	61/56 ^b	orfSA0022/MREP type i and ii	1201 (type i);1303 (type ii)
	61/57 ^b	orfSA0022/MREP type i and ii	654 (type i);756 (type ii)
	62/52 ^b	orfX/MREP type i and ii	2354 (type i);2456 (type ii)
25	62/53 ^b	orfX/MREP type i and ii	2076 (type i);2178 (type ii)
	62/54 ^b	orfX/MREP type i and ii	1907 (type i);2009 (type ii)
	62/55 ^b	orfX/MREP type i and ii	1680 (type i);1782 (type ii)
	62/56 ^b	orfX/MREP type i and ii	1079 (type i);1181 (type ii)
	62/57 ^b	orfX/MREP type i and ii	532 (type i);634 (type ii)
30	63/52 ^b	orfSA0022/MREP type i and ii	3104 (type i);3206 (type ii)
	63/53 ^b	orfSA0022/MREP type i and ii	2826 (type i);2928 (type ii)
	63/54 ^b	orfSA0022/MREP type i and ii	2657 (type i);2759 (type ii)
	63/55 ^b	orfSA0022/MREP type i and ii	2430 (type i);2532 (type ii)
	63/56 ^b	orfSA0022/MREP type i and ii	1829 (type i);1931 (type ii)
35	63/57 ^b	orfSA0022/MREP type i and ii	1282 (type i);1384 (type ii)
	59/58 ^b	orfX/MREP type iii	361
	60/58 ^b	orfSA0022/MREP type iii	1076
	61/58 ^b	orfSA0022/MREP type iii	758
	62/58 ^b	orfX/MREP type iii	656
40	63/58 ^b	orfSA0022/MREP type iii	1386
	70/66	orfX/MREP type i and ii	100 (type i);202 (type ii)
	70/67	orfX/MREP type iii	147 (type iii)
	64/66 ^c	orfX/MREP type i and ii	176 (type i);278 (type ii)
	64/67 ^c	orfX/MREP type iii	223
45	64/79 ^c	orfX/MREP type iv	215
	64/80 ^c	orfX/MREP type v	196
	64/97 ^c	orfX/MREP type ii	171
	64/98 ^c	orfX/MREP type iii	163
	64/99 ^c	orfX/MREP type ii	171
50	64/100 ^c	orfX/MREP types i and ii	180 (type i);282 (type ii)
	64/101 ^c	orfX/MREP types i and ii	189 (type i);291 (type ii)
	64/102 ^c	orfX/MREP type iii	263
	64/109 ^c	orfX/MREP type ix	369
	64/204 ^c	orfX/MREP type vi	348
55	64/112 ^c	orfX/MREP type vii	214
	64/113 ^c	orfX/MREP type vii	263
	64/115 ^c	orfX/MREP type viii	227
	64/116 ^c	orfX/MREP type viii	318

^a Amplicon length is given in base pairs for MREP types amplified by the set of primers.

^b Set of primers described by Hiramatsu et al. in US patent 6,156,507.

^c Set of primers developed in the present invention.

^d orfSA0022 refers to the open reading frame designation from GenBank accession number AP003129 (SEQ ID NO.: 231).

Table 8. Other primers developed in the present invention

	SEQ ID NO.	Target	Originating DNA	
			Position ^a	SEQ ID NO.
5	77	MREP type iv	993	43
	65	MREP type v	636	47
	70	<i>orfX</i>	1796	3
	68	IS431	626	92
10	69	<i>mecA</i>	1059	78
	96	<i>mecA</i>	1949	78
	81	<i>mecA</i>	1206	78
	114	MREP type vii	629 ^b	165
15	117	MREP type ii	856	194
	118	MREP type ii	974 ^b	194
	119	MREP type vii	404	189
	120	MREP type vii	477 ^b	189
20	123	MREP type vii	551	165
	124	MREP type ii	584	170
	125	MREP type ii	689 ^b	170
	126	<i>orfSA0021</i>	336	231
25	127	<i>orfSA0021</i>	563	231
	128	<i>orfSA0022^d</i>	2993	231
	129	<i>orfSA0022^d</i>	3467 ^b	231
	132	<i>orfX</i>	3700	231
30	145	MREP type iv	988	51
	146	MREP type v	1386	51
	147	MREP type iv	891 ^b	51
	148	MREP type ix	664	168
35	149	MREP type ix	849 ^b	168
	150	MREP type vii	1117 ^b	165
	151	MREP type vii	1473	189
	152	IS431 <i>mec</i>	1592 ^b	189
40	154	MREP type v	996 ^b	50
	155	MREP type v	935	50
	156	<i>tetK</i> from plasmid pT181	1169 ^b	228
	157	<i>tetK</i> from plasmid pT181	136	228
45	158	<i>orfX</i>	2714 ^b	2
	159	<i>orfX</i>	2539	2
	187	MREP type viii	967 ^b	167
	188	MREP type viii	851	167

^a Position refers to nucleotide position of the 5' end of primer.

^b Primer is reverse-complement of target sequence.

Table 9. Amplification and/or sequencing primers developed in the present invention

5	SEQ ID NO.	Target	Originating DNA	
			Position ^a	SEQ ID NO.
10	85	<i>S. aureus</i> chromosome	197 ^b	35
	86	<i>S. aureus</i> chromosome	198 ^b	37
	87	<i>S. aureus</i> chromosome	197 ^b	38
	88	<i>S. aureus</i> chromosome	1265 ^b	39
	89	<i>S. aureus</i> chromosome	1892	3
15	103	<i>orfX</i>	1386	3
	105	MREP type i	2335	2
	106	MREP type ii	2437	2
	107	MREP type iii	153 ^b	4
	108	MREP type iii	153 ^b	4
20	121	MREP type vii	1150	165
	122	MREP type vii	1241 ^b	165
	130	<i>orfX</i>	4029 ^b	231
	131	region between <i>orfSA0022</i> and <i>orfSA0023</i> ^d	3588	231
	133	<i>merB</i> from plasmid pI258	262	226
25	134	<i>merB</i> from plasmid pI258	539 ^b	226
	135	<i>merR</i> from plasmid pI258	564	226
	136	<i>merR</i> from plasmid pI258	444	227
	137	<i>merR</i> from plasmid pI258	529	227
	138	<i>merR</i> from plasmid pI258	530 ^b	227
30	139	<i>rep</i> from plasmid pUB110	796	230
	140	<i>rep</i> from plasmid pUB110	761 ^b	230
	141	<i>rep</i> from plasmid pUB110	600	230
	142	<i>aadD</i> from plasmid pUB110	1320 ^b	229
	143	<i>aadD</i> from plasmid pUB110	759	229
35	144	<i>aadD</i> from plasmid pUB110	646	229
	153	MREP type vii	1030	165
	200	<i>orfSA0022</i> ^d	871 ^c	231
	201	<i>orfSA0022</i> ^d	1006	231
	202	MREP type vi	648	171
40	203	MREP type vi	883 ^b	171
	205	MREP type ix	1180	168
	206	MREP type ix	1311 ^b	233
	207	MREP type viii	1337	167
	208	MREP type viii	1441 ^b	167
45	209	<i>ccrA</i>	184	232
	210	<i>ccrA</i>	385	232
	211	<i>ccrA</i>	643 ^b	232
	212	<i>ccrA</i>	1282 ^b	232
	213	<i>ccrB</i>	1388	232
50	214	<i>ccrB</i>	1601	232
	215	<i>ccrB</i>	2139 ^b	232
	216	<i>ccrB</i>	2199 ^b	232
	217	<i>ccrB</i>	2847 ^b	232
	218	<i>ccrB</i>	2946 ^b	232

^a Position refers to nucleotide position of the 5' end of primer.

^b Primer is reverse-complement of target sequence.

^c Primer contains two mismatches.

^d *orfSA0022* and *orfSA0023* refer to the open reading frame designation from GenBank accession number AP003129 (SEQ ID NO.: 231).

Table 10. Origin of the nucleic acids and/or sequences available from public databases found in the sequence listing

5	SEQ ID NO.	Staphylococcal strain	Source	Accession number	Genetic Target ^{a, b}
	1	NCTC 10442	Database	AB033763	SCCmec type I MREJ
	2	N315	Database	D86934	SCCmec type II MREJ
10	3	NCTC 8325	Database	AB014440	MSSA chromosome
	4	86/560	Database	AB013471	SCCmec type III MREJ
	5	86/961	Database	AB013472	SCCmec type III MREJ
	6	85/3907	Database	AB013473	SCCmec type III MREJ
	7	86/2652	Database	AB013474	SCCmec type III MREJ
15	8	86/1340	Database	AB013475	SCCmec type III MREJ
	9	86/1762	Database	AB013476	SCCmec type III MREJ
	10	86/2082	Database	AB013477	SCCmec type III MREJ
	11	85/2111	Database	AB013478	SCCmec type III MREJ
	12	85/5495	Database	AB013479	SCCmec type III MREJ
20	13	85/1836	Database	AB013480	SCCmec type III MREJ
	14	85/2147	Database	AB013481	SCCmec type III MREJ
	15	85/3619	Database	AB013482	SCCmec type III MREJ
	16	85/3566	Database	AB013483	SCCmec type III MREJ
	17	85/2232	Database	AB014402	SCCmec type II MREJ
25	18	85/2235	Database	AB014403	SCCmec type II MREJ
	19	MR108	Database	AB014404	SCCmec type II MREJ
	20	85/9302	Database	AB014430	SCCmec type I MREJ
	21	85/9580	Database	AB014431	SCCmec type I MREJ
	22	85/1940	Database	AB014432	SCCmec type I MREJ
30	23	85/6219	Database	AB014433	SCCmec type I MREJ
	24	64/4176	Database	AB014434	SCCmec type I MREJ
	25	64/3846	Database	AB014435	SCCmec type I MREJ
	26	HUC19	Database	AF181950	SCCmec type II MREJ
	33	G3	US 6,156,507	SEQ ID NO.: 15	<i>S. epidermidis</i>
35	34	SH 518	US 6,156,507	SEQ ID NO.: 16	SCCmec type II MREJ <i>S. haemolyticus</i>
	35	ATCC 25923	US 6,156,507	SEQ ID NO.: 9	SCCmec type II MREJ <i>S. aureus</i> chromosome
	36	STP23	US 6,156,507	SEQ ID NO.: 10	<i>S. aureus</i> chromosome
40	37	STP43	US 6,156,507	SEQ ID NO.: 12	<i>S. aureus</i> chromosome
	38	STP53	US 6,156,507	SEQ ID NO.: 13	<i>S. aureus</i> chromosome
	39	476	Genome project ^c		<i>S. aureus</i> chromosome
	40	252	Genome project ^c		SCCmec type II MREJ
	41	COL	Genome project ^d		SCCmec type I MREJ
45	78	NCTC 8325	Database	X52593	<i>mecA</i>
	82	NCTC 10442	Database	AB033763	<i>mecA</i>
	90	N315	Database	D86934	<i>mecA</i>
	91	85/2082	Database	AB037671	<i>mecA</i>
	92	NCTC 10442	Database	AB033763	IS431
50	93	N315	Database	D86934	IS431
	94	HUC19	Database	AF181950	IS431
	95	NCTC 8325	Database	X53818	IS431
	104	85/2082	Database	AB037671	SCCmec type III MREJ
	226	unknown	Database	L29436	<i>merB</i> on plasmid pI258
55	227	unknown	Database	L29436	<i>merR</i> on plasmid pI258
	228	unknown	Database	S67449	<i>tetK</i> on plasmid pT181
	229	HUC19	Database	AF181950	<i>aadD</i> on plasmid pUB110
	230	HUC19	Database	AF181950	<i>rep</i> on plasmid pUB110
	231	N315	Database	AP003129	<i>orfSA0021</i> , <i>orfSA0022</i> , <i>orfSA0023</i>
60	232	85/2082	Database	AB037671	<i>ccrA/ccrB</i>

^a MREJ refers to *mec* right extremity junction and includes sequences from SCCmec-right extremity and chromosomal DNA to the right of SCCmec integration site.

^b Unless otherwise specified, all sequences were obtained from *S. aureus* strains.

^c Sanger Institute genome project (<http://www.sanger.ac.uk>).

^d TIGR genome project (<http://www.tigr.org>).

Table 11. Analytical sensitivity of the MRSA-specific PCR assay targeting MREP types i, ii and iii on a standard thermocycler using the set of primers developed in the present invention (SEQ ID NOs.: 64, 66 and 67)

5

Strain designation :		Detection limit
Original	CCRI ^a (MREP type)	(number of genome copies)
13370	CCRI-8894 (I)	5
ATCC 43300	CCRI-175 (II)	2
35290	CCRI-1262 (III)	2

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

Table 12. Specificity and ubiquity tests performed on a standard thermocycler using the set of primers targeting MREP types i, ii and iii developed in the present invention (SEQ ID NOs.: 64, 66 and 67) for the detection of MRSA

5

Strains	PCR results for MREJ	
	Positive (%)	Negative (%)
MRSA - 208 strains	188 (90.4)	20 (9.6)
MSSA - 252 strains	13 (5.2)	239 (94.8)
MRCNS - 41 strains*	0	42 (100)
MSCNS - 21 strains*	0	21 (100)

* Details regarding CNS strains:

10	MRCNS :	<i>S. caprae</i> (2)
		<i>S. cohnii cohnii</i> (3)
15		<i>S. cohnii urealyticum</i> (4)
		<i>S. epidermidis</i> (8)
		<i>S. haemolyticus</i> (9)
		<i>S. hominis</i> (4)
		<i>S. sciuri</i> (4)
		<i>S. sciuri sciuri</i> (1)
20	MSCNS :	<i>S. simulans</i> (3)
		<i>S. warneri</i> (3)
25		<i>S. cohnii cohnii</i> (1)
		<i>S. epidermidis</i> (3)
		<i>S. equorum</i> (2)
		<i>S. felis</i> (1)
		<i>S. gallinarum</i> (1)
		<i>S. haemolyticus</i> (1)
		<i>S. hominis</i> (1)
30		<i>S. lentus</i> (1)
		<i>S. lugdunensis</i> (1)
		<i>S. saccharolyticus</i> (1)
		<i>S. saprophyticus</i> (5)
		<i>S. simulans</i> (1)
		<i>S. warneri</i> (1)
		<i>S. xylosus</i> (1)

Table 13. Percentage of sequence identity for the first 500 nucleotides of SCCmec right extremities between all 9 types of MREP^{a,b}

MREP type	i	ii	iii	iv	v	vi	vii	viii	ix
i	--	79.2	42.8	42.8	41.2	44.4	44.6	42.3	42.1
ii			43.9	47.5	44.7	41.7	45.0	52.0	57.1
iii				46.8	44.5	42.9	45.0	42.8	45.2
iv					45.8	41.4	44.3	48.0	41.3
v						45.4	43.7	47.5	44.3
vi							45.1	41.1	47.2
vii								42.8	40.9
viii									55.2
ix									--

5

^a "First 500 nucleotides" refers to the 500 nucleotides within the SCCmec right extremity, starting from the integration site of SCCmec in the *Staphylococcus aureus* chromosome as shown on Figure 4.

10 ^b Sequences were extracted from SEQ ID NOs.: 1, 2, 104, 51, 50, 171, 165, 167, and 168 for types i to ix, respectively.

Table 14. Reference strains used to test sensitivity and/or specificity and/or ubiquity of the MRSA-specific PCR assays targeting MREJ sequences

Staphylococcal species	Strains	Source ^a
MRSA (n = 45)	33591	ATCC
	33592	ATCC
	33593	ATCC
	BAA-38	ATCC
	BAA-39	ATCC
	BAA-40	ATCC
	BAA-41	ATCC
	BAA-42	ATCC
	BAA-43	ATCC
	BAA-44	ATCC
	F182	CDC
	23 (CCUG 41787)	HARMONY Collection
	ID-61880 (EMRSA1)	LSPQ
	MA 8628	LSPQ
	MA 50558	LSPQ
	MA 50428	LSPQ
	MA 50609	LSPQ
	MA 50884	LSPQ
	MA 50892	LSPQ
	MA 50934	LSPQ
	MA 51015	LSPQ
	MA 51056	LSPQ
	MA 51085	LSPQ
	MA 51172	LSPQ
	MA 51222	LSPQ
	MA 51363	LSPQ
	MA 51561	LSPQ
	MA 52034	LSPQ
	MA 52306	LSPQ
	MA 51520	LSPQ
	MA 51363	LSPQ
	98/10618	HARMONY Collection
	98/26821	HARMONY Collection
	24344	HARMONY Collection
	62305	HARMONY Collection
	90/10685	HARMONY Collection
	98/14719	HARMONY Collection
	97S99	HARMONY Collection
	97S100	HARMONY Collection
	825/96	HARMONY Collection
	842/96	HARMONY Collection
	N8-890/99	HARMONY Collection
	9805-01937	HARMONY Collection
	1	Kreiswirth-1
	29	Kreiswirth-1
MRCNS (n = 4)	29060	ATCC
	35983	ATCC
	35984	ATCC
	2514	LSPQ

Table 14. Reference strains used to test sensitivity and/or specificity and/or ubiquity of the MRSA-specific PCR assays targeting MREJ sequences(continued)

Staphylococcal species	Strains	Source
MSSA (n = 28)	MA 52263	LSPQ
	6538	ATCC
	13301	ATCC
	25923	ATCC
	27660	ATCC
	29213	ATCC
	29247	ATCC
	29737	ATCC
	RN 11	CDC
	RN 3944	CDC
	RN 2442	CDC
	7605060113	CDC
	BM 4611	Institut Pasteur
	BM 3093	Institut Pasteur
	3511	LSPQ
	MA 5091	LSPQ
	MA 8849	LSPQ
	MA 8871	LSPQ
	MA 50607	LSPQ
	MA 50612	LSPQ
	MA 50848	LSPQ
	MA 51237	LSPQ
	MA 51351	LSPQ
	MA 52303	LSPQ
	MA 51828	LSPQ
	MA 51891	LSPQ
	MA 51504	LSPQ
	MA 52535	LSPQ
	MA 52783	LSPQ
MSCNS (n = 17)	12228	ATCC
	14953	ATCC
	14990	ATCC
	15305	ATCC
	27836	ATCC
	27848	ATCC
	29070	ATCC
	29970	ATCC
	29974	ATCC
	35539	ATCC
	35552	ATCC
	35844	ATCC
	35982	ATCC
	43809	ATCC
	43867	ATCC
	43958	ATCC
	49168	ATCC

5

^a ATCC stands for "American Type Culture Collection".
LSPQ stands for "Laboratoire de Santé Publique du Québec".
CDC stands for "Center for Disease Control and Prevention".

Table 15. Clinical isolates used to test the sensitivity and/or specificity and/or ubiquity of the MRSA-specific PCR assays targeting MREJ sequences

Staphylococcal species	Number of strains	Source
MRSA (n = 177)	150	Canada
	10	China
	10	Denmark
	9	Argentina
	1	Egypt
	1	Sweden
	1	Poland
	3	Japan
	1	France
MSSA (n = 224)	208	Canada
	10	China
	4	Japan
	1	USA
	1	Argentina
MRCNS (n = 38)	32	Canada
	3	China
	1	France
	1	Argentina
	1	USA
MSCNS (n = 17)	14	UK
	3	Canada

Table 16. Analytical sensitivity of tests performed on a standard thermocycler using the set of primers targeting MREP types i, ii, iii, iv and v (SEQ ID NOs.: 64, 66, 67, 79 and 80) developed in the present invention for the detection and identification of MRSA

<i>Staphylococcus aureus</i> strain designation:		Detection limit (number of genome copies)
Original	CCRI ^a (MREP type)	
13370	CCRI-8894 (i)	10
ATCC 43300	CCRI-175 (ii)	5
9191	CCRI-2086 (ii)	10
35290	CCRI-1262 (iii)	5
352	CCRI-1266 (iii)	10
19121	CCRI-8895 (iv)	5
ATCC 33592	CCRI-178 (iv)	5
MA 50428	CCRI-1311 (v)	5
R991282	CCRI-2025 (v)	5

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

Table 17. Specificity and ubiquity tests performed on a standard thermocycler using the set of primers targeting MREP types i, ii, iii, iv and v (SEQ ID NO.: 64, 66, 67, 79 and 80) developed in the present invention for the detection and identification of MRSA

Strains	PCR results for SCCmec - <i>orfX</i> right extremity junction	
	Positive (%)	Negative (%)
MRSA - 35 strains ^a	27 (77.1)	8 (22.9)
MSSA - 44 strains	13 (29.5)	31 (70.5)
MRCNS - 9 strains*	0	9 (100)
MSCNS - 10 strains*	0	10 (100)

^a MRSA strains include the 20 strains listed in Table 3.

*Details regarding CNS strains:

MRCNS : *S. caprae* (1)
S. cohnii cohnii (1)
S. epidermidis (1)
S. haemolyticus (2)
S. hominis (1)
S. sciuri (1)
S. simulans (1)
S. warneri (1)

MSCNS : *S. cohnii* (1)
S. epidermidis (1)
S. equorum (1)
S. haemolyticus (1)
S. lentus (1)
S. lugdunensis (1)
S. saccharolyticus (1)
S. saprophyticus (2)
S. xylosus (1)

Table 18. Analytical sensitivity of tests performed on the Smart Cyclor[®] thermocycler using the set of primers targeting MREP types i, ii, iii, iv and v (SEQ ID NOs.: 64, 66, 67, 79 and 80) and molecular beacon probe (SEQ ID NO.: 84) developed in the present invention for the detection and identification of MRSA

<i>Staphylococcus aureus</i> strain designation:		Detection limit (number of genome copies)
Original	CCRI ^a (MREP type)	
13370	CCRI-8894 (i)	2
ATCC 43300	CCRI-175 (ii)	2
9191	CCRI-2086 (ii)	10
35290	CCRI-1262 (iii)	2
352	CCRI-1266 (iii)	10
ATCC 33592	CCRI-178 (iv)	2
MA 51363	CCRI-1331(iv)	5
19121	CCRI-8895 (iv)	10
Z109	CCRI-8903 (iv)	5
45302	CCRI-1263 (v)	10
MA 50428	CCRI-1311 (v)	5
MA 50609	CCRI-1312 (v)	5
MA 51651	CCRI-1325 (v)	10
39795-2	CCRI-1377 (v)	10
R991282	CCRI-2025 (v)	2

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

WO 02/099034

PCT/CA02/00824

Table 19. Specificity and ubiquity tests performed on the Smart
Cycler[®] thermocycler using the set of primers targeting
MREP types i, ii, iii, iv and v (SEQ ID NO. : 64, 66,
67, 79 and 80) and molecular beacon probe (SEQ ID NO. :
84) developed in the present invention for the
detection of MRSA

Strains	PCR results for MREJ	
	Positive (%)	Negative (%)
MRSA - 29 strains ^a	21 (72.4)	8 (27.6)
MSSA - 35 strains	13 (37.1)	22 (62.9)
MRCNS - 14 strains	0	14 (100)
MSCNS - 10 strains	0	10 (100)

^a MRSA strains include the 20 strains listed in Table 3.

Details regarding CNS strains:

MRCNS : *S. epidermidis* (1)
S. haemolyticus (5)
S. simulans (5)
S. warneri (3)

MSCNS : *S. cohnii cohnii* (1)
S. epidermidis (1)
S. gallinarum (1)
S. haemolyticus (1)
S. lentus (1)
S. lugdunensis (1)
S. saccharolyticus (1)
S. saprophyticus (2)
S. xylosus (1)

WO 02/099034

PCT/CA02/00824

Table 20. Analytical sensitivity of tests performed on the Smart
Cycler[®] thermocycler using the set of primers targeting
MREP types i, ii, iii, iv, v and vii (SEQ ID NOs.: 64,
66, 67, 79 and 80) and molecular beacon probe (SEQ ID
NO.: 84) developed in the present invention for the
detection and identification of MRSA

<i>Staphylococcus aureus</i> strain designation:		Detection limit
Original	CCRI ^a (MREP type)	(number of genome copies)
13370	CCRI-8894 (i)	2
ATCC 43300	CCRI-175 (ii)	2
35290	CCRI-1262 (iii)	2
ATCC 33592	CCRI-178 (iv)	2
R991282	CCRI-2025 (v)	2
SE-41-1	CCRI-9771 (vii)	2

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

Table 21. Specificity and ubiquity tests performed on the Smart
Cycler[®] thermocycler using the set of primers targeting
MREP types i, ii, iii, iv, vi and vii (SEQ ID NOs.: 64,
66, 67, 79 and 80) and molecular beacon probe (SEQ ID
NO.: 84) developed in the present invention for the
detection and identification of MRSA

Strains	PCR results for MREJ	
	Positive (%)	Negative (%)
MRSA - 23 strains ^a	19 (82.6)	4 (17.4)
MSSA - 25 strains	13 (52)	12 (48)
MRCNS - 26 strains	0	26 (100)
MSCNS - 8 strains	0	8 (100)

^a MRSA strains include the 20 strains listed in Table 3.

Details regarding CNS strains:

MRCNS : *S. capitis* (2)
S. caprae (1)
S. cohnii (1)
S. epidermidis (9)
S. haemolyticus (5)
S. hominis (2)
S. saprophyticus (1)
S. sciuri (2)
S. simulans (1)
S. warneri (2)

MSCNS : *S. cohnii cohnii* (1)
S. epidermidis (1)
S. haemolyticus (1)
S. lugdunensis (1)
S. saccharolyticus (1)
S. saprophyticus (2)
S. xylosus (1)

Annex I: Strategy for the selection of specific amplification primers
for types i and ii MREP

Types i and ii MREP		<u>orfx</u>	
SEQ ID NO.:		2358	2583
2	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
1	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
17 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
18 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
19 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
20 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
21 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
22 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
23 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
24 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
25 ^a	TAT GTCAAAAATC ATGAACCTCA TTA	CTT TGTGCAGGCC GTTTGATCCG	CC
26	TAT GTCAAAAATC ATGAACCTCA TTA	CTT gGTGtAaaCC aTTgAgCCa	CC
33 ^c		CTT caTGCAatCC aTTTGATC	
34 ^c			

Selected sequence
for type i MREP
and ii primer
(SEQ ID No.: 66)

GTCAAAAATC ATGAACCTCA TTA

Selected sequence
for orfx primer^b
(SEQ ID No.: 64)

TGTGCAGGCC GTTTGATCC

The sequence positions refer to SEQ ID NO.: 2.

Nucleotides in capitals are identical to the selected sequences or match those sequences.
Mismatches are indicated by lower-case letters. Dots indicate gaps in the displayed sequences.

^a These sequences are the reverse-complements of SEQ ID NOs.: 17-25.

^b This sequence is the reverse-complement of the selected primer.

^c SEQ ID NOs.: 33 and 34 were obtained from CNS species.

Annex II: Strategy for the selection of a specific molecular beacon probe for the real-time detection of MREJ

SEQ ID NO. :	<u>orfx</u>	
	327	371
165	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
180	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
181	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
182	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
183	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
184	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
186	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
174	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
175	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
178	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
176	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
173	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
177	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
169	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
199	ACAAG GACGT CTTACAACGC AGTAACTATG	CACTA
33 ^{a,b}	ACcAa GACGT CTTACAACGC AGcAACTATG	CttTA
34 ^{a,b}	AtgAG GACGT CTTACAACGC AGcAACTATG	CACtT

Selected sequence
for orfx molecular
beacon probes
(SEQ ID NO.:163)^c
(SEQ ID NO.:164)^c
(SEQ ID NO.: 84)^c

GACGT CTTACAACGC AGTAACTATG
GACGT CTTACAACGC AGTAACTATG
GACGT CTTACAACGC AGTAACTATG

Nucleotide discrepancies between the orfx sequences and SEQ ID NO.: 84 are shown in lower-case. Other entries in the sequence listing also present similar variations. The stem of the molecular beacon probes are not shown for sake of clarity. The sequence positions refer to SEQ ID NO.:165.

^a These sequences are the reverse-complements of SEQ ID NOs.: 33 and 34.
^b SEQ ID NOs.: 33 and 34 were obtained from CNS species.
^c The sequences presented are the reverse-complement of the selected molecular beacon probes.

SEQUENCE LISTING

<110> Infectio Diagnostic (I.D.I.) Inc.
 Huletsky, Ann
 Rossbach, Valery

<120> SEQUENCES FOR DETECTION AND IDENTIFICATION OF METHICILLIN-RESISTANT
 STAPHYLOCOCCUS AUREUS

<130> TV/12287.90

<140> PCT/CA02/00824

<141> 2002-06-04

<150> CA 2,348,042

<151> 2001-06-04

<160> 233

<170> PatentIn version 3.1

<210> 1

<211> 3050

<212> DNA

<213> Staphylococcus aureus

<400> 1

tcgtgccatt gatgcagagg gacatacatt agatatttgg ttgcgtaagc aacgagataa	60
tcattcagca tatgcgttta tcaaacgtct cattaacaa tttggtaaac ctcaaaaggt	120
aattacagat caggcacctt caacgaaggt agcaatggct aaagtaatta aagcttttaa	180
acttaaacct gactgtcatt gtacatcgaa atatctgaat aacctcattg agcaagatca	240
ccgtcatatt aaagtaagaa agacaaggta tcaaagtatc aatacagcaa agaatacttt	300
aaaaggtatt gaatgtattt acgctctata taaaaagaac cgcaggtctc ttcagatcta	360
cggattttcg ccatgccacg aaattagcat catgctagca agttaagcga aactgacat	420
gataaattag tggttagcta tattttttta ctttgcaaca gaaccgaaaa taatctcttc	480
aatttatattt tatatgaatc ctgtgactca atgattgtaa tatctaaaga tttcagttca	540
tcatagacaa tgttcttttc aacatttttt atagcaaatt gattaaataa attctcta	600
ttctcccggt tgatttcact accatagatt atattatcat tgatatagtc aatgaataat	660
gacaaattat cactcataac agtcccaacc cttttatttt gatagactaa ttatcttcat	720
cattgtaaaa caaattacac cctttaaatt taactcaact taaatatcga caaattaata	780
aacaataaaa ttacttgaat attattcata atatattaac aactttatta tactgctctt	840
tatatataaa atcatataa attaaacaag ccttaaaata tttaactttt ttgtgattat	900

tacacattat cttatctgct ctttatcacc ataaaaatag aaaaaacaag attcctaaag	960
aatataggaa tcttggtttca gactgtggac aaactgattt tttatcagtt agcttattta	1020
gaaagtttta tttaaattac agtttctatt tttattagat cacaatttta ttttagctct	1080
tgttcaagta atcatttttc gccaaaaact ttatactgaa tagcttctac attaaatact	1140
ttgtcaatga gatcatctac atctttaaat tcagaataat ttgcatatgg atctataaaa	1200
taaaattgtg gttctttacc ggaaacatta aatattctta atattaaata tttctgctta	1260
tattctttca tagcaaacat ttcatttagc gacataaaaa atggttcctc aatactagaa	1320
gatgtagatg ttttaatttc aataaatttt tctacagctt tatctgtatt tgttggatca	1380
aaagctacta aatcatagcc atgaccgtgt tgagagcctg gattatcatt taaaatattc	1440
ctaaactggt ctttcttacc ttctgtctatt ttattatcaa ttagctcatt aaagtaattt	1500
agcgctaatt tttctccaac ttaccgggtt aatttattct ctttatttga tttttcaatt	1560
tctgaatcat ttttagtagt ctttgataca ctttttttat attttggaat tattccttta	1620
ggtgcttcca cttccttgag tgtcttatct ttttgtgctg ttctaatttc ttcaatttcg	1680
ctgtcttcct gtatttcgct tatgctattg accaagctat cataggatgt ttttgtaact	1740
tttgaagcta attcattaaa tagttctaaa aatttcttta aatcctctag catatcttct	1800
tctgtgaatc cttcattcaa atcataatat ttgaatctta ttgatccatg agaatacct	1860
gatggataat cattttttta atcataagat gaatctttat tttctgctga ataaaatctt	1920
ccagtattaa attcatttga tgtaatatat ttattgagtt cggaagataa agttaatgct	1980
ctttgttttg cagcattttt atcccgcgga aacatatcac ttatctttga ccatccttga	2040
ttcaaagata agtatatgcc ttctccttcc ggatgaaaaa gatataccaa ataatatcca	2100
tcctttgttt cttttgttat attctcatca tatattgaaa tccaaggaac tttactatag	2160
ttcccagtag caaccttccc tacaactgaa tatttatctt cttttatatg cacttttaac	2220
tgcttgggta acttatcatg gactaaagtt ttatatagat cacctttatc ccaatcagat	2280
tttttaacta cattattggt acgtttctct ttaattaatt taaggacctg cataaagttg	2340
tctatcattt gaaattccct cctattataa aatatattat gtctcatttt cttcaatatg	2400
tacttattta tattttaccg taatttacta tatttagttg cagaaagaat tttctcaaag	2460
ctagaacttt gcttcactat aagtattcag tataaagaat atttcgctat tatttacttg	2520
aaatgaaaga ctgcggaggc taactatgct aaaaatcatg aacctcatta cttatgataa	2580
gcttctcctc gcataatctt aaatgctctg tacacttggt caattaacac aaccgcctc	2640

atttgatgtg ggaatgtcat ttgctgaat gatagtgcgt agttactgcg ttgtaagacg 2700
tccttgtgca ggccgtttga tccgccaatg acgaaaacaa agtcgctttg cccttgggtc 2760
atgcgttggt tcaattcttg ggccaatcct tcggaagata gcatctttcc ttgtatttct 2820
aatgtaatga ctgtggattg tggtttgatt ttggctagta ttcgttggcc ttctttttct 2880
tttacttgct caatttcttt gtcactcata ttttctgggtg ctttttcgctc tggaacttct 2940
atgatgtcta tcttggtgta tgggcctaaa cgtttttcat attctgctat ggcttgcttc 3000
caatatttct ctttttagttt ccctacagct aaaatgggtga ttttcatgtc 3050

<210> 2

<211> 3050

<212> DNA

<213> Staphylococcus aureus

<400> 2

acctcattga gcaagatcac cgtcatatta aagtaagaaa gacaaggat caaagtatca 60
atacagcaaa gaatacttta aaaggatttg aatgtattta cgctctatat aaaaagaacc 120
gcaggctctt tcagatctac ggatttttcgc catgccacga aattagcatc atgctagcaa 180
gttaagcgaa cactgacatg ataaattagt ggtagctat atttttttac ttgcaacag 240
aaccgaaaat aatctcttca atttattttt atatgaatcc tgtgactcaa tgattgtaat 300
atctaaagat ttcagttcat catagacaat gttcttttca acatttttta tagcaaattg 360
attaaataaa ttctctaatt tctcccgttt gatttcacta ccatagatta tattatcatt 420
gatatagtca atgaataatg acaaattatc actcataaca gtcccaaccc ctttcttttg 480
atagactaat tatcttcatc attgtaaaac aaattacacc ctttaaattt aactcaactt 540
aatatcgac aaattaaaaa acaataaaat tacttgaata ttattcataa tatattaaca 600
actttattat actgctcttt atatataaaa tcattaataa ttaaacaagc cttaaaatat 660
ttaacttttt tgtgattatt acacattatc ttatctgctc tttatcacca taaaaataga 720
aaaaacaaga ttcctaaaga atataggaat cttgtttcag actgtggaca aactgatttt 780
ttatcagtta gcttatttag aaagttttat ttaaattaca gtttctattt ttattagatc 840
acaattttat tttagctctt gttcaagtaa tcatttttcg ccaaaaactt tatactgaat 900
agcttctaca ttaaataactt tgtcaatgag atcatctaca tctttaaatt cagaataatt 960
tgcatatgga tctataaaat aaaattgtgg ttctttaccg gaaacattaa atattcttaa 1020
tattaaatat ttctgcttat attctttcat agcaaacatt tcatttagcg acataaaaaa 1080

tggttcctca atactagaag atgtagatgt ttttaatttca ataaatTTTT ctacagcttt 1140
atctgtatTT gttggatcaa aagctactaa atcatagcca tgaccgtgtt gagagcctgg 1200
attatcattt aaaatattcc taaactgttc tttcttatct tcgtctatTT tattatcaat 1260
tagctcatta aagtaattta gcgctaattt ttctccaact ttaccgggta atttattctc 1320
tttatttgat ttttcaattt ctgaatcatt tttagtagtc tttgatacac cttttttata 1380
ttttggaatt attccttttag gtgcttccac ttccttgagt gtcttatctt tttgtgctgt 1440
tctaatttct tcaatttcgc tgtcttctg tatttcgtct atgctattga ccaagctatc 1500
ataggatgtt tttgtaactt ttgaagctaa ttcattaaat agttctaaaa atttctttaa 1560
atcctctagc atatcttctt ctgtgaatcc ttcattcaaa tcataatatt tgaatcttat 1620
tgatccatga gaatatcctg atggataatc atttttttaa tcataagatg aatctttatt 1680
ttctgcgtaa taaaatcttc cagtattaaa ttcatttgat gtaatatatt tattgagttc 1740
ggaagataaa gttaatgctc tttgttttgc agcattttta tcccgcggaa acatatcact 1800
tatctttgac catccttgat tcaaagataa gtatatgcct tctccttcg gatgaaaaag 1860
atataccaaa taatatccat cctttgtttc ttttgttata ttctcatcat atattgaaat 1920
ccaaggaact ttactatagt tcccagtagc aaccttcctt acaactgaat atttatcttc 1980
ttttatatgc acttttaact gcttgggtaa cttatcatgg actaaagttt tatatagatc 2040
acctttatcc caatcagatt ttttaactac attattggta cgtttctctt taattaattt 2100
aaggacctgc ataaagttgt ctatcatttg aaattccctc ctattataaa atatattatg 2160
tctcattttc ttcaatatgt acttatttat attttaccgt aatttactat atttagttgc 2220
agaaagaatt ttctcaaagc tagaactttg cttcactata agtattcagt ataaagaata 2280
tttcgctatt atttacttga aatgaaagac tgcggaggct aactatgtca aaaatcatga 2340
acctcattac ttatgataag cttcttaaaa acataacagc aattcacata aacctcatat 2400
gttctgatac attcaaaatc cctttatgaa gcggctgaaa aaaccgcatc atttatgata 2460
tgcttctcca cgcataatct taaatgctct atacacttgc tcaattaaca caaccgcat 2520
catttgatgt gggaatgtca ttttgctgaa tgatagtgcg tagttactgc gttgtaagac 2580
gtccttgtgc aggccgtttg atccgccaat gacgaataca aagtcgcttt gcccttgggt 2640
catgcgttgg ttcaattctt gggccaatcc ttcggaagat agcatctttc cttgtatttc 2700
taatgtaatg actgtggatt gtggtttaat tttggctagt attcgttggc cttctttttc 2760

ttttacttgc tcaatttctt tgtegtcat attttctggt gctttttcgt ctggaacttc 2820
tatgatgtct atcttggtgt atgggcctaa acgtttttca tattctgcta tggcttgctt 2880
ccaatatttc tcttttagtt tccctacagc taaaatgggtg attttcatgt cgtttgggtcc 2940
tccaaattgt tatcaacttt ccagttatcc acaagttatt aacttgttca cactgttccc 3000
tcttattata ccaatatttt ttgcagtttt tgatattttc ctgacattta 3050

<210> 3
<211> 3183
<212> DNA
<213> Staphylococcus aureus

<400> 3
ctgcagaggt aattattcca aacaatacca ttgatttcaa aggagaaaga gatgacgtta 60
gaacgcgtga aacaaattta ggaaacgcga ttgcagatgc tatggaagcg tatggcgtta 120
agaatttctc taaaaagact gactttgccg tgacaaatgg tggaggtatt cgtgcctcta 180
tcgcaaaagg taaggtgaca cgctatgatt taatctcagt attaccattt ggaaatacga 240
ttgcgcaa at tgatgtaaaa ggttcagacg tctggacggc tttcgaacat agtttaggcg 300
caccaacaac acaaaaggac ggtaagacag tgtaaacagc gaatggcggg ttactacata 360
tctctgattc aatccgtggt tactatgata taaataaacc gtctggcaaa cgaattaatg 420
ctattcaa at tttaaataaa gagacaggta agtttgaaaa tattgattta aaacgtgtat 480
atcacgtaac gatgaatgac ttcacagcat caggtggcga cggatatagt atgttcgggtg 540
gtcctagaga agaaggtatt tcattagatc aagtactagc aagttattta aaaacagcta 600
acttagctaa gtatgatacg acagaaccac aacgtatggt attaggtaaa ccagcagtaa 660
gtgaacaacc agctaaagga caacaaggta gcaaaggtag taagtctggg aaagatacac 720
aaccaattgg tgacgacaaa gtgatggatc cagcgaaaaa accagctcca ggtaaagttg 780
ttttgttgct agcgcataga ggaactgtta gtagcggtag agaaggttct ggtcgcacaa 840
tagaaggagc tactgtatca agcaagagtg ggaaacaatt ggctagaatg tcagtgccta 900
aaggtagcgc gcatgagaaa cagttaccaa aaactggaac taatcaaagt tcaagcccag 960
aagcgatggt tgtattatta gcaggtatag gtttaatcgc gactgtacga cgtagaaaag 1020
ctagctaaaa tatattgaaa ataatactac tgtatttctt aaataagagg tacggtagtg 1080
tttttttatg aaaaaaagcg ataaccgttg ataaatatgg gatataaaaa cgaggataag 1140
taataagaca tcaaggtggt tatccacaga aatgggggata gttatccaga attgtgtaca 1200

atttaaagag aaatacccac aatgcccaca gagttatcca caatacaca ggttatacac 1260
taaaaatcgg gcataaatgt caggaaaata tcaaaaactg caaaaatat tggataata 1320
agagggaaca gtgtgaacaa gttaataact tgtggataac tggaaagttg ataacaattt 1380
ggaggacca aacgacatgaa aatcaccatt ttagctgtag ggaaactaaa agagaaatat 1440
tggaagcaag ccatagcaga atatgaaaaa cgtttaggcc catacaccaa gatagacatc 1500
atagaagttc cagacgaaaa agcaccagaa aatatgagtg acaagaaat tgagcaagta 1560
aaagaaaaag aaggccaacg aatactagcc aaaatcaaac cacaatccac agtcattaca 1620
ttagaaatac aaggaaagat gctatcttcc gaaggattgg cccaagaatt gaaccaacgc 1680
atgaccaag ggcaaagcga ctttgttttc gtcattggcg gatcaaacgg cctgcacaag 1740
gacgtcttac aacgcagtaa ctacgcacta tcattcagca aatgacatt cccacatcaa 1800
atgatgcggg ttgtgttaat tgaacaagtg tacagagcat ttaagattat gcgaggagag 1860
gcgtatcata agtaaaacta aaaaattctg tatgaggaga taataatttg gaggggtgta 1920
aatgggtggac attaaatcca cgttcattca atatataaga tatatcacga taattgcgca 1980
tataacttaa gtagtagcta acagttgaaa ttaggcccta tcaaattggg ttatatctaa 2040
aatgattaat atagaatgct tctttttgtc cttattaaat tataaaagta actttgcaat 2100
agaaacagtt atttcataat caacagtcac tgacgtagct aagtaatgat aaataatcat 2160
aaataaaatt acagatattg acaaaaaata gtaaataattc caatgaagtt tcaaaagaac 2220
aattccaaga aattgagaat gtaaataata aggtcaaaga attttattaa gatttgaaag 2280
agtatcaatc aagaaagatg tagtttttta ataaactatt tggaaaataa ttatcataat 2340
ttaaaaactg acaatttgcg agactcataa aatgtaataa tggaaataga tgtaaaatat 2400
aattaagggg tgtaatatga agattaatat ttataaatct atttataatt ttcaggaaac 2460
aaatacaaat tttttagaga atctagaatc tttaaagat gacaattatg aactgcttaa 2520
tgataaagaa cttgttagtg attcaaata attaaaatta attagtaaag tttatatacg 2580
taaaaaagac aaaaaactat tagattggca attattaata aagaatgtat acctagatac 2640
tgaagaagat gacaatttat tttcagaatc cggtcacatc tttgatgcaa tattatttct 2700
caaagaagat actacattac aaaataatgt atatattata ctttttggac aagcatatca 2760
tgatataaat aatttgattg attatgactt cggaattgat tttgcagaaa gagcaatcaa 2820
aatgaagac atagttaata aaaatgttaa tttttttcaa caaacaggc ttaaagagat 2880
tgttaattat agaaggaata gtgtagatta cgtagacct tcagaatctt atatatcagt 2940

ccaaggacat ccacagaatc ctcaaatttt tggaaaaaca atgacttggtg gtacaagtat 3000
 ttcattgcgt gtaccgaata gaaagcagca attcatagat aaaattagtg tgataatcaa 3060
 agaaataaac gctattatta atcttcctca aaaaattagt gaatttccta gaatagtaac 3120
 tttaaaagac ttgaataaaa tagaagtatt agatacttta ttgctaaaaa aactatcgaa 3180
 ttc 3183

<210> 4
 <211> 479
 <212> DNA
 <213> Staphylococcus aureus

<400> 4
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggtt aattgaacaa 120
 gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
 gggttggtgat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
 attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
 ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
 attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
 gaaatataca atgcctacga ttaataaaaag gaagtttatt agattttgtg ttagaaaca 479

<210> 5
 <211> 480
 <212> DNA
 <213> Staphylococcus aureus

<400> 5
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggtt aattgaacaa 120
 gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
 gggttggtgat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
 attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
 ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
 attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
 gaaatataac atgcctacga ttaataaaaag gaagtttatt agattttgtg ttagaaacag 480

<210> 6
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 6
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac atccccacat caaatgatgc gggttgtggt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaaag gaagtttatt agatttgtgt tagaaacagt 480

<210> 7
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 7
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attccccacat caaatgatgc gggttgtggt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaaag gaagtttatt agattttgtg ttagaaacag 480

<210> 8
<211> 309
<212> DNA
<213> Staphylococcus aureus

<220>
<221> misc_feature
<222> (237)..(237)
<223> N = INOSINE

<400> 8
ggcggatcaa acggcctgca caaggacgtc ttacaacgca gtaactacgc actatcattc 60
agcaaaatga cattcccaca tcaaattgatg cgggttgtgt taattgaaca agtgtacaga 120
gcatttaaga ttatgcgtgg agaagcgtat cataaataaa actaaaaatt aggttgtgta 180
taatttaaaa atctaattgag atgtggagga attacatata tgaaatattg gattatncct 240
tgcaatatca tacgatgttt atagagtgtt taataaacca tttttcaact attgatgatc 300
tacaatata 309

<210> 9
<211> 471
<212> DNA
<213> Staphylococcus aureus

<400> 9
ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac gcactatcat 60
tcagcaaaat gacattccca catcaaattga tgcgggttgt gttaattgaa caagtgtaca 120
gagcatttaa gattatgcgt ggagaagcgt atcataaata aaactaaaaa ttaggttgtg 180
tataatttaa aaatttaattg agatgtggag gaattacata tatgaaatat tggattatac 240
cttgcaatat catacgatgt ttatagagtg ttttaataaac catttttcaa ctattgatga 300
tctagaatat ataataactg tacaaattat attgattatg gaactacaat taaattaaga 360
aattgatgat gaaattttta atttaaaacta atggaatcaa gaaagaatga aaggaaatat 420
acaatgccta cgattaataa aaggaagttt attagatttt gtgtagaaa c 471

<210> 10
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 10
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aattttaaaaa ttttaattgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa atttttaaatt taaactaatg gaatcaagaa agaattgaaag 420

gaaatataca atgcctacga ttaataaaaag gaagttttatt agatttttgtg ttagaaacag 480

<210> 11
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 11
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggtt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaaag gaagttttatt agatttttgtg ttagaaacag 480

<210> 12
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 12
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggtt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaaag gaagttttatt agatttttgtg ttagaaacag 480

<210> 13
<211> 478
<212> DNA
<213> Staphylococcus aureus

<400> 13
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60

ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaag gaagtttatt agattttgtg ttagaaac 478

<210> 14
<211> 479
<212> DNA
<213> Staphylococcus aureus

<400> 14
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaag gaagtttatt agattttgtg ttagaaaca 479

<210> 15
<211> 480
<212> DNA
<213> Staphylococcus aureus

<220>
<221> misc_feature
<222> (406)..(406)
<223> N = INOSINE

<400> 15
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180

ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcncgaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaaag gaagtttatt agattttgtg ttagaaacag 480

<210> 16
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 16
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcgtatc ataaataaaa ctaaaaatta 180
ggttgtgtat aatttaaaaa tttaatgaga tgtggaggaa ttacatatat gaaatattgg 240
attatacctt gcaatatcat acgatgttta tagagtgttt aataaaccat ttttcaacta 300
ttgatgatct agaatatata ataactgtac aaattatatt gattatggaa ctacaattaa 360
attaagaaat tgatgatgaa attttaaatt taaactaatg gaatcaagaa agaatgaaag 420
gaaatataca atgcctacga ttaataaaaag gaagtttatt agattttgtg ttagaaacag 480

<210> 17
<211> 480
<212> DNA
<213> Staphylococcus aureus

<400> 17
ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgaacaa 120
gtgtacagag catttaagat tatgcgtgga gaagcatatc ataatgatg cggttttttc 180
agccgcttca taaagggatt ttgaatgtat cagaacatat gaggtttatg tgaattgctg 240
ttatgttttt aagaagctta tcataagtaa tgaggttcat gatttttgac atagttagcc 300
tccgcagtct ttcatttcaa gtaaataata gcgaaatatt ctttatactg aatacttata 360
gtgaagcaaa gttctagctt tgagaaaatt ctttctgcaa ctaaataatag taaattacgg 420
taaaatataa ataagtacat attgaagaaa atgagacata atatatttta taataggagg 480

<210> 18
 <211> 480
 <212> DNA
 <213> Staphylococcus aureus

<400> 18
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgagcaa 120
 gtgtatagag catttaagat tatgcgtgga gaagcatatc ataaatgatg cggttttttc 180
 agccgcttca taaagggatt ttgaatgtat cagaacatat gaggtttatg tgaattgctg 240
 ttatgttttt aagaagctta tcataagtaa tgaggttcat gatttttgac atagttagcc 300
 tccgcagtct ttcatttcaa gttaaataata gcgaaatatt ctttatactg aatacttata 360
 gtgaagcaaa gttctagctt tgagaaaatt ctttctgcaa ctaaataatag taaattacgg 420
 taaaatataa ataagtacat attgaagaaa atgagacata atatatttta taataggagg 480

<210> 19
 <211> 458
 <212> DNA
 <213> Staphylococcus aureus

<400> 19
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgaacaa 120
 gtgtacagag catttaagat tatgcgtgga gaagcatatc ataaatgatg cggttttttc 180
 agccgcttca taaagggatt ttgaatgtat cagaacatat gaggtttatg tgaattgctg 240
 ttatgttttt aagaagctta tcataagtaa tgaggttcat gatttttgac atagttagcc 300
 tccgcagtct ttcatttcaa gttaaataata gcgaaatatt ctttatactg aatacttata 360
 gtgaagcaaa gttctagctt tgagaaaatt ctttctgcaa ctaaataatag taaattacgg 420
 taaaatataa ataagtacat attgaagaaa atgagaca 458

<210> 20
 <211> 385
 <212> DNA
 <213> Staphylococcus aureus

<400> 20
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgagcaa 120
 gtgtatagag catttaagat tatgcgtgga gaagcttatc ataagtaatg aggttcatga 180

tttttgacat agttagcctc cgcagtcttt catttcaagt aaataatagc gaaatattct 240
 ttatactgaa tacttatagt gaagcaaagt tctagctttg agaaaattct ttctgcaact 300
 aaatatagta aattacggta aaatataaat aagtacatat tgaagaaaat gagacataat 360
 atattttata ataggaggga atttc 385

<210> 21
 <211> 385
 <212> DNA
 <213> Staphylococcus aureus

<400> 21
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgagcaa 120
 gtgtatagag catttaagat tatgcgtgga gaagcttattc ataagtaatg aggttcatga 180
 tttttgacat agttagcctc cgcagtcttt catttcaagt aaataatagc gaaatattct 240
 ttatactgaa tacttatagt gaagcaaagt tctagctttg agaaaattct ttctgcaact 300
 aaatatagta aattacggta aaatataaat aagtacatat tgaagaaaat gagacataat 360
 atattttata ataggaggga atttc 385

<210> 22
 <211> 385
 <212> DNA
 <213> Staphylococcus aureus

<400> 22
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgagcaa 120
 gtgtatagag catttaagat tatgcgtgga gaagcttattc ataagtaatg aggttcatga 180
 tttttgacat agttagcctc cgcagtcttt catttcaagt aaataatagc gaaatattct 240
 ttatactgaa tacttatagt gaagcaaagt tctagctttg agaaaattct ttctgcaact 300
 aaatatagta aattacggta aaatataaat aagtacatat tgaagaaaat gagacataat 360
 atattttata ataggaggga atttc 385

<210> 23
 <211> 385
 <212> DNA
 <213> Staphylococcus aureus

<400> 23
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgcg 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtgtt aattgaacaa 120
 gtgtacaaag catttaagat tatgcgagga gaagcttata ataagtaatg aggttcatga 180
 tttttgacat agttagcctc cgcagtcttt catttcaagt aaataatagc gaaatattct 240
 ttatactgaa tacttatagt gaagcaaagt tctagctttg agaaaattct ttctgcaact 300
 aaatatagta aattacggta aaatataaat aagtacatat tgaagaaaat gagacataat 360
 atattttata ataggaggga atttc 385

<210> 24
 <211> 340
 <212> DNA
 <213> Staphylococcus aureus

<400> 24
 cgcagtaact acgcgctatc attcagcaaa atgacattcc cacatcaaat gatgcgggtt 60
 gtgttagttg agcaagtgtg catagcattt aagattatgc gaggagaagc ttatcataag 120
 taatgagggt catgattttt gacatagtta gcctccgcag tctttcattt caagtaaata 180
 atagcgaaat attctttata ctgaatactt atagtgaagc aaagttctag ctttgagaaa 240
 attctttctg caactaaata tagtaaatta cggtaaaata taaataagta catattgaag 300
 aaaatgagac ataatatatt ttataatagg agggaatttc 340

<210> 25
 <211> 369
 <212> DNA
 <213> Staphylococcus aureus

<400> 25
 caaacggcct gcacaaggac gtcttacaac gcagtaacta cgcactatca ttcagcaaaa 60
 tgacattccc acatcaaatg atgcgggttg tgtaattga acaagtgtac agagcattta 120
 agattatgcg aggagaagct tatcataagt aatgagggtc atgatttttg acatagttag 180
 cctccgcagt ctttcatttc aagtaaataa tagcgaaata ttctttatac tgaatactta 240
 tagtgaagca aagttctagc tttgagaaaa ttctttctgc aactaaatat agtaaattac 300
 ggtaaaatat aaataagtac atattgaaga aaatgagaca taatatattt tataatagga 360
 gggaatttc 369

<210> 26

<211> 3050
<212> DNA
<213> *Staphylococcus aureus*

<400> 26
aatttggtaa acctcaaaag gtaattacag atcaggcacc ttcaacgaag gtagcaatgg 60
ctaaagtaat taaagctttt aaacttaaac ctgactgtca ttgtacatcg aaatatctga 120
ataacctcat tgagcaagat caccgtcata tttaaagtaag aaagacaagg tatcaaagta 180
tcaatacagc aaagaatact ttaaaaggta ttgaatgtat tcacgctcta tataaaaaga 240
accgcaggtc tcttcagatc tacggatttt cgccatgcca cgaaattagc atcatgctag 300
caagttaagc gaacactgac atgataaatt agtgggtagc tatatTTTTT tactttgcaa 360
cagaaccgaa aataatctct tcaatttatt ttatatgaa tcctgtgact caatgattgt 420
aatatctaaa gatttcagtt catcatagac aatgttcttt tcaacatttt ttatagcaaa 480
ttgattaaat aaattctcta atttctcccg tttgatttca ctaccataga ttatattatc 540
attgatatag tcaatgaata atgacaaatt atcactcata acagtcccaa cccctttatt 600
ttgatagact aattatcttc atcattgtaa aacaaattac accctttaaa tttaactcaa 660
cttaaatatc gacaaattaa aaaacaataa aattacttga atattattca taatatatta 720
acaactttat tatactgctc ttatatata aaatcattaa taattaaaca agccttaaaa 780
tattttaactt ttttgtgatt attacacatt atcttatctg ctctttatca ccataaaaat 840
agaaaaaaca agattcctaa agaatatagg aatcttggtt cagactgtgg acaaactgat 900
tttttatcag ttagcttatt tagaaagttt tatttaaatt acagtttcta tttttattag 960
atcacaattt tatttttagct cttgttcaag taatcatttt tcgccaaaaa ctttatactg 1020
aatagcttct acattaaata cttgtcaatg agatcatcta catctttaaa ttcagaataa 1080
ttcgcatatg gatctataaa ataaaattgt ggttctttac cggaaacatt aaatattctt 1140
aatattaaat atttctgctt atattctttc atagcaaaca tttcatttag cgacataaaa 1200
aatggttcct caatactaga agatgtagat gttttaattt caataaattt ttctacagct 1260
ttatctgtat ttgttggatc aaaagctact aaatcatagc catgaccgtg ttgagagcct 1320
ggattatcat ttaaaatatt cctaaactgt tctttcttat cttcgtctat ttattatca 1380
attagctcat taaagtaatt tagcgctaat ttttctccaa ctttaccggt taatttattc 1440
tctttatttg atttttcaat ttctgaatca tttttagtag tctttgatac acctttttta 1500
tattttggaa ttattccttt aggtgcttcc acttccttga gtgtcttata tttttgtgct 1560

gttctaattt cttcaatttc gctgtcttcc tgtatttcgt ctatgctatt gaccaagcta 1620
tcataggatg tttttgtaac ttttgaagct aattcattaa atagttctaa aaatttcttt 1680
aaatcctcta gcatactctc ttctgtgaat ccttcattca aatcataata tttgaatctt 1740
attgatccat gagaatatcc tgatggataa tcatttttta aatcataaga tgaatcttta 1800
ttttctgcgt aataaaatct tccagtatta aattcatttg atgtaatata tttattgagt 1860
tcggaagata aagttaatgc tctttgtttt gcagcatttt tatcccgcgg aaacatatca 1920
cttatctttg accatccttg attcaaagat aagtatatgc cttctccttc cggatgaaaa 1980
agatatacca aataatgtcc atcctttggt tcttttggtta tattctcatc atatattgaa 2040
atccaaggaa ctttactata gttcccagta gcaaccttcc ctacaactga atatttatct 2100
tcttttatat gcacttttaa ctgcttgggt aacttatcat ggactaaagt tttatataga 2160
tcacctttat cccaatcaga ttttttaact acattattgg tacgtttctc ttttaattaat 2220
ttaaggacct gcataaagtt gtctatcatt tgaaattccc tcctattata aaatatatta 2280
tgtctcattt tcttcaatat gtacttattt atattttacc gtaatttact atatttagtt 2340
gcagaaagaa ttttctcaaa gctagaactt tgcttcacta taagtattca gtataaagaa 2400
tatttcgcta ttatttactt gaaatgaaag actgcggagg ctaactatgt caaaaatcat 2460
gaacctcatt acttatgata agcttcttaa aaacataaca gcaattcaca taaacctcat 2520
atgttctgat acattcaaaa tccctttatg aagcggctga aaaaaccgca tcatttatga 2580
tatgcttctc ctgcataat cttaaagct ctgtacactt gttcaattaa cacaaccgcg 2640
atcatttgat gtgggaatgt cattttgctg aatgatagtg cgtagttact gcgttgtaag 2700
acgtccttgt gcaggccgtt tgatccgcca atgacgaaaa caaagtcgct ttgcccttgg 2760
gtcatgcgtt ggttcaattc ttgggccaat ccttcggaag atagcatctt tccttgtatt 2820
tctaatagtaa tgactgtgga ttgtggtttg attttggtta gtattcgttg gccttctttt 2880
tcttttactt gctcaatttc ttgtcactc atattttctg gtgctttttc gtctggaact 2940
tctatgatgt ctatcttggg gtatgggcct aaacgttttt catattctgc tatggcttgc 3000
ttccaatatt tctcttttag tttccctaca gctaaaatgg tgattttcat 3050

<210> 27
<211> 657
<212> DNA
<213> Staphylococcus aureus

<400> 27

ccaccttcat atgacgtcta tccatttatg tatggcatga gtaacgaaga atataataaa 60
 ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccaggt 120
 tcaactcaaa aaatattaac agcaatgatt gggttaaata acaaaacatt agacgataaa 180
 acaagttata aaatcgatgg taaaggttgg caaaaagata aatcttgggg tggttacaac 240
 gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca 300
 gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc 360
 atgaaaaaac taggtggttg tgaagatata ccaagtgatt atccatttta taatgctcaa 420
 atttcaaaca aaaatttaga taatgaaata ttattagctg attcagggtta cggacaaggt 480
 gaaatactga ttaacccagt acagatcctt tcaatctata gcgcattaga aaataatggc 540
 aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt 600
 atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aaataaa 657

<210> 28
 <211> 782
 <212> DNA
 <213> *Staphylococcus aureus*

<400> 28
 caccttcata tgacgtctat ccatttatgt atggcatgag taacgaagaa tataataaat 60
 taaccgaaga taaaaaagaa cctctgctca acaagttcca gattacaact tcaccaggtt 120
 caactcaaaa aatattaaca gcaatgattg ggttaaataa caaaacatta gacgataaaa 180
 caagttataa aatcgatggg aaagggttggc aaaaagataa atcttggggg ggttacaacg 240
 ttacaagata tgaagtggta aatggtaata tcgacttaaa acaagcaata gaatcatcag 300
 ataacatttt ctttgctaga gtagcactcg aattaggcag taagaaattt gaaaaaggca 360
 tgaaaaaact aggtggttgg gaagatatac caagtgatta tccattttat aatgctcaaa 420
 tttcaaacaa aaatttagat aatgaaatat tattagctga ttcagggttac ggacaagggtg 480
 aaatactgat taacccagta cagatccttt caatctatag cgcattagaa aataatggca 540
 atattaacgc acctcactta ttaaaagaca cgaaaaacaa agtttgggaag aaaaatatta 600
 tttccaaaga aaatatcaat ctattaactg atggtatgca acaagtcgta aataaaacac 660
 ataaagaaga tatttataga tcttatgcaa acttaattgg caaatccggt actgcagaac 720
 tcaaaatgaa acaaggagaa actggcagac aaattgggtg gtttatatca tatgataaag 780
 at 782

<210> 29
 <211> 744
 <212> DNA
 <213> Staphylococcus aureus

<400> 29
 tatgacgtct atccatztat gtatggcatg agtaacgaag aatataataa attaaccgaa 60
 gataaaaaag aacctctgct caacaagttc cagattacaa cttcaccagg ttcaactcaa 120
 aaaatattaa cagcaatgat tgggttaaata aacaaaacat tagacgataa aacaagttat 180
 aaaatcgatg gttaaagggtg gcaaaaagat aaatcttggg gtggttacaa cggttacaaga 240
 tatgaagtgg taaatggtaa tatcgactta aaacaagcaa tagaatcatc agataacatt 300
 ttctttgcta gagtagcact cgaattaggc agtaagaaat ttgaaaaagg catgaaaaaa 360
 ctaggtggtg gtgaagatat accaagtgat tatccatztat ataatgctca aatttcaaac 420
 aaaaatttag ataatgaaat attattagct gattcagggt acggacaagg tgaaatactg 480
 attaaccag tacagatcct ttcaatctat agcgcattag aaaataatgg caatattaac 540
 gcacctcact tattaaaaga cacgaaaaac aaagtttgga agaaaaatat tattttccaaa 600
 gaaaatatca atctattaac tgatgggtatg caacaagtcg taaataaaaac acataaagaa 660
 gatatttata gatcttatgc aaacttaatt ggcaaaccg gtactgcaga actcaaaatg 720
 aaacaaggag aaactggcag acaa 744

<210> 30
 <211> 652
 <212> DNA
 <213> Staphylococcus aureus

<400> 30
 ccaccttcat atgacgtcta tccatztatg tatggcatga gtaacgaaga atataataaa 60
 ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccagggt 120
 tcaactcaaa aaatattaac agcaatgatt ggggttaaata acaaaacatt agacgataaa 180
 acaagttata aaatcgatgg taaagggttg caaaaagata aatcttgggg tggttacaac 240
 gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca 300
 gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc 360
 atgaaaaaac taggtggttg tgaagatata ccaagtgatt atccatztat taatgctcaa 420
 atttcaaaca aaaatttaga taatgaaata ttattagctg attcagggtta cggacaagggt 480
 gaaatactga ttaaccaggt acagatcctt tcaatctata gcgcattaga aaataatggc 540

aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt 600
atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aa 652

<210> 31
<211> 2436
<212> DNA
<213> Staphylococcus aureus

<400> 31
ccaccttcat atgacgtcta tccatttatg tatggcatga gtaacgaaga atataataaa 60
ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccaggt 120
tcaactcaaa aaatattaac agcaatgatt gggttaaata acaaaacatt agacgataaa 180
acaagttata aaatcgatgg taaaggttgg caaaaagata aatcttgggg tggttacaac 240
gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca 300
gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc 360
atgaaaaaac taggtgttgg tgaagatata ccaagtgatt atccatttta taatgctcaa 420
atttcaaaca aaaatttaga taatgaaata ttattagctg attcaggtta cggacaaggt 480
gaaatactga ttaaccaggt acagatcctt tcaatctata gcgcattaga aaataatggc 540
aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt 600
atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aaataaaaca 660
cataaagaag atatttatag atcttatgca aacttaattg gcaaatccgg tactgcagaa 720
ctcaaaatga aacaaggaga aactggcaga caaattgggt ggtttatatc atatgataaa 780
gataatccaa acatgatgat ggctattaat gttaaagatg tacaagataa aggaatggct 840
agctacaatg ccaaaatctc aggtaaagtg tatgatgagc tatatgagaa cggtaataaa 900
aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg ttgcttcact 960
gttttattat gaattattaa taagtgctgt tacttctccc ttaaatacaa tttcttcatt 1020
ttcattgtat gttgaaagtg acactgtaac gagtccattt tcttttttta tggatttctt 1080
atttgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt taataaattt 1140
aacgttattc atttgtgttc ctgctacaac ttcttctccg tatttacctt cttctacca 1200
taatttaa at gatattgaaa gtgtatgcat gccagatgca atgatacctt taaatctact 1260
ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagttg ttgcaaattg 1320
gataatttct tcttctgtaa tatgaaggct ttttgttttg aatgtttctc ctactataaa 1380

```

atcatcgtat ttcatatatg tctctctttc ttattcaaata taatttttta gtatgtaaca 1440
tgttaaaggt aagtctaccg tcaactgaaac gtaagactca cctctaactt tctattgaga 1500
caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc aattagcaag 1560
ttggtttgca cgtgctgggt tgtttacagt ccatacgttc aattcataac ccgcttcttt 1620
taccattttt acttttgctt tagtaagttt ggcactcttca gtgtttacta ttttagcatt 1680
acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga atataactgc 1740
tctgttatat tgtggcatga tttcttctgc aagtttaaca agcacaacat taaagcttga 1800
aatgagcact tcttgattct gatttaagtt tgtaattgt tcttccactt gcttaaccat 1860
acttttagaa agtgctagtc cattcggtcc agtaatacct ttttaattcta catttaaatt 1920
catattatat tcatttgcta tttttactac atcatcgaaa gttggcaaata gtatcatctt 1980
gaatttttca ccaaaccaag atcctgcaga agcatcttta atttcatcat aattcaattc 2040
agttatttcc ccggacatat ttgtagtccg ttctaaataa tcatcatgaa tgataatcag 2100
ttgttcatct tttgtaattg caacatctaa ctccaaccag tttatacctt ctacttctga 2160
agcagcttta aatgatgcaa ttgtattttc cggagcttta ctaggtaatc ctctatgtcc 2220
atatacagtt agcatattac ctctccttgc atttttattt ttttaattaa cgtaactgta 2280
ttatcacatt aatcgcaatt ttatttccat taaaaagaga tgaatatcat aaataaagaa 2340
gtcgatagat tcgtattgat tatggagtta atctacgtct catctcattt ttaaaaaatc 2400
atttatgtcc caagctccat tttgtaatca agtcta 2436

```

```

<210> 32
<211> 36
<212> DNA
<213> Artificial

```

```

<220>
<223> OLIGONUCLEOTIDE

```

```

<400> 32
cgcttgccac atcaaataat gctgggttggtg caagcg 36

```

```

<210> 33
<211> 336
<212> DNA
<213> Staphylococcus epidermidis

```

```

<400> 33
ctcattactt atgataagct tcttaaaaac ataacagcaa ttcacataaa cctcatatgt 60

```

tctgatacat tcaaaatccc tttatgaagc ggctgaaaaa accgcatcat ttatgatatg 120
 cttcgccctct catgatctta aatgcgcgat aaatttggtc gatcaatatg acgcgcatat 180
 ttgggtgtggg aaggatcatat tgctaaaaga taaagcatag ttgctgcgtt gtaagacgtc 240
 ttgggtgtaaa ccattggagc cacctatgac aaatgtaaag tcgctttgac cttgtgtcat 300
 gcgtgtttgt agttcttttag cgagtccttc tgaaga 336

<210> 34
 <211> 260
 <212> DNA
 <213> Staphylococcus haemolyticus

<400> 34
 ctcattactt atgataagct tcttaaaaac ataacagcaa tccacataaa cctcatatgt 60
 tctgatacat tcaaaatccc tttatgaagc ggctgaaaaa accgcatcat ttatgatatg 120
 cttccctcgc atgattttta atgctctgta tacttgctcg attaagacaa cgcgcatcat 180
 ttgatgtggg aatgtcattt tactgaatga aagtgcgtag ttgctgcgtt gtaagacgtc 240
 ctcattgcaat ccatttgatc 260

<210> 35
 <211> 225
 <212> DNA
 <213> Staphylococcus aureus

<400> 35
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggt aattgaacaa 120
 gtgtacagag catttaagat tatgcgtgga gaggcgtatc acaaataaaa ctaaaaatgg 180
 agtaactatt aatatagtat aaattcaata tggtgataaa aacag 225

<210> 36
 <211> 225
 <212> DNA
 <213> Staphylococcus aureus

<400> 36
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattca gcaaaatgac attcccacat caaatgatgc gggttgtggt aattgaacaa 120
 gtgtacagag catttaagat tatgcgtgga gaggcgtatc acaaataaaa ctaaaaatgg 180
 agtaactatt aatatagtat aaattcaata tggtgataaa aacag 225

<210> 37
 <211> 225
 <212> DNA
 <213> Staphylococcus aureus

<400> 37
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgtag taactacgca 60
 ctatcattca gcaaaatgac atttccacat caaatgatgc gggttgtggt aattgaacaa 120
 gtgtacagag catttaagat tatgcgtgga gaggcgtatc ataagtaatg aggttcatga 180
 tttttgacat agttagcctc cgcagtcttt caagtaaata atatc 225

<210> 38
 <211> 225
 <212> DNA
 <213> Staphylococcus aureus

<400> 38
 ttcgtcattg gcggatcaaa cggcctgcac aaggacgtct tacaacgcag taactacgca 60
 ctatcattta gcaaaatgac attcccacat caaatgatgc gggttgtggt aattgaacaa 120
 gtgtatagag catttaagat tatgcgtgga gaggcgtatc ataagtgatg cttgttagaa 180
 tgatttttaa caatatgaaa tagctgtgga agctcaaaca tttgt 225

<210> 39
 <211> 1500
 <212> DNA
 <213> Staphylococcus aureus

<400> 39
 tgagtctggg aaagatacac aaccaattgg taaagagaaa gtgatgaatc cagcgaaaca 60
 accagcgaca ggtaaagttg tgttgttacc agcgcataga ggaactgtta gtagcggtag 120
 agaaggttct gatcgcgcat tagaaggaac tgctgtatca agtaagagtg ggaaacaatt 180
 ggctaacatg tcagcgccta aaggtagcgc acatgagaaa cagttaccaa aaactggaac 240
 tgatcaaagt tcaagcccag cagcgatggt tgtattagta acaggtatag gtttaatcgc 300
 gactgtacga cgtagaaaag ctagctaaaa tatattgaaa acaatactac tgtatttctt 360
 aaataagagg tacggtagtg tttttttatg gaaaaaagct ataaccgttg ataaatatgg 420
 gatataaaaa cggggataag taataagaca tcaaggtatt tatccacaga aatggggata 480
 gttatccaga attgtgtaca atttaaagag aaatacccac aatgcccaca gagttatcca 540
 caaatacaca agttatacac tgaaaattgg gcatgaatgt cagaaaaata tcaaaaactg 600

caaaaaaact	tggtataata	agagggaaaa	gtgtgaacaa	gttaataact	tgtggataac	660
tggaaagttg	ataacaattt	ggaggaccaa	acgacatgaa	aatcaccatt	ttagctgtag	720
ggaaactaaa	agagaaatat	tggaagcaag	ccatagcaga	atatgaaaaa	cgtttaggcc	780
catacaccaa	gatagacatc	atagaagtta	cagacgaaaa	agcaccagaa	aatatgagcg	840
acaaagaaat	cgagcaagta	aaagaaaaag	aaggccaacg	aatactagcc	aaaatcaaac	900
cacaatccac	agtcattaca	ttagaaatac	aaggaaagat	gctatcttcc	gaaggattgg	960
ccaagaatt	gaaccaacgc	atgaccaag	ggcaaagcga	ctttgtattc	gtcattggcg	1020
gatcaaacgg	cctgcacaag	gacgtcttac	aacgtagtaa	ctacgcacta	tcattcagca	1080
aatgacatt	tccacatcaa	atgatgcggg	ttgtgttaat	tgaacaagtg	tacagagcat	1140
ttaagattat	gcgtggagaa	gcttatcata	aatgatgcgg	ttttttcttg	aaaaatttaa	1200
ttagatatta	gaatccttta	atttatattga	aatcagaag	tgagtaacaa	tggttaagtga	1260
aatagttagt	gcaataattg	gaattatagg	gatttattga	gatgtatgga	gatgcggggc	1320
atttatcgag	tagattacaa	ttagagcatg	taggtgattt	gctttttcat	gcaagtaaag	1380
ataaactttt	aaaaatccta	taagaattta	gaaactttag	aataactaaa	tattaaaaaa	1440
atatcgtatg	aaagtgaaat	taggatgaga	gaccatagct	aaattaaaaa	ttttagcaaa	1500

<210> 40
 <211> 1501
 <212> DNA
 <213> Staphylococcus aureus

<400> 40	
ttgcacaacc	aattggtaaa
gacaaagtga	tggatccagc
gaaacaacca	gcgccaagta
60	
aagttgtatt	gttgccagcg
catagaggaa	ctgttagtag
tggtagagaa	ggttctgatc
120	
gcgcattgga	aggaactgct
gtatcaagta	agagcgggaa
acaattggct	agcatgtcag
180	
cgcctaaagg	tagcacacat
gagaagcagt	tacaaaaaac
tggaactgat	caaagttcaa
240	
gcccagcagc	gatgtttgta
ttagtagcag	gtataggttt
aattgcgact	gtacgacgta
300	
gaaaagctag	ctaaaatata
ttgaaaacaa	tactactgta
tttcttaaac	aagaggtacg
360	
gtagtgtttt	tttatgaaaa
aaagctataa	ccgttgataa
atatgggata	taaaaacggg
420	
gataagtaat	aagacatcaa
ggtatttatc	cacagaaatg
gggatagtta	tccagaattg
480	
tgtacaattt	aaagagaaat
acccacaatg	cccacagagt
tatccacaaa	tacacaggtt
540	
atacactaaa	aattgggcat
gaatgtcaga	aaaatatcaa
aaactgcaaa	gaatattggt
600	

ataataagag ggaacagtgt gaacaagtta ataacttgtg gataactgga aagttgataa 660
 caatttggag gaccaaacga catgaaaatc accatttttag ctgtagggaa actaaaagag 720
 aaatattgga agcaagccat agcagaatat gaaaaacggt taggcccata caccaagata 780
 gacatcatag aagttccaga cgaaaaagca ccagaaaata tgagcgacaa agaaattgag 840
 caagtaaaag aaaaagaagg ccaacgaata ctagccaaaa tcaaaccaca atcaacagtc 900
 attacattag aaatacaagg aaagatgcta tcttccgaag gattggccca agaattgaac 960
 caacgcatga cccaagggca aagcgacttt gtattcgtca ttggcggatc aaacggcctg 1020
 cacaaggacg tcttacaacg cagtaactac gcactatcat tcagcaaaat gacattccca 1080
 catcaaatga tgcgggttgt gttaattgaa caagtgtaca gagcatttaa gattatgcgt 1140
 ggagaagcat atcataaatg atgcggtttt ttcagccgct tcataaaggg attttgaatg 1200
 tatcagaaca tatgaggttt atgtgaattg ctgttatgtt tttaagaagc ttatcataag 1260
 taatgagggt catgattttt gacatagtta gcctccgcag tctttcattt caagtaaata 1320
 atagcgaaat attctttata ctgaatactt atagtgaagc aaagttctag ctttgagaaa 1380
 attctttctg caactaaata tagtaaatta cggtaaaata taaataagta catattgaag 1440
 aaaatgagac ataatatatt ttataatagg agggaatttc aaatgataga caactttatg 1500
 c 1501

<210> 41
 <211> 2480
 <212> DNA
 <213> Staphylococcus aureus

<400> 41
 aaaccgtctg gcaaacgaat taatgctatt caaattttta ataaagagac aggtaagttt 60
 gaaaatattg atttaaaacg tgtatatcac gtaacgatga atgacttcac agcatcaggt 120
 ggcgacggat atagtatgtt cgggtggctc agagaagaag gtatttcatt agatcaagta 180
 ctagcaagtt atttaaaaac agctaactta gctaagtatg atacgacaga accacaacgt 240
 atgttattag gtaaaccagc agtaagtga caaccagcta aaggacaaca aggtagcaaa 300
 ggtagtaagt ctggtaaaga tacacaacca attggtgacg acaaagtgat ggatccagcg 360
 aaaaaaccag ctccaggtaa agttgtattg ttgctagcgc atagaggaac tgtagtagc 420
 ggtacagaag gttctggtcg cacaatagaa ggagctactg tatcaagcaa gagtgggaaa 480
 caattggcta gaatgtcagt gcctaaaggt agcgcgcatg agaaacagtt accaaaaact 540

ggaactaatc aaagttcaag cccagaagcg atgtttgtat tattagcagg tataggttta	600
atcgcgactg tacgacgtag aaaagctagc taaaatatat tgaaaataat actactgtat	660
ttcttaaata agaggtacgg tagtgttttt ttatgaaaaa aagcgataac cgttgataaa	720
tatgggatat aaaaacgagg ataagtaata agacatcaag gtgtttatcc acagaaatgg	780
ggatagttat ccagaattgt gtacaattta aagagaaata cccacaatgc ccacagagtt	840
accacaaaat acacaggtta tacactaaaa atcgggcata aatgtcagga aaatatcaaa	900
aactgcaaaa aatattggta taataagagg gaacagtgtg aacaagttaa taacttgtgg	960
ataactggaa agttgataac aatttggagg accaaacgac atgaaaatca ccatttttagc	1020
tgtagggaaa ctaaaagaga aatattggaa gcaagccata gcagaatatg aaaaacgttt	1080
aggcccatac accaagatag acatcataga agttccagac gaaaaagcac cagaaaatat	1140
gagtgacaaa gaaattgagc aagtaaaaga aaaagaaggc caacgaatac tagccaaaat	1200
caaaccacaa tccacagtca ttacattaga aatacaagga aagatgctat cttccgaagg	1260
attggcccaa gaattgaacc aacgcatgac ccaagggcaa agcgactttg ttttcgtcat	1320
tggcggatca aacggcctgc acaaggacgt cttacaacgc agtaactacg cactatcatt	1380
cagcaaaatg acattcccac atcaaatgat gcgggttggtg ttaattgaac aagtgtacag	1440
agcatttaag attatgcgag gagaagctta tcataagtaa tgaggttcat gatttttgac	1500
atagttagcc tccgcagtct ttcatttcaa gtaaataata gcgaaatatt ctttatactg	1560
aatacttata gtgaagcaaa gttctagctt tgagaaaatt ctttctgcaa ctaaatatag	1620
taaattacgg taaaatataa ataagtacat attgaagaaa atgagacata atatatttta	1680
taataggagg gaatttcaaa tgatagacaa ctttatgcag gtccttaaata taattaaaga	1740
gaaacgtacc aataatgtag ttaaaaaatc tgattgggat aaaggtgatc tatataaaac	1800
tttagtccat gataagttac ccaagcagtt aaaagtgcac ataaaagaag ataaatattc	1860
agttgtaggg aaggttgcta ctgggaacta tagtaaagtt ccttggaattt caatatatga	1920
tgagaatata acaaaagaaa caaaggatgg atattatttg gtatatcttt ttcacccgga	1980
aggagaaggc atatacttat ctttgaatca aggatgggtca aagataagtg atatgtttcc	2040
gcgggataaa aatgctgcaa aacaaagagc attaacttta tcttccgaac tcaataaata	2100
tattacatca aatgaattta atactggaag attttattac gcagaaaata aagattcatc	2160
ttatgattta aaaaatgatt atccatcagg atattctcat ggatcaataa gattcaaata	2220

ttatgatttg aatgaaggat tcacagaaga agatatgcta gaggatttaa agaaattttt 2280
agaactattt aatgaattag cttcaaaagt tacaaaaaca tcctatgata gcttgggtcaa 2340
tagcatagac gaaatacagg aagacagcga aattgaagaa attagaacag cacaaaaaga 2400
taagacactc aaggaagtgg aagcacctaa aggaataatt ccaaaatata aaaaagggtgt 2460
atcaaagact actaaaaatg 2480

<210> 42
<211> 1045
<212> DNA
<213> Staphylococcus aureus

<400> 42
ccagtttttt gtttaatgaa caaggtaa at tacgagataa tatttgaaga aaacaataaa 60
gtagagatgg atttccatat cctcttttagt agcgggtttt atctgtaagg tttattaata 120
attaaataaa taggcgggat agttatatat agcttattaa tgaaagaata tgattattaa 180
tttagtatta tattttaata ttaaaaagaa gatatgaaat aattattcat accttccacc 240
ttacaataat tagttttcaa tcgaatatta agattattag tagtcttaaa agttaagact 300
tccttatatt aatgacctaa tttattattt gcctcatgaa ttatcttttt atttctttga 360
tatgtcccaa accacatcgt gatatacact acaataaata ttatgatgaa actaataata 420
ttctcaaagt tcagatggaa ccaacctgct agaatagcga gtgggaagaa taggattatc 480
atcaatataa agtgaactac agtctgtttt gttatactcc aatcgggtatc tgtaaataatc 540
aaattaccat aagtaaacia aattccaatc aatgcccata gtgctacaca tattagcata 600
ataaccgctt cattaaagtt ttcataataa attttacca taaaagaatc tggatatagt 660
ggtacatatt tatcccttga aaaaaataag tgaagtaatg acagaaatca taagaccagt 720
gaacgcacct ttttgaacag cgtggaataa ttttttcata gtgagatgga ccattccatt 780
tgtttctaac ttcaagtgat caatgtaatt tagattgata atttctgatt ttgaaatacg 840
cacgaatatt gaaccgacia gctcttcaat ttggtaaagt cgctgataaa gttttaaagc 900
tttattattc attggtatcg catacctggt tatcttctac tatgaactgt gcaatttggt 960
ctagatcaat tgggtaaaca tgatggttct gttgcaaagt aaaaaaatat agctaaccac 1020
taatttatca tgtcagtgtt cgctt 1045

<210> 43
<211> 1118
<212> DNA

<213> Staphylococcus aureus

<400> 43

```

cagagcattt aagattatgc gtggagaagc gtaccacaaa tgatgcgggt ttttatccag      60
ttttttgttt aatgaacaag gtaaattacg agataatatt tgaagaaaac aataaagtag      120
agatggattt ccatatcctc tttagtagcg gtttttatct gtaaggttta ttaataatta      180
aataaatagg cgggatagtt atatatagct tattaatgaa agaatatgat tattaattta      240
gtattatatt ttaatattaa aaagaagata tgaaataatt attcatacct tccaccttac      300
aataattagt tttcaatcga atattaagat tattagtagt cttaaaagtt aagacttcct      360
tatattaatg acctaattta ttatttgcct catgaattat ctttttatct ctttgatatg      420
tcccaaacca catcgtgata tacactacaa taaatattat gatgaaacta ataatatctt      480
caaagttcag atggaaccaa cctgctagaa tagcgagtgg gaagaatagg attatcatca      540
atataaagtg aactacagtc tgttttgtta tactccaatc ggtatctgta aatatcaa      600
taccataagt aaacaaaatt ccaatcaatg cccatagtcg tacacatatt agcataataa      660
ccgcttcatt aaagttttca taataaattt taccataaaa agaactctgga tatagtagta      720
catatttatc ccttgaaaaa aataagtga gtaatgacag aaatcataag accagtgaac      780
gcaccttttt gaacagcgtg gaataatttt ttcatagtga gatggaccat tccatttggt      840
tctaacttca agtgatcaat gtaatttaga ttgataattt ctgattttga aatacgcacg      900
aatattgaac cgacaagctc ttcaatttgg taaagtcgct gataaagttt taaagcttta      960
ttattcattg ttatcgcata cctgtttatc ttctactatg aactgtgcaa tttgttctag     1020
atcaattggg taaacatgat ggttctgttg caaagtaaaa aaatatagct aaccactaat     1080
ttatcatgtc agtgttcgtc taacttgcta gcatgatg                               1118

```

<210> 44

<211> 1118

<212> DNA

<213> Staphylococcus aureus

<400> 44

```

cagagcattt aagattatgc gtggagaagc gtaccacaaa tgatgcgggt ttttatccag      60
ttttttgttt aatgaacaag gtaaattacg agataatatt tgaagaaaac aataaagtag      120
agatggattt ccatatcctc tttagtagcg gtttttatct gtaaggttta ttaataatta      180
aataaatagg cgggatagtt atatatagct tattaatgaa agaatatgat tattaattta      240
gtattatatt ttaatattaa aaagaagata tgaaataatt attcatacct tccaccttac      300

```

aataattagt tttcaatcga atattaagat tattagtagt cttaaaagtt aagacttcct 360
tatattaatg acctaattta ttatttgcct catgaattat ctttttattt ctttgatatg 420
tcccaaacca catcgtgata tacactacaa taaatattat gatgaaacta ataattattct 480
caaagttcag atggaaccaa cctgctagaa tagcgagtgg gaagaatagg attatcatca 540
atataaagtg aactacagtc tgttttgtta tactccaatc ggtatctgta aatatcaaatt 600
taccataagt aaacaaaatt ccaatcaatg cccatagtcg tacacatatt agcataataa 660
ccgcttcatt aaagttttca taataaattt taccataaaa agaattctgga tatagtagta 720
catatttatc ccttgaaaaa aataagtga gtaatgacag aaatcataag accagtgaac 780
gcaccttttt gaacagcgtg gaataatttt ttcatagtgat gatggaccat tccatttggt 840
tctaacttca agtgatcaat gtaatttaga ttgataattt ctgattttga aatacgcacg 900
aatattgaac cgacaagctc ttcaatttgg taaagtcgct gataaagttt taaagcttta 960
ttattcattg ttatcgata cctgtttatc ttctactatg aactgtgcaa tttgttctag 1020
atcaattggg taaacatgat ggttctgttg caaagtaaaa aaatatagct aaccactaat 1080
ttatcatgtc agtgttcgtc taacttgcta gcatgatg 1118

<210> 45
<211> 1113
<212> DNA
<213> Staphylococcus aureus

<400> 45
agcatttaag attatgcgtg gagaagcgtg ccacaaatga tgcggttttt tatccagttt 60
tttgtttaat gaacaaggta aattacgaga taatatattga agaaaacaat aaagtagaga 120
tggtttcca taccctcttt agtagcgggt tttatctgta aggtttatta ataattaaat 180
aaataggcgg gatagttata tatagcttat taatgaaaga atatgattat taatttagta 240
ttatatattta atattaataa gaagatatga aataattatt cataccttcc accttacaat 300
aattagtttt caatcgaata ttaagattat tagtagtctt aaaagttaag acttccttat 360
attaatgacc taatttatta ttgcctcat gaattatctt tttatttctt tgatatgtcc 420
caaaccacat cgtgatatac actacaataa atattatgat gaaactaata atattctcaa 480
agttcagatg gaaccaacct gctagaatag cgagtgggaa gaataggatt atcatcaata 540
taaagtgaac tacagtctgt tttgttatac tccaatcggg atctgtaaatt atcaaattac 600
cataagtaaa caaaattcca atcaatgcc atagtgtac acatattagc ataataaccg 660

cttcattaaa gttttcataa taaattttac ccataaaaga atctggatat agtggtacat 720
atztatccct tgaaaaaat aagtgaagta atgacagaaa tcataagacc agtgaacgca 780
cctttttgaa cagcgtggaa taattttttc atagtgagat ggaccattcc atttgtttct 840
aacttcaagt gatcaatgta atttagattg ataatttctg attttgaaat acgcacgaat 900
attgaaccga caagctcttc aatttggtta agtcgctgat aaagttttta agctttatta 960
ttcattgtta tcgcatacct gtttatcttc tactatgaac tgtgcaattt gttctagatc 1020
aattgggtaa acatgatggg tctgttgcaa agtaaaaaaa tatagctaac cactaattta 1080
tcatgtcagt gttcgcttaa cttgctagca tga 1113

<210> 46
<211> 2153
<212> DNA
<213> Staphylococcus aureus

<400> 46
ctgtagggaa actaaaagag aaatactgga agcaagccat agcagaatat gaaaaacggt 60
taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca ccagaaaata 120
tgagcgacaa agaaatcgag caagtaaaag aaaaagaagg ccaacgaata ctagccaaaa 180
tcaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta tcttccgaag 240
gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt gtattcgtca 300
ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac gcactatcat 360
tcagcaaaat gacattccca catcaaata tgcggggttg gtttaattgaa caagtgtaca 420
gagcatttaa gattatgcgt ggagaagcgt accacaaatg atgcgggttt ttatccagtt 480
ttttgtttta tgaacaaggt aaattacgag ataatatattg aagaaaacaa taaagtagag 540
atggatttcc atatcctctt tagtagcggg ttttatctgt aaggtttatt aataattaaa 600
taaataggcg ggatagttat atatagctta ttaatgaaag aatatgatta ttaatttagt 660
attatatattt aatattaaaa agaagatatg aaataattat tcataccttc caccttacia 720
taattagttt tcaatcgaat attaagatta ttagtagtct taaaagttaa gacttcctta 780
tattaatgac ctaatttatt atttgcttca tgaattatct ttttatttct ttgatatgtc 840
ccaaaccaca tcgtgatata cactacaata aatattatga tgaaactaat aatatttctca 900
aagttcagat ggaaccaacc tgctagaata gcgagtggga agaataggat tatcatcaat 960
ataaagtga ctaacgtctg ttttggtata ctccaatcgg tatctgtaaa tatcaaatta 1020

```

ccataagtaa acaaaattcc aatcaatgcc catagtgcata cacatattag cataataacc 1080
gcttcattaa agttttcata ataaatttta cccataaaaag aatctggata tagtggtaca 1140
tatttatccc ttgaaaaaaa taagtgaagt aatgacagaa atcataagac cagtgaacgc 1200
acctttttga acagcgtgga ataatttttt catagtgaga tggaccattc catttgtttc 1260
taacttcaag tgatcaatgt aatttagatt gataatttct gattttgaaa tacgcacgaa 1320
tattgaaccg acaagctctt caatttggtg aagtcgctga taaagtttta aagctttatt 1380
attcattggt atcgcatacc tgtttatctt ctactatgaa ctgtgcaatt tgttctagat 1440
caattgggta aacatgatgg ttctggtgca aagtaaaaaa atatagctaa ccactaattt 1500
atcatgtcag tgttcgctta acttgctagc atgatgctaa tttcgtggca tggcgaaaat 1560
ccgtagatct gatgagacct gcggttcttt ttatatagag cgtaaataca ttcaatacct 1620
tttaaagtat tctttgctgt attgatactt tgataccttg tctttcttac tttaatatga 1680
cggtagatctt gctcaatgag gttattcaaa tatttcgatg tacaatgaca gtcaggttta 1740
agtttaaaaag ctttaattac tttagccatt gctaccttcg ttgaagggtgc ctgatctgta 1800
attacctttt gaggtttacc aaattgttta atgagacggt taataaacgc atatgctgaa 1860
tgattatctc gttgcttacg caaccaaata tctaattgtat gtccctctgc atcaatggca 1920
cgatataaat agctccattt tccttttatt ttgatgtacg tctcatcaat acgccatttg 1980
taataagctt ttttatgctt tttcttccaa atttgatata aaattggggc atattcttga 2040
acccaacggg agaccgttga atgatgaacg ttacaccac gtccccttaa tatttcagat 2100
atatcacgat aactcaatgc atatcttaga tagtagccaa cggctacagt gat 2153

```

```

<210> 47
<211> 737
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 47
tttaagatta tgcgtggaga agcatatcat aatgatgcg gttatttcag ccgtaatttt 60
ataatataaa gcagagttta ttaaatttta atgattactt tttattaaga attaattcta 120
gttgatatat tataatgtga aacacaaaat aataatttgt aattgttagt ttataggcat 180
ctgtatttgg aattttttgt agactattta aaaaatagtg tatataagta ttgagttcat 240
gtattaactg tcttttttca tcgttcatca agtataagga tgtagagatt tgttggataa 300
tttcttcgga tgtttttaaa attatcatta aattagatgg tatctgatct tgagttttgt 360

```

ttttagtgta tgtatatattt aaaaaatttt tgattggtgt tatttgactc tcttttaatt 420
 tgacaccctc atcaataaat gtgttaaata tatcttcatt tgtacttaaa tcatcaaaat 480
 ttgccaaaca atatttgaac gtctctaaat cattatgttt gagttccgtt ttgctattcc 540
 ataattccaa accatttggt agaaagccca agctgtgatt ttgatctccc catatagctg 600
 aatttaaadc agtgagttga ttaatttttt caacacagaa atgtaatttt ggaatgagga 660
 atcgaagttg ttcttctact tgctgtactt ttcttttggt ttcaataaaa tttctacacc 720
 atactgttat caaaccg 737

<210> 48
 <211> 1592
 <212> DNA
 <213> Staphylococcus aureus

<400> 48
 aactaaaaga gaaatattgg aagcaagcca tagcagaata tgaaaaacgt ttagggcccat 60
 acaccaagat agacatcata gaagttccag acgaaaaagc accagaaaat atgagtgaca 120
 aagaaattga gcaagtaaaa gaaaaagaag gccaacgaat actagccaaa atcaaaccac 180
 aatccacagt cattacatta gaaatacaag gaaagatgct atcttccgaa ggattggccc 240
 aagaattgaa ccaacgcatg acccaagggc aaagcgactt tgttttcgtc attggcggat 300
 caaacggcct gcacaaggac gtcttacaac gcagtaacta cgcactatca ttcagcaaaa 360
 tgacattccc acatcaaatg atgcggggtg tgtaattga acaagtgtac agagcattta 420
 agattatgcg aggagaagca tatcataaat gatgcgggta tttcagccgt aattttataa 480
 tataaagcag agtttattaa attttaatga ttacttttta ttaagaatta attctagttg 540
 atatattata atgtgaaaca caaaataata atttgtaatt gttagtttat aggcactctgt 600
 atttggaatt ttttgtagac tatttaaaaa atagtgtata taagtattga gttcatgtat 660
 taactgtctt ttttcatcgt tcatcaagta taaggatgta gagatttggt ggataatttc 720
 ttcggatggt tttaaaatta tcattaaatt agatggatc tgatcttgag ttttggtttt 780
 agtgtatgta tatttttaaaa aatttttgat tgttgttatt tgactctctt ttaatttgac 840
 accctcatca ataatgtgt taaatatatc ttcatttgta cttaaatcat caaaatttgc 900
 caacaaatat ttgaacgtct ctaaatcatt atgtttgagt tccgttttgc tattccataa 960
 ttccaaacca tttggtagaa agcccaagct gtgattttga tctcccata tagctgaatt 1020
 taaatcagtg agttgattaa ttttttcaac acagaaatgt aattttggaa tgaggaatcg 1080

```

aagttgttct tctacttgct gtacttttct tttgttttca ataaaatttc tacaccatac 1140
tgttatcaaa ccgccaatta ttgtgcacaa tcctccaatg attgtagata aaattgacaa 1200
tatattacac acctttctta gaggtttatt aacatctatt tttgaattta aaattattac 1260
tttggttagcg ttataaccta tttaacagat tagagaaaaa ttgaatgacg gattgaagaa 1320
tttccaaaat accgtcccat atgcgttgaa ggagatttct attttcttct gtattcaaat 1380
ctttggcttt atcctttgct ttattcaata aatcatctga gtttttttca atatttttta 1440
atacatcttt ggcattttgt ttaaatactt taggatcgga agttagggca ttagagtttg 1500
ccacattaat catattatta ttaatcattt gaatttgatt atctgataat atctctgata 1560
acctacgctc atcgaggact ttattaacag tg 1592

```

```

<210> 49
<211> 730
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 49
agcatttaag attatgcgtg gagaagcata tcataaatga tgcggttatt tcagccgtaa 60
ttttataata taaagcagag tttattaaat tttaatgatt actttttatt aagaattaat 120
tctagttgat atattataat gtgaaacaca aaataataat ttgtaattgt tagtttatag 180
gcatctgtat ttggaatttt ttgtagacta tttaaaaaat agtgtatata agtattgagt 240
tcatgtatta actgtctttt ttcacgttct atcaagtata aggatgtaga gatttgttgg 300
ataatttctt cggatgtttt taaaattatc attaaattag atggtatctg atcttgagtt 360
ttgttttttag tgtatgtata ttttaaaaaa tttttgattg ttgttatttg actctctttt 420
aatttgacac cctcatcaat aaatgtgtta aatatatctt catttgtact taaatcatca 480
aaatttgcca acaaatatth gaacgtctct aaatcattat gtttgagttc cgttttgcta 540
ttccataatt ccaaaccatt tggtagaaag cccaagctgt gattttgacg tccccatata 600
gctgaattta aatcagtgag ttgattaatt ttttcaacac agaaatgtaa ttttggaatg 660
aggaatcgaa gttgttcttc tacttgctgt acttttcttt tgttttcaat aaaatttcta 720
caccatactg 730

```

```

<210> 50
<211> 1696
<212> DNA
<213> Staphylococcus aureus

```

<400> 50
aaagagaaat attggaagca agccatagca gaatatgaaa aacgttttagg cccatacacc 60
aagatagaca tcatagaagt tccagacgaa aaagcaccag aaaatatgag tgacaaagaa 120
attgagcaag taaaagaaaa agaaggccaa cgaatactag ccaaaatcaa accacaatcc 180
acagtcatta cattagaaat acaaggaaag atgctatctt ccgaaggatt ggcccaagaa 240
ttgaaccaac gcatgaccca agggcaaagc gactttgttt tcgtcattgg cggatcaaac 300
ggcctgcaca aggacgtctt acaacgcagt aactacgcac tatcattcag caaaatgaca 360
ttcccacatc aaatgatgcg ggttgtgtta attgaacaag tgtacagagc atttaagatt 420
atgcgaggag aagcatatca taaatgatgc ggttatttca gccgtaattt tataatataa 480
agcagagttt attaaatttt aatgattact ttttattaag aattaattct agttgatata 540
ttataatgtg aaacacaaaa taataatttg taattgttag tttataggca tctgtatttg 600
gaattttttg tagactattt aaaaaatagt gtatataagt attgagttca tgtattaact 660
gtcttttttc atcgttcatc aagtataagg atgtagagat ttgttgata atttcttcgg 720
atgtttttta aattatcatt aaattagatg gtatctgac ttgagttttg tttttagtgt 780
atgtatattt taaaaaattt ttgattgttg ttatttgact ctcttttaatt ttgacaccct 840
catcaataaa tgtgttaaat atatcttcat ttgtacttaa atcatcaaaa tttgccaaca 900
aatatttgaa cgtctctaaa tcattatggt tgagttccgt tttgctattc cataattcca 960
aaccatttgg tagaaagccc aagctgtgat tttgatctcc ccatatagct gaatttaaatt 1020
cagtgagttg attaatTTTT tcaacacaga aatgtaattt tggaatgagg aatcgaagtt 1080
gttcttctac ttgctgtact tttcttttgt tttcaataaa atttctacac catactgtta 1140
tcaaaccgcc aattattgtg cacaatcctc caatgattgt agataaaatt gacaatatat 1200
tacacacctt tcttagaggt ttattaacat ctatttttga atttaaaatt attactttgg 1260
tagcgttata acctatttaa cagattagag aaaaattgaa tgatcgattg aagaatttcc 1320
aaaataccgt cccatatgcg ttgaaggaga tttctatttt cttctgtatt caaatctttg 1380
gctttatcct ttgctttatt caataaatca tctgagtttt tttcaatatt ttttaataca 1440
tctttggcat tttgtttaaa tacttttagga tcggaagtta gggcattaga gtttgccaca 1500
ttaatcatat tattattaat catttgaatt tgattatctg ataatatctc tgataaccta 1560
cgctcatcga ggactttatt aacagtgtct tcaacttggt gttgtgtgat ttgtttatct 1620
tgattttggt taatatctgc aagttgttct ttaatatctg ctatagaagc atttaaagct 1680

tcattctgaat acccat

1696

<210> 51
<211> 2122
<212> DNA
<213> Staphylococcus aureus

<400> 51
ggaaactaaa agagaaatat tggaagcaag ccatagcaga atatgaaaaa cgtttaggcc 60
catacaccaa gatagacatc atagaagttc cagacgaaaa agcaccagaa aatatgagcg 120
acaaagaaat tgagcaagta aaagaaaaag aaggccaacg aatactagcc aaaatcaaac 180
cacaatcaac agtcattaca ttagaaatac aaggaaagat gctatcttcc gaaggattgg 240
cccaagaatt gaaccaacgc atgacccaag ggcaaagcga ctttgtattc gtcattggcg 300
gatcaaacgg cctgcacaag gacgtcttac aacgcagtaa ctacgcacta tcattcagca 360
aaatgacatt cccacatcaa atgatgcggg ttgtgttaat tgaacaagtg tacagagcat 420
ttaagattat gcgtggagaa gcgtaccaca aatgatgcgg ttttttatcc agttttttgt 480
ttaatgaaca aggtaaatta cgagataata tttgaagaaa acaataaagt agagatggat 540
ttccatatcc tcttttagtag cggtttttat ctgtaagggtt tattaataat taaataaata 600
ggcgggatag ttatatatag cttattaatg aaagaatatg attattaatt tagtattata 660
ttttaatatt aaaaagaaga tatgaaataa ttattcatac cttccacctt acaataatta 720
gttttcaatc gaatattaag attattagta gtcttaaaag ttaagacttc cttatattaa 780
tgacctaat tattatttgc ctcattgaatt atcttttttat ttctttgata tgtcccaaac 840
cacatcgtga tatacactac aataaatatt atgatgaaac taataatatt ctcaaagttc 900
agatggaacc aacctgctag aatagcgagt gggaagaata ggattatcat caatataaag 960
tgaactacag tctgttttgt tatactccaa tcggtatctg taaatatcaa attaccataa 1020
gtaaacaaaa ttccaatcaa tgcccatagt gctacacata ttagcataat aaccgcttca 1080
ttaagttttt cataataaat tttaaccata aaagaatctg gatatagtgg tacatattta 1140
tccttgaaa aaaataagtg aagtaatgac agaaatcata agaccagtga acgcaccttt 1200
ttgaacagcg tggaataatt ttttcatagt gagatggacc attccatttg tttctaactt 1260
caagtgatca atgtaattta gattgataat ttctgatttt gaaatacgca cgaatattga 1320
accgacaagc tcttcaattt ggtaaagtcg ctgataaagt tttaaagctt tattattcat 1380
tgttatcgca tacctgttta tcttctacta tgaactgtgc aatttgttct agatcaattg 1440

```

ggtaaacatg atggttctgt tgcaaagtaa aaaaatatag ctaaccacta atttatcatg 1500
tcagtgttcg cttaacttgc tagcatgatg ctaatttcgt ggcatggcga aaatccgtag 1560
atctgatgag acctgcggtt ctttttatat agagcgtaaa tacattcaat accttttaaa 1620
gtattctttg ctgtattgat actttgatac cttgtcttcc ttactttaat atgacggtga 1680
tcttgctcaa tgagggttatt cagatatttc gatgtacaat gacagtcagg ttttaagttta 1740
aaagctttta ttacttttagc cattgctacc ttcggtgaag gtgcctgac tgtaattacc 1800
ttttgagggt taccaaattg tttaatgaga cgtttgataa acgcatatgc tgaatgatta 1860
tctcgttgct tacgcaacca aatatcta atgtgtccct ctgcatcaat ggcacgatat 1920
aaatagctcc attttccttt tattttgatg tacgtctcat caatacgcca tttgtaataa 1980
gcttttttat gctttttctt ccaaatttga tacaaaattg gggcatattc ttgaacccaa 2040
cggtagaccg ttgaatgatg aacggtttaca ccacgttccc ttaatatattc agatatatca 2100
cgataactca atgtatatct ta 2122

```

```

<210> 52
<211> 21
<212> DNA
<213> Artificial

```

```

<220>
<223> OLIGONUCLEOTIDE

```

```

<400> 52
gatagactaa ttatcttcat c 21

```

```

<210> 53
<211> 21
<212> DNA
<213> Artificial

```

```

<220>
<223> OLIGONUCLEOTIDE

```

```

<400> 53
cagactgtgg acaaactgat t 21

```

```

<210> 54
<211> 20
<212> DNA
<213> Artificial

```

```

<220>
<223> OLIGONUCLEOTIDE

```

<400> 54
tgagatcatc tacatcttta 20

<210> 55
<211> 20
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 55
ggatcaaaag ctactaaatc 20

<210> 56
<211> 20
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 56
atgctctttg ttttgcagca 20

<210> 57
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 57
atgaaagact gcggaggcta act 23

<210> 58
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 58
atattctaga tcatcaatag ttg 23

<210> 59
<211> 21
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 59
aagaattgaa ccaacgcatg a

21

<210> 60
<211> 21
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 60
gttcaagccc agaagcgatg t

21

<210> 61
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 61
tcgggcataa atgtcaggaa aat

23

<210> 62
<211> 21
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 62
aaacgacatg aaaatcacca t

21

<210> 63
<211> 33
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 63
ttattaggta aaccagcagt aagtgaacaa cca

33

<210> 64

<211> 19
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 64
ggatcaaacg gcctgcaca

19

<210> 65
<211> 26
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 65
cacagaaatg taattttgga atgagg

26

<210> 66
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 66
gtcaaaaatc atgaacctca ttacttatg

29

<210> 67
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 67
atttcatata tgtaattcct ccacatctc

29

<210> 68
<211> 20
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 68
tctacggatt ttcgccatgc

20

<210> 69
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 69
aacaggtgaa ttattagcac ttgtaag

27

<210> 70
<211> 21
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 70
atcaaattgat gcgggttggtg t

21

<210> 71
<211> 19
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 71
tcattggcgg atcaaacgg

19

<210> 72
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 72
acaacgcagt aactacgcac ta

22

<210> 73
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 73
taactacgca ctatcattca gc

22

<210> 74
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 74
acatcaaag atgcgggttg tg

22

<210> 75
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 75
tcaaagatg cgggttggtg ta

22

<210> 76
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 76
caaagatgc ggggttggtt aatt

24

<210> 77
<211> 26
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 77
ctactatgaa ctgtgcaatt tgttct

26

<210> 78
<211> 2007
<212> DNA
<213> Staphylococcus aureus

<400> 78

atgaaaaaga taaaaattgt tccacttatt ttaatagttg tagttgtcgg gtttggtata	60
tatTTTTatg cttcaaaaga taaagaaatt aataatacta ttgatgcaat tgaagataaa	120
aatttcaaac aagtttataa agatagcagt tatatttcta aaagcgataa tgggtgaagta	180
gaaatgactg aacgtccgat aaaaatatat aatagtttag gcgttaaaga tataaacatt	240
caggatcgta aaataaaaaa agtatctaaa aataaaaaac gagtagatgc tcaatataaa	300
attaaaacaa actacggtaa cattgatcgc aacgttcaat ttaattttgt taaagaagat	360
ggtatgtgga agttagattg ggatcatagc gtcattattc caggaatgca gaaagaccaa	420
agcatacata ttgaaaattt aaaatcagaa cgtggtaaaa ttttagaccg aaacaatgtg	480
gaattggcca atacaggaac acatatgaga ttaggcacgc ttccaaagaa tgtatctaaa	540
aaagattata aagcaatcgc taaagaacta agtatttctg aagactatat caacaacaaa	600
tggatcaaaa ttgggtacaa gatgatacct tcgttccact ttaaaaccgt taaaaaatg	660
gatgaatatt taagtgattt cgcaaaaaaa tttcatctta caactaatga aacagaaagt	720
cgtaactatc ctctagaaaa agcgacttca catctattag gttatggttg tcccattaac	780
tctgaagaat taaaacaaaa agaataataa ggctataaag atgatgcagt tattggtaaa	840
aagggactcg aaaaacttta cgataaaaag ctccaacatg aagatggcta tcgtgtcaca	900
atcgttgacg ataatagcaa tacaatcgca catacattaa tagagaaaaa gaaaaaagat	960
ggcaaagata ttcaactaac tattgatgct aaagttcaaa agagtattta taacaacatg	1020
aaaaatgatt atggctcagg tactgctatc caccctcaaa caggtgaatt attagcactt	1080
gtaagcacac cttcatatga cgtctatcca tttatgtatg gcatgagtaa cgaagaatat	1140
aataaattaa ccgaagataa aaaagaacct ctgctcaaca agttccagat tacaacttca	1200
ccaggttcaa ctcaaaaaat attaacagca atgattgggt taaataacaa aacattagac	1260
gataaaacaa gttataaaat cgatggtaaa ggttggcaaa aagataaatc ttgggggtgg	1320
tacaacgtta caagatatga agtggtaaat ggtaatatcg acttaaaaca agcaatagaa	1380
tcatcagata acattttctt tgctagagta gcactcgaat taggcagtaa gaaatttgaa	1440
aaaggcatga aaaaactagg tgttggtgaa gatataccaa gtgattatcc attttataat	1500
gctcaaattt caaacaaaaa tttagataat gaaatattat tagctgattc aggttacgga	1560
caaggtgaaa tactgattaa cccagtacag atcctttcaa tctatagcgc attagaaaat	1620
aatggcaata ttaacgcacc tcacttatta aaagacacga aaaacaaagt ttggaagaaa	1680

aatattatattt ccaaagaaaa tatcaatcta ttaaattgatg gtatgcaaca agtcgtaaatt 1740
aaaacacata aagaagatat ttatagatct tatgcaaact taattggcaa atccgggtact 1800
gcagaactca aatgaaaca aggagaaagt ggcagacaaa ttgggtgggtt tatatcatat 1860
gataaagata atccaaacat gatgatggct attaattgta aagatgtaca agataaagga 1920
atggctagct acaatgccaa aatctcaggt aaagtgtatg atgagctata tgagaacggt 1980
aataaaaaat acgatataga tgaataa 2007

<210> 79
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 79
caaattattat ctcgtaattt accttggtc 29

<210> 80
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 80
ctctgcttta tattataaaa ttacggctg 29

<210> 81
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 81
attgctgtta atatttttttg agttgaa 27

<210> 82
<211> 1957
<212> DNA
<213> Staphylococcus aureus

<400> 82
atgaaaaaga taaaaattgt tccacttatt ttaatagttg tagttgtcgg ttgatgcaat 60

tgaagataaa aatttcaaac aagtttataa agatagcagt tatatttcta aaagcgataa	120
tggtgaagta gaaatgactg aacgtccgat aaaaatatat aatagtttag gcgttaaaga	180
tataaacatt caggatcgta aaataaaaaa agtatctaaa aataaaaaac gagtagatgc	240
tcaatataaa attaaaacaa actacggtaa cattgatcgc aacgttcaat ttaattttgt	300
taaagaagat ggtatgtgga agttagattg ggatcatagc gtcattattc caggaatgca	360
gaaagaccaa agcatacata ttgaaaattt aaaatcagaa cgtggtaaaa ttttagaccg	420
aaacaatgtg gaattggcca atacaggaac agcatatgag ataggcatcg ttccaaagaa	480
tgtatctaaa aaagattata aagcaatcgc taaagaacta agtatttctg aagactatat	540
caaacaacaa atggatcaaa attgggtaca agatgatacc ttcgttccac ttaaaaccgt	600
taaaaaaatg gatgaatatt taagtgattt cgcaaaaaaa tttcatctta caactaatga	660
aacagaaagt cgtaactatc ctctagaaaa agcgacttca catctattag gttatggttg	720
tcccattaac tctgaagaat taaaacaaaa agaataataa ggctataaag atgatgcagt	780
tattggtaaa aagggactcg aaaaacttta cgataaaaag ctccaacatg aagatggcta	840
tcgtgtcaca atcgttgacg ataatagcaa tacaatcgca catacattaa tagagaaaaa	900
gaaaaaagat ggcaaagata ttcaactaac tattgatgct aaagttcaaa agagtattta	960
taacaacatg aaaaatgatt atgggtcagg tactgctatc caccctcaaa caggtgaatt	1020
attagcactt gtaagcacac cttcatatga cgtctatcca tttatgtatg gcatgagtaa	1080
cgaagaatat aataaattaa ccgaagataa aaaagaacct ctgctcaaca agttccagat	1140
tacaacttca ccagggtcaa ctcaaaaaat attaacagca atgattgggt taaataacaa	1200
aacattagac gataaaacaa gttataaaat cgatggtaaa gggtggcaaa aagataaatc	1260
ttgggggtggt tacaacgtta caagatatga agtggtaaat ggtaatatcg acttaaaaca	1320
agcaatagaa tcatcagata acatttttctt tgctagagta gcactcgaat taggcagtaa	1380
gaaatttgaa aaaggcatga aaaaactagg tgttggtgaa gatataccaa gtgattatcc	1440
attttataat gctcaaattt caaacaaaaa tttagataat gaaatattat tagctgattc	1500
aggttacgga caagggtgaaa tactgattaa cccagtacag atcctttcaa tctatagcgc	1560
attagaaaat aatggcaata ttaacgcacc tcacttatta aaagacacga aaaacaaagt	1620
ttggaagaaa aatattattt ccaaagaaaa tatcaatcta ttaactgatg gtatgcaaca	1680
agtcgtaaat aaaacacata aagaagatat ttatagatct tatgcaaact taattggcaa	1740

atccggtact gcagaactca aaatgaaaca aggagaaact ggcagacaaa ttgggtggtt 1800
tatatcatat gataaagata atccaaacat gatgatggct attaattgta aagatgtaca 1860
agataaagga atggctagct acaatgccaa aatctcaggt aaagtgtatg atgagctata 1920
tgagaacggt aataaaaaat acgatataga tgaataa 1957

<210> 83
<211> 36
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 83
cccacccac atcaaatgat gcgggttggtg ggtggg 36

<210> 84
<211> 37
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 84
ccgcgcgta gttactgcgt tgtaagacgt ccgcggg 37

<210> 85
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 85
gtttttatca ccatattgaa tttatac 27

<210> 86
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 86
atttacttga aagactgcgg aggag 25

<210> 87
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 87
tgtttgagct tccacagcta tttc

24

<210> 88
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 88
ccctataatt ccaattattg cactaac

27

<210> 89
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 89
atgaggagat aataatttgg aggg

25

<210> 90
<211> 2007
<212> DNA
<213> Staphylococcus aureus

<400> 90
atgaaaaaga taaaaattgt tccacttatt ttaatagttg tagttgtcgg gtttggtata 60
tatttttatg cttccaaaga taaagaaatt aataatacta ttgatgcaat tgaagataaa 120
aatttcaaac aagtttataa agatagcagt tatatttcta aaagcgataa tgggtgaagta 180
gaaatgactg aacgtccgat aaaaatatat aatagtttag gcgttaaaga tataaacatt 240
caggatcgta aaataaaaaa agtatctaaa aataaaaaaac gagtagatgc tcaatataaa 300
attaaaacaa actacggtaa cattgatcgc aacgttcaat ttaattttgt taaagaagat 360
ggtatgtgga agttagattg ggatcatagc gtcattattc caggaatgca gaaagaccaa 420
agcatacata ttgaaaattt aaaatcagaa cgtggtaaaa ttttagaccg aaacaatgtg 480

gaattggcca atacaggaac agcatatgag ataggcatcg ttccaaagaa tgtatctaaa 540
aaagattata aagcaatcgc taaagaacta agtattttctg aagactatat caaacaacaa 600
atggatcaaa attgggtaca agatgatacc ttcgttccac ttaaaaccgt taaaaaatg 660
gatgaatatt taagtgattt cgcaaaaaaa tttcatctta caactaatga aacagaaagt 720
cgtaactatc ctctaggaaa agcgacttca catctattag gttatgttgg tcccattaac 780
tctgaagaat taaaacaaaa agaataataa ggctataaag atgatgcagt tattggtaaa 840
aagggactcg aaaaacttta cgataaaaag ctccaacatg aagatggcta tcgtgtcaca 900
atcgttgacg ataatagcaa tacaatcgca catacattaa tagagaaaaa gaaaaaagat 960
ggcaaagata ttcaactaac tattgatgct aaagttcaaa agagtattta taacaacatg 1020
aaaaatgatt atggctcagg tactgctatc caccctcaaa caggtgaatt attagcactt 1080
gtaagcacac cttcatatga cgtctatcca tttatgtatg gcatgagtaa cgaagaatat 1140
aataaattaa ccgaagataa aaaagaacct ctgctcaaca agttccagat tacaacttca 1200
ccaggttcaa ctcaaaaaat attaacagca atgattgggt taaataacaa aacattagac 1260
gataaaacaa gttataaaat cgatggtaaa gggtggcaaa aagataaatc ttgggggtggt 1320
tacaacgtta caagatatga agtggtaaat ggtaatatcg acttaaaaca agcaatagaa 1380
tcatcagata acattttctt tgctagagta gcactcgaat taggcagtaa gaaatttgaa 1440
aaaggcatga aaaaactagg tgttggtgaa gatataccaa gtgattatcc attttataat 1500
gctcaaattt caaacaaaaa tttagataat gaaatattat tagctgattc aggttacgga 1560
caaggtgaaa tactgattaa ccagtacag atcctttcaa tctatagcgc attagaaaat 1620
aatggcaata ttaacgcacc tcacttatta aaagacacga aaaacaaagt ttggaagaaa 1680
aatattattt ccaaagaaaa tatcaatcta ttaactgatg gtatgcaaca agtcgtaaat 1740
aaaacacata aagaagatat ttatagatct tatgcaaact taattggcaa atccggtact 1800
gcagaactca aaatgaaaca aggagaaact ggcagacaaa ttgggtggtt tatatcatat 1860
gataaagata atccaaacat gatgatggct attaatgtta aagatgtaca agataaagga 1920
atggctagct acaatgcaa aatctcaggt aaagtgtatg atgagctata tgagaacggt 1980
aataaaaaat acgatataga tgaataa 2007

<210> 91
<211> 2007
<212> DNA

<213> Staphylococcus aureus

<400> 91

atgaaaaaga taaaaattgt tccacttatt ttaatagttg tagttgtcgg gtttggtata	60
tattttttatg cttcaaaaga taaagaaatt aataatacta ttgatgcaat tgaagataaa	120
aatttcaaac aagttttataa agatagcagt tatattttcta aaagcgataa tgggtgaagta	180
gaaatgactg aacgtccgat aaaaatatat aatagtttag gcgttaaaga tataaacatt	240
caggatcgta aaataaaaaa agtatctaaa aataaaaaaac gagtagatgc tcaatataaa	300
attaaaacaa actacggtaa cattgatcgc aacgttcaat ttaattttgt taaagaagat	360
ggtatgtgga agttagattg ggatcatagc gtcattattc caggaatgca gaaagaccaa	420
agcatacata ttgaaaattt aaaatcagaa cgtggtaaaa ttttagaccg aaacaatgtg	480
gaattggcca atacaggaac agcatatgag ataggcatcg ttccaaagaa tgtatctaaa	540
aaagattata aagcaatcgc taaagaacta agtattttctg aagactatat caaacaacaa	600
atggatcaaa agtgggtaca agatgatacc ttcgttccac ttaaaaccgt taaaaaatg	660
gatgaatatt taagtgattt cgcaaaaaaa tttcatctta caactaatga aacagaaagt	720
cgtaactatc ctctagaaaa agcgacttca catctattag gttatgttgg tcccattaac	780
tctgaagaat taaaacaaaa agaataataa ggctataaag atgatgcagt tattggtaaa	840
aagggactcg aaaaacttta cgataaaaag ctccaacatg aagatggcta tcgtgtcaca	900
atcgttgacg ataatagcaa tacaatcgca catacattaa tagagaaaaa gaaaaaagat	960
ggcaaagata ttcaactaac tattgatgct aaagttcaaa agagtattta taacaacatg	1020
aaaaatgatt atggctcagg tactgctatc caccctcaaa caggtgaatt attagcactt	1080
gtaagcacac cttcatatga cgtctatcca tttatgtatg gcatgagtaa cgaagaatat	1140
aataaattaa ccgaagataa aaaagaacct ctgctcaaca agttccagat tacaacttca	1200
ccaggttcaa ctcaaaaaat attaacagca atgattgggt taaataacaa aacattagac	1260
gataaaacaa gttataaaat cgatggtaaa ggttggcaaa aagataaatc ttgggggtggt	1320
tacaacgtta caagatatga agtggtaaat ggtaatatcg acttaaaaca agcaatagaa	1380
tcatcagata acattttctt tgctagagta gcactcgaat taggcagtaa gaaatttgaa	1440
aaaggcatga aaaaactagg tgttggtgaa gatataccaa gtgattatcc attttataat	1500
gctcaaattt caaacaaaaa tttagataat gaaatattat tagctgattc aggttacgga	1560
caaggtgaaa tactgattaa cccagtacag atcctttcaa tctatagcgc attagaaaat	1620

aatggcaata ttaacgcacc tcacttatta aaagacacga aaaacaaagt ttggaagaaa 1680
 aatattatatt ccaaagaaaa tatcaatcta ttaactgatg gtatgcaaca agtcgtaaata 1740
 aaaacacata aagaagatat ttatagatct tatgcaaact taattggcaa atccggtact 1800
 gcagaactca aatgaaaca aggagaaact ggcagacaaa ttgggtgggt tatatcatat 1860
 gataaagata atccaaacat gatgatggct attaattgta aagatgtaca agataaagga 1920
 atggctagct acaatgccaa aatctcaggt aaagtgtatg atgagctata tgagaacggt 1980
 aataaaaaat acgatataga tgaataa 2007

<210> 92
 <211> 675
 <212> DNA
 <213> Staphylococcus aureus

<400> 92
 atgaactatt tcagatataa acaatttaac aaggatgtta tcactgtagc cgttggctac 60
 tatctaagat atacattgag ttatcgtgat atatctgaaa tattaaggga acgtgggtgta 120
 aacgttcac attcaacggt ctaccgttgg gttcaagaat atgccccaat tttgtatcaa 180
 atttggaaga aaaagcataa aaaagcttat taaaatggc gtattgatga gacgtacac 240
 aaaataaaaag gaaaatggag ctattttatat cgtgccattg atgcagaggg acatacatta 300
 gatatttggt tgcgtaagca acgagataat cattcagcat atgcgtttat caaacgtctc 360
 attaaacaat ttggtaaacc tcaaaaggta attacagatc aggcaccttc aacgaaggta 420
 gcaatggcta aagtaattaa agctttttaa cttaaacctg actgtcattg tacatcgaaa 480
 tatctgaata acctcattga gcaagatcac cgtcatatta aagtaagaaa gacaaggat 540
 caaagtatca atacagcaaa gaatacttta aaaggatttg aatgtattta cgctctatat 600
 aaaaagaacc gcaggtctct tcagatctac ggattttcgc catgccacga aattagcatc 660
 atgctagcaa gttaa 675

<210> 93
 <211> 675
 <212> DNA
 <213> Staphylococcus aureus

<400> 93
 atgaactatt tcagatataa acaatttaac aaggatgtta tcactgtagc cgttggctac 60
 tatctaagat atacattgag ttatcgtgat atatctgaaa tattaaggga acgtgggtgta 120
 aacgttcac attcaacggt ctaccgttgg gttcaagaat atgccccaat tttgtatcaa 180

```

atttggaaga aaaagcataa aaaagcttat tacaaatggc gtattgatga gacgtacatc 240
aaaataaaaag gaaaatggag ctattttatat cgtgccattg atgcagaggg acatacatta 300
gatattttggt tgcgtaagca acgagataat cattcagcat atgcgtttat caaacgtctc 360
attaaacaat ttggtaaacc tcaaaaggta attacagatc aggcaccttc aacgaaggta 420
gcaatggcta aagtaattaa agctttttaa cttaaacctg actgtcattg tacatcgaaa 480
tatctgaata acctcattga gcaagatcac cgtcatatta aagtaagaaa gacaaggat 540
caaagtatca atacagcaaa gaatacttta aaaggatttg aatgtattta cgctctatat 600
aaaaagaacc gcaggtctct tcagatctac ggattttcgc catgccacga aattagcatc 660
atgctagcaa gttaa 675

```

```

<210> 94
<211> 675
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 94
atgaactatt tcagatataa acaatttaac aaggatgtta tcaactgtagc cgttggctac 60
tatctaagat atacattgag ttatcgtgat atatctgaaa tattaaggga acgtgggtgta 120
aacgttcatc attcaacggg ctaccgttgg gttcaagaat atgccccaat tttgtatcaa 180
atttggaaga aaaagcataa aaaagcttat tacaaatggc gtattgatga gacgtacatc 240
aaaataaaaag gaaaatggag ctattttatat cgtgccattg atgcagaggg acatacatta 300
gatattttggt tgcgtaagca acgagttaat cattcagcat atgcgtttat caaacgtctc 360
attaaacaat ttggtaaacc tcaaaaggta attacagatc aggcaccttc aacgaaggta 420
gcaatggcta aagtaattaa agctttttaa cttaaacctg actgtcattg tacatcgaaa 480
tatctgaata acctcattga gcaagatcac cgtcatatta aagtaagaaa gacaaggat 540
caaagtatca atacagcaaa gaatacttta aaaggatttg aatgtattca cgctctatat 600
aaaaagaacc gcaggtctct tcagatctac ggattttcgc catgccacga aattagcatc 660
atgctagcaa gttaa 675

```

```

<210> 95
<211> 675
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 95

```

atgaactatt tcagatataa acaattttaac aaggatgtta tcaactgtagc cgttggctac 60
tatctaagat atacattgag ttatcgtgat atatctgaaa tattaaggga acgtgggtgta 120
aacgttcatc attcaacggt ctaccgttgg gttcaagaat atgccccaat tttgtatcaa 180
at ttggaaga aaaagcataa aaaagcttat tacaaatggc gtattgatga gacgtacatc 240
aaaataaaaag gaaaatggag ctattttatat cgtgccattg atgcagaggg acatacatta 300
gatattttggg tgcgtaagca acgagataat cattcagcat atgcgtttat caaacgtctc 360
attaaacaat ttggtaaacc tcaaaaggta attacagatc aggcaccttc aacgaaggta 420
gcaatggcta aagtaattaa agctttttaa cttaaacctg actgtcattg tacatcgaaa 480
tatctgaata acctcattga gcaagatcac cgtcatatta aagtaagaaa gacaaggat 540
caaagtatca atacagcaaa gaatacttta aaaggatttg aatgtattta cgctctatat 600
aaaaagaacc gcaggctctt tcagatctac ggatttttcgc catgccacga aattagcatc 660
atgctagcaa gttaa 675

<210> 96
<211> 28
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 96
gtaaagtgta tgatgagcta tatgagaa 28

<210> 97
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 97
gctgaaaaaa ccgcatcatt trtgrta 27

<210> 98
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 98
tttagtttta tttatgatac gcttctcca

29

<210> 99
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 99
gctgaaaaaa ccgcatcatt tatgata

27

<210> 100
<211> 28
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 100
ctatgtcaaa aatcatgaac ctcattac

28

<210> 101
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 101
ggaggctaac tatgtcaaaa atc

23

<210> 102
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 102
ctctataaac atcgtatgat attgc

25

<210> 103
<211> 20
<212> DNA
<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 103

accaaacgac atgaaaatca

20

<210> 104

<211> 1256

<212> DNA

<213> Staphylococcus aureus

<400> 104

ttcagaaaaa tgattaatgt gtttcaataa aatctctcct tctttgtgaa catattcatt 60

tttatactaa ttaatatat ttccaaaaaa gtttctgttt aaaagtgaaa aatattatatt 120

accgtttgac ttaaattctt aatatatagg tgtttatatg tatcattttg cgccaatttg 180

aataaacggg aatcaagtct gtttctgagt ttatttcaac tttcttatag taaacattgt 240

cttaatatga tgaacttcaa taaaactttc cctatgcccc ataaaatttt ctcaaaatca 300

aaaataacat accttacaac ttttaccgtc gatatcaatt gctcttttct taatttagga 360

ttgctttcaa attttgtact ataacgtgaa actacttttc cttctttata attaaaattt 420

actaattcac aatcattttt acttccattt acaaaaacat ccactgtttc taacacaaaa 480

tctaataaac ttccttttat taatcgtagg cattgtatat ttcctttcat tctttcttga 540

ttccattagt ttaaatttaa aatttcatcc atcaatttct taatttaatt gtagttccat 600

aatcaatata atttgtacag ttattatata ttctagatca tcaatagttg aaaaatgggt 660

tattaaacac tctataaaca tcgtatgata ttgcaaggta taatccaata tttcatatat 720

gtaattcctc cacatctcat taaattttta aattatacac aacctaattt ttagttttat 780

ttatgatagc cttctccacg cataatctta aatgctctgt acacttgttc aattaacaca 840

accgcatca tttgatgtgg gaatgtcatt ttgctgaatg atagtgcgta gttactgcgt 900

tgtaagacgt ccttgtgcag gccgtttgat ccgccaatga cgaatacaaa gtcgctttgc 960

ccttgggtca tgcgttggtt caattcttgg gccaatcctt cggaagatag catctttcct 1020

tgtatttcta atgtaatgac tgttgattgt ggtttgattt tggctagtat tcgttggcct 1080

tctttttctt ttacttgctc aatttctttg tcgctcatat tttctgggtgc tttttcgtct 1140

ggaacttcta tgatgtctat cttggtgtat gggcctaaac gtttttcata ttctgctatg 1200

gcttgcttcc aatatttctc ttttagtttc cctacagcta aaatgggtgat tttcat 1256

<210> 105

<211> 28
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<220>
<221> misc_feature
<222> (27)..(27)
<223> n =inosine

<400> 105
tcatgaacct cattacttat gataagnt

28

<210> 106
<211> 28
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<220>
<221> misc_feature
<222> (27)..(27)
<223> N = INOSINE

<400> 106
gaaaaaaccg catcatttat gatatgnt

28

<210> 107
<211> 30
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<220>
<221> misc_feature
<222> (29)..(29)
<223> N = INOSINE

<400> 107
cctaattttt agttttatatt atgatacgnt

30

<210> 108
<211> 35
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<220>
<221> misc_feature
<222> (34)..(34)
<223> N = INOSINE

<400> 108
cacaacctaa ttttttagttt tatattatgat acgnt

35

<210> 109
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 109
tgataagcca ttcattcacc ctaa

24

<210> 110
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 110
aaggactcct aatttatgtc taattcc

27

<210> 111
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 111
atgggagtc ttcgctattc tgtg

24

<210> 112
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 112
cacttttttat tcttcaaaga tttgagc

27

<210> 113
<211> 28
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 113
atggaaattc ttaatcttta cttgtacc

28

<210> 114
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 114
agcatcttct ttacatcgct tact

24

<210> 115
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 115
cagcaattcw cataaacctc ata

23

<210> 116
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 116
acaaactttg aggggatttt tagtaaa

27

<210> 117
<211> 22
<212> DNA
<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 117

tatattgtgg catgatttct tc

22

<210> 118

<211> 23

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 118

cgaatggact agcactttct aaa

23

<210> 119

<211> 21

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 119

ttgaggatca aaagttgttg c

21

<210> 120

<211> 21

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 120

cgatgatttt atagtaggag a

21

<210> 121

<211> 28

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 121

ttcaatctct aaatctaaat cagtttttg

28

<210> 122

<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 122
aggcgagaaa atggaacata tcaa

24

<210> 123
<211> 26
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 123
ggtacaagta aagattaaga atttcc

26

<210> 124
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 124
agacaacttt atgcaggtcc tt

22

<210> 125
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 125
taactgcttg ggtaacctta tc

22

<210> 126
<211> 21
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 126
tattgcaggt ttcgatgttg a

21

<210> 127
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 127
tgacccatat cgcctaaaat ac

22

<210> 128
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 128
aaaggacaac aaggtagcaa ag

22

<210> 129
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 129
tctgtggata aacaccttga tg

22

<210> 130
<211> 18
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 130
gtttgatccg ccaatgac

18

<210> 131
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 131
ggcataaatg tcaggaaaat atc

23

<210> 132
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 132
gaggaccaa cgacatgaaa atc

23

<210> 133
<211> 20
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 133
ttcgaggttg atgggaagca

20

<210> 134
<211> 18
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 134
cgctcgactc aggggtgtt

18

<210> 135
<211> 18
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 135
cgttgaagat gcctttga

18

<210> 136
<211> 18
<212> DNA
<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 136

ttttgcaaca gccattcg

18

<210> 137

<211> 21

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 137

gcacacatgt tgtaagtttg c

21

<210> 138

<211> 22

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 138

acgcaaactt acaacatgtg tg

22

<210> 139

<211> 22

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 139

cgtttgtctg atttggagga ag

22

<210> 140

<211> 24

<212> DNA

<213> Artificial

<220>

<223> OLIGONUCLEOTIDE

<400> 140

tttcttcac atcggtcata aaat

24

<210> 141

<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 141
ctacgtgaat caaaaacaat gga

23

<210> 142
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 142
tactgcaaag tctcgttcat cc

22

<210> 143
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 143
cataccattt tgaacgatga cctc

24

<210> 144
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 144
atgtctggtc aactttccga etc

23

<210> 145
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 145
caatcggtat ctgtaaatat caaat

25

<210> 146
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 146
tcgcatacct gtttatcttc tact

24

<210> 147
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 147
ttgggtccat ctgaactttg ag

22

<210> 148
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 148
aatggcttat caaagtgaat atgc

24

<210> 149
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 149
taatttcctt tttttccatt cctc

24

<210> 150
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 150
actagaatct ccaaataat ccagt

25

<210> 151
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 151
tggagttaat ctacgtctca tctc

24

<210> 152
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 152
gttcatacag aagactcctt ttg

24

<210> 153
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 153
agttttgatt atccgaataa atgct

25

<210> 154
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 154
tttaaattca gctatatggg gaga

24

<210> 155
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 155
ttccgttttg ctattccata at

22

<210> 156
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 156
cctctgataa aaaacttggtg aaat

24

<210> 157
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 157
actactcctg gaattacaaa ctgg

24

<210> 158
<211> 23
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 158
gccaaaatta aaccacaatc cac

23

<210> 159
<211> 24
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 159
cattttgctg aatgatagtg cgta

24

<210> 160

<211> 48
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 160
cgaccggatt cccacatcaa atgatgcggg ttgtgttaat tccggtcg

48

<210> 161
<211> 37
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 161
cccgcgcrtta gttactrcgt tgtaagacgt ccgcggg

37

<210> 162
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 162
ccccgtagtt actgcgttgt aagacgggg

29

<210> 163
<211> 37
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 163
cccgcgcata gttactgcgt tgtaagacgt ccgcggg

37

<210> 164
<211> 37
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 164
cccgcgcgta gttactacgt tgtaagacgt ccgcggg

37

<210> 165
 <211> 1282
 <212> DNA
 <213> Staphylococcus aureus

<400> 165
 accatttttag ctgtagggaa actaaaagag aaatattgga agcaagccat agcagaatat 60
 gaaaaacggt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
 ccagaaaata tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata 180
 ctagccaaaa tcaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta 240
 tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
 gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactat 360
 gcactatcat ttagcaaaat gacattccca catcaaatga tgcggggttg gttaattgaa 420
 caagtgtata gagcatttaa gattatgcgt ggagaagcgt accacaaata aaactaaaaa 480
 atatgagaaa attattaaat tagctcaaat ctttgaagaa taaaagtgaa atattaagtt 540
 tgataattta ggtacaagta aagattaaga atttccatta tttaatacat ggtgtgtaaa 600
 tcgacttctt tttgtattag atgtttgcag taagcgatgt aaagaagatg ctaataaata 660
 tgtgaggaat gattacgata ctagataagc ggctaataga atttttttaa gtacatatat 720
 agacatattt ttcatttagt aaaattttga atttcacttt gctaagacta gtgtctagaa 780
 atttataatg atttattaac acctatttga aacttaagta taataaatga ttcggatttt 840
 atttttaata aagacaaact tgaacgtagc aaagtagttt ttatgataaa taataagttt 900
 taataatgtg acgcttttat ataagcacat tattatgaac aatgtgaatt gagcatctac 960
 aattacatta ataaatatat aaatgatgat ttaaattcac atatatttat aatacacata 1020
 ctatatgaaa gttttgatta tccgaataaa tgctaaaatt aataaaataa ttaaaggaat 1080
 catacttatt atacgtatac gtttagctac tgaactactg gattcatttg gagattctag 1140
 tagttctttt tcaatctcta aatctaaatc agttttgtaa taaccattaa ttcctaattt 1200
 ttcacttagc tctgtacttt tttcatcatt tttatctttg ttgatatggt ccattttctc 1260
 gcctcttttt aatcaagtag aa 1282

<210> 166
 <211> 1108
 <212> DNA
 <213> Staphylococcus aureus

<400> 166

accatttttag ctgtagggaa actaaaagag aaatattgga agcaagccat agcagaatat	60
gaaaaacggt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca	120
ccagaaaata tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata	180
ctagccaaaa tcaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta	240
tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt	300
gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactat	360
gcactatcat ttagcaaaat gacattccca catcaaatga tgcgggttgt gttaattgaa	420
caagtgtata gagcatttaa gattatgcgt ggagaagcgt accacaaata aaactaaaaa	480
atatgagaaa attattaaat tagctcaaat ctttgaagaa taaaagtga atattaagtt	540
tgataattta ggtacaagta aagattaaga atttccatta tttatacat ggtgtgtaaa	600
tcgacttctt tttgtattag atgtttgcag taagcgatgt aaagaagatg ctaataaata	660
tgtgaggaat gattacgata ctagataagc ggctaataa attttttaaa gtacatatat	720
agacatattt ttcatttagt aaaattttga atttcacttt gctaagacta gtgtctagaa	780
atttataatg atttattaac acctatttga aacttaagta taataaatga ttcggatttt	840
atttttaata aagacaaact tgaacgtagc aaagtagttt ttatgataaa taataagttt	900
taataatgtg acgcttttat ataagcacat tattatgaac aatgtgaatt gagcatctac	960
aattacatta ataaatatat aaatgatgat ttaaattcac atatatttat aatacacata	1020
ctatatgaaa gttttgatta tccgaataaa tgctaaaatt aataaaaataa ttaaaggaat	1080
catacttatt atacgtatac gtttagct	1108

<210> 167

<211> 1530

<212> DNA

<213> Staphylococcus aureus

<400> 167

ttagctgtag ggaaactaaa agagaaatat tggaagcaag ccatagcaga atatgaaaaa	60
cgtttaggcc catacaccaa gatagacatc atagaagttc cagacgaaaa agcaccagaa	120
aatatgagcg acaaagaaat tgagcaagta aaagaaaaag aaggccaacg aatactagcc	180
aaaatcaaac cacaatccac agtcattaca ttagaaatac aaggaaagat gctatcttcc	240
gaaggattgg cccaagaatt gaaccaacgc atgaccaag ggcaaagcga ctttgtattc	300

```

gtcattggcg gatcaaacgg cctgcacaag gacgtcttac aacgcagtaa ctatgcacta 360
tcatttagca aaatgacatt cccacatcaa atgatgcggg ttgtgttaat tgaacaagtg 420
tatagagcat ttaagattat gcgtggagaa gcatatcata aatgatgcgg ttttttcagc 480
cgcttcataa aggggggtga tcatatcgga acgtatgagg tttatgagaa ttgctgctat 540
gtttttatga agcgtatcat aaatgatgca gtttttgata attttttctt tatcagagat 600
tttactaaaa atccccctcaa agtttgtttt tttcaacttc aactttgaag ggaataaata 660
aggaacttat ttatatattat cctttatctc attaatatct atttttttat taataatatt 720
ataaatatta aattcttttag aaaagtcact atcactctta ttcttcatac taaacgttat 780
taatctaata atatcagcta ctatttcttt aaattctatt gcactcttct ttttataagt 840
agcgcttgta tgaacaattt tatttctcat accatagtaa tctttcatat atttttttac 900
acaattttta atttcattag aattatccaa atctagatta tcaattgtct ttaataaatg 960
atcattaaca acattagcat acccacatcc aagcttcttt tttatctctt catcacttaa 1020
attttcatct aatttataat atctttctaa aaaatttggt ataaaaactt ctaatgcagt 1080
ctgaatttgt acaattgcta aattatagtc agatttataa aaagaacggt caccttttct 1140
catagccaaa acataaatat tgctaggatg attattgaaa atattataat tttttttaat 1200
atttaataaa tcaacttttt tgatagatga atactgatct tcttctatct ttccaggcat 1260
gtcaatcatg aaaatactca tctcttttat atttccatct atagtatata ttatataata 1320
tggaatactt aatatatccc ctaatgatag ctggtatata ttatgatact gatatttaac 1380
gctaataatt ttaataagat tatttagaca attaaattgc ttattaaaaa ttttcgttag 1440
actattactt ttctttgatt ccctagaagt agaatttgat ttcaattttt taaactgatt 1500
gtgcttgatt attgaagtta tttcaacata 1530

```

<210> 168

<211> 1256

<212> DNA

<213> Staphylococcus aureus

<400> 168

```

gctgtaggga aactaaaaga gaaatattgg aagcaagcca tagcagaata tgaaaaacgt 60
ttaggcccat acaccaagat agacatcata gaagttccag acgaaaaagc accagaaaat 120
atgagcgaca aagaaattga gcaagtaaaa gaaaaagaag gccaacgaat actagccaaa 180
attaaaccac aatccacagt cattacatta gaaatacaag gaaagatgct atcttccgaa 240

```

ggattggccc aagaattgaa ccaacgcatg acccaagggc aaagcgactt tgtattcgtc 300
 attggcggat caaacggcct gcacaaggac gtcttacaac gcagtaacta cgcactatca 360
 ttcagcaaaa tgacattccc acatcaaattg atgcggggttg tgttaattga gcaagtgtat 420
 agagcattta agattatgcg tggagaagca tatcataaat gatgcgggtt tttcagccgc 480
 ttcataaagg gattttgaat gtatcagaac atatgagggt tatgtgaatt gctggttatgt 540
 ttttaagaag catatcataa gtgatgcggg ttttattaat tagttgctaa aaaatgaagt 600
 atgcaatatt aattattatt aaattttgat atatttaaag aaagattaag tttaggggtga 660
 atgaatggct tatcaaagtg aatatgcatt agaaaatgaa gtacttcaac aacttgagga 720
 attgaactat gaaagagtaa atatacataa tattaaatta gaaattaatg aatatctcaa 780
 agaactagga gtgttgaaaa atgaataagc agacaaatac tccagaacta agatttccag 840
 agtttgatga ggaatggaaa aaaaggaaat taggtgaagt agtaaattat aaaaatggtg 900
 gttcatttga aagtttagtg aaaaaccatg gtgtatataa actcataact cttaaactctg 960
 ttaatacaga aggaaagttg tgtaattctg gaaaatatat cgatgataaa tgtgttgaaa 1020
 cattgtgtaa tgatacttta gtaatgatac tgagcgagca agcaccagga ctagttggaa 1080
 tgactgcaat tatacctaata aataatgagt atgtactaaa tcaacgagta gcagcactag 1140
 tgcctaaaca atttatagat agtcaatttc tatctaagtt aattaataga aaccagaaat 1200
 atttcagtgt gagatctgct ggaacaaaag tgaaaaatat ttctaaagga catgta 1256

<210> 169
 <211> 846
 <212> DNA
 <213> Staphylococcus aureus

<400> 169
 ttacattaga aatacaagga aagatgctat cttccgaagg attggcccaa gaattgaacc 60
 aacgcatgac ccaagggcaa agcgactttg ttttcgtcat tggcggatca aacggcctgc 120
 acaaggacgt cttacaacgc agtaactacg cactatcatt cagcaaaatg acattcccac 180
 atcaaattgat gcgggttgtg ttaattgaac aagtgtacag agcatttaag attatgcgag 240
 gagaagctta tcataagtaa tgaggttcat gatttttgac atagttagcc tccgcagtct 300
 ttcatttcaa gtaaataata gcgaaatatt ctttatactg aatacttata gtgaagcaaa 360
 gttctagctt tgagaaaatt ctttctgcaa ctaaataatag taaattacgg taaaatataa 420
 ataagtacat attgaagaaa atgagacata atatatttta taataggagg gaatttcaaa 480

tgatagacaa ctttatgcag gtccttaa	540
at taattaaaga gaaacgtacc aataatgtag	
ttaaaaaatc tgattgggat aaaggtgatc	600
tatataaaac tttagtccat gataagttac	
ccaagcagtt aaaagtgcac ataaaagaag	660
ataaatattc agttgtaggg aaggttgcta	
ctgggaacta tagtaaagtt ccttggattt	720
caatatatga tgagaatata acaaaagaaa	
caaaggatgg atattatttg gtatatcttt	780
ttcatccgga aggagaaggc atatacttat	
ctttgaatca aggatgggtca aagataagtg	840
atatgtttcc gcgggataaa aatgctgcaa	
aacaaa	846

<210> 170
 <211> 1270
 <212> DNA
 <213> Staphylococcus aureus

<400> 170	
cattagaaat acaaggaaag atgctatctt	60
ccgaaggatt ggccaagaa ttgaaccaac	
gcatgacca agggcaaagc gactttgtat	120
tcgtcattgg cggatcaaac ggctgcaca	
aggacgtctt acaacgcagt aactatgcac	180
tatcatttag caaaatgaca ttcccacatc	
aaatgatgcg ggttgtgtta attgaacaag	240
tgtatagagc atttaagatt atgcgtggag	
aagcatatca taaatgatgc ggttttttca	300
gccgcttcac aaagggattt tgaatgtatc	
agaacatatg aggtttatgt gaattgctgt	360
tatgttttta agaagcttat cataagtaat	
gaggttcacg atttttgaca tagttagcct	420
ccgcagtcct tcatttcaag taaataatag	
cgaatatattc tttatactga atacttatag	480
tgaagcaaag ttctagcttt gagaaaattc	
tttctgcaac taaatatagt aaattacggc	540
aaaatataaa taagtacata ttgaagaaaa	
tgagacataa tatattttat aataggaggg	600
aatttcaaata gatagacaac tttatgcagg	
tccttaaatt aattaaagag aaacgtacca	660
ataatgtagt taaaaaatct gattgggata	
aaggtgatct atataaaact ttagtccatg	720
ataagttacc caagcagtta aaagtgcata	
taaaagaaga taaatattca gttgtaggga	780
aggttgctac tgggaactat agtaaagttc	
cttggatttc aatatatgat gagaatataa	840
caaaagaaac aaaggatgga tattatttgg	
tatatctttt tcatccggaa ggagaaggca	900
tatacttatc tttgaatcaa ggatgggtcaa	
agataagtga tatgtttccg cgggataaaa	960
atgctgcaaa acaaagagca ttaactttat	
cttccgaact caataaatat attacatcaa	1020
atgaatttaa tactggaaga ttttattacg	
cagaaaataa agattcatct tatgatttaa	1080
aaaatgatta tccatcagga tattctcatg	

gatcaataag attcaaatat tatgatttga atgaaggatt cacagaagaa gatatgctag 1140
 aggattttaa gaaattttta gaactattta atgaattagc ttcaaaagtt acaaaaacat 1200
 cctatgatag cttgggtcaat agcatagacg aaatacagga agacagcgaa attgaagaaa 1260
 ttagaacagc 1270

<210> 171
 <211> 991
 <212> DNA
 <213> Staphylococcus aureus

<400> 171
 accatttttag ctgtagggaa actaaaagag aaatactgga agcaagccat agcagaatat 60
 gaaaaacggt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
 ccagaaaata tgaactacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata 180
 ctagccaaaa tcaaaccaca atcaacagtc attacattag aaatacaagg aaagatgcta 240
 tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
 gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac 360
 gcactatcat tcagcaaaat gacattccca catcaaatga tgcgggttgt gttaattgaa 420
 caagtgtaca gagcatttaa gattatgcga ggagaagcgt atcataagtg atggtaaaaa 480
 atatgagtaa gtagatgaag agtgaaaatc agattaatta ataataatgt atcaaattta 540
 aataaagggg tttttaagta tgaatttaag aggtcatgaa aatagactta aatttcatgc 600
 gaaatatgat gtgacaccta tatcacattt aaaattatta gaaggtcaaa agaaagacgg 660
 tgaaggcggc atactgacag atagctatta ctgtttttca tacagcttaa aaggtaattc 720
 taaaaaagtt ttaggtacgt ttaattgtgg ttatcatatt gctgaagatt tactaaaatt 780
 atcaaataca gataaattac ctttatttaa cccgttttaa gtaattaatg aaggtaatca 840
 attgcagggc gtaacgaata aaggtaattt aaatattaat aggcaaagaa aacagtataa 900
 tgaagtggct ttacagcttt caaatgctat taatttaatc ataatttggt atgaggataa 960
 tattaaagaa ccactttcaa cgataaaata c 991

<210> 172
 <211> 748
 <212> DNA
 <213> Staphylococcus aureus

<400> 172
 atcgtttaac gtgtcacatg atgcgataga tccgcaattt tatattttcc ataataacta 60

```

taagaagttt acgattttta cagatacggg ttacgtgtct gatcgtatga aaggtatgat 120
acgtggcagc gatgcattta tttttgagag taatcatgac gtcgatatgt tgagaatgtg 180
tcgttatcca tggaagacga aacaacgcat tttaggcgat atgggtcatg tatctaata 240
ggatgcgggt catgcgatga cagacgtgat tacaggtaac acgaaacgta tttacttatc 300
gcatttatca caagataata atatgaaaga tttggcgcgt atgagtgttg gccaaagtatt 360
gaacgaacac gatattgata cggaaaaaga agtattgcta tgtgatacgg ataaagctat 420
tccaacacca atatatacaa tataaatgag agtcacccga taaagttccg cactgctgtg 480
aaacgacttt atcgggtgct tttttatggt gttggtggga aatggctgtt gttgagttga 540
atcggattga ttgaaatgtg taaaataatt cgatattaaa tgtaatttat aaataattta 600
cataaaatca aacattttta tataaggatt atgataatat attggtgtat gacagttaat 660
ggagggaacg aaatgaaagc tttattactt aaaacaagtg tatggctcgt tttgcttttt 720
agtgtgatgg gattatggca tgtctcga 748

```

```

<210> 173
<211> 917
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 173
aaatacaagg aaagatgcta tcttccgaag gattggccca agaattgaac caacgcatga 60
cccaagggca aagcgacttt gtattcgtca ttggcggatc aaacggcctg cacaaggacg 120
tcttacaacg tagtaactac gcactatcat tcagcaaaat gacattccca catcaaata 180
tgcggttgt gttaattgag caagtgtata gagcatttaa gattatgcgt ggagaagcat 240
atcataaatg atgcggtttt ttcagccgct tcataaaggg attttgaatg tatcagaaca 300
tatgaggttt atgtgaattg ctgttatggt ttaagaagc ttatcataag taatgaggtt 360
catgattttt gacatagtta gcctccgcag tctttcattt caagtaaata atagcgaaat 420
attctttata ctgaatactt atagtgaagc aaagttctag ctttgagaaa attctttctg 480
caactaaata tagtaaatta cggtaaaata taaataagta catattgaag aaaatgagac 540
ataatatatt ttataatagg agggaatttc aaatgataga caactttatg caggtcctta 600
aattaattaa agagaaacgt accaataatg tagttaaaaa atctgattgg gataaagggtg 660
atctatataa aactttagtc catgataagt tacccaagca gttaaaagtg catataaaag 720
aagataaata ttcagttgta gggaagggtg ctactgggaa ctatagtaaa gttccttgga 780

```

tttcaatata tgatgagaat ataacaaaag aaacaaagga tggatattat ttggtatatc 840
 tttttcatcc ggaaggagaa ggcatatact tatctttgaa tcaaggatgg tcaaagataa 900
 gtgatatggt tccgcgg 917

<210> 174
 <211> 1132
 <212> DNA
 <213> Staphylococcus aureus

<400> 174
 gctgtaggga aactaaaaga gaaatattgg aagcaagcca tagcagaata tgaaaaacgt 60
 ttaggccccat acaccaagat agacatcata gaagttccag acgaaaaagc accagaaaat 120
 atgagcgaca aagaaattga gcaagtaaaa gaaaaagaag gccaacgaat actagccaaa 180
 atcaaaccac aatcaacagt cattacatta gaaatacaag gaaagatgct atcttccgaa 240
 ggattggccc aagaattgaa ccaacgcatg acccaagggc aaagcgactt tgtattcgtc 300
 attggcggat caaacggcct gcacaaggac gtcttacaac gtagtaacta cgactatca 360
 ttcagcaaaa tgacattccc acatcaaattg atgcggggtg tgttaattga gcaagtgtat 420
 agagcattta agattatgcy tggagaagca tatcataaat gatgcgggtt tttcagccgc 480
 ttcataaagg gatthttgaat gtatcagaac atatgagggt tatgtgaatt gctgttatgt 540
 ttttaagaag cttatcataa gtaatgaggt tcatgattht tgacatagtt agcctccgca 600
 gtctttcatt tcaagtaaatt aatagcgaaa tattctttat actgaatact tatagtgaag 660
 caaagttcta gctttgagaa aattctttct gcaactaaat atagtaaatt acggtaaaat 720
 ataaataagt acatattgaa gaaaatgaga cataatatat tttataatag gagggaaatt 780
 caaatgatag acaactttat gcaggtcctt aaattaatta aagagaaacg taccaataat 840
 gtagttaaaa aatctgattg ggataaagggt gatctatata aaactttagt ccatgataag 900
 ttaccaagc agttaaaagt gcatataaaa gaagataaat attcagttgt aggggaagggt 960
 gctactggga actatagtaa agttccttgg atttcaatat atgatgagaa tataacaaaa 1020
 gaaacaaagg atggatatta tttggtatat ctttttcatc cggaaggaga aggcataac 1080
 ttatctttga atcaaggatg gtcaaagata agtgatatgt ttccgcggga ta 1132

<210> 175
 <211> 1133
 <212> DNA
 <213> Staphylococcus aureus

<400> 175
agctgtaggg aaactaaaag agaaatattg gaagcaagcc atagcagaat atgaaaaacg 60
tttaggcca tacaccaaga tagacatcat agaagttcca gacgaaaaag caccagaaaa 120
tatgagcgac aaagaaattg agcaagtaaa agaaaaagaa ggccaacgaa tactagccaa 180
aatcaaacca caatcaacag tcattacatt agaaatacaa ggaaagatgc tatcttccga 240
aggattggcc caagaattga accaacgcat gaccaagggg caaagcgact ttgtattcgt 300
cattggcgga tcaaacggcc tgcacaagga cgtcttacia cgtagtaact acgcactatc 360
attcagcaaa atgacattcc cacatcaaat gatgcggggt gtgttaattg agcaagtgt 420
tagagcattt aagattatgc gtggagaagc atatcataaa tgatgcgggt ttttcagccg 480
cttcataaag ggattttgaa tgtatcagaa catatgaggt ttatgtgaat tgctgttatg 540
ttttaagaa gcttatcata agtaatgagg ttcattgatt ttgacatagt tagcctccgc 600
agtctttcat ttcaagtaaa taatagcgaa atattcttta tactgaatac ttatagtga 660
gcaaagttct agctttgaga aaattctttc tgcaactaaa tatagtaaat tacggtaaaa 720
tataaataag tacatattga agaaaatgag acataatata ttttataata ggagggaatt 780
tcaaatgata gacaacttta tgcaggctct taaattaatt aaagagaaac gtaccaataa 840
tgtagttaaa aaatctgatt gggataaagg tgatctatat aaaactttag tccatgataa 900
gttaccgaag cagttaaaag tgcataataa agaagataaa tattcagttg tagggaagg 960
tgctactggg aactatagta aagttccttg gatttcaata tatgatgaga atataacaaa 1020
agaaacaaag gatggatatt atttggtata tctttttcat ccggaaggag aaggcatata 1080
cttatctttg aatcaaggat ggtcaaagat aagtgatatg tttccgcggtg ata 1133

<210> 176
<211> 1087
<212> DNA
<213> Staphylococcus aureus

<400> 176
actaaaagag aaatattgga agcaagccat agcagaatat gaaaaacgtt taggcccata 60
caccaagata gacatcatag aagttccaga cgaaaaagca ccagaaaata tgagcgacaa 120
agaaattgag caagtaaaag aaaaagaagg ccaacgaata ctagccaaaa tcaaaccaca 180
atcaacagtc attacattag aaatacaagg aaagatgcta tcttccgaag gattggcaca 240
agaattgaac caacgcatga cccaagggca aagcgacttt gtattcgtca ttggcggatc 300

```

aaacggcctg cacaaggacg tcttacaacg tagtaactac gcactatcat tcagcaaaat 360
gacattccca catcaaatga tgcgggttgt gttaattgag caagtgtata gagcgtttaa 420
gattatgcgt ggagaagcat atcataaatg atgcgggtttt ttcagccgct tcataaaggg 480
atthttgaatg tatcagaaca tatgagggtt atgtgaattg ctggttatgtt tttaagaagc 540
ttatcataag taatgagggt catgattttt gacatagtta gcctccgcag tctttcattt 600
caagtaaata atagcgaaat attctttata ctgaataact atagtgaagc aaagttctag 660
ctttgagaaa attctttctg caactaaata tagtaaatta cggtaaaata taaataagta 720
catattgaag aaaatgagac ataatatatt ttataatagg agggaatttc aaatgataga 780
caactttatg caggtcctta aattaattaa agagaaacgt accaataatg tagttaaaaa 840
atctgattgg gataaagggt atctatataa aacttttagtc catgataagt taccgaagca 900
gttaaaagtg catataaaag aagataaata ttcagttgta gggaagggtg ctactgggaa 960
ctatagtaaa gttccttgga tttcaatata tgatgagaat ataacaaaag aaacaaagga 1020
tgatatttat ttggtatatc tttttcatcc ggaaggagaa ggcatatact tatctttgaa 1080
tcaagga 1087

```

```

<210> 177
<211> 903
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 177
caaggaaaga tgctatcttc cgaaggattg gcccaagaat tgaaccaacg catgacccaa 60
gggcaaagcg actttgtatt cgtcatgggc ggatcaaacg gcctgcacaa ggacgtctta 120
caacgtagta actacgcact atcattcagc aaaatgacat tcccacatca aatgatgcgg 180
gttgtgttaa ttgagcaagt gtatagagca tttaagatta tgcgtggaga agcatatcat 240
aaatgatgcg gttttttcag ccgcttcata aagggtttt gaatgtatca gaacatatga 300
ggtttatgtg aattgctgtt atgtttttta gaagcttatc ataagtaatg aggttcatga 360
tttttgacat agttagcctc cgcagtcttt catttcaagt aaataatagc gaaatattct 420
ttatactgaa tacttatagt gaagcaaagt tctagctttg agaaaattct ttctgcaact 480
aaatatagta aattacggta aaatataaat aagtacatat tgaagaaaat gagacataat 540
atattttata ataggaggga atttcaaagt atagacaact ttatgcaggc ccttaaatta 600
attaaagaga aacgtaccaa taatgtagtt aaaaaatctg attgggataa aggtgatcta 660

```

tataaaactt tagtccatga taagttaccc aagcagttaa aagtgcatat aaaagaagat	720
aaatattcag ttgtagggaa ggttgctact gggaactata gtaaagttcc ttggatttca	780
atatatgatg agaataaac aaaagaaaca aaggatggat attatttggt atatcttttt	840
catccggaag gagaaggcat atacttatct ttgaatcaag gatgggtcaaa gataagtgat	900
atg	903

<210> 178
 <211> 1114
 <212> DNA
 <213> Staphylococcus aureus

<400> 178	
ggaaactaaa agagaaatat tggaagcaag ccatagcaga atatgaaaaa cgtttaggcc	60
catacaccaa gatagacatc atagaagttc cagacgaaaa agcaccagaa aatatgagcg	120
acaaagaaat tgagcaagta aaagaaaaag aaggccaacg aatactagcc aaaatcaaac	180
cacaatcaac agtcattaca ttagaaatac aaggaaagat gctatcttcc gaaggattgg	240
cccaagaatt gaaccaacgc atgaccaag ggcaaagcga ctttgtattc gtcattggcg	300
gatcaaacgg cctgcacaag gacgtcttac aacgtagtaa ctacgcacta tcattcagca	360
aatgacatt cccacatcaa atgatgcggg ttgtgttaat tgagcaagtg tatagagcat	420
ttaagattat gcgtggagaa gcatatcata aatgatgcgg ttttttcagc cgcttcataa	480
agggattttg aatgtatcag aacatatgag gtttatgtga attgctgtta tgtttttaag	540
aagcttatca taagtaatga ggttcatgat ttttgacata gttagcctcc gcagtctttc	600
atttcaagta aataatagcg aaatattctt tatactgaat acttatagtg aagcaaagtt	660
ctagctttga gaaaattctt tctgcaacta aatatagtaa attacggtaa aatataaata	720
agtacatatt gaagaaaatg agacataata tattttataa taggagggaa tttcaaata	780
tagacaactt tatgcaggtc cttaaattaa ttaaagagaa acgtaccaat aatgtagtta	840
aaaaatctga ttgggataaa ggtgatctat ataaaacttt agtccatgat aagttacca	900
agcagttaaa agtgcataata aaagaagata aatattcagt tgtagggaag gttgctactg	960
ggaactatag taaagttcct tggatttcaa tatatgatga gaatataaca aaagaaacaa	1020
aggatggata ttatttggtg tatctttttc atccggaagg agaaggcata tacttatctt	1080
tgaatcaagg atggtcaaag ataagtgata tggt	1114

<210> 179

<211> 1121
 <212> DNA
 <213> Staphylococcus aureus

<400> 179
 ggaaactaaa agagaaatat tggaagcaag ccatagcaga atatgaaaaa cgtttaggcc 60
 catacaccaa gatagacatc atagaagttc cagacgaaaa agcaccagaa aatatgagcg 120
 acaaagaaat tgagcaagta aaagaaaaag aaggccaacg aatactagcc aaaatcaaac 180
 cacaatccac agtcattaca ttagaaatac aaggaaagat gctatcttcc gaaggattgg 240
 cccaagaatt gaaccaacgc atgaccaag ggcaaagcga ctttgtattc gtcattggcg 300
 gatcaaacgg cctgcacaag gacgtcttac aacgcagtaa ctatgcacta tcatttagca 360
 aaatgacatt cccacatcaa atgatgcggg ttgtgttaat tgaacaagtg tatagagcat 420
 ttaagattat gcgtggagaa gcatacata aatgatgcgg ttttttcagc cgcttcataa 480
 agggattttg aatgtatcag aacatatgag gtttatgtga attgctgtta tgtttttaag 540
 aagcttatca taagtaatga ggttcatgat ttttgacata gttagcctcc gcagtctttc 600
 atttcaagta aataatagcg aaatattctt tatactgaat acttatagtg aagcaaagtt 660
 ctagctttga gaaaattctt tctgcaacta aatatagtaa attacggtaa aatataaata 720
 agtacatatt gaagaaaatg agacataata tattttataa taggaggga tttcaaataga 780
 tagacaactt tatgcaggtc cttaaattaa ttaaagagaa acgtaccaat aatgtagtta 840
 aaaaatctga ttgggataaa ggtgatctat ataaaacttt agtccatgat aagttacca 900
 agcagttaaa agtgcataata aaagaagata aatattcagt tgtagggaag gttgctactg 960
 ggaactatag taaagttcct tggatttcaa tatatgatga gaatataaca aaagaaacaa 1020
 aggatggata ttatttggtg tatctttttc atccggaagg agaaggcata tacttatctt 1080
 tgaatcaagg atggtcaaag ataagtgata tgtttccgcg g 1121

<210> 180
 <211> 1121
 <212> DNA
 <213> Staphylococcus aureus

<400> 180
 tagctgtagg gaaactaaaa gagaaatatt ggaagcaagc catagcagaa tatgaaaaac 60
 gtttaggccc atacaccaag atagacatca tagaagttcc agacgaaaaa gcaccagaaa 120
 atatgagcga caaagaaatt gagcaagtaa aagaaaaaga aggccaacga atactagcca 180
 aaatcaaacc acaatccaca gtcattacat tagaaatata aggaaagatg ctatcttccg 240

aaggattggc ccaagaattg aaccaacgca tgaccaagg gcaaagcgac tttgtattcg 300
tcattggcgg atcaaacggc ctgcacaagg acgtcttaca acgcagtaac tatgcactat 360
catttagcaa aatgacattc ccacatcaaa tgatgcgggt tgtgttaatt gaacaagtgt 420
atagagcatt taagattatg cgtggagaag catatcataa atgatgcgggt tttttcagcc 480
gcttcataaa gggattttga atgtatcaga acatatgagg tttatgtgaa ttgctgttat 540
gtttttaaga agcttatcat aagtaatgag gttcatgatt tttgacatag ttagcctccg 600
cagtctttca tttcaagtaa ataatagcga aatattcttt atactgaata cttatagtga 660
agcaaagttc tagctttgag aaaattcttt ctgcaactaa atatatgaaa ttacggtaaa 720
atataaataa gtacatattg aagaaaatga gacataatat attttataat aggagggaat 780
ttcaaagtat agacaacttt atgcagggtc ttaaattaat taaagagaaa cgtaccaata 840
atgtagttaa aaaatctgat tgggataaag gtgatctata taaaacttta gtccatgata 900
agttacccaa gcagttaaaa gtgcatataa aagaagataa atattcagtt gtagggaagg 960
ttgctactgg gaactatagt aaagttcctt ggatttcaat atatgatgag aatataacaa 1020
aagaaacaaa ggatggatat tatttggtat atctttttca tccggaagga gaaggcatat 1080
acttatcttt gaatcaagga tgggtcaaaga taagtgatat g 1121

<210> 181
<211> 1131
<212> DNA
<213> Staphylococcus aureus

<400> 181
ctgtagggaa actaaaagag aaatattgga agcaagccat agcagaatat gaaaaacgtt 60
taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca ccagaaaata 120
tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata ctagccaaaa 180
tcaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta tcttccgaag 240
gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt gtattcgtca 300
ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactat gcactatcat 360
ttagcaaaat gacattccca catcaaata tgcgggttgt gtttaattgaa caagtgtata 420
gagcatttaa gattatgcgt ggagaagcat atcataaatg atgcggtttt ttcagccgct 480
tcataaaggg attttgaatg tatcagaaca tatgagggtt atgtgaattg ctgttatgtt 540
tttaagaagc ttatcataag taatgagggt catgatTTTT gacatagtta gcctccgcag 600

tcttttcattt caagtaaata atagcgaaat attctttata ctgaatactt atagtgaagc 660
 aaagttctag ctttgagaaa attctttctg caactaaata tagtaaatta cggtaaaata 720
 taaataagta catattgaag aaaatgagac ataatatatt ttataatagg agggaatttc 780
 aaatgataga caactttatg caggtcctta aattaattaa agagaaacgt accaataatg 840
 tagttaaaaa atctgattgg gataaagggtg atctatataa aacttttagtc catgataagt 900
 tacccaagca gttaaaagtg catataaaag aagataaata ttcagttgta gggaagggtg 960
 ctactgggaa ctatagtaaa gttccttgga tttcaatata tgatgagaat ataacaaaag 1020
 aaacaaagga tggatattat ttggtatatc tttttcatcc ggaaggagaa ggcataact 1080
 tatctttgaa tcaaggatgg tcaaagataa gtgatatgtt tccgcgggat a 1131

<210> 182
 <211> 896
 <212> DNA
 <213> Staphylococcus aureus

<400> 182
 cattagaaat acaaggaaag atgctatctt ccgaaggatt ggcccaagaa ttgaaccaac 60
 gcatgacca agggcaaagc gactttgtat tcgtcattgg cggatcaaac ggctgcaca 120
 aggacgtctt acaacgcagt aactatgcac tatcatttag caaaatgaca ttcccacatc 180
 aaatgatgcg gggtgtgtta attgaacaag tgtatagagc atttaagatt atgcgtggag 240
 aagcatatca taaatgatgc gggtttttca gccgcttcac aaagggattt tgaatgtatc 300
 agaacatatg aggtttatgt gaattgctgt tatgttttta agaagcttat cataagtaat 360
 gaggttcacg atttttgaca tagttagcct ccgcagtctt tcatttcaag taaataatag 420
 cgaaatattc tttatactga atacttatag tgaagcaaag ttctagcttt gagaaaattc 480
 tttctgcaac taaatatagt aaattacggt aaaatataaa taagtacata ttgaagaaaa 540
 tgagacataa tatattttat aataggaggg aatttcaaat gatagacaac tttatgcagg 600
 tccttaaatt aattaaagag aaacgtacca ataatgtagt taaaaaatct gattgggata 660
 aaggatgatc atataaaact ttagtccatg ataagttacc caagcagtta aaagtgcata 720
 taaaagaaga taaatattca gttgtaggga aggttgctac tgggaactat agtaaagttc 780
 cttggatttc aatatatgat gagaatataa caaaagaaac aaaggatgga tattatttgg 840
 tatatctttt tcatccggaa ggagaaggca tataacttatc tttgaatcaa ggatgg 896

<210> 183
<211> 1125
<212> DNA
<213> Staphylococcus aureus

<400> 183
ggaaactaaa agagaaatat tggaagcaag ccatatcaga atatgaaaaa cgtttaggcc 60
catacaccaa gatagacatc atagaagttc cagacgaaaa agcaccagaa aatatgagcg 120
acaaagaaat cgagcaagta aaagaaaaag aaggccaacg aatactagcc aaaatcaaac 180
cacaatcaac agtcattaca ttagaaatac aaggaaagat gctatcttcc gaaggattgg 240
ctcaagaatt gaaccaacgc atgaccaag ggcaaagcga ctttgtattc gttattggcg 300
gatcaaacgg cctgcacaag gacgtcttac aacgcagtaa ctatgcacta tcattcagca 360
aaatgacatt tccacatcag atgatgcggg ttgtgttaat tgagcaagtg tatagagcat 420
ttaagattat gcgtggggaa gcatatcata aatgatgcgg ttttttcagc cgcttcataa 480
agggattttg aatgtatcag aacatatgag gtttatgtga attgctgtta tgtttttaag 540
aagcttatca taagtaatga ggttcatgat ttttgacata gttagcctcc gcagtctttc 600
atttcaagta aataatagcg aaatattctt tatactgaat acttatagtg aagcaaagtt 660
ctagctttga gaaaattctt tctgcaacta aatatagtaa attacggtaa aatataaata 720
agtacatatt gaagaaaatg agacataata tattttataa taggaggga tttcaaata 780
tagacaactt tatgcaggtc cttaaattaa ttaaagagaa acgtaccaat aatgtagtta 840
aaaaatctga ttgggataaa ggtgatctat ataaaacttt agtccatgat aagttaccca 900
agcagttaaa agtgcatata aaagaagata aatattcagt tgtagggaag gttgctactg 960
ggaactatag taaagttcct tggatttcaa tatatgatga gaatataaca aaagaaacaa 1020
aggatggata ttatttggtg tatctttttc atccggaagg agaaggcata tacttatctt 1080
tgaatcaagg atggtcaaag ataagtgata tgtttccgcg ggata 1125

<210> 184
<211> 679
<212> DNA
<213> Staphylococcus aureus

<400> 184
ataagaggga acagtgtgaa caagttaata acttgtggat aactggaaag ttgataacaa 60
tttggaggac caaacgacat gaaaatcacc atttttagctg tagggaaact aaaagagaaa 120
tattggaagc aagccatagc agaatatgaa aaacgttttag gcccatacac caagatagac 180

atcatagaag ttccagacga aaaagcacca gaaaatatga gcgacaaaga aattgagcaa 240
 gtaaaagaaa aagaaggcca acgaatacta gccaaaatca aaccacaatc cacagtcatt 300
 acattagaaa tacaaggaaa gatgctatct tccgaaggat tggcccaaga attgaaccaa 360
 cgcattgaccc aagggcaaag cgactttgta ttcgtcattg gcggatcaaa cggcctgcac 420
 aaggacgtct tacaacgcag taactatgca ctatcattta gcaaaatgac attcccacat 480
 caaatgatgc gggttgtgtt aattgaacaa gtgtatagag catttaagat tatgcgtgga 540
 gaggcttatc ataaataaaa ctaaaaatta gattgtgtat aatttaaaaa tttaatgaga 600
 tgtggaggaa ttacatatat gaaatattgg agtatacctt gcaatatcat acgatgttta 660
 tagagtgttt aataaacca 679

<210> 185
 <211> 1125
 <212> DNA
 <213> *Staphylococcus aureus*

<400> 185
 ggaaactaaa agagaaatat tggaagcaag ccatagcaga atatgaaaaa cgtttaggcc 60
 catacaccaa gatagacatc atagaagttc cagacgaaaa agcaccagaa aatatgagcg 120
 acaaagaaat tgagcaagta aaagaaaaag aaggccaacg aatactagcc aaaatcaaac 180
 cacaatcaac agtcattaca ttagaaatac aaggaaagat gctatcttcc gaaggattgg 240
 cacaagaatt gaaccaacgc atgaccaag ggcaaagcga ctttgtattc gtcattggcg 300
 gatcaaacgg cctgcacaag gacgtcttac aacgtagtaa ctacgcacta tcattcagca 360
 aaatgacatt cccacatcaa atgatgcggg ttgtgttaat tgagcaagtg tatagagcgt 420
 ttaagattat gcgtggagaa gcatatcata aatgatgcgg ttttttcagc cgcttcataa 480
 agggattttg aatgtatcag aacatatgag gtttatgtga attgctgtta tgtttttaag 540
 aagcttatca taagtaatga ggttcatgat ttttgacata gttagcctcc gcagtctttc 600
 atttcaagta aataatagcg aaatattctt tatactgaat acttatagtg aagcaaagtt 660
 ctagctttga gaaaattctt tctgcaacta aatatagtaa attacggtaa aatataaata 720
 agtacatatt gaagaaaatg agacataata tattttataa taggagggaa tttcaaatga 780
 tagacaactt tatgcaggtc cttaaattaa ttaaagagaa acgtaccaat aatgtagtta 840
 aaaaatctga ttgggataaa ggtgatctat ataaaacttt agtccatgat aagttacca 900
 agcagttaaa agtgcataa aaagaagata aatattcagt tgtagggaag gttgctactg 960

ggaactatag taaagttcct tggatttcaa tatatgatga gaatataaca aaagaaacaa 1020
 aggatggata ttatttggtta tatcttttttc atccggaagg agaaggcata tacttatctt 1080
 tgaatcaagg atggtcaaag ataagtgata tgtttccgcg ggata 1125

<210> 186
 <211> 926
 <212> DNA
 <213> Staphylococcus aureus

<400> 186
 tacattagaa atacaaggaa agatgctatc ttccgaagga ttggcccaag aattgaacca 60
 acgcatgacc caagggcaaa gcgactttgt attcgtcatt ggcggatcaa acggcctgca 120
 caaggacgtc ttacaacgca gtaactatgc actatcattt agcaaaatga cattcccaca 180
 tcaaattgatg cgggttgtgt taattgaaca agtgtataga gcatttaaga ttatgcgtgg 240
 agaagcatat cataaatgat gcggtttttt cagccgcttc ataaagggat tttgaatgta 300
 tcagaacata tgaggtttat gtgaattgct gttatgtttt taagaagctt atcataagta 360
 atgaggttca tgatttttga catagtttagc ctccgcagtc tttcatttca agtaaataat 420
 agcgaaatat tctttatact gaatacttat agtgaagcaa agttctagct ttgagaaaat 480
 tctttctgca actaaatata gttaaattacg gtaaaatata aataagtaca tattgaagaa 540
 aatgagacat aatatatttt ataataggag ggaatttcaa atgatagaca actttatgca 600
 ggtccttaaa ttaattaaag agaaacgtac caataatgta gttaaaaaat ctgattggga 660
 taaaggatgat ctatataaaa ctttagtcca tgataagtta cccaagcagt taaaagtgca 720
 tataaaagaa gataaatatt cagttgtagg gaagggtgct actgggaact atagtaaagt 780
 tccttggatt tcaatatatg atgagaatat aacaaaagaa acaaaggatg gatattattt 840
 ggtatatctt tttcatccgg aaggagaagg catatactta tctttgaatc aaggatggtc 900
 aaagataagt gatatgtttc cgcggg 926

<210> 187
 <211> 24
 <212> DNA
 <213> Artificial

<220>
 <223> OLIGONUCLEOTIDE

<400> 187
 ggatgtgggt atgctaattgt tggt

<210> 188
 <211> 27
 <212> DNA
 <213> Artificial

<220>
 <223> OLIGONUCLEOTIDE

<400> 188
 tgaacaattt tattttctcat accatag 27

<210> 189
 <211> 2154
 <212> DNA
 <213> Staphylococcus aureus

<400> 189
 cggtaataaa aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg 60
 ttgcttcact gttttattat gaattattaa taagtgtgt tacttctccc ttaaatacaa 120
 tttcttcatt ttcattgtat gttgaaagt acactgtaac gagtccattt tcttttttta 180
 tggatttctt atttgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt 240
 taataaattt aacgttattc atttgtgttc ctgctacaac ttcttctccg tatttacctt 300
 cttctacca taatttaa at gatattgaaa gtgtatgcat gccagatgca atgatacctt 360
 taaatctact ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagttg 420
 ttgcaaattg gataatttct tcttctgtaa tatgaaggct ttttggtttg aatgtttctc 480
 ctactataaa atcatcgtat ttcatatatg tctctctttc ttattcaa at taatttttta 540
 gtatgtaaca tgttaaagg aagtctaccg tcaactgaaac gtaagactca cctctaactt 600
 tctattgaga caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc 660
 aattagcaag ttggtttgca cgtgctgggt tggttacagt ccatacgttc aattcataac 720
 ccgcttcttt taccattttt acttttgctt tagtaagttt ggcattcttca gtgtttacta 780
 ttttagcatt acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga 840
 atataactgc tctgttatat tgtggcatga tttcttctgc aagtttaaca agcacaacat 900
 taaagcttga aatgagcact tcttgattct gatttaagtt tggttaattgt tcttccactt 960
 gcttaaccat acttttagaa agtgctagtc cattcggtcc agtaatacct tttaattcta 1020
 catttaaatt catattatat tcatttgcta tttttactac atcatcgaaa gttggcaaat 1080
 gttcatcttt gaatttttca ccaaaccaag atcctgcaga agcatcttta atttcatcat 1140

```

aattcaattc agttatttcc ccggacatat ttgtagtccg ttctaaataa tcatcatgaa 1200
tgataatcag ttgttcatct tttgtaattg caacatctaa ctccaaccag tttatacctt 1260
ctacttctga agcagcttta aatgatgcaa ttgtattttc cggagcttta ctaggtaatc 1320
ctctatgtcc atatacagtt agcatattac ctctccttgc atttttatatt ttttaattaa 1380
cgtaactgta ttatcacatt aatcgactt ttatttccat taaaaagaga tgaatatcat 1440
aaataaagaa gtcgatagat tcgtattgat tatggagtta atctacgtct catctcattt 1500
ttaaaaaatc atttatgtcc caagctccat tttgtaatca agtctagttt ttcggttctg 1560
ttgcaaagtt gaatttatag tataatttta acaaaaagga gtcttctgta tgaactattt 1620
cagatataaa caatttaaca aggatgttat cactgtagcc gttggctact atctaagata 1680
tacattgagt tatcgtgata tatctgaaat attaagggaa cgtgggtgtaa acgttcatca 1740
ttcaacggtc taccgttggg ttcaagaata tgccccaatt ttgtatcaaa tttggaagaa 1800
aaagcataaa aaagcttatt acaaatggcg tattgatgag acgtacatca aaataaaagg 1860
aaaatggagc tatttatatc gtgccattga tgcagagggg catacattag atatttggtt 1920
gcgtaagcaa cgagataatc attcagcata tgcgtttatc aaacgtctca ttaaacaatt 1980
tggtaaacct caaaaggtaa ttacagatca ggcaccttca acgaaggtag caatggctaa 2040
agtaattaaa gcttttaaac ttaaacctga ctgtcattgt acatcgaaat atctgaataa 2100
cctcattgag caagatcacc gtcataattaa agtaagaaag acaaggatat aaag 2154

```

```

<210> 190
<211> 2410
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 190
ccaccttcat atgacgtcta tccatttatg tatggcatga gtaacgaaga atataataaa 60
ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccaggt 120
tcaactcaaa aaatattaac agcaatgatt gggttaaata acaaaacatt agacgataaa 180
acaagttata aaatcgatgg taaaggttgg caaaaagata aatcttgggg tggttacaac 240
gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca 300
gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc 360
atgaaaaaac taggtgttgg tgaagatata ccaagtgatt atccatttta taatgctcaa 420
atttcaaaca aaaatttaga taatgaaata ttattagctg attcagggtta cggacaagg 480

```

gaaatactga ttaacccagt acagatcctt tcaatctata gcgcattaga aaataatggc	540
aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt	600
atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aaataaaaca	660
cataaagaag atatttatag atcttatgca aacttaattg gcaaatccgg tactgcagaa	720
ctcaaaatga aacaaggaga aactggcaga caaattgggt ggtttatatc atatgataaa	780
gataatccaa acatgatgat ggctattaat gttaaagatg tacaagataa aggaatggct	840
agctacaatg ccaaaatctc aggtaaagtg tatgatgagc tatatgagaa cggtaataaa	900
aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg ttgcttcact	960
gttttattat gaattattaa taagtgtgtg tacttctccc ttaaatacaa tttcttcatt	1020
ttcattgtat gttgaaagtg aactgtaac gagtccattt tcttttttta tggatttctt	1080
atttgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt taataaattt	1140
aacgttattc atttgtgttc ctgctacaac ttcttctccg tatttacctt cttctacca	1200
taatttaaas gatattgaaa gtgtatgcat gccagatgca atgatacctt taaatctact	1260
ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagttg ttgcaaattg	1320
gataatttct tcttctgtaa tatgaaggct ttttgttttg aatgtttctc ctactataaa	1380
atcatcgat ttcatatatg tctctctttc ttattcaaas taatttttta gtatgtaaca	1440
tgtaaagggt aagtctaccg tcaactgaaac gtaagactca cctctaactt tctattgaga	1500
caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc aattagcaag	1560
ttggtttgca cgtgctgggt tgtttacagt ccatacgttc aattcataac ccgcttcttt	1620
taccattttt acttttgctt tagtaagttt ggcatcttca gtgtttacta ttttagcatt	1680
acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga atataactgc	1740
tctgttatat tgtggcatga tttcttctgc aagttaaaca agcacaacat taaagcttga	1800
aatgagcact tcttgattct gatttaagtt tgtaaattgt tcttccactt gcttaaccat	1860
acttttagaa agtgctagtc cattcggtcc agtaatacct ttaattcta catttaaatt	1920
catattatat tcatttgcta tttttactac atcatcgaaa gttggcaaas gttcatcttt	1980
gaatttttca ccaaaccaag atcctgcaga agcatcttta atttcatcat aattcaattc	2040
agttatttcc ccggacatat ttgtagtccg ttctaaataa tcatcatgaa tgataatcag	2100
ttgttcatct tttgtaattg caacatctaa ctccaaccag tttatacctt ctacttctga	2160
agcagcttta aatgatgcaa ttgtattttc cggagcttta ctaggtaatc ctctatgtcc	2220

atatacagtt agcatattac ctctccttgc atttttattt ttttaattaa cgtaactgta	2280
ttatcacatt aatcgcaactt ttatttccat taaaaagaga tgaatatcat aaataaagaa	2340
gtcgatagat tcgtattgat tatggagtta atctacgtct catctcattt ttaaaaaatc	2400
atttatgtcc	2410

<210> 191
 <211> 1858
 <212> DNA
 <213> Staphylococcus aureus

<400> 191	
caccttcata tgacgtctat ccatttatgt atggcatgag taacgaagaa tataataaat	60
taaccgaaga taaaaaagaa cctctgctca acaagttcca gattacaact tcaccagggt	120
caactcaaaa aatattaaca gcaatgattg ggtaaataa caaacatta gacgataaaa	180
caagttataa aatcgatggg aaagggtggc aaaaagataa atcttggggg ggttacaacg	240
ttacaagata tgaagtggta aatggtaata tcgacttaaa acaagcaata gaatcatcag	300
ataacatttt ctttgctaga gtagcactcg aattaggcag taagaaattt gaaaaaggca	360
tgaaaaaact aggtgttggt gaagatatac caagtgatta tccattttat aatgctcaaa	420
tttcaaacia aaatttagat aatgaaatat tattagctga ttcagggttac ggacaagggtg	480
aaatactgat taaccagta cagatccttt caatctatag cgcattagaa aataatggca	540
atattaacgc acctcactta ttaaaagaca cgaaaaacia agtttggaag aaaaatatta	600
tttccaaaga aaatatcaat ctattaactg atggtatgca acaagtcgta aataaaacac	660
ataaagaaga tatttataga tcttatgcaa acttaattgg caaatccggt actgcagaac	720
tcaaaatgaa acaaggagaa actggcagac aaattgggtg gtttatatca tatgataaag	780
ataatccaaa catgatgatg gctattaatg ttaaagatgt acaagataaa ggaatggcta	840
gctacaatgc caaatctca ggtaaagtgt atgatgagct atatgagaac ggtaataaaa	900
aatacgatat agatgaataa caaacacagt aagcaatccg taacgatggg tgcttcactg	960
ttttattatg aattattaat aagtgtgtt acttctccct taaatacaat ttcttcattt	1020
tcattgtatg ttgaaagtga cactgtaacg agtccatttt ctttttttat ggatttctta	1080
tttgtaattt cagcgataac gtacaatgta ttacctgggt atacagggtt aataaattta	1140
acgttattca tttgtgttcc tgctacaact tcttctccgt atttaccttc ttctacccat	1200
aatttaaagt atattgaaag tgtatgcatg ccagatgcaa tgataccttt aaatctactt	1260

tgttctgctt tttctttatc tatatgcata tattgaggat caaaagttgt tgcaaattgg 1320
 ataatttctt cttctgtaat atgaaggctt tttgttttga atgtttctcc tactataaaa 1380
 tcatcgtatt tcatatatgt ctctctttct tattcaaatt aatttttttag tatgtaacat 1440
 gttaaaggta agtctaccgt cactgaaacg taagactcac ctctaacttt ctattgagac 1500
 aaatgcacca ttttatctgc attgtctgta aagataccat caactcccca attagcaagt 1560
 tggtttgcac gtgctggttt gtttacagtc catacgttca attcataacc cgcttctttt 1620
 accattttta cttttgcttt agtaagtttg gcatcttcag tgtttactat tttagcatta 1680
 cagtaatcta aaagtgttct ccagtcttca cgaaacgaag ttgtatggaa tataactgct 1740
 ctgttatatt gtggcatgat ttcttctgca agtttaacaa gcacaacatt aaagcttgaa 1800
 atgagcactt cttgattctg atttaagttt gttaattggt cttccacttg cttaacca 1858

<210> 192
 <211> 1861
 <212> DNA
 <213> Staphylococcus aureus

<400> 192
 ccaccttcat atgacgtcta tccatttatg tatggcatga gtaacgaaga atataataaa 60
 ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccaggt 120
 tcaactcaaa aaatattaac agcaatgatt gggttaaata acaaaacatt agacgataaa 180
 acaagttata aaatcgatgg taaagggttg caaaaagata aatcttgggg tggttacaac 240
 gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca 300
 gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc 360
 atgaaaaaac taggtggttg tgaagatata ccaagtgatt atccatttta taatgctcaa 420
 atttcaaaca aaaatttaga taatgaaata ttattagctg attcaggtta cggacaaggt 480
 gaaatactga ttaaccaggt acagatcctt tcaatctata gcgcattaga aaataatggc 540
 aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt 600
 atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aaataaaaca 660
 cataaagaag atatttatag atcttatgca aacttaattg gcaaatccgg tactgcagaa 720
 ctcaaaatga aacaaggaga aactggcaga caaattgggt ggtttatatc atatgataaa 780
 gataatccaa acatgatgat ggctattaat gttaaagatg tacaagataa aggaatggct 840
 agctacaatg ccaaaatctc aggtaaagtg tatgatgagc tatatgagaa cggtataaaa 900

```

aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg ttgcttcact    960
gttttattat gaattattaa taagtgctgt tacttctccc ttaaatacaa tttcttcatt    1020
ttcattgtat gttgaaagtg aactgtaac gagtccattt tcttttttta tggatttctt    1080
atttgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt taataaat    1140
aacgttatcc atttggtgct ctgctacaac ttcttctccg tatttacctt cttctacca    1200
taatttaaatt gatattgaaa gtgtatgcat gccagatgca atgatacctt taaatctact    1260
ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagttg ttgcaaattg    1320
gataatttct tcttctgtaa tatgaaggct ttttgttttg aatgtttctc ctactataaa    1380
atcatcgtat ttcatatatg tctctctttc ttattcaaatt taatttttta gtatgtaaca    1440
tgtaaaggt aagtctaccg tcaactgaaac gtaagactca cctctaactt tctattgaga    1500
caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc aattagcaag    1560
ttggtttgca cgtgctgggt tggttacagt ccatacgttc aattcataac ccgcttcttt    1620
taccattttt acttttgctt tagtaagttt ggcattctca gtgtttacta ttttagcatt    1680
acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga atataactgc    1740
tctgttatat tgtggcatga tttcttctgc aagttaaaca agcacaacat taaagcttga    1800
aatgagcact tcttgattct gatttaagtt tgtaattgt tcttccactt gcttaaccat    1860
a                                                                    1861

```

```

<210> 193
<211> 1861
<212> DNA
<213> Staphylococcus aureus

```

```

<400> 193
ccaccttcat atgacgtcta tccatttatg tatggcatga gtaacgaaga atataataaa    60
ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccaggt    120
tcaactcaaa aaatattaac agcaatgatt gggttaaata acaaaacatt agacgataaa    180
acaagttata aaatcgatgg taaagggttg caaaaagata aatcttgggg tggttacaac    240
gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca    300
gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc    360
atgaaaaaac taggtggttg tgaagatata ccaagtgatt atccatttta taatgctcaa    420
atttcaaaca aaaatttaga taatgaaata ttattagctg attcagggtta cggacaaggt    480

```

```

gaaatactga ttaacccagt acagatcctt tcaatctata gcgcattaga aaataatggc 540
aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt 600
atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aaataaaaca 660
cataaagaag atatttatag atcttatgca aacttaattg gcaaattccgg tactgcagaa 720
ctcaaaatga aacaaggaga aactggcaga caaattgggt ggtttatatc atatgataaa 780
gataatccaa acatgatgat ggctattaat gttaaagatg tacaagataa aggaatggct 840
agctacaatg ccaaaatctc aggtaaagtg tatgatgagc tatatgagaa cggtaataaa 900
aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg ttgcttcact 960
gttttattat gaattattaa taagtgtgtg tacttctccc ttaaatacaa tttcttcatt 1020
ttcattgtat gttgaaagtg acactgtaac gagtccattt tcttttttta tggatttctt 1080
atgtgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt taataaat 1140
aacgttattc atttgtgttc ctgctacaac ttcttctccg tatttacctt cttctacca 1200
taatttaa at gatattgaaa gtgtatgcat gccagatgca atgatacctt taaatctact 1260
ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagtgt ttgcaaattg 1320
gataatttct tcttctgtaa tatgaaggct ttttgttttg aatgtttctc ctactataaa 1380
atcatcgtat ttcatatatg tctctctttc ttattcaa at taatttttta gtatgtaaca 1440
tgttaaaggt aagtctaccg tcaactgaaac gtaagactca cctctaactt tctattgaga 1500
caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc aattagcaag 1560
ttggtttgca cgtgctgggt tggtttacagt ccatacgttc aattcataac ccgcttcttt 1620
taccattttt acttttgctt tagtaagttt ggcattctca gtgtttacta ttttagcatt 1680
acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga atataactgc 1740
tctgttatat tgtggcatga tttcttctgc aagtttaaca agcacaacat taaagcttga 1800
aatgagcact tcttgattct gatttaagtt tggttaattgt tcttccactt gcttaaccat 1860
a 1861

```

<210> 194

<211> 1052

<212> DNA

<213> Staphylococcus aureus

<400> 194

```

cggtaataaa aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg 60

```

ttgcttcact gttttattat gaattattaa taagtgtgt tacttctccc ttaaatacaa	120
tttcttcatt ttcattgtat gttgaaagt acactgtaac gagtccattt tcttttttta	180
tggatttctt atttgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt	240
taataaattt aacgttattc atttgtgttc ctgctacaac ttcttctccg tatttacctt	300
cttctacca taatttaa at gatattgaaa gtgtatgcat gccagatgca atgatacctt	360
taaatctact ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagttg	420
ttgcaaattg gataatttct tcttctgtaa tatgaaggct ttttgttttg aatgtttctc	480
ctactataaa atcatcgtat ttcatatatg tctctctttc ttattcaa at taatttttta	540
gtatgtaaca tggttaaagg aagtctaccg tcaactgaaac gtaagactca cctctaactt	600
tctattgaga caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc	660
aattagcaag ttggtttgca cgtgctgggt tgtttacagt ccatacgttc aattcataac	720
ccgcttcttt taccattttt acttttgctt tagtaagttt ggcattcttca gtgtttacta	780
tttttagcatt acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga	840
atataactgc tctgttatat tgtggcatga tttcttctgc aagtttaaca agcacaacat	900
taaagcttga aatgagcact tcttgattct gatttaagtt tggttaattgt tcttccactt	960
gcttaaccat acttttagaa agtgctagtc cattcgggtc agtaatacct ttttaattcta	1020
catttaaatt catattatat tcatttgcta tt	1052

<210> 195
 <211> 3101
 <212> DNA
 <213> Staphylococcus aureus

<400> 195	
cttcatatga cgtctatcca tttatgtatg gcatgagtaa cgaagaatat aataaattaa	60
ccgaagataa aaaagaacct ctgctcaaca agttccagat tacaacttca ccagggtcaa	120
ctcaaaaaat attaacagca atgattgggt taaataacaa aacattagac gataaaacaa	180
gttataaaat cgatggtaaa gggttgcaaa aagataaatc ttgggggtgg tacaacgtta	240
caagatatga agtggtaaat ggtaatatcg acttaaaaca agcaatagaa tcatcagata	300
acattttctt tgctagagta gcactcgaat taggcagtaa gaaatttgaa aaaggcatga	360
aaaaactagg tgttggtgaa gatataccaa gtgattatcc attttataat gctcaaattt	420
caaacaaaaa tttagataat gaaatattat tagctgattc aggttacgga caaggtgaaa	480

tactgattaa cccagtacag atcctttcaa tctatagcgc attagaaaat aatggcaata	540
ttaacgcacc tcacttatta aaagacacga aaaacaaagt ttggaagaaa aatattat	600
ccaaagaaaa tatcaatcta ttaactgatg gtatgcaaca agtcgtaa	660
aatgcacata aagaagatat ttatagatct tatgcaaact taattggcaa atccggtact	720
gcagaactca aaatgaaaca aggagaaact ggcagacaaa ttgggtgggt	780
tatatcatat gataaagata atccaaacat gatgatggct attaatgtta	840
aagatgtaca agataaagga atggctagct acaatgccaa aatctcaggt	900
aaagtgtatg atgagctata tgagaacgggt aataaaaaat acgatataga	960
tgaataacaa aacagtgaag caatccgtaa cgatgggtgc ttcactgttt	1020
tattatgaat tattaataag tgctgttact tctcccttaa atacaatttc	1080
ttcattttca ttgtatgttg aaagtgacac tgtaacgagt ccattttctt	1140
tttttatgga tttcttattt gtaatttcag cgataacgta caatgtatta	1200
cctgggtata caggtttaat aaatttaacg ttattcattt gtgttcctgc	1260
tacaacttct tctccgtatt taccttcttc taccataat ttaa	1320
atgcatgcca gatgcaatga tacctttaaa tctactttgt tctgcttttt	1380
ctttatctat atgcatatat tgaggatcaa aagttgttgc aaattggata	1440
atttcttctt ctgtaatatg aaggcttttt gttttgaatg tttctcctac	1500
tataaaatca tcgtatttca tatatgtctc tctttcttat tcaaattaat	1560
tttttagtat gtaacatgtt aaaggtaagt ctaccgtcac tgaaacgtaa	1620
gactcacctc taactttcta ttgagacaaa tgcaccattt tatctgcatt	1680
gtctgtaaag ataccatcaa ctccccaatt agcaagttgg tttgcacgtg	1740
ctggtttggt tacagtccat acgttcaatt cataaccgcg ttcttttacc	1800
atttttactt ttgctttagt aagtttggca tcttcagtgt ttactat	1860
ttt agcattacag taatctaaaa gtgttctcca gtcttcacga	1920
aacgaagttg tatggaatat aactgctctg ttatattgtg gcatgatttc	1980
ttctgcaagt ttaacaagca caacattaaa gcttgaaatg agcacttctt	2040
gattctgatt taagtttggt aattgttctt ccacttgctt aaccatactt	2100
ttagaaagtg ctagtccatt cgggtccagta atacctttta attctacatt	2160
taaattcata ttatattcat ttgctat	

gctttaaatg atgcaattgt attttccgga gctttactag gtaatcctct atgtccatat 2220
 acagtttagca tattacctct ccttgcatth ttattttttt aattaacgta actgtattat 2280
 cacattaatc gcacttttat ttccattaaa aagagatgaa tatcataaat aaagaagtcg 2340
 atagattcgt attgattatg gagttaatct acgtctcatc tcatttttaa aaaatcattt 2400
 atgtcccaag ctccattttg taatcaagtc tagtttttcg gttctgttgc aaagttgaat 2460
 ttatagtata attttaacaa aaaggagtct tctgtatgaa ctatttcaga tataaacaat 2520
 ttaacaagga tgttatcact gtagccgttg gctactatct aagatataca ttgagttatc 2580
 gtgatataatc tgaaatatta agggaaacgtg gtgtaaacgt tcatcattca acggtctacc 2640
 gttgggttca agaatatgcc ccaattttgt atcaaatttg gaagaaaaag cataaaaaag 2700
 cttattacaa atggcgtatt gatgagacgt acatcaaaat aaaaggaaaa tggagctatt 2760
 tatatcgtgc cattgatgca gagggacata cattagatat ttggttgcgt aagcaacgag 2820
 ataatcattc agcatatgcg tttatcaaac gtctcattaa acaatttggg aaacctcaaa 2880
 aggtaattac agatcaggca ccttcaacga aggtagcaat ggctaaagta attaaagctt 2940
 ttaaacttaa acctgactgt cattgtacat cgaaatatct gaataacctc attgagcaag 3000
 atcacgtca tattaaagta agaaagacaa ggtatcaaag tatcaatata gcaaagaata 3060
 ctttaaaagg tattgaatgt atttacgctc tatataaaaa g 3101

<210> 196
 <211> 3506
 <212> DNA
 <213> Staphylococcus aureus

<400> 196
 ccaccttcat atgacgtcta tccatttatg tatggcatga gtaacgaaga atataataaa 60
 ttaaccgaag ataaaaaaga acctctgctc aacaagttcc agattacaac ttcaccaggt 120
 tcaactcaaa aaatattaac agcaatgatt gggttaaata acaaaacatt agacgataaa 180
 acaagttata aaatcgatgg taaagggttg caaaaagata aatcttgggg tggttacaac 240
 gttacaagat atgaagtggg aaatggtaat atcgacttaa aacaagcaat agaatcatca 300
 gataacattt tctttgctag agtagcactc gaattaggca gtaagaaatt tgaaaaaggc 360
 atgaaaaaac taggtggttg tgaagatata ccaagtgatt atccatttta taatgctcaa 420
 atttcaaaca aaaatttaga taatgaaata ttattagctg attcagggtta cggacaaggt 480
 gaaatactga ttaaccagc acagatcctt tcaatctata gcgcattaga aaataatggc 540

aatattaacg cacctcactt attaaaagac acgaaaaaca aagtttggaa gaaaaatatt	600
atttccaaag aaaatatcaa tctattaact gatggtatgc aacaagtcgt aaataaaaca	660
cataaagaag atattttatag atcttatgca aacttaattg gcaaatccgg tactgcagaa	720
ctcaaaatga aacaaggaga aactggcaga caaattgggt ggtttatatc atatgataaa	780
gataatccaa acatgatgat ggctattaat gttaaagatg tacaagataa aggaatggct	840
agctacaatg ccaaaatctc aggtaaagtg tatgatgagc tatatgagaa cggtaataaa	900
aaatacgata tagatgaata acaaaacagt gaagcaatcc gtaacgatgg ttgcttcact	960
gttttattat gaattattaa taagtgctgt tacttctccc ttaaatacaa tttcttcatt	1020
ttcattgtat gttgaaagtg aactgtaac gagtccattt tcttttttta tggatttctt	1080
atttgtaatt tcagcgataa cgtacaatgt attacctggg tatacagggt taataaattt	1140
aacgttattc atttgtgttc ctgctacaac ttcttctccg tatttacctt cttctacca	1200
taattttaat gatattgaaa gtgtatgcat gccagatgca atgatacctt taaatctact	1260
ttgttctgct ttttctttat ctatatgcat atattgagga tcaaaagttg ttgcaaattg	1320
gataatttct tcttctgtaa tatgaaggct ttttgttttg aatgtttctc ctactataaa	1380
atcatcgtat ttcatatatg tctctctttc ttattcaaat taatttttta gtatgtaaca	1440
tgtaaagggt aagtctaccg tcaactgaaac gtaagactca cctctaactt tctattgaga	1500
caaatgcacc attttatctg cattgtctgt aaagatacca tcaactcccc aattagcaag	1560
ttggtttgca cgtgctgggt tgtttacagt ccatacgttc aattcataac ccgcttcttt	1620
taccattttt acttttgctt tagtaagttt ggcattctca gtgtttacta ttttagcatt	1680
acagtaatct aaaagtgttc tccagtcttc acgaaacgaa gttgtatgga atataactgc	1740
tctgttatat tgtggcatga tttcttctgc aagtttaaca agcacaacat taaagcttga	1800
aatgagcact tcttgattct gatttaagtt tgtaaattgt tcttccactt gcttaaccat	1860
acttttagaa agtgctagtc cattcgggtcc agtaatacct ttttaattcta catttaaatt	1920
catattatat tcatttgcta tttttactac atcatcgaaa gttggcaaatt gttcatcttt	1980
gaatttttca ccaaaccaag atcctgcaga agcatcttta atttcatcat aattcaattc	2040
agttatttcc ccggacatat ttgtagtccg ttctaaataa tcatcatgaa tgataatcag	2100
ttgttcatct tttgtaattg caacatctaa ctccaaccag tttatacctt ctacttctga	2160
agcagcttta aatgatgcaa ttgtattttc cggagcttta ctaggtaatc ctctatgtcc	2220
atatacagtt agcatattac ctctccttgc atttttattt ttttaattaa cgtaactgta	2280

ttatcacatt aatcgcaactt ttatttccat taaaaagaga tgaatatcat aaataaagaa	2340
gtcgatagat tcgtattgat tatggagtta atctacgtct catctcattt ttaaaaaatc	2400
atztatgtcc caagctccat ttgtaatca agtctagttt ttctgtaccc cttatctgca	2460
attttactta ggattgcttt taacttaccc cttatcagca attttactga gaactgcttt	2520
taacgcacct cttatctgca attttgcta gaactgcttt taacgtacct cttatctgca	2580
attttactga gaactgcttt taacttaccc cttatcagca attttgcatt gaattgcttt	2640
taacgtacct cttatctgca attttactta gaactgcttt taacaaacct cttatctgca	2700
attttactta gaactgcttt taacgtacct cttatctgta attttactga gaactgcttt	2760
taacaaacct cttatctgca attttactta gaactgcttt taacaaacct cttatctgca	2820
attttactta gaattgcttt tactattcct cttattagta taatctcagt aagaatgcgt	2880
ataaaaaatga aaattacaac cgattttgta agtgctgacg cctgaggga tagtatgtgc	2940
gagagactaa tggctcgagc catacccta ggcaagcatg cacgtacaaa atcgtaagat	3000
aaaaaaataa gcatatcact gtaaaacttta aaaaatcagt ttagtgatat gcttatttat	3060
ttcgagttag gatttatgtc ccaagctcat caagcacaat cggccactag ttattttctc	3120
tatcttatat gttctgatat ggtcttctat actgtataag tatacttttg aatatggatc	3180
ttgtgtcaat tcacgttcga aatcaaattc ttgattatca aatctgttaa agaattgttc	3240
gtattcttcg actgataatt gctctctaga ttctagcata tttaagtgtt tctctttatc	3300
taatgctttg tcatatcctt taacgattga accactaaag atttctccta ctgctcctga	3360
accataacta aatagacata ctttctcttc tggttggaat gtgtgggtct gtaataacga	3420
aattaaactt aagtataatg atcctgtata aatggtacca acatctctat tccataatac	3480
ggttctgttg caaagttgaa ttata	3506

<210> 197
 <211> 928
 <212> DNA
 <213> Staphylococcus aureus

<400> 197	
tacattagaa atacaaggaa agatgctatc ttccgaagga ttggcccaag aattgaacca	60
acgcatgacc caagggcaaa gcgactttgt attcgtcatt ggcggatcaa acggcctgca	120
caaggacgtc ttacaacgca gtaactacgc actatcattc agcaaaatga cattcccaca	180
tcaaatgatg cgggttgtgt taattgaaca agtgtacaga gcatttaaga ttatgcgtgg	240

agaagcatat cataaatgat gcggtttttt cagccgcttc ataaagggat tttgaatgta 300
 tcagaacata tgaggtttat gtgaattgct gttatgtttt taagaagctt atcataagta 360
 atgaggttca tgatttttga catagttagc ctccgcagtc tttcatttca agtaaataat 420
 agcgaaatat tctttatact gaatacttat agtgaagcaa agttctagct ttgagaaaat 480
 tctttctgca actaaatata gtaaattacg gtaaaatata aataagtaca tattgaagaa 540
 aatgagacat aatatatttt ataataggag ggaatttcaa atgatagaca actttatgca 600
 ggtccttaaa ttaattaaag agaaacgtac caataatgta gttaaaaaat ctgattggga 660
 taaagggtgat ctatataaaa ctttagtcca tgataagtta cccaagcagt taaaagtgca 720
 tataaaagaa gataaatatt cagttgtagg gaaggttgct actgggaact atagtaaagt 780
 tccttggatt tcaatatatg atgagaatat aacaaaagaa acaaaggatg gatattattt 840
 ggtatatctt tttcatccgg aaggagaagg catatactta tctttgaatc aaggatggtc 900
 aaagataagt gatatgtttc cgcgggat 928

<210> 198
 <211> 782
 <212> DNA
 <213> Staphylococcus aureus

<400> 198
 caatgcccac agagttatcc acaaatacac aggttataca ctaaaaattg ggcatgaatg 60
 tcagaaaaat atcaaaaact gcaaagaata ttggtataat aagaggggaac agtgtgaaca 120
 agttaataac ttgtggataa ctggaaagtt gataacaatt tggaggacca aacgacatga 180
 aatcaccat tttagctgta gggaaactaa aagagaaata ttggaagcaa gccatagcag 240
 aatatgaaaa acgttttaggc ccatacacca agatagacat catagaagtt ccagacgaaa 300
 aagcaccaga aaatatgagc gacaaagaaa ttgagcaagt aaaagaaaaa gaaggccaac 360
 gaatactagc caaaatcaaa ccacaatcaa cagtcattac attagaaata caaggaaaga 420
 tgctatcttc cgaaggattg gccaagaat tgaaccaacg catgacccaa gggcaaagcg 480
 actttgtatt cgtcattggc ggatcaaacg gcctgcacaa ggacgtctta caacgcagta 540
 actacgcact atcattcagc aaaatgacat tcccacatca aatgatgcgg gttgtgttaa 600
 ttgaacaagt gtacagagca tttaagatta tgcgtggaga agcgtatcat aaataaaaact 660
 aaaaattagg ttgtgtataa tttaaaaatt taatgagatg tggaggaatt acatatatga 720
 aatattggat tataccttgc aatatcatat gatgtttata gagtgtttta taaaccattt 780

tt

782

<210> 199
 <211> 709
 <212> DNA
 <213> Staphylococcus aureus

<400> 199
 tacattagaa atacaaggaa agatgctatc ttccgaagga ttggcccaag aattgaacca 60
 acgcatgacc caagggcaaa gcgactttgt tttcgtcatt ggcggatcaa acggcctgca 120
 caaggacgtc ttacaacgca gtaactacgc actatcattc agcaaaatga cattcccaca 180
 tcaaatgatg cgggttgtgt taattgaaca agtgtacaga gcatttaaga ttatgcgagg 240
 agaagcttat cataagtaat gaggttcattg atttttgaca tagttagcct ccgcagtctt 300
 tcatttcaag taaataatag cgaaatattc tttatactga atacttatag tgaagcaaag 360
 ttctagcttt gagaaaattc tttctgcaac taaatatagt aaattacggt aaaatataaa 420
 taagtacata ttgaagaaaa tgagacataa tatattttat aataggaggg aatttcaaatt 480
 gatagacaac tttatgcagg tccttaaatt aattaaagag aaacgtacca ataattgtagt 540
 taaaaaatct gattgggata aaggatgatc atataaaact ttagtccatg ataagttacc 600
 caagcagtta aaagtgcata taaaagaaga taaatattca gttgtaggga aggttgctac 660
 tgggaactat agtaaagttc cttggatttc aatatatgat gagaatata 709

<210> 200
 <211> 22
 <212> DNA
 <213> Artificial

<220>
 <223> OLIGONUCLEOTIDE

<400> 200
 gtgggaaatg gctgttggtg ag 22

<210> 201
 <211> 22
 <212> DNA
 <213> Artificial

<220>
 <223> OLIGONUCLEOTIDE

<400> 201
 ttcgttcctt ccattaactg tc 22

<210> 202
<211> 20
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 202
aaaagaaaga cggatgaaggc

20

<210> 203
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 203
cacttcatta tactgttttc ttgac

25

<210> 204
<211> 22
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 204
tcaccgtctt tcttttgacc tt

22

<210> 205
<211> 25
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 205
tgagatctgc tggaacaaaa gtgaa

25

<210> 206
<211> 20
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 206
cggtcagatt tgctgaagaa 20

<210> 207
<211> 26
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 207
tcccctaatt atagctggta tatatt 26

<210> 208
<211> 27
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 208
tctagggatt caaagaaaag taatagt 27

<210> 209
<211> 32
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 209
caacaargrc aatgtgayrt attatgytgt ta 32

<210> 210
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 210
gataayatwg gmgaacaagt caraaatgg 29

<210> 211
<211> 35
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 211
ccrtattgat tgwtracacg rccacartaa ttwgg

35

<210> 212
<211> 32
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<220>
<221> misc_feature
<222> (30)..(30)
<223> N = INOSINE

<400> 212
atrttsartg gttcattttt gaaatagatn cc

32

<210> 213
<211> 32
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 213
acgtgtcggg atctatgtwc gtgtatcaac rg

32

<210> 214
<211> 30
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 214
tgttatgrtc tacaaaacaa accgaytagc

30

<210> 215
<211> 34
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 215
gawtaataat rggggaatgc ttaccttcag ctat 34

<210> 216
<211> 26
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 216
ggtttttgac tgacttgttt tttacg 26

<210> 217
<211> 29
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 217
tagaaytggt ttttatgatt accrtcttt 29

<210> 218
<211> 26
<212> DNA
<213> Artificial

<220>
<223> OLIGONUCLEOTIDE

<400> 218
ggcaaaaaya aagacgaagt gctgag 26

<210> 219
<211> 721
<212> DNA
<213> Staphylococcus aureus

<400> 219
tgtagcttta ggtgaagggt taggtccttc aataggggga ataatagcac attatattca 60
ttggtcttac ctacttatac ttcctatgat tacaatagta actatacctt ttcttattaa 120
agtaatggta cctggtaaata caacaaaaaa tacattagat atcgtaggta ttgttttaata 180
gtctataagt attatatggt ttatggttatt tacgacaaat tataattgga ctttttttaata 240
actcttcaca atcttttttg tgatttttat taaacatatt tcaagagttt ctaacccttt 300

tattaatcct aaactagga aaaacattcc gtttatgctt ggtttggttt ctgggtgggct 360
aatatcttct atagtagctg gttttatata aatgggtgcct tatatgatga aaactattta 420
tcatgtaaata gtagcgacaa taggtaatag tgttatcttt cctggaacca tgagtgttat 480
tgtttttggt tatcttggtg gtttttttagt ggatagaaaa ggatcattat ttgtttttat 540
tttaggatca ttgtctatct ctataagttt tttaactatt gcattttttg ttgagtttag 600
tatgtgggtg actactttta tgtttatatt tgttatgggc ggattatctt ttactaaaac 660
agttatatca aaaatagtat caagtagtct ttctgaagaa gaagttgctt ctggaagagt 720
t 721

<210> 220
<211> 1791
<212> DNA
<213> Staphylococcus aureus

<400> 220
atccggtact gcagaactca aatgaaaca aggagaaact ggcagacaaa ttgggtggtt 60
tatatcatat gataaagata atccaaacat gatgatggct attaatgtta aagatgtaca 120
agataaagga atggctagct acaatgccaa aatctcaggt aaagtgtatg atgagctata 180
tgagaacggt aataaaaaat acgatataga tgaataacaa aacagtgaag caatccgtaa 240
cgatgggttg ttcactggtt tattatgaat tattaataag tgctgttact tctcccttaa 300
atacaatttc ttcattttca ttgtatgttg aaagtgcac tgtaacgagt ccattttctt 360
tttttatgga tttcttattt gtaatttcag cgataacgta caatgtatta cctgggtata 420
caggtttaat aaatttaacg ttattcattt gtgttcctgc tacaacttct tctccgtatt 480
taccttcttc taccataat ttaaatagata ttgaaagtgt atgcatgcca gatgcaatga 540
tacctttaaa tctactttgt tctgcttttt ctttatctat atgcatatat tgaggatcaa 600
aagttgttgc aaattggata atttcttctt ctgtaatatg aaggcttttt gttttgaatg 660
tttctcctac tataaaatca tcgtatttca tatatgtctc tctttcttat tcaaattaat 720
tttttagtat gtaacatggt aaaggtaagt ctaccgtcac tgaaacgtaa gactcacctc 780
taactttcta ttgagacaaa tgcaccattt tatctgcatt gtctgtaaag ataccatcaa 840
ctccccaatt agcaagttgg ttgacacgtg ctgggttggt tacagtccat acgttcaatt 900
cataaccgcg tttttttacc atttttactt ttgcttttagt aagtttggca tcttcagtgt 960
ttactatttt agcattacag taatctaaaa gtgttctcca gtcttcacga aacgaagttg 1020

tatggaatat aactgctctg ttatattgtg gcatgatttc ttctgcaagt ttaacaagca 1080
 caacattaaa gcttgaaatg agcacttctt gattctgatt taagtttggt aattgttctt 1140
 ccacttgctt aaccatactt ttagaaagtg ctagtccatt cgggccagta atacctttta 1200
 attctacatt taaattcata ttatattcat ttgctatttt tactacatca tcgaaagttg 1260
 gcaaagtgtc atctttgaat ttttcaccaa accaagatcc tgcagaagca tctttaattt 1320
 catcataatt caattcagtt atttccccgg acatatttgt agtccgttct aaataatcat 1380
 catgaatgat aatcagttgt tcatcttttg taattgcaac atctaactcc aaccagttta 1440
 taccttctac ttctgaagca gctttaaatg atgcaattgt attttccgga gctttactag 1500
 gtaatcctct atgtccatat acagttagca tattacctct ccttgcatth ttattttttt 1560
 aattaacgta actgtattat cacattaatc gcacttttat ttccattaaa aagagatgaa 1620
 tatcataaat aaagaagtcg atagattcgt attgattatg gagttaatct acgtctcatc 1680
 tcatttttaa aaaatcattt atgtcccaag ctccattttg taatcaagtc tagtttttct 1740
 gtaccctta tctgcaattt tacttaggat tgcttttaac ttaccctta t 1791

<210> 221
 <211> 600
 <212> DNA
 <213> Staphylococcus aureus

<400> 221
 aagtgtgac gcctgagga atagtatgtg cgagagacta atggctcgag ccatacccct 60
 aggcaagcat gcacgtacaa aatcgtaaga taaaaaata agcatatcac tgtaaacttt 120
 aaaaaatcag tttagtata tgcttattta ttctgagttt ggatttatgt cccaagctca 180
 tcaagcacia tcggccacta gtttatttct ctatcttata tggtctgata tgggtcttct 240
 tactgtataa gtatactttt gaatatggat cttgtgtcaa ttcacgttcg aaatcaaatt 300
 cttgattatc aaatctgtta aagaatgttt cgtattcttc gactgataat tgctctctag 360
 attctagcat atttaagtgt ttctctttat ctaatgcttt gtcatactct ttaacgattg 420
 aaccactaaa gatttctcct actgctcctg aaccataact aaatagacat actttctctt 480
 ctgggttgaa tgtgtgggtc tgtaataacg aaattaaact taagtataat gatcctgtat 540
 aaatgttacc aacatctcta ttccataata cggttctgtt gcaaagttga atttatagta 600

<210> 222
 <211> 1640
 <212> DNA

<213> Staphylococcus aureus

<400> 222

```

gggtggttta tatcatatga taaagataat ccaaacaatga tgatggctat taatgttaaa      60
gatgtacaag ataaaggaat ggctagctac aatgccaaaa tctcaggtaa agtgtatgat      120
gagctatatg agaacggtaa taaaaaatac gatatagatg aataacaaaa cagtgaagca      180
atccgtaacg atggttgctt cactgtttta ttatgaatta ttaataagtg ctgttacttc      240
tcccttaa at acaatttctt cattttcatt gtatgttgaa agtgacactg taacgagtcc      300
attttctttt tttatggatt tcttatttgt aatttcagcg ataacgtaca atgtattacc      360
tgggtataca ggtttaataa atttaacggt attcatttgt gttcctgcta caacttcttc      420
tccgtattta ctttcttcta cccataattt aaatgatatt gaaagtgtat gcatgccaga      480
tgcaatgata cttttaaatc tactttgttc tgctttttct ttatctatat gcatatattg      540
aggatcaaaa gttgttgcaa attggataat ttcttcttct gtaatatgaa ggctttttgt      600
tttgaatggt tctcctacta taaaatcatc gtatttcata tatgtctctc tttcttattc      660
aaattaattt tttagtatgt aacatgttaa aggtaagtct accgtcactg aaacgtaaga      720
ctcacctcta actttctatt gagacaaatg caccatttta tctgcattgt ctgtaaagat      780
accatcaact cccaattag caagttgggt tgcacgtgct ggtttgttta cagtccatac      840
gttcaattca taaccgctt cttttaccat ttttactttt gctttagtaa gtttggcatc      900
ttcagtgttt actattttag cattacagta atctaaaagt gttctccagt cttcacgaaa      960
cgaagttgta tggaatataa ctgctctggt atattgtggc atgatttctt ctgcaagttt     1020
aacaagcaca acattaaagc ttgaaatgag cacttcttga ttctgattta agtttggttaa     1080
ttgttcttcc acttgcttaa ccatactttt agaaagtgct agtccattcg gtccagtaat     1140
accttttaat tctacattta aattcatatt atattcattt gctattttta ctacatcatc     1200
gaaagttggc aaatgttcat ctttgaattt ttcaccaa ac caagatcctg cagaagcatc     1260
tttaatttca tcataattca attcagttat ttccccggac atatttgtag tccgttctaa     1320
ataatcatca tgaatgataa tcagttgttc atcttttgta attgcaacat ctaactccaa     1380
ccagtttata ctttctactt ctgaagcagc tttaa atgat gcaattgtat tttccggagc     1440
tttactaggt aatcctctat gtccatatac agttagcata ttacctctcc ttgcattttt     1500
atttttttaa ttaacgtaac tgtattatca cattaatcgc acttttattt ccattaaaaa     1560
gagatgaata tcataaataa agaagtcgat agattcgtat tgattatgga gttaatctac     1620

```

gtctcatctc atttttaaaa

1640

<210> 223

<211> 592

<212> DNA

<213> Staphylococcus aureus

<400> 223

aattcaactt tgcaacagaa ccgtattatg gaatagagat gttggtaaca tttatacagg 60

atcattatac ttaagtttaa tttcgttatt acagaaccac acattccaac cagaagagaa 120

agtatgtcta tttagttatg gttcaggagc agtaggagaa atcttttagtg gttcaatcgt 180

taaaggatat gacaaagcat tagataaaga gaaacactta aatatgctag aatctagaga 240

gcaattatca gtcgaagaat acgaaacatt ctttaacaga tttgataatc aagaatttga 300

tttcgaacgt gaattgacac aagatccata ttcaaaagta tacttataca gtatagaaga 360

ccatatcaga acatataaga tagagaaata aactagtggc cgattgtgct tgatgagctt 420

gggacataaa tcctaactcg aaataaataa gcatatcact aaactgattt tttaaagttt 480

acagtgatat gcttattttt ttatcttacg attttgtacg tgcattgcttg cctaggggta 540

tggctcgagc cattagtctc tcgcacatac tattccctca ggcgtcagca ct 592

<210> 224

<211> 2386

<212> DNA

<213> Staphylococcus aureus

<400> 224

caccttcata tgacgtctat ccatttatgt atggcatgag taacgaagaa tataataaat 60

taaccgaaga taaaaaagaa cctctgctca acaagttcca gattacaact tcaccagggtt 120

caactcaaaa aatattaaca gcaatgattg ggtaaataa caaacatta gacgataaaa 180

caagttataa aatcgatggg aaagggtggc aaaaagataa atcttggggg ggttacaacg 240

ttacaagata tgaagtggta aatggtaata tcgacttaaa acaagcaata gaatcatcag 300

ataacatttt ctttgctaga gtagcactcg aattaggcag taagaaattt gaaaaaggca 360

tgaaaaaact aggtggtggg gaagatatac caagtgatta tccattttat aatgctcaaa 420

tttcaaaciaa aaatttagat aatgaaatat tattagctga ttcagggttac ggacaagggtg 480

aaatactgat taaccagta cagatccttt caatctatag cgcattagaa aataatggca 540

atattaacgc acctcactta ttaaaagaca cgaaaaaciaa agtttggaag aaaaatatta 600

tttccaaaga aaatatcaat ctattaactg atggtatgca acaagtcgta aataaaacac 660

ataaagaaga tatttataga tcttatgcaa acttaattgg caaatccggt actgcagaac	720
tcaaaatgaa acaaggagaa actggcagac aaattgggtg gtttatatca tatgataaag	780
ataatccaaa catgatgatg gctattaatg ttaaagatgt acaagataaa ggaatggcta	840
gctacaatgc caaatctca ggtaaagtgt atgatgagct atatgagaac ggtaataaaa	900
aatacgatat agatgaataa caaaacagtg aagcaatccg taacgatggg tgcttcactg	960
ttttattatg aattattaat aagtgtgtt acttctccct taaatacaat ttcttcattt	1020
tcattgtatg ttgaaagtga cactgtaacg agtccatttt ctttttttat ggatttctta	1080
tttgtaattt cagcgataac gtacaatgta ttacctgggt atacaggttt aataaattta	1140
acgttattca tttgtgttcc tgctacaact tcttctccgt atttaccttc ttctacccat	1200
aatttaaagt atattgaaag tgtatgcatg ccagatgcaa tgataccttt aaatctactt	1260
tgttctgctt tttctttatc tatatgcata tattgaggat caaaagttgt tgcaaattgg	1320
ataatttctt cttctgtaat atgaaggctt tttgttttga atgtttctcc tactataaaa	1380
tcacgtatt tcatatatgt ctctctttct tattcaaatt aatttttttag tatgtaacat	1440
gttaaaggta agtctaccgt cactgaaacg taagactcac ctctaacttt ctattgagac	1500
aatgcacca ttttatctgc attgtctgta aagataccat caactcccca attagcaagt	1560
tggtttgcac gtgctggttt gtttacagtc catacgttca attcataacc cgcttctttt	1620
accattttta cttttgcttt agtaagtttg gcatcttcag tgtttactat tttagcatta	1680
cagtaatcta aaagtgttct ccagtcttca cgaaacgaag ttgtatggaa tataactgct	1740
ctgttatatt gtggcatgat ttcttctgca agtttaacaa gcacaacatt aaagcttgaa	1800
atgagcactt cttgattctg atttaagttt gttaattggt cttccacttg ctttaaccata	1860
cttttagaaa gtgctagtcc attcgggtcca gtaatacctt ttaattctac atttaaattc	1920
atattatatt catttgctat ttttactaca tcacgaaag ttggcaaagt ttcacctttg	1980
aatttttcac caaccaaga tcctgcagaa gcatctttaa tttcatcata attcaattca	2040
gttatttccc cggacatatt tgtagtccgt tctaaataat catcatgaat gataatcagt	2100
tgttcatctt ttgtaattgc aacatctaac tccaaccagt ttataccttc tacttctgaa	2160
gcagctttaa atgatgcaat tgtattttcc ggagctttac taggtaatcc tctatgtcca	2220
tatacagtta gcatattacc tctccttgca tttttatttt ttttaattaac gtaactgtat	2280
tatcacatta atcgacttt tatttccatt aaaaagagat gaatatcata aataaagaag	2340

tcgatagatt cgtattgatt atggagttaa tctacgtctc atctca 2386

<210> 225
 <211> 623
 <212> DNA
 <213> Staphylococcus aureus

<400> 225
 tgaaaattac aaccgatttt gtaagtgctg acgcctgagg gaatagtatg tgcgagagac 60
 taatggctcg agccataccc ctaggcaagc atgcacgtac aaaatcgtaa gataaaaaaa 120
 taagcatatc actgtaaact ttaaaaaatc agtttagtga tatgcttatt tatttcgagt 180
 taggatttat gtcccaagct catcaagcac aatcggccac tagtttattt ctctatctta 240
 tatgttctga tatggtcttc tatactgtat aagtatactt ttgaatatgg atcttgtgtc 300
 aattcacgtt cgaaatcaaa ttcttgatta tcaaactctgt taaagaatgt ttcgtattct 360
 tcgactgata attgctctct agattctagc atatttaagt gtttctcttt atctaattgct 420
 ttgtcatatc ctttaacgat tgaaccacta aagatttctc ctactgctcc tgaaccataa 480
 ctaaatagac atactttctc ttctgggttg aatgtgtggt tctgtaataa cgaaattaaa 540
 ctttaagtata atgatcctgt ataaatgtta ccaacatctc tattccataa tacggttctg 600
 ttgcaaagtt gaatttatag tat 623

<210> 226
 <211> 651
 <212> DNA
 <213> Staphylococcus aureus

<400> 226
 atgaaaaata tttcagaatt ctcagcccaa cttgatcaaa cttttgatca aggggaagcc 60
 gtctctatgg agtggttatt ccgtccgttg ctaaaaatgc tggcggaggg cgatccagtc 120
 cccgttgagg acatcgcggc ggagaccggg aagcccgtcg aggaagttaa gcaagtccta 180
 cagactctac ctagtgtgga acttgatgag cagggccgtg tcgtcggtta tggcctcaca 240
 ctgttcccta cccccatcg cttcgagggt gatgggaagc aactatatgc atggtgcgcc 300
 cttgacacac ttatgttccc agcactcatc ggcggacgg tccacatcgc ttgccttgt 360
 cacggcaccg gtaagtccgt ccggttgacg gtggaaccgg accgcgttgt aagcgtcgag 420
 ccttcaacag ccgttgtctc gattgttaca ccagatgaaa tggcctcggg tcggtcggcc 480
 ttctgtaacg acgttcactt tttcagttca ccgagtgcag cccaagactg gcttaaccaa 540
 caccctgagt cgagcgtttt gcccgttgaa gatgcctttg aactgggtcg ccatttggga 600

gcgcgttatg aggagtcagg acctactaat gggtcctggt gtaacattta a 651

<210> 227

<211> 563

<212> DNA

<213> Staphylococcus aureus

<400> 227

atgaatcttg aaaaaggga tatagaaagg aaaaaacatg gtgtccatgt taatgagtat 60

ttgcaaagtg taagtaaccc gaatgtctat gcagctggag atgctgcagc aacggatggc 120

ttgcccctca cacctgtagc cagtgcagat tctcatgtcg tagcatctaa ttattgaaa 180

gggaacagca aaaaaattga atatcccgtg attccatctg ctgtatttac cgtacctaaa 240

atggcatcgg taggtatgag cgaggaggaa gccaaaaact ctggccggaa tattaaagta 300

aagcagaaaa acatctccga ctggttttacg tataaacgga caaatgagga ctttgctgcg 360

tttaaagtgc tgattgacga agatcatgat caaatgttg gtgctcattt gattagtaat 420

gaagccgatg aactgattaa tcatttttgca acagccattc gttttgggat ttcaaccaa 480

gaattgaaac aaatgatatt tgcctatcca acggcagctt cggacattgc acacatgttg 540

taagtttgcg ttttgtgaga tgt 563

<210> 228

<211> 1380

<212> DNA

<213> Staphylococcus aureus

<400> 228

ttgttttagtt tatataaaaa atttaaagggt ttgttttata gcgttttatt ttggctttgt 60

attctttcat tttttagtgt attaaatgaa atgggttttaa atgtttcttt acctgatatt 120

gcaaatcatt ttaatactac tcctggaatt acaaactggg taaacactgc atatatgtta 180

actttttcga taggaacagc agtatatgga aaattatctg attatataaa tataaaaaaa 240

ttgttaatta ttggtattag tttgagctgt cttggttcat tgattgcttt tattgggtcac 300

aatcactttt ttattttgat ttttggtagg ttagtacaag gagtaggattc tgctgcattc 360

ccttcactga ttatggtggt tgtagctaga aatattacaa gaaaaaaca aggcaaagcc 420

tttggtttta taggatcaat tgtagcttta ggtgaagggt taggtccttc aataggggga 480

ataatagcac attatattca ttggtcttac ctacttatac ttcctatgat tacaatagta 540

actatacctt ttcttattaa agtaatggta cctggtaaata caacaaaaaa tacattagat 600

atcgtaggta ttgttttaaat gtctataagt attatatggt ttatggttatt tacgacaaat 660
 tataattgga ctttttttaaat actcttcaca atctttttttg tgattttttat taaacatatt 720
 tcaagagttt ctaacccttt tattaatcct aaactaggga aaaacattcc gtttatgctt 780
 ggtttggttt ctggtgggct aatattttct atagtagctg gttttatatc aatggtgcct 840
 tatatgatga aaactattta tcatgtaaat gtagcgacaa taggtaatag tgttattttt 900
 cctggaacca tgagtgttat tgtttttggt tattttgggt gtttttttagt ggatagaaaa 960
 ggatcattat ttgtttttat tttaggatca ttgtctatct ctataagttt ttttaactatt 1020
 gcattttttg ttgagtttag tatgtggttg actactttta tgtttatatt tgttatgggc 1080
 ggattatctt ttactaaaac agttatatca aaaatagtat caagtagtct ttctgaagaa 1140
 gaagttgctt ctggaatgag tttgctaaat ttcacaagtt ttttatcaga gggaacaggt 1200
 atagcaattg taggaggttt attgtcacta caattgatta atcgtaaact agttctggaa 1260
 tttataaatt attcttctgg agtgtatagt aatattcttg tagccatggc tacccttatt 1320
 attttatggt gtcttttgac gattattgta tttaaacggt ctgaaaagca gtttgaatag 1380

<210> 229

<211> 1365

<212> DNA

<213> *Staphylococcus aureus*

<400> 229

atgagaatag tgaatggacc aataataatg actagagaag aaagaatgaa gattgttcat 60
 gaaattaagg aacgaatatt ggataaatat ggggatgatg ttaaggctat tggtgtttat 120
 ggctctcttg gtcgtcagac tgatgggccc tattcggata ttgagatgat gtgtgtcatg 180
 tcaacagaag aagcagagtt cagccatgaa tggacaaccg gtgagtggaa ggtggaagtg 240
 aattttgata gcgaagagat tctactagat tatgcatctc aggtggaatc agattggcct 300
 cttacacatg gtcaattttt ctctattttg ccgatttatg attcaggtgg atacttagag 360
 aaagtgtatc aaactgctaa atcggtagaa gcccaaacgt tccacgatgc gatttgtgcc 420
 cttatcgtag aagagctggt tgaatatgca ggcaaattggc gtaatattcg tgtgcaagga 480
 ccgacaacat ttctaccatc cttgactgta caggtagcaa tggcaggtgc catgttgatt 540
 ggtctgcac atcgcatctg ttatacgacg agcgcttcgg tcttaactga agcagttaag 600
 caatcagatc ttccttcagg ttatgaccat ctgtgccagt tcgtaatgtc tgggtcaactt 660
 tccgactctg agaaacttct ggaatcgcta gagaatttct ggaatgggat tcaggagtgg 720

acagaacgac acggatatat agtggatgtg tcaaaacgca taccattttg aacgatgacc 780
 tctaataatt gttaatcatg ttggttacgt atttattaac ttctcctagt attagtaatt 840
 atcatggctg tcatggcgca ttaacggaat aaaggggtgtg cttaaatecg gccattttgc 900
 gtaataagaa aaaggattaa ttatgagcga attgaattaa taataaggta atagatttac 960
 attagaaaat gaaaggggat tttatgcgtg agaatgttac agtctatccc ggcattgcca 1020
 gtcggggata ttaaaaagag tatagggtttt tattgcgata aactagggtt cactttgggtt 1080
 caccatgaag atggattcgc agttctaagt tgtaatgagg ttcggattca tctatgggag 1140
 gcaagtgatg aaggctggcg ctctcgtagt aatgattcac cggtttgtac aggtgcggag 1200
 tcgtttattg ctggtactgc tagttgccgc attgaagtag agggaattga tgaattatat 1260
 caacatatta agcctttggg cattttgcac cccaatacat cattaaaaga tcagtgggtg 1320
 gatgaacgag actttgcagt aattgatccc gacaacaatt tgatt 1365

<210> 230

<211> 831

<212> DNA

<213> Staphylococcus aureus

<400> 230

atggggggttt cttttaatat tatgtgtcct aatagtagca tttattcaga tgaaaaatca 60
 agggtttttag tggacaagac aaagagtgga aaagtgagac catggagaga aaagaaaatc 120
 gctaattgtg attactttga acttctgcat attcttgaat ttaaaaaggc tgaaagagta 180
 aaagattgtg ctgaaatatt agagtataaa caaaatcgtg aaacaggcga aagaaagttg 240
 tatcgagtgt ggttttgtaa atccaggctt tgtccaatgt gcaactggag gagagcaatg 300
 aaacatggca ttcagtcaca aaaggttggt gctgaagtta ttaaacaaaa gccaacagtt 360
 cgttgggtgt ttctcacatt aacagttaaa aatgtttatg atggcgaaga attaaataag 420
 agtttgtcag atatggctca aggatttcgc cgaatgacgc aatataaaaa aattaataaa 480
 aatcttggtg gttttatgcg tgcaacggaa gtgacaataa ataataaaga taattcttat 540
 aatcagcaca tgcattgtatt ggtatgtgtg gaaccaactt attttaagaa tacagaaaac 600
 tacgtgaatc aaaaacaatg gattcaattt tggaaaaagg caatgaaatt agactatgat 660
 ccaaattgtaa aagttcaaatt gattcgaccg aaaaataaat ataatcgga tatacaatcg 720
 gcaattgacg aaactgcaaa atatcctgta aaggatacgg attttatgac cgatgatgaa 780
 gaaaagaatt tgtaacgttt gtctgatttg gaggaagggt tacaccgtaa a 831

<210> 231
 <211> 4193
 <212> DNA
 <213> *Staphylococcus aureus*

<400> 231
 atgagccgct tgatacgcac gagtgtatta gcaagtggta gtacaggtaa cgccactttt 60
 gtagaaaatg aaaaaggtag tctattagtt gatgttggtt tgactggcaa gaaaatggaa 120
 gaattgttta gtcaaattga ccgtaatat caagatttaa atgggtatttt agtaacccat 180
 gaacatattg atcatattaa aggattaggt gttttggcgc gtaaataatca attgccaat 240
 tatgcgaatg aaaagacttg gcaggcaatt gaaaagaaag atagtcgcac ccctatggat 300
 cagaaattca tttttaatcc ttatgaaaca aaatctattg caggtttcga tgttgaatcg 360
 tttaacgtgt cacatgatgc aatagatccg caattttata tttccataa taactataag 420
 aagtttacga ttttaacgga tacgggttac gtgtctgac gtatgaaagg tatgatacgt 480
 ggcagcgatg cgtttatttt tgagagtaat catgacgtcg atatgttgag aatgtgtcgt 540
 tatccatgga agacgaaaca acgtatttta ggcgatatgg gtcattgac taatgaggat 600
 gcgggtcatg cgatgacaga tgtgattaca ggtaacacga aacgtattta cctatcgcat 660
 ttatcacaag acaataacat gaaagatttg gcgcgtatga gtgttgcca agtattgaac 720
 gaacacgata ttgatacggg aaaagaagta ttgctatgtg atacggataa agctattcca 780
 acgccaatat atacaatata aatgagagtc accctataaa gttcggcact gctgtgagac 840
 gactttatcg ggtgcttttt tatgttattg gtgggaaatg gctgttggtg gaattaaggt 900
 tctatttgaa atgtaaaaaa taattcgata ttaaattgaa tttataaata atttacataa 960
 aatcaatcat tttaatataa ggattatgat aatatattgg tgtatgacag ttaatggagg 1020
 gaacgaaatg aaagctttat tacttaaaac aagtgtatgg ctcgttttgc tttttagtgt 1080
 gatgggatta tggcaagtct cgaacgcggc tgagcagtat acaccaatca aagcacatgt 1140
 agtaacaacg atagacaaag caacaacaga taagcaacaa gtaacgcaa caaaggaagc 1200
 ggctcatcaa tttggtgaag aagcggcaac caacgtatca gcatcagcac agggaacagc 1260
 tgatgaaata aacaataaag taacatccaa cgcattttct acaaaccat ctacagcagt 1320
 ttcaacaaaa gtaaacgaaa cgcacgatgt agatacaca caagcctcaa cacaaaaacc 1380
 aactcaatca gcaacattca cattatcaaa tgctaaaaca gcatcacttt caccacgaat 1440
 gtttgctgcc aatgtaccac aaacaacaac acataaaata ttacatacaa atgatatcca 1500

tggccgacta gccgaagaaa aagggcgtgt catcggtatg gctaaattaa aaacaataaa 1560
agaacaagaa aagcctgatt taatgttaga cgcaggagac gccttccaag gtttaccact 1620
ttcaaaccag tctaaagggtg aagaaatggc taaagcaatg aatgcagtag gttatgatgc 1680
tatggcagtg ggtaaccatg aatttgactt tggatacgat cagttgaaaa agttagaggg 1740
tatgttagac ttcccgatgc taagtactaa cgtttacaaa gatgggaaac gcgcgtttta 1800
gccttcaaca attgtaacga aaaatggtat tcgttatgga attattggcg taacgacacc 1860
agaaacaaag acgaaaacaa gacctgaggg cattaaaggt gttgaattta gagatccatt 1920
acaaagtgtg acagcagaaa tgatgcgtat ttataaagac gtagatacat ttgttggtat 1980
atcacattta gggattgatc cttcaacaca agaaacatgg cgtgggtgatt acttagtgaa 2040
acaattaagt caaaatccac aattgaagaa acgtattaca gtcattgatg gtcattcaca 2100
taccgtactt caaaatggtc aaatttataa caatgatgca ttagcacaaa caggtacagc 2160
acttgcgat atcggttaagg ttacatttaa ttaccgcaat ggagaggtat caaatattaa 2220
accgtcattg attaatgtta aagacgttga aaatgtaaca ccgaacaaag cattagctga 2280
acaaattaat caagctgatc aaacatttag agcacaaaca gcagaggtta ttattccaaa 2340
taataccatt gatttcaaag gagaaagaga tgacgttaga acgcgtgaaa caaatttagg 2400
aaacgcgatt gcagatgcta tggaagcgta tggcgттаag aatttctcta aaaagactga 2460
ctttgccgtg acaaatgggtg gaggtattcg tgcctctatc gcaaaaggta aggtgacacg 2520
ctatgattta atctcagtat taccatttgg aaatacgatt gcgcaaattg atgtaaaagg 2580
ttcagacgtc tggacagctt tcgaacatag tttaggtgca ccaacaacac aaaaagacgg 2640
taagacagta ttaacagcga atggcggttt actacatatc tctgattcaa ttcgtgttta 2700
ctatgatatg aataaaccgt ctggcaaacg aattaacgct attcaaattt taaataaaga 2760
gacaggtaag tttgaaaata ttgattttaa acgtgtatat catgtaacga tgaatgactt 2820
cacagcatca ggtggcgacg gatatagtat gttcgggtggc cctagagaag aaggatttct 2880
attagatcaa gtactagcaa gttattttaa aacagctaac atagctaagt atgatacgac 2940
agaaccacaa cgtatgttat taggtaaacc agcagtaagt gaacaaccag ctaaaggaca 3000
acaaggtagc aaaggtagtg agtctggtaa agatgtacaa ccaattgggtg acgacaaagc 3060
gatgaatcca gcgaaacaac cagcgacagg taaagttgta ttgttaccaa cgcatagagg 3120
aactgttagt agcggtagc aaggttctgg tcgcacatta gaaggagcta ctgtatcaag 3180
caagagtggg aaccaattgg ttagaatgtc agtgcctaaa ggtagcgcgc atgagaaaca 3240

gttaccaaaa actggaacta atcaaagctc aagcccagca gcgatgtttg tattagtagc 3300
 aggtataggt ttaatcgcg a ctgtacgacg tagaaaagct agttaaata tattgaaaac 3360
 aatactactg tatttcttaa ataagaggta cggtagtgtt tttttatgga aaaaagctat 3420
 aaacgttgat aaacatggga tataaaaacg gggataagta ataagacatc aaggtgttta 3480
 tccacagaaa tggggatagt tatccagaat tgtgtacaat ttaaagagaa ataccacaa 3540
 tgcccacaga gttatccaca aatacacaag ttatacacta aaaattgggc ataaatgtca 3600
 ggaaaatatc aaaaactgca aaaaatattg gtataataag agggaacagt gtgaacaagt 3660
 taataacttg tggataactg gaaagttgat aacaatttg aggaccaaac gacatgaaa 3720
 tcaccatttt agctgtaggg aaactaaaag agaaatattg gaagcaagcc atagcagaat 3780
 atgaaaaacg tttaggccca tacaccaaga tagacatcat agaagttcca gacgaaaaag 3840
 caccagaaaa tatgagcgac aaagaaattg agcaagtaaa agaaaaagaa ggccaacgaa 3900
 tactagccaa aattaaacca caatccacag tcattacatt agaaatacaa ggaaagatgc 3960
 tatcttccga aggattggcc caagaattga accaacgcat gaccaaggg caaagcgact 4020
 ttgtattcgt cattggcgga tcaaacggcc tgcacaagga cgtcttaca cgcagtaact 4080
 acgcactatc attcagcaaa atgacattcc cacatcaa at gatgcgggtt gtgttaattg 4140
 agcaagtgt tagagcattt aagattatgc gtggagaagc atatcataaa tga 4193

<210> 232
 <211> 2996
 <212> DNA
 <213> Staphylococcus aureus

<400> 232
 atgaaacgag ccattgggta tttgcgccaa agtacaacga aacaacaatc actcccagct 60
 caaaagcaag caatagaatt attagctcca aagcacaata ttcaaaatat ccaatacatt 120
 agtgataagc aatcaggcag aacagataat cgaacaggct atcaacaagt caccgaacgc 180
 atccaacaaa gacaatgtga cgtattatgt tgttatcgct tgaatcgact tcatcgcaac 240
 ttgaaaaatg cattaaaact catgaaactc tgtcaaaaat atcatgttca tattctaagt 300
 gttcatgatg gctattttga tatggataaa gcgtttgatc gcctaaaact caatatattc 360
 atgagtctgg ctgaacttga atccgataat attggagaac aagtcaaaaa tggacttaga 420
 gaaaaggcaa aacaaggtaa actcataacg acccatgcgc ctttcgggta tcactatcaa 480
 aatgggtactt tcatcattaa taatgatgaa tcacctaccg tcaaagctgt attcaattat 540

tatcttcaag gatatggcta caagaagatt gcacaatatt tagaagacga taataaactt	600
attacccgca agccttatca ggtacgaaat ataattatga acccaaatta ttgtggtcgt	660
gtcatcaatc aatatgggtca atataacaat atggtaccac ctattgtttc ggcaacgaaa	720
tatgaacatg ctcaagcaat ccgtaataag aagcaacttc actgtatacc ttcagagaat	780
cagctgaaac aaaagatcaa atgtccttgt tgtgactcaa cactgacaaa tatgacaata	840
agaaaaaac atacattgcg atattatatt tgtcctaaaa atatgaatga atctcgcttt	900
gtctgttcat tcaaaggaat aaatgcacaa aaattagaag ttcaagtctt agctacatgt	960
cagaacttct ttcaaaacca acagctctat tcaaaaatta ataatgcaat tcatcaacgc	1020
ctcaaaaaac aaagagtgat agaagctaaa agtacgctaa ctcaagaaca actgatagat	1080
aaacttgcca aaggatgat tgatgctgaa tcattcagaa aacagactca tttgatgaat	1140
caaaagcaca aaaccatatc ctccataagt gataatcagt tacaacatc actacaaaag	1200
gttatacaga aaagtttcac gttaaacaatg ctgcatccct atattgatga aattcgcatt	1260
acaaaaaata aagcccttgt tgggatctat ttcaaaaatg aaccattgaa cattgtgaac	1320
caaacctcgc aatcatcgat tgcttaatca gaaaggatga aaaaatcatg caacaactca	1380
aacaaaaacg tgtcggtatc tatgttcgtg tatcaacgga aatccaaagt actgaaggct	1440
atagtatcga tggacaaatc aatcaaattc gagaatattg tgatttcaat aactttgttg	1500
ttgtagatgt atacgcggat agaggtatct ctggaaaatc tatgaaccga ccagaactac	1560
aacgtttggt aaaagatgcg aacgaaggtc agattgattc tggtatggtc tacaaaacaa	1620
accgactagc acgtaacact tctgacttac tcaaaattgt tgaagacctt catcgtcaaa	1680
atgtcgaatt cttcagctta tctgagcgta tggaagtcaa tacaagcagt ggtaaattga	1740
tgctacaaat tctagcgagt ttttcagaat ttgaaagaaa taatattgtc gaaaatgtat	1800
tcatgggtca aaccgacgc gctcaagaag gctattatca aggcaatttg ccgctgggct	1860
atgacaaaat accggatagc aagcatgaac tcatgataaa ccaacatgaa gcgaatattg	1920
tcaaataatat atttgagtca tatgctaaag gccacggata tcgtaaaatt gcgaatgcac	1980
tcaatcaciaa aggatacgtg actaaaaaag gaaagccttt cagtattggc tcagtgacct	2040
atatcttata taatccattc tatgttggtg aaattcaatt cgcaaagtac aaagattgga	2100
atgaaaagcg tcgtaaaggg ctgaatgata aaccaataat agctgaaggc aagcattccc	2160
ctattattat tcaagactta tgggataaag tccaattacg taaaaaaciaa gtcagtcaaa	2220

aacctcaagt ccacggtaaa ggaactaatc tattaacagg tatcgttcat tgtccacaat 2280
 gtggtgcacc aatggcagct agtaacacaa cgaacacatt gaaagatggt accaagaagc 2340
 gaatacgtta ttattcttgc agtaacttcc gaaacaaagg ctcaaaagta tgttctgcga 2400
 atagcgttag agctgatgtg attgagaaat acgtcatgga tcaaatactc gaaattgtca 2460
 aaagtgataa agtcattaac caagtcttag aacgtgtcaa tcaagaaaat aaagtcgata 2520
 ttggtgcatt gaaccacgat atcgcttata aacaacaaca atacgatgaa gtcagcggga 2580
 aactccataa tttagttaaa accattgaag ataatccgga cctaacatct gcattgaaag 2640
 caactattca tcaatatgaa acacaactca atgacattac aaatcaaattg aatcaactca 2700
 aacagcaaca aaatcaagag aaactatctt atgatacgaa acaaatcgct gccctattac 2760
 aacgaatatt tcaaaatata gaatcaatgg ataaagcaca actcaaagca ttatatctta 2820
 cagtcattga ccgtattgat attcgtaaag acggtaatca taaaaaacag ttctacgtta 2880
 cactaaaact caataatgaa attattaaac aacttttcaa taatacccct ctgcacgaag 2940
 tgctcctcag cacttcgtct ttatttttgc ctcaaacgct ctttcttcaa atctaa 2996

<210> 233
 <211> 1410
 <212> DNA
 <213> Staphylococcus aureus

<400> 233
 gctgtaggga aactaaaaga gaaatattgg aagcaagcca tagcagaata tgaaaaacgt 60
 ttaggccccat acaccaagat agacatcata gaagttccag acgaaaaagc accagaaaat 120
 atgagcgaca aagaaattga gcaagtaaaa gaaaaagaag gccaacgaat actagccaaa 180
 attaaaccac aatccacagt cattacatta gaaatacaag gaaagatgct atcttccgaa 240
 ggattggccc aagaattgaa ccaacgcatg acccaagggc aaagcgactt tgtattcgtc 300
 attggcggat caaacggcct gcacaaggac gtcttacaac gcagtaacta cgcactatca 360
 ttcagcaaaa tgacattccc acatcaaattg atgcggggtt tggttaattga gcaagtgtat 420
 agagcattta agattatgcy tggagaagca tatcataaat gatgcgggtt tttcagccgc 480
 ttcataaagg gatthttgaat gtatcagaac atatgagggt tatgtgaatt gctgttatgt 540
 ttttaagaag catatcataa gtgatgcggt ttttattaat tagttgctaa aaaatgaagt 600
 atgcaatatt aattattatt aaattttgat atatttaaag aaagattaag tttagggtga 660
 atgaatggct tatcaaagtg aatatgcatt agaaaatgaa gtacttcaac aacttgagga 720

attgaactat gaaagagtaa atatacataa tattaaatta gaaattaatg aatatctcaa	780
agaactagga gtgttgaaaa atgaataagc agacaaatac tccagaacta agatttccag	840
agtttgatga ggaatggaaa aaaaggaaat taggtgaagt agtaaattat aaaaatggtg	900
gttcatttga aagtttagtg aaaaaccatg gtgtatataa actcataact cttaaactctg	960
ttaatacaga aggaaagttg tgtaattctg gaaaatatat cgatgataaa tgtgttgaaa	1020
cattgtgtaa tgatacttta gtaatgatac tgagcgagca agcaccagga ctagttggaa	1080
tgactgcaat tatacctaata aataatgagt atgtactaaa tcaacgagta gcagcactag	1140
tgccataaca atttatagat agtcaatttc tatctaagtt aattaataga aaccagaaat	1200
atttcagtgt gagatctgct ggaacaaaag tgaaaaatat ttctaaagga catgtagaaa	1260
actttaattt tttatctcct aattacactg aacaacaaaa aataggtaat ttcttcagca	1320
aactcgaccg ccagattgag ttagaagaag agaaacttga actcttatag caacaaaagc	1380
gtggatatat ttcagaagat ttttctcaag	1410

WHAT IS CLAIMED IS

1. A method to determine the presence or absence of a methicillin-resistant *Staphylococcus aureus* (MRSA) strain comprising a *mec* right extremity junction (MREJ) type iv nucleic acid sequence in a sample, comprising:

(a) contacting a sample to be analyzed for the presence or absence of said MRSA strain with a first primer and a second primer, said MRSA strain comprising a staphylococcal cassette chromosome *mec* (SCC*mec*) element containing a *mecA* gene inserted into chromosomal DNA, thereby generating a polymorphic right extremity junction (MREJ) type iv sequence that comprises sequences from both the SCC*mec* insert right extremity and chromosomal DNA adjoining said right extremity,

(i) wherein said first primer hybridizes with the SCC*mec* element right extremity of an MREJ type iv nucleic acid sequence as set forth in SEQ ID NOs:43-46 or 51 and complements thereof; and

(ii) wherein said second primer hybridizes with a chromosomal sequence of *S. aureus* which adjoins said SCC*mec* insert right extremity;

(b) performing an amplification reaction on the mixture of (a) to generate an amplicon which comprises said MREJ type iv nucleic acid sequence; and

(c) detecting the presence or absence of said amplicon,

wherein said first and second primers are at least 10 nucleotides in length and specifically hybridize with their target nucleic acids under PCR

conditions comprising 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100™, and 2.5 mM MgCl₂ at 55°C.

2. The method of claim 1, wherein said specific sequence of *S. aureus* chromosomal DNA is *orfX*, SEQ ID NO:172, SEQ ID NO:231 or a complement thereof.

3. The method of claim 2, wherein said specific sequence of *S. aureus* chromosomal DNA is *orfX*.

4. The method of any one of claims 1 to 3, wherein said method further comprises the use of a probe hybridizing with said amplicon and wherein at least one of said primers and/or probe comprises a nucleotide sequence or portion thereof having at least 10 nucleotides in length as set forth in:

a) SEQ ID NO:79, 77, 145, 147 or 68, which hybridizes with the right extremity of SCC*mec* insert; or

b) SEQ ID NO:64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, which hybridizes with *S.*

aureus chromosomal DNA;

for determining the presence or absence of said MRSA strain comprising said MREJ type iv nucleic acid sequence.

5. The method of claim 4, comprising the use of a primer pair consisting of SEQ ID NO:64 and SEQ ID NO:79 or a portion thereof having at least 10 nucleotides in length.

6. The method of claim 4 or 5, wherein said detecting in step (c) is performed using a probe comprising a nucleotide sequence or portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO:32, 83, 84, 160, 161, 162, 163 or 164.

7. The method of claim 6, wherein said probe consists of a nucleotide sequence or a portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO:84, 163 or 164.

8. The method of any one of claims 1 to 7, further comprising a step (d) which comprises determining the presence or absence of at least one further MRSA strain in said sample, said at least one further MRSA strain comprising an MREJ type i, ii, iii, v, vi, vii, viii or ix nucleic acid sequence, wherein said method further comprises contacting said sample with at least one primer which is at least 10 nucleotides in length and which specifically hybridizes to its target nucleic acid under PCR conditions comprising 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100™, and 2.5 mM MgCl₂ at 55°C, wherein said at least one primer in step (d) hybridizes with the SCC*mec* right extremity of said MREJ type i, ii, iii, v, vi, vii, viii or ix nucleic acid sequence which comprises a nucleotide sequence as set forth in:

- a) SEQ ID NOs:1, 20-25 and 199 or a complement thereof, for MREJ type i;
- b) SEQ ID NOs:2, 17-19, 26, 40, 173-183, 185, 186 and 197 or a complement thereof, for MREJ type ii;
- c) SEQ ID NOs:4-16, 104, 184 and 198 or a complement thereof, for MREJ type iii;

- d) SEQ ID NOs:47-50 or a complement thereof, for MREJ type v;
- e) SEQ ID NO:171 or a complement thereof, for MREJ type vi;
- f) SEQ ID NOs:165 and 166 or a complement thereof, for MREJ type vii;
- g) SEQ ID NO:167 or a complement thereof, for MREJ type viii; or
- h) SEQ ID NO:168 or a complement thereof, for MREJ type ix.

9. The method of claim 8, wherein step (d) further comprises the use of a probe hybridizing with said target nucleic acid and wherein at least one of said primers and/or probe consists of at least 10 nucleotides from a sequence as set forth in SEQ ID NO:

- a) 66, 100, 101, 105, 52, 53, 54, 55, 56, 57, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type i;
- b) 66, 97, 99, 100, 101, 106, 117, 118, 124, 125, 52, 53, 54, 55, 56, 57, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type ii;
- c) 67, 98, 102, 107, 108, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 58, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for

determining the presence or absence of an MRSA strain comprising an MREJ type iii;

- d) 65, 80, 146, 154, 155, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type v;
- e) 202, 203, 204, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type vi;
- f) 112, 113, 114, 119, 120, 121, 122, 123, 150, 151, 153, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type vii;
- g) 115, 116, 187, 188, 207, 208, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type viii; or
- h) 109, 148, 149, 205, 206, 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 129, 131, 200, 201, 60, 61, 63, 32, 83, 84, 160, 161, 162, 163 or 164, for determining the presence or absence of an MRSA strain comprising an MREJ type ix.

10. The method of claim 8 or 9, wherein step (d) comprises the use of at least one primer pair as set forth in SEQ ID NOs:

- a) 64/66, 64/100, 64/101; 59/52, 59/53, 59/54, 59/55, 59/56, 59/57, 60/52, 60/53, 60/54, 60/55, 60/56, 60/57, 61/52, 61/53, 61/54, 61/55, 61/56, 61/57, 62/52, 62/53, 62/54, 62/55, 62/56, 62/57, 63/52, 63/53, 63/54, 63/55, 63/56 or 63/57, for determining the presence or absence of an MRSA strain comprising an MREJ type i;
- b) 64/66, 64/97, 64/99, 64/100, 64/101, 59/52, 59/53, 59/54, 59/55, 59/56, 59/57, 60/52, 60/53, 60/54, 60/55, 60/56, 60/57, 61/52, 61/53, 61/54, 61/55, 61/56, 61/57, 62/52, 62/53, 62/54, 62/55, 62/56, 62/57, 63/52, 63/53, 63/54, 63/55, 63/56 or 63/57, for determining the presence or absence of an MRSA strain comprising an MREJ type ii;
- c) 64/67, 64/98, 64/102; 59/58, 60/58, 61/58, 62/58 or 63/58, for determining the presence or absence of an MRSA strain comprising an MREJ type iii;
- d) 64/80, for determining the presence or absence of an MRSA strain comprising an MREJ type v;
- e) 64/204, for determining the presence or absence of an MRSA strain comprising an MREJ type vi;
- f) 64/112 or 64/113, for determining the presence or absence of an MRSA strain comprising an MREJ type vii;
- g) 64/115 or 64/116, for determining the presence or absence of an MRSA strain comprising an MREJ type viii; or
- h) 64/109 or 64/116, for determining the presence or absence of an MRSA strain comprising an MREJ type ix.

11. The method of any one of claims 8 to 10, wherein step (d) further comprises the use of at least one probe comprising a nucleotide sequence or a portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO: 32, 83, 84, 160, 161, 162, 163 or 164 or a complement thereof, for detecting the presence or absence of said at least one further MRSA strain comprising an MREJ type i, ii, iii, v, vi, vii, viii or ix.

12. The method of any one of claims 9 to 11, wherein step (d) further comprises the use of primers and probes consisting of the following nucleotide sequences:

- a) SEQ ID NO: 64, 66, 84, 163, 164 or a portion thereof having at least 10 nucleotides in length for determining the presence or absence of MREJ types i and ii;
- b) SEQ ID NO: 64, 67, 84, 163, 164 or a portion thereof having at least 10 nucleotides in length for determining the presence or absence of MREJ type iii;
- c) SEQ ID NO: 64, 80, 84, 163, 164 or a portion thereof having at least 10 nucleotides in length for determining the presence or absence of MREJ type v; or
- d) SEQ ID NO: 64, 112, 84, 163, 164 or a portion thereof having at least 10 nucleotides in length for determining the presence or absence of MREJ type vii.

13. A method for typing an MREJ type iv of an MRSA strain, and at least one further MRSA strain comprising an MREJ selected from types i, ii, iii, v, vi, vii, viii and ix, in a sample comprising:

- a) reproducing the method of any one of claims 8 to 12 with at least one primer pair specific for said MREJ type iv and with at

least another primer pair specific for said at least one further MRSA strain comprising an MREJ type i, ii, iii, v, vi, vii, viii or ix; and

- b) detecting each amplicon distinctively as an indication of the presence or absence of said MREJ type iv and said at least one further MRSA strain in said sample.

14. The method of any one of claims 8 to 13, wherein said primers and/or probes are placed in the same physical enclosure.

15. A method for determining the presence or absence of at least four MRSA strains, each of said MRSA strains having a different MREJ type, in a sample comprising:

- a) reproducing the method of any one of claims 8 to 14, with primers and/or probes specific for each of said MREJ types, one of which being MREJ type iv; and
- b) detecting each amplicon distinctively as an indication of the presence or absence of said at least four MRSA strains in said sample.

16. The method of claim 15, wherein said MREJ types are MREJ type iv, MREJ type i, MREJ type ii and MREJ type iii.

17. The method of claim 15, wherein said MREJ types are MREJ type iv, MREJ type i, MREJ type ii, MREJ type iii and MREJ type vii.

18. The method of claim 15, wherein said MREJ types are MREJ type iv, MREJ type i, MREJ type ii, MREJ type iii, MREJ type v, MREJ type vi, MREJ type vii, MREJ type viii and MREJ type ix.

19. The method of any one of claims 1-14, wherein said first primer hybridizing with said *SCCmec* element right extremity of said MREJ type iv sequence consists of a nucleotide sequence or a portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO: 79 or 145 and wherein said second primer hybridizing with said specific sequence of *S. aureus* chromosomal DNA consists of a nucleotide sequence or a portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO: 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 131, 200, 201, 60, 61 or 63.

20. The method of claim 11 or 19, further comprising the use of at least one probe or a portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO: 32, 83, 84, 160, 161, 162, 163 or 164.

21. A kit for detecting the presence or absence of an MREJ type iv MRSA strain in a sample comprising:

- a) a first primer consisting of at least 10 nucleotides in length which hybridizes under PCR conditions comprising 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100™, and 2.5 mM MgCl₂ at 55°C with SEQ ID NOs: 43-46 or 51; and
- b) a second primer consisting of at least 10 nucleotides in length which hybridizes under PCR conditions comprising 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100™, and 2.5 mM

MgCl₂ at 55°C with a specific sequence of the *S. aureus* chromosomal DNA;

wherein said primers of a) and b) enable the selective detection of an MREJ type iv MRSA strain, which comprises an SCC*mec* element right extremity and chromosomal DNA adjoining said right extremity and, wherein said SCC*mec* element right extremity is comprised in SEQ ID NO: 43-46 or 51, and wherein said second primer hybridizes with a chromosomal sequence of *S. aureus* which adjoins said SCC*mec* insert right extremity.

22. The kit of claim 21, wherein said specific sequence of the *S. aureus* chromosomal DNA is *orfX*.

23. The kit of claim 21 or 22 further comprising at least one primer pair for the detection of at least one additional MRSA strain comprising an MREJ type i, MREJ type ii, MREJ type iii, MREJ type v, MREJ type vi, MREJ type vii, MREJ type viii or MREJ type ix, said MREJ type i, ii, iii, v, vi, vii, viii or ix comprising a nucleotide sequence as set forth in:

- a) SEQ ID NO:1, 20-25,199 or a complement thereof, for MREJ type i;
- b) SEQ ID NO:2, 17-19, 26, 40, 173-183, 185, 186, 197 or a complement thereof, for MREJ type ii;
- c) SEQ ID NO:4-16, 104, 184, 198 or a complement thereof, for MREJ type iii;
- d) SEQ ID NO:47-50 or a complement thereof, for MREJ type v;
- e) SEQ ID NO:171 or a complement thereof, for MREJ type vi;

- f) SEQ ID NO:165 and 166 or a complement thereof, for MREJ type vii;
- g) SEQ ID NO:167 or a complement thereof, for MREJ type viii; or
- h) SEQ ID NO:168 or a complement thereof, for MREJ type ix.

24. The kit of any one of claims 21 to 23, wherein said first primer in a) consists of a nucleic acid or portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO: 79, 77, 145, 147 or 68.

25. The kit of claim 24, comprising a primer pair consisting of a first primer having at least 10 nucleotides in length from SEQ ID NO:64 and a primer having at least 10 nucleotides in length from SEQ ID NO:79.

26. The kit of any one of claims 23 to 25, further comprising at least one probe or a portion thereof having at least 10 nucleotides in length as set forth in SEQ ID NO: 32, 83, 84, 160, 161, 162, 163 or 164.

27. The kit of any one of claims 21 to 26 comprising a primer pair consisting of SEQ ID NOs:64 and 79.


28. The method of claim 19, wherein said first primer hybridizing with said *SCCmec* element right extremity of said MREJ type iv sequence consists of a nucleotide sequence as set forth in SEQ ID NO:79 or 145 and wherein said second primer hybridizing with said specific sequence of *S. aureus* chromosomal DNA consists of a nucleotide sequence as set forth in SEQ ID NO: 64, 71, 72, 73, 74, 75, 76, 70, 103, 130, 132, 158, 159, 59, 62, 126, 127, 128, 131, 200, 201, 60, 61 or 63.

29. Use of the kit of any one of claims 21 to 27 for the detection of an MRSA strain comprising an MREJ type iv nucleic acid sequence.


30. The method of any one of claims 1 to 20 and 28, wherein real time PCR is used.

31. The method of any one of claims 1 to 20, 28 and 30, wherein multiplex PCR is used.


1/9




2/9




3/9



4/9






$\leftarrow$ or $\rightarrow$ Primer

FILE 3A

6/9



Primer $\rightarrow$ or $\leftarrow$

三、

7/9

SCCmec integration site





Type iiii	GGACAGGCGT	ATCATTAATA	AAATAAAA	TTAGG...TTG	GGTATATTT	AAAAATTAA	GGAGTGTG.	GAGGATTC	ATATATGAA	TTTGGATT	100
Type vii	GGACAGGCGT	ACCATTAATA	AACTAAAA	ATATG...AGA	AAATTTTAA	ATTAGCTCA	ATCTTTGAA.	GAATAAAG	GGATATTAA	GTTTGGATAT	
Type vi	GGACAGGCGT	ATCATTAATG	ATGCTAAAA	ATATG...AGT	AAGTATGA	AGAGTCAAA	TCAGATTTAT	TAATAAAT	GTATCAATTT	TTAATAAGG	
Type i	GGAGAA										
Type ii	GGACAGGCGT	ATCATTAATG	ATCGGCTTT	TTTAGGGCT	TCATTAAGCG	ATTTTGAATG	TAATCAGACA	TAATGA...GGT	TTATGTGAAT	TTGCTTTATG	
Type ix	GGACAGGCGT	ATCATTAATG	ATCGGCTTT	TTTAGGGCT	TCATTAAGCG	ATTTTGAATG	TAATCAGACA	TAATGA...GGT	TTATGTGAAT	TTGCTTTATG	
Type viii	GGACAGGCGT	ATCATTAATG	ATCGGCTTT	TTTAGGGCT	TCATTAAGCG	ATTTTGAATG	TAATCAGACA	TAATGA...GGT	TTATGTGAAT	TTGCTTTATG	
Type v	GGACAGGCGT	ATCATTAATG	ATCGGCTTT	TTTAGGGCT	TCATTAAGCG	ATTTTGAATG	TAATCAGACA	TAATGA...GGT	TTATGTGAAT	TTGCTTTATG	
Type iv	GGACAGGCGT	ACCATTAATA	ATCGGCTTT	TTTAGGGCT	TCATTAAGCG	ATTTTGAATG	TAATCAGACA	TAATGA...GGT	TTATGTGAAT	TTGCTTTATG	

Type iiii	TACCTTGCAT	TATCATACGA	TTCTTTATACA	GTGTTTAAATA	AACCATTTT	CAACTTTTCA	TTATCTAGAA	TATAATAATA	CTGTACAAAT	TAATAIGATT	200
Type vii	TTAGGTACAA	GTAAAGATTA	AGAAATTTCCA	TTATTTTAAATA	CATGGTGTCT	AAATTCGACTT	CTTTTGTAT	TAGATGTTTG	CAGTAAGCGA	TTGTAAGAAG	
Type vi	GGTTTTTAG	TATGAAATTA	ACAGGTCATG	AAAAATAGACT	TAAATTTTCA	CCGAAATATG	ATGTGACACC	TATATCACA	TTAAATTTAT	TAGAAGTTCA	
Type i											
Type ii											
Type ix											
Type viii											
Type v	TTCTAGTTCA	TATATTTATA	TTCTCAACAC	AAAATAATA	TTTGTAAATG	TTATTCAGAGA	TTTACTAA.	...AAATCCC	CTCAAGTTT	GTTTTATCA	
Type iv	AGATGGATTT	CCATATCTTC	TTTAGTAGCG	GTCTTTATCT	GTAGGCTTAA	TTAATTAATTA	AAATAAATAGG	CGGGATAGTT	AAATATAGCT	TAATAATGAA	


Type iii	ATATAAGCA	GTTTATATAGA	TTTTTGGCTTA	CAAAACAGTGG	ATGTTTTTTGT	AAATGGGAAGT	AAATAATGATT	GTCAATTTAGT	AAATTTTAAT	TATAATGAAC
Type vii	TGAATTTTCC	TTTCCTAAGA	CTAGTGTCTA	GAAATTTTATA	ATGATTTATTT	AACACCTAAT	TGAAACTTAA	GTATATAATA	TGATTCGGAT	TTTATTTTATA
Type vi	GGTTATCATA	TTGCTGAGAGA	TTTTACTTAAAA	TTTATCTAAATC	AAGATTAATTT	ACCTTTATTTT	AACCCGTTTA	AAGTAATTA	TGAGTTTAAAT	CAATTCGAGG
Type i	AGAAAATCG	ACATAATATA	TTTTTATTAATA	CGAGGGGAAT	TCANAATGATA	GACNAACTTTA	TCCAGTCCCT	TAAATTAATTT	AAAGAAGAAC	GTACCAATAA
Type ii	AGAAAATGAG	ACATAAATATA	TTTTTATTAATA	CGAGGGGAAT	TCANAATGATA	GACNAACTTTA	TCCAGTCCCT	TAAATTAATTT	AAAGAAGAAC	GTACCAATAA
Type ix	TAAATATPACA	TAAATATTAATA	TTTAGAATTTA	ATGAATATCT	CAAGAAGACTA	GGAGTGTGGA	AAATTCGAATA	AGCAGACCAAA	TACTCCCTGAA	CTAAGCATTTTC
Type viii	TTTAGAATAAG	TCACCTATTCAC	TTCTTATTTCT	CATACATAAC	GTATATTAATC	TAAATAATAC	ACCTACTAAT	TCTTTTAATTT	CTATTGCAATC	TTCTTTTATA
Type v	TTAAATATAT	CATTAATTA	GATGGATCT	CACTTTGAGT	TTTGTTTTAA	GTGTA..TGT	ATATTTTAA	AAATTTTGA	TTGTTGTTAT	TTTGCTCTCT
Type iv	ATATTACAT	TATTAGTAGT	CTTAATAGTT	AAGACTTCCCT	TATATTAAATG	ACCTAATTTA	TTATTTTGCCCT	CAATGAAATTA	CTTTTATTATTT	CTTTGATAATG

Sequence logos for 10 types of DNA sequences. The y-axis represents information content in bits, ranging from 0 to 4.01. The x-axis shows the sequence logos for each type. The sequences are: Type iiii (GAAAG...T), Type viii (ATAAGACAA), Type vi (GCGTAACGAA), Type i (TGTAGTTAAA), Type ii (TGTAGTTAAA), Type ix (CAGACGTTTGA), Type viiii (TAAGTAGCGC), Type v (TTTAATTTGA), and Type iv (CCCAAAAGCA).

42



A



B