



US00D342941S

United States Patent [19]

[11] Patent Number: **Des. 342,941**

Tannenbaum et al.

[45] Date of Patent: **** Jan. 4, 1994**

[54] **COMBINED SOLENOID HOUSING AND CABLE LINKAGE**

[75] Inventors: **Carl H. Tannenbaum**, Burlington; **Robert E. Mitchell**; **Wayne M. Groth**, both of Milwaukee; **Dennis A. Maller**, Racine, all of Wis.

[73] Assignee: **Trombetta Corporation**, Milwaukee, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **825,599**

[22] Filed: **Jan. 24, 1992**

[52] U.S. Cl. **D13/183**; 213/166

[58] Field of Search 123/376, 400, 403; 335/255, 260; D13/166, 183

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,533,187 12/1950 Cataldo et al. 335/260 X
3,215,902 11/1965 Foley et al. 335/225 X

3,571,254 5/1971 Cannon et al. 335/255
4,153,890 5/1979 Coors 335/260
4,217,567 8/1980 Roy et al. 335/225
4,679,017 8/1987 Mishler et al. 335/255 X


Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Godfrey & Kahn

[57] **CLAIM**

The ornamental design for a combined solenoid housing and cable linkage, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of the combined solenoid housing and cable linkage showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a side elevational view thereof; and, FIG. 7 is an elevational view of the side of the Solenoid Housing opposite to that shown in FIG. 6.






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7