



US00D737619S

(12) **United States Design Patent**  
**Cornu et al.**

(10) **Patent No.:** **US D737,619 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2015**

(54) **PITCHER WITH HANDLE**

(71) Applicant: **Dart Industries Inc.**, Orlando, FL (US)

(72) Inventors: **Judicaël Cornu**, Brussels (BE); **Kris Schoukens**, Zvevegem (BE)

(73) Assignee: **Dart Industries Inc.**, Orlando, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/485,266**

(22) Filed: **Mar. 18, 2014**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**

USPC ..... **D7/318**; D7/316

(58) **Field of Classification Search**

USPC ..... D7/509-516, 523, 533, 534, 535, 326,  
D7/543, 548, 300, 312, 314, 316, 317, 318,  
D7/319, 320, 598, 589, 396.2, 360, 361,  
D7/667, 387, 376; D10/46.2; D19/85;  
D24/197, 198, 199; 220/703, 714, 710,  
220/710.5, 212.5, 751, 23.4, 574; D9/432;  
366/139; D30/127; 210/469

CPC ..... A47G 19/22; A47G 19/2266; A47G  
19/2272; A61J 9/00; A61J 9/06; A61J 9/08;  
A61J 9/085

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D194,622 S 2/1963 Swett  
D227,142 S 6/1973 Swett  
D255,531 S \* 6/1980 Daenen et al. .... D10/46.2  
D270,602 S 9/1983 Fritz  
D283,193 S 4/1986 Daenen  
D287,324 S 12/1986 Schmidt  
D287,325 S 12/1986 Schmidt  
D293,291 S \* 12/1987 Hansen ..... D7/533

D414,978 S 10/1999 Bruckner  
D433,866 S 11/2000 Cautereels et al.  
D454,469 S 3/2002 Jalet et al.  
D598,713 S \* 8/2009 Luft ..... D7/533  
D613,121 S \* 4/2010 Luft ..... D7/533  
D646,524 S 10/2011 Kortleven  
D653,902 S 2/2012 Chen  
D673,426 S 1/2013 Heiberg et al.  
D678,727 S \* 3/2013 Kolar ..... D7/533  
D683,176 S \* 5/2013 Kuzmin et al. .... D7/319  
2013/0062358 A1 \* 3/2013 El-Saden et al. .... 220/715

\* cited by examiner

*Primary Examiner* — Marianne Pandozzi

*Assistant Examiner* — Jae Liang

(74) *Attorney, Agent, or Firm* — Taylor J. Ross

(57) **CLAIM**

The ornamental design for a pitcher with handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and left side perspective view of the first embodiment of a pitcher with handle showing our new design;

FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a bottom, rear and left side perspective view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevation view, the right elevation being a mirror image thereof;

FIG. 7 is a front elevation view thereof;



FIG. 8 is a rear elevation view thereof;

FIG. 9 is a cross-sectional view taken along line 9-9 of FIG. 4;

FIG. 10 is a cross-sectional view taken along line 10-10 of FIG. 4; and,

FIG. 11 is a cross-sectional view taken along line 11-11 of FIG. 10.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 10