



US00D792796S

(12) **United States Design Patent**
Haley

(10) **Patent No.:** **US D792,796 S**

(45) **Date of Patent:** **** Jul. 25, 2017**

- (54) **WEIGHTED BRACELET**
- (71) Applicant: **Better Way Inventions, LLC**, Boynton Beach, FL (US)
- (72) Inventor: **Stephen C. Haley**, Boynton Beach, FL (US)
- (73) Assignee: **Better Way Inventions, LLC**, Boynton Beach, FL (US)
- (**) Term: **15 Years**

D279,555	S	*	7/1985	Matsuo	D11/4
D319,591	S	*	9/1991	Coveri	D10/32
D320,166	S	*	9/1991	Shell	D10/32
D323,472	S	*	1/1992	Bende	D11/1
5,127,891	A	*	7/1992	Winston	A63B 21/065 482/105
D328,878	S	*	8/1992	Tse	D11/19
D332,760	S	*	1/1993	Tse	D11/3
D341,791	S	*	11/1993	Bowlby	D11/3
6,113,521	A	*	9/2000	Winston	A63B 21/065 482/105
D446,467	S	*	8/2001	Lepeu	D11/3

(Continued)

- (21) Appl. No.: **29/549,659**
- (22) Filed: **Dec. 28, 2015**

OTHER PUBLICATIONS

Tone-y-Bands (available online May 15, 2015) Retrieved from the internet Jan. 6, 2017, retrieved from the internet URL: <https://www.youtube.com/watch?v=Xdspa43yGlw>.*

Related U.S. Application Data

- (62) Division of application No. 13/793,473, filed on Mar. 11, 2013, now Pat. No. 9,302,141.
- (51) **LOC (10) Cl.** **11-01**
- (52) **U.S. Cl.** **D11/3**
USPC
- (58) **Field of Classification Search**
USPC D10/30, 31, 32, 38, 39, 46, 70, 128;
D11/1-25; D14/344; D24/167, 186
CPC A63B 21/065; A63B 24/0087; A44C 5/00;
A44C 5/12; A44C 5/14; A44C 5/18;
A44C 5/147; A44C 5/185; A44C 5/2047;
A44C 5/2052; A44C 5/0007; A44C
5/003; A44C 5/0015; A44C 5/0023; A44C
5/0053; A44C 5/0061; A44C 5/0069;
A44C 5/0076; A44B 11/24; A44B 11/006
See application file for complete search history.

Primary Examiner — Cathron Brooks
Assistant Examiner — Richard Kearney
(74) *Attorney, Agent, or Firm* — Mark C. Johnson;
Johnson | Dalal

(57) **CLAIM**

The ornamental design for a weighted bracelet, as shown and described.

DESCRIPTION


FIG. 1 is a top perspective view of a weighted bracelet in accordance with the present invention;
FIG. 2 is a top plan view of FIG. 1;
FIG. 3 is a side elevation view of FIG. 1;
FIG. 4 is a front elevation view of FIG. 1; and,
FIG. 5 is an exploded view of FIG. 1 with the non-claimed implements of the weighted bracelet removed.
The broken lines shown in the drawings depict portions of the weighted bracelet which form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D256,292	S	*	8/1980	Cox	224/219
D258,812	S	*	4/1981	Cox	D11/2
D267,555	S	*	1/1983	Cox	D11/2
4,384,714	A	*	5/1983	Kimura	A63B 21/065 482/105

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,302,141	B2 *	4/2016	Haley	A63B 21/0004
2007/0099774	A1 *	5/2007	Bruback	A63B 21/0602
					482/105
2009/0253560	A1 *	10/2009	Cook	A63B 21/065
					482/105
2013/0237391	A1 *	9/2013	Haley	A63B 21/0004
					482/105
2016/0129296	A1 *	5/2016	Haley	A63B 21/00065
					482/105

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5