

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
14 August 2003 (14.08.2003)

PCT

(10) International Publication Number
WO 03/066847 A2

(51) International Patent Classification⁷: **C12N 9/16**,
15/82, A23K 1/165

(21) International Application Number: PCT/DK03/00067

(22) International Filing Date: 4 February 2003 (04.02.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
PA 2002 00193 8 February 2002 (08.02.2002) DK
PA 2002 01449 30 September 2002 (30.09.2002) DK

(71) Applicant: **NOVOZYMES A/S** [DK/DK]; Krogshoejvej
36, DK-2880 Bagsvaerd (DK).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors: **MATSUI, Tomoko**; 1-6-9-A303, Higashi-Ohwada, Ichikawa, Chiba 272-0026 (JP). **FUGLSANG, Claus, Crone**; Damsted Gaard, Krogshoejgaardsvej 7, DK-3670 Veksoe (DK). **SVENDSEN, Allan**; Overdamsvej 13, DK-2970 Hoersholm (DK). **FUKUYAMA, Shiro**; 166-2, Ariyoshi-cho, Midori-ku, Chiba-shi, Chiba 211-0012 (JP).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PHYTASE VARIANTS

(57) **Abstract:** The present invention relates to phytase variants derived from a parent phytase which is homologous to a *Peniophora lycii* phytase and comprises at least one substitution in at least one of a number of positions corresponding to a position in the *Peniophora lycii* phytase. The variants are of improved properties, in particular of a higher specific activity and/or more thermostable than the parent phytase, e.g. of a *T_m* of up to 82°C at pH 5.5, as determined by DSC, and/or of a doubled specific activity. The invention also relates to DNA encoding the phytase variants, methods of their production, as well as the use thereof, e.g. in animal feed and animal feed additives.



WO 03/066847 A2

PHYTASE VARIANTS

Field of the Invention

5 The present invention relates to variants of a parent phytase, in particular variants of improved thermostability and/or specific activity. The invention also relates to DNA sequences encoding such variants, their production in a recombinant host cell, as well as methods of using the variants, in particular within the field of animal feed. A preferred parent phytase is the *Peniophora* phytase comprising SEQ ID NO: 2.

Background of the Invention

10 EP 897010 entitled "Modified phytases" discloses, i.a., certain variants of an *Aspergillus fumigatus* phytase. EP 897985 entitled "Consensus phytases" discloses, i.a., a fungal consensus phytase which may be designed on the basis of, i.a., a multiple alignment of several ascomycete phytases. WO 99/48380 entitled "Thermostable phytases in feed preparation and plant expression" relates to certain aspects of using thermostable phytases. Examples of thermostable phytases are the various consensus phytases listed at p. 30 below the bold line. WO 00/43503 entitled "Improved phytases" relates i.a. to certain phytase variants of increased thermostability, which may be designed by a process similar to the one described in EP 897985. Examples of thermostable phytases are shown at p. 54-55 below the bold line. These phytases all have a percentage of identity to SEQ ID NO: 2 of below 75%.

20 It is an object of the present invention to provide novel and improved phytase variants, in particular of improved thermostability and/or increased specific activity.

Background art

25 A phytase derived from *Peniophora lycii* is disclosed in WO 98/28408, and certain variants thereof in WO 99/49022 (see e.g. claim 31 at p. 76-77), which variants, however, for the present purposes have been disclaimed.

Summary of the Invention

30 The present invention relates to a variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 26; 28-31; 37-48; 55-69; 73-83; 91-119; 123-126; 135-142; 152-163; 169-199; 204-222; 229-238; 248-266; 284-289; 300-308; 321-335; 343-350; 384-398; 407-412; and 419-430; wherein

(a) the variant has phytase activity; and

- (b) each position corresponds to a position of SEQ ID NO: 2; and
- (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
- (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of: G26S; Y28N; D29S; F31Y; E42D,K,A; T45R; V46I; W59F; S62D; A64K; R65Q,E,G,A; S66T; R67A,I,Q,K; Q68Y,V,I; K74R,A; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; A135S; D137Y; Q138D,S,G; D142A; ()154fH; S155N; G156P; E157Q,S; E169S; E170A,P; G171A; ()171aS; T174P,A; N177S; N178S,T; M179T,V,L; N182A,V; V184G; D185E; ()185eT; G186S,A; D187R,K,S; ()187aV,T; E188Q,S,A,V; S189E; V195L; N199A,P; L204N; A207D,H; S216T; D217E; L219Y,T; T220Y,N; L221F; M222L; L230V; ()235eE,Q; V248R,I; S249Q,A; E251D; Y254A,L,G; D255N; D257K; Y259F; T262H; P264A; G286R,H; Q287K,S; A288P; T321Q,S,G; M322I; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350S,V; G388A; V393R; E395K,T; and L396R.

The present invention also relates to isolated nucleic acid sequences encoding the phytase variant and to nucleic acid constructs, vectors, and host cells comprising the nucleic acid sequences as well as methods for producing and using the phytase variants.

Brief Description of the Figures

Figure 1 provides the coordinates for the 3D structure of a phytase from *Peniophora lycii* that comprises the amino acid sequence of SEQ ID NO: 2.

Detailed Description of the Invention

Three-dimensional Structure of the *Peniophora* Phytase

The structure of the phytase of *Peniophora lycii* was solved in accordance with the principles for X-ray crystallographic methods as given, for example, in X-Ray Structure Determination, Stout, G.K. and Jensen, L.H., John Wiley & Sons, Inc. NY, 1989. The structural coordinates for the crystal structure at 2.2 Å resolution using the isomorphous replacement method are given in Fig. 1 in standard PDB format (Protein Data Bank, Brookhaven National Laboratory, Brookhaven, CT). The PDB file of Fig. 1 relates to a part only of the sequence of this phytase, viz. the part corresponding to residues 22-422 of SEQ ID NO: 2.

Molecular Dynamics (MD)

Molecular Dynamics (MD) simulations are indicative of the mobility of the amino acids in a protein structure (see McCammon, JA and Harvey, SC., (1987), "Dynamics of proteins and nucleic acids", Cambridge University Press). Such protein dynamics are often compared to the crystallographic B-factors (see Stout, GH and Jensen, LH, (1989), "X-ray structure

determination", Wiley). By running the MD simulation at, e.g., different temperatures, the temperature related mobility of residues is simulated. Regions having the highest mobility or flexibility (here isotropic fluctuations) may be suggested for random mutagenesis. It is here understood that the high mobility found in certain areas of the protein, may be thermally improved by substituting these residues.

Using the program CHARMM (Molecular Simulations (MSI)), the *Peniophora* phytase structure described above was subjected to MD at 300, 350, 400, 450, and 500K for 300 and 600ps and then minimized using 300 steps Steepest Descent, 600 steps Conjugated Gradients, and 3000 steps ABNR with a tolerance grade of 0.001kcal/mole.

The following suggested regions for mutagenesis result from MD simulations:

MD at 300 and 400K without water: 37-48, 91-119, 232-238, 300-308, 325-335, 343-348;

MD at 300 and 400K with water: 407-412;

MD at 300K without water: 229-236;

MD in a cubic water box with period boundaries: 123-126, 154-157, 204-216, 284-289, 419-423.

The following suggested regions for mutagenesis result from evaluations of the B-factors in the X-structure: 73-83, 207-217.

The above regions may be combined as follows: 37-48; 73-83; 91-119; 123-126; 154-157; 204-217; 229-238; 284-289; 300-308; 325-335; 343-348; 407-412; 419-423.

Other regions resulting from MD simulations are: 154-163; 204-218; 323-335; 342-350.

Other regions resulting from evaluation of B-factors are: 1-29, preferably 1-28; 59-106; 169-171; 178-247; 339-344; 367-371; 417 onwards. More preferred regions are: 1-24; 69-94; 182-188; 199-220; 229-241; 368-370; 420-423.

Active Site and Substrate Binding Shells

Programs known in the art, such as INSIGHTII from Molecular Simulations MSI, San Diego, California can be used to define active site shells comprising those amino acid residues which are in close proximity to the catalytic residues (H55, D319, R54). Substrate binding shells can also be defined, comprising those amino acid residues which are in close proximity to the substrate binding site (H55, R54, R139, N320) and which can therefore be expected to be in contact with the substrate. Close proximity may be defined as, e.g., 0Å, 15Å, 16Å, or 20Å, from the relevant residues. Information about substrate binding can be deduced by docking phytic acid or a derivative thereof such as inositol-1,4,5-triphosphate (Brookhaven database file 1dix. Inositol-1,4,5-triphosphate) into the active site cleft (the residues making up the surface of the active site).

Strategy for Preparing Variants

Based on the 3D-structure of Fig. 1 and SEQ ID NO: 2, and following study of active site and substrate binding shells (16Å, preferably 15Å, more preferably 10Å), as well as molecular dynamics, the following regions were suggested for mutagenesis, mainly with a view to improving thermostability and/or increasing specific activity: Amino acids 26-31; 55-69; 99-104; 135-142; 169-193; 253-266; or amino acids 321-323 of SEQ ID NO: 2.

The following positions of the above regions of SEQ ID NO: 2 are preferably subjected to mutagenesis: G26, P27, Y28, D29, P30, W59, P60, T61, S62, G63, A64, R65, S66, R67, Q68, V69, A99, D100, L102, P103, F104, A135, G136, D137, Q138, V141, D142, E169, E170, N177, N178, M179, P181, N182, D189, T191, W192, L193, Y253, Y254, D257, K258, Y259, Y260, T262, G265, N266, T321, and/or V323.

The following variants are contemplated: G26S,A; P27X,M; Y28F,N,Q; D29S,T,A; F30X; W59X,F,Y; P60S; T61S; S62A; G63A,S; A64G,K,R,S; R65A; S66K,T; R67X,K,A,L,V,S; Q68E,D,N,M; V69X; A99X,D,S,E,N; D100X,S,E,N; L102V; P103X,E; F104X,L; A135S,D; G136X,S,D; D137S; Q138X,D,N; V141X; D142X; E169A; E170X,A,T; N177D; N178A,G,L; M179V,T; P181X,T,V; N182X,A; D189X; T191X; W192X; L193T,I; Y253N,G; Y254A,G; D257S; K258L; Y259X,F,P,W; Y260X,P,W; T262Y,V; G265X; N266Q; T321Q,L,N; and/or V323I.

Amino acid residues or positions mainly pointing towards the substrate are the following: P27, Y28, R65, R67, Q68, A99, D100, L102, A135, G136, D137, E169, N177, T191, W192, Y253, Y254, T262, and T321. Variants being altered in one or more of these positions are specifically contemplated, e.g. variants comprising an alteration in at least one, at least two, at least three, at least four, at least five, at least six, at least seven, at least eight, at least nine, or at least ten of these positions. In a particular embodiment, the variant comprises alterations in at least eleven, at least twelve, at least thirteen, at least fourteen, at least fifteen, at least sixteen, at least seventeen, at least eighteen, or in all nineteen positions. Examples of such variants are those comprising at least one, two, three, four, five, six, seven, eight, nine, or at least ten mutations selected from the following: P27X,M; Y28F,N,Q; R65A; R67X,K,A,L,V,S; Q68E,D,N,M; A99X,D,S,E,N; D100X,S,E,N; L102V; A135S,D; G136X,S,D; D137S; E169A; N177D; T191X; W192X; Y253N,G; Y254A,G; T262Y,V; and/or T321Q,L,N. In a particular embodiment, the variant comprises at least eleven, twelve, thirteen, fourteen, fifteen, sixteen, seventeen, at least eighteen, or nineteen of these mutations.

Polypeptides Having Phytase Activity

In the present context a polypeptide having phytase activity (a phytase) is an enzyme which catalyzes the hydrolysis of phytate (myo-inositol hexakisphosphate) to (1) myo-inositol

and/or (2) mono-, di-, tri-, tetra- and/or penta-phosphates thereof and (3) inorganic phosphate.

In the present context the term a phytase substrate encompasses, i.a., phytic acid and any phytate (salt of phytic acid), as well as the phosphates listed under (2) above.

5 The ENZYME site at the internet (<http://www.expasy.ch/enzyme/>) is a repository of information relative to the nomenclature of enzymes. It is primarily based on the recommendations of the Nomenclature Committee of the International Union of Biochemistry and Molecular Biology (IUB-MB) and it describes each type of characterized enzyme for which an EC (Enzyme Commission) number has been provided (Bairoch A. The ENZYME
10 database, 2000, Nucleic Acids Res 28:304-305). See also the handbook Enzyme Nomenclature from NC-IUBMB, 1992).

According to the ENZYME site, two different types of phytases are known: A so-called 3-phytase (myo-inositol hexaphosphate 3-phosphohydrolase, EC 3.1.3.8) and a so-called 6-phytase (myo-inositol hexaphosphate 6-phosphohydrolase, EC 3.1.3.26). For the
15 purposes of the present invention, both types are included in the definition of phytase.

For the purposes of the present invention the phytase activity is determined in the unit of FYT, one FYT being the amount of enzyme that liberates 1 micro-mol inorganic ortho-phosphate per min. under the following conditions: pH 5.5; temperature 37°C; substrate: sodium phytate ($C_6H_6O_{24}P_6Na_{12}$) in a concentration of 0.0050 mol/l. Suitable phytase assays
20 are the FYT and FTU assays described in Example 1 of WO 00/20569. FTU is for determining phytase activity in feed and premix. The FYT assay is also described in Example 2 herein.

Parent Phytase

25 A parent phytase is a phytase which is homologous to the phytase derived from *Peniophora lycii* CBS 686.96. In the present context, homologous means having an identity of at least 60% to SEQ ID NO: 2 herein, corresponding to amino acids 17-439 of the complete amino acid sequence, including the signal peptide part, of a phytase derived from *Peniophora lycii* CBS 686.96 (SEQ ID NO: 2 of WO 98/28408). Homology is determined as
30 generally described below in the section entitled Amino Acid Homology.

The parent phytase may be a wild-type or naturally occurring polypeptide, or an allelic variant thereof, or a fragment thereof that has phytase activity, in particular a mature part thereof. It may also be a variant thereof and/or a genetically engineered or synthetic polypeptide.

35 In a particular embodiment the wild-type parent phytase is a fungal phytase, such as a filamentous fungal phytase, or a yeast phytase. An example of a yeast phytase is the *Schwanniomyces occidentalis* phytase described in US 5830732.

In another particular embodiment the wild-type fungal parent phytase is derived from a filamentous fungus, e.g. of the phylum *Ascomycota* or the phylum *Basidiomycota* (an ascomycete phytase, or a basidiomycete phytase, respectively).

Examples of ascomycete phytases are those derived from a strain of *Aspergillus*, for example *Aspergillus awamori* PHYA (SWISSPROT P34753, Gene 133:55-62 (1993)), *Aspergillus niger* (*ficuum*) PHYA (SWISSPROT P34752, EP 420358, Gene 127:87-94 (1993)), *Aspergillus awamori* PHYB (SWISSPROT P34755, Gene 133:55-62 (1993)), *Aspergillus niger* PHYB (SWISSPROT P34754, Biochem. Biophys. Res. Commun. 195:53-57(1993)); or a strain of *Emericella*, for example *Emericella nidulans* PHYB (SWISSPROT O00093, Biochim. Biophys. Acta 1353:217-223 (1997)); or a strain of *Thermomyces* (*Humicola*), for example the *Thermomyces lanuginosus* phytase described in WO 97/35017. Other examples of ascomycete phytases are disclosed in EP 684313 (for example derived from strains of *Aspergillus fumigatus*, *Aspergillus terreus*, and *Myceliophthora thermophila*); JP 11000164 (a phytase derived from a strain of *Penicillium*.); US 6139902 (a phytase derived from a strain of *Aspergillus*), and WO 98/13480 (*Monascus anka* phytase).

Examples of basidiomycete phytases are the phytases derived from *Paxillus involutus*, *Trametes pubescens*, *Agrocybe pediades* and *Peniophora lycii* (see WO 98/28409).

A preferred parent phytase is derived from a species of *Peniophora*, preferably from a strain of *Peniophora lycii*, most preferably from the strain *Peniophora lycii* CBS 686.96.

It will be understood that the definition of the aforementioned species includes both the perfect and imperfect states, and other taxonomic equivalents e.g., anamorphs, regardless of the species name by which they are known. Those skilled in the art will readily recognize the identity of appropriate equivalents.

Strains of these species are readily accessible to the public in a number of culture collections, such as the American Type Culture Collection (ATCC), Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH (DSMZ), Centraalbureau Voor Schimmelcultures (CBS), and Agricultural Research Service Patent Culture Collection, Northern Regional Research Center (NRRL).

Furthermore, such polypeptides may be identified and obtained from other sources including microorganisms isolated from nature (e.g., soil, composts, water, etc.) using suitable probes. Techniques for isolating microorganisms from natural habitats are well known in the art. The nucleic acid sequence may then be derived by similarly screening a genomic or cDNA library of another microorganism. Once a nucleic acid sequence encoding a polypeptide has been detected with the probe(s), the sequence may be isolated or cloned by utilizing techniques which are known to those of ordinary skill in the art (see, e.g., Sambrook *et al.*, 1989, *supra*).

In still another particular embodiment the parent phytase is a synthetic phytase. A synthetic phytase is designed by man, and expectedly does not occur in nature. EP 897985 and WO 00/43503 disclose examples of such synthetic, fungal phytases generally designated consensus phytases. Shuffled phytases are other examples of a synthetic or genetically engineered parent phytase, which can be prepared as is generally known in the art, eg by Site-directed Mutagenesis, by PCR (using a PCR fragment containing the desired mutation as one of the primers in the PCR reactions), or by Random Mutagenesis. Included in the concept of a synthetic phytase is also any hybrid or chimeric phytase, i.e. a phytase which comprises a combination of partial amino acid sequences derived from at least two phytases.

The parent phytase may comprise the amino acid sequence specified, or it may be an allelic variant thereof; or a fragment thereof that has phytase activity. In one embodiment, the parent phytase comprises the amino acid sequence specified or an allelic variant thereof; or a fragment thereof that has phytase activity. In another embodiment, the parent phytase consists of the amino acid sequence specified, or an allelic variant thereof; or a fragment thereof that has the phytase activity.

A fragment of a specified amino acid sequence is a polypeptide having one or more amino acids deleted from the amino and/or carboxyl terminus of this amino acid sequence. In one embodiment, a fragment contains at least 150, or at least 200, or at least 250, or at least 260, or at least 280, or at least 300, or at least 320, or at least 340, or at least 360, or at least 380, or at least 390, or at least 400, or at least 410, or at least 420, or at least 430, or at least 440, or at least 450 amino acid residues.

An allelic variant denotes any of two or more alternative forms of a gene occupying the same chromosomal locus. Allelic variation arises naturally through mutation, and may result in polymorphism within populations. Gene mutations can be silent (no change in the encoded polypeptide) or may encode polypeptides having altered amino acid sequences. An allelic variant of a polypeptide is a polypeptide encoded by an allelic variant of a gene.

The parent phytase may also be a mature part of any of the amino acid sequences referred to above. A mature part means a mature amino acid sequence and refers to that part of an amino acid sequence which remains after a potential signal peptide part has been cleaved off.

In still another embodiment, the parent phytase may be a variant of the phytases referred to above comprising a substitution, deletion, and/or insertion of one or more amino acids. The amino acid sequence of the variant phytase may differ from the amino acid sequence specified by an insertion or deletion of one or more amino acid residues and/or the substitution of one or more amino acid residues by different amino acid residues. Preferably, amino acid changes are of a minor nature, that is conservative amino acid substitutions that

do not significantly affect the folding and/or activity of the protein; small deletions, typically of one to about 30 amino acids; small amino- or carboxyl-terminal extensions, such as an amino-terminal methionine residue; a small linker peptide of up to about 20-25 residues; or a small extension that facilitates purification by changing net charge or another function, such as a poly-histidine tract, an antigenic epitope or a binding domain.

Examples of conservative substitutions are within the group of basic amino acids (arginine, lysine and histidine), acidic amino acids (glutamic acid and aspartic acid), polar amino acids (glutamine and asparagine), hydrophobic amino acids (leucine, isoleucine and valine), aromatic amino acids (phenylalanine, tryptophan and tyrosine), and small amino acids (glycine, alanine, serine, threonine and methionine). Amino acid substitutions which do not generally alter the specific activity are known in the art and are described, for example, by H. Neurath and R.L. Hill, 1979, *In, The Proteins*, Academic Press, New York. The most commonly occurring exchanges are Ala/Ser, Val/Ile, Asp/Glu, Thr/Ser, Ala/Gly, Ala/Thr, Ser/Asn, Ala/Val, Ser/Gly, Tyr/Phe, Ala/Pro, Lys/Arg, Asp/Asn, Leu/Ile, Leu/Val, Ala/Glu, and Asp/Gly as well as these in reverse.

Microorganism Taxonomy

Questions relating to taxonomy may be solved by consulting a taxonomy data base, such as the NCBI Taxonomy Browser which is available at the following internet site: <http://www.ncbi.nlm.nih.gov/Taxonomy/taxonomyhome.html/>, and/or by consulting Taxonomy handbooks. For the present purposes, a preferred handbook in relation to fungal taxonomy is Dictionary of the Fungi, 9th edition, edited by Kirk, P.M., P.F. Cannon, J.C. David & J.A. Stalpers, CAB Publishing, 2001.

A synthetic phytase, such as a consensus phytase, a shuffled phytase, or a hybrid phytase, may comprise a combination of partial amino acid sequences deriving from at least two ascomycete phytases, at least two basidiomycete phytases or from at least one ascomycete and at least one basidiomycete phytase. These ascomycete and basidiomycete phytases from which a partial amino acid sequence derives may, e.g., be any of those specific phytases referred to herein.

In the present context, a synthetic phytase derived from at least one fungus is a fungal phytase. Furthermore, a synthetic phytase derived from ascomycete phytases only is an ascomycete phytase; and a synthetic phytase derived from basidiomycete phytases only is a basidiomycete phytase. Any synthetic phytase derived from at least one ascomycete phytase as well as at least one basidiomycete phytase may be designated a mixed ascomycete/basidiomycete phytase.

The designation *Peniophora* phytase means a wild-type phytase derived from a species of the genus *Peniophora*, including allelic variants, fragments or variants thereof, or

a synthethic phytase prepared on the basis of at least one, preferably at least two, *Peniophora* phytase(s), more preferably on the basis only of *Peniophora* phytases. Examples of *Peniophora* species are: *Peniophora aurantiaca*, *P. cinerea*, *P. decorticans*, *P. duplex*, *P. ericsonii*, *P. incarnate*, *P. lycii*, *P. meridionalis*, *P. nuda*, *P. piceae*, *P. pini*, *P. pithya*, *P. polygonia*, *P. proxima*, *P. pseudo-pini*, *P. rufa*, *P. versicolor*, and species simply classified as *Peniophora sp.* A preferred species is *Peniophora lycii*. A preferred strain is *Peniophora lycii* CBS 686.96.

Amino Acid Homology

The present invention refers to phytases having an amino acid sequence which has a certain degree of identity to SEQ ID NO: 2 (hereinafter "homologous phytases").

For purposes of the present invention the degree of identity between two amino acid sequences, as well as the degree of identity between two nucleotide sequences, is determined by the program "align" which is a Needleman-Wunsch alignment (i.e. a global alignment). The program is used for alignment of polypeptide, as well as nucleotide sequences. The default scoring matrix BLOSUM50 is used for polypeptide alignments, and the default identity matrix is used for nucleotide alignments. The penalty for the first residue of a gap is -12 for polypeptides and -16 for nucleotides. The penalties for further residues of a gap are -2 for polypeptides, and -4 for nucleotides.

"Align" is part of the FASTA package version v20u6 (see W. R. Pearson and D. J. Lipman (1988), "Improved Tools for Biological Sequence Analysis", PNAS 85:2444-2448, and W. R. Pearson (1990) "Rapid and Sensitive Sequence Comparison with FASTP and FASTA," Methods in Enzymology 183:63-98). FASTA protein alignments use the Smith-Waterman algorithm with no limitation on gap size (see "Smith-Waterman algorithm", T. F. Smith and M. S. Waterman (1981) J. Mol. Biol. 147:195-197).

In particular embodiments, the parent phytase has an amino acid sequence which has a degree of identity to SEQ ID NO: 2 of at least about 55%, or of at least about 60%, or of at least about 65%, or of at least about 70%, or of at least about 75% or of at least about 80%, or of at least about 85%, or of at least about 90%, or of at least about 91%, or of at least about 92%, or of at least about 93%, or of at least about 94%, or of at least about 95%, or of at least about 96%, or of at least about 97%, or of at least about 98%, or of at least about 99%.

In another particular embodiment, these homologous parent phytases have an amino acid sequence which differs by thirty, twentyfive, twentytwo, twentyone, twenty, nineteen, eighteen, seventeen, sixteen, fifteen, fourteen, thirteen, twelve, eleven, ten, nine, eight, seven, six, five, four, three, two or only one amino acid(s) from the specified amino acid sequence.

Also the resulting variant phytase is homologous to SEQ ID NO: 2. In particular embodiments, the variant phytase comprises or has an amino acid sequence which has a degree of identity to SEQ ID NO: 2 of at least about 55%, or of at least about 60%, or of at least about 65%, or of at least about 70%, or of at least about 71%, or of at least about 72%, or of at least about 73%, or of at least about 74%, or of at least about 75%, or of at least about 76%, or of at least about 77%, or of at least about 78%, or of at least about 79%, or of at least about 80%, or of at least about 82%, or of at least about 85%, or of at least about 87%, or of at least about 90%, or of at least about 92%, or of at least about 95%, or of at least about 97%.

Nucleic Acid Hybridization

In the alternative, homologous parent phytases, as well as variant phytases, may be defined as being encoded by a nucleic acid sequence which hybridizes under very low stringency conditions, preferably low stringency conditions, more preferably medium stringency conditions, more preferably medium-high stringency conditions, even more preferably high stringency conditions, and most preferably very high stringency conditions with nucleotides 49-1320 of SEQ ID NO: 1, or a subsequence or a complementary strand thereof (J. Sambrook, E.F. Fritsch, and T. Maniatus, 1989, *Molecular Cloning, A Laboratory Manual*, 2d edition, Cold Spring Harbor, New York). A subsequence may be at least 100 nucleotides, or at least 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, or at least 1300 nucleotides. Moreover, the subsequence may encode a polypeptide fragment that has the relevant enzyme activity.

For long probes of at least 100 nucleotides in length, very low to very high stringency conditions are defined as prehybridization and hybridization at 42°C in 5X SSPE, 0.3% SDS, 200 µg/ml sheared and denatured salmon sperm DNA, and either 25% formamide for very low and low stringencies, 35% formamide for medium and medium-high stringencies, or 50% formamide for high and very high stringencies, following standard Southern blotting procedures.

For long probes of at least 100 nucleotides in length, the carrier material is finally washed three times each for 15 minutes using 2 x SSC, 0.2% SDS preferably at least at 45°C (very low stringency), more preferably at least at 50°C (low stringency), more preferably at least at 55°C (medium stringency), more preferably at least at 60°C (medium-high stringency), even more preferably at least at 65°C (high stringency), and most preferably at least at 70°C (very high stringency).

For short probes which are about 15 nucleotides to about 70 nucleotides in length, stringency conditions are defined as prehybridization, hybridization, and washing post-hybridization at 5°C to 10°C below the calculated T_m using the calculation according to

Bolton and McCarthy (1962, *Proceedings of the National Academy of Sciences USA* 48:1390) in 0.9 M NaCl, 0.09 M Tris-HCl pH 7.6, 6 mM EDTA, 0.5% NP-40, 1X Denhardt's solution, 1 mM sodium pyrophosphate, 1 mM sodium monobasic phosphate, 0.1 mM ATP, and 0.2 mg of yeast RNA per ml following standard Southern blotting procedures.

5 For short probes which are about 15 nucleotides to about 70 nucleotides in length, the carrier material is washed once in 6X SCC plus 0.1% SDS for 15 minutes and twice each for 15 minutes using 6X SSC at 5°C to 10°C below the calculated T_m .

Position numbering

10 The nomenclature used herein for defining amino acid positions is basically as described in WO 99/49022, i.e. with reference to the amino acid sequence of the phytase derived from *Peniophora lycii* CBS 686.96, except that in the present context the numbering starts at S17 of the sequence P_lycii shown in Fig. 1 of WO 99/49022. Accordingly, the position numbers used herein differ from the position numbers of WO 99/49022 by 16 (see
15 p. 14, line 26, and Fig. 1 of WO 99/49022). Thus, for example, S1 herein is equivalent to S17 of WO 99/49022, and F8 herein is equivalent to F24 of WO 99/49022.

Sequence SEQ ID NO: 2 comprises amino acids -14-409 of the sequence shown in Fig. 6 of WO 99/49022, corresponding to amino acids 16-439 of the P_lycii sequence shown in Fig. 1 thereof.

20 Accordingly, in the present context, the basis for numbering positions is SEQ ID NO: 2 starting with S1 and ending with E423. A parent phytase, as well as a variant phytase, may comprise extensions as compared to SEQ ID NO: 2, i.e. in the N-terminal, and/or the C-terminal ends thereof. The amino acids of such extensions, if any, are to be numbered as is usual in the art, i.e. for a C-terminal extension: 424, 425, 426 and so forth, and for an N-
25 terminal extension -1, -2, -3 and so forth.

Alterations, such as Substitutions, Deletions, Insertions

In the present context, the following are examples of various ways in which a phytase variant - at least in theory, i.e. on paper - can be derived from a parent amino acid sequence:
30 An amino acid can be substituted with another amino acid; an amino acid can be deleted; an amino acid can be inserted; as well as any combination of any number of such alterations.

For the present purposes, the term substitution is intended to include any number of any type of such alterations. This is a reasonable definition, because, for example, a deletion can be regarded as a substitution of an amino acid, AA, in a given position, nn, with nothing,
35 (). Such substitution can be designated: AAnn(). Likewise, an insertion of only one amino acid, BB, downstream an amino acid, AA, in a given position, nn, can be designated: ()nnaBB. And if two amino acids, BB and CC, are inserted downstream of amino acid AA in

position nn, this substitution (combination of two substitutions) can be designated: (nnaBB+())nnbCC, the thus created gaps between amino acids nn and nn+1 in the parent sequence being assigned lower case or subscript letters a, b, c etc. to the former position number, here nn. A comma (,) between substituents, as e.g. in the substitution A327S,F,I,L means "either or", i.e. that A327 is substituted with S, or F, or I, or L. A plus-sign (+) between
5 substitutions, as e.g. in the substitutions 29S+125D+324A means "and", i.e. that these three single substitutions are combined in one and the same phytase variant. This nomenclature defining amino acid alterations is also basically as described in WO 99/49022 (see p. 16 thereof).

10 In the alternative, in which the term substitution is defined differently, the present invention relates to a variant of a parent phytase, comprising an alteration in at least one position selected from the various groups of regions indicated herein, wherein the alteration(s) are independently an insertion of at least one amino acid downstream of the amino acid which occupies the position; a deletion of the amino acid which occupies the
15 position; and/or a substitution of the amino acid which occupies the position with a different amino acid; wherein the variant has phytase activity, and each position corresponds to a position of the amino acid sequence of the enzyme having the amino acid sequence of SEQ ID NO: 2, and the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and with proviso(s) (d) as defined herein.

20 In the present context, the term "a substitution" means at least one substitution. At least one means one or more, e.g. one, or two, or three, or four, or five, or six, or seven, or eight, or nine, or ten, or twelve, or fourteen, or fifteen, or sixteen, or eighteen, or twenty, or twentytwo or twentyfour, or twentyfive, or twenty eight, or thirty, and so on, to include in principle, any number of substitutions. The variants of the invention, however, still have to
25 be, e.g., at least 75% identical to SEQ ID NO: 2, this percentage being determined by the above-mentioned program. The substitutions can be applied to any position encompassed by any region mentioned in claim 1, and variants comprising combinations of any number and type of such substitutions are also included. The term substitution as used herein also include deletions, as well as extensions, or insertions, that may add to the length of the
30 sequence corresponding to SEQ ID NO: 2. In a particular embodiment, the number of substitutions is at most 200, or 175, or 150, or 125, or 120, or 110, or 106, or 105, or 100, or 90, or 80, or 70, or 60, or 50, or 40, or 30, or 25.

Furthermore, the term "a substitution" embraces a substitution into any one of the other nineteen natural amino acids, or into other amino acids, such as non-natural amino
35 acids. For example, a substitution of amino acid Q in position 20 includes each of the following substitutions: 20A, 20C, 20D, 20E, 20F, 20G, 20H, 20I, 20K, 20L, 20M, 20N, 20P, 20R, 20S, 20T, 20V, 20W, or 20Y. This is, by the way, equivalent to the designation 20X,

wherein X designates any amino acid. These substitutions can also be designated Q20A, Q20C, Q20X, etc. The same applies by analogy to each and every position mentioned herein, to specifically include herein any one of such substitutions.

5 Identifying Corresponding Position Numbers

For the parent phytase of *Peniophora lycii* CBS 686.96, the position numbering refers to the numbering of SEQ ID NO: 2. For a given position in another phytase - be it a parent or a variant phytase - a corresponding position in SEQ ID NO: 2 can always be found. Or - in the alternative - a position which corresponds to a position of the amino acid sequence of the phytase comprising (or having) the amino acid sequence of SEQ ID NO: 2, can always be found.

The amino acid sequence of a parent phytase other than the phytase of *Peniophora lycii* CBS 686.96, or, in turn, of a variant phytase amino acid sequence, is designated SEQ-X. A position corresponding to position N of SEQ ID NO: 2 is found as follows: The parent or variant phytase amino acid sequence SEQ-X is aligned with SEQ ID NO: 2 as specified above in the section entitled Amino Acid Homology. From the alignment, the position in sequence SEQ-X corresponding to position N of SEQ ID NO: 2 can be clearly and unambiguously derived, using the principles described below.

Reference is made, as an example only, to Fig. 1 of WO 99/49022, assuming for the sake of simplicity that the sequences A_pediades, A_fumigatus or T_lanuginosus are e.g. variant phytases which have been aligned to the phytase P_lycii, which we assume corresponds to SEQ ID NO: 2 as described herein (for the present purposes they should have been aligned to SEQ ID NO: 2):

Question no. 1: Which position in A_pediades corresponds to S17 of P_lycii (said position being, for the present purposes, designated S1)? The answer is: A15.

Question no. 2: Which position in the phytase designated A_fumigatus corresponds to 55b() of P_lycii (said position being, for the present purposes, designated 39b())? The answer is: S63.

Question no. 3: Which position in A_pediades corresponds to L31 of P_lycii (said position being, for the present purposes, designated L15)? The answer is: ()30d.

Question no. 4: Which substitution in P_lycii corresponds to an, imaginative, T_lanuginosa phytase variant having the substitution G3L? The answer is: ()-6L (said substitution being, for the present purposes, designated ()-22L).

SEQ-X may be a mature part of the phytase in question, or it may also include a signal peptide part, or it may be a fragment of the mature phytase which has phytase activity, e.g. a fragment of the same length as SEQ ID NO: 2, or the fragment which extends from S1 to E423 when aligned with SEQ ID NO: 2 as described herein.

Region and Position

In the present context, the term region means at least one position of a parent phytase amino acid sequence, the term position designating an amino acid residue of such amino acid sequence. In one embodiment, region means one or more successive positions of the parent phytase amino acid sequence, e.g. one, two, three, four, five, six, seven, eight, etc., up to any number of consecutive positions of the sequence. Accordingly, a region may consist of one position only, or it may consist of any number of consecutive positions, such as, e.g., position no. 37, 38 and 39; or position no. 37, 38, 39, 40, and 41; or position no. 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47 and 48. For the present purposes, the latter three regions are designated 37-39, 37-41, and 37-48, respectively. The boundaries of these regions or ranges are included in the region. SEQ ID NO: 2 is one example of a preferred parent phytase amino acid sequence.

A region encompasses specifically each and every position it embraces. For example, region 37-48 specifically encompasses each of the positions 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, and 48. The same applies by analogy for the other regions mentioned herein.

Thermostability

For the present purposes, the term thermostable as applied in the context of a certain polypeptide, refers to the melting temperature, T_m , of such polypeptide, as determined using Differential Scanning Calorimetry (DSC) at a pH of 5.5: For a thermostable polypeptide, the T_m is at least 61°C. In particular embodiments, the T_m is at least 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 77.5, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99 or 100°C.

In the alternative, the term thermostable refers to a melting temperature of at least 49°C, preferably at least 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 77.5, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, or 90°C, as determined using DSC at a pH of 7.0.

In another alternative, the term thermostable refers to a melting temperature of at least 51°C, preferably at least 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 77.5, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, or 90°C, as determined using DSC at a pH of 3.0.

In a still further alternative, the term thermostable refers to a melting temperature of at least 37°C, preferably at least 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 77.5, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, or 90°C, as determined using DSC at a

pH of 2.5.

For the determination of T_m , a sample of the polypeptide with a purity of at least 90% (or 91, 92, 93, 94, 95, 96, 97, or 98%) as determined by SDS-PAGE may be used. Still further, the enzyme sample may have a concentration of between 0.5 and 2.5 mg/ml protein (or between 0.6 and 2.4, or between 0.7 and 2.2, or between 0.8 and 2.0 mg/ml protein), as determined from absorbance at 280 nm and based on an extinction coefficient calculated from the amino acid sequence of the enzyme in question.

The DSC takes place at the desired pH (e.g. pH 5.5, 7.0, 3.0, or 2.5) and with a constant heating rate, e.g. of 1, 1.5, 2, 3, 4, 5, 6, 7, 8, 9 or 10°C/min. Examples of suitable buffers are mentioned in the Experimental Part. Examples of preferred heating rates are 1.0, 1.5 or 2.0°C/min when using the equipment as described in Example 2 herein. For other types of equipment with smaller sample volumes a reliable estimate of T_m may be obtained using a heating rate of, e.g., 3, 4, 5, 6, 7, 8, 9 or even 10°C/min.

In a particular embodiment, the phytase variant of the invention is more thermostable than the parent phytase. A preferred parent phytase for this purpose is the *Peniophora lycii* CBS 686.96 phytase.

Specific Activity

The term high, increased or improved specific activity refers to a specific activity of at least 105%, relative to the specific activity of the parent phytase as determined by the same procedure. In particular embodiments, the relative specific activity is at least 110, 115, 120, 125, 130, 140, 145, 150, 160, 170, 180, 190, 200, 220, 240, 260, 280, 300, 350 or even 400%, still relative to the specific activity of the parent phytase as determined by the same procedure.

In the alternative, the term high specific activity refers to a specific activity of at least 200 FYT/mg Enzyme Protein (EP). In particular embodiments, the specific activity is at least 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900 or 3000 FYT/mg EP.

Specific activity is measured on highly purified samples (an SDS poly acryl amide gel should show the presence of only one component). The enzyme protein concentration may be determined by amino acid analysis, and the phytase activity in the units of FYT. Specific activity is a characteristic of the specific phytase variant in question, and it is calculated as the phytase activity measured in FYT units per mg phytase variant enzyme protein.

See Example 3 for further details.

The phytase variant of the invention is thermostable and/or of a high specific activity. In a particular embodiment it is thermostable. In another particular embodiment it is of high specific activity. In a third particular embodiment it is thermostable, as well as of a high

specific activity. In still further particular embodiments it is (a) more thermostable than the parent phytase; (b) of a higher specific activity as compared to the parent phytase; or (c) more thermostable than the parent phytase and of a higher specific activity as compared to the parent phytase.

5

Low-allergenic Variants

In a specific embodiment, the phytase variants of the present invention are (also) low-allergenic variants, designed to invoke a reduced immunological response when exposed to animals, including man. The term immunological response is to be understood as any reaction by the immune system of an animal exposed to the phytase variant. One type of immunological response is an allergic response leading to increased levels of IgE in the exposed animal. Low-allergenic variants may be prepared using techniques known in the art. For example the phytase variant may be conjugated with polymer moieties shielding portions or epitopes of the phytase variant involved in an immunological response. Conjugation with polymers may involve in vitro chemical coupling of polymer to the phytase variant, e.g. as described in WO 96/17929, WO 98/30682, WO 98/35026, and/or WO 99/00489. Conjugation may in addition or alternatively thereto involve in vivo coupling of polymers to the phytase variant. Such conjugation may be achieved by genetic engineering of the nucleotide sequence encoding the phytase variant, inserting consensus sequences encoding additional glycosylation sites in the phytase variant and expressing the phytase variant in a host capable of glycosylating the phytase variant, see e.g. WO 00/26354. Another way of providing low-allergenic variants is genetic engineering of the nucleotide sequence encoding the phytase variant so as to cause the phytase variants to self-oligomerize, effecting that phytase variant monomers may shield the epitopes of other phytase variant monomers and thereby lowering the antigenicity of the oligomers. Such products and their preparation is described e.g. in WO 96/16177. Epitopes involved in an immunological response may be identified by various methods such as the phage display method described in WO 00/26230 and WO 01/83559, or the random approach described in EP 561907. Once an epitope has been identified, its amino acid sequence may be altered to produce altered immunological properties of the phytase variant by known gene manipulation techniques such as site directed mutagenesis (see e.g. WO 00/26230, WO 00/26354 and/or WO 00/22103) and/or conjugation of a polymer may be done in sufficient proximity to the epitope for the polymer to shield the epitope.

Nucleic Acid Sequences and Constructs

The present invention also relates to nucleic acid sequences comprising a nucleic acid sequence which encodes a phytase variant of the invention.

The term "isolated nucleic acid sequence" refers to a nucleic acid sequence which is essentially free of other nucleic acid sequences, e.g., at least about 20% pure, preferably at least about 40% pure, more preferably at least about 60% pure, even more preferably at least about 80% pure, and most preferably at least about 90% pure as determined by agarose electrophoresis. For example, an isolated nucleic acid sequence can be obtained by standard cloning procedures used in genetic engineering to relocate the nucleic acid sequence from its natural location to a different site where it will be reproduced. The cloning procedures may involve excision and isolation of a desired nucleic acid fragment comprising the nucleic acid sequence encoding the polypeptide, insertion of the fragment into a vector molecule, and incorporation of the recombinant vector into a host cell where multiple copies or clones of the nucleic acid sequence will be replicated. The nucleic acid sequence may be of genomic, cDNA, RNA, semisynthetic, synthetic origin, or any combinations thereof.

The nucleic acid sequences of the invention can be prepared by introducing at least one mutation into the parent phytase coding sequence or a subsequence thereof, wherein the mutant nucleic acid sequence encodes a variant phytase. The introduction of a mutation into the nucleic acid sequence to exchange one nucleotide for another nucleotide may be accomplished by site-directed mutagenesis using any of the methods known in the art, e.g. by site-directed mutagenesis, by random mutagenesis, or by doped, spiked, or localized random mutagenesis.

Random mutagenesis is suitably performed either as localized or region-specific random mutagenesis in at least three parts of the gene translating to the amino acid sequence shown in question, or within the whole gene. When the mutagenesis is performed by the use of an oligonucleotide, the oligonucleotide may be doped or spiked with the three non-parent nucleotides during the synthesis of the oligonucleotide at the positions which are to be changed. The doping or spiking may be performed so that codons for unwanted amino acids are avoided. The doped or spiked oligonucleotide can be incorporated into the DNA encoding the phytase enzyme by any technique, using, e.g., PCR, LCR or any DNA polymerase and ligase as deemed appropriate.

Preferably, the doping is carried out using "constant random doping", in which the percentage of wild-type and mutation in each position is predefined. Furthermore, the doping may be directed toward a preference for the introduction of certain nucleotides, and thereby a preference for the introduction of one or more specific amino acid residues. The doping may be made, e.g., so as to allow for the introduction of 90% wild type and 10% mutations in each position. An additional consideration in the choice of a doping scheme is based on genetic as well as protein-structural constraints.

The random mutagenesis may be advantageously localized to a part of the parent phytase in question. This may, e.g., be advantageous when certain regions of the enzyme

have been identified to be of particular importance for a given property of the enzyme.

Alternative methods for providing variants of the invention include gene shuffling e.g. as described in WO 95/22625 or in WO 96/00343, and the consensus derivation process as described in EP 897985.

5

Nucleic Acid Constructs

A nucleic acid construct comprises a nucleic acid sequence of the present invention operably linked to one or more control sequences which direct the expression of the coding sequence in a suitable host cell under conditions compatible with the control sequences.

10 Expression will be understood to include any step involved in the production of the polypeptide including, but not limited to, transcription, post-transcriptional modification, translation, post-translational modification, and secretion.

Expression vector

15 A nucleic acid sequence encoding a phytase variant of the invention can be expressed using an expression vector which typically includes control sequences encoding a promoter, operator, ribosome binding site, translation initiation signal, and, optionally, a repressor gene or various activator genes.

20 The recombinant expression vector carrying the DNA sequence encoding a glucoamylase variant of the invention may be any vector which may conveniently be subjected to recombinant DNA procedures, and the choice of vector will often depend on the host cell into which it is to be introduced. The vector may be one which, when introduced into a host cell, is integrated into the host cell genome and replicated together with the chromosome(s) into which it has been integrated.

25 The phytase variant may also be co-expressed together with at least one other enzyme of animal feed interest, such as a xylanase, an endoglucanase, an endo-1,3(4)-beta-glucanase, and/or a protease. The enzymes may be co-expressed from different vectors, from one vector, or using a mixture of both techniques. When using different vectors, the vectors may have different selectable markers, and different origins of replication. When using only one vector, the genes can be expressed from one or more promoters. If cloned under the regulation of one promoter (di- or multi-cistronic), the order in which the genes are cloned may affect the expression levels of the proteins. The phytase variant may also be expressed as a fusion protein, i.e. that the gene encoding the phytase variant has been fused in frame to the gene encoding another protein. This protein may be
35 another enzyme or a functional domain from another enzyme.

Host Cells

The present invention also relates to recombinant host cells, comprising a nucleic acid sequence of the invention, which are advantageously used in the recombinant production of the polypeptides. A vector comprising a nucleic acid sequence of the present invention is introduced into a host cell so that the vector is maintained as a chromosomal
5 integrant or as a self-replicating extra-chromosomal vector. The term "host cell" encompasses any progeny of a parent cell that is not identical to the parent cell due to mutations that occur during replication. The choice of a host cell will to a large extent depend upon the gene encoding the polypeptide and its source.

The host cell may be a unicellular microorganism, e.g., a prokaryote, or a non-
10 unicellular microorganism, e.g., a eukaryote cell, such as an animal, a mammalian, an insect, a plant, or a fungal cell. Preferred animal cells are non-human animal cells.

In a preferred embodiment, the host cell is a fungal cell, or a yeast cell, such as a *Candida*, *Hansenula*, *Kluyveromyces*, *Pichia*, *Saccharomyces*, *Schizosaccharomyces*, or *Yarrowia* cell. The fungal host cell may be a filamentous fungal cell, such as a cell of a
15 species of, but not limited to, *Acremonium*, *Aspergillus*, *Fusarium*, *Humicola*, *Mucor*, *Myceliophthora*, *Neurospora*, *Penicillium*, *Thielavia*, *Tolypocladium*, or *Trichoderma*.

Useful unicellular cells are bacterial cells such as gram positive bacteria including, but not limited to, a *Bacillus* cell, or a *Streptomyces* cell, or cells of lactic acid bacteria; or gram negative bacteria such as *E. coli* and *Pseudomonas* sp. Lactic acid bacteria include,
20 but are not limited to, species of the genera *Lactococcus*, *Lactobacillus*, *Leuconostoc*, *Streptococcus*, *Pediococcus*, and *Enterococcus*.

Methods of Production

The present invention also relates to methods for producing a phytase of the present
25 invention comprising (a) cultivating a host cell under conditions conducive for production of the phytase variant; and (b) recovering the phytase variant.

In the production methods of the present invention, the cells are cultivated in a nutrient medium suitable for production of the polypeptide using methods known in the art. For example, the cell may be cultivated by shake flask cultivation, small-scale or large-scale
30 fermentation (including continuous, batch, fed-batch, or solid state fermentations) in laboratory or industrial fermentors performed in a suitable medium and under conditions allowing the polypeptide to be expressed and/or isolated. The cultivation takes place in a suitable nutrient medium comprising carbon and nitrogen sources and inorganic salts, using procedures known in the art. Suitable media are available from commercial suppliers or may
35 be prepared according to published compositions (e.g., in catalogues of the American Type Culture Collection). If the phytase is secreted into the nutrient medium, it can be recovered directly from the medium. If it is not secreted, it can be recovered from cell lysates.

The resulting phytase may be recovered by methods known in the art. For example, it be recovered from the nutrient medium by conventional procedures including, but not limited to, centrifugation, filtration, extraction, spray-drying, evaporation, or precipitation.

The phytases of the present invention may be purified by a variety of procedures known in the art including, but not limited to, chromatography (e.g., ion exchange, affinity, hydrophobic, chromatofocusing, and size exclusion), electrophoretic procedures (e.g., preparative isoelectric focusing), differential solubility (e.g., ammonium sulfate precipitation), SDS-PAGE, or extraction (see, e.g., *Protein Purification*, J.-C. Janson and Lars Ryden, editors, VCH Publishers, New York, 1989).

Plants

The present invention also relates to a transgenic plant, plant part, or plant cell which has been transformed with a nucleic acid sequence encoding a polypeptide having phytase activity of the present invention so as to express and produce the polypeptide in recoverable quantities. The polypeptide may be recovered from the plant or plant part. Alternatively, the plant or plant part containing the recombinant polypeptide may be used as such for improving the quality of a food or feed, e.g., improving nutritional value, palatability, and rheological properties, or to destroy an antinutritive factor.

In a particular embodiment, the polypeptide is targeted to the endosperm storage vacuoles in seeds. This can be obtained by synthesizing it as a precursor with a suitable signal peptide, see Horvath et al in PNAS, Feb. 15, 2000, vol. 97, no. 4, p. 1914-1919.

The transgenic plant can be dicotyledonous (a dicot) or monocotyledonous (a monocot) or engineered variants thereof. Examples of monocot plants are grasses, such as meadow grass (blue grass, *Poa*), forage grass such as *festuca*, *lolium*, temperate grass, such as *Agrostis*, and cereals, e.g., wheat, oats, rye, barley, rice, sorghum, and maize (corn).

Examples of dicot plants are tobacco, legumes, such as lupins, potato, sugar beet, pea, bean and soybean, and cruciferous plants (family *Brassicaceae*), such as cauliflower, rape seed, and the closely related model organism *Arabidopsis thaliana*. Low-phytate plants as described e.g. in US patent no. 5,689,054 and US patent no. 6,111,168 are examples of engineered plants. Examples of plant parts are stem, callus, leaves, root, fruits, seeds, and tubers. Also specific plant tissues, such as chloroplast, apoplast, mitochondria, vacuole, peroxisomes, and cytoplasm are considered to be a plant part. Furthermore, any plant cell, whatever the tissue origin, is considered to be a plant part.

Also included within the scope of the present invention are the progeny of such plants, plant parts and plant cells.

The transgenic plant or plant cell expressing a polypeptide of the present invention

may be constructed in accordance with methods known in the art. Briefly, the plant or plant cell is constructed by incorporating one or more expression constructs encoding a polypeptide of the present invention into the plant host genome and propagating the resulting modified plant or plant cell into a transgenic plant or plant cell.

5 Conveniently, the expression construct is a nucleic acid construct which comprises a nucleic acid sequence encoding a polypeptide of the present invention operably linked with appropriate regulatory sequences required for expression of the nucleic acid sequence in the plant or plant part of choice. Furthermore, the expression construct may comprise a selectable marker useful for identifying host cells into which the expression construct has
10 been integrated and DNA sequences necessary for introduction of the construct into the plant in question (the latter depends on the DNA introduction method to be used).

The choice of regulatory sequences, such as promoter and terminator sequences and optionally signal or transit sequences is determined, for example, on the basis of when, where, and how the polypeptide is desired to be expressed. For instance, the expression of
15 the gene encoding a polypeptide of the present invention may be constitutive or inducible, or may be developmental, stage or tissue specific, and the gene product may be targeted to a specific tissue or plant part such as seeds or leaves. Regulatory sequences are, for example, described by Tague *et al.*, 1988, *Plant Physiology* 86: 506.

For constitutive expression, the 35S-CaMV promoter may be used (Franck *et al.*,
20 1980, *Cell* 21: 285-294). Organ-specific promoters may be, for example, a promoter from storage sink tissues such as seeds, potato tubers, and fruits (Edwards & Coruzzi, 1990, *Ann. Rev. Genet.* 24: 275-303), or from metabolic sink tissues such as meristems (Ito *et al.*, 1994, *Plant Mol. Biol.* 24: 863-878), a seed specific promoter such as the glutelin, prolamin, globulin, or albumin promoter from rice (Wu *et al.*, 1998, *Plant and Cell Physiology* 39: 885-
25 889), a *Vicia faba* promoter from the legumin B4 and the unknown seed protein gene from *Vicia faba* (Conrad *et al.*, 1998, *Journal of Plant Physiology* 152: 708-711), a promoter from a seed oil body protein (Chen *et al.*, 1998, *Plant and Cell Physiology* 39: 935-941), the storage protein napA promoter from *Brassica napus*, or any other seed specific promoter known in the art, e.g., as described in WO 91/14772. Furthermore, the promoter may be a
30 leaf specific promoter such as the *rbcS* promoter from rice or tomato (Kyoizuka *et al.*, 1993, *Plant Physiology* 102: 991-1000, the chloroella virus adenine methyltransferase gene promoter (Mitra and Higgins, 1994, *Plant Molecular Biology* 26: 85-93), or the *aldP* gene promoter from rice (Kagaya *et al.*, 1995, *Molecular and General Genetics* 248: 668-674), or a wound inducible promoter such as the potato pin2 promoter (Xu *et al.*, 1993, *Plant*
35 *Molecular Biology* 22: 573-588).

A promoter enhancer element may also be used to achieve higher expression of the enzyme in the plant. For instance, the promoter enhancer element may be an intron which is

placed between the promoter and the nucleotide sequence encoding a polypeptide of the present invention. For instance, Xu *et al.*, 1993, *supra* disclose the use of the first intron of the rice actin 1 gene to enhance expression.

Still further, the codon usage may be optimized for the plant species in question to improve expression (see Horvath *et al* referred to above).

The selectable marker gene and any other parts of the expression construct may be chosen from those available in the art.

The nucleic acid construct is incorporated into the plant genome according to conventional techniques known in the art, including *Agrobacterium*-mediated transformation, virus-mediated transformation, microinjection, particle bombardment, biolistic transformation, and electroporation (Gasser *et al.*, 1990, *Science* 244: 1293; Potrykus, 1990, *Bio/Technology* 8: 535; Shimamoto *et al.*, 1989, *Nature* 338: 274).

Presently, *Agrobacterium tumefaciens*-mediated gene transfer is the method of choice for generating transgenic dicots (for a review, see Hooykas and Schilperoort, 1992, *Plant Molecular Biology* 19: 15-38). However it can also be used for transforming monocots, although other transformation methods are generally preferred for these plants. Presently, the method of choice for generating transgenic monocots is particle bombardment (microscopic gold or tungsten particles coated with the transforming DNA) of embryonic calli or developing embryos (Christou, 1992, *Plant Journal* 2: 275-281; Shimamoto, 1994, *Current Opinion Biotechnology* 5: 158-162; Vasil *et al.*, 1992, *Bio/Technology* 10: 667-674). An alternative method for transformation of monocots is based on protoplast transformation as described by Omirulleh *et al.*, 1993, *Plant Molecular Biology* 21: 415-428.

Following transformation, the transformants having incorporated therein the expression construct are selected and regenerated into whole plants according to methods well-known in the art.

The present invention also relates to methods for producing a polypeptide of the present invention comprising (a) cultivating a transgenic plant or a plant cell comprising a nucleic acid sequence encoding a phytase variant of the present invention under conditions conducive for production of the phytase variant; and (b) recovering the phytase variant.

Animals as Expression Hosts

The present invention also relates to a transgenic, non-human animal and products or elements thereof, examples of which are body fluids such as milk and blood, organs, flesh, and animal cells. Techniques for expressing proteins, e.g. in mammalian cells, are known in the art, see e.g. the handbook Protein Expression: A Practical Approach, Higgins and Hames (eds), Oxford University Press (1999), and the three other handbooks in this series relating to Gene Transcription, RNA processing, and Post-translational Processing.

Generally speaking, to prepare a transgenic animal, selected cells of a selected animal are transformed with a nucleic acid sequence encoding a phytase variant of the present invention so as to express and produce the phytase variant. The phytase variant may be recovered from the animal, e.g. from the milk of female animals, or it may be expressed to the benefit of the animal itself, e.g. to assist the animal's digestion. Examples of animals are mentioned below in the section headed Animal Feed and Animal Feed Additives.

To produce a transgenic animal with a view to recovering the phytase variant from the milk of the animal, a gene encoding the phytase variant may be inserted into the fertilized eggs of an animal in question, e.g. by use of a transgene expression vector which comprises a suitable milk protein promoter, and the gene encoding the phytase variant. The transgene expression vector is microinjected into fertilized eggs, and preferably permanently integrated into the chromosome. Once the egg begins to grow and divide, the potential embryo is implanted into a surrogate mother, and animals carrying the transgene are identified. The resulting animal can then be multiplied by conventional breeding. The phytase variant may be purified from the animal's milk, see e.g. Meade, H.M. et al (1999): Expression of recombinant proteins in the milk of transgenic animals, Gene expression systems: Using nature for the art of expression. J. M. Fernandez and J. P. Hoeffler (eds.), Academic Press.

In the alternative, in order to produce a transgenic non-human animal that carries in the genome of its somatic and/or germ cells a nucleic acid sequence including a heterologous transgene construct including a transgene encoding the phytase variant, the transgene may be operably linked to a first regulatory sequence for salivary gland specific expression of the phytase variant, as disclosed in WO 2000064247.

Animal Feed and Animal Feed Additives

For the present purposes, the term animal includes all animals, including human beings. In a particular embodiment, the phytase variants and compositions of the invention can be used as a feed additive for non-human animals. Examples of animals are non-ruminants, and ruminants, such as cows, sheep and horses. In a particular embodiment, the animal is a non-ruminant animal. Non-ruminant animals include mono-gastric animals, e.g. pigs or swine (including, but not limited to, piglets, growing pigs, and sows); poultry such as turkeys and chicken (including but not limited to broiler chicks, layers); young calves; and fish (including but not limited to salmon).

The term feed or feed composition means any compound, preparation, mixture, or composition suitable for, or intended for intake by an animal. The feed can be fed to the animal before, after, or simultaneously with the diet. The latter is preferred.

The composition of the invention, when intended for addition to animal feed, may be designated an animal feed additive. Such additive always comprises the phytase variant in

question, preferably in the form of stabilized liquid or dry compositions. The additive may comprise other components or ingredients of animal feed. The so-called pre-mixes for animal feed are particular examples of such animal feed additives. Pre-mixes may contain the enzyme(s) in question, and in addition at least one vitamin and/or at least one mineral.

5 Accordingly, in a particular embodiment, in addition to the component polypeptides, the composition of the invention may comprise or contain at least one fat-soluble vitamin, and/or at least one water-soluble vitamin, and/or at least one trace mineral. Also at least one macro mineral may be included.

10 Examples of fat-soluble vitamins are vitamin A, vitamin D3, vitamin E, and vitamin K, e.g. vitamin K3.

 Examples of water-soluble vitamins are vitamin B12, biotin and choline, vitamin B1, vitamin B2, vitamin B6, niacin, folic acid and panthothenate, e.g. Ca-D-panthothenate.

 Examples of trace minerals are manganese, zinc, iron, copper, iodine, selenium, and cobalt.

15 Examples of macro minerals are calcium, phosphorus and sodium.

 Further, optional, feed-additive ingredients are colouring agents, aroma compounds, stabilizers, additional enzymes, and antimicrobial peptides.

20 Additional enzyme components of the composition of the invention include at least one polypeptide having xylanase activity; and/or at least one polypeptide having endoglucanase activity; and/or at least one polypeptide having endo-1,3(4)-beta-glucanase activity; and/or at least one polypeptide having protease activity.

25 Xylanase activity can be measured using any assay, in which a substrate is employed, that includes 1,4-beta-D-xylosidic endo-linkages in xylans. Different types of substrates are available for the determination of xylanase activity e.g. Xylazyme cross-linked arabinoxylan tablets (from MegaZyme), or insoluble powder dispersions and solutions of azo-dyed arabinoxylan.

30 Endoglucanase activity can be determined using any endoglucanase assay known in the art. For example, various cellulose- or beta-glucan-containing substrates can be applied. An endoglucanase assay may use AZCL-Barley beta-Glucan, or preferably (1) AZCL-HE-Cellulose, or (2) Azo-CM-cellulose as a substrate. In both cases, the degradation of the substrate is followed spectrophotometrically at OD₅₉₅ (see the Megazyme method for AZCL-polysaccharides for the assay of endo-hydrolases at <http://www.megazyme.com/booklets/AZCLPOL.pdf>).

35 Endo-1,3(4)-beta-glucanase activity can be determined using any endo-1,3(4)-beta-glucanase assay known in the art. A preferred substrate for endo-1,3(4)-beta-glucanase activity measurements is a cross-linked azo-coloured beta-glucan Barley substrate, wherein the measurements are based on spectrophotometric determination principles.

Protease activity can be measured using any assay, in which a substrate is employed, that includes peptide bonds relevant for the specificity of the protease in question. Examples of protease substrates are casein, and pNA-substrates, such as Suc-AAPF-pNA (available e.g. from Sigma S-7388). Another example is Protazyme AK (azurine dyed crosslinked casein prepared as tablets by Megazyme T-PRAK). Example 2 of WO 01/58276 describes suitable protease assays. A preferred assay is the Protazyme assay of Example 2D (the pH and temperature should be adjusted to the protease in question as generally described previously).

For assaying xylanase, endoglucanase, beta-1,3(4)-glucanase and protease activity the assay-pH and the assay-temperature are to be adapted to the enzyme in question (preferably a pH close to the optimum pH, and a temperature close to the optimum temperature). A preferred assay pH is in the range of 2-10, preferably 3-9, more preferably pH 3 or 4 or 5 or 6 or 7 or 8, for example pH 3 or pH 7. A preferred assay temperature is in the range of 20-80°C, preferably 30-80°C, more preferably 40-75°C, even more preferably 40-60°C, preferably 40 or 45 or 50°C. The enzyme activity is defined by reference to appropriate blinds, e.g. a buffer blind.

Examples of antimicrobial peptides (AMP's) are CAP18, Leucocin A, Tiritpticin, Protegrin-1, Thanatin, Lactoferrin, Lactoferricin, and Ovispirin such as Novispirin (Robert Lehrer, 2000), and variants or fragments thereof which retain antimicrobial activity. Other examples are anti-fungal polypeptides (AFP's) such as those derived from *Aspergillus giganteus*, and *Aspergillus niger*, as well as variants and fragments thereof which retain antifungal activity, as disclosed in WO 94/01459 and PCT/DK02/00289.

In a particular embodiment, the animal feed additive of the invention is intended for being included (or prescribed as having to be included) in animal diets or feed at levels of 0.0010-12.0%, or 0.0050-11.0%, or 0.0100-10.0%; more particularly 0.05-5.0%; or 0.2-1.0% (% meaning g additive per 100 g feed). This is so in particular for premixes.

Accordingly, the concentrations of the individual components of the animal feed additive, e.g. the premix, can be found by multiplying the final in-feed concentration of the same component by, respectively, 10-10000; 20-2000; or 100-500 (referring to the above three percentage inclusion intervals).

The final in-feed concentrations of important feed components may reflect the nutritional requirements of the animal, which are generally known by the skilled nutritionist, and presented in publications such as the following: NRC, Nutrient requirements in swine, ninth revised edition 1988, subcommittee on swine nutrition, committee on animal nutrition, board of agriculture, national research council. National Academy Press, Washington, D.C. 1988; and NRC, Nutrient requirements of poultry, ninth revised edition 1994, subcommittee on poultry nutrition, committee on animal nutrition, board of agriculture, national research

council, National Academy Press, Washington, D.C., 1994.

The phytase variant should of course be applied in animal feed in an effective amount, i.e. in an amount adequate for improving the nutritional value of the feed. It is at present contemplated that it is administered in the following dosage ranges: 0.01-200; or
5 0.01-100; or 0.05-100; or 0.05-50; or 0.10-10 – all these ranges being in mg enzyme protein per kg feed (ppm).

For determining mg phytase protein per kg feed or feed additive, the enzyme is purified from the feed composition or the feed additive, and the specific activity of the purified enzyme is determined using a relevant assay. The phytase activity of the feed
10 composition or the feed additive is also determined using the same assay, and on the basis of these two determinations, the dosage in mg phytase protein per kg feed is calculated.

Of course, if a sample is available of the phytase variant used for preparing the feed additive or the feed, the specific activity is determined from this sample (no need to purify the enzyme from the feed composition or the additive).

15 The composition of the invention can be prepared according to methods known in the art, e.g. by mixing the phytase variant with the additional ingredients, if any.

Animal feed compositions or diets have a relatively high content of protein. An animal feed composition according to the invention has a crude protein content of 50-800, or 75-700, or 100-600, or 110-500, or 120-490 g/kg, and furthermore comprises a composition of
20 the invention.

Furthermore, or in the alternative (to the crude protein content indicated above), the animal feed composition of the invention has a content of metabolisable energy of 10-30, or 11-28, or 11-26, or 12-25 MJ/kg; and/or a content of calcium of 0.1-200, or 0.5-150, or 1-100, or 4-50 g/kg; and/or a content of available phosphorus of 0.1-200, or 0.5-150, or 1-100,
25 or 1-50, or 1-25 g/kg; and/or a content of methionine of 0.1-100, or 0.5-75, or 1-50, or 1-30 g/kg; and/or a content of methionine plus cysteine of 0.1-150, or 0.5-125, or 1-80 g/kg; and/or a content of lysine of 0.5-50, or 0.5-40, or 1-30 g/kg.

Crude protein is calculated as nitrogen (N) multiplied by a factor 6.25, i.e. Crude protein (g/kg) = N (g/kg) x 6.25 as stated in Animal Nutrition, 4th edition, Chapter 13 (Eds. P. McDonald, R. A. Edwards and J. F. D. Greenhalgh, Longman Scientific and Technical, 1988,
30 ISBN 0-582-40903-9). The nitrogen content can be determined by the Kjeldahl method (A.O.A.C., 1984, Official Methods of Analysis 14th ed., Association of Official Analytical Chemists, Washington DC). But also other methods can be used, such as the so-called Dumas method in which the sample is combusted in oxygen and the amount of nitrous
35 gasses formed are analysed and recalculated as nitrogen.

Metabolisable energy can be calculated on the basis of the NRC publication Nutrient Requirements of Swine (1988) pp. 2-6, and the European Table of Energy Values for Poultry

Feed-stuffs, Spelderholt centre for poultry research and extension, 7361 DA Beekbergen, The Netherlands. Grafisch bedrijf Ponsen & Iooijen bv, Wageningen. ISBN 90-71463-12-5.

In a particular embodiment, the animal feed composition of the invention contains at least one vegetable protein or protein source. Examples of vegetable proteins or protein sources are soybean, peas and rape seed from leguminosae and brassica families, and the cereals such as barley, maize (corn), oat, rice, rye, sorghum and wheat.

In still further particular embodiments, the animal feed composition of the invention contains 0-80% maize; and/or 0-80% sorghum; and/or 0-70% wheat; and/or 0-70% Barley; and/or 0-30% oats; and/or 0-40% soybean meal; and/or 0-10% fish meal; and/or 0-20% whey.

Animal diets can e.g. be manufactured as mash feed (non-pelleted) or pelleted feed. Typically, the milled feed-stuffs are mixed and sufficient amounts of essential vitamins and minerals are added according to the specifications for the species in question.

The phytase variant of the invention can be added in the form of a solid or liquid enzyme formulation, or in the form of a feed additive, such as a pre-mix. A solid composition is typically added before or during the mixing step; and a liquid composition is typically added after the pelleting step.

The phytase variant of the invention when added to animal feed leads to an improved nutritional value of the feed, e.g. the growth rate and/or the weight gain and/or the feed conversion (i.e. the weight of ingested feed relative to weight gain) of the animal is/are improved. These results may be due to, in turn, one or more of the following effects: The phosphate moieties of phytic acid chelates divalent and trivalent cations such as metal ions, i.e. the nutritionally essential ions of calcium, iron, zinc and magnesium as well as the trace minerals manganese, copper and molybdenum. Besides, the phytic acid also to a certain extent binds proteins by electrostatic interaction. At a pH below the isoelectric point, pI, of the protein, the positively charged protein binds directly with phytate. At a pH above pI, the negatively charged protein binds via metal ions to phytate. Phytic acid and its salts, phytates, are often not metabolized, since they are not absorbable from the gastro intestinal system, i.e. neither the phosphorous thereof, nor the chelated metal ions, nor the bound proteins are nutritionally available. Accordingly, since phosphorus is an essential element for the growth of all organisms, food and feed preparations need to be supplemented with inorganic phosphate. Quite often also the nutritionally essential ions such as iron and calcium, must be supplemented. And, besides, the nutritional value of a given diet decreases, because of the binding of proteins by phytic acid.

In particular embodiments the weight gain is at least 101, 102, 103, 104, 105, 106, 107, 108, 109, or at least 110% of the control (no enzyme addition).

In further particular embodiments the feed conversion is at most (or not more than)

99, 98, 97, 96, 95, 94, 93, 92, 91 or at most 90%, as compared to the control (no enzyme addition).

The composition of the invention may also be used *in vitro*, e.g. to treat vegetable proteins. The term vegetable proteins as used herein refers to any compound, composition, preparation or mixture that includes at least one protein derived from or originating from a vegetable, including modified proteins and protein-derivatives. In particular embodiments, the protein content of the vegetable proteins is at least 10, 20, 30, 40, 50, or 60% (w/w).

Examples of vegetable proteins or protein sources are cereals such as barley, wheat, rye, oat, maize (corn), rice, and sorghum. Other examples are soya bean meal, peas and rape seed meal from leguminosae and brassica families.

The vegetable protein or protein source is typically suspended in a solvent, eg an aqueous solvent such as water, and the pH and temperature values are adjusted paying due regard to the characteristics of the phytase variant and additional enzymes, if any. The enzymatic reaction is continued until the desired result is achieved, following which it may or may not be stopped by inactivating the enzyme, e.g. by a heat-treatment step.

In another particular embodiment of a treatment process of the invention, the enzyme actions are sustained, meaning e.g. that the enzyme composition is added to the vegetable proteins or protein sources, but the enzyme activity is so to speak not switched on until later when desired, once suitable reaction conditions are established, or once any enzyme inhibitors are inactivated, or whatever other means may have been applied to postpone the action of the enzymes.

Method for Generating Phytase Variants

In a further aspect, the invention relates to a method for generating a variant of a parent phytase, wherein the variant is more thermostable and/or has a higher specific activity than the parent phytase, the method comprising:

(d) subjecting a DNA sequence encoding the parent phytase to random mutagenesis,

(e) expressing the mutated DNA sequence obtained in step (d) in a host cell, and

(f) screening for host cells expressing a phytase variant which is more thermostable and/or has a higher specific activity than the parent phytase.

Step (d) of the above method of the invention is preferably performed using doped primers, as described in the experimental part.

In a preferred embodiment, the above method includes the following additional steps preceding above steps (d)-(f):

(a) establishing a 3D structure of a parent phytase,

(b) subjecting the 3D structure of (a) to MD simulations at increased

temperatures;

(c) identifying regions in the amino acid sequence of the parent phytase of high mobility (isotropic fluctuations) and suggesting these for random mutagenesis, wherein at least one of the regions identified in step (c) is targetted in step (d).

5 The structure of (a) may be established by homology modelling. A preferred model is the Fig. 1 structure.

Examples of increased temperatures are one or more of the following temperatures: 300K, 350K, 400K, 450K, 500K, and 550K.

For this aspect of the present invention, the parent phytase may be a wild-type parent
10 phytases, or allelic variants thereof, or fragments thereof that has phytase activity, or mature parts thereof, or variants thereof, or genetically engineered or synthetic polypeptides designed on the basis thereof. The following are examples of preferred wild-type parent phytases: Fungal phytases, such as filamentous fungal phytases, or yeast phytases. An example of a yeast phytase is the *Schwanniomyces occidentalis* phytase described in
15 US 5830732. Examples of filamentous fungal phytases are the phytases derived from the phylum *Ascomycota* or the phylum *Basidiomycota* (an ascomycete phytase, or a basidiomycete phytase, respectively). Examples of ascomycete phytases are those derived from a strain of *Aspergillus*, for example *Aspergillus awamori* PHYA (SWISSPROT P34753, Gene 133:55-62 (1993)), *Aspergillus niger* (*ficuum*) PHYA (SWISSPROT P34752, EP 420358, Gene 127:87-94 (1993)), *Aspergillus awamori* PHYB (SWISSPROT P34755, Gene 133:55-62 (1993)), *Aspergillus niger* PHYB (SWISSPROT P34754, Biochem. Biophys. Res. Commun. 195:53-57(1993)); or a strain of *Emmericella*, for example *Emmericella nidulans* PHYB (SWISSPROT O00093, Biochim. Biophys. Acta 1353:217-223 (1997)); or a strain of *Thermomyces* (*Humicola*), for example the *Thermomyces lanuginosus* phytase described in
25 WO 97/35017. Other examples of ascomycete phytases are disclosed in EP 684313 (for example derived from strains of *Aspergillus fumigatus*, *Aspergillus terreus*, and *Myceliophthora thermophila*); JP 11000164 (a phytase derived from a strain of *Penicillium*.); US 6139902 (a phytase derived from a strain of *Aspergillus*), and WO 98/13480 (*Monascus anka* phytase). Examples of basidiomycete phytases are the phytases derived from *Paxillus involutus*, *Trametes pubescens*, *Agrocybe pediades* and *Peniophora lycii* (see WO
30 98/28409).

Still for the purposes of this aspect of the present invention, the basidiomycete phytases are most preferred, and a highly preferred parent phytase is the phytase derived from *Peniophora lycii* CBS 686.96 (as well as allelic variants, fragments etc. thereof as
35 generally described above, as well as homologous phytases).

Still for the purposes of this aspect of the present invention, the following phytases and phytase sequences of WO 00/43503 are examples of preferred synthetic parent

phytases: SEQ ID NO: 22 (basidio consensus), SEQ ID NO: 24 (mature part of consensus phytase-10); SEQ ID NO: 26 (consensus phytase-10); SEQ ID NO: 27 (consensus phytase-11), SEQ ID NO: 31 (consensus phytase-10-thermo(3)-Q50T-K91A), SEQ ID NO: 36 (consensus phytase-12), SEQ ID NO: 91 (consensus phytase-3-thermo(11)-Q50T), SEQ ID NO: 93 (consensus phytase-3-thermo(11)-Q50T-K91A), SEQ ID NO: 95 (consensus phytase-10-thermo(5)-Q50T); and SEQ ID NO: 97 (consensus phytase-10-thermo(5)-Q50T-K91A), consensus phytase-10-thermo(3), consensus-phytase-10-thermo(3)-Q50T, consensus-phytase-10-thermo(3)-K91A, amino acids 27-467 of consensus phytase-10-thermo(3), amino acids 27-467 of consensus phytase-10-thermo(3)-Q50T, amino acids 27-467 of consensus phytase-10-thermo(3)-K91A.

Other examples of preferred synthetic parent phytases are: The variants of an *Aspergillus fumigatus* phytase disclosed in EP 897010, the fungal consensus phytase and its variants disclosed in EP 897985, the *Aspergillus fumigatus* phytase variants, and the phytase designated consensus phytase-7, as well as the variants of consensus phytase-1 disclosed in WO 00/43503.

A preferred screening method for thermostable phytase variants is the primary screening described in Example 1: Cultivation of candidate colonies (e.g. a yeast library) on an appropriate solid medium (e.g. SC-glucose plates) for an appropriate time (e.g. for 3 days at 30°C), replica plate to new plates with nitrate filters, incubate for an appropriate time (e.g. at 30°C for 1 day), transfer filters to pre-heated Na-phytate plates at an appropriate pH (e.g. pH5.5 and 53°C), incubate at an elevated temperature for an appropriate time (e.g. at 53°C over night), remove filters, and pour on a solution containing Ca-ions (e.g. 0.5M CaCl₂ solution), electing colonies with larger clearing zones than the parent phytase.

Another preferred screening method is the secondary screening described in Example 1 (submerge cultivation, establishing a phytase activity vs. temperature profile on the supernatants, selecting candidates performing better than the parent phytase (the higher activity at the higher the temperature, the better)). For both of these tests, alternative temperatures are those indicated above in the thermostability section. The two methods can be used in combination/succession as described in Example 1.

Preferred random mutagenesis methods are doping, and spiked oligo shuffling.

In an even more preferred embodiment of the above method for generating phytase variants, the method is made iterative, meaning that in a first step, the parent phytase is one of the phytases mentioned above, e.g. the *Peniphora* phytase, in a second step the parent phytase is a more thermostable variant X thereof, in a third step the parent phytase is another variant Y of even higher thermostability than X, and so forth.

A preferred screening method for improved specific activity is the primary screening method referred to in Example 1. Another preferred screening method for improved specific

activity is the secondary screening method referred to in Example 1.

The invention also relates to a method for producing a phytase variant obtainable or obtained by the method of generating phytase variants described above, comprising (a) cultivating the host cell to produce a supernatant comprising the variant; and (b) recovering the variant.

The present invention is further described by the following examples which should not be construed as limiting the scope of the invention.

Particular Embodiments

An aspect of the present invention is the transfer of selected (positive, viz. e.g. improved thermostability and/or specific activity) mutations in the *Peniophora* phytase backbone via a homology alignment to other backbones, preferably homologous backbones. This concept may be described as follows: In each of the claims and additional particular embodiments such as those listed below, substitute "parent phytase" with "phytase derived from *Peniophora lycii* CBS 686.96," and add the following claim: A variant of a phytase which is homologous to the phytase derived from *Peniophora lycii* CBS 686.96, the variant comprising a substitution in at least one position corresponding to those claimed and listed in the additional embodiments, the corresponding position being deduced by aligning the homologous phytase to SEQ ID NO: 2 as described above.

Various particular embodiments of the phytase variant of the invention are claimed, and additional particular embodiments are set out below. The invention also relates to the following aspects of the below embodiments: Isolated nucleic acid sequences; nucleic acid constructs; recombinant expression vectors; recombinant host cells; methods for producing; transgenic plants, or plant parts; transgenic non-human animals, or products, or elements thereof; compositions such as feed additives, and animal feed; methods and processes of using; and uses (as claimed herein). A composition comprising at least one phytase variant of any of the claims or any of the above embodiments is specifically included herein. The animal feed preferably comprises at least one vegetable protein or protein source.

A variant of a parent phytase, comprising a substitution in at least one position selected from the group consisting of: 20; 26; 28; 29; 30; 31; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 55; 56; 57; 58; 59; 60; 61; 62; 63; 64; 65; 66; 67; 68; 69; 73; 74; 75; 76; 77; 78; 79; 80; 81; 82; 83; 91; 92; 93; 94; 95; 96; 97; 98; 99; 100; 101; 102; 103; 104; 105; 106; 107; 108; 109; 110; 111; 112; 113; 114; 115; 116; 117; 118; 119; 123; 124; 125; 126; 135; 136; 137; 138; 139; 140; 141; 142; 152; 153; 154; 155; 156; 157; 158; 159; 160; 161; 162; 163; 169; 170; 171; 172; 173; 174; 175; 176; 177; 178; 179; 180; 181; 182; 183; 184; 185; 186; 187; 188; 189; 190; 191; 192; 193; 194; 195; 196; 197; 198; 199; 204; 205; 206; 207; 208; 209; 210; 211; 212; 213; 214; 215; 216; 217; 218; 219; 220; 221; 222; 229; 230; 231;

232; 233; 234; 235; 236; 237; 238; 248; 249; 250; 251; 252; 253; 254; 255; 256; 257; 258;
 259; 260; 261; 262; 263; 264; 265; 266; 284; 285; 286; 287; 288; 289; 300; 301; 302; 303;
 304; 305; 306; 307; 308; 321; 322; 323; 324; 325; 326; 327; 328; 329; 330; 331; 332; 333;
 334; 335; 343; 344; 345; 346; 347; 348; 349; 350; 384; 385; 386; 387; 388; 389; 390; 391;
 5 392; 393; 394; 395; 396; 397; 398; 407; 408; 409; 410; 411; 412; 419; 420; 421; 422; 423;
 424; 425; 426; 427; 428; 429; 430;

wherein

- (a) the variant has phytase activity;
- (b) each position corresponds to a position of SEQ ID NO: 2; and
- 10 (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
- (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96
 phytase selected from the group consisting of: G26S; Y28N; D29S; F31Y; E42D,K,A; T45R;
 V46I; W59F; S62D; A64K; R65Q,E,G,A; S66T; R67A,I,Q,K; Q68Y,V,I; K74R,A; A99N;
 D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L;
 15 A135S; D137Y; Q138D,S,G; D142A; ()154fH; S155N; G156P; E157Q,S; E169S; E170A,P;
 G171A; ()171aS; T174P,A; N177S; N178S,T; M179T,V,L; N182A,V; V184G; D185E;
 ()185eT; G186S,A; D187R,K,S; ()187aV,T; E188Q,S,A,V; S189E; V195L; N199A,P; L204N;
 A207D,H; S216T; D217E; L219Y,T; T220Y,N; L221F; M222L; L230V; ()235eE,Q; V248R,I;
 S249Q,A; E251D; Y254A,L,G; D255N; D257K; Y259F; T262H; P264A; G286R,H; Q287K,S;
 20 A288P; T321Q,S,G; M322I; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P;
 W348F; V349L,A,S; D350S,V; G388A; V393R; E395K,T; and L396R.

A variant of a parent phytase, comprising a substitution in at least one position of at
 least one region selected from the group of regions consisting of: 20; 26; 28-31; 37-48; 55-
 69; 73-83; 91-119; 123-126; 135-142; 152-163; 169-199; 204-222; 229-238; 248-266; 284-
 25 289; 300-308; 321-335; 343-350; 384-398; 407-412; and 419-430; wherein

- (a) the variant has phytase activity; and
- (b) each position corresponds to a position of SEQ ID NO: 2; and
- (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
 wherein the variant in position 26; 28; 29; 31; 42; 45; 46; 59; 62; 64; 65; 66; 67; 68; 74; 99;
 30 100; 102; 103; 104; 107; 109; 110; 111; 112; 116; 135; 137; 138; 142; 154f; 155; 156; 157;
 169; 170; 171; 171a; 174; 177; 178; 179; 182; 184; 185; 185e; 186; 187; 187a; 188; 189;
 195; 199; 204; 207; 216; 217; 219; 220; 221; 222; 230; 235e; 248; 249; 251; 254; 255; 257;
 259; 262; 264; 286; 287; 288; 321 322; 323; 324; 327; 332; 333; 344; 346; 348; 349; 350;
 388; 393; 395; and 396 is selected from the group consisting of:
 35 26A,C,D, E,F,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 28A,C,D, E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W;
 29A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 31A,C,D, E,G,H,I,K,L,M,N,P,Q,R,S,T,V,W;
 42C,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y; 45A,C,D,E,F,G,H,I,K,L,M,N,P,Q,S,V,W,Y;

46A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 59A,C,D, E,G,H,I,K,L,M,N,P,Q,R,S,T,V,Y;
62A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 64C,D, E,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y;
65C,D, F,H,I,K,L,M,N,P,S,T,V,W,Y; 66A,C,D, E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y;
67C,D, E,F,G,H,L,M,N,P,S,T,V,W,Y; 68A,C,D, E,F,G,H,K,L,M,N,P,R,S,T,W;
5 74C,D,E,F,G,H,I,L,M,N,P,Q,S,T,V,W,Y; 99C,D,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y
100A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 102A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
103A,C,D,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 104A,C,D,E,G,H,I,K,M,N,P,Q,R,S,T,V,W,Y;
107A,C,D,E,F,G,H,I,K,L,M,P,R,S,V,W,Y; 109A,C,D,E,F,G,H,I,K,L,N,P,Q,R,T,V,W,Y;
110A,C,D,E,F,G,I,K,L,M,N,P,Q,R,T,W,Y; 111A,C,D,F,G,H,I,K,L,M,P,R,S,T,V,W,Y;
10 112C,D,E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y; 116A,C,D,E,G,H,K,N,P,Q,R,S,T,V,W,Y;
135C,D, E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 137A,C,E,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W;
138A,C,E,F,H,I,K,L,M,N,P,R,T,V,W,Y; 142C,E,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
154fA,C,D,E,F,G,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 155A,C,D,E,F,G,H,I,K,L,M,P,Q,R,T,V,W,Y;
156A,C,D,E,F,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 157A,C,D,F,G,H,I,K,L,M,N,P,R,T,V,W,Y;
15 169A,C,D, F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 170C,D, F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
171C,D, E,F,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 171aA,C,D, E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y;
174C,D, E,F,G,H,I,K,L,M,N,Q,R,S,V,W,Y; 177A,C,D, E,F,G,H,I,K,L,M,P,Q,R,T,V,W,Y;
178A,C,D, E,F,G,H,I,K,L,M,P,Q,R,V,W,Y; 179A,C,D, E,F,G,H,I,K,N,P,Q,R,S,W,Y;
182C,D, E,F,G,H,I,K,L,M,P,Q,R,S,T,W,Y; 184A,C,D,E, F,H,I,K,L,M,N,P,Q,R,S,T,W,Y;
20 185A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 185eA,C,D,E, F,G,H,I,K,L,M,N,P,Q,R,S,V,W,Y;
186C,D,E, F,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 187A,C,E,F,G,H,I,L,M,N,P,Q,T,V,W,Y;
187aA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,W,Y; 188C,D,F,G,H,I,K,L,M,N,P,R,T,W,Y;
189A,C,D,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 195 A,C,D,E, F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
199C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y; 204A,C,D,E,F,G,H,I,K,M,P,Q,R,S,T,V,W,Y;
25 207C,E,F,G,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 216A,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y;
217A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 219A,C,D, E,F,G,H,I,K,M,N,P,Q,R,S,V,W;
220A,C,D, E,F,G,H,I,K,L,M,P,Q,R,S,V,W; 221A,C,D, E,G,H,I,K,M,N,P,Q,R,S,T,V,W,Y;
222A,C,D, E,F,G,H,I,K,N,P,Q,R,S,T,V,W,Y; 230A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
235eA,C,D,F,G,H,I,K,L,M,N,P,R,S,T,V,W,Y; 248A,C,D,E,F,G,H,K,L,M,N,P,Q,S,T,W,Y;
30 249C,D, E,F,G,H,I,K,L,M,N,P,R,T,V,W,Y; 251A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
254C,D, E,F,H,I,K,M,N,P,Q,R,S,T,V,W; 255A,C,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y;
257A,C,E,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y; 259A,C,D, E,G,H,I,K,L,M,N,P,Q,R,S,T,V,W;
262A,C,D, E,F,G,I,K,L,M,N,P,Q,R,S,V,W,Y; 264C,D, E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
286A,C,D,E,F,I,K,L,M,N,P,Q,S,T,V,W,Y; 287A,C,D,E,F,G,H,I,L,M,N,P,R,T,V,W,Y;
35 288C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 321A,C,D, E,F,H,I,K,L,M,N,P,R,V,W,Y;
322A,C,D, E,F,G,H,K,L,N,P,Q,R,S,T,V,W,Y; 323A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y;
324C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 327C,D,E,G,H,K,M,N,P,Q,R,T,V,W,Y;

332A,C,D,E,G,H,I,K,L,M,N,P,Q,R,S,T,V,W; 333A,C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y;
 344A,C,D,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 346A,C,D,E,F,G,H,I,K,L,M,N,Q,S,T,V,W,Y;
 348A,C,D,E,G,H,I,K,L,M,N,P,Q,R,S,T,V,Y; 349C,D,E,F,G,H,I,K,M,N,P,Q,R,T,W,Y;
 350A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,W,Y; 388C,D, E,F,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
 5 393A,C,D, E,F,G,H,I,K,L,M,N,P,Q,S,T,W,Y; 395A,C,D,F,G,H,I,L,M,N,P,Q,R,S,V,W,Y; and
 396A,C,D, E,F,G,H,I,K,M,N,P,Q,S,T,V,W,Y;

A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 28-31; 37-48; 55-69; 91-119; 123-126; 152-163; 169-199; 204-222; 229-238; 248-266; 284-289; 321-335; 343-
 10 350; 384-398; 407-412; and 419-430; wherein

- (a) the variant has phytase activity; and
- (b) each position corresponds to a position of SEQ ID NO: 2; and
- (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
- (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96
 15 phytase selected from the group consisting of: Y28N; D29S; F31Y; E42D,K,A; T45R; V46I; W59F; S62D; A64K; R65Q,E,G,A; S66T; R67A,I,Q,K; Q68Y,V,I; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; ()154fH; S155N; G156P; E157Q,S; E169S; E170A,P; G171A; ()171aS; T174P,A; N177S; N178S,T; M179T,V,L; N182A,V; V184G; D185E; ()185eT; G186S,A; D187R,K,S; ()187aV,T;
 20 E188Q,S,A,V; S189E; V195L; N199A,P; L204N; A207D,H; S216T; D217E; L219Y,T; T220Y,N; L221F; M222L; L230V; ()235eE,Q; V248R,I; S249Q,A; E251D; Y254A,L,G; D255N; D257K; Y259F; T262H; P264A; G286R,H; Q287K,S; A288P; T321Q,S,G; M322I; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350S,V; G388A; V393R; E395K,T; and L396R.

25 A variant of a parent phytase, comprising a substitution in at least one position selected from the group consisting of: 20; 29; 45; 63; 69; 92; 93; 95; 97; 98; 99; 102; 110; 114; 118; 125; 152; 156; 157; 160; 163; 183; 185; 187; 190; 191; 194; 199; 205; 210; 218; 222; 234; 248; 286; 321; 323; 324; 328; 330; 334; 343; 344; 345; 347; 349; 350; 384; 395; 398; 409; 421; 422; 423; 424; 425; 426; 427; 428; 429; 430;

30 wherein

- (a) the variant has phytase activity;
- (b) each position corresponds to a position of SEQ ID NO: 2; and
- (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
- (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96
 35 phytase selected from the group consisting of: D29S; T45R; A99N; L102V; H110S,V; G156P; E157Q,S; D185E; ()185eT; D187R,K,S; ()187aV,T; N199A,P; M222L; V248R,I; G286R,H; T321Q,S,G; V323I; P324A; E344R; V349L,A,S; D350S,V; and E395K,T.

A variant of a parent phytase, comprising a substitution in at least one position selected from the group consisting of: 20; 29; 45; 63; 69; 92; 93; 95; 97; 98; 99; 102; 110; 114; 118; 125; 152; 156; 157; 160; 163; 183; 185; 187; 190; 191; 194; 199; 205; 210; 218; 222; 234; 248; 286; 321; 323; 324; 328; 330; 334; 343; 344; 345; 347; 349; 350; 384; 395; 398; 409; 421; 422; 423; 424; 425; 426; 427; 428; 429; 430;

wherein

(a) the variant has phytase activity;

(b) each position corresponds to a position of SEQ ID NO: 2; and

(c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and

(d) wherein the variant in position 29; 45; 99; 102; 110; 156; 157; 185; 185e; 187; 187a; 199; 222; 248; 286; 321; 323; 324; 344; 349; 350; and 395 is selected from the group consisting of:

29A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 45A,C,D,E,F,G,H,I,K,L,M,N,P,Q,S,V,W,Y;
99C,D,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y; 102A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
110A,C,D,E,F,G,I,K,L,M,N,P,Q,R,T,W,Y; 156A,C,D,E,F,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
157A,C,D,F,G,H,I,K,L,M,N,P,R,T,V,W,Y; 185A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
185eA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,V,W,Y; 187A,C,E,F,G,H,I,L,M,N,P,Q,T,V,W,Y;
187aA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,W,Y; 199C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y;
222A,C,D,E,F,G,H,I,K,N,P,Q,R,S,T,V,W,Y; 248A,C,D,E,F,G,H,K,L,M,N,P,Q,S,T,W,Y;
286A,C,D,E,F,I,K,L,M,N,P,Q,S,T,V,W,Y; 321A,C,D,E,F,H,I,K,L,M,N,P,R,V,W,Y;
323A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 324C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
344A,C,D,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 349C,D,E,F,G,H,I,K,M,N,P,Q,R,T,W,Y;
350A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,W,Y; and 395A,C,D,F,G,H,I,L,M,N,P,Q,R,S,V,W,Y.

The variant of the claims or any of the above embodiments, which comprises at least one of the substitutions selected from the group consisting of: 20R; 29N,C,T; 45A; 63N; 69A; 92L; 93I; 95R,H,M,N,S,T; 97V; 98G; 99D; 102I; 110Y,R,W; 114A; 118A; 125D; 152A; 156C,R; 157K; 160R; 163P; 183K,A,W,G; 185A,H,N,P,K; 187G; 190S,K; 191L,R,S; 194R; 199S; 205S; 210G; 218T; 222I; 234K,S; 248A,C,D,E,G,H,S,T; 286S; 321A; 323A; 324S,L; 328T; 330R; 334E,D,G; 343N; 344A,V,S; 345D,H; 347Q,P; 349M,K; D350T,M,I,L; 384S,A; 395G; 398T; 409S; 421R,S; 422R; 423N; 424S; 425L; 426E; 427G; 428R; 429I; and 430M.

The variant of the claims or any of the above and below embodiments, wherein the parent phytase i) has an amino acid sequence which has a degree of identity to the amino acid sequence of SEQ ID NO: 2 of at least about 60%, preferably of at least 60%; ii) is encoded by a nucleic acid sequence which hybridizes under low stringency conditions with nucleotides 49-1320 of SEQ ID NO: 1 or the complementary strand thereof; iii) is a fungal phytase, preferably a basidiomycete phytase or a mixed ascomycete/basidiomycete phytase, such as a *Peniophora* phytase, e.g. a phytase derived from *Peniophora lycii*, e.g.

Peniophora lycii CBS 686.96.

The phytase variant of the claims or any of the above and below embodiments, which is thermostable and/or of a high specific activity, preferably more thermostable and/or of a higher specific activity, as compared to the parent phytase.

5 A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 29; 37-48; 63; 69; 73-83; 91-119; 123-126; 154-157; 163; 183; 187; 194; 199; 204-218; 229-238; 248; 284-289; 300-308; 323-335; 343-350; 384; 395; 398; 407-412; and 419-430; wherein (a) the variant has phytase activity; and (b) each position corresponds to a position of SEQ ID NO: 2; and
10 (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of: D29S; E42D,K,A; T45R; V46I; K74R,A; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; S155N; ()154fH; G156P; E157Q,S; D187R,K,S; ()187aV,T; N199A,P; L204N; A207D,H; S216T; D217E; L230V; ()235eE,Q; V248R,I; G286R,H; Q287K,S; A288P; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350K,A; and E395K,T.
15

A variant of a parent phytase, comprising a substitution in at least one position selected from the group consisting of: 20; 29; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 63; 69; 73; 74; 75; 76; 77; 78; 79; 80; 81; 82; 83; 91; 92; 93; 94; 95; 96; 97; 98; 99; 100; 101; 102; 103; 104; 105; 106; 107; 108; 109; 110; 111; 112; 113; 114; 115; 116; 117; 118; 119; 123; 124; 125; 126; 154; 155; 156; 157; 163; 183; 187; 194; 199; 204; 205; 206; 207; 208; 209; 210; 211; 212; 213; 214; 215; 216; 217; 218; 229; 230; 231; 232; 233; 234; 235; 236; 237; 238; 248; 300; 301; 302; 303; 304; 305; 306; 307; 308; 323; 324; 325; 326; 327; 328; 329; 330; 331; 332; 333; 334; 335; 343; 344; 345; 346; 347; 348; 349; 350; 384; 395; 398; 407; 408; 409; 410; 411; 412; 419; 420; 421; 422; 423; 424; 425; 426; 427; 428; 429; 430; wherein (a) the variant has phytase activity; (b) each position corresponds to a position of SEQ ID NO: 2; and (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of: D29S; E42D,K,A; T45R; V46I; K74R,A; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; S155N; ()154fH; G156P; E157Q,S; D187R,K,S; ()187aV,T; N199A,P; L204N; A207D,H; S216T; D217E; L230V; ()235eE,Q; V248R,I; G286R,H; Q287K,S; A288P; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350K,A; and E395K,T.
20
25
30

35 A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 29; 37-48; 63; 69; 73-83; 91-119; 123-126; 154-157; 163; 183; 187; 194; 199; 204-218; 229-238; 248; 284-289;

300-308; 323-335; 343-350; 384; 395; 398; 407-412; and 419-430; wherein (a) the variant has phytase activity; and (b) each position corresponds to a position of SEQ ID NO: 2; and (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and wherein the variant in position 29, 42, 45, 46, 74, 99, 100, 102, 103, 104, 107, 109, 110, 111, 112, 116, 155, 154, 156, 157, 187, 187a, 199, 204, 207, 216, 217, 230, 235e, 248, 286, 287, 288, 323, 324, 327, 332, 333, 344, 346, 348, 349, 350, 395 is selected from the group consisting of: 29A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 42C,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y; 45A,C,D,E,F,G,H,I,K,L,M,N,P,Q,S,V,W,Y; 46A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 74C,D,E,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 99C,D,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y; 100A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 102A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y; 103A,C,D,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 104A,C,D,E,G,H,I,K,M,N,P,Q,R,S,T,V,W,Y; 107A,C,D,E,F,G,H,I,K,L,M,P,R,S,V,W,Y; 109A,C,D,E,F,G,H,I,K,L,N,P,Q,R,T,V,W,Y; 110A,C,D,E,F,G,I,K,L,M,N,P,Q,R,T,W,Y; 111A,C,D,F,G,H,I,K,L,M,P,R,S,T,V,W,Y; 112C,D,E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y; 116A,C,D,E,G,H,K,N,P,Q,R,S,T,V,W,Y; 155C,D,E,F,G,H,I,K,L,M,P,Q,R,T,V,W,Y; 154fA,C,D,E,F,G,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 156A,C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 157A,C,D,F,G,H,I,K,L,M,N,P,R,T,V,W,Y; 187A,C,E,F,G,H,I,L,M,N,P,Q,T,V,W,Y; 187aA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,W,Y; 199C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y; 204A,C,D,E,F,G,H,I,K,M,P,Q,R,S,T,V,W,Y; 207C,E,F,G,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 216A,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y; 217A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 230A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y; 235eA,C,D,F,G,H,I,K,L,M,N,P,R,S,T,V,W,Y; 248A,C,D,E,F,G,H,K,L,M,N,P,Q,S,T,W,Y; 286A,C,D,E,F,I,K,L,M,N,P,Q,S,T,V,W,Y; 287A,C,D,E,F,G,H,I,L,M,N,P,R,T,V,W,Y; 288C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 323A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 324C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 327C,D,E,G,H,K,M,N,P,Q,R,T,V,W,Y; 332A,C,D,E,G,H,I,K,L,M,N,P,Q,R,S,T,V,W; 333A,C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y; 344A,C,D,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 346A,C,D,E,F,G,H,I,K,L,M,N,Q,S,T,V,W,Y; 348A,C,D,E,G,H,I,K,L,M,N,P,Q,R,S,T,V,Y; 349C,D,E,F,G,H,I,K,M,N,P,Q,R,T,W,Y; 350C,E,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y; and 395A,C,D,F,G,H,I,L,M,N,P,Q,R,S,V,W,Y.

A variant of a parent phytase, comprising a substitution in at least one position selected from the group consisting of: 20; 29; 45; 63; 69; 95; 97; 98; 99; 102; 114; 118; 125; 163; 183; 187; 194; 199; 205; 218; 234; 248; 323; 324; 328; 330; 334; 343; 344; 345; 347; 349; 350; 384; 395; 398; 421; 422; 423; 424; 425; 426; 427; 428; 429; 430; wherein (a) the variant has phytase activity; (b) each position corresponds to a position of SEQ ID NO: 2; and (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of D29S; T45R; A99N; L102V; D187R,K,S; ()187aV,T; N199A,P; V248R,I; V323I; P324A; E344R; V349L,A,S; D350K,A; and E395K,T.

A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 29; 37-48; 63; 69; 73-83; 91-119; 123-126; 154-157; 163; 183; 187; 194; 199; 204-218; 229-238; 248; 284-289; 300-308; 323-335; 343-350; 384; 395; 398; 407-412; and 419-430; wherein (a) the variant has phytase activity; and (b) each position corresponds to a position of SEQ ID NO: 2; and (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and wherein the variant in position 29, 45, 99, 102, 187, 187a, 199, 248, 323, 324, 344, 349, 350, and 395 is selected from the group consisting of:

29A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 45A,C,D,E,F,G,H,I,K,L,M,N,P,Q,S,V,W,Y;
 99C,D,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y; 102A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
 187A,C,E,F,G,H,I,L,M,N,P,Q,T,V,W,Y; 187aA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,W,Y;
 199C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y; 248A,C,D,E,F,G,H,K,L,M,N,P,Q,S,T,W,Y;
 323A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 324C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
 344A,C,D,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 349C,D,E,F,G,H,I,K,M,N,P,Q,R,T,W,Y;
 350C,E,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y; and 395A,C,D,F,G,H,I,L,M,N,P,Q,R,S,V,W,Y.

The variant of any of the above embodiments which comprises at least one of the substitutions selected from the group consisting of: 20R; 29N,C,T; 45A; 63N; 69A; 92L; 93I; 95R; 97V; 98G; 99D; 102I; 110Y; 114A; 118A; 125D; 163P; 183K; 187G; 194R; 199S; 205S; 218T; 234K,S; 248A; 323A; 324S,L; 328T; 330R; 334E,D,G; 343N; 344A,V,S; 345D,H; 347Q,P; V349M; D350V,T; 384S,A; 395G; 398T; 409S; 421R,S; 422R; 423N; 424S; 425L; 426E; 427G; 428R; 429I; and 430M

The variant of any of the above embodiments which variant comprises a substitution or a combination of substitutions selected from the following group of substitutions and combinations of substitutions:

20R+95R+97V+98G; 29N+102I; 29N+118A; 29N+234S; 29N+324S; 29N+163P+324S;
 29N+163P+324S+395G; 29S; 29S + 205S; 29S+125D+324A; 29S+324A+350V;
 29S+125D+324A+350V; 29S+125D+324A+234K+330R; 29S+125D+324A+330R+395G;
 29S+99D+125D+324A+334E+350V; 29S+125D+324A+218T+344S+350V;
 29S+125D+324A+234K+330R+395G;
 29S+324A+125D+350V+63N+218T+334E+183K+421S;
 29S+324A+125D+350V+45A+69A+99D+110Y+334E+344S; 29T+324L;
 45A+350V+421R+422R+423N+424S+425L+426E+427G+428R+429I+430M; 69A+334E;
 99D+398T; 114A+187G+194R+324S; 114A+187G+194R+324S; 218T+334G; 323A+324S;
 324S; 324S+328T; 324S+395G; 324S+345D+347Q; 330R; 334E+344A; 334D+343N+344V;
 345H+347P+350V; and 350V

A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 29; 37-40; 45; 47-48;

63; 69; 73-83; 91-98; 99; 102; 103; 110; 113-119; 123-125; 154-157; 163; 183; 187; 194; 199; 204-218; 229-238; 248; 284-289; 300-308; 323-324; 328-335; 343-347; 349; 350; 384; 395; 398; 407-412; and 419-430; wherein

(a) the variant has phytase activity; and

(b) each position corresponds to a position of SEQ ID NO: 2; and

(c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and

(d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of: D29S; T45R; K74R,A; A99N; L102V; P103E; H110S,V; M116F,I,L; S155N; ()154fH; G156P; E157Q,S; D187R,K,S; ()187aV,T; N199A,P; L204N; A207D,H; S216T; D217E; L230V; ()235eE,Q; V248R,I; G286R,H; Q287K,S; A288P; V323I; P324A; F332Y; N333P; E344R; R346P; V349L,A,S; D350K,A; and E395K,T.

A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 29; 37-48; 63; 69; 73-83; 91-119; 123-126; 152-163; 183-199; 204-218; 229-238; 248; 284-289; 300-308; 323-335; 343-350; 384; 395; 398; 407-412; and 419-430; wherein

(a) the variant has phytase activity; and

(b) each position corresponds to a position of SEQ ID NO: 2; and

(c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and

(d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of: D29S; E42D,K,A; T45R; V46I; K74R,A; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; ()154fH; S155N; G156P; E157Q,S; V184G; D185E; ()185eT; G186S,A; D187R,K,S; ()187aV,T; E188Q,S,A,V; S189E; V195L; N199A,P; L204N; A207D,H; S216T; D217E; L230V; ()235eE,Q; V248R,I; G286R,H; Q287K,S; A288P; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350S,V; and E395K,T.

A variant of a parent phytase, comprising a substitution in at least one position selected from the group consisting of:

20; 29; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 63; 69; 73; 74; 75; 76; 77; 78; 79; 80; 81; 82; 83; 91; 92; 93; 94; 95; 96; 97; 98; 99; 100; 101; 102; 103; 104; 105; 106; 107; 108; 109; 110; 111; 112; 113; 114; 115; 116; 117; 118; 119; 123; 124; 125; 126; 152; 153; 154; 155; 156; 157; 158; 159; 160; 161; 162; 163; 183; 184; 185; 186; 187; 188; 189; 190; 191; 192; 193; 194; 195; 196; 197; 198; 199; 204; 205; 206; 207; 208; 209; 210; 211; 212; 213; 214; 215; 216; 217; 218; 229; 230; 231; 232; 233; 234; 235; 236; 237; 238; 248; 284; 285; 286; 287; 288; 289; 300; 301; 302; 303; 304; 305; 306; 307; 308; 323; 324; 325; 326; 327; 328; 329; 330; 331; 332; 333; 334; 335; 343; 344; 345; 346; 347; 348; 349; 350; 384; 395; 398; 407; 408; 409; 410; 411; 412; 419; 420; 421; 422; 423; 424; 425; 426; 427; 428; 429; 430; wherein

- (a) the variant has phytase activity;
- (b) each position corresponds to a position of SEQ ID NO: 2; and
- (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
- (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96

phytase selected from the group consisting of: D29S; E42D,K,A; T45R; V46I; K74R,A; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; ()154fH; S155N; G156P; E157Q,S; V184G; D185E; ()185eT; G186S,A; D187R,K,S; ()187aV,T; E188QSAV; S189E; V195L; N199A,P; L204N; A207D,H; S216T; D217E; L230V; ()235eE,Q; V248R,I; G286R,H; Q287K,S; A288P; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350S,V; and E395K,T.

A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 29; 37-48; 63; 69; 73-83; 91-119; 123-126; 152-163; 183-199; 204-218; 229-238; 248; 284-289; 300-308; 323-335; 343-350; 384; 395; 398; 407-412; and 419-430; wherein

- (a) the variant has phytase activity; and
- (b) each position corresponds to a position of SEQ ID NO: 2; and
- (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and

wherein the variant in position 29, 42, 45, 46, 74, 99, 100, 102, 103, 104, 107, 109, 110, 111, 112, 116, 154, 155, 156, 157, 184, 185, 185e, 186, 187, 187a, 188, 189, 195, 199, 204, 207, 216, 217, 230, 235e, 248, 286, 287, 288, 323, 324, 327, 332, 333, 344, 346, 348, 349, 350, 395 is selected from the group consisting of:

29A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 42C,F,G,H,I,L,M,N,P,Q,R,S,T,V,W,Y;
 45A,C,D,E,F,G,H,I,K,L,M,N,P,Q,S,V,W,Y; 46A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y;
 74C,D,E,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 99C,D,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y;
 100A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 102A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
 103A,C,D,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 104A,C,D,E,G,H,I,K,M,N,P,Q,R,S,T,V,W,Y;
 107A,C,D,E,F,G,H,I,K,L,M,P,R,S,V,W,Y; 109A,C,D,E,F,G,H,I,K,L,N,P,Q,R,T,V,W,Y;
 110A,C,D,E,F,G,I,K,L,M,N,P,Q,R,T,W,Y; 111A,C,D,F,G,H,I,K,L,M,P,R,S,T,V,W,Y;
 112C,D,E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y; 116A,C,D,E,G,H,K,N,P,Q,R,S,T,V,W,Y;
 154fA,C,D,E,F,G,I,K,L,M,N,P,Q,R,S,T,V,W,Y; 155A,C,D,E,F,G,H,I,K,L,M,P,Q,R,T,V,W,Y;
 156A,C,D,E,F,H,I,K,L,M,N,Q,R,S,T,V,W,Y; 157A,C,D,F,G,H,I,K,L,M,N,P,R,T,V,W,Y;
 184A,C,D,E, F,H,I,K,L,M,N,P,Q,R,S,T,W,Y; 185A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
 185eA,C,D,E, F,G,H,I,K,L,M,N,P,Q,R,S,V,W,Y; 186C,D,E, F,H,I,K,L,M,N,P,Q,R,T,V,W,Y;
 187A,C,E,F,G,H,I,L,M,N,P,Q,T,V,W,Y; 187aA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,W,Y;
 188C,D,F,G,H,I,K,L,M,N,P,R,T,W,Y; 189A,C,D,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y;
 195 A,C,D,E, F,G,H,I,K,M,N,P,Q,R,S,T,W,Y; 199C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y;
 204A,C,D,E,F,G,H,I,K,M,P,Q,R,S,T,V,W,Y; 207C,E,F,G,I,K,L,M,N,P,Q,R,S,T,V,W,Y;

216A,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,V,W,Y; 217A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
 230A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y; 235eA,C,D,F,G,H,I,K,L,M,N,P,R,S,T,V,W,Y;
 248A,C,D,E,F,G,H,K,L,M,N,P,Q,S,T,W,Y; 286A,C,D,E,F,I,K,L,M,N,P,Q,S,T,V,W,Y;
 287A,C,D,E,F,G,H,I,L,M,N,P,R,T,V,W,Y; 288C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
 5 323A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 324C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
 327C,D,E,G,H,K,M,N,P,Q,R,T,V,W,Y; 332A,C,D,E,G,H,I,K,L,M,N,P,Q,R,S,T,V,W;
 333A,C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y; 344A,C,D,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y;
 346A,C,D,E,F,G,H,I,K,L,M,N,Q,S,T,V,W,Y; 348A,C,D,E,G,H,I,K,L,M,N,P,Q,R,S,T,V,Y;
 349C,D,E,F,G,H,I,K,M,N,P,Q,R,T,W,Y; 350A,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,T,W,Y; and
 10 395A,C,D,F,G,H,I,L,M,N,P,Q,R,S,V,W,Y.

A variant of a parent phytase, comprising a substitution in at least one position
 selected from the group consisting of: 20; 29; 45; 63; 69; 92; 93; 95; 97; 98; 99; 102; 110;
 114; 118; 125; 152; 156; 157; 160; 163; 183; 185; 187; 194; 199; 205; 218; 234; 248; 286;
 323; 324; 328; 330; 334; 343; 344; 345; 347; 349; 350; 384; 395; 398; 409; 421; 422; 423;
 15 424; 425; 426; 427; 428; 429; 430; wherein
 (a) the variant has phytase activity;
 (b) each position corresponds to a position of SEQ ID NO: 2; and
 (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
 (d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96
 20 phytase selected from the group consisting of D29S; T45R; A99N; L102V; H110S,V; G156P;
 E157Q,S; D185E; ()185eT; D187R,K,S; ()187aV,T; N199A,P; V248R,I; G286R,H; V323I;
 P324A; E344R; V349L,A,S; D350S,V; and E395K,T.

A variant of a parent phytase, comprising a substitution in at least one position
 selected from the group consisting of: 20; 29; 45; 63; 69; 92; 93; 95; 97; 98; 99; 102; 110;
 25 114; 118; 125; 152; 156; 157; 160; 163; 183; 185; 187; 194; 199; 205; 218; 234; 248; 286;
 323; 324; 328; 330; 334; 343; 344; 345; 347; 349; 350; 384; 395; 398; 409; 421; 422; 423;
 424; 425; 426; 427; 428; 429; 430; wherein
 (a) the variant has phytase activity; and
 (b) each position corresponds to a position of SEQ ID NO: 2; and
 30 (c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and
 wherein the variant in position 29, 45, 99, 102, 110; 156; 157; 185; 185e; 187, 187a, 199,
 248, 286; 323, 324, 344, 349, 350, and 395 is selected from the group consisting of:
 29A,C,E,F,G,H,I,K,L,M,N,P,Q,R,T,V,W,Y; 45A,C,D,E,F,G,H,I,K,L,M,N,P,Q,S,V,W,Y;
 99C,D,E,F,G,H,I,K,L,M,P,Q,R,S,T,V,W,Y; 102A,C,D,E,F,G,H,I,K,M,N,P,Q,R,S,T,W,Y;
 35 110A,C,D,E,F,G,I,K,L,M,N,P,Q,R,T,W,Y; 156A,C,D,E,F,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
 157A,C,D,F,G,H,I,K,L,M,N,P,R,T,V,W,Y; 185A,C,F,G,H,I,K,L,M,N,P,Q,R,S,T,V,W,Y;
 185eA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,V,W,Y; 187A,C,E,F,G,H,I,L,M,N,P,Q,T,V,W,Y;

187aA,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,S,W,Y; 199C,D,E,F,G,H,I,K,L,M,Q,R,S,T,V,W,Y;
 248A,C,D,E,F,G,H,K,L,M,N,P,Q,S,T,W,Y; 286A,C,D,E,F,G,I,K,L,M,N,P,Q,S,T,V,W,Y;
 323A,C,D,E,F,G,H,K,L,M,N,P,Q,R,S,T,W,Y; 324C,D,E,F,G,H,I,K,L,M,N,Q,R,S,T,V,W,Y;
 344A,C,D,F,G,H,I,K,L,M,N,P,Q,S,T,V,W,Y; 349C,D,E,F,G,H,I,K,M,N,P,Q,R,T,W,Y;
 5 350A,C,D,E,F,G,H,I,K,L,M,N,P,Q,R,T,W,Y; and 395A,C,D,F,G,H,I,L,M,N,P,Q,R,S,V,W,Y.

The variant of any one of the above embodiments, which comprises at least one of the substitutions selected from the group consisting of: 20R; 29N,C,T; 45A; 63N; 69A; 92L; 93I; 95R,H,M,N,S,T; 97V; 98G; 99D; 102I; 110Y,R,W; 114A; 118A; 125D; 152A; 156C,R; 160R; 163P; 183K,A,W,G; 185A,H,N,P; 187G; 191L; 194R; 199S; 205S; 218T; 234K,S;
 10 248A,C,D,E,G,H,S; 286S; 323A; 324S,L; 328T; 330R; 334E,D,G; 343N; 344A,V,S; 345D,H; 347Q,P; V349M; D350T; 384S,A; 395G; 398T; 409S; 421R,S; 422R; 423N; 424S; 425L; 426E; 427G; 428R; 429I; and 430M.

The variant of any one of the above embodiments, which comprises a substitution or a combination of substitutions selected from the following group of substitutions and combinations of substitutions:

15 20R+95R+97V+98G; 29N+102I; 29N+118A; 29N+163P+324S; 29N+163P+324S+395G; 29N+234S; 29N+324S; 29S; 29S+45A+69A+99D+110Y+125D+324A+334E+344S+350V; 29S+63N +125D+183K+218T+324A+334E+350V+421S; 29S+95H+110W+183W+324A+350V; 29S+95M+110W+183W+324A+350V;
 20 29S+95N+110R+183W+324A+350V; 29S+95R+110W+183W+324A+350V; 29S+95S+110R+183W+324A+350V; 29S+95S+110W+183W+324A+350V; 29S+95T+110R+183W+324A+350V; 29S+95T+110Y+125D+183W+286S+324A+350V; 29S+95T+110Y+152A+156C+157Q+160R+183W+324A+350V; 29S+95T+110Y+156R+157Q+183W+324A+350V;
 25 29S+95T+110Y+183W+185A+248A+324A+350V; 29S+95T+110Y+183W+185A+248C+324A+350V; 29S+95T+110Y+183W+185A+248E+324A+350V; 29S+95T+110Y+183W+185A+248H+324A+350V; 29S+95T+110Y+183W+185H+248G+324A+350V;
 30 29S+95T+110Y+183W+185P+248G+324A+350V; 29S+95T+110Y+183W+185P+248S+324A+350V; 29S+95T+110Y+183W+191L+324A+350V; 29S+95T+110Y+183W+248D+324A+350V; 29S+95T+110Y+183W+324A; 29S+95T+110Y+183W+324A+350V; 29S+99D+125D+324A+334E+350V; 29S+110Y+183W+185N+324A+350V;
 35 29S+125D+218T+324A+344S+350V; 29S+125D+234K+324A+330R; 29S+125D+234K+324A+330R+395G; 29S+125D+324A; 29S+125D+324A+330R+395G; 29S+125D+324A+350V; 29S+183A+324A+350V; 29S+183G+324A+334E+344S+350V;

29S+183W+324A+350V; 29S+205S; 29S+324A+350V; 29T+324L;
45A+350V+421R+422R+423N+424S+425L+426E+427G+428R+429I+430M; 69A+334E;
99D+398T; 114A+187G+194R+324S; 218T+334G; 323A+324S; 324S; 324S+328T;
324S+345D+347Q; 324S+395G; 330R; 334D+343N+344V; 334E+344A; 345H+347P+350V;
5 and 350V.

Examples

Chemicals used were commercial products of at least reagent grade.

Example 1: Preparation of PE-variants, Screening and Isolation of Variants of Improved Thermostability and/or Specific Activity

General principles

Using the phytase of *Peniophora lycii* CBS 686.96 as a parent phytase, and on the basis of the regions of interest described herein, various phytase variant libraries were constructed and expressed in yeast (dope libraries, and spiked oligo shuffling libraries, examples of which are described below).

Screening for improved thermostability: The yeast libraries were subjected to a primary screening as described below (replica, single filter) to select those colonies which show activity at 53°C.

Colonies showing activity at 53°C were transferred to the secondary screening as also described below (24 well plate cultivation) to establish a temperature profile (activity at 37°C, 60°C, 62°C, 64°C, 66°C, 68°C, 70°C, 72°C etc., as applicable) for each colony.

For colonies performing better than the wild type parent *Peniophora* phytase, the plasmids were isolated and re-transformed into yeast, and the temperature profile experiment was repeated. From the temperature profile experiments the following figures are calculated: "Relative Activity at 60°C/37°C," and/or "Relative activity 62°C/37°C," and/or "Relative activity 65°C/37°C," and/or "Relative activity 68°C/37°C," and/or "Relative activity 70°C/37°C," and/or "Relative activity 72°C/37°C," and so forth. In these ratios, the temperature first mentioned may be designated "the elevated temperature of choice." These terms are defined as the ratio of the phytase activity at the elevated temperature (e.g. 60 or 62°C), relative to the phytase activity at the lower temperature (37°C), based on the phytase activity values obtained for the supernatants in the secondary screening method (temperature profile measurements). Colonies in which one or more of these relative activities are improved as compared to the parent phytase were selected, the plasmid in question was sequenced, and the corresponding variant identified as an improved phytase variant of the invention.

In a second screening round, a thermostable phytase variant was selected as a new parent phytase (backbone) and the above was repeated (temperatures adjusted as

appropriate on the basis of the performance of this new backbone).

Furthermore, combination variants were constructed, and some potential hot spots randomized, and variants tested.

In a third screening round, a further improved new thermostable phytase variant was selected as a new backbone, and the above was repeated (temperatures again adjusted in an upward direction, e.g. the first screening round temperature was now increased to 63°C. Furthermore, still some new combination variants were construed, and other apparently interesting sites were randomized to find an optimal pair of substitutions.

Further variants were prepared as generally described above.

Screening for improved specific activity: In the primary screening, the yeast library was spread on SC-glucose plate containing Ca-phytate, and cultivated for 3 days at 30°C. Clones with larger halos were selected and cultivated in 24 well plates containing YPD medium. In the secondary screening, the activity of the supernatants in wells was checked relatively and the clones with higher activity were selected. The selected clones were checked for remaining activity on plates after incubation at 80°C, pH4 for 30min to deselect variants with lower thermostability. Clones with high thermostability were selected and cultivated again in 24 well plates for semi-purification. Semi-purification was conducted by binding phytase to conA-sepharose 4B (Concanavalin A in Sepharose 4B Gel matrix from Amersham bioscience, Cat. No. 17-0440-01) and eluting it by 0.5M methyl-alpha-D-mannopyranoside in PBS + 0.1% tween20 (PBS is 8g/l NaCl, 0.2g/l KCl, 2.68g/l Na₂HPO₄-7H₂O, 0.24g/l KH₂PO₄ (pH7.4); and tween20 is commercially available from Bio-Rad, Cat. no. 170-6531). The semi-purified supernatants were then engaged in rocket immuno electrophoresis analysis after having adjusted the activity to 30FYT/ml. For the rocket immuno electrophoresis a polyclonal antibody raised in rabbits against purified *Peniophora* phytase was used. The clones with smaller signals were selected as variants with higher specific activity (the area under the rocket being proportional to the concentration of the antigen (the phytase), ie. the smaller the area, the less phytase protein, and the higher the specific activity).

Examples of improved variants are shown in Tables 1-5 below. These variants exhibit a higher specific activity and/or are more thermostable than the *Peniophora* parent phytase. In particular, as regards thermostability, the variants exhibit higher values for "Relative Activity at 60°C / 37°C," and/or "Relative activity 62°C/37°C," and/or "Relative activity 65°C/37°C," and/or "Relative activity 68°C/37°C," and/or "Relative activity 70°C/37°C," and/or "Relative activity 72°C/37°C," and/or "Relative Activity at 74°C / 37°C," etc. (see these results shown in Tables 6-1 and 6-2). Selected variants resulting from the specific activity screening method are shown in Table 6-3 below. All of these variants are expectedly of an even higher specific activity than the variant designated "N" in Table 8.

Selected variants were expressed in *Aspergillus oryzae* IFO 4177 which is disclosed in WO 97/35956 and the transformed cells were cultivated in the medium MDU-2Bp at 25°C at 220 rpm. The phytase variants were purified from the fermentation broth and further characterized as regards thermostability and/or specific activity as described in Example 2 and shown in Tables 7-8.

Table 1

Phytase variant	Substitutions
1	D29N+L163P+D187G+G194R+P324S
2	A99D+A398T
3	A334D+D343N+E344V
4	T114A+D187G+G194R+P324S
5	D29N
6	D29N+L102I
7	D29N+N234S
8	P324S+A328T
9	D29S+N205S
10	D29S+P324A+D350V+E183W+K95R+H110W
11	N234K
12	V323A+P324S
13	Q20R+K95R+G97V+V98G
14	T45A+D350V+delete (P421-E423) +insert (P421RRNSLEGRIM)
15	D29S+P324A+D350V+E183W+K95T+H110Y+D185K+V248T+V349L+D350M
16	D29N+T118A
17	P324S+N345D+L347Q
18	N199S+V248A
19	D29T+P324L

Phytase variant	Substitutions
20	D350V
21	A218T+A334G
22	L163P
23	V93I+N409S+P324S
24	A334E+E344A
25	P324S+A328T
26	G330R
27	V248A
28	V69A+A334E
29	T45A+A218T

Table 2

Phytase Variant	Substitutions
30	D29N+ L163P+P324S+E395G
31	D29S+E125D+P324A+A334E+E344S+P421S
32	D29S+P324A+D350V+E183W+K95T+H110Y+D185K+V248T+V349L + D350I
33	D29S+K95T+H110Y+E183W+D185K+V248S+P324A+D350V
34	D29S+E125D+P324A+N234K+G330R
35	D29N+P324S
36	D29S+E125D+P324A+G330R+E395G
37	D29S+E125D+P324A+N234K+E395G
38	D29S+P324A+E125D+D350V
39	D29S+P324A+E125D+D350V+T45A+V69A+A99D+H110Y+A334E+E344S
40	D29N+L163P+P324S
41	D29S+K95T+D350V+E183W+H110Y+D185E+V248S+P324A
42	P324S+E395G
43	D29S+P324A+E125D

Table 3

Phytase Variant	Substitutions
-----------------	---------------

Phytase Variant	Substitutions
44	D29S+E125D+P324A+N234K+G330R+E395G
45	D29S+P324A+E125D
46	D29T
47	D29S+P324A+D350V+E183W+K95T+H110Y+D185K+V248T+V349A+D350L
48	D29S+P324A+E125D+D350V+A99D+A334E
49	P324S
50	D29S+T45A+V248A+P324A+V349M+D350V+E395G
51	D29S+K95T+H110Y+E183W+D185H+D187S+T190K+T191S+S210G+M222I+V248G+P324A+D350V
52	D29S
53	D29S+P324A+D350V+E183W+K95T+H110Y+D185P+V248G

Table 4

Phytase Variant	Substitutions
54	D29S+P324A+D350V+E183W+K95M+H110W
55	D29C
56	D29S+P324A+D350V+E183W+K95T+H110Y+D185K+V248G+V349K+D350L
57	D29S+P324A+D350V+E183W+H110Y+D185N
58	D29S+P324A+E125D+D350V+A99D+A334E
59	N345H+L347P+D350V
60	D29S+P324A+E125D+D350T
61	D29S+P324A+E125D+D350V+N345H+L347P
62	P324A
63	D29S+K95R+D350V
64	D29S+K95T+H110Y+E157K+E183W+D185H+D187R+T190S+T191R+V248G+P324A+D350V
65	D29S+P324A+E125D+D350V+E344S+A218T
66	F92L
67	D29S+P324A+D350V

Table 5

Phytase Variant	Substitutions
68	D29S+P324A+D350V+E183W+K95T+H110Y+T191L
69	D29S+P324A+D350V+E183W
70	D29S+P324A+E183W+K95T+H110Y
71	D29S+P324A+E125D+D350V+G63N+A218T+A334E+E183K+P421S
72	D29S+P324A+D350V+E183W+K95T+H110Y+D185P+V248S
73	D29S+P324A+D350V+E183W+K95T+H110Y+E125D+G286S
74	D29S+P324A+E125D+D350V
75	D29S+P324A+D350V+E183G+A334E+E344S
76	D29S+P324A+D350V+E183W+K95T+H110R
77	D29S+K95T+H110Y+E183W+D185H+V248G+T321A+V323A+P324A+D350V
78	D29S+P324A+D350V+E183W+K95T+H110Y+D185H+V248G
79	D29S+P324A+D350V+E183W+K95T+H110Y+G152A+G156C+E157Q+L160R
80	D29S+P324A+D350V+E183W+K95T+H110Y+D185A+V248A
81	D29S+P324A+D350V+E183W+K95T+H110Y
82	D29S+P324A+D350V+E183W+K95H+H110W
83	D29S+P324A+D350V+E183A
84	D29S+P324A+D350V+E183W+K95N+H110R
85	D29S+K95T+H110Y+E183W+D185K+V248T+ P324A+D350V
86	D29S+P324A+D350V+E183W+K95S+H110W
87	D29S+P324A+D350V+E183W+K95T+H110Y+D185A+V248E
88	D29S+P324A+D350V+E183W+K95T+H110Y+G156R+E157Q
89	D29S+P324A+D350V+E183W+K95T+H110Y+D185A+V248H
90	D29S+P324A+D350V+E183W+K95T+H110Y+D185A+V248C
91	D29S+P324A+D350V+E183W+K95S+H110R
92	D29S+P324A+D350V+E183W+K95T+H110Y+V248D

Table 6-1

Phytase Variant	Relative Activity 60°C/37°C	Relative Activity 62°C/37°C	Relative Activity 65°C/37°C	Relative Activity 68°C/37°C	Relative Activity 70°C/37°C	Relative Activity 72°C/37°C	Relative Activity 74°C/37°C

Phytase Variant	Relative Activity 60°C/37°C	Relative Activity 62°C/37°C	Relative Activity 65°C/37°C	Relative Activity 68°C/37°C	Relative Activity 70°C/37°C	Relative Activity 72°C/37°C	Relative Activity 74°C/37°C
<i>Penio-phora</i> parent phytase	70	30	15	-	-	-	-
1	104	55	-	-	-	-	-
2	95	50	-	-	-	-	-
3	120	70	-	-	-	-	-
4	120	70	-	-	-	-	-
5	195	175	-	-	-	-	-
6	105	40	-	-	-	-	-
7	94	47	-	-	-	-	-
8	115	65	-	-	-	-	-
9	118	69	-	-	-	-	-
10	106	60	-	-	-	-	-
11	140	107	-	-	-	-	-
12	150	130	80	-	-	-	-
13	104	45	-	-	-	-	-
14	130	75	-	-	-	-	-
15	141	123	-	-	-	-	-
16	179	130	-	-	-	-	-
17	127	59	-	-	-	-	-
18	104	42	-	-	-	-	-
19	115	52	-	-	-	-	-
20	126	65	-	-	-	-	-
21	115	54	-	-	-	-	-
22	102	53	-	-	-	-	-
23	95	44	-	-	-	-	-
24	71	40	-	-	-	-	-
25	62	33	-	-	-	-	-
26	155	124	-	-	-	-	-
27	-	-	-	170, 183	73, 136	69	32
28	147	126	61	-	-	-	-
29	-	-	-	176	105	69	32

Phytase Variant	Relative Activity 60°C/37°C	Relative Activity 62°C/37°C	Relative Activity 65°C/37°C	Relative Activity 68°C/37°C	Relative Activity 70°C/37°C	Relative Activity 72°C/37°C	Relative Activity 74°C/37°C
30	-	-	-	109	App. 95	-	-
31	-	-	-	154	102	-	-
32	-	-	-	-	-	102	22
33	-	-	-	-	186	125	49
34	150	30	-	-	-	-	-
35	80	40	-	-	-	-	-
36	-	137	63	-	-	-	-
37	-	156	81	-	-	-	-
38	-	125	46	-	-	-	-
39	-	130	52	24	-	-	-
40	-	169	165	119	-	-	-
41	-	145	126	72	-	-	-
42	115	84	35	-	-	-	-
43	145	112	54	-	-	-	-
44	-	-	-	90	App. 70	-	-
45	-	-	-	105	App. 80	-	-
46	-	-	-	96	App. 70	-	-
47	-	-	-	104	42	-	-
48	-	-	-	120	57	-	-
49	-	-	-	147	102	53	-
50	-	-	-	152	105	51	-
51	-	-	-	184	101	48	-
52	-	-	-	-	115	88	31
53	-	-	-	-	118	74	25
54	118	69	-	-	-	-	-

Table 6-2

Phytase variant	Relative Activity 68°C/37°C	Relative Activity 70°C/37°C	Relative Activity 72°C/37°C	Relative Activity 74°C/37°C	Relative Activity 75°C/37°C	Relative Activity 76°C/37°C	Relative Activity 78°C/37°C	Relative Activity 80°C/37°C	Relative Activity 81°C/37°C	Relative Activity 82°C/37°C
55	-	-	-	-	-	-	-	92	66	-
56	-	-	-	-	-	-	-	83	54	-
57	-	-	-	-	-	-	71	23	-	-
58	172	122	-	-	-	-	-	-	-	-
59	-	-	-	-	-	90	34	-	-	-
60	-	-	-	-	-	-	-	126	100	51
61	-	-	-	-	95	51	-	-	-	-
62	-	-	-	-	-	-	99	49	-	-
63	-	-	113	101	23	-	-	-	-	-
64	-	-	-	-	-	-	-	110	94	45
65	-	-	-	-	-	-	-	74	38	-
66	-	-	178	72	36	-	-	-	-	-
67	-	-	-	-	-	-	36	8	-	-
68	-	-	-	-	-	-	-	61	32	-
69	-	-	-	-	-	96	40	-	-	-
70	-	-	-	-	-	-	-	69	38	-
71	-	-	-	-	-	102	52	-	-	-
72	-	-	-	-	-	-	104	50	-	-
73	-	-	-	-	-	-	-	88	61	-

Phytase variant	Relative Activity 68°C/37°C	Relative Activity 70°C/37°C	Relative Activity 72°C/37°C	Relative Activity 74°C/37°C	Relative Activity 75°C/37°C	Relative Activity 76°C/37°C	Relative Activity 78°C/37°C	Relative Activity 80°C/37°C	Relative Activity 81°C/37°C	Relative Activity 82°C/37°C
74	-	-	-	-	-	98	36	-	-	-
75	-	-	-	-	-	71	27	-	-	-
76	-	-	131	110	60	42/56	16	-	-	-
77	-	-	-	-	-	-	59	17	-	-
78	-	-	-	-	-	81	28	-	-	-
79	-	-	-	-	-	91	32	-	-	-
80	-	-	-	-	-	76	24	-	-	-
81	147	102	53	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	85	45	-
83	-	-	-	-	-	-	91	31	-	-
84	-	-	-	-	-	-	-	85	67	-
85	-	-	-	-	-	-	-	60	-	-
86	-	-	-	-	-	-	-	122	105	58
87	-	-	-	-	-	-	-	102	62	-

Table 6-3

Phytase Variant	Specific Activity (%)
N	100
Q	144
R	122
S	189
T	200
U	167
V	167
W	156
X	167
Y	133
Z	122

Strains and plasmids

5 *E.coli* DH12S (available from Gibco BRL) is used for yeast plasmid rescue.

pTMPP2ver2 is a *S. cerevisiae* and *E.coli* shuttle vector under the control of TPI promoter, constructed from pJC039 described in WO 00/10038. It is used for library construction, yeast expression, screening and sequencing.

10 *Saccharomyces cerevisiae* YNG318: MATa Dpep4[cir+] ura3-52, leu2-D2, his 4-539 is used for the construction of yeast library and the expression of the phytase variants. It is described in J. Biol. Chem. 272 (15), 9720-9727, 1997).

Media and substrates10X Basal solution

15 66.8 g/l Yeast nitrogen base w/o amino acids (DIFCO)
 100 g/l succinate
 60 g/l NaOH

SC-glucose

20 100 ml/l 20% glucose (i.e., a final concentration of 2% = 2 g/100ml))
 4 ml/l 5% threonine
 10 ml/l 1% tryptophan
 25 ml/l 20% casamino acids
 100 ml/l 10 X basal solution

25 The above solution is sterilized using a filter of a pore size of 0.20µm. Agar and H₂O

(approx. 761ml) is autoclaved together, and the separately sterilized SC-glucose solution is added to the agar solution.

YPD

5	20 g/l	Bacto pepton
	10 g/l	yeast extract
	100 ml/l	20% glucose (sterilized separately)

Na-phytate plate

10	100 ml/l	1M Na acetate buffer (pH 5.5)
	5 g/l	Na phytate
	30 g/l	agar

PEG/LiAc solution

15	50ml	40% PEG4000 (sterilized by autoclaving)
	1ml	5M Lithium Acetate (sterilized by autoclaving)

Trace Metal Solution

	FeSO ₄ x 7H ₂ O	13.90 g/l
20	MnSO ₄ x 5 H ₂ O	13.60 g/l
	ZnCl ₂	6.80 g/l
	CuSO ₄ x 5 H ₂ O	2.50 g/l
	NiCl ₂ x 6 H ₂ O	0.24 g/l
	Citric acid x H ₂ O	3.00 g/l

25

MDU-2Bp

	Maltose x H ₂ O	45 g/l
	Yeast Extract	7 g/l
	MgSO ₄ x 7H ₂ O	1 g/l
30	NaCl	1 g/l
	K ₂ SO ₄	2 g/l
	KH ₂ PO ₄	12 g/l
	Trace Metal Solution	0.5 ml/l

35

Methods

Phytase activity, primary screening method

Spread yeast library onto SC-glucose plates and incubate for 3 days at 30°C. Replica

to new SC-glucose plates with nitrate filters by using velvet cloth. Incubate the plates at 30°C for 1 day (or 20°C over the weekend) Transfer the filters to pre-heated 0.5% Na-phytate plates (pH5.5). Incubate the plates at the prescribed temperature, e.g. 53°C, overnight (O/N). Remove the filters and pour 0.5M CaCl₂ solution. Find the yeast clones with clear zones.

- 5 Isolate candidate clones from the master plate and inoculate to a new SC-glucose plate and 1ml of YPD medium in 24well plates.

Secondary screening method

- 10 Cultivate YPD medium in 24well plates at 25°C for 3 days at 180rpm. Centrifuge the plate/ or just leave them still for an hour. Apply 5µl and 10µl of supernatants to Na-phytate plates. Incubate the plates at 37°C and 53°C overnight. Check the diameter of clear zones. Check the temperature profile of the supernatant of those clones which retain activity at 53°C, using the phytase assay described in Example 2 below (assay temperature as prescribed).

15

Method for construction of yeast library

- 20 Mix 0.5µl of vector (EcoRI-NotI digested) and 1µl of PCR fragments. Thaw YNG318 competent cells on ice. Mix 100µl of the cells, the DNA mixture and 10µl of carrier DNA (Clontech) in 12ml polypropylene tubes (Falcon 2059). Add 0.6ml PEG/LiAc solution and mix gently. Incubate for 30min at 30°C, and 200 rpm. Incubate for 30 min at 42°C (heat shock). Transfer to an eppendorf tube and centrifuge for 5sec. Remove the supernatant and resolve in 3ml of YPD. Incubate the cell suspension for 45min at 200rpm at 30°C. Pour the suspension to SC-glucose plates to give approx. 300clones/plate.

Library construction

25 Dope libraries are constructed by SOE method (Splicing by Overlap Extension, see "PCR: A practical approach", p. 207-209, Oxford University press, eds. McPherson, Quirke, Taylor), followed by yeast recombination.

Other methods

- 30 *E.coli* transformation for constructing libraries and subcloning is carried out by electroporation (BIO-RAD Gene Pulser). DNA Plasmids are prepared by alkaline method (Molecular Cloning, Cold Spring Harbor) or with the Qiagen® Plasmid Kit. DNA fragments are recovered from agarose gel by the Qiagen gel extraction Kit. PCR is carried out by the PTC-
35 200 DNA Engine. The ABI PRISM™ 310 Genetic Analyzer is used for determination of all DNA sequences. Yeast transformation is carried out by lithium acetate method. Yeast total DNA is extracted by the Robzyk and Kassir's method described in Nucleic acids research

vol.20, No.14 (1992) 3790.

General primers for amplification and sequencing

The below primers are used to make DNA fragments containing any mutated fragments by the SOE method, or just to amplify a whole phytase gene.

SEQ ID NO: 3:

620AM34 GAGTACTATCTTGCATTTGTAC TAGGAGTTTAGTGAACCTTGC

SEQ ID NO: 4:

680AM35 ATGGTTATGGATTTCGGGGATTTC TTCGAGCGTCCCAAACC

SEQ ID NO: 5:

AM34 TAGGAGTTTAGTGAACCTTGC

SEQ ID NO: 6:

AM35 TTCGAGCGTCCCAAACC

SEQ ID NO: 7:

620 GAGTACTATCTTGCATTTGTAC

SEQ ID NO: 8:

680 ATGGTTATGGATTTCGGGGAT

Examples of primers for construction of dope librariesRegion 229-236

In accordance with established practice, in the nucleotide sequences specified below, special codes for nucleotides are used. These are apparent from, e.g., <http://www.cs.pitt.edu/~vanathi/na.html>). For example, K designates G or T; Y designates C or T; R designates A or G; and N designates A or C or G or T.

T229 VNN nucleotides

L230 INMKR amino acids

S231 TVN amino acids

S232 VNN nucleotides

G233 VNN nucleotides

N234 VNN nucleotides

A235 VNN nucleotides

S236 AMK amino acids or just A (difficult to get M and K)

Distribution of nucleotides for L230INMKR:

Nucleotide	Base 1	Base 2	Base 3
G	0.0	3.0	46.6

A	12.5	6.5	7.7
T	0.0	90.4	45.7
C	87.5	0.0	0.0

The below primers are targetted at the region T229-S236:

SEQ ID NO: 9:

Dope1 (62mer):

5 GAT ATG TGC CCG TTC GAC 12K (11)(12)(13) (14)(15)T 42K 33K 115 32K 5CC CCC
TTC TGT GAC CTA TTT AC

SEQ ID NO: 10:

Dope1 R (18mer):

10 GTCGAACGGGCACATATC

1: A91 G3 T3 C3

2: C91 G3 A3 T3

3: G91 C3 A3 T3

15 4: T91 G3 A3 C3

5: T95 G5

11: C88 A12

12: T90 G3 A7

13: G47 A8 T45

20 14: G9 A91

15: G83 A4 T9 C4

Primers for construction of spiked oligo shuffling libraries

SEQ ID NO: 11:

25 L102TI (43mer):

AGTTCGGCGTCGCCGATCTGAYCCCGTTTCGGGGCTAACCAATC

SEQ ID NO: 12:

VE248+251X (53mer):

30 TATTTACCGCGGAGGAGTATVNNTCGTACVNNTACTACTATGACCTCGACAAG

SEQ ID NO: 13:

V271AI (45mer):

CCGGGAACGCTCTCGGTCCTRYCCAGGGCGTCGGATACGTCAATG

SEQ ID NO: 14:

G286X (42mer):

ATGAGCTGCTTGACACGCTTGACCVNNCAAGCCGTTTCGAGACG

5

Construction of phytase variants by doping

The first PCR reaction was carried out with 2 primer pairs, 620AM34 and Dope1R, and Dope1 with nucleotide mixtures described above and 680AM35 using the following PCR reaction system and conditions:

10

PCR reaction system:		Conditions:		
38.9 µl	H ₂ O	1	98° C	10 sec
5 µl	10 X reaction buffer	2	68° C	90 sec
1 µl	<i>Klen Taq LA</i> (CLONTECH)	1-2	30 cycles	
4 µl	10 mM dNTPs	3	68° C	10min
0.3µl X 2	100 pmol/µl Primers			
0.5 µl	pTMPP2 ver2			

The resulting fragments were gel-purified and used for the template for the second PCR reaction. The second PCR was carried out with 620 and 680 as primers using the following PCR reactions and conditions:

15

PCR reaction system:		Conditions:		
38.4 µl	H ₂ O	1	98° C	10 sec
5 µl	10 X reaction buffer	2	66° C	90 sec
1 µl	<i>Klen Taq LA</i> (CLONTECH)	1-2	30 cycles	
4 µl	10 mM dNTPs	3	66° C	10min
0.3µl X 2	100 pmol/µl Primers			
0.5µl X 2	PCR fragments			

Spiked oligo shuffling library

Spiked libraries were constructed as follows: PCR reaction for preparing a gene fragment of the variant was carried out with *KlenTaq* polymerase and AM34 and AM35 as primers as described above, and the fragment was gel-purified. About 10 ug DNA/250µl was incubated with 0.8µl DNaseI (Gibco BRL 18068-015) and 30µl 10X buffer at 25°C for 7-10min. EDTA was added to a final concentration of 10mM which stopped the reaction. DNA

20

fragments of correct size (50-150bp) was purified by Whatman glass filter. Then the DNase treated fragments were reassembled using the following PCR reaction system and conditions:

PCR reaction system:	Conditions:		
0.2, 0.5 and 1 pmol DNase-treated template	1	94°C	2 min.
3, 6, 12x molar excess of each mutagenic oligo	2	94°C	30 sec
1 beads Ready-to-go	3	45°C	30 sec
0.1µl <i>Pwo</i> polymerase	4	72°C	1 min.
final volume 25µl	2-4	30 cycles	
	5	72°C	5 min.

5

Using the above PCR mixture as a template, a second PCR reaction was carried out using the following PCR reaction system and conditions:

PCR reaction system:	Conditions:		
0.2, 0.5, 1 and 2µl 1 st PCR reaction	1	94°C	2 min.
2 beads Ready-to-go	2	94°C	30 sec
0.3µl 100pmol primer 1 (AM34)	3	55°C	30 sec
0.3µl 100pmol primer 2 (AM35)	4	72°C	90 sec
0.1µl <i>Pwo</i> polymerase	2-4	25cycles	
	5	72°C	10 min.

10 Example 2: Purification and Characterization of Phytase Variants

Purification of phytase variants

The culture broth from fermentations of *Asperillus oryzae* expressing a number of variants selected from Tables 1-5 above (designated with upper case letters A-M), was filtered using first a series of GF-filters from Millipore and then a 0.45 µm HA-filter (Millipore). Ammonium sulphate (AMS) was then added to the filtrate to a concentration of 1.35 M, and pH was adjusted to pH 6. The sample was filtered again (0.45 µm HA-filter as above) and loaded onto a 70 ml (volume dependent on loading) Phenyl Sepharose column (XK26, Pharmacia) equilibrated in 1.35 M AMS, 20 mM succinate, pH 6. The column was washed with 1.35 M AMS, 20 mM succinate, pH 6 prior to eluting the phytase in a linear gradient of 1.35-0 M AMS in 20 mM succinate, pH 6 over 10 column volumes. Flow was set at 6 ml/min and 10 ml fractions were collected. Fractions containing activity and of sufficient purity (as evaluated by SDS-PAGE) were pooled and dialyzed over night against 50 mM sodium

20

acetate, pH 5.5. The phytase containing pool was then added 20 mM Tris-acetic acid, pH 7.5 and subjected to anion exchange chromatography either on an 8 ml MonoQ or a larger Q-Sepharose column (Pharmacia) equilibrated in 20 mM Tris-acetic acid, pH 7.5. The phytase was eluted in a linear gradient of 0-0.5 M NaCl in 20 mM Tris-acetic acid, pH 7.5 over 10 column volumes. Flow rates and fractions sizes were adjusted according to column scale. Fractions containing phytase activity and of sufficient purity were pooled and concentrated on Amicon YM10 membranes before dialyzing against 50 mM sodium acetate, pH 5.5.

SDS-PAGE

SDS-PAGE was conducted using Novex 4-20 Tris-Glycine according to the manufacturer's instructions. The phytase variants as purified from *A. oryzae* had a molecular weight, MW, around 65 kDa corresponding to around 25% carbohydrate.

Phytase activity assay, pH and temperature profiles, temperature stability testing

10 μ l diluted enzyme samples (diluted in 0.1 M sodium acetate, 0.01 % Tween20, pH 5.5) were added into 250 μ l 5 mM sodium phytate (Sigma) in 0.1 M sodium acetate, 0.01 % Tween20, pH 5.5 (pH adjusted after dissolving the sodium phytate; the substrate was preheated) and incubated for 30 minutes at 37°C. The reaction was stopped by adding 250 μ l 10 % TCA and free phosphate was measured by adding 500 μ l 7.3 g FeSO₄ in 100 ml molybdate reagent (2.5 g (NH₄)₆Mo₇O₂₄·4H₂O in 8 ml H₂SO₄ diluted to 250 ml). The absorbance at 750 nm was measured on 200 μ l samples in 96 well microtiter plates. Substrate and enzyme blanks were included. A phosphate standard curve was also included (0-2 mM phosphate). 1 FYT equals the amount of enzyme that releases 1 μ mol phosphate/min at the given conditions.

The pH-profiles were obtained by running above assay at various pH values in 50 mM buffers pH 3 (glycine-HCl), pH 4-5.5 (sodium acetate), pH 6 (MES), pH 7-8 (Tris-HCl).

Temperature profiles were obtained by running the assay at the various temperatures (preheating the substrate).

Temperature stability was investigated by preincubating the phytases in 0.1 M sodium phosphate, pH 5.5 at various temperatures before measuring the residual activity.

The purified variants exhibit similar pH-profiles as the *P. lycii* parent phytase (all having a pH optimum around pH 4-5).

Differential Scanning Calorimetry (DSC)

DSC was performed at various pH-values using the VP-DSC from Micro Cal. Scans were performed at a constant scan rate of 1.5 °C/min from 20-90°C. Before running the DSC, the phytases were desalted using NAP-5 columns (Pharmacia) equilibrated in the

appropriate buffers (e.g. 0.1M glycine-HCl, pH 2.5 or 3.0; 0.1 M sodium acetate, pH 5.5; 0.1M Tris-HCl, pH 7.0). Data-handling was performed using the MicroCal Origin software.

The resulting melting temperature, T_m 's, are shown in Table 7 below. The thermostability of the variants is improved significantly as compared to the *Peniophora* parent phytase. The thermostability is seen to be pH-dependent.

Table 7

Phytase Variant	T_m (°C) at pH 2.5	T_m (°C) at pH 3.0	T_m (°C) at pH 5.5	T_m (°C) at pH 7.0
<i>Peniophora</i> parent phytase	36.4	50.5	59.6	48.8
A	-	-	62.7	-
B	-	-	62.4	-
C	-	-	65.0	-
D	-	52.2	70.5	69.6
E	43.5	58.5	72.6	-
F	42.2	-	73.5	-
G	44.5	-	73.1	-
H	48.1	-	78.0	-
I	49.9	-	79.8	-
J	-	49.0	75.6	-
K	52.1	-	80.6	-
L	59.6	-	82.0	-
M	53.1	-	80.5	-

Example 3: Specific Activity

The specific activity of variants selected from Tables 1-5 (here designated N, O and P) was determined on highly purified samples dialysed against 20 mM sodium acetate, pH 5.5. The purity was checked beforehand on an SDS poly acryl amide gel showing the presence of only one component.

The protein concentration was determined by amino acid analysis as follows: An aliquot of the sample was hydrolyzed in 6N HCl, 0.1% phenol for 16 h at 110 °C in an evacuated glass tube. The resulting amino acids were quantified using an Applied Biosystems 420A amino acid analysis system operated according to the manufacturer's instructions. From the amounts of the amino acids the total mass - and thus also the

concentration - of protein in the hydrolyzed aliquot can be calculated.

The phytase activity was determined in the units of FYT, and the specific activity was calculated as the phytase activity measured in FYT units per mg phytase variant enzyme protein.

5 The results are shown in Table 8 below. The specific activity figures are relative to the specific activity of the *Peniophora* parent phytase which was set to 100%.

Table 8

Phytase Variant	Specific Activity (%)
<i>Peniophora</i> parent phytase	100
N	147
O	117
P	114

10

Example 4: Animal Feed and Animal Feed Additives comprising a Phytase Variant

Animal Feed Additive

10 g of Phytase Variant no. 1938 (calculated as phytase enzyme protein) is added to the following premix (per kilo of premix):

15	5000000	IE	Vitamin A
	1000000	IE	Vitamin D3
	13333	mg	Vitamin E
	1000	mg	Vitamin K3
	750	mg	Vitamin B1
20	2500	mg	Vitamin B2
	1500	mg	Vitamin B6
	7666	mcg	Vitamin B12
	12333	mg	Niacin
	33333	mcg	Biotin
25	300	mg	Folic Acid
	3000	mg	Ca-D-Panthothenate
	1666	mg	Cu
	16666	mg	Fe
	16666	mg	Zn
30	23333	mg	Mn
	133	mg	Co
	66	mg	I

66	mg	Se
5.8	%	Calcium
25	%	Sodium

5 Animal Feed

This is an example of an animal feed comprising 0.03g/kg (30ppm) of Phytase Variant E (calculated as phytase enzyme protein):

74.0% wheat

20.7% roasted soy cake

10 5.0% soy oil

0.3 % of the above Premix

The ingredients are mixed, and the feed is pelletized at the desired temperature, e.g. 65, 75 80, or even 85°C.

15 The invention described and claimed herein is not to be limited in scope by the specific embodiments herein disclosed, since these embodiments are intended as illustrations of several aspects of the invention. Any equivalent embodiments are intended to be within the scope of this invention. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art
20 from the foregoing description. Such modifications are also intended to fall within the scope of the appended claims. In the case of conflict, the present disclosure including definitions will control.

Various references are cited herein, the disclosures of which are incorporated by reference in their entireties.

25

Claims

1. A variant of a parent phytase, comprising a substitution in at least one position of at least one region selected from the group of regions consisting of: 20; 26; 28-31; 37-48; 55-69; 73-83; 91-119; 123-126; 135-142; 152-163; 169-199; 204-222; 229-238; 248-266; 284-289; 300-308; 321-335; 343-350; 384-398; 407-412; and 419-430; wherein

(a) the variant has phytase activity; and

(b) each position corresponds to a position of SEQ ID NO: 2; and

(c) the variant has a percentage of identity to SEQ ID NO: 2 of at least 75%; and

(d) with the proviso that the variant is not a variant of the *Peniophora lycii* CBS 686.96 phytase selected from the group consisting of: G26S; Y28N; D29S; F31Y; E42D,K,A; T45R; V46I; W59F; S62D; A64K; R65Q,E,G,A; S66T; R67A,I,Q,K; Q68Y,V,I; K74R,A; A99N; D100S; L102V; P103E; F104L; N107T,Q; S109M; H110S,V; Q111E,N; T112A,S; M116F,I,L; A135S; D137Y; Q138D,S,G; D142A; ()154fH; S155N; G156P; E157Q,S; E169S; E170A,P; G171A; ()171aS; T174P,A; N177S; N178S,T; M179T,V,L; N182A,V; V184G; D185E; ()185eT; G186S,A; D187R,K,S; ()187aV,T; E188Q,S,A,V; S189E; V195L; N199A,P; L204N; A207D,H; S216T; D217E; L219Y,T; T220Y,N; L221F; M222L; L230V; ()235eE,Q; V248R,I; S249Q,A; E251D; Y254A,L,G; D255N; D257K; Y259F; T262H; P264A; G286R,H; Q287K,S; A288P; T321Q,S,G; M322I; V323I; P324A; A327S,F,I,L; F332Y; N333P; E344R; R346P; W348F; V349L,A,S; D350S,V; G388A; V393R; E395K,T; and L396R.

2. The variant of claim 1, which comprises a substitution or a combination of substitutions selected from the following group of substitutions and combinations of substitutions:

(i) 20R+95R+97V+98G;

(ii) 29N+102I;

(iii) 29N+118A;

(iv) 29N+163P+324S;

(v) 29N+163P+324S+395G;

(vi) 29N+234S;

(vii) 29N+324S;

(viii) 29S;

(ix) 29S+45A+69A+99D+110Y+125D+324A+334E+344S+350V;

(x) 29S+63N +125D+183K+218T+324A+334E+350V+421S;

(xi) 29S+95H+110W+183W+324A+350V;

(xii) 29S+95M+110W+183W+324A+350V;

(xiii) 29S+95N+110R+183W+324A+350V;

- (xiv) 29S+95R+110W+183W+324A+350V;
- (xv) 29S+95S+110R+183W+324A+350V;
- (xvi) 29S+95S+110W+183W+324A+350V;
- (xvii) 29S+95T+110R+183W+324A+350V;
- 5 (xviii) 29S+95T+110Y+125D+183W+286S+324A+350V;
- (xix) 29S+95T+110Y+152A+156C+157Q+160R+183W+324A+350V;
- (xx) 29S+95T+110Y+156R+157Q+183W+324A+350V;
- (xxi) 29S+95T+110Y+157K+183W+185H+187R+190S+191R+248G+324A+350V;
- (xxii) 29S+95T+110Y+183W+185A+248A+324A+350V;
- 10 (xxiii) 29S+95T+110Y+183W+185A+248C+324A+350V;
- (xxiv) 29S+95T+110Y+183W+185A+248E+324A+350V;
- (xxv) 29S+95T+110Y+183W+185A+248H+324A+350V;
- (xxvi) 29S+95T+110Y+183W+185E+248S+324A+350V;
- (xxvii) 29S+95T+110Y+183W+185H+248G+321A+323A+324A+350V;
- 15 (xxviii) 29S+95T+110Y+183W+185H+248G+324A+350V;
- (xxix) 29S+95T+110Y+183W+185H+187S+190K+191S+210G+222I+248G+324A+350V;
- (xxx) 29S+95T+110Y+183W+185K+248G+324A+349K+350L;
- (xxxi) 29S+95T+110Y+183W+185K+248S+324A+350V;
- 20 (xxxii) 29S+95T+110Y+183W+185K+248T+324A+349A+350L;
- (xxxiii) 29S+95T+110Y+183W+185K+248T+324A+349L+350I;
- (xxxiv) 29S+95T+110Y+183W+185K+248T+324A+349L+350M;
- (xxxv) 29S+95T+110Y+183W+185K+248T+324A+350V;
- (xxxvi) 29S+95T+110Y+183W+185P+248G+324A+350V;
- 25 (xxxvii) 29S+95T+110Y+183W+185P+248S+324A+350V;
- (xxxviii) 29S+95T+110Y+183W+191L+324A+350V;
- (xxxix) 29S+95T+110Y+183W+248D+324A+350V;
- (xl) 29S+95T+110Y+183W+324A;
- (xli) 29S+95T+110Y+183W+324A+350V;
- 30 (xlii) 29S+99D+125D+324A+334E+350V;
- (xliii) 29S+110Y+183W+185N+324A+350V;
- (xliv) 29S+125D+218T+324A+344S+350V;
- (xlv) 29S+125D+234K+324A+330R;
- (xlii) 29S+125D+234K+324A+330R+395G;
- 35 (xlvii) 29S+125D+324A;
- (xlviii) 29S+125D+324A+330R+395G;
- (xlix) 29S+125D+324A+350V;

- (i) 29S+183A+324A+350V;
- (ii) 29S+183G+324A+334E+344S+350V;
- (iii) 29S+183W+324A+350V;
- (liii) 29S+205S;
- 5 (liv) 29S+324A+350V;
- (lv) 29T+324L;
- (lvi) 45A+350V+421R+422R+423N+424S+425L+426E+427G+428R+429I+430M;
- (lvii) 69A+334E;
- (lviii) 99D+398T;
- 10 (lix) 114A+187G+194R+324S;
- (lx) 218T+334G;
- (lxi) 323A+324S;
- (lxii) 324S;
- (lxiii) 324S+328T;
- 15 (lxiv) 324S+345D+347Q;
- (lxv) 324S+395G;
- (lxvi) 330R;
- (lxvii) 334D+343N+344V;
- (lxviii) 334E+344A;
- 20 (lxix) 345H+347P+350V; and
- (lxx) 350V.

3. An isolated nucleic acid sequence comprising a nucleic acid sequence which encodes the variant of any of claims 1-2.

25

4. A nucleic acid construct comprising the nucleic acid sequence of claim 3 operably linked to one or more control sequences that direct the production of the polypeptide in a suitable expression host.

30 5. A recombinant expression vector comprising the nucleic acid construct of claim 4.

6. A recombinant host cell comprising the nucleic acid construct of claim 4 and/or the expression vector of claim 5.

35 7. A method for producing the variant of any one of claims 1-2, comprising
 (a) cultivating the host cell of claim 6 to produce a supernatant comprising the variant; and
 (b) recovering the variant.

8. A transgenic plant, or plant part, capable of expressing a phytase variant of any one of claims 1-2.

5 9. A transgenic, non-human animal, or products, or elements thereof, being capable of expressing a phytase variant of any one of claims 1-2.

10. A composition comprising at least one phytase variant of any one of claims 1-2, and

(a) at least one fat soluble vitamin;

10 (b) at least one water soluble vitamin; and/or

(c) at least one trace mineral.

11. The composition of claim 10 further comprising at least one enzyme selected from the following group of enzymes: xylanases, endoglucanases, endo-1,3(4)-beta-glucanases,
15 and proteases.

12. The composition of any one of claims 10-11 which is an animal feed additive.

13. An animal feed composition having a crude protein content of 50 to 800 g/kg and
20 comprising the variant of any one of claims 1-2 or the composition of any one of claims 10-12.

14. A method for improving the nutritional value of an animal feed, wherein the variant of any one of claims 1-2 or the composition of any one of claims 10-12 is added to the feed.

25

15. A process for reducing phytate levels in animal manure comprising feeding an animal with an effective amount of the feed of claim 13.

16. A method for the treatment of vegetable proteins, comprising the step of adding the
30 variant of any one of claims 1-2 or the composition of any one of claims 10-12 to at least one vegetable protein or protein source.

17. Use of the variant of any one of claims 1-2 or the composition of any one of claims
35 10-12 in animal feed; in the preparation of animal feed; for improving the nutritional value of animal feed; for reducing phytate levels in animal manure; for the treatment of vegetable proteins; or for liberating phosphorous from a phytase substrate.

1/48

REMARK	4										
REMARK	4	AYOR COMPLIES WITH FORMAT V. 2.0, 30-JUL-2001									
ATOM	1	N	THR	1	-7.303	8.486	-36.673	0.00	83.02		N
ATOM	2	CA	THR	1	-6.435	7.844	-35.696	0.00	82.43		C
ATOM	3	CB	THR	1	-5.024	8.354	-36.002	0.00	83.38		C
ATOM	4	OG1	THR	1	-5.096	9.705	-36.417	0.00	83.85		O
ATOM	5	CG2	THR	1	-4.407	7.467	-37.087	0.00	80.74		C
ATOM	6	C	THR	1	-6.862	8.103	-34.242	0.00	81.65		C
ATOM	7	O	THR	1	-7.916	8.667	-33.981	0.00	82.05		O
ATOM	8	N	SER	2	-5.993	7.615	-33.345	0.00	80.26		N
ATOM	9	CA	SER	2	-6.195	7.450	-31.921	0.00	77.85		C
ATOM	10	CB	SER*	2	-6.823	6.080	-31.684	0.00	82.16		C
ATOM	11	OG	SER	2	-6.355	5.191	-32.670	0.00	80.38		O
ATOM	12	C	SER	2	-4.836	7.733	-31.241	0.00	75.71		C
ATOM	13	O	SER	2	-4.660	8.884	-30.874	0.00	75.84		O
ATOM	14	N	ASN	3	-3.867	6.774	-31.113	0.00	73.07		N
ATOM	15	CA	ASN	3	-2.515	7.136	-30.609	0.00	69.62		C
ATOM	16	CB	ASN	3	-1.805	8.315	-31.361	0.00	69.35		C
ATOM	17	CG	ASN	3	-0.986	7.957	-32.614	0.00	68.97		C
ATOM	18	OD1	ASN	3	-1.473	7.339	-33.558	0.00	63.41		O
ATOM	19	ND2	ASN	3	0.278	8.423	-32.601	0.00	70.05		N
ATOM	20	C	ASN	3	-2.624	7.498	-29.110	0.00	67.05		C
ATOM	21	O	ASN	3	-2.029	8.449	-28.618	0.00	67.06		O
ATOM	22	N	TRP	4	-3.483	6.731	-28.427	0.00	64.41		N
ATOM	23	CA	TRP	4	-3.820	7.118	-27.063	0.00	60.50		C
ATOM	24	CB	TRP	4	-5.341	7.202	-26.929	0.00	49.41		C
ATOM	25	CG	TRP	4	-5.907	8.474	-27.543	0.00	42.61		C
ATOM	26	CD2	TRP	4	-7.288	8.703	-27.884	0.00	38.25		C
ATOM	27	CE2	TRP	4	-7.375	10.016	-28.391	0.00	35.44		C
ATOM	28	CE3	TRP	4	-8.412	7.929	-27.794	0.00	37.41		C
ATOM	29	CD1	TRP	4	-5.229	9.664	-27.862	0.00	38.21		C
ATOM	30	NE1	TRP	4	-6.108	10.569	-28.357	0.00	37.47		N
ATOM	31	CZ2	TRP	4	-8.573	10.506	-28.807	0.00	34.96		C
ATOM	32	CZ3	TRP	4	-9.643	8.430	-28.214	0.00	37.29		C
ATOM	33	CH2	TRP	4	-9.722	9.723	-28.731	0.00	36.77		C
ATOM	34	C	TRP	4	-3.149	6.180	-26.065	0.00	58.85		C
ATOM	35	O	TRP	4	-3.769	5.638	-25.158	0.00	58.27		O
ATOM	36	N	GLY	5	-1.809	6.106	-26.244	0.00	57.78		N
ATOM	37	CA	GLY	5	-0.937	5.352	-25.340	0.00	56.39		C
ATOM	38	C	GLY	5	-1.571	4.026	-24.844	0.00	55.55		C
ATOM	39	O	GLY	5	-2.169	3.279	-25.614	0.00	55.37		O
ATOM	40	N	PRO	6	-1.484	3.762	-23.513	0.00	54.66		N
ATOM	41	CD	PRO	6	-0.837	4.597	-22.501	0.00	54.80		C
ATOM	42	CA	PRO	6	-2.022	2.514	-22.989	0.00	54.11		C
ATOM	43	CB	PRO	6	-1.339	2.370	-21.621	0.00	54.40		C
ATOM	44	CG	PRO	6	-0.943	3.790	-21.200	0.00	54.15		C
ATOM	45	C	PRO	6	-3.558	2.527	-22.878	0.00	53.58		C
ATOM	46	O	PRO	6	-4.153	1.513	-22.524	0.00	53.95		O
ATOM	47	N	TYR	7	-4.136	3.702	-23.211	0.00	52.47		N
ATOM	48	CA	TYR	7	-5.554	3.974	-23.010	0.00	50.94		C
ATOM	49	CB	TYR	7	-5.777	5.449	-22.614	0.00	51.76		C
ATOM	50	CG	TYR	7	-5.069	5.958	-21.376	0.00	52.28		C
ATOM	51	CD1	TYR	7	-4.495	5.128	-20.413	0.00	51.84		C
ATOM	52	CE1	TYR	7	-3.865	5.675	-19.297	0.00	51.90		C
ATOM	53	CD2	TYR	7	-4.998	7.332	-21.178	0.00	52.76		C
ATOM	54	CE2	TYR	7	-4.387	7.875	-20.060	0.00	52.83		C
ATOM	55	CZ	TYR	7	-3.815	7.051	-19.110	0.00	52.69		C
ATOM	56	OH	TYR	7	-3.226	7.603	-17.981	0.00	54.02		O
ATOM	57	C	TYR	7	-6.411	3.699	-24.268	0.00	49.21		C
ATOM	58	O	TYR	7	-7.634	3.659	-24.212	0.00	48.73		O
ATOM	59	N	ASP	8	-5.694	3.573	-25.394	0.00	47.71		N
ATOM	60	CA	ASP	8	-6.266	3.528	-26.745	0.00	46.54		C
ATOM	61	CB	ASP	8	-5.095	3.108	-27.640	0.00	43.70		C
ATOM	62	CG	ASP	8	-5.429	3.319	-29.105	0.00	45.90		C

Fig. 1

2/48

ATOM	63	OD1	ASP	8	-6.091	2.476	-29.710	0.00	48.38	O
ATOM	64	OD2	ASP	8	-5.037	4.345	-29.635	0.00	53.01	O
ATOM	65	C	ASP	8	-7.448	2.530	-26.920	0.00	45.20	C
ATOM	66	O	ASP	8	-7.245	1.336	-26.790	0.00	44.32	O
ATOM	67	N	PRO	9	-8.700	2.989	-27.200	0.00	44.57	N
ATOM	68	CD	PRO	9	-9.045	4.372	-27.502	0.00	44.52	C
ATOM	69	CA	PRO	9	-9.859	2.080	-27.180	0.00	44.21	C
ATOM	70	CB	PRO	9	-11.046	3.059	-27.191	0.00	44.04	C
ATOM	71	CG	PRO	9	-10.516	4.296	-27.922	0.00	44.13	C
ATOM	72	C	PRO	9	-9.940	1.134	-28.406	0.00	43.55	C
ATOM	73	O	PRO	9	-10.539	1.448	-29.431	0.00	43.72	O
ATOM	74	N	PHE	10	-9.331	-0.055	-28.223	0.00	42.15	N
ATOM	75	CA	PHE	10	-9.091	-1.063	-29.255	0.00	40.33	C
ATOM	76	CB	PHE	10	-9.719	-2.422	-28.916	0.00	36.00	C
ATOM	77	CG	PHE	10	-9.167	-3.416	-29.894	0.00	34.61	C
ATOM	78	CD1	PHE	10	-7.834	-3.772	-29.775	0.00	36.58	C
ATOM	79	CD2	PHE	10	-9.915	-3.908	-30.960	0.00	34.27	C
ATOM	80	CE1	PHE	10	-7.219	-4.538	-30.743	0.00	34.77	C
ATOM	81	CE2	PHE	10	-9.302	-4.687	-31.931	0.00	29.22	C
ATOM	82	CZ	PHE	10	-7.947	-4.979	-31.836	0.00	33.06	C
ATOM	83	C	PHE	10	-9.423	-0.667	-30.721	0.00	39.41	C
ATOM	84	O	PHE	10	-10.537	-0.836	-31.224	0.00	39.09	O
ATOM	85	N	PHE	11	-8.325	-0.182	-31.366	0.00	39.09	N
ATOM	86	CA	PHE	11	-8.262	-0.135	-32.826	0.00	38.73	C
ATOM	87	CB	PHE	11	-7.519	1.120	-33.308	0.00	45.02	C
ATOM	88	CG	PHE	11	-7.472	1.197	-34.813	0.00	52.73	C
ATOM	89	CD1	PHE	11	-6.298	0.945	-35.505	0.00	57.49	C
ATOM	90	CD2	PHE	11	-8.608	1.519	-35.538	0.00	57.14	C
ATOM	91	CE1	PHE	11	-6.254	1.019	-36.892	0.00	60.78	C
ATOM	92	CE2	PHE	11	-8.577	1.584	-36.926	0.00	60.79	C
ATOM	93	CZ	PHE	11	-7.400	1.329	-37.608	0.00	62.76	C
ATOM	94	C	PHE	11	-7.481	-1.374	-33.336	0.00	37.84	C
ATOM	95	O	PHE	11	-6.366	-1.626	-32.885	0.00	38.11	O
ATOM	96	N	PRO	12	-8.094	-2.126	-34.287	0.00	37.27	N
ATOM	97	CD	PRO	12	-9.510	-2.047	-34.633	0.00	36.62	C
ATOM	98	CA	PRO	12	-7.356	-3.130	-35.040	0.00	36.70	C
ATOM	99	CB	PRO	12	-8.424	-3.755	-35.947	0.00	36.10	C
ATOM	100	CG	PRO	12	-9.782	-3.338	-35.385	0.00	35.84	C
ATOM	101	C	PRO	12	-6.234	-2.518	-35.901	0.00	36.05	C
ATOM	102	O	PRO	12	-6.494	-1.870	-36.913	0.00	35.96	O
ATOM	103	N	VAL	13	-4.987	-2.793	-35.467	0.00	35.66	N
ATOM	104	CA	VAL	13	-3.868	-2.043	-36.039	0.00	36.32	C
ATOM	105	CB	VAL	13	-2.704	-2.100	-35.036	0.00	32.00	C
ATOM	106	CG1	VAL	13	-3.183	-1.571	-33.681	0.00	26.12	C
ATOM	107	CG2	VAL	13	-2.102	-3.497	-34.858	0.00	25.87	C
ATOM	108	C	VAL	13	-3.539	-2.504	-37.477	0.00	37.28	C
ATOM	109	O	VAL	13	-3.269	-1.711	-38.385	0.00	38.12	O
ATOM	110	N	GLU	14	-3.631	-3.839	-37.603	0.00	37.30	N
ATOM	111	CA	GLU	14	-3.449	-4.485	-38.892	0.00	36.96	C
ATOM	112	CB	GLU	14	-2.105	-5.262	-38.916	0.00	41.02	C
ATOM	113	CG	GLU	14	-0.874	-4.344	-38.715	0.00	47.70	C
ATOM	114	CD	GLU	14	0.467	-5.009	-39.076	0.00	50.53	C
ATOM	115	OE1	GLU	14	1.127	-4.576	-40.023	0.00	52.49	O
ATOM	116	OE2	GLU	14	0.883	-5.940	-38.397	0.00	52.84	O
ATOM	117	C	GLU	14	-4.698	-5.370	-39.052	0.00	36.45	C
ATOM	118	O	GLU	14	-5.344	-5.706	-38.063	0.00	36.75	O
ATOM	119	N	PRO	15	-5.050	-5.718	-40.322	0.00	35.98	N
ATOM	120	CD	PRO	15	-4.421	-5.202	-41.538	0.00	35.50	C
ATOM	121	CA	PRO	15	-6.185	-6.613	-40.578	0.00	35.03	C
ATOM	122	CB	PRO	15	-6.346	-6.610	-42.108	0.00	35.21	C
ATOM	123	CG	PRO	15	-5.084	-5.962	-42.690	0.00	35.20	C
ATOM	124	C	PRO	15	-5.970	-8.030	-39.981	0.00	34.43	C
ATOM	125	O	PRO	15	-5.040	-8.719	-40.378	0.00	34.32	O
ATOM	126	N	TYR	16	-6.855	-8.417	-39.013	0.00	33.41	N
ATOM	127	CA	TYR	16	-6.758	-9.702	-38.299	0.00	31.11	C

Fig. 1

3/48

ATOM	128	CB	TYR	16	-7.965	-9.964	-37.362	0.00	30.79	C
ATOM	129	CG	TYR	16	-7.965	-11.362	-36.764	0.00	32.17	C
ATOM	130	CD1	TYR	16	-7.480	-11.609	-35.484	0.00	32.55	C
ATOM	131	CE1	TYR	16	-7.470	-12.903	-34.971	0.00	33.54	C
ATOM	132	CD2	TYR	16	-8.436	-12.449	-37.497	0.00	32.42	C
ATOM	133	CE2	TYR	16	-8.384	-13.740	-37.002	0.00	32.81	C
ATOM	134	CZ	TYR	16	-7.917	-13.970	-35.728	0.00	34.70	C
ATOM	135	OH	TYR	16	-7.923	-15.252	-35.218	0.00	35.68	O
ATOM	136	C	TYR	16	-6.608	-10.870	-39.278	0.00	29.77	C
ATOM	137	O	TYR	16	-7.537	-11.256	-39.989	0.00	30.08	O
ATOM	138	N	ALA	17	-5.384	-11.418	-39.220	0.00	27.72	N
ATOM	139	CA	ALA	17	-5.018	-12.588	-39.997	0.00	25.33	C
ATOM	140	CB	ALA	17	-3.533	-12.536	-40.386	0.00	24.87	C
ATOM	141	C	ALA	17	-5.434	-13.900	-39.278	0.00	24.31	C
ATOM	142	O	ALA	17	-4.844	-14.359	-38.300	0.00	23.45	O
ATOM	143	N	ALA	18	-6.490	-14.469	-39.889	0.00	23.56	N
ATOM	144	CA	ALA	18	-6.949	-15.805	-39.561	0.00	20.62	C
ATOM	145	CB	ALA	18	-8.203	-16.090	-40.402	0.00	6.45	C
ATOM	146	C	ALA	18	-5.828	-16.856	-39.764	0.00	19.00	C
ATOM	147	O	ALA	18	-4.786	-16.610	-40.379	0.00	19.25	O
ATOM	148	N	PRO	19	-6.061	-18.050	-39.131	0.00	17.82	N
ATOM	149	CD	PRO	19	-7.177	-18.370	-38.249	0.00	16.76	C
ATOM	150	CA	PRO	19	-5.091	-19.114	-39.230	0.00	17.90	C
ATOM	151	CB	PRO	19	-5.714	-20.328	-38.527	0.00	17.81	C
ATOM	152	CG	PRO	19	-7.093	-19.883	-38.028	0.00	17.55	C
ATOM	153	C	PRO	19	-4.759	-19.368	-40.711	0.00	17.13	C
ATOM	154	O	PRO	19	-5.656	-19.392	-41.556	0.00	19.03	O
ATOM	155	N	PRO	20	-3.428	-19.535	-40.970	0.00	15.21	N
ATOM	156	CD	PRO	20	-2.323	-19.328	-40.022	0.00	14.44	C
ATOM	157	CA	PRO	20	-2.928	-19.908	-42.280	0.00	15.07	C
ATOM	158	CB	PRO	20	-1.463	-20.264	-42.053	0.00	13.93	C
ATOM	159	CG	PRO	20	-1.058	-19.393	-40.883	0.00	13.58	C
ATOM	160	C	PRO	20	-3.573	-21.108	-42.937	0.00	16.55	C
ATOM	161	O	PRO	20	-4.277	-21.897	-42.313	0.00	17.62	O
ATOM	162	N	GLU	21	-3.229	-21.218	-44.237	0.00	17.46	N
ATOM	163	CA	GLU	21	-3.706	-22.361	-45.006	0.00	18.93	C
ATOM	164	CB	GLU	21	-3.788	-21.974	-46.488	0.00	15.69	C
ATOM	165	CG	GLU	21	-4.644	-22.937	-47.325	0.00	27.50	C
ATOM	166	CD	GLU	21	-6.135	-22.855	-46.969	0.00	35.09	C
ATOM	167	OE1	GLU	21	-6.645	-21.749	-46.789	0.00	40.28	O
ATOM	168	OE2	GLU	21	-6.786	-23.898	-46.900	0.00	34.58	O
ATOM	169	C	GLU	21	-2.741	-23.545	-44.767	0.00	20.52	C
ATOM	170	O	GLU	21	-1.572	-23.475	-45.142	0.00	20.37	O
ATOM	171	N	GLY	22	-3.313	-24.577	-44.110	0.00	21.84	N
ATOM	172	CA	GLY	22	-2.592	-25.695	-43.528	0.00	22.04	C
ATOM	173	C	GLY	22	-2.601	-25.597	-41.994	0.00	22.91	C
ATOM	174	O	GLY	22	-2.117	-26.481	-41.283	0.00	23.94	O
ATOM	175	N	CYS	23	-3.200	-24.476	-41.521	0.00	23.61	N
ATOM	176	CA	CYS	23	-3.429	-24.283	-40.098	0.00	24.28	C
ATOM	177	CB	CYS	23	-2.813	-22.964	-39.626	0.00	18.16	C
ATOM	178	SG	CYS	23	-1.010	-23.051	-39.573	0.00	26.23	S
ATOM	179	C	CYS	23	-4.928	-24.355	-39.827	0.00	24.23	C
ATOM	180	O	CYS	23	-5.763	-24.254	-40.712	0.00	23.33	O
ATOM	181	N	THR	24	-5.215	-24.548	-38.539	0.00	23.66	N
ATOM	182	CA	THR	24	-6.494	-24.193	-37.957	0.00	24.24	C
ATOM	183	CB	THR	24	-7.391	-25.444	-37.958	0.00	25.31	C
ATOM	184	OG1	THR	24	-7.703	-25.801	-39.279	0.00	18.91	O
ATOM	185	CG2	THR	24	-8.722	-25.305	-37.226	0.00	25.27	C
ATOM	186	C	THR	24	-6.125	-23.755	-36.544	0.00	24.40	C
ATOM	187	O	THR	24	-5.375	-24.466	-35.889	0.00	24.20	O
ATOM	188	N	VAL	25	-6.661	-22.599	-36.090	0.00	24.48	N
ATOM	189	CA	VAL	25	-6.587	-22.355	-34.652	0.00	24.27	C
ATOM	190	CB	VAL	25	-7.030	-20.935	-34.253	0.00	14.30	C
ATOM	191	CG1	VAL	25	-8.501	-20.639	-34.601	0.00	24.71	C
ATOM	192	CG2	VAL	25	-6.727	-20.674	-32.762	0.00	10.25	C

Fig. 1

4/48

ATOM	193	C	VAL	25	-7.435	-23.439	-34.001	0.00	24.62	C
ATOM	194	O	VAL	25	-8.399	-23.913	-34.590	0.00	25.18	O
ATOM	195	N	THR	26	-6.999	-23.859	-32.811	0.00	25.35	N
ATOM	196	CA	THR	26	-7.750	-24.896	-32.103	0.00	25.49	C
ATOM	197	CB	THR	26	-7.366	-26.316	-32.561	0.00	20.75	C
ATOM	198	OG1	THR	26	-7.544	-26.460	-33.943	0.00	24.54	O
ATOM	199	CG2	THR	26	-8.224	-27.443	-31.951	0.00	19.08	C
ATOM	200	C	THR	26	-7.601	-24.711	-30.592	0.00	26.24	C
ATOM	201	O	THR	26	-8.234	-25.414	-29.817	0.00	26.26	O
ATOM	202	N	GLN	27	-6.795	-23.715	-30.178	0.00	27.08	N
ATOM	203	CA	GLN	27	-6.844	-23.308	-28.784	0.00	27.22	C
ATOM	204	CB	GLN	27	-5.961	-24.249	-27.940	0.00	25.39	C
ATOM	205	CG	GLN	27	-5.491	-23.663	-26.592	0.00	17.96	C
ATOM	206	CD	GLN	27	-4.608	-24.658	-25.848	0.00	22.18	C
ATOM	207	OE1	GLN	27	-3.387	-24.540	-25.798	0.00	23.12	O
ATOM	208	NE2	GLN	27	-5.297	-25.629	-25.243	0.00	25.39	N
ATOM	209	C	GLN	27	-6.337	-21.879	-28.772	0.00	27.24	C
ATOM	210	O	GLN	27	-5.459	-21.538	-29.552	0.00	26.97	O
ATOM	211	N	VAL	28	-6.913	-21.070	-27.866	0.00	27.42	N
ATOM	212	CA	VAL	28	-6.345	-19.752	-27.625	0.00	28.61	C
ATOM	213	CB	VAL	28	-7.249	-18.587	-28.066	0.00	29.54	C
ATOM	214	CG1	VAL	28	-7.312	-18.469	-29.586	0.00	24.57	C
ATOM	215	CG2	VAL	28	-8.644	-18.610	-27.434	0.00	33.11	C
ATOM	216	C	VAL	28	-6.047	-19.625	-26.140	0.00	29.53	C
ATOM	217	O	VAL	28	-6.897	-19.768	-25.278	0.00	29.34	O
ATOM	218	N	ASN	29	-4.794	-19.266	-25.916	0.00	30.42	N
ATOM	219	CA	ASN	29	-4.353	-18.742	-24.648	0.00	31.34	C
ATOM	220	CB	ASN	29	-2.888	-19.197	-24.486	0.00	30.77	C
ATOM	221	CG	ASN	29	-2.812	-20.733	-24.597	0.00	34.34	C
ATOM	222	OD1	ASN	29	-3.138	-21.447	-23.669	0.00	39.11	O
ATOM	223	ND2	ASN	29	-2.460	-21.224	-25.794	0.00	29.44	N
ATOM	224	C	ASN	29	-4.581	-17.222	-24.761	0.00	32.11	C
ATOM	225	O	ASN	29	-3.691	-16.479	-25.165	0.00	32.48	O
ATOM	226	N	LEU	30	-5.855	-16.808	-24.504	0.00	33.15	N
ATOM	227	CA	LEU	30	-6.313	-15.468	-24.910	0.00	34.39	C
ATOM	228	CB	LEU	30	-7.665	-15.478	-25.655	0.00	29.04	C
ATOM	229	CG	LEU	30	-7.885	-14.219	-26.523	0.00	26.21	C
ATOM	230	CD1	LEU	30	-8.762	-14.493	-27.748	0.00	21.19	C
ATOM	231	CD2	LEU	30	-8.476	-13.046	-25.741	0.00	25.71	C
ATOM	232	C	LEU	30	-6.322	-14.518	-23.711	0.00	35.35	C
ATOM	233	O	LEU	30	-7.291	-14.343	-22.973	0.00	35.07	O
ATOM	234	N	ILE	31	-5.141	-13.892	-23.596	0.00	35.89	N
ATOM	235	CA	ILE	31	-4.904	-12.986	-22.491	0.00	37.42	C
ATOM	236	CB	ILE	31	-3.460	-13.135	-21.948	0.00	39.18	C
ATOM	237	CG2	ILE	31	-2.416	-13.523	-23.010	0.00	45.24	C
ATOM	238	CG1	ILE	31	-3.048	-11.923	-21.099	0.00	33.67	C
ATOM	239	CD1	ILE	31	-1.833	-12.174	-20.199	0.00	33.37	C
ATOM	240	C	ILE	31	-5.382	-11.581	-22.919	0.00	38.22	C
ATOM	241	O	ILE	31	-4.715	-10.820	-23.611	0.00	38.78	O
ATOM	242	N	GLN	32	-6.622	-11.325	-22.471	0.00	38.66	N
ATOM	243	CA	GLN	32	-7.335	-10.104	-22.803	0.00	39.54	C
ATOM	244	CB	GLN	32	-8.857	-10.338	-22.726	0.00	29.25	C
ATOM	245	CG	GLN	32	-9.532	-10.485	-24.101	0.00	28.29	C
ATOM	246	CD	GLN	32	-10.374	-9.299	-24.604	0.00	30.75	C
ATOM	247	OE1	GLN	32	-11.205	-9.483	-25.487	0.00	38.54	O
ATOM	248	NE2	GLN	32	-10.117	-8.086	-24.088	0.00	25.17	N
ATOM	249	C	GLN	32	-6.959	-8.993	-21.824	0.00	41.05	C
ATOM	250	O	GLN	32	-7.196	-9.045	-20.627	0.00	41.15	O
ATOM	251	N	ARG	33	-6.476	-7.897	-22.410	0.00	41.56	N
ATOM	252	CA	ARG	33	-6.519	-6.711	-21.585	0.00	41.97	C
ATOM	253	CB	ARG	33	-5.713	-5.626	-22.256	0.00	37.98	C
ATOM	254	CG	ARG	33	-5.461	-4.451	-21.327	0.00	39.14	C
ATOM	255	CD	ARG	33	-4.256	-3.698	-21.836	0.00	41.77	C
ATOM	256	NE	ARG	33	-4.124	-2.460	-21.100	0.00	43.63	N
ATOM	257	CZ	ARG	33	-3.502	-1.405	-21.639	0.00	45.72	C

Fig. 1

5/48

ATOM	258	NH1	ARG	33	-3.121	-1.439	-22.893	0.00	43.71	N
ATOM	259	NH2	ARG	33	-3.297	-0.334	-20.907	0.00	46.97	N
ATOM	260	C	ARG	33	-7.973	-6.257	-21.332	0.00	42.52	C
ATOM	261	O	ARG	33	-8.871	-6.386	-22.157	0.00	43.04	O
ATOM	262	N	HIS	34	-8.135	-5.695	-20.123	0.00	42.35	N
ATOM	263	CA	HIS	34	-9.389	-5.078	-19.709	0.00	42.12	C
ATOM	264	CB	HIS	34	-9.317	-4.614	-18.242	0.00	37.40	C
ATOM	265	CG	HIS	34	-8.421	-3.412	-18.079	0.00	36.81	C
ATOM	266	ND1	HIS	34	-8.808	-2.125	-18.230	0.00	33.08	N
ATOM	267	CD2	HIS	34	-7.066	-3.429	-17.743	0.00	32.23	C
ATOM	268	NE2	HIS	34	-6.641	-2.149	-17.692	0.00	33.13	N
ATOM	269	CE1	HIS	34	-7.711	-1.389	-17.994	0.00	33.38	C
ATOM	270	C	HIS	34	-9.800	-3.936	-20.659	0.00	42.49	C
ATOM	271	O	HIS	34	-8.995	-3.345	-21.371	0.00	42.00	O
ATOM	272	N	GLY	35	-11.114	-3.708	-20.589	0.00	43.41	N
ATOM	273	CA	GLY	35	-11.764	-2.624	-21.298	0.00	44.72	C
ATOM	274	C	GLY	35	-11.448	-1.262	-20.673	0.00	46.02	C
ATOM	275	O	GLY	35	-10.954	-1.131	-19.555	0.00	45.74	O
ATOM	276	N	ALA	36	-11.741	-0.243	-21.509	0.00	46.80	N
ATOM	277	CA	ALA	36	-11.366	1.113	-21.132	0.00	46.71	C
ATOM	278	CB	ALA	36	-11.807	2.118	-22.199	0.00	41.66	C
ATOM	279	C	ALA	36	-11.931	1.487	-19.756	0.00	47.48	C
ATOM	280	O	ALA	36	-13.117	1.333	-19.495	0.00	47.36	O
ATOM	281	N	ARG	37	-10.979	1.907	-18.904	0.00	48.42	N
ATOM	282	CA	ARG	37	-11.260	2.212	-17.515	0.00	49.31	C
ATOM	283	CB	ARG	37	-10.106	1.611	-16.686	0.00	43.26	C
ATOM	284	CG	ARG	37	-8.724	2.170	-17.059	0.00	39.87	C
ATOM	285	CD	ARG	37	-7.623	1.891	-16.027	0.00	39.94	C
ATOM	286	NE	ARG	37	-6.669	2.996	-16.043	0.00	42.61	N
ATOM	287	CZ	ARG	37	-5.397	2.965	-16.514	0.00	43.41	C
ATOM	288	NH1	ARG	37	-4.863	1.891	-17.077	0.00	48.18	N
ATOM	289	NH2	ARG	37	-4.602	4.011	-16.398	0.00	41.54	N
ATOM	290	C	ARG	37	-11.355	3.738	-17.354	0.00	51.06	C
ATOM	291	O	ARG	37	-11.503	4.498	-18.310	0.00	51.48	O
ATOM	292	N	TRP	38	-11.161	4.124	-16.089	0.00	52.19	N
ATOM	293	CA	TRP	38	-10.875	5.510	-15.729	0.00	52.58	C
ATOM	294	CB	TRP	38	-12.030	5.908	-14.790	0.00	47.58	C
ATOM	295	CG	TRP	38	-13.032	6.851	-15.443	0.00	45.26	C
ATOM	296	CD2	TRP	38	-14.445	6.626	-15.609	0.00	44.05	C
ATOM	297	CE2	TRP	38	-14.992	7.794	-16.195	0.00	42.17	C
ATOM	298	CE3	TRP	38	-15.253	5.563	-15.318	0.00	43.73	C
ATOM	299	CD1	TRP	38	-12.793	8.135	-15.950	0.00	47.17	C
ATOM	300	NE1	TRP	38	-13.950	8.687	-16.387	0.00	44.03	N
ATOM	301	CZ2	TRP	38	-16.331	7.869	-16.459	0.00	43.10	C
ATOM	302	CZ3	TRP	38	-16.620	5.630	-15.590	0.00	50.27	C
ATOM	303	CH2	TRP	38	-17.160	6.789	-16.157	0.00	49.64	C
ATOM	304	C	TRP	38	-9.422	5.539	-15.136	0.00	53.39	C
ATOM	305	O	TRP	38	-8.799	4.488	-14.990	0.00	52.41	O
ATOM	306	N	PRO	39	-8.853	6.744	-14.819	0.00	54.48	N
ATOM	307	CD	PRO	39	-9.502	8.037	-14.908	0.00	54.41	C
ATOM	308	CA	PRO	39	-7.485	6.853	-14.311	0.00	55.24	C
ATOM	309	CB	PRO	39	-7.198	8.358	-14.202	0.00	54.94	C
ATOM	310	CG	PRO	39	-8.581	8.997	-14.145	0.00	54.94	C
ATOM	311	C	PRO	39	-7.251	6.157	-12.964	0.00	55.63	C
ATOM	312	O	PRO	39	-8.034	6.236	-12.023	0.00	55.32	O
ATOM	313	N	THR	40	-6.099	5.452	-12.964	0.00	56.65	N
ATOM	314	CA	THR	40	-5.642	4.707	-11.798	0.00	58.09	C
ATOM	315	CB	THR	40	-4.515	3.773	-12.274	0.00	60.55	C
ATOM	316	OG1	THR	40	-3.834	4.420	-13.332	0.00	61.58	O
ATOM	317	CG2	THR	40	-5.077	2.425	-12.735	0.00	64.49	C
ATOM	318	C	THR	40	-5.124	5.661	-10.717	0.00	58.70	C
ATOM	319	O	THR	40	-4.826	6.823	-10.971	0.00	59.83	O
ATOM	320	N	SER	41	-4.990	5.107	-9.496	0.00	58.74	N
ATOM	321	CA	SER	41	-4.664	5.854	-8.282	0.00	58.22	C
ATOM	322	CB	SER	41	-4.079	4.865	-7.286	0.00	51.62	C

Fig. 1

6/48

ATOM	323	OG	SER	41	-4.916	3.732	-7.326	0.00	48.57	O
ATOM	324	C	SER	41	-3.801	7.125	-8.476	0.00	58.28	C
ATOM	325	O	SER	41	-4.318	8.226	-8.320	0.00	58.25	O
ATOM	326	N	GLY	42	-2.500	6.956	-8.813	0.00	57.88	N
ATOM	327	CA	GLY	42	-1.631	8.120	-9.039	0.00	58.08	C
ATOM	328	C	GLY	42	-2.246	9.232	-9.940	0.00	58.08	C
ATOM	329	O	GLY	42	-2.639	10.321	-9.507	0.00	58.68	O
ATOM	330	N	ALA	43	-2.355	8.850	-11.229	0.00	57.79	N
ATOM	331	CA	ALA	43	-2.875	9.747	-12.260	0.00	56.93	C
ATOM	332	CB	ALA	43	-3.101	8.957	-13.554	0.00	55.99	C
ATOM	333	C	ALA	43	-4.183	10.460	-11.843	0.00	56.71	C
ATOM	334	O	ALA	43	-4.444	11.602	-12.215	0.00	56.44	O
ATOM	335	N	ARG	44	-5.000	9.758	-11.029	0.00	56.55	N
ATOM	336	CA	ARG	44	-6.333	10.304	-10.761	0.00	56.20	C
ATOM	337	CB	ARG	44	-7.277	9.191	-10.270	0.00	53.62	C
ATOM	338	CG	ARG	44	-8.761	9.572	-10.401	0.00	52.17	C
ATOM	339	CD	ARG	44	-9.453	9.863	-9.066	0.00	54.70	C
ATOM	340	NE	ARG	44	-10.692	10.588	-9.303	0.00	59.07	N
ATOM	341	CZ	ARG	44	-10.815	11.910	-9.086	0.00	64.49	C
ATOM	342	NH1	ARG	44	-9.792	12.622	-8.656	0.00	64.40	N
ATOM	343	NH2	ARG	44	-11.957	12.519	-9.323	0.00	64.80	N
ATOM	344	C	ARG	44	-6.345	11.582	-9.860	0.00	55.90	C
ATOM	345	O	ARG	44	-7.393	12.214	-9.723	0.00	55.42	O
ATOM	346	N	SER	45	-5.160	11.942	-9.312	0.00	56.01	N
ATOM	347	CA	SER	45	-4.914	13.201	-8.603	0.00	56.29	C
ATOM	348	CB	SER	45	-4.365	12.929	-7.200	0.00	56.10	C
ATOM	349	OG	SER	45	-5.396	12.607	-6.300	0.00	57.12	O
ATOM	350	C	SER	45	-3.881	14.059	-9.343	0.00	56.80	C
ATOM	351	O	SER	45	-3.876	15.281	-9.220	0.00	57.11	O
ATOM	352	N	ARG	46	-3.003	13.382	-10.126	0.00	57.36	N
ATOM	353	CA	ARG	46	-2.065	14.190	-10.898	0.00	57.88	C
ATOM	354	CB	ARG	46	-0.965	13.325	-11.521	0.00	54.14	C
ATOM	355	CG	ARG	46	0.006	12.727	-10.494	0.00	48.41	C
ATOM	356	CD	ARG	46	0.921	11.658	-11.101	0.00	50.88	C
ATOM	357	NE	ARG	46	1.499	12.082	-12.385	0.00	57.93	N
ATOM	358	CZ	ARG	46	1.643	11.223	-13.441	0.00	60.16	C
ATOM	359	NH1	ARG	46	1.193	9.969	-13.366	0.00	61.40	N
ATOM	360	NH2	ARG	46	2.209	11.659	-14.567	0.00	64.06	N
ATOM	361	C	ARG	46	-2.795	14.989	-11.992	0.00	58.33	C
ATOM	362	O	ARG	46	-2.363	16.068	-12.367	0.00	58.36	O
ATOM	363	N	GLN	47	-3.903	14.432	-12.524	0.00	59.33	N
ATOM	364	CA	GLN	47	-4.584	15.171	-13.594	0.00	60.55	C
ATOM	365	CB	GLN	47	-5.412	14.209	-14.447	0.00	61.02	C
ATOM	366	CG	GLN	47	-4.603	13.067	-15.088	0.00	61.95	C
ATOM	367	CD	GLN	47	-5.571	11.958	-15.521	0.00	66.69	C
ATOM	368	OE1	GLN	47	-6.492	11.596	-14.802	0.00	68.64	O
ATOM	369	NE2	GLN	47	-5.386	11.468	-16.747	0.00	66.17	N
ATOM	370	C	GLN	47	-5.450	16.303	-12.988	0.00	61.20	C
ATOM	371	O	GLN	47	-5.667	17.346	-13.598	0.00	61.24	O
ATOM	372	N	VAL	48	-5.861	16.056	-11.730	0.00	61.77	N
ATOM	373	CA	VAL	48	-6.519	17.114	-10.962	0.00	62.77	C
ATOM	374	CB	VAL	48	-6.975	16.593	-9.576	0.00	57.26	C
ATOM	375	CG1	VAL	48	-7.756	17.651	-8.779	0.00	49.90	C
ATOM	376	CG2	VAL	48	-7.814	15.316	-9.678	0.00	57.68	C
ATOM	377	C	VAL	48	-5.539	18.294	-10.827	0.00	64.25	C
ATOM	378	O	VAL	48	-5.874	19.450	-11.070	0.00	64.39	O
ATOM	379	N	ALA	49	-4.314	17.878	-10.436	0.00	65.78	N
ATOM	380	CA	ALA	49	-3.212	18.807	-10.226	0.00	67.14	C
ATOM	381	CB	ALA	49	-2.009	18.033	-9.668	0.00	60.21	C
ATOM	382	C	ALA	49	-2.815	19.521	-11.529	0.00	68.77	C
ATOM	383	O	ALA	49	-2.411	20.682	-11.540	0.00	70.31	O
ATOM	384	N	ALA	50	-2.942	18.761	-12.628	0.00	69.55	N
ATOM	385	CA	ALA	50	-2.542	19.292	-13.926	0.00	70.87	C
ATOM	386	CB	ALA	50	-2.595	18.146	-14.932	0.00	73.83	C
ATOM	387	C	ALA	50	-3.455	20.448	-14.363	0.00	71.47	C

Fig. 1

7/48

ATOM	388	O	ALA	50	-3.007	21.518	-14.780	0.00	72.42	O
ATOM	389	N	VAL	51	-4.763	20.121	-14.241	0.00	71.59	N
ATOM	390	CA	VAL	51	-5.792	21.047	-14.697	0.00	71.95	C
ATOM	391	CB	VAL	51	-7.153	20.353	-14.922	0.00	71.84	C
ATOM	392	CG1	VAL	51	-7.806	19.826	-13.638	0.00	72.20	C
ATOM	393	CG2	VAL	51	-8.127	21.263	-15.692	0.00	72.97	C
ATOM	394	C	VAL	51	-5.864	22.291	-13.791	0.00	71.98	C
ATOM	395	O	VAL	51	-6.092	23.399	-14.273	0.00	72.58	O
ATOM	396	N	ALA	52	-5.633	22.076	-12.478	0.00	71.50	N
ATOM	397	CA	ALA	52	-5.587	23.168	-11.496	0.00	70.36	C
ATOM	398	CB	ALA	52	-4.824	22.676	-10.257	0.00	75.30	C
ATOM	399	C	ALA	52	-5.005	24.522	-12.028	0.00	69.08	C
ATOM	400	O	ALA	52	-5.729	25.486	-12.272	0.00	69.47	O
ATOM	401	N	LYS	53	-3.664	24.560	-12.188	0.00	67.33	N
ATOM	402	CA	LYS	53	-2.990	25.786	-12.585	0.00	65.33	C
ATOM	403	CB	LYS	53	-1.469	25.599	-12.667	0.00	52.41	C
ATOM	404	CG	LYS	53	-0.974	24.496	-13.611	0.00	43.64	C
ATOM	405	CD	LYS	53	-0.961	23.093	-13.005	0.00	40.72	C
ATOM	406	CE	LYS	53	-0.152	23.041	-11.711	0.00	38.03	C
ATOM	407	NZ	LYS	53	-0.028	21.679	-11.260	0.00	41.41	N
ATOM	408	C	LYS	53	-3.541	26.400	-13.879	0.00	65.20	C
ATOM	409	O	LYS	53	-3.529	27.611	-14.013	0.00	65.66	O
ATOM	410	N	ILE	54	-4.046	25.555	-14.805	0.00	64.58	N
ATOM	411	CA	ILE	54	-4.596	26.110	-16.039	0.00	63.62	C
ATOM	412	CB	ILE	54	-4.353	25.079	-17.165	0.00	60.45	C
ATOM	413	CG2	ILE	54	-5.015	23.721	-16.918	0.00	56.79	C
ATOM	414	CG1	ILE	54	-4.648	25.625	-18.565	0.00	59.02	C
ATOM	415	CD1	ILE	54	-3.724	26.788	-18.910	0.00	56.44	C
ATOM	416	C	ILE	54	-6.057	26.619	-15.839	0.00	63.44	C
ATOM	417	O	ILE	54	-6.595	27.358	-16.659	0.00	63.13	O
ATOM	418	N	GLN	55	-6.622	26.208	-14.694	0.00	63.61	N
ATOM	419	CA	GLN	55	-7.929	26.645	-14.218	0.00	63.59	C
ATOM	420	CB	GLN	55	-8.563	25.445	-13.488	0.00	60.05	C
ATOM	421	CG	GLN	55	-9.594	24.713	-14.359	0.00	52.95	C
ATOM	422	CD	GLN	55	-10.906	25.491	-14.288	0.00	49.82	C
ATOM	423	OE1	GLN	55	-10.970	26.540	-13.659	0.00	47.57	O
ATOM	424	NE2	GLN	55	-11.952	24.892	-14.873	0.00	44.88	N
ATOM	425	C	GLN	55	-7.816	27.926	-13.343	0.00	63.75	C
ATOM	426	O	GLN	55	-8.789	28.645	-13.119	0.00	63.46	O
ATOM	427	N	MET	56	-6.557	28.214	-12.924	0.00	63.92	N
ATOM	428	CA	MET	56	-6.214	29.566	-12.458	0.00	64.11	C
ATOM	429	CB	MET	56	-4.870	29.602	-11.699	0.00	51.74	C
ATOM	430	CG	MET	56	-4.911	29.053	-10.264	0.00	44.15	C
ATOM	431	SD	MET	56	-5.196	27.282	-10.190	0.00	39.11	S
ATOM	432	CE	MET	56	-4.921	26.994	-8.435	0.00	41.61	C
ATOM	433	C	MET	56	-6.183	30.548	-13.651	0.00	65.33	C
ATOM	434	O	MET	56	-6.258	31.766	-13.498	0.00	65.60	O
ATOM	435	N	ALA	57	-6.123	29.948	-14.860	0.00	65.73	N
ATOM	436	CA	ALA	57	-6.262	30.718	-16.098	0.00	66.72	C
ATOM	437	CB	ALA	57	-5.025	30.463	-16.965	0.00	65.83	C
ATOM	438	C	ALA	57	-7.522	30.301	-16.885	0.00	67.72	C
ATOM	439	O	ALA	57	-7.463	30.122	-18.093	0.00	67.93	O
ATOM	440	N	ARG	58	-8.651	30.134	-16.158	0.00	68.85	N
ATOM	441	CA	ARG	58	-9.839	29.459	-16.722	0.00	70.15	C
ATOM	442	CB	ARG	58	-10.819	29.072	-15.590	0.00	62.10	C
ATOM	443	CG	ARG	58	-11.449	30.229	-14.796	0.00	54.54	C
ATOM	444	CD	ARG	58	-12.124	29.770	-13.493	0.00	51.66	C
ATOM	445	NE	ARG	58	-13.192	28.823	-13.773	0.00	55.14	N
ATOM	446	CZ	ARG	58	-13.447	27.757	-12.975	0.00	58.91	C
ATOM	447	NH1	ARG	58	-12.954	27.650	-11.736	0.00	60.83	N
ATOM	448	NH2	ARG	58	-14.192	26.786	-13.483	0.00	59.46	N
ATOM	449	C	ARG	58	-10.571	30.098	-17.962	0.00	71.97	C
ATOM	450	O	ARG	58	-10.952	29.369	-18.875	0.00	72.75	O
ATOM	451	N	PRO	59	-10.800	31.451	-18.002	0.00	72.84	N
ATOM	452	CD	PRO	59	-10.218	32.452	-17.103	0.00	72.85	C

Fig. 1

8/48

ATOM	453	CA	PRO	59	-11.768	32.067	-18.938	0.00	73.19	C
ATOM	454	CB	PRO	59	-12.055	33.411	-18.258	0.00	72.83	C
ATOM	455	CG	PRO	59	-10.702	33.783	-17.673	0.00	72.89	C
ATOM	456	C	PRO	59	-11.269	32.406	-20.359	0.00	73.41	C
ATOM	457	O	PRO	59	-11.487	33.522	-20.840	0.00	73.70	O
ATOM	458	N	PHE	60	-10.588	31.441	-21.010	0.00	73.17	N
ATOM	459	CA	PHE	60	-9.900	31.757	-22.267	0.00	72.43	C
ATOM	460	CB	PHE	60	-9.417	30.486	-22.979	0.00	57.87	C
ATOM	461	CG	PHE	60	-8.420	29.740	-22.152	0.00	45.70	C
ATOM	462	CD1	PHE	60	-8.850	28.876	-21.156	0.00	37.12	C
ATOM	463	CD2	PHE	60	-7.058	29.900	-22.376	0.00	40.86	C
ATOM	464	CE1	PHE	60	-7.932	28.197	-20.377	0.00	36.08	C
ATOM	465	CE2	PHE	60	-6.134	29.188	-21.625	0.00	40.97	C
ATOM	466	CZ	PHE	60	-6.581	28.342	-20.623	0.00	39.94	C
ATOM	467	C	PHE	60	-10.765	32.558	-23.267	0.00	73.07	C
ATOM	468	O	PHE	60	-11.954	32.309	-23.433	0.00	72.91	O
ATOM	469	N	THR	61	-10.068	33.492	-23.945	0.00	73.88	N
ATOM	470	CA	THR	61	-10.586	34.180	-25.121	0.00	74.70	C
ATOM	471	CB	THR	61	-9.839	35.528	-25.297	0.00	73.28	C
ATOM	472	OG1	THR	61	-8.436	35.385	-25.309	0.00	73.70	O
ATOM	473	CG2	THR	61	-10.130	36.532	-24.179	0.00	69.38	C
ATOM	474	C	THR	61	-10.404	33.297	-26.381	0.00	75.31	C
ATOM	475	O	THR	61	-11.219	33.259	-27.304	0.00	75.48	O
ATOM	476	N	ASP	62	-9.223	32.636	-26.385	0.00	76.00	N
ATOM	477	CA	ASP	62	-8.828	31.812	-27.514	0.00	76.85	C
ATOM	478	CB	ASP	62	-7.404	31.305	-27.274	0.00	74.31	C
ATOM	479	CG	ASP	62	-6.919	30.560	-28.509	0.00	20.00	C
ATOM	480	OD1	ASP	62	-6.804	31.157	-29.571	0.00	20.00	O
ATOM	481	OD2	ASP	62	-6.642	29.381	-28.440	0.00	20.00	O
ATOM	482	C	ASP	62	-9.769	30.593	-27.687	0.00	77.54	C
ATOM	483	O	ASP	62	-9.970	29.811	-26.756	0.00	77.41	O
ATOM	484	N	PRO	63	-10.331	30.417	-28.917	0.00	77.91	N
ATOM	485	CD	PRO	63	-10.287	31.367	-30.031	0.00	78.12	C
ATOM	486	CA	PRO	63	-11.135	29.226	-29.206	0.00	78.00	C
ATOM	487	CB	PRO	63	-11.509	29.389	-30.691	0.00	78.27	C
ATOM	488	CG	PRO	63	-11.398	30.890	-30.966	0.00	78.35	C
ATOM	489	C	PRO	63	-10.450	27.861	-28.986	0.00	77.74	C
ATOM	490	O	PRO	63	-11.100	26.823	-28.836	0.00	77.56	O
ATOM	491	N	LYS	64	-9.094	27.886	-28.975	0.00	77.16	N
ATOM	492	CA	LYS	64	-8.405	26.595	-28.935	0.00	76.05	C
ATOM	493	CB	LYS	64	-6.997	26.651	-29.537	0.00	76.43	C
ATOM	494	CG	LYS	64	-6.340	25.291	-29.754	0.00	77.64	C
ATOM	495	CD	LYS	64	-4.991	25.434	-30.479	0.00	78.69	C
ATOM	496	CE	LYS	64	-4.139	24.166	-30.383	0.00	80.21	C
ATOM	497	NZ	LYS	64	-4.416	23.156	-31.398	0.00	78.04	N
ATOM	498	C	LYS	64	-8.437	26.055	-27.512	0.00	75.40	C
ATOM	499	O	LYS	64	-8.946	24.968	-27.283	0.00	75.86	O
ATOM	500	N	TYR	65	-7.947	26.863	-26.557	0.00	74.20	N
ATOM	501	CA	TYR	65	-7.821	26.381	-25.168	0.00	72.61	C
ATOM	502	CB	TYR	65	-6.510	26.915	-24.529	0.00	71.38	C
ATOM	503	CG	TYR	65	-5.319	26.804	-25.470	0.00	69.05	C
ATOM	504	CD1	TYR	65	-5.110	27.799	-26.412	0.00	67.80	C
ATOM	505	CE1	TYR	65	-4.100	27.713	-27.359	0.00	66.99	C
ATOM	506	CD2	TYR	65	-4.420	25.736	-25.456	0.00	67.50	C
ATOM	507	CE2	TYR	65	-3.400	25.642	-26.402	0.00	66.72	C
ATOM	508	CZ	TYR	65	-3.246	26.625	-27.372	0.00	66.70	C
ATOM	509	OH	TYR	65	-2.242	26.537	-28.328	0.00	66.50	O
ATOM	510	C	TYR	65	-9.129	26.615	-24.346	0.00	72.05	C
ATOM	511	O	TYR	65	-9.132	26.838	-23.145	0.00	71.39	O
ATOM	512	N	GLU	66	-10.247	26.538	-25.092	0.00	0.00	N
ATOM	513	CA	GLU	66	-11.532	27.075	-24.685	0.00	0.00	C
ATOM	514	CB	GLU	66	-12.455	27.023	-25.911	0.00	0.00	C
ATOM	515	CG	GLU	66	-13.896	27.493	-25.666	0.00	0.00	C
ATOM	516	CD	GLU	66	-14.555	27.951	-26.980	0.00	0.00	C
ATOM	517	OE1	GLU	66	-15.498	27.321	-27.447	0.00	0.00	O

Fig. 1

9/48

ATOM	518	OE2	GLU	66	-14.130	28.954	-27.535	0.00	0.00	O
ATOM	519	C	GLU	66	-12.136	26.403	-23.433	0.00	0.00	C
ATOM	520	O	GLU	66	-12.390	27.062	-22.437	0.00	0.00	O
ATOM	521	N	PHE	67	-12.419	25.094	-23.501	0.00	70.66	N
ATOM	522	CA	PHE	67	-13.339	24.541	-22.483	0.00	69.51	C
ATOM	523	CB	PHE	67	-13.622	23.076	-22.796	0.00	60.76	C
ATOM	524	CG	PHE	67	-12.580	22.097	-22.350	0.00	52.10	C
ATOM	525	CD1	PHE	67	-11.216	22.364	-22.451	0.00	50.18	C
ATOM	526	CD2	PHE	67	-12.998	20.874	-21.843	0.00	46.76	C
ATOM	527	CE1	PHE	67	-10.291	21.424	-22.037	0.00	45.93	C
ATOM	528	CE2	PHE	67	-12.075	19.927	-21.449	0.00	45.09	C
ATOM	529	CZ	PHE	67	-10.728	20.213	-21.537	0.00	46.18	C
ATOM	530	C	PHE	67	-13.036	24.748	-20.945	0.00	69.44	C
ATOM	531	O	PHE	67	-13.937	24.619	-20.108	0.00	69.53	O
ATOM	532	N	LEU	68	-11.771	25.084	-20.610	0.00	69.12	N
ATOM	533	CA	LEU	68	-11.251	25.144	-19.248	0.00	68.62	C
ATOM	534	CB	LEU	68	-9.708	25.189	-19.303	0.00	61.75	C
ATOM	535	CG	LEU	68	-9.012	23.876	-19.710	0.00	58.47	C
ATOM	536	CD1	LEU	68	-7.490	24.053	-19.762	0.00	57.30	C
ATOM	537	CD2	LEU	68	-9.358	22.724	-18.761	0.00	56.83	C
ATOM	538	C	LEU	68	-11.794	26.338	-18.437	0.00	68.75	C
ATOM	539	O	LEU	68	-11.243	26.655	-17.387	0.00	69.14	O
ATOM	540	N	ASN	69	-12.897	26.938	-18.960	0.00	68.55	N
ATOM	541	CA	ASN	69	-13.747	27.825	-18.170	0.00	67.88	C
ATOM	542	CB	ASN	69	-14.570	28.804	-19.043	0.00	63.72	C
ATOM	543	CG	ASN	69	-15.381	28.135	-20.164	0.00	58.63	C
ATOM	544	OD1	ASN	69	-16.501	27.661	-19.993	0.00	59.17	O
ATOM	545	ND2	ASN	69	-14.671	28.046	-21.271	0.00	55.89	N
ATOM	546	C	ASN	69	-14.630	26.963	-17.261	0.00	67.55	C
ATOM	547	O	ASN	69	-14.434	26.890	-16.056	0.00	67.41	O
ATOM	548	N	ASP	70	-15.612	26.285	-17.895	0.00	67.23	N
ATOM	549	CA	ASP	70	-16.634	25.561	-17.144	0.00	67.21	C
ATOM	550	CB	ASP	70	-17.941	25.504	-17.952	0.00	70.48	C
ATOM	551	CG	ASP	70	-19.140	25.572	-17.026	0.00	70.21	C
ATOM	552	OD1	ASP	70	-19.689	26.657	-16.906	0.00	71.90	O
ATOM	553	OD2	ASP	70	-19.518	24.566	-16.426	0.00	70.97	O
ATOM	554	C	ASP	70	-16.181	24.145	-16.791	0.00	66.49	C
ATOM	555	O	ASP	70	-16.609	23.544	-15.806	0.00	66.49	O
ATOM	556	N	PHE	71	-15.259	23.666	-17.655	0.00	65.55	N
ATOM	557	CA	PHE	71	-14.795	22.292	-17.534	0.00	64.36	C
ATOM	558	CB	PHE	71	-13.679	21.982	-18.532	0.00	64.78	C
ATOM	559	CG	PHE	71	-13.292	20.529	-18.465	0.00	65.58	C
ATOM	560	CD1	PHE	71	-12.050	20.142	-17.976	0.00	63.78	C
ATOM	561	CD2	PHE	71	-14.188	19.552	-18.881	0.00	66.69	C
ATOM	562	CE1	PHE	71	-11.714	18.799	-17.895	0.00	61.70	C
ATOM	563	CE2	PHE	71	-13.857	18.209	-18.802	0.00	64.95	C
ATOM	564	CZ	PHE	71	-12.622	17.832	-18.303	0.00	63.30	C
ATOM	565	C	PHE	71	-14.360	21.930	-16.100	0.00	63.74	C
ATOM	566	O	PHE	71	-13.684	22.696	-15.421	0.00	63.22	O
ATOM	567	N	VAL	72	-14.796	20.706	-15.703	0.00	63.58	N
ATOM	568	CA	VAL	72	-14.631	20.180	-14.350	0.00	62.48	C
ATOM	569	CB	VAL	72	-15.953	20.198	-13.537	0.00	58.90	C
ATOM	570	CG1	VAL	72	-15.664	20.519	-12.065	0.00	58.90	C
ATOM	571	CG2	VAL	72	-17.038	21.142	-14.082	0.00	56.76	C
ATOM	572	C	VAL	72	-14.123	18.733	-14.476	0.00	61.74	C
ATOM	573	O	VAL	72	-14.595	17.995	-15.338	0.00	61.29	O
ATOM	574	N	TYR	73	-13.202	18.365	-13.566	0.00	61.45	N
ATOM	575	CA	TYR	73	-12.640	17.013	-13.571	0.00	61.29	C
ATOM	576	CB	TYR	73	-11.921	16.813	-12.239	0.00	61.93	C
ATOM	577	CG	TYR	73	-10.890	15.740	-12.362	0.00	65.17	C
ATOM	578	CD1	TYR	73	-9.682	16.055	-12.962	0.00	64.75	C
ATOM	579	CE1	TYR	73	-8.689	15.103	-13.046	0.00	66.89	C
ATOM	580	CD2	TYR	73	-11.110	14.448	-11.891	0.00	64.66	C
ATOM	581	CE2	TYR	73	-10.101	13.497	-11.974	0.00	66.67	C
ATOM	582	CZ	TYR	73	-8.872	13.841	-12.516	0.00	65.81	C

Fig. 1

10/48

ATOM	583	OH	TYR	73	-7.807	12.968	-12.514	0.00	67.98	O
ATOM	584	C	TYR	73	-13.739	15.942	-13.693	0.00	60.79	C
ATOM	585	O	TYR	73	-14.713	16.009	-12.945	0.00	60.85	O
ATOM	586	N	LYS	74	-13.608	14.989	-14.656	0.00	59.87	N
ATOM	587	CA	LYS	74	-14.693	14.007	-14.803	0.00	58.05	C
ATOM	588	CB	LYS	74	-15.017	13.799	-16.282	0.00	56.34	C
ATOM	589	CG	LYS	74	-15.436	15.087	-16.956	0.00	58.04	C
ATOM	590	CD	LYS	74	-16.769	15.593	-16.407	0.00	60.02	C
ATOM	591	CE	LYS	74	-17.273	16.713	-17.288	0.00	62.37	C
ATOM	592	NZ	LYS	74	-16.536	17.919	-16.951	0.00	66.21	N
ATOM	593	C	LYS	74	-14.380	12.627	-14.240	0.00	57.11	C
ATOM	594	O	LYS	74	-15.230	11.752	-14.311	0.00	57.06	O
ATOM	595	N	PHE	75	-13.129	12.426	-13.766	0.00	55.95	N
ATOM	596	CA	PHE	75	-12.600	11.054	-13.799	0.00	54.39	C
ATOM	597	CB	PHE	75	-11.146	11.007	-14.278	0.00	41.67	C
ATOM	598	CG	PHE	75	-10.815	11.937	-15.403	0.00	28.72	C
ATOM	599	CD1	PHE	75	-9.574	12.552	-15.415	0.00	22.65	C
ATOM	600	CD2	PHE	75	-11.721	12.215	-16.420	0.00	24.32	C
ATOM	601	CE1	PHE	75	-9.268	13.481	-16.383	0.00	22.95	C
ATOM	602	CE2	PHE	75	-11.428	13.161	-17.386	0.00	24.34	C
ATOM	603	CZ	PHE	75	-10.201	13.806	-17.355	0.00	23.31	C
ATOM	604	C	PHE	75	-12.664	10.347	-12.442	0.00	54.48	C
ATOM	605	O	PHE	75	-12.359	10.908	-11.392	0.00	54.56	O
ATOM	606	N	GLY	76	-13.072	9.069	-12.549	0.00	54.31	N
ATOM	607	CA	GLY	76	-13.084	8.186	-11.386	0.00	54.17	C
ATOM	608	C	GLY	76	-11.752	7.435	-11.211	0.00	54.42	C
ATOM	609	O	GLY	76	-10.942	7.327	-12.119	0.00	54.58	O
ATOM	610	N	VAL	77	-11.584	6.894	-9.977	0.00	54.99	N
ATOM	611	CA	VAL	77	-10.419	6.046	-9.723	0.00	55.96	C
ATOM	612	CB	VAL	77	-9.938	6.073	-8.257	0.00	42.10	C
ATOM	613	CG1	VAL	77	-11.054	5.938	-7.222	0.00	20.00	C
ATOM	614	CG2	VAL	77	-8.825	5.048	-7.994	0.00	20.00	C
ATOM	615	C	VAL	77	-10.700	4.618	-10.223	0.00	56.75	C
ATOM	616	O	VAL	77	-11.394	3.814	-9.602	0.00	57.22	O
ATOM	617	N	ALA	78	-10.085	4.376	-11.394	0.00	56.59	N
ATOM	618	CA	ALA	78	-9.814	3.062	-11.972	0.00	57.34	C
ATOM	619	CB	ALA	78	-9.038	2.160	-11.005	0.00	50.39	C
ATOM	620	C	ALA	78	-11.038	2.335	-12.556	0.00	57.34	C
ATOM	621	O	ALA	78	-10.878	1.533	-13.461	0.00	56.91	O
ATOM	622	N	ASP	79	-12.250	2.642	-12.051	0.00	57.26	N
ATOM	623	CA	ASP	79	-13.540	2.093	-12.489	0.00	57.18	C
ATOM	624	CB	ASP	79	-14.602	3.191	-12.260	0.00	62.78	C
ATOM	625	CG	ASP	79	-14.892	3.450	-10.776	0.00	67.41	C
ATOM	626	OD1	ASP	79	-15.385	4.530	-10.449	0.00	69.47	O
ATOM	627	OD2	ASP	79	-14.644	2.562	-9.956	0.00	73.04	O
ATOM	628	C	ASP	79	-13.614	1.663	-13.972	0.00	56.98	C
ATOM	629	O	ASP	79	-13.120	2.346	-14.863	0.00	57.57	O
ATOM	630	N	LEU	80	-14.340	0.539	-14.227	0.00	56.15	N
ATOM	631	CA	LEU	80	-14.575	0.210	-15.639	0.00	54.95	C
ATOM	632	CB	LEU	80	-15.230	-1.168	-15.842	0.00	54.83	C
ATOM	633	CG	LEU	80	-15.518	-1.493	-17.332	0.00	53.28	C
ATOM	634	CD1	LEU	80	-14.233	-1.495	-18.163	0.00	53.56	C
ATOM	635	CD2	LEU	80	-16.231	-2.833	-17.486	0.00	51.23	C
ATOM	636	C	LEU	80	-15.483	1.274	-16.279	0.00	54.50	C
ATOM	637	O	LEU	80	-16.567	1.575	-15.791	0.00	53.76	O
ATOM	638	N	LEU	81	-14.973	1.810	-17.408	0.00	54.14	N
ATOM	639	CA	LEU	81	-15.720	2.805	-18.167	0.00	53.85	C
ATOM	640	CB	LEU	81	-14.711	3.680	-18.948	0.00	53.56	C
ATOM	641	CG	LEU	81	-15.118	5.154	-19.133	0.00	55.86	C
ATOM	642	CD1	LEU	81	-13.906	6.088	-19.266	0.00	54.19	C
ATOM	643	CD2	LEU	81	-16.030	5.316	-20.338	0.00	58.45	C
ATOM	644	C	LEU	81	-16.738	2.056	-19.079	0.00	53.33	C
ATOM	645	O	LEU	81	-16.372	1.144	-19.818	0.00	53.60	O
ATOM	646	N	PRO	82	-18.047	2.439	-19.012	0.00	53.20	N
ATOM	647	CD	PRO	82	-18.623	3.388	-18.060	0.00	52.80	C

Fig. 1

11/48

ATOM	648	CA	PRO	82	-19.056	1.773	-19.840	0.00	52.68	C
ATOM	649	CB	PRO	82	-20.345	2.547	-19.541	0.00	52.47	C
ATOM	650	CG	PRO	82	-20.129	3.121	-18.142	0.00	52.32	C
ATOM	651	C	PRO	82	-18.786	1.731	-21.360	0.00	52.13	C
ATOM	652	O	PRO	82	-19.220	0.834	-22.080	0.00	52.68	O
ATOM	653	N	PHE	83	-17.992	2.705	-21.823	0.00	51.34	N
ATOM	654	CA	PHE	83	-17.495	2.681	-23.201	0.00	50.44	C
ATOM	655	CB	PHE	83	-16.548	3.869	-23.433	0.00	38.14	C
ATOM	656	CG	PHE	83	-16.410	4.207	-24.893	0.00	29.91	C
ATOM	657	CD1	PHE	83	-17.124	5.271	-25.430	0.00	27.30	C
ATOM	658	CD2	PHE	83	-15.572	3.472	-25.724	0.00	31.62	C
ATOM	659	CE1	PHE	83	-17.004	5.602	-26.772	0.00	25.71	C
ATOM	660	CE2	PHE	83	-15.448	3.795	-27.069	0.00	29.76	C
ATOM	661	CZ	PHE	83	-16.168	4.862	-27.593	0.00	30.95	C
ATOM	662	C	PHE	83	-16.826	1.325	-23.512	0.00	51.12	C
ATOM	663	O	PHE	83	-17.176	0.579	-24.419	0.00	51.01	O
ATOM	664	N	GLY	84	-15.882	1.066	-22.581	0.00	51.55	N
ATOM	665	CA	GLY	84	-14.984	-0.076	-22.541	0.00	51.78	C
ATOM	666	C	GLY	84	-15.627	-1.366	-22.014	0.00	51.66	C
ATOM	667	O	GLY	84	-15.056	-2.447	-22.130	0.00	52.35	O
ATOM	668	N	ALA	85	-16.843	-1.167	-21.460	0.00	51.13	N
ATOM	669	CA	ALA	85	-17.694	-2.277	-21.089	0.00	50.57	C
ATOM	670	CB	ALA	85	-18.853	-1.762	-20.238	0.00	37.47	C
ATOM	671	C	ALA	85	-18.217	-2.902	-22.368	0.00	50.42	C
ATOM	672	O	ALA	85	-18.046	-4.091	-22.626	0.00	50.85	O
ATOM	673	N	ASN	86	-18.809	-2.022	-23.174	0.00	49.81	N
ATOM	674	CA	ASN	86	-19.307	-2.472	-24.451	0.00	49.43	C
ATOM	675	CB	ASN	86	-20.213	-1.381	-25.009	0.00	53.75	C
ATOM	676	CG	ASN	86	-21.018	-1.879	-26.207	0.00	61.94	C
ATOM	677	OD1	ASN	86	-21.569	-2.978	-26.186	0.00	66.17	O
ATOM	678	ND2	ASN	86	-21.086	-0.977	-27.199	0.00	63.60	N
ATOM	679	C	ASN	86	-18.146	-2.832	-25.394	0.00	49.03	C
ATOM	680	O	ASN	86	-18.321	-3.666	-26.274	0.00	49.64	O
ATOM	681	N	GLN	87	-16.958	-2.218	-25.182	0.00	47.85	N
ATOM	682	CA	GLN	87	-15.790	-2.691	-25.930	0.00	45.79	C
ATOM	683	CB	GLN	87	-14.609	-1.712	-25.843	0.00	42.88	C
ATOM	684	CG	GLN	87	-13.543	-2.024	-26.904	0.00	40.47	C
ATOM	685	CD	GLN	87	-12.480	-0.927	-26.999	0.00	43.99	C
ATOM	686	OE1	GLN	87	-12.550	-0.048	-27.843	0.00	44.74	O
ATOM	687	NE2	GLN	87	-11.453	-1.067	-26.159	0.00	48.12	N
ATOM	688	C	GLN	87	-15.344	-4.101	-25.487	0.00	44.52	C
ATOM	689	O	GLN	87	-14.890	-4.900	-26.308	0.00	44.61	O
ATOM	690	N	SER	88	-15.472	-4.404	-24.165	0.00	43.18	N
ATOM	691	CA	SER	88	-15.208	-5.792	-23.812	0.00	42.07	C
ATOM	692	CB	SER	88	-15.093	-6.001	-22.290	0.00	41.43	C
ATOM	693	OG	SER	88	-15.933	-5.216	-21.481	0.00	43.74	O
ATOM	694	C	SER	88	-16.212	-6.726	-24.529	0.00	41.71	C
ATOM	695	O	SER	88	-15.826	-7.778	-25.030	0.00	42.88	O
ATOM	696	N	HIS	89	-17.490	-6.267	-24.609	0.00	39.86	N
ATOM	697	CA	HIS	89	-18.454	-7.085	-25.343	0.00	37.54	C
ATOM	698	CB	HIS	89	-19.860	-6.460	-25.484	0.00	31.63	C
ATOM	699	CG	HIS	89	-20.653	-6.311	-24.212	0.00	31.30	C
ATOM	700	ND1	HIS	89	-20.224	-5.722	-23.084	0.00	33.66	N
ATOM	701	CD2	HIS	89	-21.998	-6.669	-24.023	0.00	29.66	C
ATOM	702	NE2	HIS	89	-22.368	-6.275	-22.790	0.00	29.19	N
ATOM	703	CE1	HIS	89	-21.272	-5.711	-22.247	0.00	30.90	C
ATOM	704	C	HIS	89	-17.980	-7.301	-26.793	0.00	37.20	C
ATOM	705	O	HIS	89	-18.110	-8.388	-27.339	0.00	37.50	O
ATOM	706	N	GLN	90	-17.495	-6.171	-27.382	0.00	36.58	N
ATOM	707	CA	GLN	90	-17.189	-6.098	-28.815	0.00	35.50	C
ATOM	708	CB	GLN	90	-17.113	-4.644	-29.316	0.00	35.89	C
ATOM	709	CG	GLN	90	-17.916	-4.421	-30.616	0.00	40.24	C
ATOM	710	CD	GLN	90	-17.297	-5.111	-31.833	0.00	45.53	C
ATOM	711	OE1	GLN	90	-17.520	-6.284	-32.093	0.00	50.73	O
ATOM	712	NE2	GLN	90	-16.529	-4.286	-32.555	0.00	40.08	N

Fig. 1

12/48

ATOM	713	C	GLN	90	-15.981	-6.953	-29.195	0.00	34.37	C
ATOM	714	O	GLN	90	-16.092	-7.871	-29.998	0.00	33.60	O
ATOM	715	N	THR	91	-14.850	-6.647	-28.534	0.00	34.18	N
ATOM	716	CA	THR	91	-13.676	-7.510	-28.667	0.00	33.93	C
ATOM	717	CB	THR	91	-12.472	-7.021	-27.833	0.00	33.11	C
ATOM	718	OG1	THR	91	-12.821	-6.696	-26.512	0.00	35.72	O
ATOM	719	CG2	THR	91	-11.789	-5.789	-28.437	0.00	30.58	C
ATOM	720	C	THR	91	-14.056	-8.975	-28.367	0.00	34.01	C
ATOM	721	O	THR	91	-13.713	-9.880	-29.119	0.00	34.45	O
ATOM	722	N	GLY	92	-14.858	-9.162	-27.304	0.00	32.97	N
ATOM	723	CA	GLY	92	-15.435	-10.480	-27.075	0.00	32.42	C
ATOM	724	C	GLY	92	-16.173	-11.073	-28.302	0.00	32.92	C
ATOM	725	O	GLY	92	-16.010	-12.238	-28.645	0.00	32.49	O
ATOM	726	N	THR	93	-17.023	-10.240	-28.934	0.00	33.18	N
ATOM	727	CA	THR	93	-17.899	-10.767	-29.983	0.00	32.81	C
ATOM	728	CB	THR	93	-19.043	-9.808	-30.370	0.00	32.66	C
ATOM	729	OG1	THR	93	-18.679	-8.448	-30.367	0.00	34.10	O
ATOM	730	CG2	THR	93	-20.229	-9.928	-29.412	0.00	37.31	C
ATOM	731	C	THR	93	-17.079	-11.146	-31.205	0.00	32.77	C
ATOM	732	O	THR	93	-17.346	-12.152	-31.858	0.00	34.08	O
ATOM	733	N	ASP	94	-16.038	-10.310	-31.433	0.00	31.62	N
ATOM	734	CA	ASP	94	-14.937	-10.619	-32.327	0.00	31.49	C
ATOM	735	CB	ASP	94	-13.830	-9.548	-32.122	0.00	33.34	C
ATOM	736	CG	ASP	94	-13.510	-8.744	-33.402	0.00	36.59	C
ATOM	737	OD1	ASP	94	-13.505	-7.520	-33.362	0.00	34.76	O
ATOM	738	OD2	ASP	94	-13.215	-9.324	-34.453	0.00	38.68	O
ATOM	739	C	ASP	94	-14.455	-12.059	-32.050	0.00	31.53	C
ATOM	740	O	ASP	94	-14.514	-12.922	-32.917	0.00	31.71	O
ATOM	741	N	MET	95	-14.018	-12.306	-30.795	0.00	30.82	N
ATOM	742	CA	MET	95	-13.518	-13.648	-30.450	0.00	29.95	C
ATOM	743	CB	MET	95	-13.151	-13.727	-28.965	0.00	23.82	C
ATOM	744	CG	MET	95	-12.161	-12.674	-28.465	0.00	23.53	C
ATOM	745	SD	MET	95	-10.764	-12.492	-29.578	0.00	21.39	S
ATOM	746	CE	MET	95	-10.301	-10.811	-29.154	0.00	14.71	C
ATOM	747	C	MET	95	-14.520	-14.800	-30.768	0.00	30.17	C
ATOM	748	O	MET	95	-14.153	-15.920	-31.128	0.00	30.55	O
ATOM	749	N	TYR	96	-15.812	-14.435	-30.636	0.00	30.03	N
ATOM	750	CA	TYR	96	-16.841	-15.427	-30.912	0.00	29.37	C
ATOM	751	CB	TYR	96	-18.214	-14.947	-30.404	0.00	29.52	C
ATOM	752	CG	TYR	96	-18.920	-16.154	-29.861	0.00	31.53	C
ATOM	753	CD1	TYR	96	-18.586	-16.598	-28.596	0.00	31.67	C
ATOM	754	CE1	TYR	96	-19.036	-17.815	-28.117	0.00	31.58	C
ATOM	755	CD2	TYR	96	-19.815	-16.891	-30.618	0.00	32.80	C
ATOM	756	CE2	TYR	96	-20.277	-18.115	-30.151	0.00	33.10	C
ATOM	757	CZ	TYR	96	-19.849	-18.593	-28.921	0.00	33.69	C
ATOM	758	OH	TYR	96	-20.201	-19.859	-28.532	0.00	36.25	O
ATOM	759	C	TYR	96	-16.871	-15.867	-32.399	0.00	28.92	C
ATOM	760	O	TYR	96	-17.223	-16.999	-32.731	0.00	29.15	O
ATOM	761	N	THR	97	-16.477	-14.896	-33.249	0.00	28.98	N
ATOM	762	CA	THR	97	-16.402	-15.003	-34.708	0.00	28.74	C
ATOM	763	CB	THR	97	-16.804	-13.621	-35.264	0.00	23.57	C
ATOM	764	OG1	THR	97	-18.014	-13.141	-34.700	0.00	26.97	O
ATOM	765	CG2	THR	97	-17.007	-13.644	-36.779	0.00	14.78	C
ATOM	766	C	THR	97	-14.979	-15.414	-35.225	0.00	29.49	C
ATOM	767	O	THR	97	-14.807	-15.915	-36.340	0.00	30.41	O
ATOM	768	N	ARG	98	-13.981	-15.168	-34.351	0.00	29.30	N
ATOM	769	CA	ARG	98	-12.607	-15.587	-34.637	0.00	28.88	C
ATOM	770	CB	ARG	98	-11.611	-14.707	-33.859	0.00	25.94	C
ATOM	771	CG	ARG	98	-11.568	-13.245	-34.311	0.00	24.43	C
ATOM	772	CD	ARG	98	-10.782	-12.337	-33.353	0.00	24.77	C
ATOM	773	NE	ARG	98	-11.045	-10.948	-33.707	0.00	26.81	N
ATOM	774	CZ	ARG	98	-10.208	-9.895	-33.560	0.00	25.55	C
ATOM	775	NH1	ARG	98	-9.021	-10.011	-32.988	0.00	22.03	N
ATOM	776	NH2	ARG	98	-10.566	-8.692	-33.989	0.00	28.12	N
ATOM	777	C	ARG	98	-12.379	-17.054	-34.224	0.00	29.06	C

Fig. 1

13/48

ATOM	778	O	ARG	98	-11.562	-17.767	-34.805	0.00	28.77	O
ATOM	779	N	TYR	99	-13.107	-17.467	-33.167	0.00	28.37	N
ATOM	780	CA	TYR	99	-12.699	-18.677	-32.453	0.00	28.05	C
ATOM	781	CB	TYR	99	-11.923	-18.257	-31.182	0.00	27.03	C
ATOM	782	CG	TYR	99	-10.689	-17.417	-31.467	0.00	27.49	C
ATOM	783	CD1	TYR	99	-10.525	-16.154	-30.903	0.00	28.12	C
ATOM	784	CE1	TYR	99	-9.386	-15.393	-31.159	0.00	27.24	C
ATOM	785	CD2	TYR	99	-9.679	-17.887	-32.301	0.00	27.00	C
ATOM	786	CE2	TYR	99	-8.544	-17.128	-32.566	0.00	26.33	C
ATOM	787	CZ	TYR	99	-8.376	-15.877	-31.981	0.00	26.48	C
ATOM	788	OH	TYR	99	-7.227	-15.120	-32.183	0.00	27.01	O
ATOM	789	C	TYR	99	-13.919	-19.589	-32.171	0.00	28.78	C
ATOM	790	O	TYR	99	-13.959	-20.349	-31.212	0.00	29.45	O
ATOM	791	N	SER	100	-14.858	-19.538	-33.134	0.00	28.14	N
ATOM	792	CA	SER	100	-16.090	-20.321	-33.128	0.00	27.94	C
ATOM	793	CB	SER	100	-16.873	-19.944	-34.390	0.00	21.91	C
ATOM	794	OG	SER	100	-16.467	-18.654	-34.794	0.00	11.83	O
ATOM	795	C	SER	100	-15.852	-21.843	-33.005	0.00	28.67	C
ATOM	796	O	SER	100	-16.532	-22.535	-32.243	0.00	29.03	O
ATOM	797	N	THR	101	-14.838	-22.306	-33.773	0.00	29.03	N
ATOM	798	CA	THR	101	-14.358	-23.695	-33.670	0.00	29.22	C
ATOM	799	CB	THR	101	-13.154	-23.857	-34.607	0.00	24.90	C
ATOM	800	OG1	THR	101	-12.589	-22.577	-34.701	0.00	31.53	O
ATOM	801	CG2	THR	101	-13.578	-24.379	-35.977	0.00	14.85	C
ATOM	802	C	THR	101	-13.974	-24.134	-32.242	0.00	29.94	C
ATOM	803	O	THR	101	-13.970	-25.321	-31.932	0.00	30.65	O
ATOM	804	N	LEU	102	-13.625	-23.149	-31.396	0.00	29.81	N
ATOM	805	CA	LEU	102	-13.126	-23.424	-30.056	0.00	28.94	C
ATOM	806	CB	LEU	102	-12.333	-22.236	-29.491	0.00	30.57	C
ATOM	807	CG	LEU	102	-11.051	-21.910	-30.267	0.00	29.93	C
ATOM	808	CD1	LEU	102	-10.096	-21.125	-29.372	0.00	25.08	C
ATOM	809	CD2	LEU	102	-10.331	-23.146	-30.804	0.00	18.10	C
ATOM	810	C	LEU	102	-14.254	-23.753	-29.101	0.00	28.53	C
ATOM	811	O	LEU	102	-14.033	-24.444	-28.116	0.00	27.89	O
ATOM	812	N	PHE	103	-15.448	-23.243	-29.429	0.00	28.16	N
ATOM	813	CA	PHE	103	-16.595	-23.620	-28.612	0.00	29.21	C
ATOM	814	CB	PHE	103	-17.509	-22.426	-28.284	0.00	25.90	C
ATOM	815	CG	PHE	103	-16.808	-21.114	-28.454	0.00	22.22	C
ATOM	816	CD1	PHE	103	-17.055	-20.308	-29.560	0.00	20.53	C
ATOM	817	CD2	PHE	103	-15.889	-20.697	-27.506	0.00	18.49	C
ATOM	818	CE1	PHE	103	-16.386	-19.104	-29.720	0.00	18.19	C
ATOM	819	CE2	PHE	103	-15.232	-19.493	-27.663	0.00	22.06	C
ATOM	820	CZ	PHE	103	-15.467	-18.693	-28.770	0.00	18.20	C
ATOM	821	C	PHE	103	-17.377	-24.746	-29.281	0.00	29.69	C
ATOM	822	O	PHE	103	-18.141	-25.416	-28.590	0.00	30.00	O
ATOM	823	N	GLU	104	-17.169	-24.897	-30.617	0.00	29.56	N
ATOM	824	CA	GLU	104	-17.984	-25.770	-31.483	0.00	29.90	C
ATOM	825	CB	GLU	104	-17.220	-26.097	-32.789	0.00	30.47	C
ATOM	826	CG	GLU	104	-17.654	-25.300	-34.046	0.00	39.00	C
ATOM	827	CD	GLU	104	-17.404	-26.119	-35.335	0.00	43.04	C
ATOM	828	OE1	GLU	104	-18.199	-27.023	-35.581	0.00	48.85	O
ATOM	829	OE2	GLU	104	-16.459	-25.860	-36.086	0.00	42.42	O
ATOM	830	C	GLU	104	-18.459	-27.067	-30.788	0.00	30.86	C
ATOM	831	O	GLU	104	-19.654	-27.319	-30.644	0.00	30.72	O
ATOM	832	N	GLY	105	-17.455	-27.870	-30.398	0.00	32.10	N
ATOM	833	CA	GLY	105	-17.680	-29.177	-29.808	0.00	33.12	C
ATOM	834	C	GLY	105	-18.285	-29.053	-28.415	0.00	33.92	C
ATOM	835	O	GLY	105	-19.114	-29.857	-28.010	0.00	34.42	O
ATOM	836	N	GLY	106	-17.881	-28.003	-27.688	0.00	35.31	N
ATOM	837	CA	GLY	106	-18.567	-27.792	-26.428	0.00	35.66	C
ATOM	838	C	GLY	106	-17.740	-27.019	-25.435	0.00	35.72	C
ATOM	839	O	GLY	106	-18.312	-26.359	-24.578	0.00	38.37	O
ATOM	840	N	ASP	107	-16.404	-27.149	-25.546	0.00	33.73	N
ATOM	841	CA	ASP	107	-15.483	-26.530	-24.592	0.00	30.31	C
ATOM	842	CB	ASP	107	-14.054	-27.001	-24.939	0.00	30.61	C

Fig. 1

14/48

ATOM	843	CG	ASP	107	-13.196	-27.194	-23.681	0.00	31.38	C
ATOM	844	OD1	ASP	107	-12.395	-26.331	-23.338	0.00	31.51	O
ATOM	845	OD2	ASP	107	-13.329	-28.231	-23.038	0.00	32.93	O
ATOM	846	C	ASP	107	-15.618	-24.984	-24.550	0.00	28.49	C
ATOM	847	O	ASP	107	-14.916	-24.245	-25.240	0.00	28.52	O
ATOM	848	N	VAL	108	-16.586	-24.576	-23.685	0.00	27.82	N
ATOM	849	CA	VAL	108	-16.788	-23.186	-23.289	0.00	25.98	C
ATOM	850	CB	VAL	108	-17.968	-23.149	-22.287	0.00	22.56	C
ATOM	851	CG1	VAL	108	-17.730	-24.037	-21.056	0.00	19.31	C
ATOM	852	CG2	VAL	108	-18.359	-21.742	-21.818	0.00	12.86	C
ATOM	853	C	VAL	108	-15.480	-22.681	-22.656	0.00	24.26	C
ATOM	854	O	VAL	108	-14.755	-23.476	-22.064	0.00	24.14	O
ATOM	855	N	PRO	109	-15.168	-21.363	-22.813	0.00	23.76	N
ATOM	856	CD	PRO	109	-15.943	-20.356	-23.551	0.00	22.96	C
ATOM	857	CA	PRO	109	-13.912	-20.834	-22.295	0.00	23.51	C
ATOM	858	CB	PRO	109	-13.969	-19.330	-22.596	0.00	22.88	C
ATOM	859	CG	PRO	109	-14.970	-19.191	-23.743	0.00	23.15	C
ATOM	860	C	PRO	109	-13.660	-21.062	-20.805	0.00	23.37	C
ATOM	861	O	PRO	109	-14.573	-20.950	-19.990	0.00	23.30	O
ATOM	862	N	PHE	110	-12.390	-21.362	-20.484	0.00	23.60	N
ATOM	863	CA	PHE	110	-11.965	-21.119	-19.121	0.00	25.72	C
ATOM	864	CB	PHE	110	-10.792	-22.049	-18.818	0.00	22.98	C
ATOM	865	CG	PHE	110	-10.289	-21.817	-17.424	0.00	20.67	C
ATOM	866	CD1	PHE	110	-9.177	-21.021	-17.206	0.00	26.87	C
ATOM	867	CD2	PHE	110	-10.948	-22.362	-16.330	0.00	24.81	C
ATOM	868	CE1	PHE	110	-8.742	-20.761	-15.923	0.00	33.56	C
ATOM	869	CE2	PHE	110	-10.546	-22.065	-15.037	0.00	29.26	C
ATOM	870	CZ	PHE	110	-9.440	-21.260	-14.836	0.00	34.44	C
ATOM	871	C	PHE	110	-11.617	-19.612	-18.981	0.00	27.65	C
ATOM	872	O	PHE	110	-10.657	-19.111	-19.554	0.00	28.70	O
ATOM	873	N	VAL	111	-12.454	-18.906	-18.192	0.00	28.32	N
ATOM	874	CA	VAL	111	-12.348	-17.446	-18.066	0.00	29.16	C
ATOM	875	CB	VAL	111	-13.709	-16.746	-18.211	0.00	24.38	C
ATOM	876	CG1	VAL	111	-13.565	-15.226	-18.430	0.00	21.71	C
ATOM	877	CG2	VAL	111	-14.573	-17.345	-19.313	0.00	25.33	C
ATOM	878	C	VAL	111	-11.793	-17.118	-16.686	0.00	30.30	C
ATOM	879	O	VAL	111	-12.082	-17.797	-15.710	0.00	29.78	O
ATOM	880	N	ARG	112	-10.968	-16.065	-16.660	0.00	30.51	N
ATOM	881	CA	ARG	112	-10.042	-15.833	-15.563	0.00	31.41	C
ATOM	882	CB	ARG	112	-8.790	-16.675	-15.871	0.00	29.94	C
ATOM	883	CG	ARG	112	-7.615	-16.593	-14.881	0.00	30.30	C
ATOM	884	CD	ARG	112	-6.718	-17.823	-15.069	0.00	25.76	C
ATOM	885	NE	ARG	112	-5.476	-17.840	-14.308	0.00	25.11	N
ATOM	886	CZ	ARG	112	-4.251	-17.931	-14.879	0.00	28.57	C
ATOM	887	NH1	ARG	112	-4.058	-17.594	-16.143	0.00	27.17	N
ATOM	888	NH2	ARG	112	-3.214	-18.397	-14.189	0.00	25.82	N
ATOM	889	C	ARG	112	-9.772	-14.328	-15.520	0.00	32.19	C
ATOM	890	O	ARG	112	-9.942	-13.634	-16.521	0.00	32.59	O
ATOM	891	N	ALA	113	-9.376	-13.835	-14.321	0.00	32.73	N
ATOM	892	CA	ALA	113	-9.164	-12.383	-14.272	0.00	32.15	C
ATOM	893	CB	ALA	113	-10.504	-11.661	-14.116	0.00	24.64	C
ATOM	894	C	ALA	113	-8.225	-11.945	-13.144	0.00	32.14	C
ATOM	895	O	ALA	113	-8.150	-12.535	-12.069	0.00	31.67	O
ATOM	896	N	ALA	114	-7.543	-10.827	-13.478	0.00	32.21	N
ATOM	897	CA	ALA	114	-6.842	-10.022	-12.496	0.00	32.77	C
ATOM	898	CB	ALA	114	-6.064	-8.892	-13.185	0.00	35.67	C
ATOM	899	C	ALA	114	-7.880	-9.421	-11.551	0.00	33.30	C
ATOM	900	O	ALA	114	-9.038	-9.229	-11.916	0.00	33.07	O
ATOM	901	N	GLY	115	-7.417	-9.165	-10.321	0.00	33.37	N
ATOM	902	CA	GLY	115	-8.409	-9.054	-9.269	0.00	34.53	C
ATOM	903	C	GLY	115	-8.844	-7.620	-8.988	0.00	35.15	C
ATOM	904	O	GLY	115	-9.137	-7.298	-7.845	0.00	34.49	O
ATOM	905	N	ASP	116	-8.862	-6.737	-9.991	0.00	35.57	N
ATOM	906	CA	ASP	116	-9.217	-5.348	-9.634	0.00	36.01	C
ATOM	907	CB	ASP	116	-7.948	-4.502	-9.492	0.00	40.06	C

Fig. 1

15/48

ATOM	908	CG	ASP	116	-8.181	-3.016	-9.747	0.00	43.68	C
ATOM	909	OD1	ASP	116	-8.368	-2.673	-10.908	0.00	48.69	O
ATOM	910	OD2	ASP	116	-8.197	-2.198	-8.825	0.00	41.77	O
ATOM	911	C	ASP	116	-10.260	-4.833	-10.611	0.00	36.50	C
ATOM	912	O	ASP	116	-10.381	-5.344	-11.713	0.00	36.57	O
ATOM	913	N	GLN	117	-11.055	-3.849	-10.103	0.00	37.16	N
ATOM	914	CA	GLN	117	-12.446	-3.664	-10.540	0.00	37.04	C
ATOM	915	CB	GLN	117	-13.120	-2.524	-9.747	0.00	33.82	C
ATOM	916	CG	GLN	117	-14.660	-2.559	-9.728	0.00	32.44	C
ATOM	917	CD	GLN	117	-15.148	-3.792	-8.959	0.00	34.36	C
ATOM	918	OE1	GLN	117	-14.648	-4.122	-7.881	0.00	37.01	O
ATOM	919	NE2	GLN	117	-16.068	-4.495	-9.628	0.00	33.77	N
ATOM	920	C	GLN	117	-12.584	-3.403	-12.045	0.00	37.10	C
ATOM	921	O	GLN	117	-13.572	-3.778	-12.670	0.00	36.72	O
ATOM	922	N	ARG	118	-11.546	-2.748	-12.610	0.00	37.48	N
ATOM	923	CA	ARG	118	-11.679	-2.502	-14.039	0.00	38.31	C
ATOM	924	CB	ARG	118	-10.777	-1.367	-14.528	0.00	36.63	C
ATOM	925	CG	ARG	118	-9.343	-1.691	-14.963	0.00	39.31	C
ATOM	926	CD	ARG	118	-8.364	-1.814	-13.802	0.00	42.79	C
ATOM	927	NE	ARG	118	-6.995	-1.650	-14.290	0.00	41.71	N
ATOM	928	CZ	ARG	118	-5.935	-1.824	-13.474	0.00	43.29	C
ATOM	929	NH1	ARG	118	-6.098	-2.139	-12.201	0.00	39.75	N
ATOM	930	NH2	ARG	118	-4.707	-1.670	-13.941	0.00	42.53	N
ATOM	931	C	ARG	118	-11.550	-3.819	-14.798	0.00	39.23	C
ATOM	932	O	ARG	118	-12.287	-4.079	-15.739	0.00	38.71	O
ATOM	933	N	VAL	119	-10.604	-4.645	-14.295	0.00	40.02	N
ATOM	934	CA	VAL	119	-10.391	-5.944	-14.907	0.00	40.15	C
ATOM	935	CB	VAL	119	-9.070	-6.590	-14.459	0.00	37.76	C
ATOM	936	CG1	VAL	119	-8.776	-7.832	-15.310	0.00	40.52	C
ATOM	937	CG2	VAL	119	-7.902	-5.612	-14.556	0.00	39.35	C
ATOM	938	C	VAL	119	-11.583	-6.853	-14.630	0.00	40.40	C
ATOM	939	O	VAL	119	-12.180	-7.379	-15.561	0.00	40.59	O
ATOM	940	N	VAL	120	-11.934	-6.992	-13.338	0.00	39.92	N
ATOM	941	CA	VAL	120	-13.079	-7.843	-13.018	0.00	39.60	C
ATOM	942	CB	VAL	120	-13.300	-7.958	-11.494	0.00	35.91	C
ATOM	943	CG1	VAL	120	-14.356	-9.025	-11.155	0.00	31.19	C
ATOM	944	CG2	VAL	120	-11.996	-8.314	-10.763	0.00	35.60	C
ATOM	945	C	VAL	120	-14.342	-7.400	-13.797	0.00	40.21	C
ATOM	946	O	VAL	120	-14.972	-8.223	-14.454	0.00	40.76	O
ATOM	947	N	ASP	121	-14.674	-6.091	-13.766	0.00	40.37	N
ATOM	948	CA	ASP	121	-15.860	-5.673	-14.521	0.00	40.32	C
ATOM	949	CB	ASP	121	-16.312	-4.224	-14.209	0.00	43.45	C
ATOM	950	CG	ASP	121	-17.119	-3.988	-12.914	0.00	45.42	C
ATOM	951	OD1	ASP	121	-17.920	-4.833	-12.511	0.00	45.83	O
ATOM	952	OD2	ASP	121	-16.979	-2.919	-12.323	0.00	52.60	O
ATOM	953	C	ASP	121	-15.651	-5.837	-16.052	0.00	39.84	C
ATOM	954	O	ASP	121	-16.612	-6.049	-16.778	0.00	39.75	O
ATOM	955	N	SER	122	-14.398	-5.730	-16.550	0.00	39.73	N
ATOM	956	CA	SER	122	-14.184	-5.956	-17.979	0.00	39.08	C
ATOM	957	CB	SER	122	-12.771	-5.604	-18.435	0.00	35.19	C
ATOM	958	OG	SER	122	-12.515	-4.226	-18.384	0.00	35.95	O
ATOM	959	C	SER	122	-14.374	-7.423	-18.310	0.00	38.55	C
ATOM	960	O	SER	122	-14.753	-7.776	-19.414	0.00	37.84	O
ATOM	961	N	SER	123	-14.091	-8.249	-17.292	0.00	38.31	N
ATOM	962	CA	SER	123	-14.344	-9.661	-17.415	0.00	38.10	C
ATOM	963	CB	SER	123	-13.695	-10.400	-16.233	0.00	39.15	C
ATOM	964	OG	SER	123	-12.321	-10.091	-16.055	0.00	39.23	O
ATOM	965	C	SER	123	-15.870	-9.889	-17.515	0.00	37.83	C
ATOM	966	O	SER	123	-16.333	-10.607	-18.390	0.00	37.88	O
ATOM	967	N	THR	124	-16.642	-9.237	-16.628	0.00	37.33	N
ATOM	968	CA	THR	124	-18.084	-9.498	-16.617	0.00	37.62	C
ATOM	969	CB	THR	124	-18.651	-8.945	-15.303	0.00	39.02	C
ATOM	970	OG1	THR	124	-18.346	-7.581	-15.194	0.00	43.37	O
ATOM	971	CG2	THR	124	-18.037	-9.623	-14.070	0.00	33.19	C
ATOM	972	C	THR	124	-18.767	-8.866	-17.850	0.00	37.91	C

Fig. 1

16/48

ATOM	973	O	THR	124	-19.737	-9.364	-18.408	0.00	37.62	O
ATOM	974	N	ASN	125	-18.188	-7.749	-18.275	0.00	38.18	N
ATOM	975	CA	ASN	125	-18.691	-7.079	-19.459	0.00	38.71	C
ATOM	976	CB	ASN	125	-18.277	-5.608	-19.421	0.00	43.22	C
ATOM	977	CG	ASN	125	-19.296	-4.895	-18.537	0.00	49.50	C
ATOM	978	OD1	ASN	125	-20.297	-4.420	-19.032	0.00	44.96	O
ATOM	979	ND2	ASN	125	-19.101	-4.947	-17.223	0.00	56.15	N
ATOM	980	C	ASN	125	-18.233	-7.807	-20.716	0.00	38.69	C
ATOM	981	O	ASN	125	-18.920	-7.812	-21.726	0.00	38.53	O
ATOM	982	N	TRP	126	-17.080	-8.479	-20.646	0.00	38.39	N
ATOM	983	CA	TRP	126	-16.635	-9.261	-21.806	0.00	38.34	C
ATOM	984	CB	TRP	126	-15.206	-9.738	-21.561	0.00	34.59	C
ATOM	985	CG	TRP	126	-14.602	-10.509	-22.713	0.00	32.80	C
ATOM	986	CD2	TRP	126	-14.424	-11.935	-22.803	0.00	29.98	C
ATOM	987	CE2	TRP	126	-13.615	-12.176	-23.938	0.00	30.33	C
ATOM	988	CE3	TRP	126	-14.858	-12.974	-22.029	0.00	27.93	C
ATOM	989	CD1	TRP	126	-13.933	-9.958	-23.808	0.00	30.56	C
ATOM	990	NE1	TRP	126	-13.343	-10.943	-24.520	0.00	25.84	N
ATOM	991	CZ2	TRP	126	-13.249	-13.458	-24.247	0.00	33.01	C
ATOM	992	CZ3	TRP	126	-14.504	-14.281	-22.349	0.00	30.88	C
ATOM	993	CH2	TRP	126	-13.695	-14.522	-23.458	0.00	34.31	C
ATOM	994	C	TRP	126	-17.545	-10.462	-22.009	0.00	39.16	C
ATOM	995	O	TRP	126	-18.141	-10.667	-23.066	0.00	38.55	O
ATOM	996	N	THR	127	-17.609	-11.222	-20.891	0.00	39.46	N
ATOM	997	CA	THR	127	-18.407	-12.432	-20.803	0.00	40.01	C
ATOM	998	CB	THR	127	-18.258	-13.157	-19.435	0.00	39.38	C
ATOM	999	OG1	THR	127	-18.778	-12.411	-18.359	0.00	42.14	O
ATOM	1000	CG2	THR	127	-16.838	-13.620	-19.088	0.00	43.12	C
ATOM	1001	C	THR	127	-19.865	-12.095	-21.164	0.00	40.31	C
ATOM	1002	O	THR	127	-20.560	-12.890	-21.786	0.00	40.83	O
ATOM	1003	N	ALA	128	-20.272	-10.845	-20.833	0.00	40.33	N
ATOM	1004	CA	ALA	128	-21.540	-10.343	-21.343	0.00	39.71	C
ATOM	1005	CB	ALA	128	-21.759	-8.880	-20.947	0.00	41.57	C
ATOM	1006	C	ALA	128	-21.648	-10.549	-22.865	0.00	39.02	C
ATOM	1007	O	ALA	128	-22.516	-11.284	-23.311	0.00	38.71	O
ATOM	1008	N	GLY	129	-20.733	-9.903	-23.622	0.00	38.26	N
ATOM	1009	CA	GLY	129	-20.812	-9.928	-25.093	0.00	37.81	C
ATOM	1010	C	GLY	129	-20.656	-11.334	-25.695	0.00	37.96	C
ATOM	1011	O	GLY	129	-21.219	-11.692	-26.725	0.00	38.27	O
ATOM	1012	N	PHE	130	-19.893	-12.160	-24.973	0.00	36.98	N
ATOM	1013	CA	PHE	130	-19.917	-13.579	-25.322	0.00	35.21	C
ATOM	1014	CB	PHE	130	-18.942	-14.343	-24.430	0.00	35.38	C
ATOM	1015	CG	PHE	130	-17.688	-14.674	-25.183	0.00	36.04	C
ATOM	1016	CD1	PHE	130	-17.398	-15.992	-25.516	0.00	39.27	C
ATOM	1017	CD2	PHE	130	-16.803	-13.672	-25.551	0.00	32.77	C
ATOM	1018	CE1	PHE	130	-16.223	-16.312	-26.179	0.00	39.06	C
ATOM	1019	CE2	PHE	130	-15.643	-13.994	-26.233	0.00	32.12	C
ATOM	1020	CZ	PHE	130	-15.345	-15.309	-26.551	0.00	36.35	C
ATOM	1021	C	PHE	130	-21.328	-14.171	-25.175	0.00	35.23	C
ATOM	1022	O	PHE	130	-21.838	-14.864	-26.053	0.00	34.57	O
ATOM	1023	N	GLY	131	-21.952	-13.882	-24.029	0.00	35.32	N
ATOM	1024	CA	GLY	131	-23.326	-14.310	-23.846	0.00	36.05	C
ATOM	1025	C	GLY	131	-24.234	-13.745	-24.954	0.00	37.28	C
ATOM	1026	O	GLY	131	-25.057	-14.460	-25.520	0.00	37.86	O
ATOM	1027	N	ASP	132	-24.006	-12.460	-25.303	0.00	38.02	N
ATOM	1028	CA	ASP	132	-24.771	-11.910	-26.421	0.00	38.83	C
ATOM	1029	CB	ASP	132	-24.482	-10.417	-26.619	0.00	41.52	C
ATOM	1030	CG	ASP	132	-25.619	-9.773	-27.429	0.00	49.07	C
ATOM	1031	OD1	ASP	132	-25.326	-9.060	-28.384	0.00	56.82	O
ATOM	1032	OD2	ASP	132	-26.794	-9.943	-27.089	0.00	54.33	O
ATOM	1033	C	ASP	132	-24.575	-12.719	-27.727	0.00	39.38	C
ATOM	1034	O	ASP	132	-25.531	-13.214	-28.316	0.00	39.70	O
ATOM	1035	N	ALA	133	-23.296	-12.903	-28.116	0.00	39.49	N
ATOM	1036	CA	ALA	133	-22.964	-13.661	-29.313	0.00	39.07	C
ATOM	1037	CB	ALA	133	-21.445	-13.869	-29.400	0.00	32.65	C

Fig. 1

17/48

ATOM	1038	C	ALA	133	-23.632	-15.036	-29.287	0.00	39.43	C
ATOM	1039	O	ALA	133	-24.218	-15.510	-30.253	0.00	39.98	O
ATOM	1040	N	SER	134	-23.504	-15.669	-28.118	0.00	38.65	N
ATOM	1041	CA	SER	134	-23.879	-17.063	-28.005	0.00	38.30	C
ATOM	1042	CB	SER	134	-23.168	-17.712	-26.810	0.00	40.10	C
ATOM	1043	OG	SER	134	-23.452	-17.043	-25.611	0.00	37.53	O
ATOM	1044	C	SER	134	-25.393	-17.219	-27.868	0.00	38.49	C
ATOM	1045	O	SER	134	-25.925	-18.272	-28.199	0.00	38.06	O
ATOM	1046	N	GLY	135	-26.025	-16.168	-27.315	0.00	38.16	N
ATOM	1047	CA	GLY	135	-27.310	-16.372	-26.667	0.00	37.56	C
ATOM	1048	C	GLY	135	-27.144	-17.322	-25.465	0.00	37.01	C
ATOM	1049	O	GLY	135	-27.942	-18.231	-25.230	0.00	37.40	O
ATOM	1050	N	GLU	136	-26.011	-17.116	-24.757	0.00	36.38	N
ATOM	1051	CA	GLU	136	-25.525	-17.868	-23.603	0.00	35.62	C
ATOM	1052	CB	GLU	136	-26.182	-17.371	-22.319	0.00	35.54	C
ATOM	1053	CG	GLU	136	-25.797	-15.926	-21.968	0.00	37.73	C
ATOM	1054	CD	GLU	136	-26.625	-15.505	-20.764	0.00	43.49	C
ATOM	1055	OE1	GLU	136	-27.359	-14.530	-20.861	0.00	43.57	O
ATOM	1056	OE2	GLU	136	-26.549	-16.165	-19.728	0.00	44.84	O
ATOM	1057	C	GLU	136	-25.584	-19.408	-23.691	0.00	35.31	C
ATOM	1058	O	GLU	136	-25.480	-20.052	-22.650	0.00	35.54	O
ATOM	1059	N	THR	137	-25.668	-19.957	-24.917	0.00	34.04	N
ATOM	1060	CA	THR	137	-25.506	-21.398	-25.093	0.00	32.09	C
ATOM	1061	CB	THR	137	-25.754	-21.676	-26.592	0.00	24.03	C
ATOM	1062	OG1	THR	137	-25.232	-20.633	-27.404	0.00	27.52	O
ATOM	1063	CG2	THR	137	-27.245	-21.783	-26.908	0.00	21.58	C
ATOM	1064	C	THR	137	-24.094	-21.800	-24.595	0.00	31.73	C
ATOM	1065	O	THR	137	-23.874	-22.543	-23.635	0.00	31.24	O
ATOM	1066	N	VAL	138	-23.138	-21.144	-25.266	0.00	31.42	N
ATOM	1067	CA	VAL	138	-21.793	-21.015	-24.715	0.00	30.74	C
ATOM	1068	CB	VAL	138	-20.809	-20.898	-25.880	0.00	20.11	C
ATOM	1069	CG1	VAL	138	-19.359	-20.662	-25.439	0.00	14.73	C
ATOM	1070	CG2	VAL	138	-20.886	-22.157	-26.757	0.00	18.21	C
ATOM	1071	C	VAL	138	-21.745	-19.802	-23.748	0.00	32.09	C
ATOM	1072	O	VAL	138	-21.836	-18.637	-24.129	0.00	33.12	O
ATOM	1073	N	LEU	139	-21.579	-20.161	-22.457	0.00	0.00	N
ATOM	1074	CA	LEU	139	-21.552	-19.127	-21.416	0.00	0.00	C
ATOM	1075	CB	LEU	139	-22.726	-19.254	-20.435	0.00	0.00	C
ATOM	1076	CG	LEU	139	-22.735	-18.158	-19.343	0.00	0.00	C
ATOM	1077	CD1	LEU	139	-22.515	-16.738	-19.879	0.00	0.00	C
ATOM	1078	CD2	LEU	139	-24.025	-18.232	-18.529	0.00	0.00	C
ATOM	1079	C	LEU	139	-20.223	-19.149	-20.639	0.00	0.00	C
ATOM	1080	O	LEU	139	-20.117	-19.795	-19.594	0.00	0.00	O
ATOM	1081	N	PRO	140	-19.221	-18.360	-21.130	0.00	34.19	N
ATOM	1082	CD	PRO	140	-19.222	-17.638	-22.407	0.00	34.16	C
ATOM	1083	CA	PRO	140	-18.045	-18.048	-20.326	0.00	34.37	C
ATOM	1084	CB	PRO	140	-17.172	-17.169	-21.221	0.00	34.17	C
ATOM	1085	CG	PRO	140	-18.142	-16.577	-22.212	0.00	34.26	C
ATOM	1086	C	PRO	140	-18.498	-17.253	-19.104	0.00	34.71	C
ATOM	1087	O	PRO	140	-19.330	-16.356	-19.190	0.00	35.06	O
ATOM	1088	N	THR	141	-17.923	-17.665	-17.964	0.00	34.92	N
ATOM	1089	CA	THR	141	-18.172	-17.043	-16.670	0.00	34.94	C
ATOM	1090	CB	THR	141	-19.338	-17.735	-15.928	0.00	31.39	C
ATOM	1091	OG1	THR	141	-19.965	-18.604	-16.828	0.00	37.24	O
ATOM	1092	CG2	THR	141	-20.412	-16.765	-15.421	0.00	20.85	C
ATOM	1093	C	THR	141	-16.866	-17.155	-15.881	0.00	34.82	C
ATOM	1094	O	THR	141	-16.033	-18.000	-16.178	0.00	34.65	O
ATOM	1095	N	LEU	142	-16.693	-16.244	-14.915	0.00	35.31	N
ATOM	1096	CA	LEU	142	-15.406	-16.120	-14.236	0.00	35.71	C
ATOM	1097	CB	LEU	142	-15.431	-14.874	-13.331	0.00	33.49	C
ATOM	1098	CG	LEU	142	-14.971	-13.586	-14.027	0.00	35.51	C
ATOM	1099	CD1	LEU	142	-15.411	-12.358	-13.218	0.00	34.62	C
ATOM	1100	CD2	LEU	142	-13.446	-13.591	-14.215	0.00	32.53	C
ATOM	1101	C	LEU	142	-15.140	-17.363	-13.382	0.00	35.98	C
ATOM	1102	O	LEU	142	-15.864	-17.628	-12.421	0.00	36.21	O

Fig. 1

18/48

ATOM	1103	N	GLN	143	-14.076	-18.077	-13.769	0.00	36.27	N
ATOM	1104	CA	GLN	143	-13.804	-19.331	-13.085	0.00	36.55	C
ATOM	1105	CB	GLN	143	-13.428	-20.406	-14.107	0.00	32.79	C
ATOM	1106	CG	GLN	143	-14.705	-20.902	-14.817	0.00	35.39	C
ATOM	1107	CD	GLN	143	-14.458	-21.321	-16.266	0.00	45.83	C
ATOM	1108	OE1	GLN	143	-13.864	-22.352	-16.557	0.00	49.88	O
ATOM	1109	NE2	GLN	143	-14.997	-20.486	-17.167	0.00	51.98	N
ATOM	1110	C	GLN	143	-12.811	-19.079	-11.957	0.00	37.10	C
ATOM	1111	O	GLN	143	-13.104	-19.390	-10.807	0.00	37.63	O
ATOM	1112	N	VAL	144	-11.652	-18.467	-12.305	0.00	37.50	N
ATOM	1113	CA	VAL	144	-10.642	-18.146	-11.278	0.00	38.69	C
ATOM	1114	CB	VAL	144	-9.455	-19.133	-11.313	0.00	40.26	C
ATOM	1115	CG1	VAL	144	-8.501	-18.905	-12.481	0.00	40.87	C
ATOM	1116	CG2	VAL	144	-8.661	-19.140	-9.997	0.00	39.60	C
ATOM	1117	C	VAL	144	-10.211	-16.658	-11.364	0.00	39.28	C
ATOM	1118	O	VAL	144	-9.789	-16.167	-12.404	0.00	38.27	O
ATOM	1119	N	VAL	145	-10.306	-15.987	-10.198	0.00	40.02	N
ATOM	1120	CA	VAL	145	-9.758	-14.640	-10.021	0.00	40.81	C
ATOM	1121	CB	VAL	145	-10.809	-13.718	-9.371	0.00	36.77	C
ATOM	1122	CG1	VAL	145	-10.315	-12.265	-9.273	0.00	33.47	C
ATOM	1123	CG2	VAL	145	-12.141	-13.762	-10.130	0.00	35.10	C
ATOM	1124	C	VAL	145	-8.497	-14.750	-9.145	0.00	41.42	C
ATOM	1125	O	VAL	145	-8.456	-15.513	-8.179	0.00	41.83	O
ATOM	1126	N	LEU	146	-7.461	-13.979	-9.526	0.00	42.64	N
ATOM	1127	CA	LEU	146	-6.177	-14.135	-8.846	0.00	43.64	C
ATOM	1128	CB	LEU	146	-5.105	-14.378	-9.909	0.00	37.53	C
ATOM	1129	CG	LEU	146	-5.282	-15.656	-10.752	0.00	38.14	C
ATOM	1130	CD1	LEU	146	-4.231	-15.664	-11.869	0.00	37.95	C
ATOM	1131	CD2	LEU	146	-5.168	-16.940	-9.914	0.00	36.22	C
ATOM	1132	C	LEU	146	-5.948	-12.896	-7.953	0.00	45.04	C
ATOM	1133	O	LEU	146	-6.597	-11.871	-8.142	0.00	44.78	O
ATOM	1134	N	GLN	147	-5.065	-13.036	-6.942	0.00	0.00	N
ATOM	1135	CA	GLN	147	-5.050	-12.055	-5.873	0.00	0.00	C
ATOM	1136	CB	GLN	147	-4.642	-12.678	-4.544	0.00	0.00	C
ATOM	1137	CG	GLN	147	-5.147	-11.767	-3.410	0.00	0.00	C
ATOM	1138	CD	GLN	147	-4.159	-11.709	-2.264	0.00	0.00	C
ATOM	1139	OE1	GLN	147	-4.098	-12.558	-1.390	0.00	0.00	O
ATOM	1140	NE2	GLN	147	-3.366	-10.650	-2.325	0.00	0.00	N
ATOM	1141	C	GLN	147	-4.177	-10.834	-6.211	0.00	0.00	C
ATOM	1142	O	GLN	147	-3.025	-10.738	-5.810	0.00	0.00	O
ATOM	1143	N	GLU	148	-4.819	-9.902	-6.937	0.00	49.38	N
ATOM	1144	CA	GLU	148	-4.276	-8.663	-7.471	0.00	50.03	C
ATOM	1145	CB	GLU	148	-5.393	-7.615	-7.512	0.00	47.23	C
ATOM	1146	CG	GLU	148	-4.967	-6.299	-8.167	0.00	48.18	C
ATOM	1147	CD	GLU	148	-4.658	-6.528	-9.650	0.00	46.28	C
ATOM	1148	OE1	GLU	148	-5.554	-6.963	-10.349	0.00	42.94	O
ATOM	1149	OE2	GLU	148	-3.565	-6.231	-10.138	0.00	48.80	O
ATOM	1150	C	GLU	148	-3.038	-8.140	-6.728	0.00	51.16	C
ATOM	1151	O	GLU	148	-1.911	-8.293	-7.183	0.00	52.32	O
ATOM	1152	N	GLU	149	-3.269	-7.469	-5.592	0.00	51.21	N
ATOM	1153	CA	GLU	149	-2.102	-7.054	-4.845	0.00	51.15	C
ATOM	1154	CB	GLU	149	-2.471	-5.948	-3.880	0.00	59.21	C
ATOM	1155	CG	GLU	149	-3.162	-4.743	-4.526	0.00	66.64	C
ATOM	1156	CD	GLU	149	-3.717	-3.933	-3.378	0.00	74.19	C
ATOM	1157	OE1	GLU	149	-4.927	-3.783	-3.278	0.00	76.49	O
ATOM	1158	OE2	GLU	149	-2.938	-3.536	-2.521	0.00	76.19	O
ATOM	1159	C	GLU	149	-1.628	-8.261	-4.054	0.00	50.64	C
ATOM	1160	O	GLU	149	-2.096	-8.495	-2.941	0.00	50.34	O
ATOM	1161	N	GLY	150	-0.700	-8.997	-4.669	0.00	50.55	N
ATOM	1162	CA	GLY	150	-0.040	-10.023	-3.883	0.00	50.06	C
ATOM	1163	C	GLY	150	0.310	-11.243	-4.714	0.00	49.52	C
ATOM	1164	O	GLY	150	1.473	-11.583	-4.888	0.00	50.48	O
ATOM	1165	N	ASN	151	-0.751	-11.917	-5.187	0.00	49.08	N
ATOM	1166	CA	ASN	151	-0.532	-13.246	-5.794	0.00	47.90	C
ATOM	1167	CB	ASN	151	-0.522	-14.340	-4.708	0.00	45.59	C

Fig. 1

19/48

ATOM	1168	CG	ASN	151	0.785	-15.133	-4.761	0.00	49.16	C
ATOM	1169	OD1	ASN	151	0.819	-16.348	-4.874	0.00	57.86	O
ATOM	1170	ND2	ASN	151	1.853	-14.366	-4.591	0.00	50.55	N
ATOM	1171	C	ASN	151	-1.481	-13.606	-6.960	0.00	47.53	C
ATOM	1172	O	ASN	151	-2.515	-14.273	-6.844	0.00	48.05	O
ATOM	1173	N	CYS	152	-0.944	-13.167	-8.113	0.00	46.37	N
ATOM	1174	CA	CYS	152	-1.537	-13.427	-9.408	0.00	44.85	C
ATOM	1175	CB	CYS	152	-2.597	-12.337	-9.564	0.00	40.75	C
ATOM	1176	SG	CYS	152	-3.239	-12.028	-11.215	0.00	40.32	S
ATOM	1177	C	CYS	152	-0.434	-13.353	-10.498	0.00	44.66	C
ATOM	1178	O	CYS	152	0.597	-12.708	-10.317	0.00	44.71	O
ATOM	1179	N	THR	153	-0.736	-14.052	-11.624	0.00	44.49	N
ATOM	1180	CA	THR	153	0.077	-13.987	-12.827	0.00	43.24	C
ATOM	1181	CB	THR	153	-0.059	-15.301	-13.628	0.00	36.56	C
ATOM	1182	OG1	THR	153	-1.383	-15.540	-14.047	0.00	38.90	O
ATOM	1183	CG2	THR	153	0.378	-16.530	-12.829	0.00	33.43	C
ATOM	1184	C	THR	153	-0.409	-12.788	-13.652	0.00	43.81	C
ATOM	1185	O	THR	153	0.352	-11.940	-14.104	0.00	43.85	O
ATOM	1186	N	LEU	154	-1.741	-12.753	-13.800	0.00	44.20	N
ATOM	1187	CA	LEU	154	-2.375	-11.763	-14.667	0.00	44.59	C
ATOM	1188	CB	LEU	154	-3.797	-12.233	-15.016	0.00	42.96	C
ATOM	1189	CG	LEU	154	-3.915	-13.661	-15.560	0.00	43.95	C
ATOM	1190	CD1	LEU	154	-5.386	-13.943	-15.858	0.00	42.67	C
ATOM	1191	CD2	LEU	154	-3.047	-13.904	-16.801	0.00	45.97	C
ATOM	1192	C	LEU	154	-2.516	-10.359	-14.039	0.00	45.45	C
ATOM	1193	O	LEU	154	-3.367	-9.597	-14.481	0.00	45.25	O
ATOM	1194	N	CYS	155	-1.707	-10.045	-12.996	0.00	45.68	N
ATOM	1195	CA	CYS	155	-1.955	-8.846	-12.190	0.00	46.23	C
ATOM	1196	CB	CYS	155	-2.509	-9.228	-10.820	0.00	40.96	C
ATOM	1197	SG	CYS	155	-4.033	-10.204	-10.841	0.00	41.50	S
ATOM	1198	C	CYS	155	-0.635	-8.124	-11.929	0.00	47.11	C
ATOM	1199	O	CYS	155	0.376	-8.746	-11.662	0.00	46.43	O
ATOM	1200	N	ASN	156	-0.687	-6.789	-11.973	0.00	48.51	N
ATOM	1201	CA	ASN	156	0.528	-5.973	-12.050	0.00	49.46	C
ATOM	1202	CB	ASN	156	0.192	-4.510	-12.380	0.00	48.15	C
ATOM	1203	CG	ASN	156	-0.602	-3.754	-11.305	0.00	47.93	C
ATOM	1204	OD1	ASN	156	-0.045	-2.909	-10.598	0.00	51.21	O
ATOM	1205	ND2	ASN	156	-1.929	-4.028	-11.300	0.00	47.84	N
ATOM	1206	C	ASN	156	1.405	-5.937	-10.811	0.00	50.10	C
ATOM	1207	O	ASN	156	2.459	-5.305	-10.838	0.00	51.23	O
ATOM	1208	N	ASN	157	0.889	-6.492	-9.704	0.00	50.15	N
ATOM	1209	CA	ASN	157	1.365	-5.956	-8.434	0.00	49.74	C
ATOM	1210	CB	ASN	157	0.286	-6.008	-7.376	0.00	41.33	C
ATOM	1211	CG	ASN	157	-0.824	-5.046	-7.721	0.00	20.00	C
ATOM	1212	OD1	ASN	157	-0.722	-3.839	-7.526	0.00	20.00	O
ATOM	1213	ND2	ASN	157	-1.823	-5.653	-8.345	0.00	20.00	N
ATOM	1214	C	ASN	157	2.569	-6.715	-7.934	0.00	50.11	C
ATOM	1215	O	ASN	157	2.576	-7.275	-6.849	0.00	50.18	O
ATOM	1216	N	MET	158	3.576	-6.682	-8.799	0.00	50.64	N
ATOM	1217	CA	MET	158	4.730	-7.511	-8.613	0.00	51.38	C
ATOM	1218	CB	MET	158	4.755	-8.524	-9.760	0.00	47.01	C
ATOM	1219	CG	MET	158	3.457	-9.340	-9.891	0.00	44.89	C
ATOM	1220	SD	MET	158	3.102	-10.289	-8.398	0.00	42.36	S
ATOM	1221	CE	MET	158	1.308	-10.114	-8.381	0.00	34.26	C
ATOM	1222	C	MET	158	5.970	-6.616	-8.570	0.00	52.23	C
ATOM	1223	O	MET	158	6.001	-5.488	-9.069	0.00	52.94	O
ATOM	1224	N	CYS	159	6.966	-7.263	-7.932	0.00	52.32	N
ATOM	1225	CA	CYS	159	8.320	-6.766	-7.790	0.00	53.23	C
ATOM	1226	CB	CYS	159	9.103	-7.116	-9.047	0.00	42.09	C
ATOM	1227	SG	CYS	159	9.177	-8.908	-9.163	0.00	38.41	S
ATOM	1228	C	CYS	159	8.411	-5.265	-7.550	0.00	54.30	C
ATOM	1229	O	CYS	159	8.495	-4.496	-8.498	0.00	54.48	O
ATOM	1230	N	PRO	160	8.455	-4.857	-6.257	0.00	55.03	N
ATOM	1231	CD	PRO	160	8.116	-5.650	-5.079	0.00	54.95	C
ATOM	1232	CA	PRO	160	8.929	-3.530	-5.947	0.00	55.67	C

Fig. 1

20/48

ATOM	1233	CB	PRO	160	8.468	-3.316	-4.503	0.00	55.61	C
ATOM	1234	CG	PRO	160	8.281	-4.709	-3.894	0.00	55.25	C
ATOM	1235	C	PRO	160	10.467	-3.549	-6.089	0.00	55.88	C
ATOM	1236	O	PRO	160	11.219	-3.621	-5.120	0.00	55.86	O
ATOM	1237	N	ASN	161	10.850	-3.416	-7.388	0.00	56.12	N
ATOM	1238	CA	ASN	161	12.233	-3.313	-7.833	0.00	57.12	C
ATOM	1239	CB	ASN	161	13.157	-4.399	-7.243	0.00	49.59	C
ATOM	1240	CG	ASN	161	13.955	-3.899	-6.033	0.00	49.33	C
ATOM	1241	OD1	ASN	161	14.496	-2.791	-6.027	0.00	56.34	O
ATOM	1242	ND2	ASN	161	14.022	-4.806	-5.038	0.00	41.76	N
ATOM	1243	C	ASN	161	12.381	-3.343	-9.371	0.00	58.76	C
ATOM	1244	O	ASN	161	13.523	-3.371	-9.817	0.00	59.20	O
ATOM	1245	N	GLU	162	11.285	-3.312	-10.183	0.00	59.91	N
ATOM	1246	CA	GLU	162	11.537	-3.053	-11.610	0.00	61.69	C
ATOM	1247	CB	GLU	162	10.309	-3.340	-12.506	0.00	60.88	C
ATOM	1248	CG	GLU	162	9.027	-3.819	-11.800	0.00	59.54	C
ATOM	1249	CD	GLU	162	8.225	-2.703	-11.126	0.00	59.92	C
ATOM	1250	OE1	GLU	162	7.039	-2.579	-11.400	0.00	57.89	O
ATOM	1251	OE2	GLU	162	8.751	-1.980	-10.285	0.00	59.66	O
ATOM	1252	C	GLU	162	12.042	-1.597	-11.795	0.00	62.98	C
ATOM	1253	O	GLU	162	11.295	-0.630	-11.644	0.00	63.91	O
ATOM	1254	N	VAL	163	13.346	-1.484	-12.094	0.00	63.63	N
ATOM	1255	CA	VAL	163	13.938	-0.156	-12.137	0.00	64.19	C
ATOM	1256	CB	VAL	163	15.448	-0.245	-11.870	0.00	65.29	C
ATOM	1257	CG1	VAL	163	16.137	-1.326	-12.721	0.00	65.65	C
ATOM	1258	CG2	VAL	163	16.113	1.138	-11.980	0.00	65.03	C
ATOM	1259	C	VAL	163	13.605	0.498	-13.488	0.00	64.51	C
ATOM	1260	O	VAL	163	14.146	0.136	-14.527	0.00	64.74	O
ATOM	1261	N	ASP	164	12.672	1.468	-13.425	0.00	65.31	N
ATOM	1262	CA	ASP	164	12.254	2.211	-14.592	0.00	66.40	C
ATOM	1263	CB	ASP	164	10.928	2.902	-14.247	0.00	72.73	C
ATOM	1264	CG	ASP	164	10.507	3.959	-15.260	0.00	75.87	C
ATOM	1265	OD1	ASP	164	10.099	3.627	-16.367	0.00	75.36	O
ATOM	1266	OD2	ASP	164	10.596	5.118	-14.910	0.00	77.49	O
ATOM	1267	C	ASP	164	13.424	3.113	-15.018	0.00	66.30	C
ATOM	1268	O	ASP	164	14.372	3.339	-14.264	0.00	66.33	O
ATOM	1269	N	GLY	165	13.348	3.548	-16.289	0.00	65.91	N
ATOM	1270	CA	GLY	165	14.432	4.366	-16.817	0.00	65.37	C
ATOM	1271	C	GLY	165	14.276	5.771	-16.268	0.00	64.62	C
ATOM	1272	O	GLY	165	13.156	6.241	-16.104	0.00	64.65	O
ATOM	1273	N	ASP	166	15.425	6.423	-16.012	0.00	64.00	N
ATOM	1274	CA	ASP	166	15.331	7.850	-15.681	0.00	62.60	C
ATOM	1275	CB	ASP	166	16.595	8.363	-14.963	0.00	63.77	C
ATOM	1276	CG	ASP	166	17.759	8.582	-15.930	0.00	20.00	C
ATOM	1277	OD1	ASP	166	18.206	7.614	-16.531	0.00	20.00	O
ATOM	1278	OD2	ASP	166	18.212	9.708	-16.095	0.00	20.00	O
ATOM	1279	C	ASP	166	14.962	8.700	-16.928	0.00	61.75	C
ATOM	1280	O	ASP	166	14.267	9.706	-16.818	0.00	61.89	O
ATOM	1281	N	GLU	167	15.418	8.229	-18.109	0.00	60.86	N
ATOM	1282	CA	GLU	167	15.330	8.921	-19.391	0.00	59.56	C
ATOM	1283	CB	GLU	167	16.123	8.137	-20.447	0.00	52.68	C
ATOM	1284	CG	GLU	167	15.862	6.619	-20.441	0.00	51.63	C
ATOM	1285	CD	GLU	167	16.982	5.865	-19.717	0.00	55.63	C
ATOM	1286	OE1	GLU	167	16.837	5.558	-18.531	0.00	55.63	O
ATOM	1287	OE2	GLU	167	18.006	5.608	-20.348	0.00	53.65	O
ATOM	1288	C	GLU	167	13.911	9.202	-19.926	0.00	59.47	C
ATOM	1289	O	GLU	167	13.761	9.830	-20.977	0.00	59.49	O
ATOM	1290	N	SER	168	12.860	8.789	-19.178	0.00	59.62	N
ATOM	1291	CA	SER	168	11.528	9.251	-19.576	0.00	59.85	C
ATOM	1292	CB	SER	168	10.440	8.457	-18.834	0.00	59.28	C
ATOM	1293	OG	SER	168	10.830	8.130	-17.519	0.00	60.00	O
ATOM	1294	C	SER	168	11.447	10.772	-19.340	0.00	59.97	C
ATOM	1295	O	SER	168	10.773	11.519	-20.046	0.00	59.98	O
ATOM	1296	N	THR	169	12.253	11.168	-18.321	0.00	59.93	N
ATOM	1297	CA	THR	169	12.547	12.568	-18.032	0.00	59.28	C

Fig. 1

21/48

ATOM	1298	CB	THR	169	13.258	12.685	-16.673	0.00	58.69	C
ATOM	1299	OG1	THR	169	12.435	12.213	-15.629	0.00	59.41	O
ATOM	1300	CG2	THR	169	13.660	14.112	-16.290	0.00	60.42	C
ATOM	1301	C	THR	169	13.371	13.222	-19.157	0.00	58.90	C
ATOM	1302	O	THR	169	13.249	14.417	-19.407	0.00	58.79	O
ATOM	1303	N	THR	170	14.200	12.404	-19.843	0.00	58.21	N
ATOM	1304	CA	THR	170	14.953	12.947	-20.963	0.00	58.47	C
ATOM	1305	CB	THR	170	16.150	12.089	-21.370	0.00	57.66	C
ATOM	1306	OG1	THR	170	16.886	11.698	-20.234	0.00	59.56	O
ATOM	1307	CG2	THR	170	17.119	12.893	-22.245	0.00	53.05	C
ATOM	1308	C	THR	170	14.017	13.260	-22.126	0.00	58.70	C
ATOM	1309	O	THR	170	14.002	14.370	-22.629	0.00	59.59	O
ATOM	1310	N	TRP	171	13.208	12.266	-22.511	0.00	58.14	N
ATOM	1311	CA	TRP	171	12.215	12.475	-23.561	0.00	56.99	C
ATOM	1312	CB	TRP	171	11.418	11.187	-23.759	0.00	50.72	C
ATOM	1313	CG	TRP	171	10.243	11.374	-24.696	0.00	46.03	C
ATOM	1314	CD2	TRP	171	10.179	11.942	-26.024	0.00	44.60	C
ATOM	1315	CE2	TRP	171	8.816	11.921	-26.412	0.00	43.10	C
ATOM	1316	CE3	TRP	171	11.111	12.463	-26.878	0.00	44.87	C
ATOM	1317	CD1	TRP	171	8.940	11.034	-24.360	0.00	43.72	C
ATOM	1318	NE1	TRP	171	8.105	11.349	-25.373	0.00	42.43	N
ATOM	1319	CZ2	TRP	171	8.427	12.435	-27.618	0.00	42.64	C
ATOM	1320	CZ3	TRP	171	10.718	12.989	-28.108	0.00	43.13	C
ATOM	1321	CH2	TRP	171	9.373	12.985	-28.479	0.00	43.00	C
ATOM	1322	C	TRP	171	11.279	13.631	-23.186	0.00	56.55	C
ATOM	1323	O	TRP	171	10.972	14.481	-24.010	0.00	56.63	O
ATOM	1324	N	LEU	172	10.896	13.654	-21.880	0.00	55.65	N
ATOM	1325	CA	LEU	172	10.230	14.845	-21.364	0.00	55.35	C
ATOM	1326	CB	LEU	172	9.955	14.798	-19.850	0.00	43.43	C
ATOM	1327	CG	LEU	172	8.762	13.913	-19.441	0.00	34.21	C
ATOM	1328	CD1	LEU	172	8.739	13.617	-17.933	0.00	32.23	C
ATOM	1329	CD2	LEU	172	7.422	14.551	-19.819	0.00	27.49	C
ATOM	1330	C	LEU	172	11.003	16.106	-21.784	0.00	56.11	C
ATOM	1331	O	LEU	172	10.427	16.920	-22.475	0.00	56.15	O
ATOM	1332	N	GLY	173	12.295	16.256	-21.435	0.00	56.03	N
ATOM	1333	CA	GLY	173	13.003	17.446	-21.927	0.00	56.11	C
ATOM	1334	C	GLY	173	12.923	17.641	-23.457	0.00	56.44	C
ATOM	1335	O	GLY	173	12.837	18.760	-23.968	0.00	56.84	O
ATOM	1336	N	VAL	174	12.920	16.502	-24.164	0.00	56.26	N
ATOM	1337	CA	VAL	174	12.842	16.593	-25.623	0.00	55.81	C
ATOM	1338	CB	VAL	174	13.178	15.240	-26.273	0.00	54.86	C
ATOM	1339	CG1	VAL	174	13.177	15.300	-27.807	0.00	54.60	C
ATOM	1340	CG2	VAL	174	14.516	14.643	-25.830	0.00	55.21	C
ATOM	1341	C	VAL	174	11.451	17.073	-26.123	0.00	55.92	C
ATOM	1342	O	VAL	174	11.345	17.711	-27.168	0.00	56.09	O
ATOM	1343	N	PHE	175	10.382	16.695	-25.382	0.00	55.78	N
ATOM	1344	CA	PHE	175	9.012	16.887	-25.901	0.00	55.67	C
ATOM	1345	CB	PHE	175	8.331	15.519	-26.122	0.00	50.06	C
ATOM	1346	CG	PHE	175	7.186	15.207	-25.194	0.00	44.96	C
ATOM	1347	CD1	PHE	175	5.931	15.771	-25.408	0.00	43.59	C
ATOM	1348	CD2	PHE	175	7.366	14.343	-24.121	0.00	42.96	C
ATOM	1349	CE1	PHE	175	4.871	15.454	-24.570	0.00	42.44	C
ATOM	1350	CE2	PHE	175	6.308	14.021	-23.284	0.00	39.25	C
ATOM	1351	CZ	PHE	175	5.058	14.577	-23.511	0.00	37.55	C
ATOM	1352	C	PHE	175	8.180	17.874	-25.052	0.00	56.20	C
ATOM	1353	O	PHE	175	7.497	18.755	-25.571	0.00	56.26	O
ATOM	1354	N	ALA	176	8.261	17.685	-23.733	0.00	56.43	N
ATOM	1355	CA	ALA	176	7.432	18.426	-22.796	0.00	57.21	C
ATOM	1356	CB	ALA	176	7.536	17.821	-21.395	0.00	56.81	C
ATOM	1357	C	ALA	176	7.671	19.951	-22.774	0.00	58.57	C
ATOM	1358	O	ALA	176	6.695	20.698	-22.701	0.00	58.05	O
ATOM	1359	N	PRO	177	8.940	20.455	-22.808	0.00	59.69	N
ATOM	1360	CD	PRO	177	10.192	19.722	-22.689	0.00	59.86	C
ATOM	1361	CA	PRO	177	9.153	21.896	-22.775	0.00	60.15	C
ATOM	1362	CB	PRO	177	10.645	22.073	-23.044	0.00	59.88	C

Fig. 1

22/48

ATOM	1363	CG	PRO	177	11.233	20.815	-22.418	0.00	59.86	C
ATOM	1364	C	PRO	177	8.276	22.701	-23.702	0.00	60.83	C
ATOM	1365	O	PRO	177	7.653	23.653	-23.270	0.00	61.49	O
ATOM	1366	N	ASN	178	8.236	22.203	-24.952	0.00	61.08	N
ATOM	1367	CA	ASN	178	7.515	22.884	-26.011	0.00	61.63	C
ATOM	1368	CB	ASN	178	7.866	22.299	-27.375	0.00	65.07	C
ATOM	1369	CG	ASN	178	7.309	23.201	-28.482	0.00	68.93	C
ATOM	1370	OD1	ASN	178	7.480	24.418	-28.460	0.00	70.64	O
ATOM	1371	ND2	ASN	178	6.633	22.531	-29.418	0.00	73.22	N
ATOM	1372	C	ASN	178	6.006	22.827	-25.799	0.00	61.98	C
ATOM	1373	O	ASN	178	5.304	23.777	-26.142	0.00	62.35	O
ATOM	1374	N	ILE	179	5.531	21.705	-25.207	0.00	61.83	N
ATOM	1375	CA	ILE	179	4.096	21.629	-24.926	0.00	61.71	C
ATOM	1376	CB	ILE	179	3.717	20.208	-24.440	0.00	63.51	C
ATOM	1377	CG2	ILE	179	2.296	20.122	-23.859	0.00	61.58	C
ATOM	1378	CG1	ILE	179	3.879	19.169	-25.562	0.00	67.44	C
ATOM	1379	CD1	ILE	179	2.773	19.235	-26.626	0.00	67.92	C
ATOM	1380	C	ILE	179	3.758	22.728	-23.910	0.00	61.47	C
ATOM	1381	O	ILE	179	3.004	23.660	-24.165	0.00	61.04	O
ATOM	1382	N	THR	180	4.435	22.589	-22.763	0.00	61.29	N
ATOM	1383	CA	THR	180	4.356	23.563	-21.692	0.00	61.83	C
ATOM	1384	CB	THR	180	5.465	23.211	-20.696	0.00	60.84	C
ATOM	1385	OG1	THR	180	5.528	21.813	-20.540	0.00	58.64	O
ATOM	1386	CG2	THR	180	5.231	23.908	-19.364	0.00	61.04	C
ATOM	1387	C	THR	180	4.538	25.006	-22.202	0.00	62.36	C
ATOM	1388	O	THR	180	3.858	25.932	-21.783	0.00	62.51	O
ATOM	1389	N	ALA	181	5.486	25.130	-23.143	0.00	62.32	N
ATOM	1390	CA	ALA	181	5.907	26.424	-23.664	0.00	62.05	C
ATOM	1391	CB	ALA	181	7.087	26.264	-24.626	0.00	60.95	C
ATOM	1392	C	ALA	181	4.756	27.081	-24.397	0.00	62.10	C
ATOM	1393	O	ALA	181	4.607	28.301	-24.440	0.00	63.08	O
ATOM	1394	N	ARG	182	3.911	26.195	-24.944	0.00	61.92	N
ATOM	1395	CA	ARG	182	2.671	26.714	-25.460	0.00	61.40	C
ATOM	1396	CB	ARG	182	2.162	25.915	-26.644	0.00	56.31	C
ATOM	1397	CG	ARG	182	1.088	26.689	-27.419	0.00	55.44	C
ATOM	1398	CD	ARG	182	0.721	25.979	-28.713	0.00	54.42	C
ATOM	1399	NE	ARG	182	-0.181	24.881	-28.404	0.00	55.34	N
ATOM	1400	CZ	ARG	182	0.111	23.573	-28.511	0.00	52.62	C
ATOM	1401	NH1	ARG	182	1.341	23.148	-28.733	0.00	46.64	N
ATOM	1402	NH2	ARG	182	-0.845	22.665	-28.407	0.00	53.51	N
ATOM	1403	C	ARG	182	1.646	26.859	-24.349	0.00	61.61	C
ATOM	1404	O	ARG	182	0.970	27.869	-24.334	0.00	61.69	O
ATOM	1405	N	LEU	183	1.508	25.901	-23.412	0.00	61.79	N
ATOM	1406	CA	LEU	183	0.332	25.993	-22.544	0.00	62.00	C
ATOM	1407	CB	LEU	183	0.181	24.740	-21.690	0.00	56.82	C
ATOM	1408	CG	LEU	183	0.031	23.424	-22.460	0.00	52.07	C
ATOM	1409	CD1	LEU	183	-0.022	22.271	-21.455	0.00	52.79	C
ATOM	1410	CD2	LEU	183	-1.222	23.433	-23.348	0.00	44.02	C
ATOM	1411	C	LEU	183	0.423	27.197	-21.596	0.00	62.39	C
ATOM	1412	O	LEU	183	-0.562	27.832	-21.233	0.00	62.81	O
ATOM	1413	N	ASN	184	1.679	27.480	-21.222	0.00	54.55	N
ATOM	1414	CA	ASN	184	1.971	28.598	-20.345	0.00	56.77	C
ATOM	1415	CB	ASN	184	3.238	28.283	-19.512	0.00	54.30	C
ATOM	1416	CG	ASN	184	2.889	27.332	-18.350	0.00	66.82	C
ATOM	1417	OD1	ASN	184	1.786	27.346	-17.823	0.00	69.70	O
ATOM	1418	ND2	ASN	184	3.830	26.458	-18.005	0.00	64.62	N
ATOM	1419	C	ASN	184	2.102	29.904	-21.153	0.00	58.44	C
ATOM	1420	O	ASN	184	2.526	30.915	-20.606	0.00	58.77	O
ATOM	1421	N	ALA	185	1.743	29.839	-22.456	0.00	60.06	N
ATOM	1422	CA	ALA	185	1.635	31.033	-23.294	0.00	64.11	C
ATOM	1423	CB	ALA	185	2.435	30.838	-24.589	0.00	72.57	C
ATOM	1424	C	ALA	185	0.158	31.252	-23.620	0.00	61.90	C
ATOM	1425	O	ALA	185	-0.370	32.363	-23.651	0.00	63.90	O
ATOM	1426	N	ALA	186	-0.502	30.111	-23.866	0.00	59.66	N
ATOM	1427	CA	ALA	186	-1.931	30.096	-24.112	0.00	55.77	C

Fig. 1

23/48

ATOM	1428	CB	ALA	186	-2.328	28.665	-24.470	0.00	54.07	C
ATOM	1429	C	ALA	186	-2.647	30.586	-22.854	0.00	56.68	C
ATOM	1430	O	ALA	186	-3.578	31.387	-22.880	0.00	57.99	O
ATOM	1431	N	ALA	187	-2.113	30.113	-21.735	0.00	58.92	N
ATOM	1432	CA	ALA	187	-2.359	30.734	-20.456	0.00	63.88	C
ATOM	1433	CB	ALA	187	-2.897	29.670	-19.513	0.00	60.87	C
ATOM	1434	C	ALA	187	-1.008	31.261	-19.964	0.00	67.67	C
ATOM	1435	O	ALA	187	-0.233	30.531	-19.361	0.00	71.19	O
ATOM	1436	N	PRO	188	-0.729	32.570	-20.205	0.00	69.15	N
ATOM	1437	CD	PRO	188	-1.539	33.480	-20.999	0.00	20.00	C
ATOM	1438	CA	PRO	188	0.448	33.212	-19.631	0.00	67.73	C
ATOM	1439	CB	PRO	188	0.437	34.629	-20.213	0.00	69.97	C
ATOM	1440	CG	PRO	188	-0.566	34.598	-21.365	0.00	20.00	C
ATOM	1441	C	PRO	188	0.419	33.303	-18.093	0.00	64.31	C
ATOM	1442	O	PRO	188	1.313	33.850	-17.465	0.00	63.85	O
ATOM	1443	N	SER	189	-0.677	32.800	-17.506	0.00	60.74	N
ATOM	1444	CA	SER	189	-1.067	33.249	-16.189	0.00	62.46	C
ATOM	1445	CB	SER	189	-2.599	33.309	-16.171	0.00	64.76	C
ATOM	1446	OG	SER	189	-3.089	33.448	-17.491	0.00	66.03	O
ATOM	1447	C	SER	189	-0.509	32.381	-15.057	0.00	62.94	C
ATOM	1448	O	SER	189	-0.322	32.894	-13.960	0.00	66.46	O
ATOM	1449	N	ALA	190	-0.317	31.074	-15.329	0.00	61.51	N
ATOM	1450	CA	ALA	190	-0.046	30.101	-14.278	0.00	61.64	C
ATOM	1451	CB	ALA	190	-1.335	29.315	-14.062	0.00	63.90	C
ATOM	1452	C	ALA	190	1.079	29.200	-14.774	0.00	60.36	C
ATOM	1453	O	ALA	190	1.408	29.226	-15.949	0.00	60.14	O
ATOM	1454	N	ASN	191	1.689	28.400	-13.899	0.00	59.40	N
ATOM	1455	CA	ASN	191	2.805	27.613	-14.421	0.00	58.24	C
ATOM	1456	CB	ASN	191	4.097	28.047	-13.736	0.00	60.20	C
ATOM	1457	CG	ASN	191	5.286	27.940	-14.685	0.00	98.63	C
ATOM	1458	OD1	ASN	191	5.600	28.909	-15.371	0.00	99.05	O
ATOM	1459	ND2	ASN	191	5.893	26.748	-14.731	0.00	99.60	N
ATOM	1460	C	ASN	191	2.484	26.136	-14.304	0.00	55.79	C
ATOM	1461	O	ASN	191	2.717	25.502	-13.281	0.00	52.03	O
ATOM	1462	N	LEU	192	1.964	25.645	-15.457	0.00	54.99	N
ATOM	1463	CA	LEU	192	2.007	24.221	-15.778	0.00	54.42	C
ATOM	1464	CB	LEU	192	1.416	24.004	-17.178	0.00	54.26	C
ATOM	1465	CG	LEU	192	-0.114	24.120	-17.203	0.00	41.30	C
ATOM	1466	CD1	LEU	192	-0.582	24.524	-18.593	0.00	41.31	C
ATOM	1467	CD2	LEU	192	-0.765	22.791	-16.807	0.00	42.62	C
ATOM	1468	C	LEU	192	3.463	23.756	-15.764	0.00	54.57	C
ATOM	1469	O	LEU	192	4.274	24.164	-16.589	0.00	55.86	O
ATOM	1470	N	SER	193	3.730	22.908	-14.751	0.00	52.48	N
ATOM	1471	CA	SER	193	5.072	22.498	-14.384	0.00	52.67	C
ATOM	1472	CB	SER	193	5.056	22.192	-12.880	0.00	52.83	C
ATOM	1473	OG	SER	193	4.033	22.944	-12.251	0.00	38.38	O
ATOM	1474	C	SER	193	5.539	21.328	-15.277	0.00	53.26	C
ATOM	1475	O	SER	193	5.689	20.172	-14.885	0.00	51.25	O
ATOM	1476	N	ASP	194	5.796	21.770	-16.510	0.00	71.75	N
ATOM	1477	CA	ASP	194	6.429	20.992	-17.564	0.00	72.72	C
ATOM	1478	CB	ASP	194	7.960	21.027	-17.434	0.00	71.48	C
ATOM	1479	CG	ASP	194	8.559	20.822	-18.829	0.00	68.71	C
ATOM	1480	OD1	ASP	194	8.645	21.798	-19.580	0.00	64.16	O
ATOM	1481	OD2	ASP	194	8.923	19.687	-19.140	0.00	65.57	O
ATOM	1482	C	ASP	194	5.806	19.593	-17.757	0.00	72.77	C
ATOM	1483	O	ASP	194	4.889	19.391	-18.533	0.00	72.44	O
ATOM	1484	N	SER	195	6.292	18.617	-16.991	0.00	72.88	N
ATOM	1485	CA	SER	195	5.675	17.288	-17.063	0.00	72.93	C
ATOM	1486	CB	SER	195	6.590	16.374	-16.256	0.00	73.11	C
ATOM	1487	OG	SER	195	7.904	16.768	-16.598	0.00	80.37	O
ATOM	1488	C	SER	195	4.169	17.253	-16.630	0.00	73.22	C
ATOM	1489	O	SER	195	3.410	16.374	-17.032	0.00	74.02	O
ATOM	1490	N	ASP	196	3.780	18.292	-15.841	0.00	73.17	N
ATOM	1491	CA	ASP	196	2.378	18.585	-15.514	0.00	73.21	C
ATOM	1492	CB	ASP	196	2.180	19.941	-14.783	0.00	74.75	C

Fig. 1

24/48

ATOM	1493	CG	ASP	196	2.590	20.000	-13.304	0.00	75.36	C
ATOM	1494	OD1	ASP	196	2.139	20.907	-12.592	0.00	74.45	O
ATOM	1495	OD2	ASP	196	3.346	19.150	-12.840	0.00	76.56	O
ATOM	1496	C	ASP	196	1.550	18.697	-16.802	0.00	72.97	C
ATOM	1497	O	ASP	196	0.459	18.153	-16.909	0.00	73.30	O
ATOM	1498	N	ALA	197	2.153	19.448	-17.749	0.00	72.38	N
ATOM	1499	CA	ALA	197	1.555	19.749	-19.050	0.00	71.53	C
ATOM	1500	CB	ALA	197	2.561	20.526	-19.913	0.00	70.94	C
ATOM	1501	C	ALA	197	1.145	18.464	-19.785	0.00	70.93	C
ATOM	1502	O	ALA	197	0.043	18.320	-20.300	0.00	71.03	O
ATOM	1503	N	LEU	198	2.091	17.504	-19.761	0.00	0.00	N
ATOM	1504	CA	LEU	198	1.796	16.154	-20.264	0.00	0.00	C
ATOM	1505	CB	LEU	198	3.010	15.205	-20.104	0.00	0.00	C
ATOM	1506	CG	LEU	198	2.692	13.685	-20.035	0.00	0.00	C
ATOM	1507	CD1	LEU	198	2.053	13.124	-21.315	0.00	0.00	C
ATOM	1508	CD2	LEU	198	3.928	12.863	-19.667	0.00	0.00	C
ATOM	1509	C	LEU	198	0.541	15.564	-19.594	0.00	0.00	C
ATOM	1510	O	LEU	198	-0.259	14.905	-20.246	0.00	0.00	O
ATOM	1511	N	THR	199	0.375	15.798	-18.283	0.00	64.70	N
ATOM	1512	CA	THR	199	-0.755	15.139	-17.618	0.00	62.08	C
ATOM	1513	CB	THR	199	-0.596	15.230	-16.091	0.00	55.83	C
ATOM	1514	OG1	THR	199	0.640	15.828	-15.760	0.00	54.45	O
ATOM	1515	CG2	THR	199	-0.677	13.865	-15.404	0.00	52.98	C
ATOM	1516	C	THR	199	-2.154	15.632	-18.102	0.00	61.61	C
ATOM	1517	O	THR	199	-3.165	14.992	-17.838	0.00	61.20	O
ATOM	1518	N	LEU	200	-2.182	16.765	-18.841	0.00	61.46	N
ATOM	1519	CA	LEU	200	-3.445	17.165	-19.478	0.00	60.93	C
ATOM	1520	CB	LEU	200	-3.368	18.636	-19.912	0.00	61.08	C
ATOM	1521	CG	LEU	200	-3.143	19.678	-18.808	0.00	62.89	C
ATOM	1522	CD1	LEU	200	-3.209	21.087	-19.409	0.00	61.63	C
ATOM	1523	CD2	LEU	200	-4.162	19.573	-17.679	0.00	63.41	C
ATOM	1524	C	LEU	200	-3.690	16.306	-20.740	0.00	60.41	C
ATOM	1525	O	LEU	200	-4.775	15.837	-21.069	0.00	60.11	O
ATOM	1526	N	MET	201	-2.562	16.155	-21.455	0.00	59.93	N
ATOM	1527	CA	MET	201	-2.536	15.376	-22.687	0.00	58.98	C
ATOM	1528	CB	MET	201	-1.097	15.430	-23.223	0.00	52.98	C
ATOM	1529	CG	MET	201	-0.949	14.952	-24.666	0.00	55.18	C
ATOM	1530	SD	MET	201	0.801	14.819	-25.096	0.00	51.18	S
ATOM	1531	CE	MET	201	1.276	16.548	-24.988	0.00	51.51	C
ATOM	1532	C	MET	201	-3.023	13.928	-22.419	0.00	58.64	C
ATOM	1533	O	MET	201	-3.642	13.278	-23.251	0.00	58.74	O
ATOM	1534	N	ASP	202	-2.742	13.524	-21.162	0.00	57.41	N
ATOM	1535	CA	ASP	202	-3.151	12.249	-20.574	0.00	56.51	C
ATOM	1536	CB	ASP	202	-2.265	12.006	-19.334	0.00	55.99	C
ATOM	1537	CG	ASP	202	-2.374	10.570	-18.815	0.00	61.05	C
ATOM	1538	OD1	ASP	202	-1.906	9.667	-19.501	0.00	60.81	O
ATOM	1539	OD2	ASP	202	-2.944	10.341	-17.752	0.00	60.09	O
ATOM	1540	C	ASP	202	-4.663	12.147	-20.250	0.00	56.13	C
ATOM	1541	O	ASP	202	-5.121	11.184	-19.634	0.00	56.41	O
ATOM	1542	N	MET	203	-5.443	13.129	-20.727	0.00	55.64	N
ATOM	1543	CA	MET	203	-6.885	12.995	-20.552	0.00	54.17	C
ATOM	1544	CB	MET	203	-7.381	13.737	-19.304	0.00	51.09	C
ATOM	1545	CG	MET	203	-6.752	15.109	-19.030	0.00	47.28	C
ATOM	1546	SD	MET	203	-7.577	15.888	-17.625	0.00	47.89	S
ATOM	1547	CE	MET	203	-6.251	16.893	-16.961	0.00	50.16	C
ATOM	1548	C	MET	203	-7.671	13.307	-21.829	0.00	53.68	C
ATOM	1549	O	MET	203	-8.877	13.111	-21.873	0.00	53.40	O
ATOM	1550	N	CYS	204	-6.933	13.708	-22.887	0.00	53.15	N
ATOM	1551	CA	CYS	204	-7.547	13.726	-24.209	0.00	52.56	C
ATOM	1552	CB	CYS	204	-6.574	14.252	-25.281	0.00	50.00	C
ATOM	1553	SG	CYS	204	-7.073	13.948	-27.000	0.00	48.02	S
ATOM	1554	C	CYS	204	-8.191	12.351	-24.526	0.00	52.20	C
ATOM	1555	O	CYS	204	-9.349	12.309	-24.939	0.00	52.05	O
ATOM	1556	N	PRO	205	-7.471	11.211	-24.281	0.00	51.43	N
ATOM	1557	CD	PRO	205	-6.045	11.120	-23.961	0.00	51.11	C

Fig. 1

25/48

ATOM	1558	CA	PRO	205	-8.130	9.907	-24.371	0.00	51.23	C
ATOM	1559	CB	PRO	205	-7.024	8.894	-24.032	0.00	51.10	C
ATOM	1560	CG	PRO	205	-5.701	9.651	-24.191	0.00	51.07	C
ATOM	1561	C	PRO	205	-9.309	9.723	-23.396	0.00	51.10	C
ATOM	1562	O	PRO	205	-10.402	9.303	-23.764	0.00	51.17	O
ATOM	1563	N	PHE	206	-9.010	10.047	-22.120	0.00	50.64	N
ATOM	1564	CA	PHE	206	-9.926	9.690	-21.035	0.00	50.35	C
ATOM	1565	CB	PHE	206	-9.314	9.904	-19.637	0.00	43.01	C
ATOM	1566	CG	PHE	206	-8.671	8.670	-19.076	0.00	39.01	C
ATOM	1567	CD1	PHE	206	-7.408	8.746	-18.509	0.00	38.41	C
ATOM	1568	CD2	PHE	206	-9.338	7.447	-19.091	0.00	36.12	C
ATOM	1569	CE1	PHE	206	-6.833	7.620	-17.942	0.00	38.95	C
ATOM	1570	CE2	PHE	206	-8.747	6.313	-18.554	0.00	34.33	C
ATOM	1571	CZ	PHE	206	-7.492	6.402	-17.971	0.00	36.12	C
ATOM	1572	C	PHE	206	-11.230	10.462	-21.116	0.00	50.80	C
ATOM	1573	O	PHE	206	-12.298	9.883	-21.266	0.00	50.76	O
ATOM	1574	N	ASP	207	-11.101	11.794	-21.016	0.00	50.53	N
ATOM	1575	CA	ASP	207	-12.269	12.667	-21.118	0.00	50.40	C
ATOM	1576	CB	ASP	207	-11.841	14.137	-20.930	0.00	47.54	C
ATOM	1577	CG	ASP	207	-13.043	15.093	-20.803	0.00	47.11	C
ATOM	1578	OD1	ASP	207	-13.695	15.068	-19.765	0.00	47.44	O
ATOM	1579	OD2	ASP	207	-13.326	15.861	-21.727	0.00	44.75	O
ATOM	1580	C	ASP	207	-13.080	12.425	-22.425	0.00	50.57	C
ATOM	1581	O	ASP	207	-14.295	12.590	-22.445	0.00	50.67	O
ATOM	1582	N	THR	208	-12.377	11.992	-23.506	0.00	50.74	N
ATOM	1583	CA	THR	208	-13.124	11.539	-24.686	0.00	51.71	C
ATOM	1584	CB	THR	208	-12.182	11.120	-25.852	0.00	53.23	C
ATOM	1585	OG1	THR	208	-11.537	12.206	-26.481	0.00	48.12	O
ATOM	1586	CG2	THR	208	-12.921	10.392	-26.977	0.00	50.82	C
ATOM	1587	C	THR	208	-14.090	10.389	-24.290	0.00	51.65	C
ATOM	1588	O	THR	208	-15.304	10.470	-24.491	0.00	51.18	O
ATOM	1589	N	LEU	209	-13.467	9.328	-23.728	0.00	51.80	N
ATOM	1590	CA	LEU	209	-14.167	8.098	-23.354	0.00	52.42	C
ATOM	1591	CB	LEU	209	-13.151	7.072	-22.802	0.00	48.19	C
ATOM	1592	CG	LEU	209	-12.110	6.621	-23.848	0.00	46.90	C
ATOM	1593	CD1	LEU	209	-10.851	6.044	-23.188	0.00	45.26	C
ATOM	1594	CD2	LEU	209	-12.690	5.604	-24.834	0.00	35.28	C
ATOM	1595	C	LEU	209	-15.297	8.377	-22.340	0.00	53.12	C
ATOM	1596	O	LEU	209	-16.351	7.745	-22.371	0.00	52.37	O
ATOM	1597	N	SER	210	-15.039	9.412	-21.503	0.00	54.35	N
ATOM	1598	CA	SER	210	-15.979	9.856	-20.478	0.00	55.59	C
ATOM	1599	CB	SER	210	-15.283	10.636	-19.349	0.00	56.90	C
ATOM	1600	OG	SER	210	-14.387	9.791	-18.675	0.00	60.61	O
ATOM	1601	C	SER	210	-17.118	10.711	-21.029	0.00	56.73	C
ATOM	1602	O	SER	210	-17.864	11.292	-20.253	0.00	56.60	O
ATOM	1603	N	SER	211	-17.283	10.697	-22.349	0.00	57.96	N
ATOM	1604	CA	SER	211	-18.531	11.168	-22.913	0.00	60.28	C
ATOM	1605	CB	SER	211	-18.408	12.697	-22.984	0.00	71.79	C
ATOM	1606	OG	SER	211	-19.271	13.298	-22.035	0.00	78.29	O
ATOM	1607	C	SER	211	-18.820	10.423	-24.244	0.00	61.31	C
ATOM	1608	O	SER	211	-19.729	10.769	-25.004	0.00	60.72	O
ATOM	1609	N	GLY	212	-17.966	9.391	-24.469	0.00	62.74	N
ATOM	1610	CA	GLY	212	-17.861	8.691	-25.739	0.00	64.57	C
ATOM	1611	C	GLY	212	-17.789	9.634	-26.946	0.00	65.14	C
ATOM	1612	O	GLY	212	-18.324	9.361	-28.015	0.00	64.39	O
ATOM	1613	N	ASN	213	-17.124	10.769	-26.721	0.00	65.39	N
ATOM	1614	CA	ASN	213	-17.301	11.864	-27.664	0.00	65.92	C
ATOM	1615	CB	ASN	213	-18.292	12.860	-27.022	0.00	72.16	C
ATOM	1616	CG	ASN	213	-19.298	13.438	-28.008	0.00	77.60	C
ATOM	1617	OD1	ASN	213	-19.349	14.639	-28.195	0.00	79.09	O
ATOM	1618	ND2	ASN	213	-20.161	12.594	-28.558	0.00	79.01	N
ATOM	1619	C	ASN	213	-15.915	12.348	-28.054	0.00	65.48	C
ATOM	1620	O	ASN	213	-15.222	11.696	-28.834	0.00	64.94	O
ATOM	1621	N	ALA	214	-15.513	13.449	-27.407	0.00	0.00	N
ATOM	1622	CA	ALA	214	-14.136	13.872	-27.482	0.00	0.00	C

Fig. 1

26/48

ATOM	1623	CB	ALA	214	-13.784	14.402	-28.883	0.00	0.00	C
ATOM	1624	C	ALA	214	-13.970	14.895	-26.370	0.00	0.00	C
ATOM	1625	O	ALA	214	-14.948	15.408	-25.833	0.00	0.00	O
ATOM	1626	N	SER	215	-12.698	15.146	-26.035	0.00	66.05	N
ATOM	1627	CA	SER	215	-12.408	16.212	-25.088	0.00	65.85	C
ATOM	1628	CB	SER	215	-11.340	15.767	-24.100	0.00	61.78	C
ATOM	1629	OG	SER	215	-11.186	16.773	-23.123	0.00	61.34	O
ATOM	1630	C	SER	215	-11.808	17.363	-25.874	0.00	66.29	C
ATOM	1631	O	SER	215	-10.915	17.127	-26.675	0.00	66.51	O
ATOM	1632	N	PRO	216	-12.252	18.611	-25.611	0.00	66.16	N
ATOM	1633	CD	PRO	216	-13.482	18.960	-24.921	0.00	66.01	C
ATOM	1634	CA	PRO	216	-11.563	19.765	-26.155	0.00	65.85	C
ATOM	1635	CB	PRO	216	-12.424	20.960	-25.768	0.00	66.27	C
ATOM	1636	CG	PRO	216	-13.778	20.329	-25.518	0.00	66.42	C
ATOM	1637	C	PRO	216	-10.134	19.967	-25.672	0.00	65.63	C
ATOM	1638	O	PRO	216	-9.480	20.856	-26.198	0.00	66.18	O
ATOM	1639	N	PHE	217	-9.642	19.116	-24.724	0.00	64.61	N
ATOM	1640	CA	PHE	217	-8.182	18.963	-24.545	0.00	63.77	C
ATOM	1641	CB	PHE	217	-7.805	17.753	-23.648	0.00	59.17	C
ATOM	1642	CG	PHE	217	-7.976	17.971	-22.166	0.00	59.54	C
ATOM	1643	CD1	PHE	217	-7.301	18.995	-21.505	0.00	59.01	C
ATOM	1644	CD2	PHE	217	-8.815	17.140	-21.430	0.00	59.13	C
ATOM	1645	CE1	PHE	217	-7.488	19.208	-20.143	0.00	57.05	C
ATOM	1646	CE2	PHE	217	-9.011	17.351	-20.071	0.00	57.99	C
ATOM	1647	CZ	PHE	217	-8.349	18.388	-19.427	0.00	57.70	C
ATOM	1648	C	PHE	217	-7.526	18.703	-25.914	0.00	63.36	C
ATOM	1649	O	PHE	217	-6.495	19.247	-26.290	0.00	63.98	O
ATOM	1650	N	CYS	218	-8.232	17.823	-26.644	0.00	62.46	N
ATOM	1651	CA	CYS	218	-7.712	17.407	-27.931	0.00	61.56	C
ATOM	1652	CB	CYS	218	-8.569	16.279	-28.496	0.00	51.98	C
ATOM	1653	SG	CYS	218	-8.857	14.914	-27.316	0.00	49.25	S
ATOM	1654	C	CYS	218	-7.563	18.623	-28.885	0.00	61.62	C
ATOM	1655	O	CYS	218	-6.620	18.727	-29.667	0.00	61.67	O
ATOM	1656	N	ASP	219	-8.508	19.576	-28.713	0.00	61.62	N
ATOM	1657	CA	ASP	219	-8.325	20.855	-29.407	0.00	61.62	C
ATOM	1658	CB	ASP	219	-9.584	21.736	-29.269	0.00	64.70	C
ATOM	1659	CG	ASP	219	-10.644	21.499	-30.343	0.00	70.48	C
ATOM	1660	OD1	ASP	219	-10.633	20.471	-31.028	0.00	72.20	O
ATOM	1661	OD2	ASP	219	-11.511	22.360	-30.509	0.00	72.60	O
ATOM	1662	C	ASP	219	-7.072	21.629	-28.915	0.00	61.38	C
ATOM	1663	O	ASP	219	-6.359	22.238	-29.716	0.00	61.47	O
ATOM	1664	N	LEU	220	-6.854	21.579	-27.573	0.00	61.07	N
ATOM	1665	CA	LEU	220	-5.729	22.269	-26.914	0.00	60.58	C
ATOM	1666	CB	LEU	220	-5.682	22.045	-25.379	0.00	58.85	C
ATOM	1667	CG	LEU	220	-6.550	22.995	-24.545	0.00	58.91	C
ATOM	1668	CD1	LEU	220	-8.055	22.842	-24.761	0.00	57.26	C
ATOM	1669	CD2	LEU	220	-6.205	22.890	-23.057	0.00	60.22	C
ATOM	1670	C	LEU	220	-4.367	21.846	-27.499	0.00	60.14	C
ATOM	1671	O	LEU	220	-3.456	22.659	-27.656	0.00	60.17	O
ATOM	1672	N	PHE	221	-4.259	20.543	-27.830	0.00	59.50	N
ATOM	1673	CA	PHE	221	-3.012	20.084	-28.474	0.00	58.86	C
ATOM	1674	CB	PHE	221	-2.355	18.881	-27.775	0.00	56.43	C
ATOM	1675	CG	PHE	221	-2.387	19.026	-26.288	0.00	54.51	C
ATOM	1676	CD1	PHE	221	-3.499	18.613	-25.568	0.00	53.49	C
ATOM	1677	CD2	PHE	221	-1.306	19.582	-25.622	0.00	52.51	C
ATOM	1678	CE1	PHE	221	-3.538	18.761	-24.189	0.00	51.64	C
ATOM	1679	CE2	PHE	221	-1.337	19.727	-24.248	0.00	49.26	C
ATOM	1680	CZ	PHE	221	-2.453	19.327	-23.535	0.00	50.07	C
ATOM	1681	C	PHE	221	-3.182	19.994	-30.003	0.00	58.60	C
ATOM	1682	O	PHE	221	-3.944	20.754	-30.606	0.00	58.14	O
ATOM	1683	N	THR	222	-2.446	19.058	-30.619	0.00	58.79	N
ATOM	1684	CA	THR	222	-2.515	18.845	-32.059	0.00	59.41	C
ATOM	1685	CB	THR	222	-1.932	20.002	-32.894	0.00	56.83	C
ATOM	1686	OG1	THR	222	-2.228	19.771	-34.251	0.00	62.95	O
ATOM	1687	CG2	THR	222	-0.418	20.202	-32.758	0.00	55.10	C

Fig. 1

27/48

ATOM	1688	C	THR	222	-1.803	17.530	-32.362	0.00	59.70	C
ATOM	1689	O	THR	222	-1.102	16.978	-31.521	0.00	59.78	O
ATOM	1690	N	ALA	223	-2.113	17.049	-33.589	0.00	59.37	N
ATOM	1691	CA	ALA	223	-1.824	15.689	-34.045	0.00	59.42	C
ATOM	1692	CB	ALA	223	-1.905	15.667	-35.576	0.00	58.25	C
ATOM	1693	C	ALA	223	-0.467	15.171	-33.520	0.00	59.49	C
ATOM	1694	O	ALA	223	-0.341	14.137	-32.866	0.00	60.11	O
ATOM	1695	N	GLU	224	0.537	16.009	-33.814	0.00	59.21	N
ATOM	1696	CA	GLU	224	1.914	15.650	-33.509	0.00	58.91	C
ATOM	1697	CB	GLU	224	2.834	16.765	-34.007	0.00	65.47	C
ATOM	1698	CG	GLU	224	4.207	16.207	-34.363	0.00	71.27	C
ATOM	1699	CD	GLU	224	4.040	15.282	-35.558	0.00	74.03	C
ATOM	1700	OE1	GLU	224	4.090	14.056	-35.392	0.00	75.47	O
ATOM	1701	OE2	GLU	224	3.851	15.816	-36.650	0.00	71.18	O
ATOM	1702	C	GLU	224	2.189	15.438	-32.017	0.00	58.04	C
ATOM	1703	O	GLU	224	3.077	14.710	-31.595	0.00	57.89	O
ATOM	1704	N	GLU	225	1.369	16.104	-31.225	0.00	57.76	N
ATOM	1705	CA	GLU	225	1.468	16.060	-29.774	0.00	56.94	C
ATOM	1706	CB	GLU	225	0.927	17.390	-29.242	0.00	54.52	C
ATOM	1707	CG	GLU	225	1.596	18.530	-30.034	0.00	55.24	C
ATOM	1708	CD	GLU	225	1.255	19.933	-29.585	0.00	53.77	C
ATOM	1709	OE1	GLU	225	2.170	20.752	-29.553	0.00	48.46	O
ATOM	1710	OE2	GLU	225	0.089	20.221	-29.311	0.00	50.05	O
ATOM	1711	C	GLU	225	0.776	14.802	-29.219	0.00	55.93	C
ATOM	1712	O	GLU	225	1.071	14.337	-28.123	0.00	56.98	O
ATOM	1713	N	TYR	226	-0.076	14.231	-30.093	0.00	54.66	N
ATOM	1714	CA	TYR	226	-0.554	12.855	-29.939	0.00	52.73	C
ATOM	1715	CB	TYR	226	-1.986	12.687	-30.491	0.00	52.12	C
ATOM	1716	CG	TYR	226	-2.858	13.814	-30.001	0.00	50.35	C
ATOM	1717	CD1	TYR	226	-2.950	14.086	-28.640	0.00	49.57	C
ATOM	1718	CE1	TYR	226	-3.609	15.219	-28.191	0.00	48.67	C
ATOM	1719	CD2	TYR	226	-3.526	14.643	-30.897	0.00	49.40	C
ATOM	1720	CE2	TYR	226	-4.177	15.787	-30.449	0.00	48.51	C
ATOM	1721	CZ	TYR	226	-4.198	16.085	-29.097	0.00	48.25	C
ATOM	1722	OH	TYR	226	-4.778	17.248	-28.626	0.00	47.15	O
ATOM	1723	C	TYR	226	0.439	11.813	-30.516	0.00	51.03	C
ATOM	1724	O	TYR	226	0.367	10.637	-30.177	0.00	51.23	O
ATOM	1725	N	VAL	227	1.437	12.241	-31.325	0.00	48.84	N
ATOM	1726	CA	VAL	227	2.544	11.299	-31.521	0.00	47.44	C
ATOM	1727	CB	VAL	227	3.381	11.653	-32.760	0.00	40.34	C
ATOM	1728	CG1	VAL	227	4.749	10.946	-32.748	0.00	34.40	C
ATOM	1729	CG2	VAL	227	2.591	11.293	-34.024	0.00	38.52	C
ATOM	1730	C	VAL	227	3.371	11.286	-30.236	0.00	47.55	C
ATOM	1731	O	VAL	227	3.808	10.252	-29.740	0.00	47.47	O
ATOM	1732	N	SER	228	3.550	12.522	-29.715	0.00	47.93	N
ATOM	1733	CA	SER	228	4.276	12.705	-28.462	0.00	47.71	C
ATOM	1734	CB	SER	228	4.436	14.192	-28.108	0.00	51.52	C
ATOM	1735	OG	SER	228	5.062	14.966	-29.110	0.00	58.86	O
ATOM	1736	C	SER	228	3.606	11.939	-27.298	0.00	46.92	C
ATOM	1737	O	SER	228	4.270	11.199	-26.575	0.00	46.19	O
ATOM	1738	N	TYR	229	2.260	12.109	-27.173	0.00	46.66	N
ATOM	1739	CA	TYR	229	1.498	11.417	-26.137	0.00	46.23	C
ATOM	1740	CB	TYR	229	-0.017	11.718	-26.188	0.00	46.18	C
ATOM	1741	CG	TYR	229	-0.719	10.993	-25.059	0.00	47.19	C
ATOM	1742	CD1	TYR	229	-1.530	9.896	-25.332	0.00	47.95	C
ATOM	1743	CE1	TYR	229	-2.054	9.120	-24.308	0.00	48.33	C
ATOM	1744	CD2	TYR	229	-0.514	11.353	-23.729	0.00	47.46	C
ATOM	1745	CE2	TYR	229	-1.049	10.575	-22.707	0.00	48.73	C
ATOM	1746	CZ	TYR	229	-1.784	9.430	-22.989	0.00	49.11	C
ATOM	1747	OH	TYR	229	-2.225	8.585	-21.986	0.00	48.73	O
ATOM	1748	C	TYR	229	1.680	9.906	-26.261	0.00	45.98	C
ATOM	1749	O	TYR	229	1.891	9.216	-25.267	0.00	45.66	O
ATOM	1750	N	GLU	230	1.581	9.465	-27.545	0.00	45.77	N
ATOM	1751	CA	GLU	230	1.859	8.063	-27.830	0.00	45.38	C
ATOM	1752	CB	GLU	230	1.775	7.773	-29.344	0.00	50.95	C

Fig. 1

28/48

ATOM	1753	CG	GLU	230	1.546	6.282	-29.630	0.00	59.59	C
ATOM	1754	CD	GLU	230	1.686	5.907	-31.121	0.00	66.60	C
ATOM	1755	OE1	GLU	230	2.788	6.044	-31.647	0.00	71.04	O
ATOM	1756	OE2	GLU	230	0.730	5.437	-31.757	0.00	68.37	O
ATOM	1757	C	GLU	230	3.232	7.647	-27.263	0.00	44.72	C
ATOM	1758	O	GLU	230	3.347	6.640	-26.572	0.00	44.03	O
ATOM	1759	N	TYR	231	4.258	8.475	-27.560	0.00	44.03	N
ATOM	1760	CA	TYR	231	5.601	7.977	-27.304	0.00	43.85	C
ATOM	1761	CB	TYR	231	6.591	8.688	-28.227	0.00	43.85	C
ATOM	1762	CG	TYR	231	7.887	7.928	-28.331	0.00	44.09	C
ATOM	1763	CD1	TYR	231	7.881	6.574	-28.646	0.00	44.29	C
ATOM	1764	CE1	TYR	231	9.058	5.854	-28.720	0.00	45.37	C
ATOM	1765	CD2	TYR	231	9.105	8.555	-28.108	0.00	44.18	C
ATOM	1766	CE2	TYR	231	10.291	7.842	-28.196	0.00	45.45	C
ATOM	1767	CZ	TYR	231	10.259	6.495	-28.503	0.00	45.93	C
ATOM	1768	OH	TYR	231	11.437	5.811	-28.615	0.00	46.21	O
ATOM	1769	C	TYR	231	6.055	8.043	-25.835	0.00	44.20	C
ATOM	1770	O	TYR	231	6.788	7.169	-25.389	0.00	43.32	O
ATOM	1771	N	TYR	232	5.629	9.082	-25.086	0.00	45.34	N
ATOM	1772	CA	TYR	232	6.100	9.159	-23.686	0.00	46.45	C
ATOM	1773	CB	TYR	232	5.506	10.394	-22.966	0.00	47.21	C
ATOM	1774	CG	TYR	232	5.770	10.332	-21.479	0.00	49.07	C
ATOM	1775	CD1	TYR	232	4.890	9.621	-20.677	0.00	49.71	C
ATOM	1776	CE1	TYR	232	5.176	9.373	-19.350	0.00	49.97	C
ATOM	1777	CD2	TYR	232	6.904	10.887	-20.892	0.00	49.10	C
ATOM	1778	CE2	TYR	232	7.187	10.657	-19.547	0.00	49.22	C
ATOM	1779	CZ	TYR	232	6.339	9.860	-18.780	0.00	49.65	C
ATOM	1780	OH	TYR	232	6.632	9.498	-17.475	0.00	49.83	O
ATOM	1781	C	TYR	232	5.831	7.859	-22.890	0.00	46.60	C
ATOM	1782	O	TYR	232	6.596	7.408	-22.036	0.00	46.03	O
ATOM	1783	N	TYR	233	4.647	7.309	-23.227	0.00	46.77	N
ATOM	1784	CA	TYR	233	4.169	6.116	-22.556	0.00	46.07	C
ATOM	1785	CB	TYR	233	2.642	6.056	-22.538	0.00	47.00	C
ATOM	1786	CG	TYR	233	2.128	6.932	-21.430	0.00	48.87	C
ATOM	1787	CD1	TYR	233	2.208	6.508	-20.104	0.00	50.11	C
ATOM	1788	CE1	TYR	233	1.747	7.317	-19.073	0.00	51.80	C
ATOM	1789	CD2	TYR	233	1.596	8.184	-21.705	0.00	50.07	C
ATOM	1790	CE2	TYR	233	1.151	8.990	-20.669	0.00	51.27	C
ATOM	1791	CZ	TYR	233	1.203	8.553	-19.362	0.00	52.77	C
ATOM	1792	OH	TYR	233	0.690	9.339	-18.351	0.00	54.03	O
ATOM	1793	C	TYR	233	4.817	4.859	-23.114	0.00	45.10	C
ATOM	1794	O	TYR	233	4.883	3.857	-22.407	0.00	44.60	O
ATOM	1795	N	ASP	234	5.330	4.976	-24.346	0.00	43.48	N
ATOM	1796	CA	ASP	234	6.256	3.955	-24.797	0.00	42.13	C
ATOM	1797	CB	ASP	234	6.722	4.234	-26.226	0.00	35.52	C
ATOM	1798	CG	ASP	234	5.820	3.479	-27.143	0.00	36.96	C
ATOM	1799	OD1	ASP	234	6.013	2.283	-27.272	0.00	41.26	O
ATOM	1800	OD2	ASP	234	4.973	4.074	-27.796	0.00	39.81	O
ATOM	1801	C	ASP	234	7.469	3.892	-23.885	0.00	41.80	C
ATOM	1802	O	ASP	234	7.779	2.844	-23.333	0.00	40.96	O
ATOM	1803	N	LEU	235	8.147	5.054	-23.735	0.00	41.73	N
ATOM	1804	CA	LEU	235	9.305	5.042	-22.830	0.00	41.72	C
ATOM	1805	CB	LEU	235	9.940	6.422	-22.626	0.00	40.68	C
ATOM	1806	CG	LEU	235	10.788	6.885	-23.819	0.00	40.39	C
ATOM	1807	CD1	LEU	235	9.923	7.557	-24.886	0.00	38.70	C
ATOM	1808	CD2	LEU	235	11.902	7.819	-23.336	0.00	42.74	C
ATOM	1809	C	LEU	235	8.937	4.434	-21.469	0.00	41.66	C
ATOM	1810	O	LEU	235	9.523	3.447	-21.043	0.00	42.37	O
ATOM	1811	N	ASP	236	7.877	5.022	-20.866	0.00	41.17	N
ATOM	1812	CA	ASP	236	7.299	4.599	-19.575	0.00	41.42	C
ATOM	1813	CB	ASP	236	6.098	5.520	-19.213	0.00	42.01	C
ATOM	1814	CG	ASP	236	6.312	6.525	-18.073	0.00	38.33	C
ATOM	1815	OD1	ASP	236	7.440	6.973	-17.875	0.00	41.92	O
ATOM	1816	OD2	ASP	236	5.341	6.917	-17.406	0.00	44.24	O
ATOM	1817	C	ASP	236	6.859	3.103	-19.512	0.00	41.56	C

Fig. 1

29/48

ATOM	1818	O	ASP	236	6.408	2.642	-18.467	0.00	41.69	O
ATOM	1819	N	LYS	237	7.058	2.359	-20.615	0.00	41.79	N
ATOM	1820	CA	LYS	237	6.812	0.921	-20.651	0.00	40.67	C
ATOM	1821	CB	LYS	237	5.437	0.640	-21.269	0.00	44.36	C
ATOM	1822	CG	LYS	237	4.439	0.373	-20.132	0.00	45.98	C
ATOM	1823	CD	LYS	237	2.966	0.399	-20.522	0.00	47.62	C
ATOM	1824	CE	LYS	237	2.401	1.819	-20.509	0.00	49.20	C
ATOM	1825	NZ	LYS	237	2.812	2.572	-21.681	0.00	53.23	N
ATOM	1826	C	LYS	237	7.949	0.110	-21.291	0.00	39.52	C
ATOM	1827	O	LYS	237	8.021	-1.093	-21.059	0.00	38.88	O
ATOM	1828	N	TYR	238	8.846	0.776	-22.042	0.00	38.86	N
ATOM	1829	CA	TYR	238	9.994	0.076	-22.629	0.00	38.59	C
ATOM	1830	CB	TYR	238	10.376	0.761	-23.953	0.00	38.78	C
ATOM	1831	CG	TYR	238	11.607	0.121	-24.540	0.00	39.34	C
ATOM	1832	CD1	TYR	238	12.866	0.637	-24.260	0.00	40.33	C
ATOM	1833	CE1	TYR	238	14.006	0.000	-24.727	0.00	40.86	C
ATOM	1834	CD2	TYR	238	11.505	-1.015	-25.333	0.00	38.91	C
ATOM	1835	CE2	TYR	238	12.641	-1.647	-25.819	0.00	39.04	C
ATOM	1836	CZ	TYR	238	13.891	-1.142	-25.499	0.00	40.54	C
ATOM	1837	OH	TYR	238	15.038	-1.744	-25.958	0.00	40.62	O
ATOM	1838	C	TYR	238	11.172	0.085	-21.626	0.00	38.99	C
ATOM	1839	O	TYR	238	11.829	-0.921	-21.338	0.00	38.28	O
ATOM	1840	N	TYR	239	11.354	1.305	-21.103	0.00	39.14	N
ATOM	1841	CA	TYR	239	12.209	1.514	-19.962	0.00	39.50	C
ATOM	1842	CB	TYR	239	12.830	2.918	-20.037	0.00	37.27	C
ATOM	1843	CG	TYR	239	14.180	2.914	-20.706	0.00	32.74	C
ATOM	1844	CD1	TYR	239	15.237	2.212	-20.134	0.00	31.09	C
ATOM	1845	CE1	TYR	239	16.494	2.233	-20.716	0.00	29.75	C
ATOM	1846	CD2	TYR	239	14.405	3.620	-21.886	0.00	32.13	C
ATOM	1847	CE2	TYR	239	15.665	3.627	-22.471	0.00	31.46	C
ATOM	1848	CZ	TYR	239	16.719	2.942	-21.888	0.00	29.61	C
ATOM	1849	OH	TYR	239	17.980	2.967	-22.469	0.00	27.87	O
ATOM	1850	C	TYR	239	11.390	1.335	-18.679	0.00	40.34	C
ATOM	1851	O	TYR	239	11.977	1.291	-17.606	0.00	40.11	O
ATOM	1852	N	GLY	240	10.055	1.198	-18.857	0.00	41.71	N
ATOM	1853	CA	GLY	240	9.081	0.954	-17.796	0.00	43.16	C
ATOM	1854	C	GLY	240	9.069	-0.443	-17.202	0.00	44.02	C
ATOM	1855	O	GLY	240	9.283	-0.583	-16.006	0.00	44.42	O
ATOM	1856	N	THR	241	8.836	-1.490	-18.001	0.00	44.08	N
ATOM	1857	CA	THR	241	9.038	-2.822	-17.419	0.00	44.06	C
ATOM	1858	CB	THR	241	7.817	-3.324	-16.597	0.00	41.26	C
ATOM	1859	OG1	THR	241	7.382	-2.413	-15.612	0.00	40.74	O
ATOM	1860	CG2	THR	241	8.059	-4.631	-15.842	0.00	40.55	C
ATOM	1861	C	THR	241	9.345	-3.735	-18.595	0.00	43.93	C
ATOM	1862	O	THR	241	8.792	-4.817	-18.742	0.00	43.41	O
ATOM	1863	N	GLY	242	10.214	-3.155	-19.448	0.00	44.13	N
ATOM	1864	CA	GLY	242	10.459	-3.727	-20.762	0.00	43.88	C
ATOM	1865	C	GLY	242	11.832	-4.405	-20.800	0.00	43.76	C
ATOM	1866	O	GLY	242	12.499	-4.553	-19.777	0.00	43.48	O
ATOM	1867	N	PRO	243	12.242	-4.812	-22.032	0.00	44.03	N
ATOM	1868	CD	PRO	243	11.475	-4.632	-23.261	0.00	44.21	C
ATOM	1869	CA	PRO	243	13.502	-5.526	-22.222	0.00	44.91	C
ATOM	1870	CB	PRO	243	13.416	-6.034	-23.669	0.00	44.58	C
ATOM	1871	CG	PRO	243	12.384	-5.149	-24.372	0.00	44.22	C
ATOM	1872	C	PRO	243	14.781	-4.684	-21.990	0.00	45.68	C
ATOM	1873	O	PRO	243	15.849	-5.248	-21.762	0.00	46.25	O
ATOM	1874	N	GLY	244	14.574	-3.337	-21.993	0.00	46.10	N
ATOM	1875	CA	GLY	244	15.631	-2.325	-21.864	0.00	46.31	C
ATOM	1876	C	GLY	244	15.618	-1.608	-20.498	0.00	46.43	C
ATOM	1877	O	GLY	244	16.615	-1.043	-20.040	0.00	46.94	O
ATOM	1878	N	ASN	245	14.435	-1.731	-19.857	0.00	45.75	N
ATOM	1879	CA	ASN	245	14.381	-1.746	-18.395	0.00	45.12	C
ATOM	1880	CB	ASN	245	12.928	-1.854	-17.895	0.00	41.56	C
ATOM	1881	CG	ASN	245	12.777	-1.788	-16.361	0.00	40.58	C
ATOM	1882	OD1	ASN	245	13.326	-2.602	-15.634	0.00	41.41	O

Fig. 1

30/48

ATOM	1883	ND2	ASN	245	11.873	-0.910	-15.926	0.00	40.60	N
ATOM	1884	C	ASN	245	15.185	-2.965	-17.896	0.00	44.97	C
ATOM	1885	O	ASN	245	15.004	-4.105	-18.320	0.00	45.82	O
ATOM	1886	N	ALA	246	16.103	-2.614	-16.981	0.00	45.01	N
ATOM	1887	CA	ALA	246	17.040	-3.605	-16.459	0.00	45.08	C
ATOM	1888	CB	ALA	246	17.950	-2.953	-15.421	0.00	41.81	C
ATOM	1889	C	ALA	246	16.369	-4.838	-15.834	0.00	45.54	C
ATOM	1890	O	ALA	246	16.818	-5.958	-16.030	0.00	45.84	O
ATOM	1891	N	LEU	247	15.315	-4.596	-15.030	0.00	45.21	N
ATOM	1892	CA	LEU	247	14.730	-5.733	-14.318	0.00	44.42	C
ATOM	1893	CB	LEU	247	14.450	-5.381	-12.842	0.00	38.53	C
ATOM	1894	CG	LEU	247	15.516	-6.004	-11.917	0.00	36.57	C
ATOM	1895	CD1	LEU	247	16.906	-5.426	-12.186	0.00	29.77	C
ATOM	1896	CD2	LEU	247	15.172	-5.891	-10.423	0.00	27.38	C
ATOM	1897	C	LEU	247	13.529	-6.249	-15.103	0.00	44.83	C
ATOM	1898	O	LEU	247	13.380	-7.439	-15.333	0.00	44.86	O
ATOM	1899	N	GLY	248	12.702	-5.286	-15.532	0.00	44.28	N
ATOM	1900	CA	GLY	248	11.493	-5.501	-16.329	0.00	44.34	C
ATOM	1901	C	GLY	248	10.833	-6.878	-16.089	0.00	43.96	C
ATOM	1902	O	GLY	248	10.080	-7.049	-15.136	0.00	43.00	O
ATOM	1903	N	PRO	249	11.170	-7.873	-16.951	0.00	43.77	N
ATOM	1904	CD	PRO	249	11.954	-7.675	-18.168	0.00	43.35	C
ATOM	1905	CA	PRO	249	10.787	-9.271	-16.745	0.00	43.13	C
ATOM	1906	CB	PRO	249	11.819	-10.008	-17.602	0.00	43.15	C
ATOM	1907	CG	PRO	249	12.099	-9.074	-18.776	0.00	43.50	C
ATOM	1908	C	PRO	249	10.744	-9.903	-15.330	0.00	42.84	C
ATOM	1909	O	PRO	249	10.163	-10.963	-15.152	0.00	42.69	O
ATOM	1910	N	VAL	250	11.313	-9.230	-14.315	0.00	42.84	N
ATOM	1911	CA	VAL	250	11.184	-9.748	-12.957	0.00	42.59	C
ATOM	1912	CB	VAL	250	11.956	-8.880	-11.960	0.00	40.40	C
ATOM	1913	CG1	VAL	250	13.425	-8.873	-12.321	0.00	35.26	C
ATOM	1914	CG2	VAL	250	11.433	-7.442	-11.792	0.00	40.57	C
ATOM	1915	C	VAL	250	9.737	-9.872	-12.473	0.00	42.38	C
ATOM	1916	O	VAL	250	9.430	-10.742	-11.662	0.00	42.47	O
ATOM	1917	N	GLN	251	8.901	-8.938	-12.973	0.00	0.00	N
ATOM	1918	CA	GLN	251	7.596	-8.759	-12.337	0.00	0.00	C
ATOM	1919	CB	GLN	251	7.307	-7.254	-12.177	0.00	0.00	C
ATOM	1920	CG	GLN	251	6.485	-6.573	-13.280	0.00	0.00	C
ATOM	1921	CD	GLN	251	5.062	-6.261	-12.810	0.00	0.00	C
ATOM	1922	OE1	GLN	251	4.091	-6.966	-13.085	0.00	0.00	O
ATOM	1923	NE2	GLN	251	5.038	-5.168	-12.037	0.00	0.00	N
ATOM	1924	C	GLN	251	6.489	-9.602	-13.006	0.00	0.00	C
ATOM	1925	O	GLN	251	5.352	-9.618	-12.546	0.00	0.00	O
ATOM	1926	N	GLY	252	6.877	-10.287	-14.106	0.00	41.54	N
ATOM	1927	CA	GLY	252	5.881	-11.084	-14.813	0.00	40.67	C
ATOM	1928	C	GLY	252	6.508	-12.176	-15.687	0.00	40.14	C
ATOM	1929	O	GLY	252	6.310	-12.238	-16.897	0.00	40.77	O
ATOM	1930	N	VAL	253	7.255	-13.080	-15.015	0.00	38.94	N
ATOM	1931	CA	VAL	253	7.695	-14.286	-15.727	0.00	37.48	C
ATOM	1932	CB	VAL	253	8.971	-14.925	-15.128	0.00	36.13	C
ATOM	1933	CG1	VAL	253	9.655	-15.839	-16.154	0.00	36.23	C
ATOM	1934	CG2	VAL	253	9.971	-13.889	-14.604	0.00	39.08	C
ATOM	1935	C	VAL	253	6.519	-15.289	-15.769	0.00	36.97	C
ATOM	1936	O	VAL	253	6.322	-16.024	-16.738	0.00	36.46	O
ATOM	1937	N	GLY	254	5.745	-15.207	-14.661	0.00	36.54	N
ATOM	1938	CA	GLY	254	4.491	-15.916	-14.444	0.00	35.70	C
ATOM	1939	C	GLY	254	3.809	-16.297	-15.741	0.00	35.09	C
ATOM	1940	O	GLY	254	3.849	-17.445	-16.152	0.00	35.28	O
ATOM	1941	N	TYR	255	3.206	-15.296	-16.396	0.00	34.33	N
ATOM	1942	CA	TYR	255	2.443	-15.652	-17.579	0.00	33.73	C
ATOM	1943	CB	TYR	255	1.575	-14.510	-18.125	0.00	32.85	C
ATOM	1944	CG	TYR	255	0.482	-15.136	-18.952	0.00	31.61	C
ATOM	1945	CD1	TYR	255	-0.570	-15.780	-18.312	0.00	29.99	C
ATOM	1946	CE1	TYR	255	-1.506	-16.497	-19.040	0.00	29.38	C
ATOM	1947	CD2	TYR	255	0.545	-15.165	-20.343	0.00	31.56	C

Fig. 1

31/48

ATOM	1948	CE2	TYR	255	-0.391	-15.894	-21.073	0.00	31.22	C
ATOM	1949	CZ	TYR	255	-1.402	-16.586	-20.415	0.00	29.92	C
ATOM	1950	OH	TYR	255	-2.300	-17.379	-21.106	0.00	29.03	O
ATOM	1951	C	TYR	255	3.300	-16.279	-18.696	0.00	33.90	C
ATOM	1952	O	TYR	255	2.851	-17.223	-19.330	0.00	33.95	O
ATOM	1953	N	VAL	256	4.523	-15.781	-18.930	0.00	33.44	N
ATOM	1954	CA	VAL	256	5.272	-16.340	-20.073	0.00	33.25	C
ATOM	1955	CB	VAL	256	6.418	-15.400	-20.508	0.00	26.04	C
ATOM	1956	CG1	VAL	256	7.456	-15.176	-19.408	0.00	19.24	C
ATOM	1957	CG2	VAL	256	7.085	-15.857	-21.815	0.00	18.32	C
ATOM	1958	C	VAL	256	5.754	-17.787	-19.786	0.00	34.07	C
ATOM	1959	O	VAL	256	6.097	-18.553	-20.680	0.00	35.39	O
ATOM	1960	N	ASN	257	5.756	-18.104	-18.482	0.00	33.67	N
ATOM	1961	CA	ASN	257	6.080	-19.451	-18.045	0.00	33.56	C
ATOM	1962	CB	ASN	257	6.933	-19.364	-16.775	0.00	31.79	C
ATOM	1963	CG	ASN	257	7.732	-20.657	-16.560	0.00	30.83	C
ATOM	1964	OD1	ASN	257	7.185	-21.737	-16.401	0.00	40.61	O
ATOM	1965	ND2	ASN	257	9.051	-20.519	-16.522	0.00	30.54	N
ATOM	1966	C	ASN	257	4.779	-20.256	-17.878	0.00	33.90	C
ATOM	1967	O	ASN	257	4.782	-21.481	-17.917	0.00	34.06	O
ATOM	1968	N	GLU	258	3.660	-19.528	-17.752	0.00	33.75	N
ATOM	1969	CA	GLU	258	2.345	-20.153	-17.730	0.00	33.84	C
ATOM	1970	CB	GLU	258	1.285	-19.161	-17.233	0.00	32.17	C
ATOM	1971	CG	GLU	258	0.020	-19.862	-16.727	0.00	29.90	C
ATOM	1972	CD	GLU	258	-1.151	-18.882	-16.579	0.00	31.66	C
ATOM	1973	OE1	GLU	258	-2.145	-19.065	-17.270	0.00	27.26	O
ATOM	1974	OE2	GLU	258	-1.089	-17.936	-15.785	0.00	33.00	O
ATOM	1975	C	GLU	258	2.006	-20.694	-19.131	0.00	33.43	C
ATOM	1976	O	GLU	258	1.545	-21.816	-19.271	0.00	33.95	O
ATOM	1977	N	LEU	259	2.344	-19.893	-20.164	0.00	32.82	N
ATOM	1978	CA	LEU	259	2.205	-20.290	-21.571	0.00	32.61	C
ATOM	1979	CB	LEU	259	2.916	-19.269	-22.478	0.00	29.21	C
ATOM	1980	CG	LEU	259	2.158	-17.955	-22.714	0.00	26.28	C
ATOM	1981	CD1	LEU	259	3.068	-16.979	-23.472	0.00	23.23	C
ATOM	1982	CD2	LEU	259	0.853	-18.183	-23.498	0.00	20.43	C
ATOM	1983	C	LEU	259	2.823	-21.676	-21.813	0.00	32.86	C
ATOM	1984	O	LEU	259	2.247	-22.567	-22.418	0.00	33.23	O
ATOM	1985	N	LEU	260	4.016	-21.828	-21.240	0.00	32.63	N
ATOM	1986	CA	LEU	260	4.790	-23.059	-21.333	0.00	31.93	C
ATOM	1987	CB	LEU	260	6.173	-22.701	-20.767	0.00	27.56	C
ATOM	1988	CG	LEU	260	7.087	-21.923	-21.745	0.00	24.68	C
ATOM	1989	CD1	LEU	260	6.392	-20.999	-22.760	0.00	24.55	C
ATOM	1990	CD2	LEU	260	8.158	-21.143	-20.984	0.00	24.63	C
ATOM	1991	C	LEU	260	4.108	-24.268	-20.628	0.00	32.12	C
ATOM	1992	O	LEU	260	4.493	-25.421	-20.835	0.00	32.59	O
ATOM	1993	N	ALA	261	3.063	-23.954	-19.843	0.00	32.03	N
ATOM	1994	CA	ALA	261	2.132	-24.953	-19.356	0.00	31.86	C
ATOM	1995	CB	ALA	261	1.680	-24.608	-17.929	0.00	22.63	C
ATOM	1996	C	ALA	261	0.933	-25.112	-20.315	0.00	32.75	C
ATOM	1997	O	ALA	261	0.411	-26.210	-20.445	0.00	32.76	O
ATOM	1998	N	ARG	262	0.475	-24.034	-20.975	0.00	33.24	N
ATOM	1999	CA	ARG	262	-0.802	-24.145	-21.681	0.00	33.14	C
ATOM	2000	CB	ARG	262	-1.511	-22.778	-21.736	0.00	31.21	C
ATOM	2001	CG	ARG	262	-1.278	-21.918	-20.487	0.00	30.68	C
ATOM	2002	CD	ARG	262	-2.199	-20.705	-20.370	0.00	29.12	C
ATOM	2003	NE	ARG	262	-3.443	-21.062	-19.693	0.00	29.72	N
ATOM	2004	CZ	ARG	262	-4.348	-20.103	-19.393	0.00	32.40	C
ATOM	2005	NH1	ARG	262	-4.136	-18.853	-19.772	0.00	30.25	N
ATOM	2006	NH2	ARG	262	-5.459	-20.389	-18.729	0.00	30.45	N
ATOM	2007	C	ARG	262	-0.656	-24.831	-23.062	0.00	33.48	C
ATOM	2008	O	ARG	262	-1.109	-25.950	-23.279	0.00	34.27	O
ATOM	2009	N	LEU	263	-0.017	-24.067	-23.970	0.00	33.46	N
ATOM	2010	CA	LEU	263	0.087	-24.386	-25.401	0.00	32.83	C
ATOM	2011	CB	LEU	263	0.693	-23.198	-26.183	0.00	25.16	C
ATOM	2012	CG	LEU	263	1.789	-22.389	-25.452	0.00	19.78	C

Fig. 1

32/48

ATOM	2013	CD1	LEU	263	3.041	-23.221	-25.155	0.00	17.36	C
ATOM	2014	CD2	LEU	263	2.181	-21.138	-26.233	0.00	20.79	C
ATOM	2015	C	LEU	263	0.802	-25.734	-25.675	0.00	33.60	C
ATOM	2016	O	LEU	263	0.603	-26.386	-26.695	0.00	34.48	O
ATOM	2017	N	THR	264	1.582	-26.151	-24.668	0.00	33.08	N
ATOM	2018	CA	THR	264	2.122	-27.497	-24.622	0.00	32.35	C
ATOM	2019	CB	THR	264	3.312	-27.355	-23.667	0.00	29.02	C
ATOM	2020	OG1	THR	264	2.872	-26.560	-22.579	0.00	26.73	O
ATOM	2021	CG2	THR	264	4.518	-26.644	-24.282	0.00	33.85	C
ATOM	2022	C	THR	264	1.049	-28.474	-24.054	0.00	32.47	C
ATOM	2023	O	THR	264	0.556	-29.407	-24.694	0.00	32.11	O
ATOM	2024	N	GLY	265	0.751	-28.182	-22.769	0.00	32.10	N
ATOM	2025	CA	GLY	265	-0.207	-28.903	-21.941	0.00	31.58	C
ATOM	2026	C	GLY	265	0.502	-29.660	-20.810	0.00	31.07	C
ATOM	2027	O	GLY	265	0.291	-30.861	-20.637	0.00	31.73	O
ATOM	2028	N	GLN	266	1.355	-28.899	-20.078	0.00	0.00	N
ATOM	2029	CA	GLN	266	2.177	-29.476	-19.004	0.00	0.00	C
ATOM	2030	CB	GLN	266	3.607	-28.909	-19.126	0.00	0.00	C
ATOM	2031	CG	GLN	266	4.188	-29.236	-20.501	0.00	0.00	C
ATOM	2032	CD	GLN	266	5.586	-28.659	-20.707	0.00	0.00	C
ATOM	2033	OE1	GLN	266	6.120	-27.896	-19.911	0.00	0.00	O
ATOM	2034	NE2	GLN	266	6.144	-29.076	-21.836	0.00	0.00	N
ATOM	2035	C	GLN	266	1.519	-29.236	-17.615	0.00	0.00	C
ATOM	2036	O	GLN	266	0.315	-29.375	-17.446	0.00	0.00	O
ATOM	2037	N	ALA	267	2.371	-28.872	-16.633	0.00	31.53	N
ATOM	2038	CA	ALA	267	1.980	-28.403	-15.310	0.00	31.00	C
ATOM	2039	CB	ALA	267	2.528	-29.400	-14.287	0.00	26.15	C
ATOM	2040	C	ALA	267	2.573	-26.991	-15.111	0.00	31.09	C
ATOM	2041	O	ALA	267	3.444	-26.556	-15.870	0.00	31.38	O
ATOM	2042	N	VAL	268	2.083	-26.277	-14.084	0.00	30.47	N
ATOM	2043	CA	VAL	268	2.386	-24.852	-13.967	0.00	28.70	C
ATOM	2044	CB	VAL	268	1.184	-24.087	-13.373	0.00	19.31	C
ATOM	2045	CG1	VAL	268	1.299	-22.592	-13.708	0.00	13.11	C
ATOM	2046	CG2	VAL	268	-0.170	-24.638	-13.845	0.00	13.68	C
ATOM	2047	C	VAL	268	3.662	-24.603	-13.134	0.00	28.78	C
ATOM	2048	O	VAL	268	3.647	-23.850	-12.165	0.00	28.11	O
ATOM	2049	N	ARG	269	4.775	-25.211	-13.613	0.00	29.92	N
ATOM	2050	CA	ARG	269	6.073	-25.309	-12.937	0.00	30.63	C
ATOM	2051	CB	ARG	269	6.924	-26.466	-13.542	0.00	22.36	C
ATOM	2052	CG	ARG	269	6.319	-27.436	-14.574	0.00	32.47	C
ATOM	2053	CD	ARG	269	6.749	-27.128	-16.021	0.00	39.34	C
ATOM	2054	NE	ARG	269	6.081	-25.938	-16.514	0.00	47.16	N
ATOM	2055	CZ	ARG	269	6.571	-24.678	-16.542	0.00	51.35	C
ATOM	2056	NH1	ARG	269	7.827	-24.365	-16.189	0.00	49.30	N
ATOM	2057	NH2	ARG	269	5.715	-23.728	-16.914	0.00	48.88	N
ATOM	2058	C	ARG	269	6.921	-23.990	-12.897	0.00	32.38	C
ATOM	2059	O	ARG	269	8.149	-24.037	-12.948	0.00	32.30	O
ATOM	2060	N	ASP	270	6.200	-22.848	-12.793	0.00	34.48	N
ATOM	2061	CA	ASP	270	6.714	-21.503	-12.515	0.00	35.58	C
ATOM	2062	CB	ASP	270	5.676	-20.514	-13.101	0.00	37.39	C
ATOM	2063	CG	ASP	270	5.910	-19.052	-12.677	0.00	40.82	C
ATOM	2064	OD1	ASP	270	5.192	-18.533	-11.840	0.00	42.55	O
ATOM	2065	OD2	ASP	270	6.843	-18.425	-13.144	0.00	42.59	O
ATOM	2066	C	ASP	270	6.872	-21.302	-10.977	0.00	36.90	C
ATOM	2067	O	ASP	270	6.225	-21.968	-10.173	0.00	36.89	O
ATOM	2068	N	GLU	271	7.754	-20.363	-10.614	0.00	39.22	N
ATOM	2069	CA	GLU	271	8.002	-19.973	-9.242	0.00	41.06	C
ATOM	2070	CB	GLU	271	8.881	-21.003	-8.501	0.00	39.65	C
ATOM	2071	CG	GLU	271	8.266	-21.495	-7.172	0.00	48.54	C
ATOM	2072	CD	GLU	271	8.380	-20.481	-6.031	0.00	56.43	C
ATOM	2073	OE1	GLU	271	9.148	-19.540	-6.113	0.00	57.23	O
ATOM	2074	OE2	GLU	271	7.692	-20.610	-5.029	0.00	62.54	O
ATOM	2075	C	GLU	271	8.612	-18.568	-9.291	0.00	41.71	C
ATOM	2076	O	GLU	271	9.565	-18.239	-8.586	0.00	42.88	O
ATOM	2077	N	THR	272	7.907	-17.767	-10.125	0.00	41.65	N

Fig. 1

33/48

ATOM	2078	CA	THR	272	7.980	-16.320	-9.993	0.00	42.64	C
ATOM	2079	CB	THR	272	8.484	-15.656	-11.282	0.00	42.39	C
ATOM	2080	OG1	THR	272	7.625	-15.903	-12.370	0.00	43.51	O
ATOM	2081	CG2	THR	272	9.909	-16.107	-11.615	0.00	38.23	C
ATOM	2082	C	THR	272	6.611	-15.805	-9.533	0.00	43.15	C
ATOM	2083	O	THR	272	6.409	-15.538	-8.351	0.00	43.72	O
ATOM	2084	N	GLN	273	5.685	-15.689	-10.506	0.00	42.61	N
ATOM	2085	CA	GLN	273	4.441	-14.928	-10.367	0.00	42.94	C
ATOM	2086	CB	GLN	273	4.328	-13.893	-11.505	0.00	40.63	C
ATOM	2087	CG	GLN	273	4.804	-12.488	-11.138	0.00	41.54	C
ATOM	2088	CD	GLN	273	6.309	-12.330	-11.323	0.00	40.08	C
ATOM	2089	OE1	GLN	273	6.929	-12.929	-12.194	0.00	42.27	O
ATOM	2090	NE2	GLN	273	6.850	-11.406	-10.526	0.00	36.89	N
ATOM	2091	C	GLN	273	3.194	-15.830	-10.391	0.00	43.31	C
ATOM	2092	O	GLN	273	2.068	-15.347	-10.438	0.00	42.58	O
ATOM	2093	N	THR	274	3.408	-17.141	-10.316	0.00	43.56	N
ATOM	2094	CA	THR	274	2.239	-17.963	-10.044	0.00	43.14	C
ATOM	2095	CB	THR	274	2.592	-19.457	-9.992	0.00	40.31	C
ATOM	2096	OG1	THR	274	3.929	-19.553	-9.594	0.00	39.02	O
ATOM	2097	CG2	THR	274	2.381	-20.181	-11.323	0.00	41.11	C
ATOM	2098	C	THR	274	1.666	-17.525	-8.696	0.00	43.55	C
ATOM	2099	O	THR	274	2.378	-17.340	-7.710	0.00	44.13	O
ATOM	2100	N	ASN	275	0.321	-17.456	-8.712	0.00	43.67	N
ATOM	2101	CA	ASN	275	-0.328	-17.834	-7.481	0.00	43.35	C
ATOM	2102	CB	ASN	275	-1.824	-17.530	-7.505	0.00	46.47	C
ATOM	2103	CG	ASN	275	-2.379	-17.884	-6.124	0.00	49.65	C
ATOM	2104	OD1	ASN	275	-2.177	-18.990	-5.626	0.00	48.03	O
ATOM	2105	ND2	ASN	275	-3.102	-16.912	-5.540	0.00	50.80	N
ATOM	2106	C	ASN	275	-0.056	-19.330	-7.345	0.00	43.26	C
ATOM	2107	O	ASN	275	-0.471	-20.106	-8.194	0.00	42.88	O
ATOM	2108	N	ARG	276	0.728	-19.686	-6.305	0.00	42.79	N
ATOM	2109	CA	ARG	276	1.196	-21.071	-6.302	0.00	41.89	C
ATOM	2110	CB	ARG	276	2.295	-21.400	-5.277	0.00	35.35	C
ATOM	2111	CG	ARG	276	3.440	-20.399	-5.146	0.00	38.27	C
ATOM	2112	CD	ARG	276	3.914	-19.721	-6.422	0.00	38.16	C
ATOM	2113	NE	ARG	276	5.353	-19.385	-6.373	0.00	33.84	N
ATOM	2114	CZ	ARG	276	5.809	-18.223	-6.900	0.00	29.73	C
ATOM	2115	NH1	ARG	276	4.961	-17.486	-7.597	0.00	29.17	N
ATOM	2116	NH2	ARG	276	7.055	-17.779	-6.734	0.00	27.82	N
ATOM	2117	C	ARG	276	0.029	-22.028	-6.070	0.00	41.62	C
ATOM	2118	O	ARG	276	-0.201	-22.954	-6.841	0.00	41.51	O
ATOM	2119	N	THR	277	-0.675	-21.780	-4.959	0.00	41.62	N
ATOM	2120	CA	THR	277	-1.571	-22.848	-4.563	0.00	40.92	C
ATOM	2121	CB	THR	277	-1.725	-22.803	-3.046	0.00	38.55	C
ATOM	2122	OG1	THR	277	-0.434	-22.656	-2.493	0.00	40.27	O
ATOM	2123	CG2	THR	277	-2.375	-24.061	-2.492	0.00	33.28	C
ATOM	2124	C	THR	277	-2.865	-22.818	-5.389	0.00	40.23	C
ATOM	2125	O	THR	277	-3.597	-23.801	-5.421	0.00	39.64	O
ATOM	2126	N	LEU	278	-3.071	-21.671	-6.089	0.00	40.18	N
ATOM	2127	CA	LEU	278	-4.120	-21.660	-7.115	0.00	40.03	C
ATOM	2128	CB	LEU	278	-4.706	-20.266	-7.367	0.00	31.63	C
ATOM	2129	CG	LEU	278	-5.243	-19.592	-6.100	0.00	33.48	C
ATOM	2130	CD1	LEU	278	-5.701	-18.176	-6.398	0.00	31.83	C
ATOM	2131	CD2	LEU	278	-6.366	-20.332	-5.376	0.00	33.73	C
ATOM	2132	C	LEU	278	-3.644	-22.285	-8.431	0.00	40.70	C
ATOM	2133	O	LEU	278	-4.205	-23.283	-8.867	0.00	40.27	O
ATOM	2134	N	ASP	279	-2.631	-21.674	-9.081	0.00	40.70	N
ATOM	2135	CA	ASP	279	-2.324	-22.150	-10.436	0.00	41.25	C
ATOM	2136	CB	ASP	279	-1.574	-21.087	-11.258	0.00	39.83	C
ATOM	2137	CG	ASP	279	-2.434	-19.880	-11.655	0.00	40.78	C
ATOM	2138	OD1	ASP	279	-1.908	-18.778	-11.772	0.00	38.32	O
ATOM	2139	OD2	ASP	279	-3.627	-20.024	-11.916	0.00	45.76	O
ATOM	2140	C	ASP	279	-1.513	-23.457	-10.379	0.00	42.14	C
ATOM	2141	O	ASP	279	-0.288	-23.482	-10.446	0.00	42.47	O
ATOM	2142	N	SER	280	-2.255	-24.569	-10.264	0.00	42.24	N

Fig. 1

34/48

ATOM	2143	CA	SER	280	-1.603	-25.861	-10.095	0.00	42.52	C
ATOM	2144	CB	SER	280	-1.098	-25.887	-8.641	0.00	43.37	C
ATOM	2145	OG	SER	280	-2.045	-25.240	-7.817	0.00	53.78	O
ATOM	2146	C	SER	280	-2.641	-26.969	-10.326	0.00	42.70	C
ATOM	2147	O	SER	280	-2.515	-27.885	-11.139	0.00	43.08	O
ATOM	2148	N	ASP	281	-3.673	-26.776	-9.496	0.00	42.26	N
ATOM	2149	CA	ASP	281	-4.798	-27.693	-9.406	0.00	41.23	C
ATOM	2150	CB	ASP	281	-5.417	-27.421	-8.027	0.00	38.53	C
ATOM	2151	CG	ASP	281	-6.436	-28.484	-7.637	0.00	44.46	C
ATOM	2152	OD1	ASP	281	-7.527	-28.502	-8.180	0.00	42.82	O
ATOM	2153	OD2	ASP	281	-6.162	-29.286	-6.758	0.00	50.85	O
ATOM	2154	C	ASP	281	-5.838	-27.471	-10.557	0.00	41.29	C
ATOM	2155	O	ASP	281	-6.264	-26.349	-10.807	0.00	41.94	O
ATOM	2156	N	PRO	282	-6.282	-28.588	-11.223	0.00	40.10	N
ATOM	2157	CD	PRO	282	-5.712	-29.932	-11.095	0.00	39.25	C
ATOM	2158	CA	PRO	282	-7.346	-28.523	-12.249	0.00	38.47	C
ATOM	2159	CB	PRO	282	-7.527	-29.980	-12.715	0.00	38.20	C
ATOM	2160	CG	PRO	282	-6.239	-30.697	-12.313	0.00	38.94	C
ATOM	2161	C	PRO	282	-8.740	-27.952	-11.866	0.00	37.61	C
ATOM	2162	O	PRO	282	-9.611	-27.756	-12.715	0.00	37.71	O
ATOM	2163	N	ALA	283	-8.896	-27.682	-10.557	0.00	36.94	N
ATOM	2164	CA	ALA	283	-10.139	-27.074	-10.111	0.00	36.48	C
ATOM	2165	CB	ALA	283	-10.583	-27.614	-8.751	0.00	35.07	C
ATOM	2166	C	ALA	283	-10.022	-25.543	-10.166	0.00	35.90	C
ATOM	2167	O	ALA	283	-10.951	-24.884	-10.622	0.00	34.69	O
ATOM	2168	N	THR	284	-8.892	-24.980	-9.701	0.00	35.83	N
ATOM	2169	CA	THR	284	-8.726	-23.538	-9.891	0.00	35.29	C
ATOM	2170	CB	THR	284	-7.617	-23.019	-8.961	0.00	32.40	C
ATOM	2171	OG1	THR	284	-6.822	-24.096	-8.550	0.00	35.43	O
ATOM	2172	CG2	THR	284	-8.129	-22.314	-7.707	0.00	28.10	C
ATOM	2173	C	THR	284	-8.386	-23.234	-11.362	0.00	35.13	C
ATOM	2174	O	THR	284	-8.884	-22.279	-11.950	0.00	35.74	O
ATOM	2175	N	PHE	285	-7.472	-24.078	-11.870	0.00	34.48	N
ATOM	2176	CA	PHE	285	-6.753	-23.851	-13.113	0.00	33.44	C
ATOM	2177	CB	PHE	285	-5.352	-23.302	-12.759	0.00	28.35	C
ATOM	2178	CG	PHE	285	-4.517	-22.951	-13.967	0.00	29.65	C
ATOM	2179	CD1	PHE	285	-4.539	-21.670	-14.506	0.00	32.61	C
ATOM	2180	CD2	PHE	285	-3.703	-23.904	-14.568	0.00	30.18	C
ATOM	2181	CE1	PHE	285	-3.776	-21.366	-15.626	0.00	30.81	C
ATOM	2182	CE2	PHE	285	-2.950	-23.608	-15.696	0.00	28.02	C
ATOM	2183	CZ	PHE	285	-2.988	-22.332	-16.231	0.00	30.65	C
ATOM	2184	C	PHE	285	-6.683	-25.195	-13.873	0.00	33.13	C
ATOM	2185	O	PHE	285	-5.717	-25.950	-13.776	0.00	32.78	O
ATOM	2186	N	PRO	286	-7.753	-25.498	-14.654	0.00	32.77	N
ATOM	2187	CD	PRO	286	-9.031	-24.821	-14.651	0.00	32.42	C
ATOM	2188	CA	PRO	286	-7.673	-26.540	-15.663	0.00	32.83	C
ATOM	2189	CB	PRO	286	-9.040	-26.493	-16.381	0.00	33.16	C
ATOM	2190	CG	PRO	286	-9.951	-25.793	-15.385	0.00	32.10	C
ATOM	2191	C	PRO	286	-6.559	-26.242	-16.662	0.00	33.42	C
ATOM	2192	O	PRO	286	-5.720	-25.365	-16.504	0.00	31.91	O
ATOM	2193	N	LEU	287	-6.640	-27.040	-17.722	0.00	35.05	N
ATOM	2194	CA	LEU	287	-5.744	-27.010	-18.836	0.00	34.68	C
ATOM	2195	CB	LEU	287	-4.392	-27.588	-18.367	0.00	45.85	C
ATOM	2196	CG	LEU	287	-3.140	-27.122	-19.111	0.00	45.76	C
ATOM	2197	CD1	LEU	287	-2.993	-25.598	-19.005	0.00	50.52	C
ATOM	2198	CD2	LEU	287	-1.910	-27.822	-18.526	0.00	23.19	C
ATOM	2199	C	LEU	287	-6.444	-27.864	-19.898	0.00	33.90	C
ATOM	2200	O	LEU	287	-7.477	-28.499	-19.662	0.00	33.75	O
ATOM	2201	N	ASN	288	-5.791	-27.828	-21.062	0.00	33.11	N
ATOM	2202	CA	ASN	288	-6.199	-28.544	-22.263	0.00	31.59	C
ATOM	2203	CB	ASN	288	-6.327	-30.049	-21.953	0.00	33.15	C
ATOM	2204	CG	ASN	288	-5.384	-30.834	-22.844	0.00	38.51	C
ATOM	2205	OD1	ASN	288	-5.712	-31.221	-23.953	0.00	42.62	O
ATOM	2206	ND2	ASN	288	-4.150	-30.967	-22.360	0.00	33.80	N
ATOM	2207	C	ASN	288	-7.466	-27.966	-22.947	0.00	30.16	C

Fig. 1

35/48

ATOM	2208	O	ASN	288	-7.877	-28.430	-24.011	0.00	30.29	O
ATOM	2209	N	ARG	289	-8.058	-26.949	-22.287	0.00	29.02	N
ATOM	2210	CA	ARG	289	-9.298	-26.341	-22.730	0.00	28.68	C
ATOM	2211	CB	ARG	289	-9.778	-25.363	-21.645	0.00	25.11	C
ATOM	2212	CG	ARG	289	-9.693	-25.880	-20.183	0.00	24.11	C
ATOM	2213	CD	ARG	289	-10.572	-27.100	-19.878	0.00	19.39	C
ATOM	2214	NE	ARG	289	-11.848	-26.916	-20.544	0.00	16.42	N
ATOM	2215	CZ	ARG	289	-12.772	-26.055	-20.121	0.00	16.75	C
ATOM	2216	NH1	ARG	289	-12.969	-25.851	-18.840	0.00	10.60	N
ATOM	2217	NH2	ARG	289	-13.448	-25.395	-21.034	0.00	17.40	N
ATOM	2218	C	ARG	289	-9.034	-25.599	-24.055	0.00	29.87	C
ATOM	2219	O	ARG	289	-7.891	-25.455	-24.480	0.00	31.33	O
ATOM	2220	N	THR	290	-10.112	-25.135	-24.709	0.00	30.25	N
ATOM	2221	CA	THR	290	-9.937	-24.494	-25.995	0.00	29.85	C
ATOM	2222	CB	THR	290	-11.250	-24.690	-26.772	0.00	28.56	C
ATOM	2223	OG1	THR	290	-12.353	-24.323	-25.958	0.00	35.50	O
ATOM	2224	CG2	THR	290	-11.418	-26.131	-27.256	0.00	21.55	C
ATOM	2225	C	THR	290	-9.597	-23.019	-25.757	0.00	29.75	C
ATOM	2226	O	THR	290	-8.523	-22.515	-26.073	0.00	30.48	O
ATOM	2227	N	PHE	291	-10.624	-22.359	-25.212	0.00	30.15	N
ATOM	2228	CA	PHE	291	-10.512	-20.924	-25.064	0.00	30.03	C
ATOM	2229	CB	PHE	291	-11.860	-20.323	-25.456	0.00	24.13	C
ATOM	2230	CG	PHE	291	-11.768	-18.872	-25.830	0.00	23.71	C
ATOM	2231	CD1	PHE	291	-12.074	-18.488	-27.128	0.00	19.16	C
ATOM	2232	CD2	PHE	291	-11.398	-17.902	-24.905	0.00	19.04	C
ATOM	2233	CE1	PHE	291	-12.048	-17.152	-27.495	0.00	18.25	C
ATOM	2234	CE2	PHE	291	-11.351	-16.568	-25.272	0.00	15.99	C
ATOM	2235	CZ	PHE	291	-11.697	-16.191	-26.559	0.00	15.89	C
ATOM	2236	C	PHE	291	-10.112	-20.616	-23.621	0.00	31.14	C
ATOM	2237	O	PHE	291	-10.802	-20.987	-22.679	0.00	30.79	O
ATOM	2238	N	TYR	292	-8.991	-19.884	-23.500	0.00	32.48	N
ATOM	2239	CA	TYR	292	-8.642	-19.282	-22.216	0.00	32.45	C
ATOM	2240	CB	TYR	292	-7.207	-19.624	-21.812	0.00	32.27	C
ATOM	2241	CG	TYR	292	-6.962	-21.106	-21.757	0.00	32.70	C
ATOM	2242	CD1	TYR	292	-7.451	-21.850	-20.692	0.00	33.42	C
ATOM	2243	CE1	TYR	292	-7.212	-23.211	-20.598	0.00	34.06	C
ATOM	2244	CD2	TYR	292	-6.235	-21.751	-22.748	0.00	33.21	C
ATOM	2245	CE2	TYR	292	-5.991	-23.110	-22.664	0.00	34.04	C
ATOM	2246	CZ	TYR	292	-6.479	-23.838	-21.591	0.00	33.73	C
ATOM	2247	OH	TYR	292	-6.223	-25.188	-21.507	0.00	32.69	O
ATOM	2248	C	TYR	292	-8.816	-17.765	-22.355	0.00	32.40	C
ATOM	2249	O	TYR	292	-8.383	-17.173	-23.335	0.00	32.48	O
ATOM	2250	N	ALA	293	-9.508	-17.206	-21.351	0.00	32.87	N
ATOM	2251	CA	ALA	293	-9.848	-15.795	-21.354	0.00	32.49	C
ATOM	2252	CB	ALA	293	-11.359	-15.655	-21.484	0.00	31.07	C
ATOM	2253	C	ALA	293	-9.333	-15.197	-20.052	0.00	32.76	C
ATOM	2254	O	ALA	293	-10.022	-15.153	-19.037	0.00	33.46	O
ATOM	2255	N	ASP	294	-8.065	-14.774	-20.184	0.00	32.76	N
ATOM	2256	CA	ASP	294	-7.266	-14.332	-19.051	0.00	32.52	C
ATOM	2257	CB	ASP	294	-5.853	-14.927	-19.172	0.00	27.05	C
ATOM	2258	CG	ASP	294	-5.895	-16.447	-19.232	0.00	32.03	C
ATOM	2259	OD1	ASP	294	-5.741	-17.111	-18.212	0.00	36.85	O
ATOM	2260	OD2	ASP	294	-6.026	-16.981	-20.326	0.00	26.97	O
ATOM	2261	C	ASP	294	-7.221	-12.801	-19.070	0.00	33.56	C
ATOM	2262	O	ASP	294	-6.481	-12.186	-19.835	0.00	34.01	O
ATOM	2263	N	PHE	295	-8.086	-12.236	-18.198	0.00	34.53	N
ATOM	2264	CA	PHE	295	-8.249	-10.785	-18.145	0.00	34.46	C
ATOM	2265	CB	PHE	295	-9.681	-10.426	-17.712	0.00	34.84	C
ATOM	2266	CG	PHE	295	-10.473	-10.033	-18.924	0.00	33.58	C
ATOM	2267	CD1	PHE	295	-11.155	-10.994	-19.656	0.00	32.53	C
ATOM	2268	CD2	PHE	295	-10.483	-8.710	-19.354	0.00	28.69	C
ATOM	2269	CE1	PHE	295	-11.814	-10.637	-20.819	0.00	29.13	C
ATOM	2270	CE2	PHE	295	-11.147	-8.351	-20.518	0.00	26.88	C
ATOM	2271	CZ	PHE	295	-11.811	-9.316	-21.246	0.00	26.59	C
ATOM	2272	C	PHE	295	-7.175	-10.130	-17.258	0.00	34.41	C

Fig. 1

36/48

ATOM	2273	O	PHE	295	-6.958	-10.538	-16.123	0.00	34.74	O
ATOM	2274	N	SER	296	-6.515	-9.115	-17.867	0.00	34.74	N
ATOM	2275	CA	SER	296	-5.244	-8.587	-17.376	0.00	35.23	C
ATOM	2276	CB	SER	296	-4.198	-9.466	-18.071	0.00	32.33	C
ATOM	2277	OG	SER	296	-4.386	-9.390	-19.469	0.00	29.63	O
ATOM	2278	C	SER	296	-5.053	-7.083	-17.750	0.00	35.77	C
ATOM	2279	O	SER	296	-5.914	-6.466	-18.379	0.00	36.08	O
ATOM	2280	N	HIS	297	-3.836	-6.563	-17.369	0.00	35.81	N
ATOM	2281	CA	HIS	297	-3.432	-5.166	-17.636	0.00	35.93	C
ATOM	2282	CB	HIS	297	-3.781	-4.201	-16.484	0.00	30.97	C
ATOM	2283	CG	HIS	297	-3.759	-4.863	-15.134	0.00	29.10	C
ATOM	2284	ND1	HIS	297	-4.857	-4.974	-14.364	0.00	30.32	N
ATOM	2285	CD2	HIS	297	-2.666	-5.400	-14.446	0.00	30.35	C
ATOM	2286	NE2	HIS	297	-3.131	-5.822	-13.249	0.00	27.62	N
ATOM	2287	CE1	HIS	297	-4.449	-5.552	-13.226	0.00	31.20	C
ATOM	2288	C	HIS	297	-1.924	-4.975	-17.970	0.00	36.86	C
ATOM	2289	O	HIS	297	-1.027	-5.728	-17.590	0.00	37.22	O
ATOM	2290	N	ASP	298	-1.739	-3.820	-18.679	0.00	37.48	N
ATOM	2291	CA	ASP	298	-0.497	-3.378	-19.325	0.00	37.70	C
ATOM	2292	CB	ASP	298	-0.548	-1.904	-19.813	0.00	40.22	C
ATOM	2293	CG	ASP	298	-1.170	-0.868	-18.849	0.00	43.04	C
ATOM	2294	OD1	ASP	298	-2.343	-1.026	-18.487	0.00	42.12	O
ATOM	2295	OD2	ASP	298	-0.517	0.108	-18.478	0.00	46.35	O
ATOM	2296	C	ASP	298	0.726	-3.559	-18.437	0.00	38.09	C
ATOM	2297	O	ASP	298	1.738	-4.118	-18.846	0.00	38.60	O
ATOM	2298	N	ASN	299	0.528	-3.057	-17.197	0.00	38.09	N
ATOM	2299	CA	ASN	299	1.637	-2.917	-16.256	0.00	38.83	C
ATOM	2300	CB	ASN	299	1.156	-2.300	-14.921	0.00	41.95	C
ATOM	2301	CG	ASN	299	1.899	-1.010	-14.553	0.00	40.97	C
ATOM	2302	OD1	ASN	299	1.589	0.065	-15.059	0.00	38.94	O
ATOM	2303	ND2	ASN	299	2.962	-1.150	-13.759	0.00	40.43	N
ATOM	2304	C	ASN	299	2.350	-4.256	-15.990	0.00	39.25	C
ATOM	2305	O	ASN	299	3.548	-4.266	-15.754	0.00	39.29	O
ATOM	2306	N	THR	300	1.551	-5.362	-16.023	0.00	39.50	N
ATOM	2307	CA	THR	300	2.081	-6.727	-15.905	0.00	38.65	C
ATOM	2308	CB	THR	300	1.103	-7.647	-15.118	0.00	37.46	C
ATOM	2309	OG1	THR	300	1.766	-8.493	-14.194	0.00	40.31	O
ATOM	2310	CG2	THR	300	0.192	-8.548	-15.967	0.00	36.50	C
ATOM	2311	C	THR	300	2.369	-7.302	-17.299	0.00	37.95	C
ATOM	2312	O	THR	300	3.182	-8.203	-17.446	0.00	38.04	O
ATOM	2313	N	MET	301	1.654	-6.782	-18.317	0.00	37.29	N
ATOM	2314	CA	MET	301	1.844	-7.341	-19.653	0.00	36.92	C
ATOM	2315	CB	MET	301	0.837	-6.781	-20.672	0.00	34.53	C
ATOM	2316	CG	MET	301	-0.576	-7.348	-20.484	0.00	30.68	C
ATOM	2317	SD	MET	301	-1.742	-6.622	-21.655	0.00	31.17	S
ATOM	2318	CE	MET	301	-2.998	-7.914	-21.673	0.00	28.96	C
ATOM	2319	C	MET	301	3.287	-7.148	-20.150	0.00	36.54	C
ATOM	2320	O	MET	301	3.863	-8.037	-20.768	0.00	36.55	O
ATOM	2321	N	VAL	302	3.848	-5.956	-19.871	0.00	36.45	N
ATOM	2322	CA	VAL	302	5.164	-5.612	-20.423	0.00	36.07	C
ATOM	2323	CB	VAL	302	5.560	-4.154	-20.072	0.00	31.27	C
ATOM	2324	CG1	VAL	302	5.162	-3.204	-21.208	0.00	33.35	C
ATOM	2325	CG2	VAL	302	4.930	-3.611	-18.778	0.00	25.22	C
ATOM	2326	C	VAL	302	6.295	-6.690	-20.252	0.00	35.66	C
ATOM	2327	O	VAL	302	6.947	-7.042	-21.237	0.00	35.93	O
ATOM	2328	N	PRO	303	6.512	-7.249	-19.026	0.00	35.27	N
ATOM	2329	CD	PRO	303	6.003	-6.746	-17.756	0.00	35.56	C
ATOM	2330	CA	PRO	303	7.395	-8.405	-18.860	0.00	35.46	C
ATOM	2331	CB	PRO	303	6.931	-8.979	-17.512	0.00	35.79	C
ATOM	2332	CG	PRO	303	6.473	-7.763	-16.712	0.00	35.92	C
ATOM	2333	C	PRO	303	7.290	-9.503	-19.925	0.00	35.42	C
ATOM	2334	O	PRO	303	8.278	-10.051	-20.394	0.00	34.46	O
ATOM	2335	N	ILE	304	6.005	-9.771	-20.245	0.00	36.17	N
ATOM	2336	CA	ILE	304	5.611	-10.957	-21.010	0.00	35.54	C
ATOM	2337	CB	ILE	304	4.073	-11.185	-20.959	0.00	29.17	C

Fig. 1

37/48

ATOM	2338	CG2	ILE	304	3.698	-12.568	-21.530	0.00	24.85	C
ATOM	2339	CG1	ILE	304	3.478	-11.012	-19.542	0.00	28.98	C
ATOM	2340	CD1	ILE	304	1.942	-11.091	-19.510	0.00	34.86	C
ATOM	2341	C	ILE	304	6.094	-10.785	-22.461	0.00	35.54	C
ATOM	2342	O	ILE	304	6.588	-11.699	-23.110	0.00	35.33	O
ATOM	2343	N	PHE	305	5.962	-9.508	-22.873	0.00	35.27	N
ATOM	2344	CA	PHE	305	6.485	-9.048	-24.148	0.00	35.00	C
ATOM	2345	CB	PHE	305	6.049	-7.595	-24.437	0.00	29.55	C
ATOM	2346	CG	PHE	305	4.637	-7.522	-24.951	0.00	27.48	C
ATOM	2347	CD1	PHE	305	4.390	-7.455	-26.316	0.00	24.86	C
ATOM	2348	CD2	PHE	305	3.556	-7.532	-24.082	0.00	26.62	C
ATOM	2349	CE1	PHE	305	3.096	-7.451	-26.808	0.00	23.41	C
ATOM	2350	CE2	PHE	305	2.259	-7.498	-24.569	0.00	28.17	C
ATOM	2351	CZ	PHE	305	2.026	-7.463	-25.934	0.00	22.80	C
ATOM	2352	C	PHE	305	8.013	-9.156	-24.172	0.00	34.95	C
ATOM	2353	O	PHE	305	8.576	-9.602	-25.160	0.00	35.74	O
ATOM	2354	N	ALA	306	8.648	-8.733	-23.051	0.00	34.45	N
ATOM	2355	CA	ALA	306	10.112	-8.560	-22.967	0.00	33.95	C
ATOM	2356	CB	ALA	306	10.403	-7.714	-21.721	0.00	33.97	C
ATOM	2357	C	ALA	306	10.926	-9.886	-22.911	0.00	33.51	C
ATOM	2358	O	ALA	306	11.863	-10.106	-23.676	0.00	33.11	O
ATOM	2359	N	ALA	307	10.474	-10.744	-21.977	0.00	34.18	N
ATOM	2360	CA	ALA	307	11.000	-12.088	-21.796	0.00	34.22	C
ATOM	2361	CB	ALA	307	10.310	-12.693	-20.566	0.00	30.08	C
ATOM	2362	C	ALA	307	10.728	-12.936	-23.053	0.00	34.71	C
ATOM	2363	O	ALA	307	11.621	-13.509	-23.674	0.00	34.91	O
ATOM	2364	N	LEU	308	9.423	-12.951	-23.426	0.00	35.10	N
ATOM	2365	CA	LEU	308	9.094	-13.680	-24.656	0.00	34.68	C
ATOM	2366	CB	LEU	308	7.575	-13.653	-24.892	0.00	31.93	C
ATOM	2367	CG	LEU	308	7.063	-14.607	-25.976	0.00	31.63	C
ATOM	2368	CD1	LEU	308	7.495	-16.060	-25.739	0.00	31.43	C
ATOM	2369	CD2	LEU	308	5.536	-14.515	-26.075	0.00	24.32	C
ATOM	2370	C	LEU	308	9.916	-13.130	-25.849	0.00	34.97	C
ATOM	2371	O	LEU	308	10.673	-13.838	-26.500	0.00	36.00	O
ATOM	2372	N	GLY	309	9.797	-11.811	-26.052	0.00	34.75	N
ATOM	2373	CA	GLY	309	10.606	-11.147	-27.081	0.00	34.34	C
ATOM	2374	C	GLY	309	9.731	-10.597	-28.210	0.00	34.13	C
ATOM	2375	O	GLY	309	10.148	-10.399	-29.353	0.00	34.32	O
ATOM	2376	N	LEU	310	8.477	-10.327	-27.830	0.00	33.59	N
ATOM	2377	CA	LEU	310	7.665	-9.513	-28.704	0.00	33.05	C
ATOM	2378	CB	LEU	310	6.247	-9.527	-28.121	0.00	24.75	C
ATOM	2379	CG	LEU	310	5.614	-10.935	-28.044	0.00	20.47	C
ATOM	2380	CD1	LEU	310	4.290	-10.902	-27.267	0.00	17.82	C
ATOM	2381	CD2	LEU	310	5.401	-11.563	-29.428	0.00	21.15	C
ATOM	2382	C	LEU	310	8.329	-8.109	-28.781	0.00	34.23	C
ATOM	2383	O	LEU	310	8.815	-7.560	-27.795	0.00	34.58	O
ATOM	2384	N	PHE	311	8.400	-7.639	-30.042	0.00	34.72	N
ATOM	2385	CA	PHE	311	9.099	-6.383	-30.349	0.00	35.13	C
ATOM	2386	CB	PHE	311	8.258	-5.187	-29.880	0.00	25.53	C
ATOM	2387	CG	PHE	311	6.788	-5.389	-30.127	0.00	19.10	C
ATOM	2388	CD1	PHE	311	6.319	-5.694	-31.399	0.00	17.59	C
ATOM	2389	CD2	PHE	311	5.882	-5.297	-29.078	0.00	17.32	C
ATOM	2390	CE1	PHE	311	4.970	-5.936	-31.619	0.00	14.64	C
ATOM	2391	CE2	PHE	311	4.533	-5.522	-29.306	0.00	16.83	C
ATOM	2392	CZ	PHE	311	4.074	-5.849	-30.568	0.00	12.88	C
ATOM	2393	C	PHE	311	10.554	-6.341	-29.789	0.00	36.17	C
ATOM	2394	O	PHE	311	11.039	-5.355	-29.231	0.00	37.06	O
ATOM	2395	N	ASN	312	11.211	-7.490	-30.023	0.00	37.84	N
ATOM	2396	CA	ASN	312	12.624	-7.627	-29.712	0.00	39.44	C
ATOM	2397	CB	ASN	312	12.912	-9.077	-29.326	0.00	44.09	C
ATOM	2398	CG	ASN	312	14.345	-9.264	-28.821	0.00	47.40	C
ATOM	2399	OD1	ASN	312	15.194	-8.379	-28.835	0.00	52.74	O
ATOM	2400	ND2	ASN	312	14.553	-10.490	-28.336	0.00	45.24	N
ATOM	2401	C	ASN	312	13.405	-7.201	-30.959	0.00	40.55	C
ATOM	2402	O	ASN	312	13.473	-7.894	-31.973	0.00	41.61	O

Fig. 1

38/48

ATOM	2403	N	ALA	313	13.937	-5.985	-30.831	0.00	41.20	N
ATOM	2404	CA	ALA	313	14.525	-5.316	-31.967	0.00	41.18	C
ATOM	2405	CB	ALA	313	13.447	-4.541	-32.740	0.00	35.51	C
ATOM	2406	C	ALA	313	15.570	-4.353	-31.440	0.00	41.95	C
ATOM	2407	O	ALA	313	15.562	-3.963	-30.276	0.00	42.91	O
ATOM	2408	N	THR	314	16.410	-3.957	-32.419	0.00	50.74	N
ATOM	2409	CA	THR	314	17.309	-2.827	-32.213	0.00	49.31	C
ATOM	2410	CB	THR	314	18.086	-2.635	-33.516	0.00	41.84	C
ATOM	2411	OG1	THR	314	18.641	-3.884	-33.840	0.00	20.00	O
ATOM	2412	CG2	THR	314	19.227	-1.620	-33.446	0.00	20.00	C
ATOM	2413	C	THR	314	16.455	-1.610	-31.808	0.00	49.39	C
ATOM	2414	O	THR	314	15.322	-1.457	-32.247	0.00	49.94	O
ATOM	2415	N	ALA	315	17.002	-0.858	-30.840	0.00	20.00	N
ATOM	2416	CA	ALA	315	16.125	-0.126	-29.940	0.00	20.00	C
ATOM	2417	CB	ALA	315	16.860	0.096	-28.619	0.00	30.84	C
ATOM	2418	C	ALA	315	15.616	1.212	-30.519	0.00	20.00	C
ATOM	2419	O	ALA	315	16.332	2.012	-31.126	0.00	20.00	O
ATOM	2420	N	LEU	316	14.322	1.436	-30.234	0.00	20.00	N
ATOM	2421	CA	LEU	316	13.753	2.766	-30.442	0.00	20.00	C
ATOM	2422	CB	LEU	316	12.221	2.711	-30.361	0.00	20.00	C
ATOM	2423	CG	LEU	316	11.568	2.344	-29.011	0.00	20.00	C
ATOM	2424	CD1	LEU	316	10.072	2.116	-29.256	0.00	20.00	C
ATOM	2425	CD2	LEU	316	12.156	1.111	-28.308	0.00	6.00	C
ATOM	2426	C	LEU	316	14.399	3.797	-29.481	0.00	20.00	C
ATOM	2427	O	LEU	316	14.813	3.471	-28.371	0.00	20.00	O
ATOM	2428	N	ASP	317	14.530	5.030	-30.019	0.00	41.14	N
ATOM	2429	CA	ASP	317	15.387	6.041	-29.399	0.00	43.80	C
ATOM	2430	CB	ASP	317	15.871	7.062	-30.438	0.00	25.62	C
ATOM	2431	CG	ASP	317	17.011	7.902	-29.860	0.00	52.11	C
ATOM	2432	OD1	ASP	317	18.162	7.470	-29.935	0.00	55.32	O
ATOM	2433	OD2	ASP	317	16.769	8.969	-29.310	0.00	49.91	O
ATOM	2434	C	ASP	317	14.643	6.806	-28.287	0.00	45.46	C
ATOM	2435	O	ASP	317	13.529	7.283	-28.487	0.00	43.82	O
ATOM	2436	N	PRO	318	15.289	6.947	-27.095	0.00	46.37	N
ATOM	2437	CD	PRO	318	16.584	6.378	-26.731	0.00	45.47	C
ATOM	2438	CA	PRO	318	14.659	7.687	-26.007	0.00	46.72	C
ATOM	2439	CB	PRO	318	15.667	7.612	-24.850	0.00	46.17	C
ATOM	2440	CG	PRO	318	16.578	6.443	-25.210	0.00	45.84	C
ATOM	2441	C	PRO	318	14.342	9.157	-26.319	0.00	46.73	C
ATOM	2442	O	PRO	318	13.468	9.751	-25.709	0.00	47.54	O
ATOM	2443	N	LEU	319	15.039	9.721	-27.314	0.00	46.85	N
ATOM	2444	CA	LEU	319	14.778	11.087	-27.730	0.00	48.87	C
ATOM	2445	CB	LEU	319	16.094	11.867	-27.885	0.00	53.90	C
ATOM	2446	CG	LEU	319	17.158	11.644	-26.796	0.00	20.00	C
ATOM	2447	CD1	LEU	319	18.422	12.454	-27.128	0.00	20.00	C
ATOM	2448	CD2	LEU	319	16.671	12.018	-25.394	0.00	19.33	C
ATOM	2449	C	LEU	319	13.986	11.158	-29.052	0.00	50.25	C
ATOM	2450	O	LEU	319	13.770	12.255	-29.553	0.00	51.46	O
ATOM	2451	N	LYS	320	13.577	9.993	-29.629	0.00	50.67	N
ATOM	2452	CA	LYS	320	12.777	10.079	-30.873	0.00	51.28	C
ATOM	2453	CB	LYS	320	13.624	10.151	-32.165	0.00	51.97	C
ATOM	2454	CG	LYS	320	12.832	10.858	-33.298	0.00	20.00	C
ATOM	2455	CD	LYS	320	13.400	10.736	-34.722	0.00	20.00	C
ATOM	2456	CE	LYS	320	13.618	9.310	-35.257	0.00	136.39	C
ATOM	2457	NZ	LYS	320	12.443	8.448	-35.343	0.00	135.98	N
ATOM	2458	C	LYS	320	11.728	8.934	-31.021	0.00	52.14	C
ATOM	2459	O	LYS	320	12.060	7.746	-31.016	0.00	52.43	O
ATOM	2460	N	PRO	321	10.426	9.338	-31.193	0.00	51.95	N
ATOM	2461	CD	PRO	321	9.906	10.670	-30.897	0.00	35.57	C
ATOM	2462	CA	PRO	321	9.388	8.449	-31.713	0.00	51.37	C
ATOM	2463	CB	PRO	321	8.068	9.234	-31.600	0.00	40.15	C
ATOM	2464	CG	PRO	321	8.386	10.509	-30.822	0.00	35.40	C
ATOM	2465	C	PRO	321	9.681	8.124	-33.180	0.00	51.70	C
ATOM	2466	O	PRO	321	10.457	8.807	-33.833	0.00	52.79	O
ATOM	2467	N	ASP	322	9.063	7.041	-33.674	0.00	38.93	N

Fig. 1

39/48

ATOM	2468	CA	ASP	322	9.290	6.611	-35.050	0.00	38.43	C
ATOM	2469	CB	ASP	322	10.272	5.426	-35.055	0.00	33.54	C
ATOM	2470	CG	ASP	322	11.147	5.445	-36.305	0.00	35.75	C
ATOM	2471	OD1	ASP	322	12.251	5.986	-36.255	0.00	40.44	O
ATOM	2472	OD2	ASP	322	10.716	4.943	-37.337	0.00	29.40	O
ATOM	2473	C	ASP	322	7.973	6.165	-35.707	0.00	38.46	C
ATOM	2474	O	ASP	322	7.076	5.591	-35.081	0.00	39.28	O
ATOM	2475	N	GLU	323	7.958	6.384	-37.037	0.00	51.70	N
ATOM	2476	CA	GLU	323	6.866	5.776	-37.798	0.00	50.24	C
ATOM	2477	CB	GLU	323	6.573	6.453	-39.146	0.00	41.27	C
ATOM	2478	CG	GLU	323	7.724	6.527	-40.161	0.00	20.00	C
ATOM	2479	CD	GLU	323	8.471	7.858	-40.054	0.00	20.00	C
ATOM	2480	OE1	GLU	323	8.188	8.766	-40.837	0.00	20.00	O
ATOM	2481	OE2	GLU	323	9.329	8.001	-39.191	0.00	20.00	O
ATOM	2482	C	GLU	323	7.068	4.254	-38.003	0.00	49.81	C
ATOM	2483	O	GLU	323	6.097	3.500	-38.020	0.00	48.00	O
ATOM	2484	N	ASN	324	8.336	3.842	-38.188	0.00	65.41	N
ATOM	2485	CA	ASN	324	8.699	2.447	-38.421	0.00	64.00	C
ATOM	2486	CB	ASN	324	9.538	2.385	-39.715	0.00	48.88	C
ATOM	2487	CG	ASN	324	10.236	1.037	-39.950	0.00	20.00	C
ATOM	2488	OD1	ASN	324	9.684	-0.019	-39.668	0.00	20.00	O
ATOM	2489	ND2	ASN	324	11.483	1.128	-40.432	0.00	20.00	N
ATOM	2490	C	ASN	324	9.400	1.895	-37.161	0.00	63.53	C
ATOM	2491	O	ASN	324	10.625	1.831	-37.056	0.00	63.68	O
ATOM	2492	N	ARG	325	8.531	1.516	-36.211	0.00	62.57	N
ATOM	2493	CA	ARG	325	9.005	0.970	-34.948	0.00	61.62	C
ATOM	2494	CB	ARG	325	8.969	2.000	-33.813	0.00	60.62	C
ATOM	2495	CG	ARG	325	7.575	2.605	-33.572	0.00	20.00	C
ATOM	2496	CD	ARG	325	7.641	3.734	-32.545	0.00	20.00	C
ATOM	2497	NE	ARG	325	6.313	4.142	-32.066	0.00	20.00	N
ATOM	2498	CZ	ARG	325	5.999	4.207	-30.758	0.00	20.00	C
ATOM	2499	NH1	ARG	325	6.751	3.577	-29.867	0.00	20.00	N
ATOM	2500	NH2	ARG	325	4.920	4.867	-30.353	0.00	20.00	N
ATOM	2501	C	ARG	325	8.105	-0.199	-34.625	0.00	60.58	C
ATOM	2502	O	ARG	325	7.049	-0.376	-35.226	0.00	60.13	O
ATOM	2503	N	LEU	326	8.610	-0.976	-33.645	0.00	60.00	N
ATOM	2504	CA	LEU	326	8.047	-2.275	-33.338	0.00	59.20	C
ATOM	2505	CB	LEU	326	9.131	-3.350	-33.523	0.00	49.64	C
ATOM	2506	CG	LEU	326	9.637	-3.391	-34.984	0.00	20.00	C
ATOM	2507	CD1	LEU	326	10.732	-4.435	-35.211	0.00	20.00	C
ATOM	2508	CD2	LEU	326	8.479	-3.635	-35.951	0.00	20.00	C
ATOM	2509	C	LEU	326	7.409	-2.248	-31.953	0.00	59.72	C
ATOM	2510	O	LEU	326	6.293	-2.719	-31.798	0.00	58.44	O
ATOM	2511	N	TRP	327	8.099	-1.633	-30.976	0.00	32.82	N
ATOM	2512	CA	TRP	327	7.502	-1.388	-29.665	0.00	34.18	C
ATOM	2513	CB	TRP	327	8.639	-1.448	-28.615	0.00	28.86	C
ATOM	2514	CG	TRP	327	8.119	-1.557	-27.193	0.00	33.31	C
ATOM	2515	CD2	TRP	327	8.245	-2.653	-26.257	0.00	29.45	C
ATOM	2516	CE2	TRP	327	7.605	-2.245	-25.062	0.00	33.42	C
ATOM	2517	CE3	TRP	327	8.825	-3.892	-26.318	0.00	30.29	C
ATOM	2518	CD1	TRP	327	7.420	-0.561	-26.515	0.00	37.17	C
ATOM	2519	NE1	TRP	327	7.115	-0.969	-25.262	0.00	37.00	N
ATOM	2520	CZ2	TRP	327	7.561	-3.075	-23.983	0.00	37.59	C
ATOM	2521	CZ3	TRP	327	8.772	-4.748	-25.218	0.00	36.85	C
ATOM	2522	CH2	TRP	327	8.138	-4.339	-24.045	0.00	44.37	C
ATOM	2523	C	TRP	327	6.781	-0.016	-29.757	0.00	34.62	C
ATOM	2524	O	TRP	327	7.418	1.026	-29.856	0.00	34.09	O
ATOM	2525	N	VAL	328	5.439	-0.079	-29.780	0.00	34.18	N
ATOM	2526	CA	VAL	328	4.596	1.103	-29.958	0.00	35.29	C
ATOM	2527	CB	VAL	328	4.269	1.303	-31.463	0.00	31.53	C
ATOM	2528	CG1	VAL	328	4.189	-0.026	-32.218	0.00	27.30	C
ATOM	2529	CG2	VAL	328	3.014	2.155	-31.740	0.00	29.52	C
ATOM	2530	C	VAL	328	3.349	0.929	-29.101	0.00	35.92	C
ATOM	2531	O	VAL	328	2.508	0.114	-29.431	0.00	35.67	O
ATOM	2532	N	ASP	329	3.264	1.708	-28.000	0.00	37.39	N

Fig. 1

40/48

ATOM	2533	CA	ASP	329	2.278	1.483	-26.932	0.00	38.78	C
ATOM	2534	CB	ASP	329	2.183	2.717	-26.017	0.00	32.64	C
ATOM	2535	CG	ASP	329	2.236	2.307	-24.540	0.00	34.06	C
ATOM	2536	OD1	ASP	329	3.206	1.673	-24.129	0.00	29.53	O
ATOM	2537	OD2	ASP	329	1.340	2.644	-23.769	0.00	35.26	O
ATOM	2538	C	ASP	329	0.880	1.087	-27.453	0.00	40.15	C
ATOM	2539	O	ASP	329	0.269	0.106	-27.051	0.00	41.15	O
ATOM	2540	N	SER	330	0.440	1.890	-28.430	0.00	40.61	N
ATOM	2541	CA	SER	330	-0.818	1.690	-29.127	0.00	41.23	C
ATOM	2542	CB	SER	330	-0.896	2.834	-30.141	0.00	42.29	C
ATOM	2543	OG	SER	330	-0.233	3.948	-29.601	0.00	45.59	O
ATOM	2544	C	SER	330	-0.967	0.295	-29.801	0.00	41.86	C
ATOM	2545	O	SER	330	-2.008	-0.346	-29.692	0.00	42.30	O
ATOM	2546	N	LYS	331	0.083	-0.157	-30.513	0.00	41.26	N
ATOM	2547	CA	LYS	331	0.025	-1.470	-31.163	0.00	40.70	C
ATOM	2548	CB	LYS	331	0.704	-1.428	-32.549	0.00	33.66	C
ATOM	2549	CG	LYS	331	0.247	-0.230	-33.404	0.00	30.18	C
ATOM	2550	CD	LYS	331	0.813	-0.202	-34.825	0.00	33.56	C
ATOM	2551	CE	LYS	331	0.367	1.055	-35.590	0.00	38.12	C
ATOM	2552	NZ	LYS	331	1.097	1.229	-36.839	0.00	39.69	N
ATOM	2553	C	LYS	331	0.581	-2.600	-30.255	0.00	41.18	C
ATOM	2554	O	LYS	331	0.337	-3.766	-30.538	0.00	41.72	O
ATOM	2555	N	LEU	332	1.285	-2.198	-29.179	0.00	40.24	N
ATOM	2556	CA	LEU	332	1.869	-3.049	-28.153	0.00	39.62	C
ATOM	2557	CB	LEU	332	2.790	-2.162	-27.282	0.00	41.08	C
ATOM	2558	CG	LEU	332	3.343	-2.743	-25.962	0.00	44.19	C
ATOM	2559	CD1	LEU	332	4.486	-3.728	-26.185	0.00	42.24	C
ATOM	2560	CD2	LEU	332	3.800	-1.608	-25.032	0.00	42.70	C
ATOM	2561	C	LEU	332	0.721	-3.657	-27.356	0.00	39.39	C
ATOM	2562	O	LEU	332	0.466	-4.855	-27.411	0.00	39.45	O
ATOM	2563	N	VAL	333	0.026	-2.731	-26.660	0.00	39.66	N
ATOM	2564	CA	VAL	333	-1.188	-3.019	-25.916	0.00	38.61	C
ATOM	2565	CB	VAL	333	-0.868	-3.544	-24.483	0.00	34.55	C
ATOM	2566	CG1	VAL	333	-0.331	-4.981	-24.500	0.00	39.35	C
ATOM	2567	CG2	VAL	333	0.090	-2.654	-23.667	0.00	27.40	C
ATOM	2568	C	VAL	333	-2.060	-1.727	-25.857	0.00	38.42	C
ATOM	2569	O	VAL	333	-1.842	-0.878	-24.997	0.00	39.24	O
ATOM	2570	N	PRO	334	-3.108	-1.610	-26.722	0.00	38.06	N
ATOM	2571	CD	PRO	334	-3.393	-2.498	-27.846	0.00	37.97	C
ATOM	2572	CA	PRO	334	-4.163	-0.601	-26.503	0.00	37.82	C
ATOM	2573	CB	PRO	334	-4.942	-0.630	-27.828	0.00	37.99	C
ATOM	2574	CG	PRO	334	-4.762	-2.051	-28.356	0.00	37.83	C
ATOM	2575	C	PRO	334	-5.042	-1.071	-25.311	0.00	38.00	C
ATOM	2576	O	PRO	334	-4.732	-2.094	-24.712	0.00	37.20	O
ATOM	2577	N	PHE	335	-6.138	-0.346	-24.975	0.00	38.58	N
ATOM	2578	CA	PHE	335	-7.154	-0.866	-24.044	0.00	39.09	C
ATOM	2579	CB	PHE	335	-8.067	0.242	-23.457	0.00	40.95	C
ATOM	2580	CG	PHE	335	-7.612	0.940	-22.192	0.00	40.80	C
ATOM	2581	CD1	PHE	335	-6.652	0.429	-21.321	0.00	41.95	C
ATOM	2582	CD2	PHE	335	-8.197	2.161	-21.872	0.00	39.29	C
ATOM	2583	CE1	PHE	335	-6.275	1.135	-20.186	0.00	41.38	C
ATOM	2584	CE2	PHE	335	-7.839	2.869	-20.734	0.00	37.16	C
ATOM	2585	CZ	PHE	335	-6.861	2.359	-19.897	0.00	36.53	C
ATOM	2586	C	PHE	335	-8.036	-1.830	-24.844	0.00	39.01	C
ATOM	2587	O	PHE	335	-8.219	-1.668	-26.044	0.00	39.17	O
ATOM	2588	N	SER	336	-8.517	-2.864	-24.120	0.00	38.22	N
ATOM	2589	CA	SER	336	-9.050	-4.097	-24.710	0.00	37.86	C
ATOM	2590	CB	SER	336	-10.446	-3.956	-25.330	0.00	35.35	C
ATOM	2591	OG	SER	336	-11.336	-3.256	-24.492	0.00	30.00	O
ATOM	2592	C	SER	336	-8.071	-4.742	-25.713	0.00	37.88	C
ATOM	2593	O	SER	336	-8.463	-5.477	-26.614	0.00	37.01	O
ATOM	2594	N	GLY	337	-6.782	-4.438	-25.477	0.00	37.96	N
ATOM	2595	CA	GLY	337	-5.714	-5.088	-26.214	0.00	37.79	C
ATOM	2596	C	GLY	337	-5.695	-6.582	-25.889	0.00	38.00	C
ATOM	2597	O	GLY	337	-5.333	-7.017	-24.799	0.00	38.16	O

Fig. 1

41/48

ATOM	2598	N	HIS	338	-6.126	-7.351	-26.895	0.00	37.48	N
ATOM	2599	CA	HIS	338	-5.994	-8.786	-26.738	0.00	36.83	C
ATOM	2600	CB	HIS	338	-7.100	-9.541	-27.489	0.00	33.31	C
ATOM	2601	CG	HIS	338	-7.345	-8.988	-28.874	0.00	31.30	C
ATOM	2602	ND1	HIS	338	-8.385	-8.179	-29.171	0.00	33.23	N
ATOM	2603	CD2	HIS	338	-6.623	-9.232	-30.052	0.00	35.53	C
ATOM	2604	NE2	HIS	338	-7.245	-8.569	-31.054	0.00	34.31	N
ATOM	2605	CE1	HIS	338	-8.301	-7.946	-30.494	0.00	32.92	C
ATOM	2606	C	HIS	338	-4.577	-9.193	-27.162	0.00	36.00	C
ATOM	2607	O	HIS	338	-4.132	-8.932	-28.278	0.00	36.18	O
ATOM	2608	N	MET	339	-3.944	-9.894	-26.203	0.00	33.99	N
ATOM	2609	CA	MET	339	-2.840	-10.768	-26.512	0.00	32.20	C
ATOM	2610	CB	MET	339	-1.877	-10.750	-25.316	0.00	27.38	C
ATOM	2611	CG	MET	339	-1.093	-9.443	-25.163	0.00	25.46	C
ATOM	2612	SD	MET	339	-0.486	-9.236	-23.474	0.00	28.65	S
ATOM	2613	CE	MET	339	0.586	-10.676	-23.346	0.00	20.59	C
ATOM	2614	C	MET	339	-3.512	-12.130	-26.680	0.00	31.09	C
ATOM	2615	O	MET	339	-3.947	-12.743	-25.718	0.00	31.99	O
ATOM	2616	N	THR	340	-3.639	-12.545	-27.950	0.00	29.76	N
ATOM	2617	CA	THR	340	-4.265	-13.833	-28.209	0.00	27.64	C
ATOM	2618	CB	THR	340	-5.400	-13.709	-29.233	0.00	21.69	C
ATOM	2619	OG1	THR	340	-6.330	-12.731	-28.823	0.00	26.65	O
ATOM	2620	CG2	THR	340	-6.114	-15.049	-29.398	0.00	20.30	C
ATOM	2621	C	THR	340	-3.199	-14.803	-28.692	0.00	26.84	C
ATOM	2622	O	THR	340	-2.786	-14.777	-29.837	0.00	27.10	O
ATOM	2623	N	VAL	341	-2.790	-15.710	-27.797	0.00	25.49	N
ATOM	2624	CA	VAL	341	-1.859	-16.734	-28.256	0.00	24.76	C
ATOM	2625	CB	VAL	341	-0.855	-17.041	-27.134	0.00	26.47	C
ATOM	2626	CG1	VAL	341	0.049	-18.231	-27.482	0.00	21.30	C
ATOM	2627	CG2	VAL	341	-0.005	-15.803	-26.806	0.00	26.46	C
ATOM	2628	C	VAL	341	-2.676	-17.934	-28.789	0.00	25.12	C
ATOM	2629	O	VAL	341	-3.103	-18.822	-28.061	0.00	25.02	O
ATOM	2630	N	GLU	342	-2.833	-17.899	-30.121	0.00	25.02	N
ATOM	2631	CA	GLU	342	-3.459	-18.979	-30.866	0.00	24.64	C
ATOM	2632	CB	GLU	342	-3.753	-18.502	-32.286	0.00	23.75	C
ATOM	2633	CG	GLU	342	-4.796	-17.390	-32.318	0.00	28.12	C
ATOM	2634	CD	GLU	342	-5.010	-16.967	-33.757	0.00	28.05	C
ATOM	2635	OE1	GLU	342	-4.780	-15.810	-34.066	0.00	26.76	O
ATOM	2636	OE2	GLU	342	-5.396	-17.791	-34.580	0.00	29.25	O
ATOM	2637	C	GLU	342	-2.523	-20.184	-30.990	0.00	24.60	C
ATOM	2638	O	GLU	342	-1.601	-20.213	-31.800	0.00	24.31	O
ATOM	2639	N	LYS	343	-2.865	-21.212	-30.206	0.00	25.35	N
ATOM	2640	CA	LYS	343	-2.341	-22.522	-30.542	0.00	25.38	C
ATOM	2641	CB	LYS	343	-2.437	-23.494	-29.370	0.00	20.49	C
ATOM	2642	CG	LYS	343	-2.200	-24.942	-29.834	0.00	18.00	C
ATOM	2643	CD	LYS	343	-1.881	-25.863	-28.682	0.00	15.69	C
ATOM	2644	CE	LYS	343	-1.557	-27.285	-29.153	0.00	21.61	C
ATOM	2645	NZ	LYS	343	-1.572	-28.196	-28.022	0.00	25.94	N
ATOM	2646	C	LYS	343	-3.104	-23.061	-31.760	0.00	25.84	C
ATOM	2647	O	LYS	343	-4.304	-23.348	-31.736	0.00	26.32	O
ATOM	2648	N	LEU	344	-2.295	-23.225	-32.825	0.00	25.98	N
ATOM	2649	CA	LEU	344	-2.833	-23.922	-33.975	0.00	25.22	C
ATOM	2650	CB	LEU	344	-2.184	-23.528	-35.318	0.00	19.49	C
ATOM	2651	CG	LEU	344	-2.079	-22.033	-35.662	0.00	24.70	C
ATOM	2652	CD1	LEU	344	-3.394	-21.275	-35.479	0.00	26.15	C
ATOM	2653	CD2	LEU	344	-0.915	-21.340	-34.954	0.00	22.72	C
ATOM	2654	C	LEU	344	-2.632	-25.425	-33.769	0.00	24.63	C
ATOM	2655	O	LEU	344	-1.615	-25.900	-33.247	0.00	25.02	O
ATOM	2656	N	ALA	345	-3.636	-26.094	-34.378	0.00	24.95	N
ATOM	2657	CA	ALA	345	-3.435	-27.368	-35.041	0.00	23.88	C
ATOM	2658	CB	ALA	345	-4.701	-28.222	-34.912	0.00	12.78	C
ATOM	2659	C	ALA	345	-3.170	-27.065	-36.526	0.00	24.46	C
ATOM	2660	O	ALA	345	-4.088	-26.844	-37.326	0.00	25.11	O
ATOM	2661	N	CYS	346	-1.851	-27.072	-36.866	0.00	52.07	N
ATOM	2662	CA	CYS	346	-1.399	-26.961	-38.261	0.00	57.87	C

Fig. 1

42/48

ATOM	2663	CB	CYS	346	-0.337	-25.858	-38.481	0.00	60.57	C
ATOM	2664	SG	CYS	346	-0.685	-24.177	-37.905	0.00	20.00	S
ATOM	2665	C	CYS	346	-0.787	-28.297	-38.696	0.00	56.25	C
ATOM	2666	O	CYS	346	0.427	-28.464	-38.770	0.00	57.24	O
ATOM	2667	N	SER	347	-1.709	-29.244	-38.963	0.00	40.12	N
ATOM	2668	CA	SER	347	-1.402	-30.648	-39.170	0.00	42.04	C
ATOM	2669	CB	SER	347	-2.594	-31.310	-39.894	0.00	45.11	C
ATOM	2670	OG	SER	347	-3.841	-30.816	-39.456	0.00	51.55	O
ATOM	2671	C	SER	347	-0.112	-30.867	-39.985	0.00	42.39	C
ATOM	2672	O	SER	347	-0.010	-30.333	-41.085	0.00	42.90	O
ATOM	2673	N	GLY	348	0.851	-31.639	-39.432	0.00	86.19	N
ATOM	2674	CA	GLY	348	0.809	-32.448	-38.210	0.00	85.84	C
ATOM	2675	C	GLY	348	1.562	-31.815	-37.031	0.00	83.56	C
ATOM	2676	O	GLY	348	2.160	-32.508	-36.210	0.00	84.50	O
ATOM	2677	N	LYS	349	1.568	-30.471	-36.992	0.00	77.74	N
ATOM	2678	CA	LYS	349	2.578	-29.806	-36.183	0.00	70.75	C
ATOM	2679	CB	LYS	349	2.660	-28.320	-36.585	0.00	77.21	C
ATOM	2680	CG	LYS	349	4.050	-27.727	-36.345	0.00	20.00	C
ATOM	2681	CD	LYS	349	4.129	-26.225	-36.634	0.00	20.00	C
ATOM	2682	CE	LYS	349	5.498	-25.594	-36.352	0.00	20.00	C
ATOM	2683	NZ	LYS	349	6.618	-25.931	-37.228	0.00	20.00	N
ATOM	2684	C	LYS	349	2.314	-29.974	-34.671	0.00	63.74	C
ATOM	2685	O	LYS	349	3.149	-30.479	-33.927	0.00	61.45	O
ATOM	2686	N	GLU	350	1.132	-29.450	-34.286	0.00	55.81	N
ATOM	2687	CA	GLU	350	0.925	-28.613	-33.104	0.00	51.60	C
ATOM	2688	CB	GLU	350	0.871	-29.365	-31.778	0.00	49.17	C
ATOM	2689	CG	GLU	350	-0.371	-30.242	-31.715	0.00	39.91	C
ATOM	2690	CD	GLU	350	-0.495	-31.015	-30.400	0.00	41.57	C
ATOM	2691	OE1	GLU	350	-0.777	-30.428	-29.351	0.00	49.17	O
ATOM	2692	OE2	GLU	350	-0.335	-32.229	-30.458	0.00	37.27	O
ATOM	2693	C	GLU	350	1.920	-27.446	-33.059	0.00	46.34	C
ATOM	2694	O	GLU	350	3.139	-27.582	-33.167	0.00	42.43	O
ATOM	2695	N	ALA	351	1.276	-26.264	-32.953	0.00	43.46	N
ATOM	2696	CA	ALA	351	1.984	-25.011	-33.209	0.00	41.15	C
ATOM	2697	CB	ALA	351	1.629	-24.539	-34.623	0.00	37.86	C
ATOM	2698	C	ALA	351	1.549	-23.923	-32.219	0.00	42.11	C
ATOM	2699	O	ALA	351	0.615	-24.094	-31.439	0.00	42.33	O
ATOM	2700	N	VAL	352	2.249	-22.771	-32.347	0.00	30.71	N
ATOM	2701	CA	VAL	352	1.789	-21.575	-31.643	0.00	32.11	C
ATOM	2702	CB	VAL	352	2.627	-21.268	-30.378	0.00	33.27	C
ATOM	2703	CG1	VAL	352	1.870	-20.297	-29.457	0.00	29.92	C
ATOM	2704	CG2	VAL	352	3.072	-22.521	-29.616	0.00	36.39	C
ATOM	2705	C	VAL	352	1.957	-20.413	-32.613	0.00	31.49	C
ATOM	2706	O	VAL	352	3.007	-20.297	-33.233	0.00	31.37	O
ATOM	2707	N	ARG	353	0.929	-19.551	-32.671	0.00	31.19	N
ATOM	2708	CA	ARG	353	1.066	-18.223	-33.252	0.00	31.03	C
ATOM	2709	CB	ARG	353	0.235	-18.054	-34.534	0.00	25.64	C
ATOM	2710	CG	ARG	353	0.278	-16.633	-35.134	0.00	22.73	C
ATOM	2711	CD	ARG	353	-0.561	-16.493	-36.408	0.00	20.84	C
ATOM	2712	NE	ARG	353	-1.987	-16.574	-36.083	0.00	19.33	N
ATOM	2713	CZ	ARG	353	-2.937	-16.413	-37.034	0.00	22.82	C
ATOM	2714	NH1	ARG	353	-2.549	-16.207	-38.290	0.00	27.55	N
ATOM	2715	NH2	ARG	353	-4.234	-16.457	-36.727	0.00	24.85	N
ATOM	2716	C	ARG	353	0.562	-17.269	-32.183	0.00	31.39	C
ATOM	2717	O	ARG	353	-0.436	-17.520	-31.512	0.00	31.97	O
ATOM	2718	N	VAL	354	1.330	-16.172	-32.074	0.00	31.34	N
ATOM	2719	CA	VAL	354	0.917	-15.065	-31.235	0.00	30.76	C
ATOM	2720	CB	VAL	354	2.141	-14.461	-30.527	0.00	27.08	C
ATOM	2721	CG1	VAL	354	1.791	-13.264	-29.636	0.00	26.65	C
ATOM	2722	CG2	VAL	354	2.918	-15.524	-29.747	0.00	26.74	C
ATOM	2723	C	VAL	354	0.199	-14.060	-32.145	0.00	30.98	C
ATOM	2724	O	VAL	354	0.667	-13.687	-33.218	0.00	31.21	O
ATOM	2725	N	LEU	355	-0.969	-13.681	-31.622	0.00	31.28	N
ATOM	2726	CA	LEU	355	-1.749	-12.604	-32.186	0.00	31.23	C
ATOM	2727	CB	LEU	355	-3.127	-13.191	-32.545	0.00	27.66	C

Fig. 1

43/48

ATOM	2728	CG	LEU	355	-4.158	-12.287	-33.244	0.00	22.18	C
ATOM	2729	CD1	LEU	355	-4.617	-11.092	-32.405	0.00	11.06	C
ATOM	2730	CD2	LEU	355	-3.719	-11.861	-34.643	0.00	22.54	C
ATOM	2731	C	LEU	355	-1.735	-11.563	-31.071	0.00	31.79	C
ATOM	2732	O	LEU	355	-1.810	-11.893	-29.891	0.00	31.94	O
ATOM	2733	N	VAL	356	-1.576	-10.303	-31.504	0.00	31.30	N
ATOM	2734	CA	VAL	356	-1.590	-9.178	-30.573	0.00	29.82	C
ATOM	2735	CB	VAL	356	-0.156	-8.824	-30.101	0.00	28.64	C
ATOM	2736	CG1	VAL	356	0.003	-7.410	-29.528	0.00	27.80	C
ATOM	2737	CG2	VAL	356	0.361	-9.828	-29.064	0.00	30.86	C
ATOM	2738	C	VAL	356	-2.264	-8.023	-31.314	0.00	29.37	C
ATOM	2739	O	VAL	356	-1.704	-7.422	-32.226	0.00	29.87	O
ATOM	2740	N	ASN	357	-3.509	-7.744	-30.885	0.00	28.63	N
ATOM	2741	CA	ASN	357	-4.211	-6.532	-31.296	0.00	28.77	C
ATOM	2742	CB	ASN	357	-3.408	-5.295	-30.847	0.00	28.65	C
ATOM	2743	CG	ASN	357	-2.988	-5.429	-29.376	0.00	29.48	C
ATOM	2744	OD1	ASN	357	-3.694	-5.991	-28.547	0.00	32.72	O
ATOM	2745	ND2	ASN	357	-1.796	-4.885	-29.118	0.00	21.22	N
ATOM	2746	C	ASN	357	-4.544	-6.465	-32.810	0.00	29.51	C
ATOM	2747	O	ASN	357	-4.496	-5.410	-33.421	0.00	29.85	O
ATOM	2748	N	ASP	358	-4.893	-7.648	-33.350	0.00	30.14	N
ATOM	2749	CA	ASP	358	-5.311	-7.865	-34.751	0.00	29.80	C
ATOM	2750	CB	ASP	358	-6.413	-6.905	-35.292	0.00	27.10	C
ATOM	2751	CG	ASP	358	-7.842	-7.198	-34.785	0.00	30.87	C
ATOM	2752	OD1	ASP	358	-8.010	-7.600	-33.648	0.00	24.87	O
ATOM	2753	OD2	ASP	358	-8.806	-7.047	-35.528	0.00	31.33	O
ATOM	2754	C	ASP	358	-4.117	-7.895	-35.733	0.00	30.06	C
ATOM	2755	O	ASP	358	-4.309	-8.099	-36.926	0.00	31.52	O
ATOM	2756	N	ALA	359	-2.909	-7.700	-35.185	0.00	29.44	N
ATOM	2757	CA	ALA	359	-1.690	-7.927	-35.933	0.00	29.27	C
ATOM	2758	CB	ALA	359	-0.711	-6.805	-35.590	0.00	27.82	C
ATOM	2759	C	ALA	359	-1.154	-9.303	-35.521	0.00	29.44	C
ATOM	2760	O	ALA	359	-0.976	-9.579	-34.336	0.00	30.43	O
ATOM	2761	N	VAL	360	-0.917	-10.167	-36.527	0.00	28.54	N
ATOM	2762	CA	VAL	360	-0.227	-11.412	-36.214	0.00	27.55	C
ATOM	2763	CB	VAL	360	-0.377	-12.479	-37.316	0.00	19.62	C
ATOM	2764	CG1	VAL	360	-1.793	-13.056	-37.287	0.00	19.67	C
ATOM	2765	CG2	VAL	360	-0.003	-11.994	-38.725	0.00	21.60	C
ATOM	2766	C	VAL	360	1.224	-11.041	-35.944	0.00	28.50	C
ATOM	2767	O	VAL	360	1.791	-10.188	-36.625	0.00	28.49	O
ATOM	2768	N	GLN	361	1.722	-11.704	-34.885	0.00	28.84	N
ATOM	2769	CA	GLN	361	3.031	-11.398	-34.363	0.00	29.66	C
ATOM	2770	CB	GLN	361	3.007	-11.406	-32.829	0.00	29.50	C
ATOM	2771	CG	GLN	361	2.098	-10.304	-32.255	0.00	25.30	C
ATOM	2772	CD	GLN	361	2.543	-8.932	-32.786	0.00	25.04	C
ATOM	2773	OE1	GLN	361	3.734	-8.678	-32.902	0.00	25.72	O
ATOM	2774	NE2	GLN	361	1.584	-8.122	-33.255	0.00	22.21	N
ATOM	2775	C	GLN	361	4.041	-12.391	-34.956	0.00	30.70	C
ATOM	2776	O	GLN	361	3.829	-13.603	-34.949	0.00	30.60	O
ATOM	2777	N	PRO	362	5.141	-11.792	-35.504	0.00	31.17	N
ATOM	2778	CD	PRO	362	5.494	-10.371	-35.391	0.00	30.86	C
ATOM	2779	CA	PRO	362	6.046	-12.529	-36.374	0.00	31.24	C
ATOM	2780	CB	PRO	362	6.974	-11.437	-36.934	0.00	30.70	C
ATOM	2781	CG	PRO	362	6.906	-10.272	-35.950	0.00	30.30	C
ATOM	2782	C	PRO	362	6.904	-13.562	-35.651	0.00	31.89	C
ATOM	2783	O	PRO	362	7.256	-14.596	-36.202	0.00	31.35	O
ATOM	2784	N	LEU	363	7.217	-13.221	-34.390	0.00	32.28	N
ATOM	2785	CA	LEU	363	8.029	-14.062	-33.502	0.00	33.69	C
ATOM	2786	CB	LEU	363	7.345	-15.411	-33.196	0.00	34.47	C
ATOM	2787	CG	LEU	363	5.816	-15.329	-33.040	0.00	32.72	C
ATOM	2788	CD1	LEU	363	5.211	-16.689	-32.671	0.00	29.71	C
ATOM	2789	CD2	LEU	363	5.355	-14.222	-32.076	0.00	34.44	C
ATOM	2790	C	LEU	363	9.476	-14.290	-34.006	0.00	34.17	C
ATOM	2791	O	LEU	363	9.699	-15.080	-34.917	0.00	34.16	O
ATOM	2792	N	GLU	364	10.456	-13.650	-33.310	0.00	35.12	N

Fig. 1

44/48

ATOM	2793	CA	GLU	364	11.875	-13.931	-33.603	0.00	35.29	C
ATOM	2794	CB	GLU	364	12.737	-12.660	-33.495	0.00	34.10	C
ATOM	2795	CG	GLU	364	13.627	-12.452	-34.739	0.00	42.56	C
ATOM	2796	CD	GLU	364	12.949	-11.447	-35.687	0.00	42.95	C
ATOM	2797	OE1	GLU	364	12.218	-11.842	-36.599	0.00	44.78	O
ATOM	2798	OE2	GLU	364	13.166	-10.241	-35.501	0.00	41.63	O
ATOM	2799	C	GLU	364	12.478	-15.016	-32.687	0.00	36.20	C
ATOM	2800	O	GLU	364	13.224	-15.887	-33.125	0.00	36.78	O
ATOM	2801	N	PHE	365	12.124	-14.934	-31.387	0.00	36.81	N
ATOM	2802	CA	PHE	365	12.554	-15.889	-30.364	0.00	37.54	C
ATOM	2803	CB	PHE	365	11.792	-15.522	-29.069	0.00	31.47	C
ATOM	2804	CG	PHE	365	10.288	-15.398	-29.193	0.00	35.32	C
ATOM	2805	CD1	PHE	365	9.470	-16.481	-28.899	0.00	37.18	C
ATOM	2806	CD2	PHE	365	9.682	-14.194	-29.564	0.00	33.82	C
ATOM	2807	CE1	PHE	365	8.088	-16.386	-28.992	0.00	34.58	C
ATOM	2808	CE2	PHE	365	8.301	-14.091	-29.649	0.00	34.48	C
ATOM	2809	CZ	PHE	365	7.501	-15.190	-29.372	0.00	35.26	C
ATOM	2810	C	PHE	365	12.466	-17.386	-30.828	0.00	38.90	C
ATOM	2811	O	PHE	365	13.417	-18.172	-30.711	0.00	40.64	O
ATOM	2812	N	CYS	366	11.300	-17.669	-31.449	0.00	39.11	N
ATOM	2813	CA	CYS	366	11.055	-18.967	-32.067	0.00	38.82	C
ATOM	2814	CB	CYS	366	9.729	-19.520	-31.551	0.00	29.14	C
ATOM	2815	SG	CYS	366	8.351	-18.372	-31.743	0.00	25.65	S
ATOM	2816	C	CYS	366	11.103	-18.928	-33.612	0.00	39.74	C
ATOM	2817	O	CYS	366	11.403	-19.961	-34.209	0.00	40.79	O
ATOM	2818	N	GLY	367	10.807	-17.764	-34.240	0.00	39.42	N
ATOM	2819	CA	GLY	367	10.975	-17.653	-35.683	0.00	38.50	C
ATOM	2820	C	GLY	367	9.753	-18.144	-36.469	0.00	38.32	C
ATOM	2821	O	GLY	367	9.738	-19.245	-37.009	0.00	38.51	O
ATOM	2822	N	GLY	368	8.738	-17.261	-36.512	0.00	37.31	N
ATOM	2823	CA	GLY	368	7.492	-17.597	-37.171	0.00	36.69	C
ATOM	2824	C	GLY	368	7.619	-17.682	-38.702	0.00	36.66	C
ATOM	2825	O	GLY	368	8.381	-16.975	-39.358	0.00	37.77	O
ATOM	2826	N	VAL	369	6.760	-18.588	-39.212	0.00	35.97	N
ATOM	2827	CA	VAL	369	6.400	-18.731	-40.614	0.00	33.92	C
ATOM	2828	CB	VAL	369	6.557	-20.202	-41.071	0.00	25.01	C
ATOM	2829	CG1	VAL	369	5.969	-21.233	-40.094	0.00	30.32	C
ATOM	2830	CG2	VAL	369	6.052	-20.443	-42.495	0.00	27.26	C
ATOM	2831	C	VAL	369	4.963	-18.204	-40.714	0.00	33.52	C
ATOM	2832	O	VAL	369	4.020	-18.795	-40.193	0.00	33.78	O
ATOM	2833	N	ASP	370	4.877	-16.993	-41.319	0.00	33.05	N
ATOM	2834	CA	ASP	370	3.744	-16.085	-41.095	0.00	32.05	C
ATOM	2835	CB	ASP	370	2.557	-16.337	-42.052	0.00	35.18	C
ATOM	2836	CG	ASP	370	2.755	-15.773	-43.462	0.00	41.63	C
ATOM	2837	OD1	ASP	370	1.787	-15.309	-44.049	0.00	44.49	O
ATOM	2838	OD2	ASP	370	3.865	-15.779	-43.978	0.00	43.42	O
ATOM	2839	C	ASP	370	3.282	-16.135	-39.626	0.00	30.90	C
ATOM	2840	O	ASP	370	2.166	-16.526	-39.301	0.00	31.36	O
ATOM	2841	N	GLY	371	4.213	-15.736	-38.736	0.00	29.05	N
ATOM	2842	CA	GLY	371	3.893	-15.686	-37.301	0.00	27.25	C
ATOM	2843	C	GLY	371	3.653	-17.047	-36.592	0.00	26.67	C
ATOM	2844	O	GLY	371	3.622	-17.105	-35.366	0.00	26.16	O
ATOM	2845	N	VAL	372	3.490	-18.138	-37.378	0.00	26.06	N
ATOM	2846	CA	VAL	372	3.378	-19.446	-36.726	0.00	25.71	C
ATOM	2847	CB	VAL	372	2.654	-20.455	-37.638	0.00	24.00	C
ATOM	2848	CG1	VAL	372	2.547	-21.840	-36.974	0.00	26.39	C
ATOM	2849	CG2	VAL	372	1.271	-19.942	-38.057	0.00	22.33	C
ATOM	2850	C	VAL	372	4.783	-19.963	-36.359	0.00	25.01	C
ATOM	2851	O	VAL	372	5.610	-20.192	-37.229	0.00	25.70	O
ATOM	2852	N	CYS	373	4.971	-20.152	-35.043	0.00	24.40	N
ATOM	2853	CA	CYS	373	6.103	-20.872	-34.455	0.00	24.75	C
ATOM	2854	CB	CYS	373	6.598	-20.124	-33.221	0.00	22.74	C
ATOM	2855	SG	CYS	373	7.722	-18.784	-33.625	0.00	26.39	S
ATOM	2856	C	CYS	373	5.697	-22.290	-34.014	0.00	24.99	C
ATOM	2857	O	CYS	373	4.538	-22.683	-34.033	0.00	25.84	O

Fig. 1

45/48

ATOM	2858	N	GLU	374	6.717	-23.076	-33.624	0.00	24.05	N
ATOM	2859	CA	GLU	374	6.442	-24.438	-33.178	0.00	22.32	C
ATOM	2860	CB	GLU	374	7.651	-25.288	-33.549	0.00	14.72	C
ATOM	2861	CG	GLU	374	7.437	-26.806	-33.438	0.00	15.44	C
ATOM	2862	CD	GLU	374	8.705	-27.454	-32.899	0.00	16.24	C
ATOM	2863	OE1	GLU	374	9.434	-28.083	-33.659	0.00	24.22	O
ATOM	2864	OE2	GLU	374	8.968	-27.331	-31.707	0.00	23.79	O
ATOM	2865	C	GLU	374	6.216	-24.482	-31.666	0.00	22.87	C
ATOM	2866	O	GLU	374	6.758	-23.690	-30.906	0.00	22.72	O
ATOM	2867	N	LEU	375	5.381	-25.479	-31.282	0.00	23.46	N
ATOM	2868	CA	LEU	375	5.027	-25.769	-29.896	0.00	24.27	C
ATOM	2869	CB	LEU	375	4.219	-27.087	-29.803	0.00	21.60	C
ATOM	2870	CG	LEU	375	2.998	-26.975	-28.876	0.00	22.87	C
ATOM	2871	CD1	LEU	375	1.910	-26.135	-29.555	0.00	19.72	C
ATOM	2872	CD2	LEU	375	2.463	-28.362	-28.487	0.00	24.59	C
ATOM	2873	C	LEU	375	6.258	-25.805	-28.991	0.00	25.89	C
ATOM	2874	O	LEU	375	6.406	-24.994	-28.082	0.00	27.38	O
ATOM	2875	N	SER	376	7.120	-26.804	-29.267	0.00	26.84	N
ATOM	2876	CA	SER	376	8.273	-26.989	-28.397	0.00	28.73	C
ATOM	2877	CB	SER	376	8.866	-28.386	-28.620	0.00	29.15	C
ATOM	2878	OG	SER	376	7.845	-29.366	-28.695	0.00	34.83	O
ATOM	2879	C	SER	376	9.332	-25.864	-28.543	0.00	30.09	C
ATOM	2880	O	SER	376	10.047	-25.570	-27.595	0.00	30.63	O
ATOM	2881	N	ALA	377	9.372	-25.247	-29.747	0.00	31.13	N
ATOM	2882	CA	ALA	377	10.361	-24.199	-30.035	0.00	31.93	C
ATOM	2883	CB	ALA	377	10.502	-24.016	-31.539	0.00	24.80	C
ATOM	2884	C	ALA	377	9.992	-22.848	-29.402	0.00	32.39	C
ATOM	2885	O	ALA	377	10.836	-22.044	-29.022	0.00	32.55	O
ATOM	2886	N	PHE	378	8.669	-22.685	-29.286	0.00	32.08	N
ATOM	2887	CA	PHE	378	8.084	-21.530	-28.616	0.00	33.00	C
ATOM	2888	CB	PHE	378	6.552	-21.652	-28.608	0.00	28.97	C
ATOM	2889	CG	PHE	378	5.888	-20.369	-28.204	0.00	25.72	C
ATOM	2890	CD1	PHE	378	5.508	-19.475	-29.192	0.00	25.86	C
ATOM	2891	CD2	PHE	378	5.637	-20.056	-26.871	0.00	24.55	C
ATOM	2892	CE1	PHE	378	4.871	-18.292	-28.862	0.00	26.35	C
ATOM	2893	CE2	PHE	378	4.996	-18.870	-26.537	0.00	24.40	C
ATOM	2894	CZ	PHE	378	4.606	-17.988	-27.536	0.00	25.94	C
ATOM	2895	C	PHE	378	8.590	-21.459	-27.177	0.00	33.56	C
ATOM	2896	O	PHE	378	8.970	-20.418	-26.661	0.00	33.37	O
ATOM	2897	N	VAL	379	8.515	-22.660	-26.574	0.00	32.89	N
ATOM	2898	CA	VAL	379	9.015	-22.868	-25.234	0.00	32.75	C
ATOM	2899	CB	VAL	379	8.623	-24.273	-24.760	0.00	26.11	C
ATOM	2900	CG1	VAL	379	9.308	-24.689	-23.442	0.00	20.94	C
ATOM	2901	CG2	VAL	379	7.100	-24.411	-24.673	0.00	24.32	C
ATOM	2902	C	VAL	379	10.523	-22.648	-25.240	0.00	33.65	C
ATOM	2903	O	VAL	379	10.988	-21.678	-24.650	0.00	33.91	O
ATOM	2904	N	GLU	380	11.247	-23.566	-25.933	0.00	0.00	N
ATOM	2905	CA	GLU	380	12.705	-23.559	-25.991	0.00	0.00	C
ATOM	2906	CB	GLU	380	13.214	-24.432	-27.152	0.00	0.00	C
ATOM	2907	CG	GLU	380	13.414	-25.904	-26.765	0.00	0.00	C
ATOM	2908	CD	GLU	380	14.627	-26.028	-25.834	0.00	0.00	C
ATOM	2909	OE1	GLU	380	15.737	-26.203	-26.338	0.00	0.00	O
ATOM	2910	OE2	GLU	380	14.477	-25.923	-24.617	0.00	0.00	O
ATOM	2911	C	GLU	380	13.293	-22.158	-26.097	0.00	0.00	C
ATOM	2912	O	GLU	380	14.311	-21.859	-25.471	0.00	0.00	O
ATOM	2913	N	SER	381	12.595	-21.310	-26.894	0.00	36.50	N
ATOM	2914	CA	SER	381	12.896	-19.870	-27.036	0.00	36.04	C
ATOM	2915	CB	SER	381	11.626	-19.055	-27.293	0.00	36.35	C
ATOM	2916	OG	SER	381	11.112	-19.284	-28.576	0.00	38.67	O
ATOM	2917	C	SER	381	13.525	-19.233	-25.790	0.00	36.34	C
ATOM	2918	O	SER	381	14.557	-18.573	-25.791	0.00	38.23	O
ATOM	2919	N	GLN	382	12.755	-19.462	-24.732	0.00	36.12	N
ATOM	2920	CA	GLN	382	12.951	-18.812	-23.470	0.00	34.70	C
ATOM	2921	CB	GLN	382	11.674	-19.069	-22.650	0.00	27.72	C
ATOM	2922	CG	GLN	382	10.388	-18.551	-23.330	0.00	24.90	C

Fig. 1

46/48

ATOM	2923	CD	GLN	382	10.577	-17.098	-23.753	0.00	27.65	C
ATOM	2924	OE1	GLN	382	10.825	-16.790	-24.915	0.00	22.40	O
ATOM	2925	NE2	GLN	382	10.571	-16.258	-22.708	0.00	30.03	N
ATOM	2926	C	GLN	382	14.191	-19.365	-22.777	0.00	34.01	C
ATOM	2927	O	GLN	382	14.096	-20.229	-21.915	0.00	33.75	O
ATOM	2928	N	THR	383	15.342	-18.777	-23.147	0.00	33.80	N
ATOM	2929	CA	THR	383	16.366	-18.640	-22.112	0.00	34.30	C
ATOM	2930	CB	THR	383	17.771	-18.519	-22.727	0.00	30.44	C
ATOM	2931	OG1	THR	383	18.758	-18.316	-21.739	0.00	32.90	O
ATOM	2932	CG2	THR	383	17.915	-17.440	-23.797	0.00	13.95	C
ATOM	2933	C	THR	383	15.910	-17.401	-21.339	0.00	34.88	C
ATOM	2934	O	THR	383	15.334	-16.506	-21.953	0.00	35.30	O
ATOM	2935	N	TYR	384	16.089	-17.446	-20.012	0.00	0.00	N
ATOM	2936	CA	TYR	384	15.500	-16.496	-19.090	0.00	0.00	C
ATOM	2937	CB	TYR	384	15.081	-15.133	-19.695	0.00	0.00	C
ATOM	2938	CG	TYR	384	14.620	-14.159	-18.655	0.00	0.00	C
ATOM	2939	CD1	TYR	384	15.511	-13.251	-18.106	0.00	0.00	C
ATOM	2940	CE1	TYR	384	15.106	-12.437	-17.062	0.00	0.00	C
ATOM	2941	CD2	TYR	384	13.302	-14.176	-18.206	0.00	0.00	C
ATOM	2942	CE2	TYR	384	12.905	-13.381	-17.152	0.00	0.00	C
ATOM	2943	CZ	TYR	384	13.824	-12.539	-16.566	0.00	0.00	C
ATOM	2944	OH	TYR	384	13.457	-11.807	-15.471	0.00	0.00	O
ATOM	2945	C	TYR	384	14.336	-17.161	-18.373	0.00	0.00	C
ATOM	2946	O	TYR	384	14.423	-17.502	-17.201	0.00	0.00	O
ATOM	2947	N	ALA	385	13.216	-17.245	-19.110	0.00	33.73	N
ATOM	2948	CA	ALA	385	11.954	-17.353	-18.383	0.00	33.39	C
ATOM	2949	CB	ALA	385	10.750	-17.037	-19.281	0.00	33.58	C
ATOM	2950	C	ALA	385	11.780	-18.715	-17.728	0.00	33.41	C
ATOM	2951	O	ALA	385	11.161	-18.827	-16.680	0.00	33.36	O
ATOM	2952	N	ARG	386	12.312	-19.731	-18.415	0.00	33.76	N
ATOM	2953	CA	ARG	386	12.041	-21.104	-18.030	0.00	33.78	C
ATOM	2954	CB	ARG	386	12.395	-21.968	-19.213	0.00	29.82	C
ATOM	2955	CG	ARG	386	11.267	-21.990	-20.228	0.00	30.58	C
ATOM	2956	CD	ARG	386	11.564	-22.969	-21.348	0.00	33.21	C
ATOM	2957	NE	ARG	386	12.961	-22.854	-21.747	0.00	38.55	N
ATOM	2958	CZ	ARG	386	13.588	-23.865	-22.389	0.00	45.55	C
ATOM	2959	NH1	ARG	386	13.049	-25.079	-22.498	0.00	45.19	N
ATOM	2960	NH2	ARG	386	14.772	-23.664	-22.950	0.00	48.29	N
ATOM	2961	C	ARG	386	12.841	-21.506	-16.806	0.00	34.24	C
ATOM	2962	O	ARG	386	12.384	-22.276	-15.973	0.00	33.55	O
ATOM	2963	N	GLU	387	14.027	-20.889	-16.745	0.00	35.81	N
ATOM	2964	CA	GLU	387	14.929	-21.039	-15.622	0.00	36.60	C
ATOM	2965	CB	GLU	387	16.371	-20.886	-16.133	0.00	33.39	C
ATOM	2966	CG	GLU	387	16.660	-19.578	-16.893	0.00	34.37	C
ATOM	2967	CD	GLU	387	17.661	-19.767	-18.031	0.00	38.33	C
ATOM	2968	OE1	GLU	387	18.861	-19.640	-17.782	0.00	44.94	O
ATOM	2969	OE2	GLU	387	17.216	-20.045	-19.151	0.00	37.68	O
ATOM	2970	C	GLU	387	14.493	-20.140	-14.459	0.00	37.09	C
ATOM	2971	O	GLU	387	14.886	-20.376	-13.324	0.00	37.06	O
ATOM	2972	N	ASN	388	13.594	-19.192	-14.805	0.00	37.10	N
ATOM	2973	CA	ASN	388	12.500	-18.749	-13.941	0.00	36.45	C
ATOM	2974	CB	ASN	388	11.558	-19.947	-13.734	0.00	35.79	C
ATOM	2975	CG	ASN	388	10.196	-19.496	-13.231	0.00	34.06	C
ATOM	2976	OD1	ASN	388	9.845	-19.685	-12.079	0.00	31.69	O
ATOM	2977	ND2	ASN	388	9.468	-18.862	-14.158	0.00	36.14	N
ATOM	2978	C	ASN	388	13.022	-18.146	-12.617	0.00	36.35	C
ATOM	2979	O	ASN	388	12.759	-18.651	-11.527	0.00	37.08	O
ATOM	2980	N	GLY	389	13.883	-17.123	-12.756	0.00	43.23	N
ATOM	2981	CA	GLY	389	14.220	-16.359	-13.946	0.00	44.87	C
ATOM	2982	C	GLY	389	15.735	-16.346	-14.038	0.00	47.39	C
ATOM	2983	O	GLY	389	16.424	-16.942	-13.209	0.00	48.89	O
ATOM	2984	N	GLN	390	16.169	-15.547	-15.028	0.00	20.00	N
ATOM	2985	CA	GLN	390	17.574	-15.199	-15.193	0.00	20.00	C
ATOM	2986	CB	GLN	390	17.954	-15.665	-16.585	0.00	20.00	C
ATOM	2987	CG	GLN	390	19.417	-15.461	-16.994	0.00	20.00	C

Fig. 1

47/48

ATOM	2988	CD	GLN	390	19.438	-15.553	-18.514	0.00	20.00	C
ATOM	2989	OE1	GLN	390	19.695	-14.579	-19.217	0.00	20.00	O
ATOM	2990	NE2	GLN	390	18.990	-16.747	-18.957	0.00	20.00	N
ATOM	2991	C	GLN	390	17.737	-13.666	-15.114	0.00	20.00	C
ATOM	2992	O	GLN	390	17.745	-12.998	-16.137	0.00	20.00	O
ATOM	2993	N	GLY	391	17.895	-13.125	-13.893	0.00	44.54	N
ATOM	2994	CA	GLY	391	18.107	-13.848	-12.645	0.00	44.56	C
ATOM	2995	C	GLY	391	17.772	-12.922	-11.483	0.00	45.33	C
ATOM	2996	O	GLY	391	18.589	-12.617	-10.611	0.00	45.39	O
ATOM	2997	N	ASP	392	16.512	-12.459	-11.550	0.00	45.62	N
ATOM	2998	CA	ASP	392	16.172	-11.299	-10.733	0.00	45.99	C
ATOM	2999	CB	ASP	392	16.318	-10.012	-11.582	0.00	45.28	C
ATOM	3000	CG	ASP	392	17.747	-9.665	-12.021	0.00	45.72	C
ATOM	3001	OD1	ASP	392	18.408	-8.853	-11.367	0.00	48.42	O
ATOM	3002	OD2	ASP	392	18.219	-10.183	-13.029	0.00	48.45	O
ATOM	3003	C	ASP	392	14.768	-11.401	-10.099	0.00	45.74	C
ATOM	3004	O	ASP	392	14.127	-10.372	-9.906	0.00	46.12	O
ATOM	3005	N	PHE	393	14.345	-12.637	-9.719	0.00	45.56	N
ATOM	3006	CA	PHE	393	13.145	-12.711	-8.884	0.00	45.07	C
ATOM	3007	CB	PHE	393	12.364	-14.018	-9.108	0.00	32.59	C
ATOM	3008	CG	PHE	393	10.989	-13.926	-8.494	0.00	20.25	C
ATOM	3009	CD1	PHE	393	10.610	-14.779	-7.469	0.00	15.47	C
ATOM	3010	CD2	PHE	393	10.086	-12.959	-8.914	0.00	19.44	C
ATOM	3011	CE1	PHE	393	9.382	-14.662	-6.833	0.00	13.08	C
ATOM	3012	CE2	PHE	393	8.861	-12.825	-8.279	0.00	20.53	C
ATOM	3013	CZ	PHE	393	8.501	-13.674	-7.241	0.00	11.71	C
ATOM	3014	C	PHE	393	13.509	-12.399	-7.407	0.00	45.73	C
ATOM	3015	O	PHE	393	12.773	-11.725	-6.687	0.00	45.31	O
ATOM	3016	N	ALA	394	14.728	-12.819	-6.990	0.00	46.74	N
ATOM	3017	CA	ALA	394	15.213	-12.325	-5.702	0.00	47.96	C
ATOM	3018	CB	ALA	394	16.367	-13.170	-5.159	0.00	45.87	C
ATOM	3019	C	ALA	394	15.584	-10.824	-5.750	0.00	49.39	C
ATOM	3020	O	ALA	394	15.262	-10.091	-4.827	0.00	50.95	O
ATOM	3021	N	LYS	395	16.238	-10.392	-6.853	0.00	49.20	N
ATOM	3022	CA	LYS	395	16.578	-8.971	-6.982	0.00	48.66	C
ATOM	3023	CB	LYS	395	17.418	-8.676	-8.234	0.00	46.40	C
ATOM	3024	CG	LYS	395	18.903	-9.027	-8.109	0.00	45.86	C
ATOM	3025	CD	LYS	395	19.203	-10.531	-8.116	0.00	48.64	C
ATOM	3026	CE	LYS	395	20.427	-10.853	-8.973	0.00	51.96	C
ATOM	3027	NZ	LYS	395	20.206	-10.586	-10.393	0.00	58.42	N
ATOM	3028	C	LYS	395	15.309	-8.113	-7.032	0.00	48.82	C
ATOM	3029	O	LYS	395	15.296	-6.954	-6.641	0.00	49.36	O
ATOM	3030	N	CYS	396	14.223	-8.740	-7.504	0.00	49.05	N
ATOM	3031	CA	CYS	396	12.919	-8.116	-7.413	0.00	50.34	C
ATOM	3032	CB	CYS	396	11.929	-8.969	-8.198	0.00	41.14	C
ATOM	3033	SG	CYS	396	10.298	-9.201	-7.496	0.00	38.85	S
ATOM	3034	C	CYS	396	12.501	-7.884	-5.953	0.00	51.97	C
ATOM	3035	O	CYS	396	11.982	-6.834	-5.608	0.00	51.74	O
ATOM	3036	N	GLY	397	12.748	-8.874	-5.086	0.00	53.22	N
ATOM	3037	CA	GLY	397	12.338	-8.625	-3.702	0.00	54.85	C
ATOM	3038	C	GLY	397	10.811	-8.438	-3.581	0.00	55.89	C
ATOM	3039	O	GLY	397	10.287	-7.653	-2.783	0.00	55.84	O
ATOM	3040	N	PHE	398	10.123	-9.254	-4.400	0.00	56.89	N
ATOM	3041	CA	PHE	398	8.691	-9.354	-4.178	0.00	58.18	C
ATOM	3042	CB	PHE	398	7.989	-10.001	-5.381	0.00	47.91	C
ATOM	3043	CG	PHE	398	6.508	-9.922	-5.165	0.00	39.29	C
ATOM	3044	CD1	PHE	398	5.755	-11.035	-4.837	0.00	36.72	C
ATOM	3045	CD2	PHE	398	5.883	-8.694	-5.249	0.00	32.82	C
ATOM	3046	CE1	PHE	398	4.395	-10.905	-4.579	0.00	33.15	C
ATOM	3047	CE2	PHE	398	4.533	-8.558	-5.004	0.00	31.60	C
ATOM	3048	CZ	PHE	398	3.783	-9.666	-4.671	0.00	33.30	C
ATOM	3049	C	PHE	398	8.407	-10.180	-2.914	0.00	60.26	C
ATOM	3050	O	PHE	398	8.310	-11.395	-2.980	0.00	60.24	O
ATOM	3051	N	VAL	399	8.242	-9.464	-1.783	0.00	0.00	N
ATOM	3052	CA	VAL	399	7.864	-10.116	-0.535	0.00	0.00	C

Fig. 1

48/48

ATOM	3053	CB	VAL	399	8.386	-9.283	0.660	0.00	0.00	C
ATOM	3054	CG1	VAL	399	8.132	-9.947	2.020	0.00	0.00	C
ATOM	3055	CG2	VAL	399	9.889	-9.017	0.523	0.00	0.00	C
ATOM	3056	C	VAL	399	6.320	-10.276	-0.501	0.00	0.00	C
ATOM	3057	O	VAL	399	5.561	-9.327	-0.728	0.00	0.00	O
ATOM	3058	N	PRO	400	5.836	-11.505	-0.198	0.00	67.95	N
ATOM	3059	CD	PRO	400	6.606	-12.734	-0.020	0.00	68.35	C
ATOM	3060	CA	PRO	400	4.404	-11.689	0.013	0.00	69.31	C
ATOM	3061	CB	PRO	400	4.223	-13.204	0.109	0.00	69.06	C
ATOM	3062	CG	PRO	400	5.585	-13.702	0.577	0.00	68.86	C
ATOM	3063	C	PRO	400	3.956	-10.890	1.263	0.00	70.48	C
ATOM	3064	O	PRO	400	4.774	-10.547	2.115	0.00	70.91	O
ATOM	3065	N	SER	401	2.663	-10.529	1.242	0.00	0.00	N
ATOM	3066	CA	SER	401	2.069	-9.534	2.127	0.00	0.00	C
ATOM	3067	CB	SER	401	1.594	-8.365	1.238	0.00	0.00	C
ATOM	3068	OG	SER	401	1.960	-8.569	-0.114	0.00	0.00	O
ATOM	3069	C	SER	401	0.913	-10.174	2.938	0.00	0.00	C
ATOM	3070	OCT1	SER	401	1.034	-11.306	3.375	0.00	0.00	O
ATOM	3071	OCT2	SER	401	-0.118	-9.555	3.158	0.00	0.00	O

END

Fig. 1

10261.ST25.txt
SEQUENCE LISTING

<110> Novozymes A/S
<120> Phytase Variants
<130> 10261
<160> 14
<170> PatentIn version 3.1

<210> 1
<211> 1320
<212> DNA
<213> Peniophora lycii
<220>
<221> CDS
<222> (49)..(1320)
<223>
<220><221> sig_peptide<222> (1)..(48)<223>

```

<400> 1
atggttttctt cggcattcgc accttccatc ctacttagct tgatgtcg agt ctt gct      57
                                   Ser Leu Ala
                                   1

ttg agc acg cag ttc agc ttt gtt gcg gcg cag cta cct atc ccc gca      105
Leu Ser Thr Gln Phe Ser Phe Val Ala Ala Gln Leu Pro Ile Pro Ala
5                               10                               15

caa aac aca agt aat tgg ggg cct tac gat ccc ttc ttt ccc gtc gaa      153
Gln Asn Thr Ser Asn Trp Gly Pro Tyr Asp Pro Phe Phe Pro Val Glu
20                               25                               30                               35

ccg tat gca gct ccg ccg gaa ggg tgc aca gtg aca cag gtc aac ctg      201
Pro Tyr Ala Ala Pro Pro Glu Gly Cys Thr Val Thr Gln Val Asn Leu
40                               45                               50

att cag agg cac ggc gcg cgt tgg ccc aca tcc ggc gcg cgg tcg cgg      249
Ile Gln Arg His Gly Ala Arg Trp Pro Thr Ser Gly Ala Arg Ser Arg
55                               60                               65

cag gtc gcc gcc gta gcg aag ata caa atg gcg cga cca ttc acg gat      297
Gln Val Ala Ala Val Ala Lys Ile Gln Met Ala Arg Pro Phe Thr Asp
70                               75                               80

ccc aag tat gag ttc ctc aac gac ttc gtg tac aag ttc ggc gtc gcc      345
Pro Lys Tyr Glu Phe Leu Asn Asp Phe Val Tyr Lys Phe Gly Val Ala
85                               90                               95

gat ctg cta ccg ttc ggg gct aac caa tcg cac caa acc ggc acc gat      393
Asp Leu Leu Pro Phe Gly Ala Asn Gln Ser His Gln Thr Gly Thr Asp
100                               105                               110                               115

atg tat acg cgc tac agt aca cta ttt gag ggc ggg gat gta ccc ttt      441
Met Tyr Thr Arg Tyr Ser Thr Leu Phe Glu Gly Gly Asp Val Pro Phe
120                               125                               130

gtg cgc gcg gct ggt gac caa cgc gtc gtt gac tcc tcg acg aac tgg      489
Val Arg Ala Ala Gly Asp Gln Arg Val Val Asp Ser Ser Thr Asn Trp
135                               140                               145

acg gca ggc ttt ggc gat gct tct ggc gag act gtt ctc ccg acg ctc      537
Thr Ala Gly Phe Gly Asp Ala Ser Gly Glu Thr Val Leu Pro Thr Leu
150                               155                               160

cag gtt gtg ctt caa gaa gag ggg aac tgc acg ctc tgc aat aat atg      585
Gln Val Val Leu Gln Glu Glu Gly Asn Cys Thr Leu Cys Asn Asn Met
165                               170                               175

tgc ccg aat gaa gtg gat ggt gac gaa tcc aca acg tgg ctg ggg gtc      633
Cys Pro Asn Glu Val Asp Gly Asp Glu Ser Thr Thr Trp Leu Gly Val

```

10261.ST25.txt

180	185	190	195	
ttt gcg ccg aac atc acc gcg cga ttg aac gct gct gcg ccg agt gcc				681
Phe Ala Pro Asn Ile Thr Ala Arg Leu Asn Ala Ala Pro Ser Ala				
	200	205	210	
aac ctc tca gac agc gac gcg ctc act ctc atg gat atg tgc ccg ttc				729
Asn Leu Ser Asp Ser Asp Ala Leu Thr Leu Met Asp Met Cys Pro Phe				
	215	220	225	
gac act ctc agc tcc ggg aac gcc agc ccc ttc tgt gac cta ttt acc				777
Asp Thr Leu Ser Ser Gly Asn Ala Ser Pro Phe Cys Asp Leu Phe Thr				
	230	235	240	
gcg gag gag tat gtg tcg tac gag tac tac tat gac ctc gac aag tac				825
Ala Glu Glu Tyr Val Ser Tyr Glu Tyr Tyr Tyr Asp Leu Asp Lys Tyr				
	245	250	255	
tat ggc acg ggc ccc ggg aac gct ctc ggt cct gtc cag ggc gtc gga				873
Tyr Gly Thr Gly Pro Gly Asn Ala Leu Gly Pro Val Gln Gly Val Gly				
	260	265	270	275
tac gtc aat gag ctg ctt gca cgc ttg acc ggc caa gcc gtt cga gac				921
Tyr Val Asn Glu Leu Leu Ala Arg Leu Thr Gly Gln Ala Val Arg Asp				
	280	285	290	
gag acg cag acg aac cgc acg ctc gac agc gac cct gca aca ttc ccg				969
Glu Thr Gln Thr Asn Arg Thr Leu Asp Ser Asp Pro Ala Thr Phe Pro				
	295	300	305	
ctg aac cgt acg ttc tac gcc gac ttc tcg cat gat aac acc atg gtg				1017
Leu Asn Arg Thr Phe Tyr Ala Asp Phe Ser His Asp Asn Thr Met Val				
	310	315	320	
ccc atc ttt gcg gcg ctc ggg ctc ttc aac gcc acc gcc ctc gac ccg				1065
Pro Ile Phe Ala Ala Leu Gly Leu Phe Asn Ala Thr Ala Leu Asp Pro				
	325	330	335	
ctg aag ccc gac gag aac agg ttg tgg gtg gac tct aag ctg gta ccg				1113
Leu Lys Pro Asp Glu Asn Arg Leu Trp Val Asp Ser Lys Leu Val Pro				
	340	345	350	355
ttc tct gga cat atg acg gtc gag aag ctg gca tgt tct ggg aag gag				1161
Phe Ser Gly His Met Thr Val Glu Lys Leu Ala Cys Ser Gly Lys Glu				
	360	365	370	
gcg gtc agg gtg ctc gtg aac gac gcg gtg cag ccg ctg gag ttc tgc				1209
Ala Val Arg Val Leu Val Asn Asp Ala Val Gln Pro Leu Glu Phe Cys				
	375	380	385	
gga ggt gtt gat ggg gtg tgc gag ctt tcg gct ttc gta gag agc cag				1257
Gly Gly Val Asp Gly Val Cys Glu Leu Ser Ala Phe Val Glu Ser Gln				
	390	395	400	
acg tat gcg cgg gag aat ggg caa ggc gac ttc gcc aag tgc ggc ttt				1305
Thr Tyr Ala Arg Glu Asn Gly Gln Gly Asp Phe Ala Lys Cys Gly Phe				
	405	410	415	
gtt ccg tcg gaa tag				1320
Val Pro Ser Glu				
	420			

<210> 2
 <211> 423
 <212> PRT
 <213> Peniophora lycii
 <400> 2

10261.ST25.txt

Ser Leu Ala Leu Ser Thr Gln Phe Ser Phe Val Ala Ala Gln Leu Pro
 1 5 10 15
 Ile Pro Ala Gln Asn Thr Ser Asn Trp Gly Pro Tyr Asp Pro Phe Phe
 20 25 30
 Pro Val Glu Pro Tyr Ala Ala Pro Pro Glu Gly Cys Thr Val Thr Gln
 35 40 45
 Val Asn Leu Ile Gln Arg His Gly Ala Arg Trp Pro Thr Ser Gly Ala
 50 55 60
 Arg Ser Arg Gln Val Ala Ala Val Ala Lys Ile Gln Met Ala Arg Pro
 65 70 75 80
 Phe Thr Asp Pro Lys Tyr Glu Phe Leu Asn Asp Phe Val Tyr Lys Phe
 85 90 95
 Gly Val Ala Asp Leu Leu Pro Phe Gly Ala Asn Gln Ser His Gln Thr
 100 105 110
 Gly Thr Asp Met Tyr Thr Arg Tyr Ser Thr Leu Phe Glu Gly Gly Asp
 115 120 125
 Val Pro Phe Val Arg Ala Ala Gly Asp Gln Arg Val Val Asp Ser Ser
 130 135 140
 Thr Asn Trp Thr Ala Gly Phe Gly Asp Ala Ser Gly Glu Thr Val Leu
 145 150 155 160
 Pro Thr Leu Gln Val Val Leu Gln Glu Glu Gly Asn Cys Thr Leu Cys
 165 170 175
 Asn Asn Met Cys Pro Asn Glu Val Asp Gly Asp Glu Ser Thr Thr Trp
 180 185 190
 Leu Gly Val Phe Ala Pro Asn Ile Thr Ala Arg Leu Asn Ala Ala Ala
 195 200 205
 Pro Ser Ala Asn Leu Ser Asp Ser Asp Ala Leu Thr Leu Met Asp Met
 210 215 220
 Cys Pro Phe Asp Thr Leu Ser Ser Gly Asn Ala Ser Pro Phe Cys Asp
 225 230 235 240
 Leu Phe Thr Ala Glu Glu Tyr Val Ser Tyr Glu Tyr Tyr Tyr Asp Leu
 245 250 255
 Asp Lys Tyr Tyr Gly Thr Gly Pro Gly Asn Ala Leu Gly Pro Val Gln
 260 265 270

10261.ST25.txt

Gly Val Gly Tyr Val Asn Glu Leu Leu Ala Arg Leu Thr Gly Gln Ala
 275 280 285
 Val Arg Asp Glu Thr Gln Thr Asn Arg Thr Leu Asp Ser Asp Pro Ala
 290 295 300
 Thr Phe Pro Leu Asn Arg Thr Phe Tyr Ala Asp Phe Ser His Asp Asn
 305 310 315 320
 Thr Met Val Pro Ile Phe Ala Ala Leu Gly Leu Phe Asn Ala Thr Ala
 325 330 335
 Leu Asp Pro Leu Lys Pro Asp Glu Asn Arg Leu Trp Val Asp Ser Lys
 340 345 350
 Leu Val Pro Phe Ser Gly His Met Thr Val Glu Lys Leu Ala Cys Ser
 355 360 365
 Gly Lys Glu Ala Val Arg Val Leu Val Asn Asp Ala Val Gln Pro Leu
 370 375 380
 Glu Phe Cys Gly Gly Val Asp Gly Val Cys Glu Leu Ser Ala Phe Val
 385 390 395 400
 Glu Ser Gln Thr Tyr Ala Arg Glu Asn Gly Gln Gly Asp Phe Ala Lys
 405 410 415
 Cys Gly Phe Val Pro Ser Glu
 420

<210> 3
 <211> 42
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer 620AM34
 <220>
 <221> misc_feature
 <223> primer
 <400> 3
 gagtactatc ttgcatttgt actaggagtt tagtgaactt gc

42

<210> 4
 <211> 41
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer 680AM35
 <220>
 <221> misc_feature
 <223> primer
 <400> 4
 atggttatgg atttcgggga ttcttcgagc gtcccaaac c

41

<210> 5

10261.ST25.txt

<211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer AM34
 <220>
 <221> misc_feature
 <223> primer
 <400> 5
 taggagttta gtgaacttgc 20

<210> 6
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer AM35
 <220>
 <221> misc_feature
 <223> primer
 <400> 6
 ttcgagcgtc ccaaaacc 18

<210> 7
 <211> 22
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer 620
 <220>
 <221> misc_feature
 <223> primer
 <400> 7
 gagtactatc ttgcatttgt ac 22

<210> 8
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer 680
 <220>
 <221> misc_feature
 <223> primer
 <400> 8
 atggttatgg atttcgggga t 21

<210> 9
 <211> 62
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer Dope1
 <220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N in position 19 is 91%A, 3%G, 3%T, 3%C
 <220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N in position 20 is 91%C, 3%G, 3%A, 3%T
 <220>
 <221> misc_feature
 <222> (21)..(21)

10261.ST25.txt
<223> N in position 21 is G or T
<220>
<221> misc_feature
<222> (22)..(22)
<223> N in position is 88%C, 12%A
<220>
<221> misc_feature
<222> (23)..(23)
<223> N in position 23 is 90%T, 3%G, 7%A
<220>
<221> misc_feature
<222> (24)..(24)
<223> N in position 24 is 47%G, 8%A, 45%T
<220>
<221> misc_feature
<222> (25)..(25)
<223> N in position 25 is 9%G, 91%A
<220>
<221> misc_feature
<222> (26)..(26)
<223> N in position 26 is 83%G, 4%A, 9%T, 4%C
<220>
<221> misc_feature
<222> (27)..(27)
<223> N in position 27 is T
<220>
<221> misc_feature
<222> (28)..(28)
<223> N in position 28 is 91%T, 3%G, 3%A, 3%C
<220>
<221> misc_feature
<222> (29)..(29)
<223> N in position 29 is 91%C, 3%G, 3%A, 3%T
<220>
<221> misc_feature
<222> (30)..(30)
<223> N in position 30 is G or T
<220>
<221> misc_feature
<222> (31)..(31)
<223> N in position 31 is 91%G, 3%C, 3%A, 3%T
<220>
<221> misc_feature
<222> (32)..(32)
<223> N in position 32 is 91%G, 3%C, 3%A, 3%T-
<220>
<221> misc_feature
<222> (33)..(33)
<223> N in position 33 is G or T
<220>
<221> misc_feature
<222> (34)..(34)
<223> N in position 34 is 91%A, 3%G, 3%T, 3%C
<220>
<221> misc_feature
<222> (35)..(35)
<223> N in position 35 is 91%A, 3%G, 3%T, 3%C
<220>
<221> misc_feature
<222> (36)..(36)
<223> N in position 36 is 95%T, 5%G
<220>
<221> misc_feature
<222> (38)..(38)
<223> N in position 38 is 91%C, 3%G, 3%A, 3%T
<220>
<221> misc_feature
<222> (37)..(37)

10261.ST25.txt
 <223> N in position 37 is 91%G, 3%C, 3%A, 3%T
 <220>
 <221> misc_feature
 <222> (39)..(39)
 <223> N in position 39 is G or T
 <220><221>
 misc_feature
 <222> (40)..(40)
 <223> N in position 40 is 95%T, 5%G
 <400> 9
 gatatgtgcc cgttcgacnn nnnnnntnnn nnnnnnnnnn cccccttctg tgacctattt 60
 ac 62

<210> 10
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer Dope1R
 <220>
 <221> misc_feature
 <223> primer
 <400> 10
 gtcgaacggg cacatatc 18

<210> 11
 <211> 43
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer L102TI
 <220>
 <221> misc_feature
 <222> (22)..(22)
 <223> N in position 22 is C or T
 <400> 11
 agttcggcgt cgccgatctg ancccgttcg gggctaacca atc 43

<210> 12
 <211> 53
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer VE248+251X
 <220>
 <221> misc_feature
 <222> (30)..(30)
 <223> N in position 30 is A or C or G
 <220>
 <221> misc_feature
 <222> (23)..(23)
 <223> N in position 23 is A or C or G or T
 <220>
 <221> misc_feature
 <222> (22)..(22)
 <223> N in position 22 is A or C or G or T
 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> N in position 21 is A or C or G
 <220>
 <221> misc_feature
 <222> (31)..(31)
 <223> N in position 31 is A or C or G or T

10261.ST25.txt

<220>
 <221> misc_feature
 <222> (32)..(32)
 <223> N in position 32 is A or C or G or T
 <400> 12
 tatttaccgc ggaggagtat nnntcgtacn nntactacta tgacctcgac aag 53

<210> 13
 <211> 45
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer V271AI
 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> N in position 21 is A or G
 <220>
 <221> misc_feature
 <222> (22)..(22)
 <223> N in position 22 is C or T
 <400> 13
 ccgggaacgc tctcgggtcct nnccagggcg tcggatacgt caatg 45

<210> 14
 <211> 42
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> primer G286X
 <220>
 <221> misc_feature
 <222> (24)..(24)
 <223> N in position 24 is A or C or G
 <220>
 <221> misc_feature
 <222> (25)..(26)
 <223> N in positions 25 and 26 are independently A or C or G or T
 <400> 14
 atgagctgct tgcacgcttg accnnncaag ccgttcgaga cg 42