



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
24.06.2009 Bulletin 2009/26

(51) Int Cl.:
H01J 17/49^(2006.01) G09G 3/28^(2006.01)

(43) Date of publication A2:
05.11.2008 Bulletin 2008/45

(21) Application number: **08251005.8**

(22) Date of filing: **20.03.2008**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR
Designated Extension States:
AL BA MK RS

(72) Inventor: **Kim, Ki-Dong,**
c/o Samsung SDI., Ltd.
Suwon-si,
Gyeonggi-do (KR)

(74) Representative: **Mouteney, Simon James**
Marks & Clerk LLP
90 Long Acre
London
WC2E 9RA (GB)

(30) Priority: **21.03.2007 KR 20070027727**

(71) Applicant: **Samsung SDI Co., Ltd.**
Suwon-si, Gyeonggi-do (KR)

(54) **Plasma display device and method for manufacturing the same**


(57) A plasma display device includes a plasma display panel including an address electrode disposed on a first substrate, a pair of first and second display electrodes disposed on a second substrate and crossing the address electrode, a dielectric layer covering the first and second display electrodes on the second substrate, an MgO protective layer covering the dielectric layer on the second substrate, and discharge gases filled between the first and second substrates; a driver that drives the plasma display panel; and a controller that controls the driver so that a sustain pulse width of a sustain period is 1 to 3.5 μ s, wherein a statistical delay time (T_s) depending on temperature is represented by the following Formula 1.

Formula 1

$$y = A \times e^{-kx}$$

wherein k (absolute temperature (K)) is in a range of less than or equal to 2000, x is a reciprocal of the temperature (1/K), y is a reciprocal of a statistical delay time (T_s) (1/ns), and A is a constant ranging from 1×10^{-6} to 1×10^6 . The MgO protective layer may be formed by MgO deposition in which a water vapor is provided in a range of 2×10^{-7} to 6×10^{-7} Torr • l/s. The plasma display panel lessens the temperature dependency of the discharge characteristics so that the response speed is improved and the discharge stability is improved.

FIG. 1





EUROPEAN SEARCH REPORT

Application Number
EP 08 25 1005

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 2004/183441 A1 (KIM KI-DONG [KR] ET AL) 23 September 2004 (2004-09-23) * abstract; figure 1 *	1-18	INV. H01J17/49 G09G3/28
A	US 2002/044106 A1 (ISEKI KOKI [JP]) 18 April 2002 (2002-04-18) * paragraph [0108] *	1	
A	US 2004/263733 A1 (ITO KEN [JP] ET AL) 30 December 2004 (2004-12-30) * paragraph [0062] *	1-18	
A	EP 1 408 528 A (LG ELECTRONICS INC [KR]; MITSUBISHI MATERIALS CORP [JP]) 14 April 2004 (2004-04-14) * figure 2 *	1-18	
A	EP 1 482 068 A (MITSUBISHI MATERIALS CORP [JP]) 1 December 2004 (2004-12-01) * paragraph [0227] *	12-18	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (IPC)
			H01J
Place of search		Date of completion of the search	Examiner
Munich		18 May 2009	Flierl, Patrik
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

 2
EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 08 25 1005

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-05-2009

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2004183441 A1	23-09-2004	CN 1527346 A	08-09-2004
		JP 2004273452 A	30-09-2004
		KR 20040078469 A	10-09-2004
US 2002044106 A1	18-04-2002	FR 2785131 A1	28-04-2000
		JP 3365324 B2	08-01-2003
		JP 2000132141 A	12-05-2000
US 2004263733 A1	30-12-2004	NONE	
EP 1408528 A	14-04-2004	CN 1703532 A	30-11-2005
		WO 2004033749 A1	22-04-2004
		JP 4225761 B2	18-02-2009
		JP 2004131785 A	30-04-2004
		KR 20040037270 A	06-05-2004
		US 2004131884 A1	08-07-2004
EP 1482068 A	01-12-2004	CN 1617946 A	18-05-2005
		WO 03046249 A1	05-06-2003
		US 2005045065 A1	03-03-2005