



US00D759655S

(12) **United States Design Patent**
Sullivan et al.

(10) **Patent No.:** **US D759,655 S**
(45) **Date of Patent:** **** Jun. 21, 2016**

(54) **REAR PIECE FOR A HEAD-MOUNTED DISPLAY OF A VIRTUAL-REALITY SYSTEM OR THE LIKE**

D728,565 S * 5/2015 Kim D14/372
D728,566 S * 5/2015 Kim D14/372
D730,352 S * 5/2015 Chow D14/372

(Continued)

(71) Applicant: **Oculus VR, LLC**, Menlo Park, CA (US)

Primary Examiner — Austin Murphy

(72) Inventors: **Joseph Patrick Sullivan**, Issaquah, WA (US); **Yi-yaun Chen**, Seattle, WA (US); **Peter Wesley Bristol**, Seattle, WA (US); **David Michael Pickett**, Seattle, WA (US)

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(73) Assignee: **OCULUS VR, LLC**, Menlo Park, CA (US)

CLAIM
An ornamental design for a rear piece for a head-mounted display of a virtual-reality system or the like, as shown and described.

(***) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/529,988**

FIG. 1 is a front view of our new design of a rear piece for a head-mounted display of a virtual-reality system or the like, showing the surface that rests against the user's head. FIGS. 2, 4, 6, and 8 are perspective views of the design of FIG. 1.

(22) Filed: **Jun. 11, 2015**

FIGS. 3 and 7 are side views of the design of FIG. 1. FIG. 5 is a back view of the design of FIG. 1, showing the surface that faces away from the user's head.

(51) **LOC (10) CL.** **14-02**

FIG. 9 is a top view of the design of FIG. 1.

(52) **U.S. CL.** **USPC** **D14/372**

FIG. 10 is a top view approaching a front view of the design of FIG. 1. FIG. 11 is a front view approaching a bottom view of FIG. 1. FIG. 12 is a bottom view of the design of FIG. 1.

(58) **Field of Classification Search**

FIG. 13 is a bottom view approaching a back view of the design of FIG. 1. FIG. 14 is a back view of the design of FIG. 1; and, FIG. 15 is a back view approaching a top view of the design of FIG. 1.

USPC D14/372, 496, 432, 371, 125, 126, 129, D14/299; D16/300–342; 351/158, 153, 144; 345/7–9, 905; 455/344; 348/115, 53, 348/121, 739

FIG. 16 is a front view approaching a bottom view of FIG. 1. FIG. 17 is a bottom view of the design of FIG. 1. FIG. 18 is a bottom view approaching a back view of the design of FIG. 1. FIG. 19 is a back view of the design of FIG. 1; and, FIG. 20 is a back view approaching a top view of the design of FIG. 1.

CPC G02B 27/017; G02B 27/0158; G02B 27/0161; G02B 27/0181; G02B 27/0185; G02B 27/0189

See application file for complete search history.

In some embodiments, the lines forming the outer perimeter of the rounded triangle on the back of the design, as shown in FIGS. 3–7 and 12–15, are included in the design. Alternatively, these lines are excluded from the design and thus are not present.


(56)

References Cited

1 Claim, 15 Drawing Sheets

U.S. PATENT DOCUMENTS

D723,556 S * 3/2015 Choo D14/372
D724,586 S * 3/2015 Choo D14/372
D724,587 S * 3/2015 Choo D14/372
D726,719 S * 4/2015 Choo D14/372



(56)	References Cited	
	U.S. PATENT DOCUMENTS	
	D737,821 S * 9/2015 Cho	D14/205
	D738,420 S * 9/2015 Lee	D14/372
	D740,284 S * 10/2015 Maeda	D14/372
	D740,813 S * 10/2015 Bosveld	D14/372
	D740,816 S * 10/2015 Bosveld	D14/372
	D741,325 S * 10/2015 Bosveld	D14/372
	D741,327 S * 10/2015 Reznik	D14/372
	D749,580 S * 2/2016 Kim	D14/372
	D752,680 S * 3/2016 Kim	D14/372

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15