

(19) **DANMARK**



Patent- og
Varemærkestyrelsen

(10) **DK/EP 2075000 T3**

(12) **Oversættelse af
europæisk patentskrift**

-
- (51) Int.Cl.: **A 61 K 31/55 (2006.01)** **A 61 K 9/00 (2006.01)** **A 61 K 31/56 (2006.01)**
A 61 K 31/57 (2006.01) **A 61 K 31/58 (2006.01)** **A 61 P 11/06 (2006.01)**
A 61 P 27/14 (2006.01) **A 61 P 37/08 (2006.01)**
- (45) Oversættelsen bekendtgjort den: **2015-09-14**
- (80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: **2015-07-22**
- (86) Europæisk ansøgning nr.: **09075100.9**
- (86) Europæisk indleveringsdag: **2003-06-13**
- (87) Den europæiske ansøgnings publiceringsdag: **2009-07-01**
- (30) Prioritet: **2002-06-14 GB 0213739**
- (62) Stamansøgningsnr: **03738280.1**
- (84) Designerede stater: **AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT RO SE SI SK TR**
- (73) Patenthaver: **Cipla Limited, Cipla House , Peninsula Business Park , Ganpatrao Kadam Marg , Lower Parel, Mumbai - 400013, Indien**
- (72) Opfinder: **Lulla, Amar, 103 Maker Towers "L", Cuff Parade, Colaba, Mumbai 400 005, Indien**
MALHOTRA, Geena, 8 Anderson House, Opp. Mazgaon Doc P.O., Mazgaon, Mumbai 400 010, Indien
- (74) Fuldmægtig i Danmark: **Budde Schou A/S, Hausergade 3, 1128 København K, Danmark**
- (54) Benævnelse: **Kombination af azelastin og ciclesonid**
- (56) Fremdragne publikationer:
EP-A- 0 780 127
WO-A-97/01337
WO-A-2004/019955
PORTMANN D ET AL: "Acceptabilite d'un traitement local de la rhinite allergique associant un corticoide (beclometasone) et un antihistaminique (azelastine) // Acceptability of local treatment of allergic rhinitis with a combination of a corticoid (beclomethasone) and an antihistaminic (azelastine)" REVUE DE LARYNGOLOGIE, D'OTOLOGIE ET DE RHINOLOGIE, DOIN, PARIS, FR, vol. 121, no. 4, 1 January 2000 (2000-01-01), pages 273-279, XP009096619 ISSN: 0035-1334
BUSSE W W ET AL: "CORTICOSTEROID-SPARING EFFECT OF AZELASTINE IN THE MANAGEMENT OF BRONCHIAL ASTHMA" AMERICAN JOURNAL OF RESPIRATORY AND CRITICAL CARE MEDICINE, AMERICAN LUNG ASSOCIATION, NEW YORK, NY, US, vol. 153, no. 1, 1996, pages 122-127, XP000604179 ISSN: 1073-449X
MEALY N E ET AL: "CICLESONIDE: TREATMENT OF ALLERGIC RHINITIS ANTIALLERGY/ANTIASTHMATIC" DRUGS OF THE FUTURE, PROUS SCIENCE, ES, vol. 26, no. 11, 1 November 2001 (2001-11-01), pages 1033-1039, XP009041019 ISSN: 0377-8282

DESCRIPTION

BACKGROUND OF THE INVENTION

[0001] The present invention relates to pharmaceutical products and formulations. More particularly the present invention relates to pharmaceutical products and formulations useful for preventing or minimising allergic reactions. More particularly, but not exclusively, the present invention relates to pharmaceutical products and formulations for nasal and ocular use.

[0002] Such allergic reactions commonly comprise the allergy-related and vasomotor-related symptoms and the rhinovirus-related symptoms.

[0003] It is known to use antihistamines in nasal sprays and eye drops to treat allergy-related conditions. Thus, for example, it is known to use the antihistamine azelastine (usually as the hydrochloride salt) as a nasal spray against seasonal or perennial allergic rhinitis, or as eye drops against seasonal and perennial allergic conjunctivitis.

[0004] It is also known to treat these conditions using a corticosteroid, which will suppress nasal and ocular inflammatory conditions. Among the corticosteroids known for nasal use are, for example, beclomethasone, mometasone, fluticasone, budesonide and cyclofenide (i.e. ciclesonide). Corticosteroids known for ocular anti-inflammatory use include betamethasone sodium, dexamethasone sodium and prednisolone acetate, for example.

[0005] It would be highly desirable, however, to provide a treatment that combines the effects of anti-histamine treatments and steroid treatments, in a pharmaceutically acceptable formulation, which is tolerated in situ, without significantly disrupting the potency of the constituent pharmaceuticals.

[0006] We have now found that, very surprisingly, azelastine (4-[(4-Chlorophenyl)methyl]-2-(hexahydro-1-methyl-1H-azepin-4-yl)-1(2H)-phthalazinone), or a pharmaceutically acceptable salt, solvate or physiologically functional derivative thereof, preferably in salt form and even more preferably in the form of the hydrochloride salt, can advantageously be combined with a steroid, or a pharmaceutically acceptable salt, solvate or physiologically functional derivative thereof, to provide a stable, very effective combination product or formulation preferably for nasal or ocular treatment. The combination can provide, in a single administration or dosing regime, the antihistaminic properties of azelastine and the antiinflammatory (and / or other) properties of the steroid, without any significant interference between the two, or adverse reaction in situ.

SUMMARY OF THE INVENTION

[0007] In one aspect the invention provides a pharmaceutical formulation as set forth in claim 1 and a pharmaceutical product as set forth in claim 17. The preferred features are defined in claims 2- 16 and 18-19.

[0008] The formulation preferably being in a form suitable for administration nasally or ocularly. The azelastine is preferably azelastine hydrochloride. The steroid ciclesonide (cyclofenide).

[0009] The term "physiologically functional derivative" as used herein denotes a chemical derivative of any of the specific therapeutic agents described herein having the same or similar physiological function as the free base therapeutic agent and, for example, being convertible in the body thereto. Examples of physiologically functional derivatives include esters.

[0010] In an embodiment, the formulation contains the steroid in an amount from about 50 micrograms/ml to about 5 mg/ml of the formulation.

[0011] In an embodiment, the formulation has a particle size of less than about 10 μm , preferably less than 5 μm .

[0012] In an embodiment, the formulation is a suspension containing 0.0005 to 2% (weight/weight of the formulation) of azelastine or a pharmaceutically acceptable salt of azelastine, and from 0.5 to 1.5% (weight/weight of the formulation) of said steroid.

[0013] In an embodiment, the formulation contains from 0.001 to 1% (weight/weight of the formulation) azelastine, or salt thereof, and from 0.5% to 1.5% (weight/weight of the formulation) steroid.

[0014] In an embodiment, the formulation also contains a surfactant. The surfactant may comprise a polysorbate or poloxamer surfactant.

[0015] In an embodiment, the formulation contains from about 50 micrograms to about 1 milligram of surfactant per ml of the formulation.

[0016] In an embodiment, the formulation also contains an isotonic agent. The isotonic agent may comprise sodium chloride, saccharose, glucose, glycerine, sorbitol or 1,2-propylene glycol.

[0017] In an embodiment, the formulation also contains at least one of a buffer, a preservative and a suspending or thickening agent.

[0018] In an embodiment, said preservative is selected from edetic acid and its alkali salts, lower alkyl p-hydroxybenzoates, chlorhexidine, phenyl mercury borate, or benzoic acid or a salt, a quaternary ammonium compound, or sorbic acid or a salt thereof.

[0019] In an embodiment, the suspending agent or thickening agent is selected from cellulose derivatives, gelatin, polyvinylpyrrolidone, tragacanth, ethoxose (water soluble binding and thickening agents on the basis of ethyl cellulose), alginic acid, polyvinyl alcohol, polyacrylic acid, or pectin.

[0020] In an embodiment, the buffer comprises a citric acid-citrate buffer.

[0021] In an embodiment, the buffer maintains the pH of the aqueous phase at from 3 to 7, preferably 4.5 to about 6.5.

[0022] In an embodiment, the formulation is an aqueous suspension or solution.

[0023] In an embodiment, the formulation is in the form of an aerosol, an ointment, eye drops, nasal drops, a nasal spray or an inhalation solution.

[0024] According to another aspect of the invention there is provided a pressure packing having a dosage or metering valve, which contains a formulation as described above.

[0025] According to another aspect of the invention there is provided a MDI which includes a pressure packing as described above.

[0026] In an embodiment, the formulation is in the form of an insufflation powder.

[0027] It will be appreciated that the formulation may comprise any desired combination of the embodiments described above.

[0028] According to another aspect of the invention there is provided a pharmaceutical product comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, provided in an aerosol formulation preferably together with a propellant typically suitable for MDI delivery, and (ii) ciclesonide, provided in an aerosol formulation preferably together with a propellant typically suitable for MDI delivery, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0029] According to another aspect of the invention there is provided an aerosol formulation preferably suitable for MDI delivery comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, together with a propellant.

[0030] According to another aspect of the invention there is provided a pharmaceutical product comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, provided as an insufflation powder, and (ii) ciclesonide, provided as an insufflation powder, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0031] According to another aspect of the invention there is provided an insufflation powder formulation comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, together with a pharmaceutically acceptable carrier or excipient therefor.

[0032] According to another aspect of the invention there is provided a pharmaceutical product comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0033] According to another aspect of the invention there is provided a pharmaceutical formulation comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, together with a pharmaceutically acceptable carrier or excipient therefor.

[0034] Disclosed herein is a nasal spray comprising azelastine, or a pharmaceutically acceptable salt thereof, together with mometasone either as mometasone free base or as mometasone furoate, and a pharmaceutically acceptable carrier or excipient therefor.

[0035] Disclosed herein is a pharmaceutical product comprising azelastine hydrochloride and beclomethasone dipropionate, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0036] Disclosed herein is a pharmaceutical formulation comprising azelastine hydrochloride and beclomethasone dipropionate, together with a pharmaceutically acceptable carrier or excipient therefor.

[0037] Disclosed herein is a pharmaceutical product comprising azelastine hydrochloride and fluticasone propionate, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0038] Disclosed herein is a pharmaceutical formulation comprising azelastine hydrochloride and fluticasone propionate, together with a pharmaceutically acceptable carrier or excipient therefor.

[0039] Disclosed herein is a pharmaceutical product comprising azelastine hydrochloride and fluticasone valerate, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0040] Disclosed herein is a pharmaceutical formulation comprising azelastine hydrochloride and fluticasone valerate, together with a pharmaceutically acceptable carrier or excipient therefor.

[0041] Disclosed herein is a pharmaceutical product comprising azelastine hydrochloride and mometasone furoate, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0042] Disclosed herein is a pharmaceutical formulation comprising azelastine hydrochloride and mometasone furoate, together with a pharmaceutically acceptable carrier or excipient therefor.

[0043] Disclosed herein is a pharmaceutical product comprising azelastine hydrochloride and mometasone furoate monohydrate, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0044] Disclosed herein is a pharmaceutical formulation comprising azelastine hydrochloride and mometasone furoate monohydrate, together with a pharmaceutically acceptable carrier or excipient therefor.

[0045] According to another aspect of the invention there is provided a pharmaceutical formulation substantially as herein described in any of the Examples.

[0046] Also, described herein is a process of preparing a pharmaceutical product according as described above, which process comprises providing (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0047] Also, described herein is a process of preparing a pharmaceutical formulation as described above, which process

comprises admixing a pharmaceutically acceptable carrier or excipient with azelastine, or a pharmaceutically acceptable salt thereof, and ciclesonide .

[0048] Disclosed herein is a method for the prophylaxis or treatment in a mammal, such as a human, of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated, which method comprises administration of a therapeutically effective amount of a pharmaceutical product as described above, as a combined preparation for simultaneous, separate or sequential use in the treatment of such conditions.

[0049] Disclosed herein is a method for the prophylaxis or treatment in a mammal, such as a human, of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated, which method comprises administration of a therapeutically effective amount of a pharmaceutical formulation as described above.

[0050] Disclosed herein is the use in the manufacture of a medicament for the prophylaxis or treatment in a mammal, such as a human, of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated, a pharmaceutical product as described above, as a combined preparation for simultaneous, separate or sequential use in the treatment of such conditions.

[0051] Disclosed herein is a method of treating irritation or disorders of the nose or eye which comprises applying either directly to nasal tissues or to the conjunctival sac of the eyes, as appropriate, a pharmaceutical product or a pharmaceutical formulation as described above.

[0052] Disclosed herein is a method of treating airway disorders, comprising administering by nebulization to surfaces of the airway a treatment-effective amount of a product or formulation as described above.

DETAILED DESCRIPTION OF THE INVENTION

[0053] The preferred forms of formulations of the invention are nasal drops, eye drops, nasal sprays, nasal inhalation solutions or aerosols or insufflation powders.

[0054] The invention comprise stable aqueous solutions of azelastine or one or more of its salts, in combination with the steroidciclesonide, which can be used in

[0055] the form of inhalation solution, pressurized aerosol, eye drops or nasal drops, and in a particular preferred embodiment, in the form of a spray (preferably a nasal spray). The spray can, for example, be formed by the use of a conventional spray-squeeze bottle or a pump vaporizer. In addition, it is also possible to use compressed gas aerosols. In a preferred embodiment, 0.03 to 3 mg of azelastine base and 0.05 to 0.15 mg of the steroid should be released per individual actuation.

[0056] The formulations preferably contain a preservative and/or stabilizer. These include, for example: ethylene diamine tetraacetic acid (edetac acid) and its alkali salts (for example dialkali salts such as disodium salt, calcium salt, calcium-sodium salt), lower alkyl p-hydroxybenzoates, chlorhexidine (for example in the form of the acetate or gluconate) and phenyl mercury borate. Other suitable preservatives are: pharmaceutically useful quaternary ammonium compounds, for example cetylpyridinium chloride, tetradecyltrimethyl ammonium bromide, generally known as "cetrimide", benzyldimethyl-[2-[2-[p-(1,1,3,3-tetramethylbutyl)phenoxy]ethoxy]-ammonium chloride, generally known as "benzethonium chloride" and myristyl picolinium chloride. Each of these compounds may be used in a concentration of 0.002 to 0.05%, for example 0.02% (weight/volume in liquid formulations, otherwise weight/weight). Preferred preservatives among the quaternary ammonium compounds are, however, alkylbenzyl dimethyl ammonium chloride and mixtures thereof, for example the compounds generally known as "benzalkonium chloride".

[0057] The total amount of preservatives in the formulations (solutions, ointments, etc.) is preferably from 0.001 to 0.10g, preferably 0.01g per 100ml of solution/suspension or 100g of formulation.

[0058] In the case of preservatives, the following amounts of individual substances can, for example, be used: thimerosal 0.002-0.02%; benzalkonium chloride 0.002 to 0.02% (in combination with thimerosal the amount of thimerosal is, for example =0.002 to 0.005%); chlorhexidine acetate or gluconate 0.01 to 0.02%; phenyl mercuric/nitrate, borate, acetate 0.002-0.004%; p-hydroxybenzoic acid ester (for example, a mixture of the methyl ester and propyl ester in the ratio 7:3); preferably 0.05-0.15, more preferably 0.1%.

[0059] The preservative used is preferably a combination of edetic acid (for example, as the disodium salt) and benzalkonium chloride. In this combination, the edetic acid is preferably used in a concentration of 0.05 to 0.1%, benzalkonium chloride preferably being used in a concentration of 0.005 to 0.05%, more preferably 0.01%.

[0060] In the case of solutions/suspensions reference is always made to percent by weight/volume, in the case of solid or semi-solid formulations to percent by weight/weight of the formulation.

[0061] Further auxiliary substances which may, for example, be used for the formulations of the invention are: polyvinyl pyrrolidone, sorbitan fatty acid esters such as sorbitan trioleate, polyethoxylated sorbitan fatty acid esters (for example polyethoxylated sorbitan trioleate), sorbimacrogol oleate, synthetic amphotensides (triton), ethylene oxide ethers of octylphenolformaldehyde condensation products, phosphatides such as lecithin, polyethoxylated fats, polyethoxylated oleotriglycerides and polyethoxylated fatty alcohols. In this context, polyethoxylated means that the relevant substances contain polyoxyethylene chains, the degree of polymerisation of which is generally between 2 to 40, in particular between 10 to 20. These substances are preferably used to improve the solubility of the azelastine component.

[0062] It is optionally possible to use additional isotonization agents. Isotonization agents which may, for example, be used are: saccharose, glucose, glycerine, sorbitol, 1,2-propylene glycol and NaCl.

[0063] The isotonization agents adjust the osmotic pressure of the formulations to the same osmotic pressure as nasal secretion. For this purpose these substances are in each case to be used in such amount that, for example, in the case of a solution, a reduction in the freezing point of 0.50 to 0.56 degree C is attained in comparison to pure water.

[0064] In Example 1, it is possible to use instead of NaCl per 100 ml of solution, for example: Glucose 1H₂O 3.81g; saccharose 6.35g; glycerine 2.2g; 1,2-propylene glycol 1.617g; sorbitol 3.84g (in the case of mixtures of these substances correspondingly less may optionally be used).

[0065] Moreover, it is possible to add thickening agents to solutions according to the present invention to prevent the solution from flowing out of the nose too quickly and to give the solution a viscosity of about 1.5 to 3, preferably 2 mPa.

[0066] Such thickening agents may, for example, be: cellulose derivatives (for example cellulose ether) in which the cellulose-hydroxy groups are partially etherified with lower unsaturated aliphatic alcohols and/or lower unsaturated aliphatic oxyalcohols (for example methyl cellulose, carboxymethyl cellulose, hydroxypropylmethylcellulose), gelatin, polyvinylpyrrolidone, tragacanth, ethoxose (water soluble binding and thickening agents on the basis of ethyl cellulose), alginic acid, polyvinyl alcohol, polyacrylic acid, pectin and equivalent agents. Should these substances contain acid groups, the corresponding physiologically acceptable salts may also be used.

[0067] In the event of the use of hydroxypropyl cellulose, 0.1 % by weight of the formulation, for example, is used for this purpose.

[0068] In the event of the use of Avicel RC 591 or CLII, 0.65-3.0% by weight of the formulation, for example, is used for the purpose.

[0069] It is also possible to add to the formulations buffer substances such as citric acid/sodium hydrogensulphate borate buffer, phosphates (sodium hydrogenorthophosphate, disodium hydrogenphosphate), trometamol or equivalent conventional buffers in order, for example, to adjust the formulations to a pH value of 3 to 7, preferably 4.5 to 6.5.

[0070] The amount of citric acid is, for example, 0.01 to 0.14g, preferably 0.04 to 0.05g, the amount of disodium hydrogenphosphate 0.1 to 0.5g, preferably 0.2 to 0.3g per 100 ml of solution. The weights given relate in each case to the anhydrous substances.

[0071] In the case of solutions and suspensions, the maximum total concentration of active agent and buffer is preferably less than 5%, in particular less than 2% (weight/volume).

[0072] For the nasal application, a solution or suspension can preferably be used which is applied as an aerosol, i.e. in the form of a fine dispersion in air or in another conventional carrier gas, for example by means of a conventional pump vaporizer.

[0073] Application as a dosage aerosol is, however, also possible. Dosage aerosols are defined as being pressure packings

which contain the azelastine or its salts in combination with steroid, in the form of a solution or suspension in a so-called propellant. The propellant may be a pressurized liquid chlorinated, fluorinated hydrocarbon or mixtures of various chlorinated, fluorinated hydrocarbons as well as propane, butane, isobutene or mixtures of these among themselves or with chlorinated, fluorinated hydrocarbons which are gaseous at atmospheric pressure and room temperature. Hydrofluorocarbons (HFCs), such as HFC 134a, and HFC 227a can also be used, and are preferred for environmental reasons. The pressure packing has a dosage or metering valve which, on actuation, releases a defined amount of the solution or suspension of the medicament. The subsequent very sudden vaporization of the propellant tears the solution or suspension of azelastine into the finest droplets or minute particles which can be sprayed in the nose or which are available for inspiration into the nose. Certain plastic applicators may be used to actuate the valve and to convey the sprayed suspension into the nose.

[0074] In the case of application as an aerosol, it is also possible to use a conventional adapter.

[0075] Particularly preferred embodiments of the present invention are hereinafter described and it will of course be appreciated that any of the previous description of suitable ingredients and formulation characteristics can also be applicable to the following products and formulations as provided by the present invention.

[0076] The present invention further provides a pharmaceutical product comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, provided in an aerosol formulation preferably together with a propellant typically suitable for MDI delivery, and (ii) ciclesonide, provided in an aerosol formulation preferably together with a propellant typically suitable for MDI delivery, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0077] The present invention also provides an aerosol formulation preferably suitable for MDI delivery comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, together with a propellant.

[0078] It will also be appreciated from the above, that the respective therapeutic agents of the combined preparation can be administered simultaneously, either in the same or different pharmaceutical formulations, or separately or sequentially. If there is separate or sequential administration, it will also be appreciated that the subsequently administered therapeutic agents should be administered to a patient within a time scale so as to achieve, or more particularly optimise, the above referred to advantageous synergistic therapeutic effect of a combined preparation as present in a pharmaceutical product according to the present invention.

[0079] Suitable propellants for use in pharmaceutical products of formulations as provided by the present invention include 1,1,1,2-tetrafluoroethane (HFA 134a) or 1,1,1,2,3,3,3-heptafluoropropane (HFA 227), or a combination of both, or mono-fluoro trichloromethane and dichloro difluoromethane, in particular 1,1,1,2-tetrafluoroethane (HFA 134a) or 1,1,1,2,3,3,3-heptafluoropropane (HFA 227), with HFA 134a being preferred.

[0080] A pharmaceutical aerosol formulation according to the present invention preferably further comprises a polar cosolvent such as C₂₋₆ aliphatic alcohols and polyols, for example ethanol, isopropanol and propylene glycol, with ethanol often being preferred. Preferably, the concentration of the cosolvent is in the range of about 2 to 10% by weight, typically up to about 5%, of the total formulation.

[0081] A pharmaceutical aerosol formulation according to the present invention may further comprise one or more surfactants. Such surfactants can be included to stabilise the formulations and for lubrication of a valve system. Some of the most commonly used surfactants in aerosol formulations are oils derived from natural sources, such as corn oil, olive oil, cottonseed oil and sunflower seed oil, and also phospholipids. Suitable surfactants can include lecithin, oleic acid or sorbitan oleate.

[0082] A further preferred embodiment of the present invention can be where a formulation or product is provided in the form of insufflatable powder, where preferably the maximum particle size of the substance suitably does not exceed 10µm. Azelastine or its salts and the steroid may be mixed with inert carrier substances or drawn up onto inert carrier substances. Carrier substances which may, for example, be used are: sugars such as glucose, saccharose, lactose and fructose. Also starches or starch derivatives, oligosaccharides such as dextrans, cyclodextrins and their derivatives, polyvinylpyrrolidone, alginic acid, tylose, silicic acid, cellulose, cellulose derivatives (for example cellulose ether), sugar alcohols such as mannitol or sorbitol, calcium carbonate, calcium phosphate, etc.

[0083] In one embodiment, the therapeutic agents employed have a particle size of less than about 10 µm, preferably less than 5 µm.

[0084] The use of insufflation powders can represent a preferred embodiment of the present invention and there is provided by the present invention a pharmaceutical product comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, provided as an insufflation powder, and (ii) ciclesonide, provided as an insufflation powder, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated.

[0085] It will be appreciated from the above, that the respective therapeutic agents of the combined preparation can be administered simultaneously, either in the same or different insufflation powder formulations, or separately or sequentially. If there is separate or sequential administration as discussed above, it will also be appreciated that the subsequently administered therapeutic agents should be administered to a patient within a time scale so as to achieve, or more particularly optimise, the above referred to advantageous synergistic therapeutic effect of a combined preparation as present in a pharmaceutical product according to the present invention.

[0086] The present invention also provides an insufflation powder formulation comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide, together with a pharmaceutically acceptable carrier or excipient therefor.

[0087] Dry insufflation powder formulations as provided by the present invention can be beneficial where it is required that therapeutic agents as employed according to the present invention are retained in the nasal cavity, and systemic side effects can be minimised or eliminated. Furthermore, insufflation powder formulations as employed in the present invention can be beneficial whereby retention of azelastine, or a pharmaceutically acceptable salt thereof, at the nasal mucosa is improved, and the bitter aftertaste associated with liquid antihistamine formulations significantly reduced, whilst also exhibiting the synergistic therapeutic effect associated with the azelastine / steroid combinations provided by the present invention. By providing a dry insufflation powder formulation of azelastine, together with a steroid, having an average particle size of less than about 10 µm, the therapeutic agents can be restricted primarily to the desired target organ, the nasal mucosa.

[0088] A dry powder insufflation formulation according to the present invention can be administered by the use of an insufflator, which can produce a finely divided cloud of the dry powder. The insufflator preferably is provided with means to ensure administration of a substantially pre-determined amount of a formulation or product as provided by the present invention. The powder may be used directly with an insufflator which is provided with a

[0089] bottle or container for the powder, or the powder may be filled into a capsule or cartridge, such as a gelatin capsule, or other single dose device adapted for administration. The insufflator preferably has means to open the capsule or other dose device.

[0090] Preferred combinations of therapeutic agents employed in pharmaceutical products and formulations according to the present invention (in particular nasal sprays or drops, aerosol or insufflation products and formulations as described above) comprise any one of the following combinations.

[0091] Disclosed herein is a pharmaceutical product comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) at least one steroid selected from the group consisting of beclomethasone, fluticasone, mometasone and pharmaceutically acceptable esters thereof, as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated. Suitably the esters can be selected from beclomethasone dipropionate, fluticasone propionate, fluticasone valerate, mometasone furoate and mometasone furoate monohydrate.

[0092] Disclosed herein is a pharmaceutical formulation comprising (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) at least one steroid selected from the group consisting of beclomethasone, fluticasone, mometasone and pharmaceutically acceptable esters thereof, together with a pharmaceutically acceptable carrier or excipient therefor. Suitably the esters can be selected from beclomethasone dipropionate, fluticasone propionate, fluticasone valerate, mometasone furoate and mometasone furoate monohydrate.

[0093] In the case of a nasal spray, a particularly preferred formulation as provided by the present invention is a nasal spray comprising azelastine, or a pharmaceutically acceptable salt thereof (preferably azelastine hydrochloride), together with mometasone either as the free base or in ester form, preferably as mometasone furoate.

[0094] Disclosed herein are specific combinations of therapeutic agents employed in pharmaceutical products and formulations according to the present invention comprise any one of the following combinations:

azelastine hydrochloride and beclomethasone dipropionate;

azelastine hydrochloride and fluticasone propionate;

azelastine hydrochloride and fluticasone valerate;

azelastine hydrochloride and mometasone furoate; and

azelastine hydrochloride and mometasone furoate monohydrate.

[0095] Disclosed herein is a method for the prophylaxis or treatment in a mammal, such as a human, of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated, which method comprises administration of a therapeutically effective amount of a pharmaceutical product substantially as hereinbefore described, as a combined preparation for simultaneous, separate or sequential use in the treatment of such conditions.

[0096] Disclosed herein is a method for the prophylaxis or treatment in a mammal, such as a human, of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated, which method comprises administration of a therapeutically effective amount of a pharmaceutical formulation substantially as hereinbefore described.

[0097] Disclosed herein is the use in the manufacture of a medicament for the prophylaxis or treatment in a mammal, such as a human, of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated, a pharmaceutical product, as a combined preparation for simultaneous, separate or sequential use in the treatment of such conditions.

[0098] Also, described herein is a process of preparing a pharmaceutical product substantially as hereinbefore described, which process comprises providing as a combined preparation for simultaneous, separate or sequential use in the treatment of conditions for which administration of one or more anti-histamine and / or one or more steroid is indicated: (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide.

[0099] Also, described herein is a pharmaceutical formulation substantially as hereinbefore described, which process comprises admixing a pharmaceutically acceptable carrier or excipient with: (i) azelastine, or a pharmaceutically acceptable salt thereof, and (ii) ciclesonide. Preferably, pharmaceutical formulations according to the present invention can comprise insufflation powder formulations, nasal sprays, nasal inhalation solutions or aerosols substantially as hereinbefore described.

[0100] The present invention is now illustrated by the following Examples, which do not limit the scope of the invention in any way. In Examples where only the ingredients of formulations according to the present invention are listed, these formulations are prepared by techniques well known in the art.

Example 1

[0101] Nasal spray or nasal drops with 0.1% azelastine hydrochloride as active ingredient and steroid 0.1 %

Sr. No	Ingredients	Quantity
		%w/v
1.	Azelastine hydrochloride	0.1%
2.	Steroid	0.1%
3.	Disodium edetate	0.005%
4.	Sodium chloride	0.9%
5.	Benzalkonium chloride	0.001%
6.	Avicel RC 591	1.2%
7.	Citric acid monohydrate	0.2%
8.	Disodium hydrogen phosphate dodecahydrate	0.1%

Sr. No	Ingredients	Quantity
		%w/v
9.	Purified water	

Example 2

[0102] Dosage aerosol giving off 0.5 mg of azelastine hydrochloride and 50 micrograms of beclomethasone dipropionate freon solvate per stroke.

[0103] About 8.0 kg of a mixture of 70 parts by weight of difluorodichloromethane and 30 parts by weight of 1,2-dichlorotetrafluoroethane are cooled to about -55 degree C in an appropriate cooling vessel. A mixture of 0.086 kg of pre-cooled sorbitantrioleate and 0.8600 kg of pre-cooled trichlorofluoromethane are dissolved with stirring into the mixture at -55 degrees C, 0.0688 kg of micronized azelastine hydrochloride, 0.00688 kg of beclomethasone dipropionate freon solvate and 0.0688 kg of micronized lactose are then incorporated in portions into the solution thereby obtained with intensive stirring. The total weight of the suspension thereby obtained is made up to 9.547 kg through addition of more of the mixture of 70 parts by weight of difluorodichloromethane and 30 parts by weight of 1,2-dichlorotetrafluoroethane cooled to about -55 degree C.

[0104] Following closure of the cooling vessel the suspension is again cooled to about -55 degrees C under intensive stirring. It is then ready to be filled.

Example 3

[0105] Nasal spray or nasal drops with Azelastine and steroid*

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride	0.10
	Fluticasone propionate	0.0357
	Glycerin	2.60
	Avicel RC 591	1.35
	Polysorbate 80	0.025
	Benzalkonium chloride	0.01
	Phenyl ethyl alcohol	0.25
	Purified water	q. s.

* Each spray delivers Azelastine Hydrochloride (140 mcg) and Fluticasone propionate (50 mcg).

Example 4

[0106] Nasal spray or nasal drops with Azelastine and steroid*

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride	0.10
	Fluticasone valerate	0.0357
	Glycerin	2.60
	Avicel RC 591	1.20
	Polysorbate 80	0.030
	Benzalkonium chloride	0.01

Sr. No.	Ingredients	Quantity (% w/w)
	Phenyl ethyl alcohol	0.25
	Purified water	q. s.

[0107] *Each spray delivers Azelastine Hydrochloride (140 mcg) and Fluticasone valerate (50 mcg).

Example 5

[0108] Nasal spray or nasal drops with Azelastine and steroid*

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride	0.10
	Fluticasone propionate	0.0714
	Glycerin	2.60
	Avicel RC 581	1.35
	Polysorbate 80	0.025
	Benzalkonium chloride	0.01
	Phenyl ethyl alcohol	0.25
	Purified water	q. s.

[0109] *Each spray delivers Azelastine Hydrochloride (140 mcg) and Fluticasone propionate (50 mcg).

Example 6

[0110] Nasal spray or nasal drops with Azelastine and steroid

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride	0.10
	Mometasone Furoate	0.05173
	Glycerin	2.30
	Disodium edetate	0.005
	Polysorbate 80	0.0125
	Avicel RC 581	1.35
	Benzalkonium chloride	0.01
	Citric acid monohydrate	0.20
	Disodium hydrogen phosphate	0.10
	dodecahydrate	
	Purified water	q. s.

Example 7

[0111] Nasal spray or nasal drops with Azelastine and steroid*

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride	0.10

Sr. No.	Ingredients	Quantity (% w/w)
	Mometasone Furoate monohydrate	0.05173
	Glycerin	2.60
	Avicel CL 611	2.295
	Polysorbate 80	0.0125
	Benzalkonium chloride	0.01
	Phenyl ethyl alcohol	0.25
	Purified water	q. s.
* Each spray delivers Azelastine Hydrochloride (140 mcg) and Mometasone furoate (50 mcg).		

Example 8

[0112] Nasal MDI with Azelastine and steroid

Sr. No.	Ingredients	Quantity in mcg
	Azelastine Hydrochloride	140
	Mometasone Furoate monohydrate	50
	HFA 134a	q.s.
	Lecithin	0.1 %
	Alcohol	(up to 5%)

Example 9

[0113] Nasal MDI with Azelastine and steroid

Sr. No.	Ingredients	Quantity in mcg
	Azelastine Hydrochloride	140
	Fluticasone propionate	50
	HFA 134a	q.s.
	Sorbitan trioleate	0.1 %
	Alcohol	(up to 5%)

Example 10

[0114] Nasal MDI with Azelastine and steroid

Sr. No.	Ingredients	Quantity in mcg
	Azelastine Hydrochloride	140
	Fluticasone propionate	100
	HFA 134a	q.s.
	Oleic acid	0.1 %

Example 11

[0115] Nasal MDI with Azelastine and steroid

Sr. No.	Ingredients	Quantity in mcg
	Azelastine Hydrochloride	140
	Fluticasone Valerate	50
	HFA 134a	q.s.
	Alcohol	(up to 5%)

[0116] Insufflatable powders containing Azelastine and Steroid:

Example 12

[0117]

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride (Micronized)	140 mcg
	Fluticasone propionate	50 mcg
	Lactose	q.s. (up to 25 mcg)

Example 13

[0118]

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride (Micronized)	140 mcg
	Fluticasone propionate	100 mcg
	Mannitol	q.s. (up to 30 mcg)

Example 14

[0119]

Sr. No.	Ingredients	Quantity (% w/w)
	Azelastine Hydrochloride (Micronized)	140 mcg
	Fluticasone propionate	250 mcg
	Lactose	q.s. (up to 30 mcg)

PATENTKRAV

1. Farmaceutisk præparat, der omfatter azelastin eller et farmaceutisk acceptabelt salt og ciclesonid.
5
2. Farmaceutisk præparat ifølge krav 1, hvori azelastinet findes som azelastinhydrochlorid.
3. Præparat ifølge krav 1 eller 2, som indeholder ciclesonid i en mængde fra ca. 50 µg/ml til ca. 5 mg/ml af præparatet.
10
4. Præparat ifølge et hvilket som helst af kravene 1 til 3, hvori præparatet har en partikelstørrelse mindre end ca. 10 µm, fortrinsvis mindre end 5 µm.
5. Præparat ifølge et hvilket som helst af kravene 1 til 4, som er en suspension, der indeholder 0,0005 til 2 vægt% (af præparatet) azelastin eller et farmaceutisk acceptabelt salt af azelastin og fra 0,5 til 1,5 vægt% (af præparatet) ciclesonid.
15
6. Præparat ifølge krav 5, som indeholder fra 0,001 til 1 vægt% (af præparatet) azelastin eller et salt deraf og fra 0,5 vægt% til 1,5 vægt% (af præparatet) ciclesonid.
20
7. Præparat ifølge et hvilket som helst af kravene 1 til 6, som også indeholder et overfladeaktivt middel, der omfatter et polysorbat eller en poloxamer som overfladeaktivt middel.
25
8. Præparat ifølge krav 7, som indeholder fra ca. 50 µg til ca. 1 mg overfladeaktivt middel pr. ml præparat.
9. Præparat ifølge et hvilket som helst af kravene 1 til 8, som også indeholder et isotonimiddel, der omfatter natriumchlorid, saccharose, glucose, glycerol, sorbitol eller 1,2-propylenglycol.
30
10. Præparat ifølge et hvilket som helst af kravene 1 til 9, som også indeholder mindst ét middel blandt en puffer, et konserveringsmiddel og et suspenderings- eller fortykkelsesmiddel, idet konserveringsmidlet er valgt blandt EDTA og dens alkalimetal-
35

salte, lavere alkyl-p-hydroxybenzoater, chlorhexidin, phenylkviksølvborat eller benzoesyre eller et salt, en kvaternær ammoniumforbindelse eller sorbinsyre eller et salt deraf, suspenderingsmidlet eller fortykkelsesmidlet er valgt blandt cellulosederivater, gelatine, polyvinylpyrrolidon, traganth, ethoxose (vandopløselige binde- og fortykkelsesmidler på grundlag af ethylcellulose) alginsyre, polyvinylalkohol, polyacrylsyre eller pectin, og pufferen omfatter en citronsyre/citrat-puffer.

11. Præparat ifølge krav 10, hvori pufferen holder vandfasens pH-værdi på 3 til 7, fortrinsvis 4,5 til ca. 6,5.

10

12. Præparat ifølge et hvilket som helst foregående krav, som omfatter azelastinhydrochlorid og ciclesonid.

13. Præparat ifølge et hvilket som helst af kravene 1 til 12, som er en vandig suspension eller opløsning.

15

14. Præparat ifølge krav 13, som foreligger i form af en aerosol, en salve, øjendråber, næsedråber, en næsespray eller en inhalationsopløsning.

20 15. Præparat ifølge krav 14, som foreligger i form af næsedråber eller næsespray.

16. Præparat ifølge krav 14, som foreligger i form af en aerosol.

17. Farmaceutisk produkt omfattende (i) azelastin eller et farmaceutisk acceptabelt salt og (ii) ciclesonid til anvendelse i medicin, idet (i) azelastinet og (ii) ciclesonidet foreligger i form af et aerosolpræparat til afgivelse fra doseringsinhalator, i form af en næsespray eller i form af øjendråber.

25

18. Farmaceutisk produkt ifølge krav 17, som omfatter azelastinhydrochlorid og ciclesonid.

30