

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(10) International Publication Number

WO 2013/059756 A1

(43) International Publication Date

25 April 2013 (25.04.2013)

WIPO | PCT

(51) International Patent Classification:

G06F 17/30 (2006.01) *G06F 3/048* (2006.01)
G06F 3/14 (2006.01)

(21) International Application Number:

PCT/US2012/061231

(22) International Filing Date:

20 October 2012 (20.10.2012)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

13/277,507 20 October 2011 (20.10.2011) US

(71) Applicant (for all designated States except US): MICROSOFT CORPORATION [US/US]; One Microsoft Way, Redmond, Washington 98052-6399 (US).

(72) Inventors: BENNETT, Eric Paul; c/o Microsoft Corporation, LCA - International Patents, One Microsoft Way, Redmond, Washington 98052-6399 (US). CHAND, Rajeet Kumar; c/o Microsoft Corporation, LCA - International Patents, One Microsoft Way, Redmond, Washington 98052-6399 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:


- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))

Published:

- with international search report (Art. 21(3))

[Continued on next page]

(54) Title: ENABLING IMMERSIVE SEARCH ENGINE HOME PAGES



(57) Abstract: Systems, methods, and computer-readable storage media for enabling immersive, interactive search engine home pages are provided. Upon receiving a request for a search engine home page, an image is presented that covers only a portion of the available display. The image includes a portion of a larger image but appears as a complete image. Additional image portions are transmitted for presentation on portions of the display not covered by the first image. Collectively, the image and the additional image portions make up a larger image configured to cover the entire available display. Additionally, portions of the larger image may not be visible on the available display absent some type of user interaction with the larger image. Interactions with the larger image, for instance panning, zooming, and the like are enabled providing the user with an immersive, interactive experience with the search engine home page.

FIG. 4.



- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*

ENABLING IMMERSIVE SEARCH ENGINE HOME PAGES

BACKGROUND

[0001] The Internet, through its billions of Web pages, provides a vast and quickly growing library of information and resources. In order to find desired content, computer users often make use of search utilities. Exemplary Internet search engines are well known in the art, for instance, a commonly known commercial engine is the BING search engine provided by Microsoft Corporation of Redmond, Washington. Initially upon a user expressing a desire to utilize a search utility, a home page associated with the particular search utility is presented that includes a search query input area into which the user may input keywords or phrases for which relevant search results are desired. Oftentimes, also presented is a background image for the search engine home page. Generally, such search utility home page background images are static images that may be visually appealing to the user but offer little else in terms of an immersive experience or to encourage attachment of the user with the search utility.

SUMMARY

[0002] This Summary is provided to introduce a selection of concepts in a simplified form that are further described below in the Detailed Description. This Summary is not intended to identify key features or essential features of the claimed subject matter, nor is it intended to be used as an aid in determining the scope of the claimed subject matter.

[0003] Embodiments of the present invention relate to systems, methods, and computer-readable storage media for, among other things, enabling immersive, interactive search engine home pages. Upon receiving a request for presentation of a search engine home page, a first image is transmitted for presentation, the first image being presented on only a portion of the available display. The transmitted first image comprises a portion, for instance, a substantially centralized portion, of a larger image but appears as a complete image in its own right. Also transmitted for presentation is a search box capable of receiving inputted search queries. Subsequently (or substantially simultaneously) additional image portions are transmitted for presentation on portions of the available display not covered by the first image. Collectively, the first image and the additional image portions comprise the larger image which may be configured to cover the entire available display. Additionally, portions of the larger image may not be visible on the

available display absent some type of user interaction with the larger image. Interactions with the larger image, for instance panning, zooming, and the like are enabled providing the user with an immersive, interactive experience with the search engine home page.

BRIEF DESCRIPTION OF THE DRAWINGS

5 [0004] The present invention is illustrated by way of example and not limited in the accompanying figures in which like reference numerals indicate similar elements and in which:

[0005] FIG. 1 is a block diagram of an exemplary computing environment suitable for use in implementing embodiments of the present invention;

10 [0006] FIG. 2 is a block diagram of an exemplary computing system in which embodiments of the invention may be employed;

[0007] FIG. 3 is a schematic diagram showing an exemplary screen display of a search engine home page prior to loading and transmission of surrounding image portions, in accordance with an embodiment of the present invention;

15 [0008] FIG. 4 is a schematic diagram showing an exemplary screen display of a search engine home page during or subsequent to loading and transmission of surrounding image portions, in accordance with an embodiment of the present invention;

[0009] FIG. 5 is a schematic diagram showing an exemplary screen display of a search engine home page, in accordance with an embodiment of the present invention,

20 having an interactive region capable of providing additional content;

[0010] FIG. 6 is a flow diagram showing an exemplary method for enabling immersive, interactive search engine home pages, in accordance with an embodiment of the present invention; and

[0011] FIG. 7 is a flow diagram showing another exemplary method for enabling immersive, interactive search engine home pages, in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION

25 [0012] The subject matter of the present invention is described with specificity herein to meet statutory requirements. However, the description itself is not intended to limit the scope of this patent. Rather, the inventors have contemplated that the claimed subject matter might also be embodied in other ways, to include different steps or combinations of steps similar to the ones described in this document, in conjunction with other present or future technologies. Moreover, although the terms "step" and/or "block" may be used herein to connote different elements of methods employed, the terms should

not be interpreted as implying any particular order among or between various steps herein disclosed unless and except when the order of individual steps is explicitly described.

[0013] Various aspects of the technology described herein are generally directed to systems, methods, and computer-readable storage media for, among other things, enabling immersive, interactive search engine home pages. Upon receiving a request for presentation of a search engine home page, a first image is transmitted for presentation, the first image being presented on only a portion of the available display. The transmitted first image comprises a portion, for instance, a substantially centralized portion, of a larger image but appears as a complete image. Also transmitted for presentation is a search box capable of receiving inputted search queries. Subsequently (or substantially simultaneously) additional image portions are transmitted for presentation on portions of the available display not covered by the first image. Collectively, the first image and the additional image portions comprise the larger image which may be configured to cover the entire available display. Additionally, portions of the larger image may not be visible on the available display absent some type of user interaction with the larger image. Upon presentation, interactions with the larger image, for instance panning, zooming, and the like are enabled providing the user with an immersive, interactive experience with the search engine home page.

[0014] Accordingly, one embodiment of the present invention is directed to one or more computer-readable storage media storing computer-useable instructions that, when used by one or more computing devices, cause the one or more computing devices to perform a method for enabling immersive, interactive search engine home pages. The method includes receiving a request for presentation of a search engine home page on a display and transmitting an image for presentation on a first portion of the display, the first portion comprising less than the whole display. The transmitted image comprises a portion of a larger image. The method further includes transmitting a plurality of additional image portions for presentation on a second portion of the display that differs from the first portion. The image and the plurality of additional image portions collectively comprise the larger image. Still further, the method includes enabling user interaction with the larger image.

[0015] Another embodiment of the present invention is directed to a system for enabling immersive, interactive search engine home pages. The system comprises a search engine associated with one or more processors and one or more computer-readable storage media and a data store coupled with the search engine and configured to store

image data. The search engine is configured to receive a request for presentation of a search engine home page on a display and transmit an image for presentation on a first portion of the display that comprises less than the whole display. The image comprises a substantially centralized portion of a larger image. The search engine further is configured to transmit a plurality of additional image portions for presentation on a second portion of the display that differs from the first portion, the image and the plurality of additional image portions collectively comprising the larger image, and to enable user interaction with the larger image.

[0016] In yet another embodiment, the present invention is directed to one or more computer-readable storage media storing computer-useable instructions that, when used by one or more computing devices, cause the one or more computing devices to perform a method for enabling immersive, interactive search engine home pages. The method includes receiving a request from a browser for presentation of a search engine home page on a display and determining that the requesting browser is capable of presenting a high-resolution, interactive panoramic image or other explorable photo image (e.g., a synth), and transmitting an image for presentation on a substantially centralized first portion of the display. The substantially centralized first portion comprises less than the whole display and the image comprises a substantially centralized portion of the panoramic image or other explorable photo image. The method further includes transmitting a plurality of additional image portions for presentation on a second portion of the display that differs from and surrounds the substantially centralized first portion. The image and the plurality of additional image portions collectively comprise the panoramic image or other explorable photo image. Still further, the method includes enabling user interaction with the panoramic image or other explorable photo image (e.g., synth).

[0017] Having briefly described an overview of embodiments of the present invention, an exemplary operating environment in which embodiments of the present invention may be implemented is described below in order to provide a general context for various aspects of the present invention. Referring to the figures in general and initially to FIG. 1 in particular, an exemplary operating environment for implementing embodiments of the present invention is shown and designated generally as computing device 100. The computing device 100 is but one example of a suitable computing environment and is not intended to suggest any limitation as to the scope of use or functionality of embodiments of the invention. Neither should the computing device 100 be interpreted as having any dependency or requirement relating to any one or combination of components illustrated.

[0018] Embodiments of the invention may be described in the general context of computer code or machine-useable instructions, including computer-useable or computer-executable instructions such as program modules, being executed by a computer or other machine, such as a personal data assistant or other handheld device. Generally, program 5 modules including routines, programs, objects, components, data structures, and the like, refer to code that performs particular tasks or implements particular abstract data types. Embodiments of the invention may be practiced in a variety of system configurations, including hand-held devices, consumer electronics, general-purpose computers, more specialty computing devices, etc. Embodiments of the invention may also be practiced in 10 distributed computing environments where tasks are performed by remote-processing devices that are linked through a communications network.

[0019] With continued reference to FIG. 1, the computing device 100 includes a bus 110 that directly or indirectly couples the following devices: a memory 112, one or 15 more processors 114, one or more presentation components 116, input/output (I/O) ports 118, I/O components 120, and an illustrative power supply 122. The bus 110 represents what may be one or more busses (such as an address bus, data bus, or combination thereof). Although the various blocks of FIG. 1 are shown with lines for the sake of clarity, in reality, these blocks represent logical, not necessarily actual, components. For 20 example, one may consider a presentation component such as a display device to be an I/O component. Also, processors have memory. The inventors hereof recognize that such is the nature of the art, and reiterate that the diagram of FIG. 1 is merely illustrative of an exemplary computing device that can be used in connection with one or more embodiments of the present invention. Distinction is not made between such categories as “workstation,” “server,” “laptop,” “hand-held device,” etc., as all are contemplated within 25 the scope of FIG. 1 and reference to “computing device.”

[0020] The computing device 100 typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by the computing device 100 and includes both volatile and nonvolatile media, removable and non-removable media implemented in any method or technology for 30 storage of information such as computer-readable instructions, data structures, program modules or other data. Computer-readable media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to

store the desired information and which can be accessed by the computing device 100. Combinations of any of the above are also included within the scope of computer-readable media.

[0021] The memory 112 includes computer-storage media in the form of volatile and/or nonvolatile memory. The memory may be removable, non-removable, or a combination thereof. Exemplary hardware devices include solid-state memory, hard drives, optical-disc drives, and the like. The computing device 100 includes one or more processors that read data from various entities such as the memory 112 or the I/O components 120. The presentation component(s) 116 present data indications to a user or other device. Exemplary presentation components include a display device, speaker, printing component, vibrating component, and the like.

[0022] The I/O ports 118 allow the computing device 100 to be logically coupled to other devices including the I/O components 120, some of which may be built in. Illustrative components include a microphone, joystick, game pad, satellite dish, scanner, printer, wireless device, and the like.

[0023] As previously mentioned, embodiments of the present invention relate to systems, methods, and computer-readable storage media for, among other things, enabling immersive, interactive search engine home pages. Upon receiving a request for presentation of a search engine home page, a first image is transmitted for presentation, the first image being presented on only a portion of the available display. The transmitted first image comprises a portion, for instance, a substantially centralized portion, of a larger image but appears as a complete image in its own right. Also transmitted for presentation is a search box capable of receiving inputted search queries. Subsequently (or substantially simultaneously) additional image portions are transmitted for presentation on portions of the available display not covered by the first image. Collectively, the first image and the additional image portions comprise the larger image which may be configured to cover the entire available display. Additionally, portions of the larger image may not be visible on the available display absent some type of user interaction with the larger image. Upon presentation, interactions with the larger image, for instance panning, zooming, and the like are enabled providing the user with an immersive, interactive experience with the search engine home page.

[0024] Referring now to FIG. 2, a block diagram is provided illustrating an exemplary computing system 200 in which embodiments of the present invention may be employed. Generally, the computing system 200 illustrates an environment in which

immersive, interactive search engine home pages are enabled. As will be described in further detail below, embodiments of the present invention provide systems and methods for enabling such immersive search engine home pages by transmitting images for presentation on a display that permit user interaction therewith. In this way, the user 5 receives a seamless transition from a first, static image to a larger image with which s/he can interact and is provided a rich, immersive experience at the search engine home page. (It should be noted that while the phrase “search engine home page” is used herein, the functionality described is equally applicable to any online landing page. Any and all such variations, and any combination thereof, are contemplated to be within the scope of 10 15 10 embodiments of the present invention.)

[0025] Among other components not shown, the computing system 200 generally includes a client device 210, a search engine 212, and an image data store 214, all in communication with one another via a network 216. The network 216 may include, without limitation, one or more local area networks (LANs) and/or wide area networks 15 (WANs). Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet. Accordingly, the network 216 is not further described herein.

[0026] It should be understood that any number of client devices, search engines and image data stores may be employed in the computing system 200 within the scope of 20 25 embodiments of the present invention. Each may comprise a single device/interface or multiple devices/interfaces cooperating in a distributed environment. For instance, the search engine 212 may comprise multiple devices and/or modules arranged in a distributed environment that collectively provide the functionality of the search engine 212 described herein. Additionally, other components/modules not shown also may be included within the computing system 200.

[0027] In some embodiments, one or more of the illustrated components/modules may be implemented as stand-alone applications. In other embodiments, one or more of the illustrated components/modules may be implemented via the client device 210, as an Internet-based service, or as a module inside the search engine 212. It will be understood 30 by those of ordinary skill in the art that the components/modules illustrated in FIG. 2 are exemplary in nature and in number and should not be construed as limiting. Any number of components/modules may be employed to achieve the desired functionality within the scope of embodiments hereof. Further, components/modules may be located on any number of search engines or user computing devices. By way of example only, the search

engine 212 might be provided as a single server (as shown), a cluster of servers, or a computing device remote from one or more of the remaining components.

[0028] It should be understood that this and other arrangements described herein are set forth only as examples. Other arrangements and elements (e.g., machines, 5 interfaces, functions, orders, and groupings of functions, etc.) can be used in addition to or instead of those shown, and some elements may be omitted altogether. Further, many of the elements described herein are functional entities that may be implemented as discrete or distributed components or in conjunction with other components, and in any suitable combination and location. Various functions described herein as being performed by one 10 or more entities may be carried out by hardware, firmware, and/or software. For instance, various functions may be carried out by a processor executing instructions stored in memory.

[0029] The client computing device 210 may include any type of computing device, such as the computing device 100 described with reference to FIG. 1, for example. 15 Generally, the client computing device 210 includes a browser 218 and a display 220. The browser 218 is configured to render a search engine home page having a static image and/or an interactive image as at least a portion of the background in association with the display 220 of the client computing device 210. The browser 218 is further configured to receive user input of requests for various web pages (including search engine home 20 pages), receive user inputted search queries (generally inputted via a user interface presented on the display 220 and permitting alpha-numeric and/or textual input into a designated search box) and to receive content for presentation on the display 220, for instance, from the search engine 212. It should be noted that the functionality described herein as being performed by the browser 218 may be performed by any other application 25 capable of rendering Web content. Any and all such variations, and any combination thereof, are contemplated to be within the scope of embodiments of the present invention.

[0030] The search engine 212 is configured to receive and respond to requests that it receives from components associated with client computing devices, for instance, the browser 218 associated with the client computing device 210. Those skilled in the art of 30 the present invention will recognize that the present invention may be implemented with any number of searching utilities. For example, an Internet search engine or a database search engine may utilize the present invention. These search engines are well known in the art, and commercially available engines share many similar processes not further described herein.

[0031] As illustrated, the search server 212 includes a receiving component 222, a browser capability determining component 224, and an image retrieval and transmitting component 226. The illustrated search engine 212 also has access to an image data store 214. The image data store 214 is configured to store image data, that is, information 5 associated with images. In various embodiments, such information may include, without limitation, raw image data, optimized image data, image data portions (e.g., image tiles, as more fully described below) and the like. In embodiments, the image data store 214 is configured to be searchable for one or more of the items stored in association therewith. It will be understood and appreciated by those of ordinary skill in the art that the information 10 stored in association with the image data store 214 may be configurable and may include any information relevant to images configured for presentation on a search engine home page. The content and volume of such information are not intended to limit the scope of embodiments of the present invention in any way. Further, though illustrated as a single, independent component, the image data store 214 may, in fact, be a plurality of storage 15 devices, for instance a database cluster, portions of which may reside in association with the search engine 212, the client computing device 210, another external computing device (not shown), and/or any combination thereof.

[0032] The receiving component 222 of the search engine 212 is configured to receive requests for presentation of search engine home pages. Typically, such a request 20 is received via a browser associated with a client computing device, for instance, the browser 218 associated with the client computing device 210.

[0033] Image data stored in association with the image data store 214 may take any of a number of different forms. For instance, such image data may be a single image or multiple images placed together such that the result appears to be a contiguous single 25 image. Additionally, such image data may be in the form of a panorama or another explorable photo image (e.g., a synth). As utilized herein, the term “panorama” refers to a wide-angle view or representation of an image such that it appears to a person viewing the larger image that s/he is standing in one location and viewing toward different directions from a single vantage point. As utilized herein, the term “synth” refers to image data that 30 is collectively assembled and presented such that it appears as though the viewer was looking at a the same object from a variety of different directions or vantage points. Regardless of the image data source, embodiments of the present invention break down the image data into image data portions or tiles such that the data may be processed in smaller chunks that contain less information. Such permits faster and more efficient

image data processing. Accordingly, the image data store 214 is further configured to store image data portions or tiles.

[0034] Upon receiving a request for presentation of a search engine home page, the browser capability determining component 224 is configured to determine whether a 5 browser associated with a requesting client computing device is capable of receiving large, high-resolution, interactive images as at least a portion of the background of a search engine home page and of presenting the same. In embodiments, a preference determining component (not shown) may be present that is configured to determine whether any applicable user-preference settings permit or hinder such interactive image presentation as 10 at least a portion of the background of a search engine home page.

[0035] The image retrieval and transmitting component 226 is configured to receive image data (e.g., from the image data store 214) and transmit such image data for presentation as at least a portion of the background of a search engine home page, for instance, to a browser associated with a client computing device. If it is determined by the 15 browser capability determining component 224 that the browser associated with the requesting client computing device is not capable of receiving large, high-resolution, interactive images as at least a portion of the background of a search engine home page and/or of presenting the same, the image retrieval and transmitting component 226 is configured to retrieve a static image generally configured for presentation on a portion of 20 the available display that is less than the entire display and to transmit such image for presentation. If, however, it is determined that the browser associated with the requesting client computing device is capable of receiving image data that provides an immersive, interactive user experience with the search engine home page, the image retrieval and transmitting component 226 further is configured to transmit high-resolution, large image 25 data for presentation as at least a portion of the background for search engine home pages.

[0036] Embodiments of the present invention strive to achieve a “parity” experience to an existing search engine home page but then transition to a richer, interactive experience that offers the ability to show and/or interact with larger images, panoramic images, and/or other explorable photo images (e.g., synths). In the initial parity 30 experience, the image retrieval and transmitting component 226 transmits an image or image portion for presentation on the display of a client device (e.g., client computing device 210) such that to the user, the presented search engine home page appears as s/he has come to expect. With reference to FIG. 3, a schematic diagram is illustrated showing an exemplary screen display of a search engine home page prior to loading and

transmission of surrounding image portions, in accordance with an embodiment of the present invention.

[0037] Oftentimes, high-quality and/or high-resolution images are too large for efficient and timely transmission over the Internet. However, it is desirable that the images be able to load rapidly so as to provide user functionality as quickly as possible. As such, within the scope of embodiments hereof, it may be desirable to optimize the image data, for instance, via compression techniques and/or resolution-altering techniques. In embodiments, such functionality may be accomplished utilizing, *e.g.*, CSS, JavaScript, and common image file formats that can run across a wide breadth of browsers.

10 Additionally, in embodiments, it is desirable to provide the optimal user experience based on the bandwidth or connection speed associated with the requesting computing device. Any and all such variations, and any combination thereof, are contemplated to be within the scope of embodiments of the present invention.

[0038] With reference back to FIG. 2, subsequent to (or substantially simultaneously with) loading the initial image and transmitting such image data for presentation on the display 220, embodiments of the present invention involve loading image data associated with a larger image (*e.g.*, a panoramic image or other explorable photo image) in the background. In embodiments, the search engine 212 may be downloading a different form of image data (*e.g.*, multi-resolution image data or “tiles”) in the background which can be used to display interactive large flat images, cylindrical panoramic images, spherical panoramic images, or other explorable photo images (*e.g.*, synths). One exemplary technology that may be utilized to achieve this functionality is the DeepZoom/SeaDragon technology owned by Microsoft Corporation of Redmond, Washington and currently used within the PHOTOSYNTH branded services and applications. The search engine home page appears to load as users have come to expect, however as the image tiles load off screen, they fade in around portions of the available display not covered by the initial image and provide users with the functionality to pan around and zoom deeper into the larger image. With reference to FIG. 4, a schematic diagram is illustrated showing an exemplary screen display of a search engine home page during or subsequent to loading and transmission of surrounding image portions, in accordance with an embodiment of the present invention.

[0039] The concept of when to fade in the pixel data of the larger image is based on a tradeoff that exists for multi-resolution image viewers. Multi-resolution formats iteratively load in progressive quality. As such, it may not be desirable for the highest

pixel quality to be loaded before fading in the image data loaded for presentation on the available display not covered by the initial image. In such embodiments, the image data will continue to iteratively load and refine itself and improve until it reaches maximum quality. If a high resolution initial image is presented, it may be desirable to keep such image data onscreen as long as possible, acting as a “fovea” around which fuzzier imagery exists. In embodiments, user focus may continue to be kept on the high resolution initial image by fading out the border slightly even once it is fully loaded.

5 [0040] In embodiments, as the image tiles load for presentation around portions of the available display not covered by the initial image, the area around the search engine homepage image (*i.e.*, the “border”) is at least partially obscured (*e.g.*, fades) to show the extents of a larger, interactive image once it is sufficiently loaded. This uses up more of the available display and therefore is a more impressive view of the image. However, it remains static.

10 [0041] In other embodiments, as the larger image (comprising the initial image and the image tiles loaded for presentation on the available display surrounding the initial image) is sufficiently loaded, it is faded in and interaction therewith is enabled. For instance, in embodiments, the larger image may become draggable to explore a cylindrical or spherical panorama that can be dragged up, down, left and right, to reveal additional information, and may be zoomed (*e.g.*, via a mouse wheel) in and out to reveal more or less 15 of the information. In embodiments, the larger image may “wrap around” so the user may go a full 360 degrees and end up where they started in the panorama.

20 [0042] In embodiments, the image includes one or more interactive regions. Upon user interaction with a particular interactive region, additional information and/or images are presented. The additional information and/or images generally relate in some way to 25 the underlying image associated with the particular interactive region. The interactive regions are anchored to a pixel location within the larger image to highlight specific aspects of each interactive image. These interactive regions may provide details about the content within the interactive image, as well as send users to queries and search verticals available within the search engine. With the introduction of scrollable and interactive 30 content, the interactive regions in the larger image are anchored to pixel coordinates in the larger image, meaning that panning and zooming within the image will move the visual location of those interactive regions as well. This allows an interactive region that is located over a penguin in an Antarctic panorama, for instance, to always hover over that penguin, regardless of how the user moves through the panorama. This also means that

the interactive region may not appear onscreen at all if the currently-viewed portion of that panorama does not include the anchored pixels.

5 [0043] In addition to interactive regions activated upon user interaction therewith, embodiments of the present invention may provide interactive functionality without express user initiation. That is, automatic (*i.e.*, without user initiation) slight image movement, for instance, panning back and forth, and/or highlighting of controls, may occur to alert or remind the user that additional functionality with respect to the image is available and to entice the user to engage in the interactive experience offered. Any and all such variations, and any combination thereof, are contemplated to be within the scope 10 of embodiments of the present invention.

15 [0044] With reference to FIG. 5, a schematic diagram is illustrated showing an exemplary screen display of a search engine home page, in accordance with an embodiment of the present invention, the search engine home page having an interactive region capable of providing additional content.

20 [0045] With reference to FIG. 6, a flow diagram is provided that illustrates an exemplary method 600 for enabling immersive, interactive search engine home pages, in accordance with an embodiment of the present invention. Initially, as indicated at block 610, a request for presentation of a search engine home page on a display is received, for instance, from a browser associated with a client device (*e.g.*, the client computing device 210 of FIG. 2). In response to receiving the request, an image is transmitted for presentation on a first portion of the display associated with the requesting device (*e.g.*, the display 220 of the computing device 210 of FIG. 2), as indicated at block 612. The transmitted image comprises a portion of a larger image but may appear as a complete image in its own right. Subsequently (or substantially simultaneously), a plurality of 25 additional image portions is transmitted for presentation on a second portion of the display associated with the requesting device, the second portion differing from the first portion. This is indicated at block 614. In embodiments, the first portion may comprise a substantially centralized portion of the available display and the second portion may comprise an area of the available display surrounding the first portion. (As utilized herein, the term “substantially centralized” refers to portions of a display or image for which there 30 are additional portions surrounding the substantially centralized portion in all directions and is not meant to limit embodiments hereof to an actual center portion. That is, the additional portions surrounding the substantially centralized portion may be of different sizes or proportions with respect to one another.) The image and the additional image

portions collectively comprise the larger image. As indicated at block 616, user interaction is enabled with respect to the larger image. Such user interaction may include, without limitation, panning, zooming, and the like.

[0046] Turning now to FIG. 7, a flow diagram is illustrated showing another exemplary method 700 for enabling immersive, interactive search engine home pages, in accordance with an embodiment of the present invention. Initially, as indicated at block 710, a request for presentation of a search engine home page on a display is received from a browser associated with a client device (e.g., the browser 218 associated with the client computing device 210 of FIG. 2). Upon receipt of the presentation request, it is determined whether the requesting browser is capable of presenting high-resolution, interactive images such as panoramic images and other explorable photo images (e.g., synths). This is indicated at block 712. It should be noted that, although not shown in FIG. 7, in accordance with embodiments hereof, it is desirable to provide the optimal user experience based on the bandwidth or connection speed associated with the requesting computing device. As such, it may additionally be determined whether the bandwidth or connection speed associated with the requesting computing device permits optimal presentation of high-resolution, interactive images.

[0047] If it is determined that the requesting browser is capable of presenting high-resolution, interactive images (and, if applicable, that the bandwidth or connection speed associated with the requesting computing device permits optimal presentation of such images), an image is transmitted for presentation on a substantially centralized portion of the display associated with the requesting device (e.g., the display 220 of the computing device 210 of FIG. 2), as indicated at block 714. The transmitted image comprises a substantially centralized portion of a larger image but may appear as a complete image in its own right. Subsequently (or substantially simultaneously), a plurality of additional image portions is transmitted for presentation on a second portion of the display associated with the requesting device, the second portion differing from the substantially centralized first portion. This is indicated at block 716. In embodiments, the second portion may comprise an area of the available display surrounding the substantially centralized first portion. The image and the additional image portions collectively comprise the larger image. As indicated at block 718, user interaction is enabled with respect to the larger image. Such user interaction may include, without limitation, panning, zooming, and the like.

[0048] As can be understood, embodiments of the present invention provide systems and methods for enabling immersive, interactive search engine home pages. The present invention has been described in relation to particular embodiments, which are intended in all respects to be illustrative rather than restrictive. Alternative embodiments 5 will become apparent to those of ordinary skill in the art to which the present invention pertains without departing from its scope.

[0049] While the invention is susceptible to various modifications and alternative constructions, certain illustrated embodiments thereof are shown in the drawings and have been described above in detail. It should be understood, however, that there is no intention 10 to limit the invention to the specific forms disclosed, but on the contrary, the intention is to cover all modifications, alternative constructions, and equivalents falling within the spirit and scope of the invention.

[0050] It will be understood by those of ordinary skill in the art that the order of steps shown in the method 600 of FIG. 6 and the method 700 of FIG. 7 are not meant to 15 limit the scope of the present invention in any way and, in fact, the steps may occur in a variety of different sequences within embodiments hereof. Any and all such variations, and any combination thereof, are contemplated to be within the scope of embodiments of the present invention.

CLAIMS

What is claimed is:

1. One or more computer-readable storage media storing computer-useable instructions that, when used by one or more computing devices, cause the one or more computing devices to perform a method for enabling immersive, interactive search engine home pages, the method comprising:

receiving a request for presentation of a search engine home page on a display;

10 transmitting an image for presentation on a first portion of the display, the first portion comprising less than the whole display, and the image comprising a portion of a larger image;

15 transmitting a plurality of additional image portions for presentation on a second portion of the display that differs from the first portion, the image and the plurality of additional image portions collectively comprising the larger image; and

enabling user interaction with the larger image.

2. The one or more computer-readable storage media of claim 1,

wherein receiving the request for presentation of the search engine home page on the display comprises receiving the request from a browser,

20 and wherein the method further comprises, prior to transmitting the image for presentation on the first portion of the display, determining that the requesting browser is capable of presenting the interactive larger image.

3. The one or more computer-readable storage media of claim 1, wherein the method further comprises at least partially obscuring a boundary between the first 25 image and the additional image portions making the larger image appear more contiguous.

4. The one or more computer-readable storage media of claim 1, wherein transmitting the plurality of additional image portions for presentation on the second portion of the display comprises iteratively transmitting the plurality of additional image portions, each iteration having a higher resolution than an immediately previous iteration.

30 5. The one or more computer-readable storage media of claim 1, wherein enabling user interaction with the larger image comprises enabling at least one of panning around the larger image and zooming in to the larger image.

6. The one or more computer-readable storage media of claim 1, wherein the larger image includes at least one interactive region that is anchored to a pixel location within the larger image

5 7. The one or more computer-readable storage media of claim 1, wherein the larger image comprises at least one of a panoramic image and an explorable photo image.

8. A system for enabling immersive, interactive search engine home pages, the system comprising:

10 a search engine associated with one or more processors and one or more computer-readable storage media; and

a data store coupled with the search engine,
wherein the search engine:

receives a request for presentation of a search engine home page on a display;

15 transmits an image for presentation on a first portion of the display that comprises less than the whole display, the image comprising a substantially centralized portion of a larger image;

transmits a plurality of additional image portions for presentation on a second portion of the display that differs from the first portion, the image and the plurality of additional image portions collectively comprising the larger image; and

enables user interaction with the larger image.

9. The system of claim 8,

25 wherein the search engine receives the request for presentation of the search engine home page from a browser,

and wherein, prior to transmitting the image for presentation on the first portion of the display, the search engine determines that the requesting browser is capable of presenting the interactive larger image.

30 10. The system of claim 8, wherein a boundary between the image and the additional image portions is at least partially obscured making the larger image appear more contiguous.

11. The system of claim 8, wherein the search engine iteratively transmits the plurality of additional image portions for presentation on the second portion of the display, each iteration having a higher resolution than an immediately previous iteration.

12. The system of claim 8, wherein the search engine enables user interaction with the larger image by enabling one or more of panning around the larger image or zooming in to the larger image.

13. The system of claim 12, wherein the larger image includes at least one interactive region that is anchored to a pixel location within the larger image.

5 14. One or more computer-readable storage media storing computer-useable instructions that, when used by one or more computing devices, cause the one or more computing devices to perform a method for enabling immersive, interactive search engine home pages, the method comprising:

10 receiving a request from a browser for presentation of a search engine home page on a display;

determining that the requesting browser is capable of presenting a high-resolution, interactive panoramic image or other explorable photo image;


15 transmitting an image for presentation on a substantially centralized first portion of the display, the substantially centralized first portion comprising less than the whole display, and the image comprising a substantially centralized portion of the panoramic image or other explorable photo image;

20 transmitting a plurality of additional image portions for presentation on a second portion of the display that differs from and surrounds the substantially centralized first portion, the image and the plurality of additional image portions collectively comprising the panoramic image or other explorable photo image; and


25 enabling user interaction with the panoramic image or other explorable photo image.

15. The computer-readable storage media of claim 14, wherein transmitting the plurality of additional image portions for presentation on the second portion of the display comprises iteratively transmitting the plurality of additional image portions, each 30 iteration having a higher resolution than an immediately previous iteration.



1/6

**FIG. 1.**


2/6

**FIG. 2.**


3/6

**FIG. 3.****FIG. 4.**


4/6

**FIG. 5.**

5/6

**FIG. 6.**

6/6

**FIG. 7.**

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2012/061231

A. CLASSIFICATION OF SUBJECT MATTER

G06F 17/30(2006.01)i, G06F 3/14(2006.01)i, G06F 3/048(2006.01)i

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G06F 17/30; G06F 15/16; G06F 3/048; G06F 15/173; G06F 3/14; G06F 7/06; G06F 3/01; G06T 1/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean utility models and applications for utility models

Japanese utility models and applications for utility models

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS(KIPO internal) & keywords: search, homepage, background, image, portion, and similar terms.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	US 2010-0082661 A1 (SCOTT BEAUDREAU) 01 April 2010 See paragraphs 3, 21, 36-45; figures 3-4, 7-8; and claim 1.	1,3,6,8,10 2,4-5,7,9,11-15
A	US 2011-0185287 A1 (BASKARAN DHARMARAJAN et al.) 28 July 2011 See paragraphs 49-50; and figures 3-5.	1-15
A	US 2009-0077205 A1 (RAPHAEL QUINET et al.) 19 March 2009 See paragraphs 128-137; and figures 1, 6.	1-15
A	US 2009-0258681 A1 (KISHIDA MITSUYA et al.) 15 October 2009 See paragraphs 30-32; and figure 6.	1-15
A	KR 10-0985068 B1 (SPIGEN SGP CO., LTD.) 28 September 2010 See paragraphs 90-108; and figures 1-4.	1-15

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:
 "A" document defining the general state of the art which is not considered to be of particular relevance
 "E" earlier application or patent but published on or after the international filing date
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)
 "O" document referring to an oral disclosure, use, exhibition or other means
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
 "&" document member of the same patent family

Date of the actual completion of the international search
28 March 2013 (28.03.2013)

Date of mailing of the international search report

29 March 2013 (29.03.2013)Name and mailing address of the ISA/KR

 Korean Intellectual Property Office
 189 Cheongsa-ro, Seo-gu, Daejeon Metropolitan
 City, 302-701, Republic of Korea
 Facsimile No. 82-42-472-7140

Authorized officer

BYUN, Sung Cheal

Telephone No. 82-42-481-8262



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/US2012/061231

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2010-0082661 A1	01.04.2010	US 8306969 B2	06.11.2012
US 2011-0185287 A1	28.07.2011	US 8250478 B2	21.08.2012
US 2009-0077205 A1	19.03.2009	AU 2002-257754 A1 CN 100531186 C CN 1625877 A DE 60208786 D1 DE 60208786 T2 DE 60229796 D1 EP 1493257 A1 EP 1493257 B1 EP 1650931 A1 EP 1650931 B1 ES 2257543 T3 ES 2317348 T3 IL 163889 A IL 163889 D0 IL 189779 A IL 189779 D0 PT 1493257 E PT 1650931 E US 2005-240940 A1 US 7721294 B2 WO 03-085924 A1	20.10.2003 19.08.2009 08.06.2005 06.04.2006 28.09.2006 18.12.2008 05.01.2005 18.01.2006 26.04.2006 05.11.2008 01.08.2006 16.04.2009 17.02.2010 18.12.2005 17.05.2010 07.08.2008 30.06.2006 13.02.2009 27.10.2005 18.05.2010 16.10.2003
US 2009-0258681 A1	15.10.2009	AT 312468 T CN 1253037 C CN 1349367 A DE 60024632 D1 DE 60024632 T2 EP 1199868 A1 EP 1199868 B1 HU 0104299 A2 HU 0104299 A3 HU 0104299 D0 JP 04008689 B2 JP 2002-237875 A KR 10-0805088 B1 KR 10-2002-0030027 A US 07693515 B2 US 08116768 B2 US 2002-0045465 A1 US 2012-0105461 A1	15.12.2005 19.04.2006 15.05.2002 12.01.2006 10.08.2006 24.04.2002 07.12.2005 29.07.2002 28.08.2003 28.12.2001 14.11.2007 23.08.2002 20.02.2008 22.04.2002 06.04.2010 14.02.2012 18.04.2002 03.05.2012
KR 10-0985068 B1	04.10.2010	None	