



US00D877149S

(12) **United States Design Patent**
Johnston

(10) **Patent No.:** **US D877,149 S**

(45) **Date of Patent:** **** Mar. 3, 2020**

(54) **TOUCH INPUT DEVICE**

(71) Applicant: **JOAN R & D PTY LTD**, Malvern
East, Victoria (AU)

(72) Inventor: **Nicholas Maxwell Johnston**, Fitzroy
(AU)

(73) Assignee: **JOAN R & D PTY LTD** (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/649,514**

(22) Filed: **May 30, 2018**

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**

USPC **D14/388; D14/218**

(58) **Field of Classification Search**

USPC D14/388.356, 357, 358, 361, 362, 365,
D14/367, 370, 432, 434, 203.1, 203.6,
D14/217, 218, 240, 242, 299, 125, 155,
D14/168, 188, 195, 300, 302, 314, 348,
D14/351, 388, 496, 399-401, 412-416,
D14/454-457, 172; D13/123, 162, 162.1,
D13/163, 168, 184, 199; D10/104.1,
D10/106.6, 116.1, 61, 62, 64, 65, 75;
D21/324, 332, 333; D24/167, 168, 186;
D28/8.1, 8.2, 82; D9/545, 549, 428
CPC ... G06F 3/00; G06F 3/01; G06F 3/011; G06F
3/016; G06F 3/017; G06F 3/0304; G06F
3/0346; G06F 3/041; G06F 3/16; G06F
3/0202; G06F 1/1694; G06F 2203/0384;
G08B 21/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D347,584 S * 6/1994 Vogelpohl D10/49
D382,255 S * 8/1997 Moffatt D13/147
D391,943 S * 3/1998 Han D14/356

D391,944 S * 3/1998 Han D14/356
D411,800 S * 7/1999 Kokenge D9/454
D494,633 S * 8/2004 Nussberger D21/324
D502,929 S * 3/2005 Copeland D13/168
D542,280 S * 5/2007 Taylor D14/218
D568,827 S * 5/2008 Ikeda D13/168
D581,927 S * 12/2008 Sumii D14/356
D595,262 S * 6/2009 Nousiainen D14/206
D600,694 S * 9/2009 Sumii D14/356
D642,722 S * 8/2011 Oberpriller D26/67
D647,227 S * 10/2011 Kaule D26/24
D694,182 S * 11/2013 Lee D13/108

(Continued)

Primary Examiner — Marie D. Fast Horse

(74) Attorney, Agent, or Firm — Polsinelli PC

(57)

CLAIM


I claim the ornamental design for a touch input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a touch input device, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a left side elevational view thereof.
FIG. 8 is a perspective view of a second embodiment of the touch input device;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a right side elevational view thereof; and,
FIG. 14 is a left side elevational view thereof.

Broken lines are for illustrating unclaimed portions of the touch input device; the broken lines form no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D877,149 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D707,578 S *	6/2014	Carr	D10/106.1	D783,422 S *	4/2017	Kashimoto	D10/50
D718,234 S *	11/2014	Rautiainen	D13/108	D784,259 S *	4/2017	Huang	D13/108
D720,289 S *	12/2014	Chiang	D13/108	D786,193 S *	5/2017	Akana	D13/108
D724,060 S *	3/2015	Ahn	D14/218	D789,373 S *	6/2017	King	D14/413
D725,524 S *	3/2015	Takach	D10/103	D789,374 S *	6/2017	King	D14/413
D726,161 S *	4/2015	Howard	D14/218	D796,355 S *	9/2017	Cho	D10/70
D729,773 S *	5/2015	Salojarvi	D14/218	D802,022 S *	11/2017	Yao	D14/496
D735,131 S *	7/2015	Akana	D13/108	9,830,005 B2 *	11/2017	Sakaguchi	G06F 3/011
D743,819 S *	11/2015	Golnik	D10/70	D804,533 S *	12/2017	Mangum	D14/496
D743,954 S *	11/2015	Chuang	D13/168	D806,072 S *	12/2017	Gummalla	D14/358
D746,166 S *	12/2015	Li	D10/104.1	D806,711 S *	1/2018	Sakaguchi	D14/388
D750,980 S *	3/2016	Takach	D10/50	D807,867 S *	1/2018	Kato	D14/240
D751,538 S *	3/2016	Koehler	D14/240	D815,149 S *	4/2018	Langhammer	D14/496
D752,588 S *	3/2016	Li	D14/385	D820,238 S *	6/2018	Boshernitzan	D14/218
D753,832 S *	4/2016	Lin	D24/186	D820,318 S *	6/2018	Mullins	D14/496
D760,221 S *	6/2016	Maruyama	D14/357	D822,717 S *	7/2018	Lim	D14/496
D763,830 S *	8/2016	Jones	D14/218	D824,867 S *	8/2018	Kim	D14/125
D764,320 S *	8/2016	Li	D10/50	D827,598 S *	9/2018	Kwon	D14/125
D766,844 S *	9/2016	Turksu	D10/104.1	D829,242 S *	9/2018	Laine	D14/496
D768,631 S *	10/2016	Epstein	D14/388	D830,858 S *	10/2018	Rogers	D10/41
D771,142 S *	11/2016	Langhammer	D14/203.6	D843,419 S *	3/2019	Vaclavik	D14/496
D776,640 S *	1/2017	Simonian	D14/218	D848,398 S *	5/2019	Huang	D14/216
D781,798 S *	3/2017	Klepper	D14/125	D855,586 S *	8/2019	Bang	D14/218
				D856,298 S *	8/2019	Border	D14/150
				D858,463 S *	9/2019	Nien	D13/168
				D864,961 S *	10/2019	Sakaguchi	D14/388

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14