



US00D742106S

(12) **United States Design Patent**  
**Taestensen**

(10) **Patent No.:** **US D742,106 S**

(45) **Date of Patent:** **\*\* Nov. 3, 2015**

(54) **SOLE**

(71) Applicant: **ECCO Sko A/S**, Bredebro (DK)

(72) Inventor: **Niki Taestensen**, Hejls (DK)

(73) Assignee: **ECCO SKO A/S** (DK)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/449,015**

(22) Filed: **Mar. 14, 2013**

(30) **Foreign Application Priority Data**

Sep. 26, 2012 (EM) ..... 002109496-0004

(51) **LOC (10) CL.** ..... **02-04**

(52) **U.S. CL.**  
USPC ..... **D2/957; D2/951; D2/959**

(58) **Field of Classification Search**

USPC ..... D2/902, 906, 908, 916, 918, 925,  
D2/946-962, 977; 36/3 B, 22 R, 24.5, 25 R,  
36/28, 32 R, 34 R, 59 C, 67 A, 103  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |      |         |                 |       |         |
|-----------|------|---------|-----------------|-------|---------|
| D69,441   | S *  | 2/1926  | Church          | ..... | D2/957  |
| D320,884  | S *  | 10/1991 | Brue            | ..... | D2/957  |
| D397,546  | S *  | 9/1998  | Merceron        | ..... | D2/951  |
| 5,901,467 | A *  | 5/1999  | Peterson et al. | ..... | 36/29   |
| D414,020  | S *  | 9/1999  | Manradgh et al. | ..... | D2/944  |
| D426,372  | S *  | 6/2000  | Price           | ..... | D2/908  |
| D496,779  | S *  | 10/2004 | Belley et al.   | ..... | D2/960  |
| 6,860,037 | B1 * | 3/2005  | Norek           | ..... | 36/116  |
| D508,307  | S *  | 8/2005  | Burg et al.     | ..... | D2/953  |
| D530,493  | S *  | 10/2006 | Holmes          | ..... | D2/957  |
| 7,313,875 | B2 * | 1/2008  | Morgan          | ..... | 36/59 C |
| D608,990  | S *  | 2/2010  | Truelsen        | ..... | D2/946  |
| 7,762,008 | B1 * | 7/2010  | Clark et al.    | ..... | 36/3 B  |

|              |      |         |                    |       |         |
|--------------|------|---------|--------------------|-------|---------|
| 7,793,428    | B2 * | 9/2010  | Shenone            | ..... | 36/25 R |
| 7,941,938    | B2 * | 5/2011  | Yu et al.          | ..... | 36/25 R |
| D642,362     | S *  | 8/2011  | Miner              | ..... | D2/957  |
| 8,020,320    | B2 * | 9/2011  | Gillespie          | ..... | 36/102  |
| D659,967     | S *  | 5/2012  | Miner              | ..... | D2/957  |
| D661,077     | S *  | 6/2012  | Lee                | ..... | D2/967  |
| D662,701     | S *  | 7/2012  | Rayse              | ..... | D2/957  |
| D672,543     | S *  | 12/2012 | Williams, Jr.      | ..... | D2/960  |
| D679,901     | S *  | 4/2013  | Rayse              | ..... | D2/960  |
| 8,424,225    | B2 * | 4/2013  | Hazenberg et al.   | ..... | 36/102  |
| 8,505,221    | B2 * | 8/2013  | Gillespie          | ..... | 36/102  |
| 8,656,613    | B2 * | 2/2014  | Stockbridge et al. | ..... | 36/102  |
| D703,931     | S *  | 5/2014  | Bikowski           | ..... | D2/957  |
| 8,752,307    | B2 * | 6/2014  | Cooper et al.      | ..... | 36/102  |
| 8,752,310    | B1 * | 6/2014  | Smith, III         | ..... | 36/137  |
| 8,776,400    | B2 * | 7/2014  | James et al.       | ..... | 36/102  |
| 2008/0229617 | A1 * | 9/2008  | Johnson et al.     | ..... | 36/102  |
| 2008/0244926 | A1 * | 10/2008 | Yu et al.          | ..... | 36/28   |
| 2010/0180474 | A1 * | 7/2010  | Clark et al.       | ..... | 36/3 B  |
| 2011/0078922 | A1 * | 4/2011  | Cavaliere et al.   | ..... | 36/54   |
| 2011/0154688 | A1 * | 6/2011  | Yu et al.          | ..... | 36/28   |
| 2011/0214313 | A1 * | 9/2011  | James et al.       | ..... | 36/103  |

(Continued)

*Primary Examiner* — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP


(57) **CLAIM**

The ornamental design for a sole, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a rear, left-hand side, top perspective view of a sole comprising a new, original and ornamental design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a left-hand side view thereof;  
FIG. 4 is a right-hand side view thereof;  
FIG. 5 is a front view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
Portions shown in broken lines form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D742,106 S

Page 2

(56)

## References Cited

### U.S. PATENT DOCUMENTS

|              |      |         |                    |         |              |      |        |                         |        |
|--------------|------|---------|--------------------|---------|--------------|------|--------|-------------------------|--------|
| 2012/0222332 | A1 * | 9/2012  | Greene et al. .... | 36/103  | 2013/0152428 | A1 * | 6/2013 | Bishop et al. ....      | 36/103 |
| 2012/0324761 | A1 * | 12/2012 | Sills .....        | 36/103  | 2013/0212905 | A1 * | 8/2013 | Hazenberg et al. ....   | 36/28  |
| 2013/0055596 | A1 * | 3/2013  | Wan et al. ....    | 36/25 R | 2014/0013624 | A1 * | 1/2014 | Stockbridge et al. .... | 36/103 |
|              |      |         |                    |         | 2014/0013626 | A1 * | 1/2014 | James et al. ....       | 36/103 |
|              |      |         |                    |         | 2014/0033571 | A1 * | 2/2014 | Gillespie .....         | 36/102 |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7