A. RADWAN.

GARMENT HANGER.

APPLICATION FILED MAY 6, 1914.

1,122,304. Patented Dec. 29, 1914.

Fig. 1.




Fig. 2.




Fig. 3.





Fig. 4.

Fig. 5.



WITNESSES

Samuel Payne.

Mary H. Scolnik

INVENTOR

A. Radwan.

By Henry C. Evert

ATTORNEY

UNITED STATES PATENT OFFICE.

ANDREW RADWAN, OF PASSAIC, NEW JERSEY.

GARMENT-HANGER.

1,122,304. Specification of Letters Patent. Patented Dec. 29, 1914.

Application filed May 6, 1914. Serial No. 836,750.

To all whom it may concern:

Be it known that I, ANDREW RADWAN, a citizen of the United States of America, residing at Passaic, in the county of Passaic and State of New Jersey, have invented certain new and useful Improvements in Garment-Hangers, of which the following is a specification, reference being had therein to the accompanying drawing.

This invention relates to garment hangers, and has for its object to provide a device of such class, in a manner as hereinafter set forth, having independent means for simultaneously supporting a coat, vest and a pair of trousers.

Further objects of the invention are to provide a garment hanger, which is simple in its construction and arrangement, strong, durable, efficient and convenient in its use, readily set up, and comparatively inexpensive to manufacture.

With the foregoing and other objects in view, the invention consists of the novel construction, combination and arrangement of parts as hereinafter set forth and illustrated in the accompanying drawings wherein is shown an embodiment of the invention, but it is to be understood that changes, variation and modifications can be resorted to which come within the scope of the claims hereunto.

In the drawings wherein like reference characters denote corresponding parts throughout the several views: Figure 1 is an elevation of a garment hanger in accordance with this invention, Fig. 2 is a vertical sectional view, Fig. 3 is a section on line X—X Fig. 1, Fig 4 is a perspective view, broken away, of the trouser hanger member, and Fig. 5 is a perspective view broken away of the vest support.

Referring to the drawings in detail, 6 denotes a segment-shaped member employed for supporting a coat and which is of greater width at its center as indicated at 7. Depending from the lower face of the member 6, centrally thereof, is a projection 8 of less thickness than the thickness of the member 6, and said member centrally of each side thereof and centrally with respect to the projection 8 is provided with an inverted V-shaped notch. The notch upon the rear side of the member 6 is indicated at 9 and the notch upon the front side of the member 6 is indicated at 10, and is of greater height than the notch 9. The rear side of the projection 8 centrally thereof, is formed with a vertically disposed oval-shaped recess 11, opening at its lower end. The projection 8 is cut away to provide a shoulder 12 and a bearing surface 13, and the front side of the projection 8 is formed with a vertically disposed oval-shaped recess 14, which is open at its lower end. The front side of the projection 8 is provided with an eye 15, and the rear side of said projection 8 is also provided with an eye 16. Journaled in the projection 8 is a shaft 17 having the ends thereof terminating in hooks 18 and 19, which are adapted to engage in the eyes 16 and 15.

The reference character 20 denotes a segment-shaped member for supporting a vest and which is provided with a hanger member 22, adapted to be positioned in the recess 14 and be maintained through the medium of the hook engaging in the eye 15 as illustrated in Fig. 1. The member 20 when connected with the projection 8 through the medium of a hanger member 22, the hook 18 and eye 15 abuts against the shoulder 12, and is arranged in front of the bearing surface 13.

The trouser support consists of a pair of clamping members 23 and 24, which have their ends connected respectively to the ends of hanger arms 25 and 26. The arms 25 are twisted together, intermediate their ends, as at 27, and the arms 26 are extended centrally thereof and twisted together to provide a hanger member 28. Mounted upon the arms 25 and 26 at each end thereof, is a clamping band 29, which when adjusted toward the members 23 and 34 will clamp the legs of a pair of trousers there between. The hanger member 28 is adapted to be positioned in the recess 11 and be maintained therein, whereby the trouser support will be detachably connected to the projection 8, through the medium of the hook 19 engaging the eye 16. Connected to the member 6, centrally thereof, is a vertically disposed hook 30 for attaching the member 6 to any suitable support.

What I claim is:—

1. A garment hanger comprising a coat support formed with a depending projection having each side provided with a recess, a vest support including a hanger member extending into one of said recesses, a trouser support including a hanger member extending into the other one of said recesses,

and means carried by the projection for detachably connecting said hanger members thereto.

2. A garment hanger comprising a coat support formed with a depending projection having each side provided with a recess, a vest support including a hanger member extending into one of said recesses, a trouser support including a hanger member extending into another one of said recesses, means carried by the projection for detachably connecting said hanger members thereto, comprising a shaft journaled in said projection and provided with a pair of hooks, and a pair of eyes carried by the projection and engaged by said hooks whereby said hanger members are detachably connected to said projection.

In testimony whereof I affix my signature in the presence of two witnesses.

ANDREW RADWAN.

Witnesses:

JOHON FARNALIK,

LAWRINCE KARCICOR.