

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2008226291 B2**

(54) Title
Reoviruses having modified sequences

(51) International Patent Classification(s)
C12N 15/46 (2006.01) **C07K 14/14** (2006.01)
A61K 35/76 (2006.01) **C12N 7/01** (2006.01)
A61P 35/00 (2006.01) **C12N 15/86** (2006.01)

(21) Application No: **2008226291** (22) Date of Filing: **2008.03.14**

(87) WIPO No: **WO08/110004**

(30) Priority Data

(31) Number	(32) Date	(33) Country
60/894,425	2007.03.12	US
60/989,568	2007.11.21	US

(43) Publication Date: **2008.09.18**

(44) Accepted Journal Date: **2014.01.16**

(71) Applicant(s)
ONCOLYTICS BIOTECH INC.

(72) Inventor(s)
Coffey, Matthew C.

(74) Agent / Attorney
Griffith Hack, GPO Box 1285, Melbourne, VIC, 3001

(56) Related Art
DATABASE UniProt [Online] 31 October 2006, Accession no. Q06BD2
DATABASE UniProt [Online] 1 August 1990, Accession no. P:17376
WIENER J.R. et al, Virology, 1989, Vol. 169, pages 194-203
US 6110461 LEE 29/08/2000
US 2006/165724 A1 THOMPSON B.G. et al 27/07/2006
MCCUTCHEON, A.M. et al. Virology, 1999. Vol. 264, pages 16-24
DERMODY, T.S. et al. Journal of Virology, 1991, Vol. 65, pages 5721-5731

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 September 2008 (18.09.2008)

PCT

(10) International Publication Number
WO 2008/110004 A1

(51) International Patent Classification:

C12N 15/46 (2006.01) **C07K 14/14** (2006.01)
A61K 35/76 (2006.01) **C12N 15/86** (2006.01)
A61P 35/00 (2006.01) **C12N 7/01** (2006.01)

(21) International Application Number:

PCT/CA2008/000483

(22) International Filing Date: 11 March 2008 (11.03.2008)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/894,425 12 March 2007 (12.03.2007) US
60/989,568 21 November 2007 (21.11.2007) US

(71) Applicant (for all designated States except US): **ONCOLYTICS BIOTECH INC.** [CA/CA]; Suite 210, 1167 Kensington Crescent N.W., Calgary, Alberta T2N 1X7 (CA).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **COFFEY, Matthew C.** [CA/CA]; 2231 Bowness Road, N.W., Calgary, Alberta T2N 3L4 (CA).

(74) Agent: **TORYS LLP**; Suite 3000, 79 Wellington Street West, Box 270, TD Centre, Toronto, Ontario M5K 1N2 (CA).

(81) Designated States (unless otherwise indicated, for every kind of national protection available):

AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available):

ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))

Published:

- with international search report
- with amended claims and statement
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

(54) Title: REOVIRUSES HAVING MODIFIED SEQUENCES

(57) Abstract: The invention provides for modified reovirus nucleic acid sequences and modified reovirus polypeptide sequences as well as reoviruses containing such modified nucleic acid or polypeptide sequences. The invention also provides for pharmaceutical compositions that include reoviruses having a modified sequence as well as methods of making and using such reoviruses.



WO 2008/110004 A1

REOVIRUSES HAVING MODIFIED SEQUENCES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to U.S. Application No. 60/894,425 filed on March 12, 2007 and U.S. Application No. 60/989,568 filed on November 21, 2007, both of which are incorporated herein by reference.

TECHNICAL FIELD

This invention relates to viruses, and more particularly to reoviruses having modified sequences.

BACKGROUND

The name reovirus derives from an acronym for respiratory and enteric orphan virus, reflecting that the initial isolates came from human respiratory and enteric tracts but were not associated with serious disease. Reoviruses have a double-stranded, segmented RNA genome. The virions measure 60-80 nm in diameter and possess two concentric capsid shells, each of which is icosahedral. The mammalian reovirus genome consists of double-stranded RNA in 10 discrete segments with a total genome size of ~23.5 kbp. The individual RNA segments vary in size.

Three serologically distinct but related types of reovirus have been recovered from mammalian species: type 1 (representative strains include, for example, Lang (T1L)), type 2 (representative strains include, for example, Jones (T2J)) and type 3 (representative strains include, for example, Dearing or Abney (T3D or T3A, respectively)). The three serotypes are easily identifiable on the basis of neutralization and hemagglutinin-inhibition assays (see, for example, Sabin, 1959, *Science*, 130:966; Fields, et al., 1996, *Fundamental Virology*, 3rd Ed., Lippincott-Raven; Rosen, 1960, *Am. J. Hyg.*, 71:242; and Stanley, 1967, *Br. Med. Bull.*, 23:150).

It is to be understood that, if any prior art publication is referred to herein, such reference does not constitute an admission that the publication forms a part of the common general knowledge in the art, in Australia or any other country.

SUMMARY

A first aspect provides an isolated reovirus comprising a lambda-3 polypeptide comprising one or more amino acid modifications selected from the group consisting of a Leu at residue 979, an Arg at residue 1045 or a combination thereof, and optionally one or more further amino acid modifications selected from the group consisting of a Val at residue 214, an Ala at residue 267, a Thr at residue 557, a Lys at residue 755, a Met at residue 756, a Pro at residue 926, a Pro at residue 963, a Val at residue 1071, or any combination thereof, numbered relative to SEQ ID NO:23 (GenBank Accession No. M24734.1).

A second aspect provides an isolated reovirus comprising a mu-1 polypeptide comprising at least one amino acid modification, wherein the at least one amino acid modification comprises an Asp at residue 73 numbered relative to SEQ ID NO:27 (GenBank Accession No. M20161.1).

A third aspect provides an isolated reovirus comprising a mu-2 polypeptide comprising at least one amino acid modification, wherein the at least one amino acid modification comprises a Ser at residue 528 numbered relative to SEQ ID NO:29 (GenBank Accession No. AF461684.1).

A fourth aspect provides an isolated reovirus comprising a L1 genome segment comprising one or more nucleic acid modifications, which is a C at position 2953, and optionally one or more further nucleic acid modifications selected from the group consisting of a T at position 660, a G at position 817, an A at position 1687, a G at position 2283, an ATG at positions 2284-2286, a C at position 2794, a C at position 2905, an A at position 3153, a G at position 3231, numbered relative to SEQ ID NO:22 (GenBank Accession No. M24734.1).

A fifth aspect provides an isolated reovirus comprising a M2 genome segment comprising at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a C at position 248, numbered relative to (SEQ ID NO:26 (GenBank Accession No. M20161.1).

A sixth aspect provides an isolated reovirus comprising a M1 genome segment comprising at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a T at position 1595, numbered relative to SEQ ID NO:28 (GenBank Accession No. AF461684.1).

A seventh aspect provides an isolated polypeptide comprising an amino acid sequence of a reovirus lambda-3 polypeptide, wherein the sequence of the reovirus lambda-3

polypeptide comprises one or more amino acid modifications selected from the group consisting of a Leu at residue 979, an Arg at residue 1045, or a combination thereof, and optionally comprising one or more further amino acid modifications selected from the group consisting of a Val at residue 214, an Ala at residue 267, a Thr at residue 557, a Lys at residue 755, a Met at residue 756, a Pro at residue 926, a Pro at residue 963, a Val at residue 1071, or any combination thereof, numbered relative to SEQ ID NO:23 (GenBank Accession No. M24734.1).

An eighth aspect provides an isolated polypeptide comprising an amino acid sequence of a reovirus mu-1 polypeptide, wherein the sequence of the reovirus mu-1 polypeptide comprises at least one amino acid modification, wherein the at least one amino acid modification comprises an Asp at residue 73 numbered relative to SEQ ID NO:27 (GenBank Accession No. M20161.1).

A ninth aspect provides an isolated polypeptide comprising an amino acid sequence of a reovirus mu-2 polypeptide, wherein the sequence of the reovirus mu-2 polypeptide comprises at least one amino acid modification, wherein the at least one amino acid modification comprises a Ser at residue 528 numbered relative to SEQ ID NO:29 (GenBank Accession No. AF461684.1).

A tenth aspect provides an isolated reovirus comprising one or more of the polypeptides of any one of the seventh to ninth aspects.

An eleventh aspect provides an isolated nucleic acid molecule comprising a nucleic acid sequence of a reovirus L1 genome segment, wherein the nucleic acid sequence of the reovirus L1 genome segment comprises one or more nucleic acid modifications, which is a C at position 2953, and optionally comprising one or more further nucleic acid modifications are selected from the group consisting of a T at position 660, a G at position 817, an A at position 1687, a G at position 2283, an ATG at positions 2284-2286, a C at position 2794, a C at position 2905, an A at position 3153, a G at position 3231, numbered relative to SEQ ID NO:22 (GenBank Accession No. M24734.1).

A twelfth aspect provides an isolated nucleic acid molecule comprising a nucleic acid sequence of a reovirus M1 genome segment, wherein the nucleic acid sequence of the reovirus M1 genome segment comprises at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a T at position 1595, numbered relative to SEQ ID NO:26 (GenBank Accession No. AF461684.1).

5 A thirteenth aspect provides an isolated nucleic acid molecule comprising a nucleic acid sequence of a reovirus M2 genome segment, wherein the nucleic acid sequence of the reovirus M2 genome segment comprises at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a C at position 248, numbered relative to SEQ ID NO:28 (GenBank Accession No. M20161.1).

A fourteenth aspect provides an isolated reovirus comprising one or more of the nucleic acid molecules of any one of the eleventh to thirteenth aspects.

A fifteenth aspect provides an isolated reovirus comprising genomic segments comprising SEQ ID NOs: 1-10.

0 A sixteenth aspect provides an isolated reovirus comprising polypeptides comprising SEQ ID NOs: 11, 12, and 16-21, and at least one of SEQ ID NO: 13 or 14.

A seventeenth aspect provides a pharmaceutical composition comprising the reovirus of any one of the first to sixth, tenth, or fourteenth to sixteenth aspects and a pharmaceutically acceptable carrier.

5 An eighteenth aspect provides a method of treating a proliferative disorder in a patient, comprising:

administering the reovirus of any one of the first to sixth, tenth, or fourteenth to sixteenth aspects or the pharmaceutical composition of the seventeenth aspect to said patient.

0 A nineteenth aspect provides a kit comprising the reovirus of any one of the first to sixth, tenth, or fourteenth to sixteenth aspects, or the pharmaceutical composition of the seventeenth aspect.

A twentieth aspect provides use of the reovirus of any one of the first to sixth, tenth, or fourteenth to sixteenth aspects in the manufacture of a medicament for treating a proliferative disorder in a patient.

25 Disclosed herein are reoviruses having modified nucleic acid and polypeptide sequences. Sequence modifications include, for example, modifications in one or more of the reovirus genome segments. Also provided are pharmaceutical compositions that include reoviruses having a modified sequence as well as methods of using such reoviruses.

30 Disclosed herein is a reovirus that has a lambda-3 polypeptide having one or more amino acid modifications; a sigma-3 polypeptide having one or more amino acid modifications; a mu-1 polypeptide having one or more amino acid modifications; and/or a mu-2 polypeptide having one or more amino acid modifications. Such a reovirus can be, for example, non-naturally occurring. Also disclosed is a reovirus lambda-3 polypeptide having

one or more amino acid modifications; a reovirus sigma-3 polypeptide having one or more amino acid modifications; a reovirus mu-1 polypeptide having one or more amino acid modifications; and/or a reovirus mu-2 polypeptide having one or more amino acid modifications.

By way of example, the one or more amino acid modifications in the lambda-3 polypeptide can be a Val at residue 214, an Ala at residue 267, a Thr at residue 557, a Lys at residue 755, a Met at residue 756, a Pro at residue 926, a Pro at residue 963, a Leu at residue 979, an Arg at residue 1045, a Val at residue 1071, or any combination thereof, numbered relative to GenBank Accession No. M24734.1. It is noted that, when the amino acid sequence is a Val at residue 214 or a Val at residue 1071, the amino acid sequence further includes at least one additional change in the amino acid sequence. In one embodiment, the lambda-3 polypeptide includes the sequence shown in SEQ ID NO:19.

Further by way of example, the one or more amino acid modifications in the sigma-3 polypeptide can be a Leu at residue 14, a Lys at residue 198, or any combination thereof, numbered relative to GenBank Accession No. K02739. It is noted that, when the amino acid sequence is a Leu at residue 14, the amino acid sequence further includes at least one additional change in the amino acid sequence. In one embodiment, the sigma-3 polypeptide includes the sequence shown in SEQ ID NO:15.

Further by way of example, the one or more amino acid modifications in the mu-1 polypeptide can be an Asp at residue 73 numbered relative to GenBank Accession No. M20161.1. In one embodiment, the mu-1 polypeptide includes the sequence shown in SEQ ID NO:17.

Also by way of example, the amino acid modification mu-2 polypeptide can be a Ser at residue 528 numbered relative to GenBank Accession No. AF461684.1. In one embodiment, the mu-2 polypeptide includes the sequence shown in SEQ ID NO:16.

A reovirus as described herein having one or more modifications can further include a reovirus sigma-2 polypeptide. Such a sigma-2 polypeptide can have a Cys at one or more of position 70, 127, 195, 241, 255, 294, 296, or 340, numbered relative to GenBank Accession No. NP_694684.1. In one embodiment, the sigma-2 polypeptide includes the sequence shown in SEQ ID NO:12.

Also disclosed is a reovirus that has a L1 genome segment having one or more nucleic acid modifications; a S4 genome segment having one or more nucleic acid

modifications; a M1 genome segment having one or more nucleic acid modifications; and/or a M2 genome segment having one or more nucleic acid modifications. Such a reovirus can be, for example, non-naturally occurring. In another aspect, the invention provides a L1 genome segment

having one or more nucleic acid modifications; a S4 genome segment having one or more nucleic acid modifications; a M1 genome segment having one or more nucleic acid modifications; and/or a M2 genome segment having one or more nucleic acid modifications.

By way of example, the one or more nucleic acid modifications in the L1 genome segment can be a T at position 660, a G at position 817, an A at position 1687, a G at position 2283, an ATG at positions 2284-2286, a C at position 2794, a C at position 2905, a C at position 2953, an A at position 3153, or a G at position 3231, numbered relative to GenBank Accession No. M24734.1. In one embodiment, the L1 genome segment includes the sequence shown in SEQ ID NO:8.

Further by way of example, the one or more nucleic acid modifications in the S4 genome segment can be an A at position 74 and an A at position 624, numbered relative to GenBank Accession No. K02739. In one embodiment, the S4 genome segment includes the sequence shown in SEQ ID NO:4.

Further by way of example, the nucleic acid modification in the M2 genome segment can be a C at position 248, numbered relative to GenBank Accession No. M20161.1. In one embodiment, the M2 genome segment includes the sequence shown in SEQ ID NO:6.

Also by way of example, the nucleic acid modification in the M1 genome segment can be a T at position 1595, numbered relative to GenBank Accession No. AF461684.1. In one embodiment, the M1 genome segment includes the sequence shown in SEQ ID NO:5.

A reovirus as described herein can include any modification or combination of modifications disclosed herein. In some embodiments, a reovirus as described herein is a reassortant. In certain embodiments, a reovirus as described herein includes genomic segments having the sequences shown in SEQ ID NOs:1-10 or the polypeptides shown in SEQ ID NOs:11, 12, and 16-21, and either or both SEQ ID NO:13 or 14. In one embodiment, a reovirus as disclosed herein is identified as IDAC Accession No. 190907-01.

A reovirus as disclosed herein generally exhibits a growth advantage over a reovirus that does not contain a corresponding modification. Representative growth advantages include, but are not limited to, an increased rate of lysis; an increased size of plaque formation; an increased rate of RNA replication; an increased rate of RNA transcription; an increased rate of translation; an increased rate of virus assembly and/or packaging; an increased number of viral progeny; an increased ability of a reovirus to be taken up by a host cell; an increased or enhanced ability to uncoat; enhanced cell lysis or inducement to cell death including apoptosis, necrosis or autophagy; an enhanced ability to infect, lyse and kill human neoplastic cells lines; decreased immunogenicity in mammalian cells; differential susceptibility to interferon sensitivity; decreased toxicity toward the host; enhanced drug interaction; enhanced radiotherapy interaction; or the ability to release effective tumor epitopes.

A reovirus as described herein can be included, along with a pharmaceutically acceptable carrier, in a pharmaceutical composition. Such pharmaceutical compositions can include, for example, one or more chemotherapeutic agents and/or one or more immunosuppressive agents.

Also disclosed are methods of making an improved reovirus. Such methods generally include the steps of modifying the nucleic acid sequence of the reovirus, and selecting one or more improved reoviruses. In some embodiments, the modifying step includes, for example, mutagenizing the reovirus. Representative types of mutagenesis include, without limitation, site-directed mutagenesis and chemical mutagenesis. In other embodiments, the modifying step includes culturing the reovirus in a human cell line.

An improved reovirus made according to the methods disclosed herein can be selected for an increased rate of lysis; an increased size of plaque formation; an increased rate of RNA replication; an increased rate of RNA transcription; an increased rate of translation; an increased rate of virus assembly and/or packaging; an increased number of viral progeny; an increased ability of a reovirus to be taken up by a host cell; an increased or enhanced ability to uncoat; enhanced cell lysis or inducement to cell death including apoptosis, necrosis or autophagy; an enhanced ability to infect, lyse and kill human neoplastic cells lines; decreased immunogenicity in mammalian cells; differential susceptibility to interferon sensitivity; decreased toxicity toward the host; enhanced drug interaction; enhanced radiotherapy interaction; or the ability to release effective tumor epitopes.

Also disclosed are methods of treating a proliferative disorder in a patient. Such methods generally include administering a modified reovirus as described herein or a pharmaceutical composition containing such a modified reovirus to the patient. The reovirus may be administered in an amount effective to cause oncolysis, and can be administered more than once. Representative routes of administration include, for example, direct injection, intravenously, intravascularly, intrathecally, intramuscularly, subcutaneously, intraperitoneally, topically, orally, rectally, vaginally, nasally, or by inhalation. The methods of treating a proliferative disorder as described herein can be accompanied by one of more procedures such as surgery, chemotherapy, radiation therapy, and immunosuppressive therapy.

Also disclosed is a kit (or article of manufacture) that includes a reovirus having a modified sequence or any combination of genome segments having a modified sequence as disclosed herein. A kit also can include one or more agents as disclosed herein.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described

below. In addition, the materials, methods, and examples are illustrative only and not intended to be limiting. All publications, patent applications, patents, and other references mentioned herein are incorporated by reference in their entirety.

The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the drawings and detailed description, and from the claims.

DESCRIPTION OF DRAWINGS

Figure 1 is the nucleotide sequence of a representative S1 segment (SEQ ID NO:1), S2 segment (SEQ ID NO:2), S3 segment (SEQ ID NO:3) and S4 segment (SEQ ID NO:4).

Figure 2 is the nucleotide sequence of a representative M1 segment (SEQ ID NO:5), M2 segment (SEQ ID NO:6) and M3 segment (SEQ ID NO:7).

Figure 3 is the nucleotide sequence of a representative L1 segment (SEQ ID NO:8), L2 segment (SEQ ID NO:9) and L3 segment (SEQ ID NO:10).

Figure 4 is the amino acid sequence of a representative sigma-1 polypeptide (SEQ ID NO:11), sigma-2 polypeptide (SEQ ID NO:12), sigma-NS polypeptide (putative coding sequence 1, SEQ ID NO:13; putative coding sequence 2, SEQ ID NO:14) and sigma-3 polypeptide (SEQ ID NO:15).

Figure 5 is the amino acid sequence of a representative mu-2 polypeptide (SEQ ID NO:16), mu-1 polypeptide (SEQ ID NO:17) and mu-NS polypeptide (SEQ ID NO:18).

Figure 6 is the amino acid sequence of a representative lambda-3 polypeptide (SEQ ID NO:19), lambda-2 polypeptide (SEQ ID NO:20) and lambda-1 polypeptide (SEQ ID NO:21).

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

This disclosure describes modifications in the nucleotide and amino acid sequence of a reovirus. Such modifications are optionally selected to affect the virus's ability to replicate and/or package itself and, therefore, alter the infectivity and/or rate of replication of a reovirus.

Reovirus Having Modified Sequences and Methods of Making

Any of the genomic segments from any type 3 mammalian orthoreovirus (referred to herein simply as "reovirus") can be modified as disclosed herein. Representative type 3 mammalian orthoreoviruses include, without limitation, Dearing and Abney strains. See, for example, ATCC Accession Nos. VR-232 and VR-824. Reoviruses that can be modified as disclosed herein include

naturally-occurring reoviruses (e.g., isolated from a source in nature such as from a patient) and reassortant reoviruses (see, e.g., U.S. Patent No. 7,163,678).

Representative modifications to the different genomic segments of a reovirus and their manifestations in the encoded polypeptide are shown in Table 1. The modifications shown in Table 1 show modifications (both in the number of modifications and in the non-conservative nature of many of the modifications) in the sequence of segments encoding polypeptides associated with RNA-dependent RNA polymerase, transcriptional activities and/or RNA binding. For example, many of the novel modifications disclosed herein are located in the L1 genome segment. The wild-type L1 genome segment encodes a 1,267 amino acid (142 kDa) protein designated lambda-3. Lambda-3 represents the catalytic subunit of the reovirus RNA-dependent RNA polymerase, which mediates both plus- and minus-strand RNA synthesis within reovirus particles. Further modifications were observed in the M2 genome segment. The wild-type M2 genome segment encodes a 708 amino acid (76 kDa) protein designated mu-1, which is involved in the regulation of particle-bound transcription. In addition, modifications also were observed in the S4 and M1 genomic segments, which encode sigma-3 and mu-2, respectively, and play a role in transcription or single-stranded or double-stranded RNA binding.

Thus, this disclosure provides for L1, S4, M1, M2 or any combination of such genome segments that contain one or more nucleic acid modifications in the respective genome segment. Provided herein is a reovirus L1 genome segment having one or more nucleic acid modifications; a reovirus S4 genome segment having one or more nucleic acid modifications; a reovirus M1 genome segment having one or more nucleic acid modifications; and/or a M2 genome segment having one or more nucleic acid modifications.

A reovirus L1 genome segment has, for example, any combination of one or more of the following nucleotides: a T at position 660, a G at position 817, an A at position 1687, a G at position 2283, an ATG at positions 2284-2286, a C at position 2794, a C at position 2905, a C at position 2953, an A at position 3153, or a G at position 3231 (numbered relative to GenBank Accession No. M24734.1). A reovirus S4 genome segment has, for example, any combination of one or more of the following nucleotides: an A at position 74 or an A at position 624 (numbered relative to GenBank Accession No. K02739). A reovirus M1 genome segment has, for example, a T nucleotide at position 1595 (numbered relative to GenBank Accession No. AF461684.1). A reovirus M2 genome segment has, for example, a C nucleotide at position 248 (numbered relative to GenBank Accession No. M20161.1). The indicated nucleotide at the indicated position represents modifications when compared to other corresponding sequences available in public databases (e.g., GenBank Accession Nos. M24734.1, K02739, AF461684.1, and M20161.1).

A reovirus lambda-3 polypeptide has, for example, any combination of one or more amino acid residues: a Val at residue 214, an Ala at residue 267, a Thr at residue 557, a Lys at residue 755, a Met at residue 756, a Pro at residue 926, a Pro at residue 963, a Leu at residue 979, an Arg at residue 1045, or a Val at residue 1071 (numbered relative to GenBank Accession No. M24734.1).

5 It is noted that, when the polypeptide sequence comprises a Val at residue 214 or a Val at residue 1071, the polypeptide sequence further comprises at least one additional change in the amino acid sequence. A reovirus sigma-3 polypeptide has, for example, any combination of one or more amino acid residues: a Leu at residue 14 or a Lys at residue 198 (numbered relative to GenBank Accession No. K02739). It is noted that, when the polypeptide sequence comprises a Leu at residue 14, the
10 polypeptide sequence further comprises at least one additional change in the amino acid sequence. A reovirus mu-1 polypeptide has, for example, an Asp at residue 73 (numbered relative to GenBank Accession No. AF461684.1). A reovirus mu-2 polypeptide has, for example, a Ser at residue 528 (numbered relative to GenBank Accession No. M20161.1). The indicated amino acid at the indicated position represents modifications when compared to other corresponding sequences in
15 public databases (e.g., GenBank Accession Nos. M24734.1, K02739, AF461684.1, and M20161.1).

As used herein, a “non-naturally occurring” reovirus is a reovirus that has at least one nucleic acid or amino acid modification as compared to wild type sequences derived from, for example, a field isolate (e.g., a patient). “Non-naturally occurring” reovirus refers to a virus which has been manipulated or modified in the laboratory. Such manipulated or modified reoviruses
20 include laboratory strains or mutagenized versions. These versions are distinguishable, in nucleic acid and/or amino acid sequence, from, for example, Dearing and Abney strains (e.g., ATCC VR-824 and VF-232, respectively). Representative modifications to one or more of the genome segments, the encoded polypeptide, or both are disclosed herein. In addition to a genome segment or polypeptide containing one or more of the modifications described herein, a reovirus optionally
25 contains an S2 genome segment, which encodes the sigma-2 polypeptide. A sigma-2 polypeptide, for example, has a Cys at one or more or all of the following positions: 70, 127, 195, 241, 255, 294, 296 or 340 (numbered relative to GenBank Accession No. NP_694684.1).

A modification generally occurs at the nucleic acid level, which may or may not manifest itself in the encoded polypeptide. Modifications to a nucleic acid include, without limitation, single
30 or multiple nucleotide transitions (purine to purine or pyrimidine to pyrimidine) or transversions (purine to pyrimidine or *vice versa*) and single- or multiple-nucleotide deletions or insertions. A modification in a nucleic acid can result in one or more conservative or non-conservative amino acid substitutions in the encoded polypeptide, a shift in the reading frame of translation (“frame-shift”) resulting in an entirely different polypeptide encoded from that point on, a premature stop
35 codon resulting in a truncated polypeptide (“truncation”), or a modification in a reovirus nucleic

acid may not change the encoded polypeptide at all ("silent" or "nonsense"). See, for example, Johnson & Overington, 1993, *J. Mol. Biol.*, 233:716-38; Henikoff & Henikoff, 1992, *Proc. Natl. Acad. Sci. USA*, 89:10915-19; and U.S. Patent No. 4,554,101 for disclosure on conservative and non-conservative amino acid substitutions.

5 Nucleic acids from reovirus particles are isolated, for example, using standard methodologies, which are commercially available. See also, for example, Schiff et al., "Orthoreoviruses and Their Replication," Ch 52, in *Fields Virology*, Knipe & Howley, eds., 2006, Lippincott Williams & Wilkins. As used herein, "isolated" nucleic acids refer to nucleic acids that are substantially separated from other nucleic acids with which they are usually associated. Thus,
10 an "isolated" nucleic acid includes, without limitation, reoviral nucleic acid that is essentially free of non-reoviral (e.g., host cell) nucleic acid, or a reoviral genomic segment that is essentially free of nucleic acid corresponding to other genomic segments. In addition, an isolated nucleic acid includes an engineered nucleic acid such as recombinant or synthetic nucleic acids.

Modifications are generated in the nucleic acid of a reovirus using any number of methods
15 known in the art. For example, site directed mutagenesis can be used to modify a reovirus nucleic acid sequence. One of the most common methods of site-directed mutagenesis is oligonucleotide-directed mutagenesis. In oligonucleotide-directed mutagenesis, an oligonucleotide encoding the desired change(s) in sequence is annealed to one strand of the DNA of interest and serves as a primer for initiation of DNA synthesis. In this manner, the oligonucleotide containing the sequence
20 change is incorporated into the newly synthesized strand. See, for example, Kunkel, 1985, *Proc. Natl. Acad. Sci. USA*, 82:488; Kunkel et al., 1987, *Meth. Enzymol.*, 154:367; Lewis & Thompson, 1990, *Nucl. Acids Res.*, 18:3439; Bohnsack, 1996, *Meth. Mol. Biol.*, 57:1; Deng & Nickoloff, 1992, *Anal. Biochem.*, 200:81; and Shimada, 1996, *Meth. Mol. Biol.*, 57:157.

Other methods are routinely used in the art to introduce a modification into a sequence. For
25 example, modified nucleic acids are generated using PCR or chemical synthesis, or polypeptides having the desired change in amino acid sequence can be chemically synthesized. See, for example, Bang & Kent, 2005, *Proc. Natl. Acad. Sci. USA*, 102:5014-9 and references therein. Selection on a cell type on which reovirus is not usually grown (e.g., human cells) and/or chemical mutagenesis (see, for example, Rudd & Lemay, 2005, *J. Gen. Virology*, 86:1489-97) also can be
30 used to generate modifications in the nucleic acid of a reovirus. For example, the modifications shown in Table 1 were generated by culturing reovirus on human cells (e.g., human embryonic kidney (HEK) 293 cells), which are not typically used in the art of culturing reovirus. In contrast, cells that are commonly used to culture reovirus are described in, for example, Tyler, "Mammalian Reoviruses," Ch 53, page 1731-2, in *Fields Virology*, Knipe & Howley, eds., 2006, Lippincott
35 Williams & Wilkins. The modifications described herein represent an adaptation by the reovirus to

human cells. There was also a selection step at each of these plaque purification steps by selection the largest plaque (triple plaque purification), thus a growth or virulence advantage in these cells.

After one or more modifications have been introduced into a reovirus nucleic acid or polypeptide, virus particles are reconstituted using methods known in the art. See, for example, Schiff et al., "Orthoreoviruses and Their Replication," Ch 52, in *Fields Virology*, Knipe & Howley, eds., 2006, Lippincott Williams & Wilkins; Smith et al., 1969, *Virology*, 39(4):791-810; and U.S. Patent Nos. 7,186,542; 7,049,127; 6,808,916; and 6,528,305. Reoviruses having one or more modifications in their sequence are cultured in, for example, mouse L929 cells or neoplastic cells (e.g., MCF7 (ATCC Accession No. HTB-22), SKBR3 (ATCC Accession No. HTB-30), or MDA MB 468 (ATCC Accession No. HTB 132) cells), and selected based on any number of characteristics that may indicate, for example, a growth advantage over a reovirus that does not contain one or more modifications. Reoviruses are selected following culturing in a cell line (neoplastic or otherwise) and/or following infection of an animal model system.

Such characteristics include, without limitation, an increased rate of lysis; an increased size of plaque formation; an increased rate of RNA replication; an increased rate of RNA transcription; an increased rate of translation; an increased rate of virus assembly and/or packaging; an increased number of viral progeny; an increased ability of a reovirus to be taken up by a host cell; an increased or enhanced ability to uncoat; enhanced cell lysis or inducement to cell death including apoptosis, necrosis or autophagy; an enhanced ability to infect, lyse and kill human neoplastic cell lines; decreased immunogenicity in mammalian cells; differential susceptibility to interferon sensitivity; decreased toxicity toward the host; enhanced drug interaction; enhanced radiotherapy interaction; or the ability to release effective tumor epitopes. Additionally, reoviruses having a modified sequence are selected, for example, for the ability to lytically infect a mammalian cell having an active Ras pathway. See, for example, U.S. Patent No. 7,052,832.

Reovirus particles are obtained using any number of methods known in the art. For example, reoviruses are cultured in L929 mouse fibroblast cells or human cells (e.g., HEK 293), and the viral particles purified using standard methodology. See, for example, Schiff et al., "Orthoreoviruses and Their Replication," Ch 52, in *Fields Virology*, Knipe & Howley, eds., 2006, Lippincott Williams & Wilkins; Smith et al., 1969, *Virology*, 39(4):791-810; and U.S. Patent Nos. 7,186,542; 7,049,127; 6,808,916; and 6,528,305. As used herein, "purified" viral particles refers to virus particles that have been substantially separated from cellular components that naturally accompany it. Typically, virus particles are considered "purified" when they are at least 70% (e.g., at least 75%, 80%, 85%, 90%, 95%, or 99%) by dry weight, free from the proteins and other cellular components with which the viruses are naturally associated.

A reovirus having the nucleic acid sequence shown in Figures 1, 2 and 3 (SEQ ID NOs: 1-10) and the amino acid sequence shown in Figures 4, 5, and 6 (SEQ ID NOs: 11-21), which contain the nucleotide and amino acid modifications shown in Table 1, was deposited with the International Depositary Authority of Canada (IDAC, National Microbiology Laboratory, Public Health Agency of Canada, 1015 Arlington St., Winnipeg, Manitoba Canada R3E 3R2) on September 19, 2007, and assigned Accession No. 190907-01. This deposit will be maintained under the terms of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purposes of Patent Procedure. This deposit is exemplary and was made merely as a convenience for those of skill in the art and is not an admission that a deposit is required for patentability (e.g., under 35 U.S.C. §112).

Methods of Using Reoviruses Having Modified Sequences

As described previously (see, for example, U.S. Patent Nos. 6,110,461; 6,136,307; 6,261,555; 6,344,195; 6,576,234; and 6,811,775), reoviruses use a host cell's Ras pathway machinery to downregulate double-stranded RNA-activated protein kinase (PKR) and thus replicate in the cell. Based upon these discoveries, methods have been developed for using reovirus to treat proliferative disorders in mammals. Representative mammals include mice, dogs, cats, sheep, goats, cows, horses, pigs, non-human primates, and humans. As used herein, a "patient" includes any mammal with a proliferative disorder.

A "proliferative disorder" is any cellular disorder in which the cells proliferate more rapidly than normal tissue growth. Thus a "proliferating cell" is a cell that is proliferating more rapidly than normal cells. A proliferative disorder includes, but is not limited to, neoplasms, which are also referred to as tumors. A neoplasm includes, but is not limited to, pancreatic cancer, breast cancer, brain cancer (e.g., glioblastoma), lung cancer, prostate cancer, colorectal cancer, thyroid cancer, renal cancer, adrenal cancer, liver cancer, neurofibromatosis, and leukemia. A neoplasm includes a solid neoplasm (e.g. sarcoma or carcinoma) or a cancerous growth affecting the hematopoietic system (e.g., lymphoma or leukemia). Other proliferative disorders include, but are not limited to neurofibromatosis.

Generally, in proliferative disorders for which reovirus is used as a treatment, at least some of the proliferating cells have a mutation in which the Ras gene (or an element of the Ras signaling pathway) is activated, either directly (e.g., by an activating mutation in Ras) or indirectly (e.g., by activation of an upstream or downstream element in the Ras pathway). Activation of an upstream element in the Ras pathway includes, for example, transformation with epidermal growth factor receptor (EGFR) or Sos. See, for example, Wiessmuller & Wittinghofer, 1994, *Cellular Signaling*, 6(3):247-267; and Barbacid, 1987, *Ann. Rev. Biochem.*, 56, 779-827. Activation of a downstream

element in the Ras pathway includes, for example, a mutation within B-Raf. See, for example, Brose et al., 2002, *Cancer Res.*, 62:6997-7000. In addition, reovirus is useful for treating proliferative disorders caused by mutations or dysregulation of PKR. See, for example, Strong et al., 1998, *EMBO J.*, 17:3351-662.

5 A reovirus having a modified sequence as disclosed herein is administered to a mammal that has a proliferative disorder. As used herein, administration refers to delivery of a reovirus such that the reovirus contacts the proliferating cells. The route by which a reovirus is administered depends on the type of disorder and the location of the proliferating cells. A wide variety of administration routes can be employed. For example, for a solid neoplasm that is accessible, a reovirus is
10 administered by direct injection. For a hematopoietic neoplasm, for example, a reovirus is administered intravenously or intravascularly. For certain neoplasms, e.g., those not easily accessible within the body such as metastases or brain tumors, a reovirus is administered in a manner such that it is transported systemically through the body of the mammal to thereby reach the neoplasm (e.g., intrathecally, intravenously, intramuscularly, subcutaneously, or intra-
15 peritoneally). A reovirus also is administered locally including, for example, topically (e.g., for melanoma), orally (e.g., for oral or esophageal neoplasm), rectally (e.g., for colorectal neoplasm), vaginally (e.g., for cervical or vaginal neoplasm), nasally or by inhalation (e.g., for lung neoplasm). A reovirus is optionally administered by more than one route and/or to more than one location in an individual.

20 Targeted administration may be used to administer a reovirus. For example, dendritic cells containing a reovirus may be administered to a subject. See, for example, US Publication No. 2008/0014183. In another example of targeted delivery, carrier cells may be used to target cells of a proliferative disorder and prevent immune recognition of a reovirus which they carry. See, for example, Qiao et al., 2008, *Nature Med.*, 14:37-44; and WO 2008/009115.

25 A reovirus having a modified sequence as disclosed herein is administered in an amount that is sufficient to treat the proliferative disorder (e.g., an "effective amount"). A proliferative disorder is "treated" when administration of a reovirus having a modified sequence to proliferating cells affects one or more symptoms or clinical signs of the disorder including, e.g., increasing lysis (e.g., "oncolysis") of the cells, reducing the number of proliferating cells, reducing the size or
30 progression of a neoplasm, reducing pain associated with the neoplasm, as compared to the signs or symptoms in the absence of the treatment. As used herein, the term "oncolysis" means at least 10% of the proliferating cells are lysed (e.g., at least 20%, 30%, 40%, 50%, or 75% of the cells are lysed). The percentage of lysis can be determined, for example, by measuring the reduction in the size of a neoplasm or in the number of proliferating cells in a mammal, or by measuring the amount
35 of lysis of cells *in vitro* (e.g., from a biopsy of the proliferating cells).

An effective amount of a reovirus having a modified sequence is determined on an individual basis and is based, at least in part, on the particular reovirus used; the individual's size, age, gender; and the size and other characteristics of the proliferating cells. For example, for treatment of a human, approximately 10^3 to 10^{12} plaque forming units (PFU) of a reovirus is used, depending on the type, size and number of proliferating cells or neoplasms present. The effective amount can be from about 1.0 PFU/kg body weight to about 10^{15} PFU /kg body weight (e.g., from about 10^2 PFU /kg body weight to about 10^{13} PFU /kg body weight). A reovirus is administered in a single dose or in multiple doses (e.g., two, three, four, six, or more doses). Multiple doses are administered concurrently or consecutively (e.g., over a period of days or weeks). Treatment with a reovirus having a modified sequence lasts from several days to several months or until diminution of the disease is achieved.

It is contemplated that a reovirus having a modified sequence as disclosed herein is optionally administered in conjunction with surgery or removal of proliferating cells (e.g., a neoplasm). It also is contemplated that a reovirus having a modified sequence is optionally administered in conjunction with or in addition to radiation therapy. It is further contemplated that a reovirus having a modified sequence is optionally administered in conjunction with or in addition to known anticancer compounds, chemotherapeutic agents, and/or immunosuppressive agents. Such agents, include, but are not limited to, 5-fluorouracil, mitomycin C, methotrexate, hydroxyurea, gemcitabine, cyclophosphamide, dacarbazine, mitoxantrone, anthracyclins (Epirubicin, Irinotecan, and Doxorubicin), antibodies to receptors such as herceptin, topoisomerase inhibitors such as etoposide or camptothecin, pregnasome, platinum compounds such as carboplatin and cisplatin, taxanes such as taxol and taxotere, hormone therapies such as tamoxifen and anti-estrogens, interleukins, interferons, aromatase inhibitors, progestational agents, LHRH analogs, mTOR inhibitors (e.g., rapamycin and derivatives thereof; see, for example, Homicsko et al., 2005, *Cancer Res.*, 65:6882-90; and Rao et al., 2004, *Curr. Cancer Drug Targets*, 4:621-35), and combinations thereof.

It is further contemplated that a reovirus having a modified sequence is administered in conjunction with an agent that can increase endothelial permeability and/or decrease interstitial fluid pressure. Such agents include, for example, TNF- α . See, for example, Sacchi et al., 2006, *Clin. Cancer Res.*, 12:175-182. It is contemplated that a reovirus having a modified sequence can be administered in conjunction with any combination of the therapies and agents described herein.

Pharmaceutical Compositions

Pharmaceutical compositions that include one or more reoviruses, at least one of which has a modified sequence as described herein, are provided. See, for example, U.S. Patent No.

6,576,234. In addition to one or more reoviruses, at least one of which has a modified sequence, a pharmaceutical composition typically includes a pharmaceutically acceptable carrier. A pharmaceutically acceptable carrier includes a solid, semi-solid, or liquid material that acts as a vehicle, carrier or medium for the reovirus. Thus, for example, compositions containing a reovirus having a modified sequence are in the form of tablets, pills, powders, lozenges, sachets, cachets, elixirs, suspensions, emulsions, solutions, syrups, aerosols (as a solid or in a liquid medium), ointments containing, for example, up to 10% by weight of the active compound, soft and hard gelatin capsules, suppositories, sterile injectable solutions, and sterile packaged powders.

Some examples of suitable carriers include phosphate-buffered saline or another physiologically acceptable buffer, lactose, dextrose, sucrose, sorbitol, mannitol, starches, gum acacia, calcium phosphate, alginates, tragacanth, gelatin, calcium silicate, microcrystalline cellulose, polyvinylpyrrolidone, cellulose, sterile water, syrup, and methyl cellulose. A pharmaceutical composition additionally can include, without limitation, lubricating agents such as talc, magnesium stearate, and mineral oil; wetting agents; emulsifying and suspending agents; preserving agents such as methyl- and propylhydroxy-benzoates; sweetening agents; and flavoring agents. Pharmaceutical compositions of the invention can be formulated to provide quick, sustained or delayed release of a reovirus having a modified sequence after administration by employing procedures known in the art. In addition to the representative formulations described below, other suitable formulations for use in a pharmaceutical composition are found in *Remington: The Science and Practice of Pharmacy* (2003, Gennaro & Gennaro, eds., Lippincott Williams & Wilkens).

For preparing solid compositions such as tablets, a reovirus having a modified sequence is mixed with a pharmaceutical carrier to form a solid composition. Optionally, tablets or pills are coated or otherwise compounded to provide a dosage form affording the advantage of prolonged action. For example, a tablet or pill comprises an inner dosage and an outer dosage component, the latter being in the form of an envelope over the former. The two components, for example, are separated by an enteric layer which serves to resist disintegration in the stomach and permit the inner component to pass intact into the duodenum or to be delayed in release. A variety of materials are used for such enteric layers or coatings, such materials including a number of polymeric acids and mixtures of polymeric acids with such materials as shellac, cetyl alcohol, and cellulose acetate.

Liquid formulations that include a reovirus having a modified sequence for oral administration or for injection generally include aqueous solutions, suitably flavored syrups, aqueous or oil suspensions, and flavored emulsions with edible oils such as corn oil, cottonseed oil, sesame oil, coconut oil, or peanut oil, as well as elixirs and similar pharmaceutical vehicles.

Compositions for inhalation or insufflation include solutions and suspensions in pharmaceutically acceptable, aqueous or organic solvents, or mixtures thereof, and powders. These liquid or solid compositions optionally contain suitable pharmaceutically acceptable excipients as described herein. Such compositions are administered, for example, by the oral or nasal respiratory route for local or systemic effect. Compositions in pharmaceutically acceptable solvents are nebulized by use of inert gases. Nebulized solutions are inhaled, for example, directly from the nebulizing device, from an attached face mask tent, or from an intermittent positive pressure breathing machine. Solution, suspension, or powder compositions are administered, orally or nasally, for example, from devices which deliver the formulation in an appropriate manner.

Another formulation that is employed in the methods taught herein employs transdermal delivery devices ("patches"). Such transdermal patches are used to provide continuous or discontinuous infusion of a reovirus having a modified sequence. The construction and use of transdermal patches for the delivery of pharmaceutical agents are performed according to methods known in the art. See, for example, U.S. Patent No. 5,023,252. Such patches are constructed for continuous, pulsatile, or on-demand delivery of a reovirus having a modified sequence.

A reovirus having a modified sequence is optionally chemically or biochemically pretreated (e.g., by treatment with a protease such as chymotrypsin or trypsin) prior to administration (e.g., prior to inclusion in the pharmaceutical composition). Pretreatment with a protease removes the outer coat or capsid of the virus and can be used to increase the infectivity of the virus.

Additionally or alternatively, a reovirus having a modified sequence is coated in a liposome or micelle to reduce or prevent an immune response in a mammal that has developed immunity toward a reovirus. Such reoviruses are referred to as "immunoprotected reoviruses." See, for example, U.S. Patent Nos. 6,565,831 and 7,014,847.

A reovirus having a modified sequence or a pharmaceutical composition comprising such a reovirus can be packaged into a kit. It is contemplated that a kit optionally includes one or more chemotherapeutic agents and/or immunosuppressive agents (e.g., anti-antireovirus antibodies). A pharmaceutical composition, for example, is formulated in a unit dosage form. The term "unit dosage forms" refers to physically discrete units suitable as unitary dosages for human subjects and other mammals, each unit containing a predetermined quantity of a reovirus having a modified sequence calculated to produce the desired therapeutic effect in association with a suitable pharmaceutically acceptable carrier.

In accordance with the present invention, there may be employed conventional molecular biology, microbiology, biochemical, and recombinant DNA techniques within the skill of the art.

Such techniques are explained fully in the literature. The invention will be further described in the following examples, which do not limit the scope of the invention described in the claims.

EXAMPLES

5 Example 1—Sequencing and Analysis

Cultures for production of reovirus were initiated from a suspension-adapted HEK 293 S Master Cell Bank (MCB). HEK 293 cells were maintained in Serum Free Medium (HEK 293 SFM II) supplemented with L-glutamine. HEK 293 cells were expanded and seeded into three 15 L spinner flasks, and further expanded until there was 12 L in each of the three flasks. Infection of
10 the HEK 293 cells by reovirus was performed by direct inoculation of the virus into the cell culture. The virus was harvested when the viability of the HEK 293 S cells had decreased by 20-50% post-infection. The virus material from all three spinners was pooled in a single sterile container and agitated to create a homogeneous mixture. Three liters of the pooled cell suspension was removed, transferred to conical tubes, and centrifuged at ~3000 rpm for 15 minutes. The cells were then
15 resuspended with 100 mL of clarified conditioned medium, snap frozen in an alcohol-dry ice bath three times, and then filled into sterile, labeled cryovials for use as a seed stock.

A viral stock was prepared by performing a three-time plaque purification. Adherent HEK 293 S cells were plated onto 6-well tissue culture plates, infected with the seed stock described above, and two of the largest plaques were picked. These two plaques were separately amplified
20 and harvested and two of the largest plaques were picked again. This procedure was repeated again for a total of three times. Of the two plaques, one was selected as seed stock for subsequent expansions.

Cultures were initiated from the same suspension adapted HEK 293 S MCB described above and were maintained in the same HEK 293 Serum Free Medium (HEK 293 SFM II)
25 supplemented with L-glutamine. Cells were expanded from T-flasks up to multiple 3 L spinner flasks. The infection was performed by first diluting the plaque-purified virus in HEK 293 SFM media and then adding 8 to 12 mL of the diluted virus into the cell culture. The virus was harvested when the viability of the HEK 293 S cells had decreased by 20-50% following infection, and microscopic examination of each of the spinners confirmed the lack of microbial contamination and
30 that a cytopathic effect (CPE) was present in the cells. CPE was indicated by cells having a swollen and granular appearance. The material from the spinners was pooled in a single sterile container, agitated to create a homogeneous mixture, and a bulk harvest sample removed. The remaining pooled cell suspension was transferred to conical tubes and centrifuged at ~3000 rpm for 15 minutes. The cells were then resuspended with 400 mL of clarified conditioned medium, and

the concentrated cell suspension was snap-frozen in an alcohol-dry ice bath three times to lyse the cells and then filled into sterile, labeled cryovials for use in sequencing reactions.

Both RNA strands were sequenced from both directions, and the sequence of each of the 10 genomic segments was assembled from the overlapping contigs. The assembled sequence of each genomic segment was used in a BLAST search of the NCBI database (ncbi.nlm.nih.gov on the World Wide Web). Alignments with three or four different reovirus sequences found in the NCBI database were examined and the alignment having the highest amount of homology was used for further analysis. The polymorphisms or modifications compared to other reported sequences are shown in Table 1. Those modifications that are unique to the selected reovirus strain are indicated with an asterisk in Table 1.

Table 1. Modifications Identified

Genomic Segment	Position (nucleotide; amino acid)	Published Sequence (nucleotide; amino acid)	Novel Polymorphism (nucleotide; amino acid)
S1		GenBank Accession No. M10262.1	SEQ ID NO:1
	499; 163	A; Thr	T; Ser
S3		GenBank Accession No. X01627.1	SEQ ID NO:3
	1057; 344	T; <i>Leu</i>	C; <i>Leu</i>
S4		GenBank Accession No. K02739	SEQ ID NO:4
*	74; 14	G; <i>Leu</i>	A; <i>Leu</i>
*	624; 198	G; Glu	A; Lys
	719; 229	G; Glu	T; Asp
M1		GenBank Accession No. AF461684.1	SEQ ID NO:5
	1129; 372	G; Met	T; Ile
*	1595; 528	G; Ala	T; Ser
M2		GenBank Accession No. M20161.1	SEQ ID NO:6
*	248; 73	A; Glu	C; Asp
	302; 91	G; <i>Ala</i>	C; <i>Ala</i>
	303; 92	C; <i>Leu</i>	T; <i>Leu</i>
	305; 92	T; <i>Leu</i>	G; <i>Leu</i>
	709-10; 227	CG; Thr	GC; Ser
	1173; 382	T; <i>Leu</i>	C; <i>Leu</i>
L1		GenBank Accession No. M24734.1	SEQ ID NO:8
*	660; 214	A; <i>Val</i>	T; <i>Val</i>
*	817; 267	T; Ser	G; Ala
*	1687; 557	C; Pro	A; Thr
*	2283; 755	C; Asn	G; Lys
*	2284-6; 756	GAT; Asp	ATG; Met
*	2794; 926	A; Thr	C; Pro

*	2794; 926	A; Thr	C; Pro
*	2905; 963	T; Ser	C; Pro
*	2953; 979	A; Met	C; Leu
*	3153; 1045	C; Ser	A; Arg
*	3231; 1071	T; <i>Val</i>	G; <i>Val</i>
L2		GenBank Accession No. J03488.1	SEQ ID NO:9
	1838-40; 609	TTT; Phe	GGG; Gly
	3703; 1230	A; <i>Leu</i>	G; <i>Leu</i>
L3		GenBank Accession No. AF129822	SEQ ID NO:10
	1512; 500	T; Ile	G; Ser
	2569; 852	G; Gln	T; His

* designates unique modifications; italicized residues indicate silent modifications; position numbers are with respect to the indicated GenBank Accession No.

It is to be understood that while the invention has been described in conjunction with the detailed description thereof, the foregoing description is intended to illustrate and not limit the scope of the invention, which is defined by the scope of the appended claims. Other aspects, advantages, and modifications are within the scope of the following claims.

Disclosed are materials, compositions, and components that can be used for, can be used in conjunction with, can be used in preparation for, or are products of the disclosed method and compositions. These and other materials are disclosed herein, and it is understood that when combinations, subsets, interactions, groups, etc. of these materials are disclosed that while specific reference of each various individual and collective combinations and permutation of these compounds may not be explicitly disclosed, each is specifically contemplated and described herein. For example, if a particular modification of a reovirus or treatment regime is disclosed and discussed and a number of modifications that can be made to the reovirus or regime are discussed, each and every combination and permutation of the reovirus and the regime are specifically contemplated unless specifically indicated to the contrary. Likewise, any subset or combination of these is also specifically contemplated and disclosed.

In the claims which follow and in the preceding description of the invention, except where the context requires otherwise due to express language or necessary implication, the word “comprise” or variations such as “comprises” or “comprising” is used in an inclusive sense, i.e. to specify the presence of the stated features but not to preclude the presence or addition of further features in various embodiments of the invention.

CLAIMS:

1. An isolated reovirus comprising a lambda-3 polypeptide comprising one or more amino acid modifications selected from the group consisting of a Leu at residue 979, an Arg at residue 1045 or a combination thereof, and optionally one or more further amino acid modifications selected from the group consisting of a Val at residue 214, an Ala at residue 267, a Thr at residue 557, a Lys at residue 755, a Met at residue 756, a Pro at residue 926, a Pro at residue 963, a Val at residue 1071, or any combination thereof, numbered relative to SEQ ID NO:23 (GenBank Accession No. M24734.1).
2. The reovirus of claim 1, wherein the lambda-3 polypeptide comprises SEQ ID NO:18.
3. The reovirus of claim 1 or claim 2, further comprising a sigma-3 polypeptide comprising one or more amino acid modifications, wherein the one or more amino acid modifications are selected from the group consisting of a Leu at residue 14, a Lys at residue 198, or any combination thereof, in SEQ ID NO:25 (GenBank Accession No. K02739), wherein when the amino acid sequence comprises a Leu at residue 14, the amino acid sequence further comprises at least one additional modification in the amino acid sequence.
4. The reovirus of claim 3, wherein the sigma-3 polypeptide comprises SEQ ID NO:14.
5. An isolated reovirus comprising a mu-1 polypeptide comprising at least one amino acid modification, wherein the at least one amino acid modification comprises an Asp at residue 73 numbered relative to SEQ ID NO:27 (GenBank Accession No. M20161.1).
6. The reovirus of claim 5, wherein the mu-1 polypeptide comprises SEQ ID NO:17.
7. An isolated reovirus comprising a mu-2 polypeptide comprising at least one amino acid modification, wherein the at least one amino acid modification comprises a Ser at residue 528 numbered relative to SEQ ID NO:29 (GenBank Accession No. AF461684.1).

8. The reovirus of claim 7, wherein the mu-2 polypeptide comprises SEQ ID NO:16.
9. The reovirus of any one of claims 1, 3, 5 or 7, where the reovirus further comprises a reovirus sigma-2 polypeptide.
10. The reovirus of claim 9, wherein the sigma-2 polypeptide comprises a Cys at one or more of position 70, 127, 195, 241, 255, 294, 296, or 340, numbered relative to SEQ ID NO:30 (GenBank Accession No. NP_694684.1).
11. The reovirus of claim 10, wherein the sigma-2 polypeptide comprises SEQ ID NO:12.
12. The reovirus of any one of claims 1 to 11, wherein the reovirus is a reassortant.
13. An isolated reovirus comprising a L1 genome segment comprising one or more nucleic acid modifications, which is a C at position 2953, and optionally one or more further nucleic acid modifications selected from the group consisting of a T at position 660, a G at position 817, an A at position 1687, a G at position 2283, an ATG at positions 2284-2286, a C at position 2794, a C at position 2905, an A at position 3153, a G at position 3231, numbered relative to SEQ ID NO:22 (GenBank Accession No. M24734.1).
14. The reovirus of claim 13, wherein the L1 genome segment comprises SEQ ID NO:8.
15. The reovirus of claim 13 or claim 14, further comprising a S4 genome segment having one or more nucleic acid modifications, wherein the one or more nucleic acid modifications in the S4 genome segment are selected from the group consisting of an A at position 74 and an A at position 624, numbered relative to SEQ ID NO:24 (GenBank Accession No. K02739).

16. The reovirus of claim 15, wherein the S4 genome segment comprises SEQ ID NO:4.
17. An isolated reovirus comprising a M2 genome segment comprising at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a C at position 248, numbered relative to (SEQ ID NO:26 (GenBank Accession No. M20161.1)).
18. The reovirus of claim 17, wherein the M2 genome segment comprises SEQ ID NO:6.
19. An isolated reovirus comprising a M1 genome segment comprising at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a T at position 1595, numbered relative to SEQ ID NO:28 (GenBank Accession No. AF461684.1).
20. The reovirus of claim 19, wherein the M1 genome segment comprises SEQ ID NO:5.
21. The reovirus of any one of claims 13 to 20, wherein the reovirus is a reassortant.
22. An isolated polypeptide comprising an amino acid sequence of a reovirus lambda-3 polypeptide, wherein the sequence of the reovirus lambda-3 polypeptide comprises one or more amino acid modifications selected from the group consisting of a Leu at residue 979, an Arg at residue 1045, or a combination thereof, and optionally comprising one or more further amino acid modifications selected from the group consisting of a Val at residue 214, an Ala at residue 267, a Thr at residue 557, a Lys at residue 755, a Met at residue 756, a Pro at residue 926, a Pro at residue 963, a Val at residue 1071, or any combination thereof, numbered relative to SEQ ID NO:23 (GenBank Accession No. M24734.1).
23. The polypeptide of claim 22, wherein the lambda-3 polypeptide comprises SEQ ID NO:19.

24. The polypeptide of claim 22 or claim 23, further comprising an amino acid sequence of a reovirus sigma-3 polypeptide, wherein the sequence of the reovirus sigma-3 polypeptide comprises one or more amino acid modifications, wherein the one or more amino acid modifications are selected from the group consisting of a Leu at residue 14, a Lys at residue 198, or any combination thereof, numbered relative to SEQ ID NO:25 (GenBank Accession No. K02739), wherein when the amino acid sequence comprises a Leu at residue 14, the amino acid sequence further comprises at least one additional change in the amino acid sequence.

25. The polypeptide of claim 24, wherein the sigma-3 polypeptide comprises SEQ ID NO:15.

26. An isolated polypeptide comprising an amino acid sequence of a reovirus mu-1 polypeptide, wherein the sequence of the reovirus mu-1 polypeptide comprises at least one amino acid modification, wherein the at least one amino acid modification comprises an Asp at residue 73 numbered relative to SEQ ID NO:27 (GenBank Accession No. M20161.1).

27. The polypeptide of claim 26, wherein the mu-1 polypeptide comprises SEQ ID NO:17.

28. An isolated polypeptide comprising an amino acid sequence of a reovirus mu-2 polypeptide, wherein the sequence of the reovirus mu-2 polypeptide comprises at least one amino acid modification, wherein the at least one amino acid modification comprises a Ser at residue 528 numbered relative to SEQ ID NO:29 (GenBank Accession No. AF461684.1).

29. The polypeptide of claim 28, wherein the mu-2 polypeptide comprises SEQ ID NO:16.

30. An isolated reovirus comprising one or more of the polypeptides of any one of claims 22 to 29.

31. The reovirus of claim 30, further comprising a sigma-2 polypeptide comprising a Cys at one or more of position 70, 127, 195, 241, 255, 294, 296, or 340, numbered relative to SEQ ID NO:30 (GenBank Accession No. NP_694684.1).
32. The reovirus of claim 31, wherein the sigma-2 polypeptide comprises SEQ ID NO:12.
33. The reovirus of any one of claims 30 to 32, wherein the reovirus is a reassortant.
34. An isolated nucleic acid molecule comprising a nucleic acid sequence of a reovirus L1 genome segment, wherein the nucleic acid sequence of the reovirus L1 genome segment comprises one or more nucleic acid modifications, which is a C at position 2953, and optionally comprising one or more further nucleic acid modifications are selected from the group consisting of a T at position 660, a G at position 817, an A at position 1687, a G at position 2283, an ATG at positions 2284-2286, a C at position 2794, a C at position 2905, an A at position 3153, a G at position 3231, numbered relative to SEQ ID NO:22 (GenBank Accession No. M24734.1).
35. The nucleic acid molecule of claim 34, wherein the L1 genome segment comprises SEQ ID NO:8.
36. The nucleic acid molecule of claim 34 or claim 35, further comprising a nucleic acid sequence of a reovirus S4 genome segment, wherein the nucleic acid sequence of the reovirus S4 genome segment comprises one or more nucleic acid modifications, wherein the one or more nucleic acid modifications are selected from the group consisting of an A at position 74 and an A at position 624, numbered relative to SEQ ID NO:24 (GenBank Accession No. K02739).
37. The nucleic acid molecule of claim 36, wherein the S4 genome segment comprises SEQ ID NO:4.

38. An isolated nucleic acid molecule comprising a nucleic acid sequence of a reovirus M1 genome segment, wherein the nucleic acid sequence of the reovirus M1 genome segment comprises at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a T at position 1595, numbered relative to SEQ ID NO:26 (GenBank Accession No. AF461684.1).

39. The nucleic acid molecule of claim 38, wherein the M1 genome segment comprises SEQ ID NO:5.

40. An isolated nucleic acid molecule comprising a nucleic acid sequence of a reovirus M2 genome segment, wherein the nucleic acid sequence of the reovirus M2 genome segment comprises at least one nucleic acid modification, wherein the at least one nucleic acid modification comprises a C at position 248, numbered relative to SEQ ID NO:28 (GenBank Accession No. M20161.1).

41. The nucleic acid of claim 40, wherein the M2 genome segment comprises SEQ ID NO:6.

42. An isolated reovirus comprising one or more of the nucleic acid molecules of any one of claims 34 to 41.

43. The reovirus of claim 42, wherein the reovirus is a reassortant.

44. An isolated reovirus comprising genomic segments comprising SEQ ID NOs: 1-10.

45. An isolated reovirus comprising polypeptides comprising SEQ ID NOs: 11, 12, and 16-21, and at least one of SEQ ID NO: 13 or 14.

46. The reovirus of claim 44 or claim 45 having IDAC Accession No. 190907-01.

47. The reovirus of any one of claims 1 to 21, 30 to 33, or 42 to 46, wherein the reovirus exhibits a growth advantage over a reovirus that does not contain a modification.

48. The reovirus of claim 47, wherein the growth advantage is selected from the group consisting of an increased rate of lysis; an increased size of plaque formation; an increased rate of RNA replication; an increased rate of RNA transcription; an increased rate of translation; an increased rate of virus assembly and/or packaging; an increased number of viral progeny; an increased ability of a reovirus to be taken up by a host cell; an increased or enhanced ability to uncoat; enhanced cell lysis or inducement to cell death including apoptosis, necrosis or autophagy; an enhanced ability to infect, lyse and kill human neoplastic cells lines; decreased immunogenicity in mammalian cells; differential susceptibility to interferon sensitivity; decreased toxicity toward the host; enhanced drug interaction; enhanced radiotherapy interaction; or the ability to release effective tumor epitopes.

49. A pharmaceutical composition comprising the reovirus of any one of claims 1 to 21, 30 to 33, or 42 to 48 and a pharmaceutically acceptable carrier.

50. The pharmaceutical composition of claim 49, further comprising one or more chemotherapeutic agents and/or one or more immunosuppressive agents.

51. A method of treating a proliferative disorder in a patient, comprising:
administering the reovirus of any one of claims 1 to 21, 30 to 33, or 42 to 48 or the pharmaceutical composition of claim 49 or claim 50 to said patient.

52. The method of claim 51, wherein the reovirus is administered in an amount effective to cause oncolysis.

53. The method of claim 51 or claim 52, further comprising at least one procedure selected from the group consisting of surgery, chemotherapy, radiation therapy, and immunosuppressive therapy.

54. The method of any one of claims 51 to 53, wherein the reovirus or pharmaceutical composition is administered more than once.

55. The method of any one of claims 51 to 54, wherein the reovirus or pharmaceutical composition is administered intravenously, intravascularly, intrathecally, intramuscularly, subcutaneously, intraperitoneally, topically, orally, rectally, vaginally, nasally, by direct injection, or by inhalation.

56. A kit comprising the reovirus of any one of claims 1 to 21, 30 to 33, or 42 to 48, or the pharmaceutical composition of claim 49 or claim 50.

57. The kit of claim 56, further comprising one or more agents.

58. Use of the reovirus of any one of claims 1 to 21, 30 to 33, or 42 to 48 in the manufacture of a medicament for treating a proliferative disorder in a patient.

59. The reovirus of any one of claims 1, 5, 7, 13, 17, 19, 22, 26, 28, 30, 42, 44, or 45, the nucleic acid molecule of any one of claims 34, 38 or 40, the pharmaceutical composition of claim 49, the method of claim 51, the kit of claim 56, or the use of claim 58, substantially as hereinbefore described with reference to the examples and figures.

Figure 1-1

S1:

GCTATTGGTCGGATGGATCCTCGCCTACGTGAAGAAGTAGTACGGCTGATAATCGCATTAAACGAGTGATAA
TGGAGCATCACTGTCAAAGGGCTTGAATCAAGGGTCTCGGCGCTCGAGAAGACGTCTCAAATACACTCTG
ATACTATCCTCCGGATCAGGAGGACTCGATGATGCAACAAACGAATCATCGCTCTTGAGCAAAGTCGG
GATGACTTGGTTGCATCAGTCAGTGATGCTCAACTTGCAATCTCCAGATTGGAAAGCTCTATCGGAGCCCT
CCAAACAGTTGTCAATGGACTTGATTTCGAGTGTTACCCAGTTGGGTGCTCGAGTGGGACAACTTGAGACAG
GACTTGACAGAGCTACGCGTTGATCACGACAATCTCGTTGCGAGAGTGGATACTGCAGAACGTAACATTGGA
TCATTGACCACTGAGCTATCAACTCTGACGTTACGAGTAACATCCATACAAGCGGATTTGCAATCTAGGAT
ATCCACGTTAGAGCGCACGCGGTCCTAGCGCGGGAGCTCCCCCTCTCAATCCGTAATAACCGTATGACCA
TGGGATTAAATGATGGACTCACGTTGTGAGGGAATAATCTCGCCATCCGATTGCCAGGAAATACGGGTCTG
AATATTCAAATGGTGGACTTCAGTTTTCGATTTAATACTGATCAATTCCAGATAGTTAATAATAAATTGAC
TCTCAAGACGACTGTGTTTGATTCTATCAACTCAAGGATAGGCGCAACTGAGCAAAGTTACGTGGCGTCGG
CAGTGACTCCCTTGAGATTAAACAGTAGCACGAAGGTGCTGGATATGCTAATAGACAGTTCAACACTTGAA
ATTAATTCTAGTGGACAGCTAACTGTTAGATCGACATCCCCGAATTTGAGGTATCCGATAGCTGATGTTAG
CGGCGGTATCGGAATGAGTCCAAATTATAGGTTTAGGCAGAGCATGTGGATAGGAATTGTCTCTTATTCTG
GTAGTGGGCTGAATTGGAGGGTACAGGTGAACTCCGACATTTTTATTGTAGATGATTACATACATATATGT
CTTCAGCTTTTGACGGTTTCTCTATAGCTGACGGTGGAGATCTATCGTTGAACTTTGTTACCGGATTGTT
ACCACCGTTACTTACAGGAGACACTGAGCCCGCTTTTCATAATGACGTGGTCACATATGGAGCACAGACTG
TAGCTATAGGGTTGTCTCGGTGGTGCGCTCAGTATATGAGTAAGAATCTGTGGGTGGAGCAGTGGCAG
GATGGAGTACTTCGGTTACGTGTTGAGGGGGGTGGCTCAATTACGCACTCAAACAGTAAGTGGCCTGCCAT
GACCGTTTCGTACCCGCGTAGTTTCAGTGAGGATCAGACCACCCCGCGCACTGGGGCATTTCATC
(SEQ ID NO:1)

S2:

GCTATTCGCTGGTCAGTTATGGCTCGCGCTGCGTTCCTATTCAAGACTGTTGGGTTTGGTGGTCTGCAAAA
TGTGCCAATTAACGACGAACTATCTTCACATCTACTCCGAGCTGGTAATTCACCATGGCAGTTAACACAGT
TTTTAGACTGGATAAGCCTTGGGAGGGGTTTAGCTACATCGGCTCTCGTTCCGACGGCTGGGTCAAGATAC
TATCAAATGAGTTGCCTTCTAAGTGGCACTCTCCAGATTCCGTTCCGTCCTAACCACCGATGGGGAGACAT
TAGGTTCTTACGCTTAGTGTTGCTCAGCTCCTACTCTCGATGGATTAGTCGTAGCTCCACCACAAGTTTGG
CTCAGCCCGCTTTGCAAGCACAGGCAGATCGAGTGACGACTGCGATGATTATCCATTTCTAGCGCGTGAT
CCAAGATTCAAACATCGGGTGTATCAGCAATTGAGTGCTGTAACCTACTTAACCTGACAGGTTTGGCCC
GATTTCTACGTTTCGAGTGGATGAAGATATGTGGAGTGGAGATGTGAACCAGCTTCTCATGAACATTTTCG
GGCACACGTTTGACAGAGATTGCATACACATTGTGTCAAGCCTCGGCTAATAGGCCTTGGGAATATGACGGT
ACATATGCTAGGATGACTCAGATTGTGTTATCCTTGTCTGGCTATCGTATGTCGGTGTAAATTCATCAGCA
GAATACGTATCGGACATTCTATTTTCAGTGTAATCGGCGAGGTGACGCCGCTGAGGTGTGGATTCTTTCTT
GTTGCTTGAACCATTCGCGCAAATTAGACCGGGTAATCGTAGCTTATTTCGTTATGCCAACTAGCCCAGAT
TGGAACATGGACGTCAATTTGATCCTGAGTTCAACGTTGACGGGGTGTGTTGTGTTTCGGGTTTCAGCTGCC
ACTGATTGACAATAATTCAGTACCTGCAGTGTCGCGTAACATCCATGGCTGGACTGGTAGAGCTGGTAACC
AATTGCATGGGTTCCAGGTGAGACGAATGGTGACTGAATTTGTGACAGGTTGAGACGCGATGGTGTCTAG
ACCCAAGCTCAGCAGAATCAAGTTGAAGCGTTGGCAGATCAGACTCAACAGTTTAAAGAGGGACAAGCTCGA
AACGTGGGCGAGAGAAGACGATCAATATAATCAGGCTCATCCCAACTCCACAATGTTCCGTACGAAACCAT
TTACGAATGCGCAATGGGGACGAGGTAATACGGGGGCGACTAGTGCCGCGATTGCAGCCCTTATCTGATCG
TCTTGAGTGAGGGGTCCCCCACACACCTCACGACTGACCACACATTTCATC (SEQ ID NO:2)

S3:

GCTAAAGTCACGCCTGTCGTCGTCCTACTATGGCTTCCTCACTCAGAGCTGCGATCTCCAAGATCAAGAGGGA
TGACGTCGGTCAGCAAGTTTGTCTAATTATGTCATGCTGCGGTCCTCTGTACAAACAAAGGTGGTACGAA
ATGTGGTTGAGTATCAAATTCGTACGGGCGGATTCTTTTCGTGCTTAGCTATGCTAAGGCCACTCCAGTAC
GCTAAGCGTGAGCGTTTGTGTTGGTTCAGAGGAATCTGGAACGTATATCGACTAGGGATATCCTTCAGACTCG
TGATTTACACTCACTATGTATGCCAACTCCTGATGCGCCAATGTCTAATCATCAAGCATCCACCATGAGAG
AGCTGATTTGCAGTTACTTCAAGGTGATCATGCGGATGGGTGAAATATATACCCATGGATGAGAGATAC

Figure 1-2

TCTCCGTCATCACTTGCCAGATTGTTTACCATGGGCATGGCTGGGCTGCACATTACCACTGAGCCATCTTA
TAAGCGTGTTCGATTATGCACTTAGCTGCGGACTTGGACTGTATGACGCTGGCTCTACCTTACATGATTA
CGCTTGATGGTGATACTGTGGTTCCTGTGCTCCAACTGTGACGGAACAGCTTCTGGACGACGGACTC
AAAGGATTAGCATGCATGGATATCTCCTATGGATGTGAGGTGGACGCGAATAGCCGGCCGGCTGGTGATCA
GAGTATGGACTCTTCACGCTGCATCAACGAGTTGTATTGCGAGGAGACAGCAGAAGCCATCTGTGTGCTTA
AGACATGCCCTTGTGTTAAATTGCATGCAGTTTAAACTTGAGATGGATGACCTAGCACATAACGCTGCTGAG
CTGGACAAGATACAGATGATGATACCCCTCAGTGAGCGTGTTTTTAGGATGGCCTCGTCCTTTGCGACTAT
TGATGCCCAGTGTTTTAGGTTTTGCGTGATGATGAAGGATAAAAATCTGAAAATAGATATGCGTGAAACGA
CGAGACTGTGGACTCGTTCAGCATCAGATGATTCTGTGGCCACGTCACTTTAAGTATTTCCCTGGACCGG
GGTCGATGGGTGGCGGCTGACGCCAGTGATGCTAGACTGCTGGTTTTTCCGATTTCGCGTGTAATGGGTGAG
TGAGCTGATGTGGTCGCCAAGACATGTGCCGGTGTCTTGGTGGTGGGTGACGCCTAATCATC (SEQ ID
NO: 3)

S4:

GCTATTTTTGCCTCTTCCCAGACGTTGTGCAATGGAGGTGTGCTTGCCCAACGGTCATCAGGTGCTGGAC
TTAATTAACAACGCTTTTGAAGGTGCTGTATCAATCTACAGCGCGCAAGAGGGATGGGACAAAACAATCTC
AGCACAGCCAGATATGATGGTATGTGGTGGCGCCGTCGTTTGCATGCATTGTCTAGGTGTTGTTGGATCTC
TACAACGCAAGCTGAAGCATTTGCCTCACCATAGATGTAATCAACAGATCCGTCATCAGGATTACGTCGAT
GTACAGTTCGCAGACCGTGTTACTGCTCACTGGAAGCGGGGTATGCTGTCTTCGTTGCGCAGATGCACGA
GATGATGAATGACGTGTCGCCAGATGACCTGGATCGTGTGCGTACTGAGGGAGGTTCACTAGTGGAGCTGA
ACCGGCTTCAGGTTGACCCAAATTCAATGTTTAGATCAATACACTCAAGTTGGACAGATCCTTTGCAGGTG
GTGGACGACCTTGACACTAAGCTGGATCAGTACTGGACAGCCTTAAACCTGATGATCGACTCATCCGACTT
GATACCCAACTTTATGATGAGAGACCCATCACACGCGTTCAATGGTGTGAAACTGAAGGGAGATGCTCGTC
AAACCCAATTCTCCAGGACTTTTGATTGAGATCGAGTTTGGAAATGGGGTGATGGTTTTATGATTACTCT
GAGCTGGATCATGATCCATCGAAGGGCCGTGCTTACAGAAAGGAATTGGTGACGCCAGCTCGAGATTTCCG
TCACTTTGGATTATCCCATTATTCTAGGGCGACTACCCCAATCCTTGGAAGATGCCGGCCGTATTCTCAG
GAATGTTGACTGGGAAGTGTAAATGTATCCATTCAATTAAGGAACGGCTAAGCTGAAGACAGTGCGCAAG
CTAGTGGAGGCAGTCAATCATGCTTGGGGTGTGCGAGAAGATTAGATATGCTCTTGGGCCAGGTGGCATGAC
GGGATGGTACAATAGGACTATGCAACAGGCCCCATTGTGCTAACTCCTGCTGCTCTCACAATGTTCCCAG
ATACCATCAAGTTTGGGGATTGAATTATCCAGTGATGATTGGCGATCCGATGATTCTTGGCTAAACACCC
CCATCTTCACAGCGCCGGGCTTGACCAACCTGGTGTGACGTGGGACAGGCTTCATTATC (SEQ ID
NO: 4)

Figure 2-1

M1:

GCTATTGCGGGTCATGGCTTACATCGCAGTTCTGCGGGTGGTGGATTACGTTTCGAGTGAGGCTATTGGAC
TGCTAGAATCGTTTGGAGTAGACGCTGGGGCTGACGCGAATGACGTTTCATATCAAGATCATGACTATGTG
TTGGATCAGTTACAGTACATGTTAGATGGATATGAGGCTGGTGACGTTATCGATGCACCTCGTCCACAAGAA
TTGGTTACATCACTCTGTCTATTGCTTGTGGCCACCCAAAAGTCAACTATTAGAGTATTGGAAAAGTAATC
CTTCAGCGATACCGGACAACGTTGATCGTCGGCTTCGTAAACGACTAATGCTAAAGAAAGATCTCAGGAAA
GATGATGAATACAATCAGCTAGCGCGTGCTTTCAAGATATCGGATGTCTACGCACCTCTCATCTCATCCAC
GACGTCACCGATGACAATGATACAGAACTTGAATCGAGGCGAGATCGTGTACACCACGACGGACAGGGTAA
TAGGGGCTAGAATCTTGTTATATGCTCCTAGAAAAGTACTATGCGTCAACTCTGTCAATTTACTATGACTAAG
TGCATCATTCCGTTTGGTAAAGAGGTGGGTGCTGTTCTCACTCTCGATTTAATGTTGGCACATTTCCGTC
AATTGCTACCCCGAAATGTTTTGTGTCATGAGTGGGGTTGATATTGAGTCCATCCCAAATGAATTTATCAAGT
TGTTTTACCAGCGCGTCAAGAGTGTTACAGCTAACATACTAAATGACATATCTCCTCAGATCGTCTCTGAC
ATGATAAACAGAAAAGCGTCTGCGCGTTTCACTCCATCAGATCGTCGAGCCGCGCAGTTGATGCAATTTGCC
TTACCATGTTAAACGAGGAGCGTCTCACGTCGACGTTTACAAGGTGGATGTTGTAGACATGTTGTTTCGAGG
TAGTGGATGTGGCCGATGGGTTGCGCAACGTATCTAGGAACTAACTATGCATACCGTTCTCTGTATGTATT
CTTGAAATGTTGGGTATTGAGATTGCGGACTATTGCATTTCGTCAAGAGGATGGAATGCTCACAGATTGGTT
CCTACTTTTAACCATGCTATCTGATGGCTTGACTGATAGAAGGACGCATTGTCAATACTTGATTAATCCGT
CAAGTGTGCCTCCTGATGTGATACTTAACATCTCAATTACTGGATTTATAAATAGACATACAATCGATGTC
ATGCCTGACATATATGACTTCGTTAAACCCATTGGCGCTGTGCTGCCTAAGGGATCATTAAATCAACAAT
TATGAGAGTCTTGTATTCAATATCAATATTAGGAATCCAAATCATGCCGCGCGCGCATGTAGTTGACTCAG
ATGAGGTGGCGAGCAAAATGGAGCCTACGTTTGAGCAGGCGGTTATGGAGATATACAAAGGGATTGCTGGC
GTTGACTCGCTGGATGATCTCATCAAGTGGGTGTTGAACTCGGATCTCATTCCGCATGATGACAGGCTTGG
TCAATTATTTCAAGCGTTTTCGCTCTCGCAAAGGACTTATTAGCTCCAATGGCCAGAAAGTTTTATGATA
ACTCAATGAGTGAGGGTAGATTGCTAACATTCTCTCATGCCGACAGTGAGTTGCTGAACGCAAAATATTTTT
GGTCATTTATTGCGACTAAAAATACCATATATTACAGAGTTAATCTGATGATTGCAAGAATCGTGAGGG
TGGAGAGCTATTTACGCTTGTGTTATCTTATCTATATAAAATGTATGCTACTAGCGCGCAGCTAAATGGT
TTGGATCATTATTGCGATTGTTAATATGTCCCTGGTTACATATGGAGAAATTAATAGGAGAAGCAGACCCG
GCATCTACGTCGGCTGAAATTGGGTGGCATATCCCTCGTGAACAGCTGATGCAAGATGGATGGTGTGGATG
TGAAGACGGATTCAATCCCTATGTTAGCATACGTGCGCCAAGACTGGTTATAGAGGAGTTGATGGAGAAGA
ACTGGGGCCAGATCATGCCCAAGTTATTGTCACTGATCAGCTTGTCGATAGGCGAACCAGCGAGGGTATCT
GCTAAGGCTGTGATCAAGGGTAACCACTTACCAGTTAAGTTAGTTTACGATTGTCATGTTTACATTGAC
GGCGAAGTATGAGATGAGGCTTTCGTGCGGCCATAGCACTGGACGTGGAGCTGCATACAGTGCAGAGACTAG
CTTTCCGATCTGACTTGGCGTGATCCGTGACATGCGTAGTGTGACACCTGCTCCTAGGTCAATGGGGGTAG
GGGGCGGGCTAAGACTACGTACGCGCTTCATC (SEQ ID NO:5)

M2:

GGCTAATCTGCTGACCGTTACTCTGCAAAGATGGGGAACGCTTCCTCTATCGTTTCAGACGATCAACGTCAC
TGGAGATGGCAATGTATTTAAACCATCAGCTGAAACTTCATCTACCGCTGTACCATCGTTAAGCTTATCAC
CTGGAATGCTGAATCCCGAGGGGTACCATGGATTGCTGTTGGAGATGAGACATCTGTGACTTCACCAGGC
GCATTACGTGCAATGACGTCAAAGGACATCCCGACACGGCAATAATCAACACAGACAAATTCATCAGGCGC
CGTGCCAAGCGAATCAGCCTTGGTGCCCTACATCGATGAGCCGCTGGTAGTGGTTACAGAGCATGCTATTA
CCAACCTTACCAAAGCTGAGATGGCACTTGAATTCAATCGTGAGTTCCTTGACAAGATGCGTGTGCTGTCA
GTGTACCAAAATATTTCGATCTTCTGACCTATGTTGACTGCTACGTCGGTGTGTCTGCTCGTCAGGCTTT
AAACAATTTTCAGAAACAAGTGCCCTGTGATTACACCTACTAGGCAGACGATGTATGTGCTGCTGATACAAG
CGGCCTTGAAAGCTTTAGAAAAGTGGGAGATTGATCTGAGAGTGGCTCAAACGTTGCTGCCCTACGAACGTT
CCGATTGGAGAAGTCTCTTGTCCAATGCAGTCGGTAGTGAAACTGCTGGATGATCAGCTGCCAGATGACAG
CCTGATACGGAGGTATCCCAAGGAAGCCGCGCTGCTTTGGCTAAACGAAACGGGGGAATACAATGGATGG
ACGTATCAGAAGGCACCGTGATGAACGAGGCTGTCAACGCTGTTGCAGCTAGTGCACCTGGCACCTTCAGCA
TCAGCCCCACCTTAGAAGAGAAGTCAAAGTTAACCAGAACAGCGATGGATCTCGTGACCGCGGCTGAGCC
TGAGATAATTGCCTCACTCGCGCCAGTTCCCGCACCCGCTGTTTGCCATACCACCTAAACCAGCAGATTATA
ATGTGCGTACTCTGAGGATCGACGAGGCCACTTGGCTGCGAATGATTCCAAAATCAATGAACACACCTTTT
CAAATCCAGGTGACTGATAACACAGGAATAATTGGCATCTCAATTTGAGGGGGGGGACTCGTGTAGTGAA

Figure 2-2

TCTGGACCAAATCGCTCCGATGCGGTTTGTATTAGATCTAGGGGGAAAGAGTTATAAAGAGACGAGCTGGG
 ATCCAAACGGCAAGAAGGTCGGATTCAATCGTTTTTCAATCGAAGATACCATTCGAACCTTTGGACTGCTGCT
 TCACAGATCGGTCAAGCCACGGTGGTTAACTATGTCCAACATACGCTGAAGACAGCTCATTTACCGCGCA
 GTCTATCATTGCTACTACCTCTTTGGCTTATAACTATGAGCCTGAGCAGTTGAATAAGACTGACCTGAGA
 TGAATTATTATCTTTTGGCGACCTTTATAGACTCAGCCGCTATAACGCCAACGAATATGACACAGCCTGAT
 GTTTGGGATGCCTTGCTGACGATGTCCCCACTATCAGCTGGCGAGGTGACAGTGAAGGGTGCGGTAGTGAG
 TGAAGTAGTCCCTGCAGACTTGATAGGTAGCTACACTCCAGAATCCCTAAACGCCTCACTTCCGAATGATG
 CTGCTAGATGCATGATCGATAGAGCTTCGAAGATAGCCGAAGCAATCAAGATTGATGATGATGCTGGACCA
 GATGAATATTCCCCAACTCTGTACCAATTCAAGGTGAGCTTGCTATCTCGCAACTCGAACTGGATATGG
 TGTGCGAATATTCAACCTTAAAGGGATCCTTTCTAAAATTGCATCTAGGGCAATGCAGGCTTTTCATTGGTG
 ACCCGAGCACAATCATCACGAGGCGGCGCCAGTGTTATCAGACAAGAATAATTGGATTGCATTGGCACAG
 GGAGTGAAGAACTAGTCTGCGTACTAAAAGTCTATCAGCGGGAGTGAAGACTGCAGTGAGTAAAGCTGAGCTC
 ATCTGAGTCTATCCAGAATTGGACTCAAGGATTCTTGATAAAGTGTGACGCGCATTTTCCAGCACCAAGC
 CCGATTGTCCGACTAGCGGAGATAGTGGTGAATCGTCTAATCGCCGAGTGAAGCGCGACTCATACGCAGGA
 GTGGTCAAACGTGGGTACACACGTTAGGCCGCTCGCCCTGGTGACGCGGGGTTAAGGGATGCAGGCAAAATC
 ATC (SEQ ID NO:6)

M3:

GCTAAAGTGACCGTGGTTCATGGCTTCATTCAAGGGATTCTCCGCCAACACTGTTCCAGTTTCTAAGGCCAA
 GCGTGACATATCATCTCTTGCCGCTACTCCTGGACTTCGTTTCAATCCTTCACTCCGCTCTGGATATGT
 CTCAATCGCGTGAATTCTTCAAAAGGCAATTGAGCAAGGGTCCATGTCTATACCTTATCAGCATGTGAAT
 GTACCGAAAGTTGATCGTAAAGTTGTTAGCCTGGTAGTGCGACCTTTCTCTTCAAGTGCTTTCTCTATCTC
 TGGAGTGATTTGCCAGCCCATGCCATCTACTAGAGTGTCTACCCAGCTTGAGCAGGCGATGGCTTTTG
 TTGCTTCACTGAGTCTTTCCAGGCTTCCGACGTGCGAAGCGCTTTGCCATAAAGCCAGGTATGAGCCTC
 CAGGATGCCATCACTGCCTTTTAACTTTGTGTCCGCGATGCTGAAAATGACGGTGACTCGTCAAACTT
 TGACGTTATTGTGGCTGAGATCGAGAGGCTTGCTTCAACCAGCGTGTCCGTGAGGACTGAAGAAGCGAAGG
 TTGCTGATGAGGAGCTAATGCTATTCCGGGTTAGATCATAGAGGGCCACAGCAGCTGGATGTTTCTGACGCT
 AAAGGGATAATGAAGGCTGCTGATATTAGACAACCTCATGATGTCCATTGTCACAGGCGTTGGTAATAT
 TGATCCTGAAATCTATAACGAGGGGCGGTTTCATGTTTCATGACGACAAGCCACTTGCGGCGGATCAATCGT
 ATTTACCTTGGAGACTGCGGATTATTTCAAGATTTATCCAAACATACGATGAACATGATGGCAGGATGGCT
 GACCAAAAGCAGTCGGGATTGATACTGTGTACTAAGGACGAGGTATTGGCTGAGCAAACCTATATTTAACT
 GGACGCCCCTGATGACAAGACTGTTTCATCTGTTGGATCGCGATGACGACCAGTTGTTGCCAGATTTACTA
 AGGTATTTATAGAGGACGTGGCTCCCGGCATCATGCTGCTCAAAGATCGGGACAACGCTCTGTGCTTGAT
 GACCTATATGCGAATACGCAAGTGATTTCCATTACTTCTGCTGCTTTAAAGTGGGTGGTCAAGCACGGCGT
 ATCTGATGGAATCGTGAACAGGAAGAATGTCAAAGTGTGTGTTGGTTTTGACCCCTGTACACCTTGTCTA
 CACATAACGGGGTGTCTTATGTGCCCTGCTGATGGACGAAAACTCTCTGTGCTGAACAGTGCGTGTGCT
 ATGACGTTACGCTCACTCATGAAGACCGGACGCGACGTTGATGCACACAGAGCTTTTACGCGAGTCCCTCTC
 TCAAGGATACACATCGCTAATGTGCTACTATCATCCTTACGGAAGTTGGCATATGGTGAGGTGCTCTTTC
 TAGAACGATCCAATGACGTGACAGATGGGATCAAGCTTCAGTTGGACGCATCTAGACAGTGTGATGAATGT
 CCTGTGTTGCAGCAGAAAGTGGTTGAGTTAGAGAAACAGATTATTATGCAGAAGTCAATCCAGTCAGACCC
 TACCCAGTGCGCTGCAACCATGTTGTCTCAGTTGCGTGAGTTGTCTAGTGAAGTTACTAGGCTACAGA
 TGGAGTTGAGTCGAGCTCAGTCCCTGAATGCTCAGTTGGAGGCGGATGTCAAGTCAGCTCAATCATGTAGC
 TTGGATATGTATCTGAGACACCACACTTGCATTAATGGTCACTGCTAAAGAAGATGAATTGCTTGACGCTGT
 GCGTGTGCGCGCGGATGTGAGGAGAGAAATCATGAAAAAGAGGAGTGAAGTGAGACAAGGTTGGTGCGAAC
 GTATTTCTAAGGAAGCAGCTGCCAAATGTCAAACCTGTTATTGATGACCTGACTTTGATGAATGGAAAGCAA
 GCACAAGAGATAACAGAATTACGTGATTCCGCTGAAAAATATGAGAAACAGATTGCAGAGCTGGTGAGTAC
 CATCAACCAAAACAGATAACGTATCAGCAAGAGCTACAAGCCTTGGTAGCGAAAAATGTGGAATTGGACG
 CGTTGAATCAGCGTCAGGCTAAGTCTTTGCGTATTACTCCCTCTCTTCTATCAGCCACTCCTATCGATTCA
 GTTGATGATGTTGCTGACTTAATTGATTTCTCTGTTCCAACCTGATGAGTTGTAAATAATCCGTGATGCAGT
 GTTGCCCTAATCCCTTAAGCCTTCCCGACCCCATTCATC (SEQ ID NO:7)

Figure 3-1

L1:

GCTACACGTTCCACGACAATGTCATCCATGATACTGACTCAGTTTGGACCGTTTCATTGAGAGCATTTTCAGG
TATCACTGATCAATCGAATGACGTGTTTGAAGATGCAGCAAAAGCATTTCTCTATGTTTACTCGCAGCGATG
TCTACAAGGCGCTGGATGAAATACCTTTCTCTGATGATGCGATGCTTCCAATCCCTCCAACATATATATACG
AAACCATCTCAGCATTCATATTATTACATTGATGCTCTAAACCGTGTGCGTCGCAAAACATATCAGGGCCC
TGATGACGTGTACGTACCTAATTGTTCTATTGTTGAATTGCTGGAGCCACATGAGACTCTGACATCTTATG
GGCGGTTGTCCGAGGCCATCGAGAATCGTGCCAAGGATGGGGACAGCCAAGCCAGAATCGCCACAACGTAT
GGTAGAATCGCTGAATCTCAAGCTCGACAGATTAAGGCTCCATTGGAGAAGTTTGTGTTGGCACTATTAGT
GGCCGAAGCAGGGGGGTCTTTATATGATCCAGTTTTTGAGAAGTATGATGAGATTCCAGATCTATCGCATA
ATTGCCCTTTATGGTGTTTTAGAGAGATCTGTGCTCACATATCTGGTCCATTACCAGATCGGGCACCTTAT
CTTTACTTATCTGCAGGGGTTTTCTGGTTAATGTCACCACGAATGACGTCTGCAATCCCTCCGCTACTATC
CGATCTTGTTAATTTAGCTATTTTGCAACAACTGCGGGTTTAGATCCATCATTAGTGAATTTGGGAGTAC
AGATATGCCTTCATGCAGCAGCTAGCTCAAGTTATGCATGGTTTATCTTAAAGACTAAGTCTATTTTTCTCT
CAAAACACGTTGCACAGTATGTATGAATCTCTAGAAGGGGGATACTGTCCCTAATCTTGAATGGTTAGAGCC
TAGATCAGACTATAAGTTCATGTACATGGGAGTCATGCCATTGTCCGTAAGTATGCTAGGTGCGCGCCGT
CCAATGATAAGAAAGCGCGGGAACCTGGCGAGAAATATGGACTGAGCTCAGTCGTGCGTGAGCTTCGTAAA
CGGACAAAGACGTATGTTAAACATGACTTTGCTTCAGTGAGGTACATTCGTGACGCTATGGCATGTACTAG
CGGTATTTTCTTGGTAAGAACACCCACCGAAACGGTATTGCAAGAATATACGCAGAGTCCGGAGATTAAGG
TTCCCATTTCCCAGAAAGACTGGACAGGCCCAATAGGTGAAATCAGAATTTCTAAAAGATACAACAAGTTCC
ATCGCGCTTACTTATATAGAACATGGTACTTGGCAGCGCGAGAATGGCGGCTCAACCACGTACGTGGGA
TCCATTGTTTCAAGCATTATGAGATCTCAATACGTGACAGCTAGGGGTGGATCTGGCGCAGCACTCCGCG
AATCTTTGTATGCAATCAATGTGTCTTACCTGATTTCAAGGGCTTACCAGTGAAGGCAGCACTAAGATA
TTCCAGGCGGCACAATTAGCGAATTTGCCGTTCTCCACACATCAGTGCGTATACTAGCTGACACTTCAAT
GGGATTGCGAAATCAGGTGCAGAGGCGGCCACGATCCATTATGCCATTAAATGTGCCCCAGCAGCAGGTTT
CGGCGCCCCATACATTGACAGCGGATTACATTAACCTACCACATGAATCTATCAACCACGTCTGGTAGTGCG
GTCATTGAGAAGGTGATTCTTTAGGTGTATACGCTTCGAGCCCTCCTAACCAGTCGATCAACATTGACAT
ATCTGCGTGTGACGCTAGTATTACTTGGGATTTCTTTCTGTCTAGTGATTATGGCGGCTATACACGAAGGTG
TCGCTAGTAGCTCCATTGGAAAACCATTTATGGGGGTTCTTGCATCCATTGTAAATGATGAGTCTGTCTGTT
GGAGTGAGAGCTGTCTAGGCCGATATCGGGAATGCAGAACATGATTACGATCTATCGAAACTATATAAACG
TGGATTTTCATATAGAGTAAACGATTCTTTTCTCCAGGTAACGATTTTACTCATATGACTACCATTCTCC
CGTCAGGTTCAACAGCCACCTCTACTGAGCATACTGCTAATAATAGTACGATGATGGAACTTTCTCTGACA
GTATGGGGACCCGAACATACTGACGACCTGACGTCTTACGTTTAAATGAAGTCTTTAACTATTCAAAGGAA
TTACGTATGTCAAGGTGATGATGGATTAATGATTATCGATGGGACTACTGCTGGTAAGGTGAACAGTGAAA
CTATTGAGAAGATGCTAGAATTAATCTCAAATATGGTGAGGAATTCGGATGGAAATATGACATAGCGTAC
GATGGGACTGCCGAATACTTAAAGCTATACTTCATATTTGGCTGTCTGAATTCCAAATCTTAGTCGCCATCC
AATCGTGCGGAAAGAACGGGCGAATTTCTTCAGCAGAGGAGCCATGGCCAGCAATTCTAGATCAGATTATGG
GTGTCTTCTTAAATGGTGTTCATGATGGGTTACAGTGGCAGCGGTGGATACGTTATTATGGGCTCTATGC
TGTCTACTGGGGATTACCACTGGTTAAAGCGTTTGGGTGAGACCCATGGATATTTTCTTGGTACATGCCTA
CTGGAGATCTGGGAATGTATAGTTGGATTAGCTTGATACGCCCTCTGATGACAAGATGGATGGTGGCTAAT
GGTTACGTAACGTACAGATGCTCACCCTGATTTCGGGAACGCAGATTATCGCAGGTGTTTCAATGAACTTAA
ACTATATCAAGGTTATTATATGGCACAATTGCCCAGGAATCCTAAGAAAGTCTGGACGAGCGGCCCCCTCGGG
AGGTAAGAGAACAATTCAGTCAGGATTATCCGACTATCTACTGCAAAATCCAGAGCTGAAGTCACGTGTG
CTACGTGCTCGTAGTGAGTGGGAGAAATATGGAGCGGGGATAATTCACAATCCTCCGTCAATTATTCGATGT
GCCCCATAAATGGTATCAGGGTGCGCAAGAGGCAGCAATCGCTACGAGAGAAGAGCTGGCAGAAATGGATG
AGACATTAATGCGCGCTCGAAGGCACAGATATTCGAGCTTTTCAAAGTTATTAGAGGCGTATCTGCTCGTG
AAATGGCGAATGTGCGAGGCCCGCAACCGTCGGTGGATTGCGATTACCATTTATGTGCGGGTATTGACCC
ATTAAGCTCAGATCCTTTTCTCAAGATGGTAAGCGTTGGACCAATGCTCCAGAGTACGAGAAAGTACTTTG
CTCAGACACTATTATGGCAAAGACGGTGTGCGGTCTTGACGTTAACGCGATTGATAGCGCGTTATTACGA
CTGCGAACATTAGGTGCTGATAAGAAAGCATTAACGGCGCAGTTATTAATGGTGGGGCTTCAGGAGTCAGA
AGCGGACGCATTGGCCGGGAAGATAATGCTACAGGATGTGAATACTGTGCAATTAGCCAGAGTGGTTAACT
TAGCTGTGCCAGATACTTGGATGTCTGTAGACTTTGACTCTATGTTCAAACACCACGTCAAGCTGCTTCCC
AAAGATGGACGTCATCTAAATACTGATATTCTCTCTGAATGGGATGGTTACGGGCCATTTTACGATTCTT

Figure 3-2

AGGTGCCGGAATGGTAATGACTGCGACTGGAGTTGCTGTGCGACATCTATCTGGAGGATATACATGGCGGTG
GTCCGTCACTTGGACAGAGATTTCATGACTTGGATGCGACAGGAAGGACGGTCAGCGTGAGTCTACCATGGG
TCGTGGTGCGTCAACTCATC (SEQ ID NO:8)

L2:

GCTAAATGGCGGATGGCGAACGTTTGGGGGGTGAGACTTGCAGACTCGTTATCTTCACCCACTATTGAGA
CACGAACGCGTCAGTATACCTTACACGATCTTTGCTCAGACCTAGATGCTAATCCGGGGAGGGAACCGTGG
AAACCTCTGCGTAATCAGCGTACTAATAATATTGTGGCTGTGCAATTATTTCAGACCATTGCAGGGTTTAGT
TTTAGATACCCAGCTTTATGGATTTCCAGGAGCATTGATGACTGGGAGCGATTTCATGAGAGAGAAGCTGC
GTGTGCTAAAGTATGAAGTATTGCGCATCTATCCAATCAGCAACTATAGCAATGAACATGTCAACGCTTTC
GTGGCCAATGCTTTGGTGGGCGCTTTCCTGTGCAATCAAGCTTTCATGACCTGCTACCGTTGTTGATAAT
TAATGACACTATGATTGGTGATCTACTTGGCACGGGGGCATCGCTATCACAGTTCTTTCAATCTCATGGAG
ATGTGCTGGAAGTCGCGAGCTGGTCGTAAGTATCTGCAGATGGAAACTACTCCAACGATGACGATGATCCT
CCATTATTTGCGAAAGACCTGTGAGATTATGCTAAAGCATTCTACAGTGACACATATGAAGTGTGGACAG
GTTCTTTTGGACGCATGACTCTTCAGCGGGGTCTTAGTGCAATTATGATAAGCCAACGAATGGTCATCACT
ATCTGCTGGGTACTTTGACTCAGATGGTCAGTGACCTCCTTATATTATTAACGCTACTGACGCAATGTTG
CTTGAATCCTGTCTAGAACAGTTCTCAGCTAATGTGCGTGCGAGACCTGCGCAACCCGTTACACGCTTAGA
CCAATGCTATCATTTAAGATGGGGAGCACAATATGTAGGAGAAGATTCACTGACATATCGGTTGGGGGTGT
TATCCTTGCTGGCTACCAATGGATATCAATTAGCTAGACCGATTCCAAGACAGTTGACGAATCGATGGTTG
TCGAGCTTTGTGAGTCAAATTATGTCTGACGGCGTCAACGAGACTCCACTGTGGCCCCAAGAAAGGTATGT
GCAGATCGCTTATGATTACCATCCGTTGTTGATGGGGCTACGCAATATGGCTATGTGAGGAAGAATCAAC
TCAGACTCGGCATGAGAATATCGGCGCTGCAATCGCTGAGTGATACGCCCTCGCCGGTACAGTGGCTTCCA
CAATACACCATCGACCAGGCAGCGATGGACGAAGGCGATCTGATGGTTAGTCGGCTTACGCAACTCCCGTT
ACGTCCTGATTATGGTAATATCTGGGTGCGCGATGCGCTATCCTATTATGTGGACTACAATCGGAGTCATC
GAGTCGTGCTTTCATCGGAACCTTCCTCAGCTTCGGACACATATTTTGATGGCGATGAACAGTATGGGCGC
AGCCTGTTCTCACTAGCTCGTAAGATTGGTGACCGCTCGTTAGTGAAAGATACGGCTGTCTTGAAGCACGC
TTACCAAGCCATCGATCCAAATACTGGTAAGGAGTATCTGAGATCTCGGCAATCTGTGCGATATTTTGGTG
CATCAGCGGGTCATTCTGGTGCCGACCAGCCGTTAGTCATAGAGCCCTGGATTCAAGGGAAAATCAGTGGT
GTGCCGCCACCCTCCTCAGTGCGACAGTTGCGCTATGATGTTGCCGTGGCGCGATCGTCGATCTGGCGAG
ACCATTTCTTCTGGAGATTATCAATTTGCTTATTCGGATGTTGACCAGGTGGTTCGATGGCCATGACGATC
TGAGTATATCATCTGGACTGGTGGAGAGCCTTTTGTCTTCATGCATGCACGCCACAGCACCCGGGGGCTCA
TTTGTGTTAAGATAAATTTTCCGACTAGACCCGATGGCACTACATCGAACAGAAGATCTTGCCCAATAT
TACGTCATACATGTTGATCAAGCCTTTCGTCACCAACAACGTGCAATTGTTCTTCGTCGCTTTCGGTGTGC
ATCAACACTCATCACTTACTTGGACATCTGGAGTGACTTCTTCTTGGTGGACCATTTTATCGTTATGAG
ACTTTATCTACGATCTCACGACAATTGCCGCTCTTTTGGGTATGTTGATGATGGGTCTTCCGTGACTGGTAT
CGAGACAATTAGTATTGAGAACCCTGGCTTCTCGAATATGACCCAGGCCGCTCGCATTTGGTATCTCAGGAT
TGTGTGCTAATGTAGGTAACGCGCGTAAGTCCATTGCCATTTACGAATCTCATGGGGCCAGAGTATTAAT
ATCACATCAAGGAGATCTCCGGCATCAGCTAGAAGAAAGTCTAGGTTGCGATATTTGCCATTAATAGACCC
TAGGTGCTTAGAGGTACAGGCGCGCACTATTCTGCCAGCTGATCCAGTGTTATTTGAAAACGTGAGCGGAG
CGTCAACCCCATGTTTGTCTGACAATGATGTACAACCTCGAAGTGTGTCGTCAGCGGTATATGATGGAGACGTT
GTGCTAGATCTTGGGACGGGACCAGAGGCTAAAATCCTTGAAGTATACCCGCAACCTCTCCAGTCACATG
CGTGGACATACGGCCTACAGCGCAGCCTAGTGGATGTTGGAACGTTTCGTACCACGTTCCCTGAGTTAGATT
ATTTGAGCGATGGATGGATCACTGGGGTGCGTGGGGACATAGTTACTTGTATGTTATCTTTGGGGGCCGCT
GCCGCTGGAAAATCAATGACTTTTGACGCTGCGTTTCAGCAATTAATCAAAGTATTATCCAAGAGTACGGC
TAATGTTGTGCTGGTGAGGTTAACTGCCCTACAGACGTGGTGAGGAGCATTAAAGGGCTACCTAGAGATAG
ATTCGACTAACAAGAGGTATAGGTTCCCAAATTTGGTTCGAGACGAGCCGTACTCTGACATGGATGCGCTG
GAGAAAATATGTCGTACCGCTGGCCAACTGCTCAATTACCTGGGTTCCATTGTCATACGACTTGCGGTG
GACTAGACTGGCATTATTAGAGTCCACGACATTGAGTAGCGCGTCGATTAGAATTGCTGAGCTGATGTATA
AATACATGCCATTATGAGGATTGATATTCATGGACTACCCATGGAAAAGCGAGGTAACCTTCATAGTGGGG
CAGAAGTCTCATTAGTAATCCCTGGTTTTAATGCGCAGGATGTCTTTAACTGTTATTTCAATTCGCCCT
CGCTTCTCGACTGAAGATGTCAATGCTGCGATGATTCCCAAGTGTCTGCGCAGTTTGTGCGACTAAGG
GTGAGTGGACGTTGGATATGGTCTTCTCCGACGCAGGAATCTATACCATGCAGGCTCTAGTGGGATCTAAT

Figure 3-3

GCTAATCCAGTCTCTTTGGGTTCCTTTGTAGTTGATTCTCCAGATGTAGATATAACTGACGCTTGGCCAGC
TCAGTTAGACTTTACGATCGCGGGAAGTGTGTCGATATAACAGTTAATCCTTATTACCGTCTGATGACCT
TTGTAAGGATCGATGGACAGTGGCAGATTGCCAATCCAGACAAATTTCAATTCTTTTCGTCGGCGTCTGGG
ACGTTAGTGATGAACGTCAAATTAGATATCGCAGATAAAATATCTACTATACTATATACGAGATGTCCAGTC
TCGAGATGTTGGCTTTTACATTTCAGCATCCACTTCAACTTTTGAATACGATCACATTGCCAACCAACGAGG
ACCTTTTTCTGAGCGCACCTGACATGCGAGAGTGGGCAGTTAAGGAAAGCGGTAACACGATATGTATACTC
AATAGTCAAGGGTTTGTGCTACCTCAAGATTGGGATGTGTTAACAGATACCATAAGTTGGTCCCCATCGAT
ACCCACATACATTGTGCCACCGGTGATTATACCTTGACTCCTCTGTAACCTACTGTCCCTCGTGAGCGCG
CCTAATTCATC (SEQ ID NO:9)

L3:

GCTAATCGTCAGGATGAAGCGGATTCCAAGGAAGACAAAGGGCAAATCCAGCGGAAAGGGCAATGACTCAA
CAGAGAGAGCGGACGATGGCTCGAGCCAATTAAGAGACAAGCAAAACAATAAGGCTGGCCCCGCCACTACG
GAGCCTGGCACATCCAACCGAGAGCAATACAAAGCTCGACCAGGTATTGCATCTGTGTCAGAGGGCCACTGA
AAGTGCAGAAATGCCCATGAAGAATAATGACGAAGGGACGCCAGATAAGAAAGGAAATACTAAGGGCGACC
TAGTTAATGAGCATAGTGAGGCTAAAGACGAGGCGGATGAAGCGACGAAGAAGCAGGCAAAGGATACAGAC
AAAAGTAAAGCGCAAGTCACATATTCAGACACTGGTATCAATAATGCTAATGAACGTGTCAAGATCTGGGAA
TGTGGATAATGAGGGTGGAAAGTAATCAGAAGCCGATGTCTACCAGAATAGCTGAGGCAACGTCTGCTATAG
TGTGCAAAACATCCTGCGCGTGTGGGCTGCCACCTACCGCTAGCAGTGGTTCATGGGTATCAGTGCCATGTC
TGTTCTGCAGTCTGTTTAGTCCTTTAGACCTAGATGCCACGTGCGCTCACATGGTTGCATGGTAACAT
GACATTAACATCGAGTGATATCCAGCGACATATAACTGAGTTTCATCAGCTCATGGCAAAATCATCCTATTG
TTCAAGTTTCGGCTGATGTGCAAAATAAGAAACTGCTCAATTGCTTCACGCTGACACTCCTCGACTCGTC
ACTTGGGATGCTGGTTTGTGTACTTCATTCAAATCGTCCCGATTGTGCCAGCTCAGGTGCCGAGGATGT
ACTGGCCTATACGTTTTTACCTCTTCATACGCTATCCAATCACCCTTTCAGAGGCGGCAGTGTCTAGGA
TTGTGGTGCATACGAGATGGGCATCTAATGTTGACTTTGACCGAGACTCGTCTGTTCATCATGGCGCCACCT
ACAGAAAACAATATCCATTTGTTTAAACAGTTACTAAATACTGAAACCCTGTCTGTAAGGGGGGCTAATCC
GCTAATGTTTCAGGGCGAATGTGTTGCATATGTTGCTAGAGTTCGTATTAGATAAATTGTATCTGAACAGAC
ATACGGGATTCTCTCAAGACCACACGCCATTTACTGAGGGTGCTAATTTGCGTTTCACTTCTTGCCCCGAT
GCTGAGAAATGGTACTCGATTATGTATCCAACGCGCATGGGAACGCCGAATGTATCCAAAATATGTAATTT
CGTCGCCTCTTGTGTGCGAAATCGGGTTGGACGGTTTGTATCGAGCACAGATGATGAACGGAGCTATGTGAG
AGTGGGTGGATGTCTTCGAGACTTCAGACGCGCTAACCGTCTCCATTTCAGGTCGATGGATGGCTAGACTA
GCTCGCATGAACATAAATCCAACAGAGATCGAATGGGCATTGACTGAATGTGCACAAGGATATGTGACTGT
CACAAGTCCTTACGCTCCTAGCGTAAATAGATTGATGCCCTATCGTATCTCCAACGCTGAGCGGCAAATAT
CACAGATAATCAGGATCATGAACATTGGCAATAACGCGACGGTGATACAACCTGTTCTGCAAGATATTTTCG
GTACTCCTTCAACGCATATCACCCTCCAAATAGATCCAACTATTATTTCCAACACTATGTCAACAGTCTC
GGAGTCTACTACTCAGACCCTCAGCCCCGCGTCTCAATTTTGGGTAAACTACGACCAAGCAACTCAGATT
TTTCTAGTTTTAGAGTCGCGTTGGCTGGATGGCTTTATAATGGGGTTGTGACGACGGTGATTGATGATAGT
TCATATCCAAAAGACGCGCGCAGCGTGACCTCACTGAAAATCTGTGGGATTTCTTCATCCTTGCGCTTGC
TCTACCACTGACAACAGACCCCTGTGCACCTGTGAAAGCATTCATGACCCTAGCCAACATGATGGTTGGTT
TCGAGACAATCCCTATGGATAATCAGATCTATACTCAATCGAGACGCGCGAGTGCTTTCTCAACGCCCTCAC
ACGTGGCCACGATGCTTTATGAACATCCAGTTAATTTCTCCAATCGACGCTCCCATCTTGCGACAGTGGGC
TGAAATTATTATAGATACTGGCCTAACCTTCACAGATTGTTATGGTGCACCGAACGTTTTCGGCTCGG
CAAATTTGTTTCACTCCACCTGAGGTGCTGTTATTGCCAATCGATCATCAACCAGCTAATGTAACAACGCCA
ACGCTGGACTTCACCAATGAGTTAACTAATTTGGCGCGCTCGTGTCTGTGAGCTTATGAAGAATCTCGTTGA
TAACCAAAGATATCAACCTGGATGGACACAAAGTCTAGTCTCGTCAATGCGCGGAACGCTAGACAAATTGA
AGTTGATTAAATCGATGACACCAATGTATCTGCAACAGCTGGCTCCGGTAGAGTTAGCAGTGATAGCTCCC
ATGTTGCCTTTTCCACCTTTCCAGGTGCCATACGTCCGTCTCGATCGTGACAGAGTTCCAACAATGGTTGG
AGTAACACGACATTACGAGATACTATTACTCAGCCGCGCTATCGCTGTGACAACCAATACTACTGTTG
GCGTGCCACTAGCTCTAGACGCGAGGGCTATCACCGTTGCGCTGTTGTGAGGAAATATCCGCCGATTG
GTGACAAATGTATGGTACGCTGATGCCATTTACCCAATGTATGCAGACACGAGGTGTTCTCTAATCTTCA
GAGAGACATGATTACCTGCGAGCGCGTGACAGATTTAGTACTCTGGTGGCGCAAATATCAGAGACCCAGT
ATCCTGTAGATAGGTATCTTGATTGGATCCCATCACTGAGAGCATCGGCGGCGACGGCGGCGACATTTGCT

Figure 3-4

GAGTGGGTAAATACTTCAATGAAGACGGCGTTTGTCTGATATGCTGTTAGAGCCTCTCCTAAGCGG
TGATCCGAGGATGACTCAACTAGCGATTTCAGTATCAGCAGTACAATGGCAGAACGTTTAAATATCATACCTG
AAATGCCAGGTTTCAGTAATTGCTGACTGCGTTCAATTAACAGCAGAAGTCTTTAATCACGAATATAACCTG
TTTGGGATTGCGCGGGGTGATATCATCATTGGCCGTGTTTCAGTCGACACATTTGTGGTCACCGCTGGCTCC
TCCACCTGACCTGGTGTGTTGATCGTGATACCCCTGGTGTTCACATCTTCGGACGAGATTGCCGTATATCGT
TTGGAATGAATGGCGCCGCGCCAATGATTAGAGATGAGACTGGACTGATGGTGCCTTTTGAAGGAAATTGG
ATTTTCCCACTGGCGCTTTGGCAAATGAATACACGATATTTTAAATCAACAGTTCGACGCGTGGATTAAGAC
AGGAGAGTTGCGAATCCGCATTGAGATGGGCGCGTATCCATATATGTTGCATTACTATGATCCACGTCAGT
ACGCTAATGCATGGAATTTAACATCCGCCTGGCTTGAAGAAATTACGCCGACGAGCATCCCATCCGTGCCT
TTCATGGTGGCCATTTCAAGTGATCATGACATTTCTCTGCCCCAGCTGTCCAATATATCATTTCAACTGA
ATATAATGATCGGTCTCTGTTCTGCACTAACTCATCATCTCCCCAAACCATCGCTGGACCAGACAAACACA
TTCCAGTTGAGAGATATAACATTCTGACCAACCCCGACGCTCCACCCACGCAGATACAACGCTGAAGTC
GTTGACTTGTAACGTCGTCACACGCTATGCGTATGAGACTCCGCCTATTACCGCTGTTGTTATGGGTGT
TCCTTGATCCTCATCTCCCAACAGGTGCTAGAGCATTGCGCTCAATGCTAGTTGGGCCGATTTCATC
(SEQ ID NO:10)

Figure 4

 $\sigma 1$:

MDPRLREEVRLIIALTSDNGASLSKGLSESRVSALEKTSQIHSDTILRITQGLDDANKRIIALEQSRDDLVASVSDA
QLAISRLLESSIGALQTVVNGLDSSVTQLGARVGQLETGLAELRVDHDLNVARVDTAERNIGSLTTELSTLTLRVTSI
QADFESRISTLERTAVTSAGAPLSIRNNRMTMGLNDGLTSGNNLAIRLPGNTGLNIQNGGLQFRFNTDQFQIVNNN
LTLKTTVFDSINSRIGATEQSYVASAVTPLRLNSSTKVLDMLIDSSTLEINSSGQLTVRSTSPNLRYPIDVSGGIG
MSPNYRFRQSMWIGIVSYSGSLNWRVQVNSDIFIVDDYIHIICLPAFDGFSIADGGDLNLFVTGLLPPLLTGDTPE
AFHNDVVITYGAQTVAIGLSSGGAPQYMSKNLWVEQWQDGLRLRVEGGGSITHSNSKWPAMTVSYPRSF (SEQ
ID NO:11)

 $\sigma 2$:

MARAAFLFKTVGFGGLQNPINDELSSHLLRAGNSPWQLTQFLDWISLGRGLATSALVPTAGSRYQMSCLLSGTLQ
IPFRPNHRWGDIFRLRLVWSAPTL DGLVVPQVLAQPALQAQADRVYDCDDYPFLARDPRFKHRVYQQLSAVTLN
LTGFGPISYVRVEDMWSGDVNQLLMNYFGHTFAEIAYTLCQASANRPWEYDGTYARMTQIVLSLFWLSYVGVIHQ
NTYRTFYFQCNRRGDAAEVWILSCSLNHSQIRPGNRSFVMPSPDWNMDVNLILSSTLTGCLCSGSQPLIDNNS
VPAVSRNIHGTGRAGNLHGFQVRRMVTEFCDRLRDGVMTQAQONQVEALADQTQFQRDKLETWAREDDQYNQA
HPNSTMFRTKPFTNAQWGRGNTGATSAAIAALI (SEQ ID NO:12)

 σNS :

MASSLRAAISIKIRDDVGQVCPNYVMLRSSVTTKVVRNVVEYQIRTGGFFSCLAMLRPLQYAKRERLLGQRNLRI
STRDILQTRDLHSLCMTPTDAPMSNHQASTMRELICSYFKVDHADGLKYIPMDERYSPSSLARLFTMGAGLHITTE
PSYKRVPIIMHLAADLDCMTLALPYMITLDGDTVVPVAPTLSAEQLLDDGLKGLACMDMDVRWTRIAGRLLVIRVWTLH
AASTSCIARRQQKPSVCLRHLC (SEQ ID NO:13)

MASSLRAAISIKIRDDVGQVCPNYVMLRSSVTTKVVRNVVEYQIRTGGFFSCLAMLRPLQYAKRERLLGQRNLRI
STRDILQTRDLHSLCMTPTDAPMSNHQASTMRELICSYFKVDHADGLKYIPMDERYSPSSLARLFTMGAGLHITTE
PSYKRVPIIMHLAADLDCMTLALPYMITLDGDTVVPVAPTLSAEQLLDDGLKGLACMDISYGEVDANSRPAQDQSM
SSRCINELYCEETAEAICVLKTCVLNLCMQFKLEMDDLHNAAELDKIQMMIPFSERVFRMASSFATIDAQCFRVCV
MMKDKNLKIDMRETTTLWTRSASDDSVATSSLSISLDRGRWVAADASDARLLVFPIRV (SEQ ID NO:14)

 $\sigma 3$:

MEVCLPNGHQVVDLINNAFEGRVSIYSAQEGWDKTISAQPDMMVCGGAVVCMHCLGVVGSQRLKHLPHHRCNQI
RHQDYVDVQFADRVTAHWKRGMLSFVAQMHEMNDVSPDDLDRVRTEGGSLVELNRLQVDPNSMFRSIHSSWTDPLQ
VVDLDLTKLDQYWTALNLMIDSSDLIPNFMMDPSHAFNGVKLGKDARQTQFSRTFDSRSSLEWGMVYDYSELDDH
PSKGRAYRKELVTPARDFGHFGLSHYSRATTPILGKMPAVFSGMLTGNCMYPFIKGTAKLKTVRKLVEAVNHAWGV
EKIRYALGPGGMTGWYNRTMQQAPIVLTAAALTMFPDTIKFGDLNYPVMIGDPMILG (SEQ ID NO:15)

Figure 5

 $\mu 2$:

MAYIAVPAVDSRSSEAIGLLESFGVDAGADANDVSYQDHDYVLDQLQYMLDGYEAGDVIDALVHKNLHHSVYCLL
PPKSQLELEYWKSNPSPAI PDNVDRLRLKRLMLKKDLRKDD EYNQLARAFKISDVYAPLISSTTSPMTMIQNLNRGEIV
YTTTDRVIGARILLYAPRKYYASTLSFTMTKCIIPFGKEVGRVPHSRFNVGTFPSIATPKCFVMSGVDIESIPNEFI
KLFYQRVKSVHANILNDISPQIVSDMINRKRLRVHTPSDRRAAQLMHLPHYHVKRGASHVDVYKVDVVDMLFEVVDVA
DGLRNVSRKLTMTHTVPCILEMLGIEIADYCIQEDGMLTDWFLLLTMLS DGLTDRRTHCQYLINPSSVPPDVLNI
SITGFINRHTIDVMPDIYDFVKPIGAVLPKGSFKSTIMRVLDSISILGIQIMPRAHVVDSDDEVGEQMEPTFEQAVME
IYKGIAGVDSLDDLIKWVLNSDLIPHDDRLGQLFQAFPLAKDLLAPMARKFYDNSMSEGRLLTFSHADSELLNANY
FGHLLRLKIPYITEVNL MIRKNREGGELFQLVLSYLYKMYATSAQPKWFGSLLRLLICPWLHMEKLIGEADPASTSA
EIGWHIPREQLMQDGWCGCEDGFIPYVSIRAPRLVIEELMEKNWGQYHAQVIVTDQLVVGEP RRVSAKAVIKGNHLP
VKLVSRFACFTLTAKYEMRLSCGHSTGRGAAYSARLAFRSDLA (SEQ ID NO:16)

 $\mu 1$:

MGNASSIVQTINVTGDGNVFKPSAETSSTAVPSLSLSPGMLNPGGVPIAVGDETSVTSPGALRRMTSKDIPDTAI I
NTDNSSGAVPSESALVPYIDEPLVVVTEHAITNFTKAEMALEFNREFLDKMRVLSVSPKYSDDLTYVDCYVGV SARQ
ALNNFQKQVPVITPTRQTMVVD SIQAALKALEKWEIDL RVAQTL LPTNPVPIGEVSCPMQSVVKLLDDQLPDDSLIRR
YPKEAAVALAKRNGGIQWMDVSEGTVMNEAVNAVASALAPSASAPPLEEKS KLTEQAMD LVTA AEPEIIASLAPVP
APVFAIPPKPADYNVRTLRI DEATWLRMIPKSMNTPFQIQVTDNTGTNWHNLNRGGTRV VNL DQIAPMRFVLDLGGK
SYKETSWDPNGKKVGFI VQSKIPFELWTAASQIGQATVVNVVQLY AEDSSFTAQSI IATTS LAYNYEPEQLNKTD P
EMNYLLATFIDSAAITPTNMTQPDVWDALLTMSPLSAGEVT VKGAVVSEVVPADLIGSYTPESLNASLPNDAA RCM
IDRASKIAEAIKIDDDAGPDEYSPNSVPIQGQLAISQLETGYGVRI FNPKGILSKIASRAMQAFIGDPSTIITQAAP
VLSDKNNWIALAQGVKTS LRKSLSAGVKTA VSKLSSSESIQNW TQGFLDKVSAHFPA PKPDCPTSGDSGESSNRRV
KRDSYAGVVKRGYTR (SEQ ID NO:17)

 μNS :

MASFKGFSANTVPVSKAKRDISSLAATPGLRSQSFTPSVDMSQSREFLTKAIEQGSMSIPYQHVNVPKVDRKVVSLV
VRPFSSGAFSISGVISPAHAYLLECLPQLEQAMAFVASPESFQASDVAKRFAIKPGMSLQDAITAFIN FVSAMLKMT
VTRQNFDVIVAEIERLASTSVSVRTEEAKVADEELMLFGLDHRGPQQLDVSDAKGIMKAADIQTTHDVHLAPGVGNI
DPEIYN EGRFMFMQHKPLAADQSYFTLETADYFKIYPTYDEHDGRMADQKQSG LILCTKDEVLA EQTIFKLDAPDDK
TVHLLDRDDDHVVARFTKVFI EDVAPGHHAQRSGQRSVLD DLYANTQVISITSAALKWVVKHGVSDGIVNRKNVKV
CVGFDPLYTLSTHNGVSLCALLMDEKLSVLNSACRMTLRSLMKTGRD VDAHRA FQRVLSQGYTSLMCYYHPSRKLAY
GEVLFLEERSNDVTDGIKLQLDASRQCHECPVLQQKVVELEKQIIMQKSIQSDPTPVALQPLLSQLRELSSEVTRLQM
ELSRAQSLNAQLEADV KSAQSCSLDMYLRHHTCINGHAKED ELLDAVRVAPDVRREIMEKRSEVRQGW CERISKEAA
AKCQTVIDDLTLMNGKQAQEITELRDSAEKYEKQIAELVSTITQ NQITYQQELQALVAKNVELDALNQRQAKSLRIT
PSLLSATPIDSVDDVADLIDFSVPTDEL (SEQ ID NO:18)

Figure 6-1

 $\lambda 3$:

MSSMILTQFGPFIESISGITDQSNDFEDAAKAFSMFTRSDVYKALDEIPFSDDAMLPIPTTIYTKPSHDSYYYIDA
 LNRVRRKTYQGPDDVYPNCSIVELLEPHETLTSYGRLEAIENRAKDGDSQARIATTYGRIAESQARQIKAPLEKF
 VLALLVAEAGGSYLDPLVKYDEIPDLSHNCPWCFREICRHISGPLPDRAPYLYLSAGVFWLMSPRMTSAIPPLLS
 DLVNLAILQQTAGLDPSLVKLGVCICLHAAASSSYAWFILKTKSIFPQNTLHSMYSELEGGYCPNLEWLEPRSDYKF
 MYMGVMPLSAKYARSAPSNDKKARELGEKYGLSSVVGELRKRRTKYVKHDFASVRYIRDAMACTSGIFLVRTPTETV
 LQEYTSPEIKVPIPKDWTGPIGEIRILKDTTSSIARYLYRTWYLAARMAAQPRWDPLFQAIMRSQYVTARGGS
 GAALRESLYAINVSLPDFKGLPVKAATKIFQAAQLANLPFSHTSVAILADTSMGLRNQVQRRPRSIMPLNVPQQQVS
 APHTLTADYINYHNMNLSTTSGSAVIEKVIPLGVYASSPPNQSNINIDISACDASITWDFFLSVIMAAIHEGVASSSIG
 KPFGVGPASIVNDES VVGVRARPISGMQNMIOHLSKLYKRGFSYRVNDSFSPGNDFTHTTTTFPSGSTATSTEHTA
 NNSTMMETFLT VWGPEHTDDPDVLRMLKSLTIQRNYVCQDDGLMIIDGTTAGKVNSETIQKMLELISKYGEFEGWK
 YDIAYDGTAEYKLYFIFGCRIPNLSRHPIVGKERANSSAEPPWPAILDQIMGVFFNGVHDGLQWQRWIRYSWALCC
 AFSRQRTMIGESVGYLQYPMWSFVYWGGLPLVKAFGSDPWIFSWYMPGTGDLGMYSWISLIRPLMTRWMVANGYVTDRC
 SPVFGNADYRRCFNELKLYQGYMAQLPRNPKKSGRAAPREVREQFTQALSDYLLQNPCLKSRVLRGRSEWEKYGAG
 I IHNPPSLFDVPHKQYQGAQEAATREELAEMDETLMRARRHRYSSFSKLEAYLLVKWRMCEAREPSVDLRLPLC
 AGIDPLNSDPFLKMVS VGPMLQSTRKYFAQTLFMAKTVSGLDVNAIDSALLRLRTLGAADKALTAQLLMVGLQESEA
 DALAGKIMLQDVNTVQLARVNLAVPDTWMSLDFDSMFKHHVKLLPKDGRHLNTDIPPRMGWLRAILRFLGAGMVM
 ATGVAVDIYLEDIHGGGRSLGQRFMWTMRQEGRSA (SEQ ID NO:19)

 $\lambda 2$:

MANVWGVRLADSLSSPTIETRTRQYTLHDLCSDLNANPGREPWKPLRNQRTNNI VAVQLFRPLQGLVLDLTQLYGFGP
 AFDDWERFMREKLRLVLYEVLRIYPI SNYSNEHVNVFVANALVGAFLSNQAFYDLLPLLI INDTMIGDLLGTGASLS
 QFFQSHGDLVLEAAGRKYLMENYSNDDDDPPLFAKDLSDYAKAFYSPTYEVLD RFFWTHDSSAGVLVHYDKPTNGH
 HYLLGTLTQMVSAPPYI INATDAMLLESCLEQFSANVRARPAQPVTRLDQCYHLRWGAQYVGEDSLTYRLGVLSLLA
 TNGYQLARPIPRQLTNRWLSSFSVQIMSDGVNETPLWPQERYVQIAYDSPSVVDGATQYGYVRKNQLRLGMRISALQ
 SLSDTPSPVQWLQYTIIDQAAMDEGLMVSRLTQLPLRPDYGNIVGWDALSYVVDYNRSHRVVLSSELPLQPDYTFD
 GDEQYVSRVFLSLARKIGDRSLVKDTAVLKHAYQAIDPNTGKEYLRSRQSVAYFGASAGHSGADQPLVIEPWIQKIS
 GVPPSSVRQFGYDVARGAIVDLARPPSGDYQFVYSDVQVVDGHDDLSSISGLVESLSSCMHATAPGGSFVVKI
 NFPTRPVWHYIEQKILPNITSYMLIKPFVTNNVELFFVAFGVHGHSSLTWTSGVYFFLVDFYRYETLSTISRQLPS
 FGYVDDGSSVTGIETISIENPGFSNMTQAARIGISGLCANVGNARKSIAIYESHGARVLTITSRSPASARRKSRLR
 YLPLIDPRSLEVQARTILPADPVL FENVSGASPHVCLTMMYNFEVSSAVYDGDVVDLGTGPEAKILELIPATSPVT
 CVDIRPTAQPSGCWNVRTTFLELDYLSDGWITGVRGDI VTCMLSLGAAAAGKSMTFDAFQQLIKVLSKSTANVVLV
 QVNCPTDVVRSIKGYLEIDSTNKRYRFPKFGRDEPYSDMDALEKICRTAWPNCSITWVPLSYDLRWTRLALLESTTL
 SSASIRIAELMYKYPIMRIDIHGLPMEKRGNFIVGQNC SLVIPGFNAQDVFNCFNSALAFSTEDVNAAMIPQVSA
 QFDATKGEWTLDMVFSADAGIYTMQALVGSNANPVSLGSFVVDSPDVIDTDAWPAQLDFTIAGTDVDITVNPYYRLMT
 FVRIDGQWQIANPDKFQFSSASGTLVMNVKLDIADKYLLYYIRDVQSRDVGFIQHPQLLNTITLPTNEDLFLSA
 PDMREWAVKESGNTICILNSQGFVLPQDWDVLTDTISWSPSIPTYIVPPGDYTLTPL (SEQ ID NO:20)

 $\lambda 1$:

MKRI PRKTKGKSSGKNDSTERADDGSSQLRDKQNNKAGPATTEPGTSNREQYKARPGIASVQRATESAEMPMKNND
 EGTPDKKGNTKGDLVNEHSEAKDEADEATKKQAKDTDKSKAQVTYSDTGINNANELSRSGNVNDEGGSNQKPMSTRI
 AEATSAIVSKHPARVGLPPTASSGHGYQCHVCSAVLFSPLDLDAHVAHGLHGNMTLTSSDIQRHITFEISSWQNH
 IVQVSADVENKKTQALLHADTPRLVTWDAGLCTSFKIVPIVPAQVPQDVLAYTFFTSSYAIQSPFPEAAVSRIVVHT
 RWASNVDFDRDSSVIMAPPTENNIHLFKQLLNTETLSVRGANPLMFRANVLHMLLEFVLDNLNLRHTGFSQDHTPF
 TEGANLRSPLPGPDAEKWYSIMYPTRMGTPNVSKICNFVASCVRNRVGRFDRAQMMNGAMSEWVDVFETSDALTVSIR
 GRWMARLARMNINPTEIEWALTECAQGYVTVTSPYAPSVNRLMPYRISNAERQISQIIRIMNIGNNATVIQPVLDI
 SVLLQRISPLQIDPTIISNTMSTVSESTTQTLSPASSILGKL RPSNSDFSSFRVALAGWLYNGVVTTVIDDSSYPKD
 GGSVTSLENLWDFILALALPLTTDPCAPVKAFMTLANMMVG FETIPMDNQIYTQSRRASAFSTPHTWPRCFMNIQ
 ISPIDAPILRQWAEI IHRYPNPSQIRYGPVNFVGSANLFTPEVLLLPIDHQPANVTTPTLDFTNELTNWRARVCE
 LMKNLVDNQRYQPGWTQSLVSSMRGTLDKLKLKISMTPMYLQQLAPVELAVIAPMLPFPFPQVPYVRLDRDRVPTMV
 GVTRHSRDTITQPALSSTNTTVGVPLALDARAITVALLSGKYPPDLVTNVYADAIYPMYADTEVFSNLQRDMIT
 CEAVQTLVTLVAQISETQYPVDRLDWIPSLRASAATAATFAEWVNTSMKTAFDLSDMLLEPLLSGDPRMTQLAIQY

Figure 6-2

QQYNGRTFNIIPEMPGSVIADCVQLTAEVFNHEYNLFGIARGDIIIGRVQSTHLWSPLAPPPDLVFDRDTPGVHIFG
RDCRISFGMNGAAPMIRDETGLMVPFEGNWIFPLALWQMNTYFNQQFDAWIKTGELRIRIEMGAYPYMLHYYDPRQ
YANAWNLTSAWLEEITPTSIPSVPFMVPISSDHDISSAPAVQYIISTEYNDRSLFCTNSSSPQTIAGPDKHIPVERY
NILTNPDPAPTQIQLPEVVDLYNVVTRYAYETPPITAVVMGVP (SEQ ID NO:21)

1723659_1.TXT

SEQUENCE LISTING

<110> Coffey, Matthew C.

<120> REOVIRUSES HAVING MODIFIED SEQUENCES

<130> 16596/076001

<150> 60/989,568

<151> 2007-11-21

<150> 60/894,425

<151> 2007-03-12

<160> 30

<170> FastSEQ for windows Version 4.0

<210> 1

<211> 1416

<212> DNA

<213> Reovirus

<400> 1

```

gctattggtc ggatggatcc tcgcctacgt gaagaagtag tacggctgat aatcgcatta 60
acgagtgata atggagcatc actgtcaaaa gggcttgaat caaggggtctc ggcgctcgag 120
aagacgtctc aaatacactc tgatactatc ctccggatca cccagggact cgatgatgca 180
aacaaacgaa tcatcgctct tgagcaaaagt cgggatgact tggttgcatc agtcagtgat 240
gctcaacttg caatctccag attggaaagc tctatcggag ccctccaaac agttgtcaat 300
ggacttgatt cgagtgttac ccagtgggtt gctcgagtgg gacaacttga gacaggactt 360
gcagagctac gcgttgatca cgacaatctc gttgcgagag tggatactgc agaacgtaac 420
attggatcat tgaccactga gctatcaact ctgacgttac gagtaacatc catacaagcg 480
gatttcgaat ctaggatatc cacgttagag cgcacggcgg tcactagcgc gggagctccc 540
ctctcaatcc gtaataaccg tatgaccatg ggattaaatg atggactcac gttgtcaggg 600
aataatctcg ccatccgatt gccaggaaat acgggtctga atattcaaaa tgggtggactt 660
cagtttcgat ttaatactga tcaattccag atagttaata ataacttgac tctcaagacg 720
actgtgtttg attctatcaa ctcaaggata ggcgcaactg agcaaagtta cgtggcgctcg 780
gcagtgactc ccttgagatt aaacagtagc acgaagggtg tggatatgct aatagacagt 840
tcaacacttg aaattaattc tagtggacag ctaactgtta gatcgacatc cccgaatttg 900
aggtatccga tagctgatgt tagcggcggt atcggaatga gtccaaatta taggtttagg 960
cagagcatgt ggataggaat tgtctcctat tctggtagtg ggctgaattg gagggtagag 1020
gtgaactccg acatttttat tgtagatgat tacatacata tatgtcttcc agcttttgac 1080
ggtttctcta tagctgacgg tggagatcta tcgttgaact ttgttaccgg attgtttacca 1140
ccgttactta caggagacac tgagcccgtt ttccataatg acgtgggtcac atatggagca 1200
cagactgtag ctataggggt gtcgtcgggt ggtgcgcctc agtatatgag taagaatctg 1260
tgggtgagc agtggcagga tggagtactt cggttacgtg ttgagggggg tggctcaatt 1320
acgcactcaa acagtaagtg gcctgccatg accgtttcgt acccgcgtag ttccacgtga 1380
ggatcagacc accccgcggc actggggcat ttcac 1416

```

<210> 2

<211> 1331

<212> DNA

<213> Reovirus

<400> 2

```

gctattcgct ggtcagttat ggctcgcgct gcgttcctat tcaagactgt tgggtttggt 60
ggctctgaaa atgtgccaat taacgacgaa ctatcttcac atctactccg agctggtaat 120
tcaccatggc agttaacaca gtttttagac tggataagcc ttgggagggg tttagctaca 180
tcggctctcg ttccgacggc tgggtcaaga tactatcaaa tgagttgcct tctaagtggc 240
actctccaga ttccgttccg tcctaaccac cgatggggag acattaggtt cttacgctta 300
gtgtggtcag ctctactct cgatggatta gtcgtagctc caccacaagt tttggctcag 360
cccgttttgc aagcacaggc agatcgagtg tacgactgcg atgattatcc atttctagcg 420
cgtgatccaa gattcaaaca tcgggtgtat cagcaattga gtgctgtaac tctacttaac 480
ttgacagggt ttggcccgat ttcttacgtt cgagtggatg aagatatgtg gaggaggat 540
gtgaaccagc ttctcatgaa ctatttcggg cacacgtttg cagagattgc atacacattg 600
tgtcaagcct cggctaatag gccttgggaa tatgacggta catatgctag gatgactcag 660

```

1723659_1.TXT

```

attgtgttat ccttgttctg gctatcgtat gtcggtgtaa ttcacagca gaatacgtat 720
cggacattct attttcagtg taatcggcga ggtgacgccg ctgaggtgtg gattctttct 780
tggtcgttga accattccgc acaaattaga ccgggtaatc gtagcttatt cgttatgcc 840
actagcccag attggaacat ggacgtcaat ttgatcctga gttcaacgtt gacgggggtg 900
ttgtgttcgg gttcacagct gccactgatt gacaataatt cagtaccctg agtgtcgcgt 960
aacatccatg gctggactgg tagagctggt aaccaattgc atgggttcca ggtgagacga 1020
atggtgactg aattttgtga caggttgaga cgcatggtg tcatgaccca agctcagcag 1080
aatcaagttg aagcgttggc agatcagact caacagttta agagggacaa gctcgaacg 1140
tgggcgagag aagacgatca atataatcag gctcatccca actccacaat gttccgtacg 1200
aaaccattta cgaatgcgca atggggacga ggtaatacgg gggcgactag tgccgcgatt 1260
gcagccctta tctgatcgtc ttggagttag ggggtccccc cacacacctc acgactgacc 1320
acacattcat c 1331

```

<210> 3
 <211> 1198
 <212> DNA
 <213> Reovirus

<400> 3

```

gctaaagtca cgctgtcgt cgtcactatg gcttcctcac tcagagctgc gatctccaag 60
atcaagaggg atgacgtcgg tcagcaagtt tgtcctaatt atgtcatgct gcggtcctct 120
gtcacaacaa aggtggtacg aaatgtggtt gagtatcaaa ttcgtacggg cggattcttt 180
tcgtgcttag ctatgctaag gccactccag tacgctaagc gtgagcgttt gcttggctag 240
aggaatctgg aacgtatatc gactagggat atccctcaga ctcgtgattt acactcacta 300
tgtatgccaa ctctgatgc gccaatgtct aatcatcaag catccaccat gagagagctg 360
atgtgcagtt acttcaaggt cgatcatgcg gatgggttga aatatatacc catggatgag 420
agatactctc cgatcatcact tgccagattg ttaccatgg gcatggctgg gctgcacatt 480
accactgagc catcttataa gcgtgttccg attatgcact tagctgcgga cttggactgt 540
atgacgtcgg ctctacctta catgattacg cttgatgggt atactgtggt tcctgtcgt 600
ccaacactgt cagcggaaaca gcttctggac gacggactca aaggattagc atgcatggat 660
atcttctatg gatgtgaggt ggacgcgaat agccggcccg ctggtgatca gagtatggac 720
tcttcacgtg gcatcaacga gttgtattgc gaggagacag cagaagccat ctgtgtgctt 780
aagacatgcc ttgtgttaaa ttgcatgcag ttgaaacttg agatggatga cctagcatat 840
aacgctgctg agctggacaa gatacagatg atgataccct tcagtgcgag tgtttttagg 900
atggcctcgt cctttgcgac tattgatgcc cagtgtttta ggttttgctg gatgatgaag 960
gataaaaatc tgaaaataga tatgctgtaa acgacgagac tgtggactcg ttcagcatca 1020
gatgattctg tggccacgtc atctttaagt atttccctgg accggggctg atgggtggcg 1080
ctgacgcca gtgatgctag actgctggtt ttccgattc gcgtgtaatg ggtgagttag 1140
ctgatgtggt cgccaagaca tgtgccgggtg tcttggtggt gggtgacgcc taatcatc 1198

```

<210> 4
 <211> 1196
 <212> DNA
 <213> Reovirus

<400> 4

```

gctatttttg cctcttccca gacgttgtcg caatggaggt gtgcttgccc aacggtcac 60
aggtcgtgga cttaattaac aacgcttttg aaggtcgtgt atcaatctac agcgcgcaag 120
agggatggga caaaacaatc tcagcacagc cagatatgat ggtatgtggt ggcgccgtcg 180
tttgcagtga ttgtctaggt gttgttggat ctctacaacg caagctgaag catttgctc 240
accatagatg taatcaacag atccgtcatc aggattacgt cgatgtacag ttcgcagacc 300
gtgttactgc tcaactggaag cggggtatgc tgtccttcgt tgcgcagatg cacgagatga 360
tgaatgacgt gtcgccagat gacctggatc gtgtgcgtac tgaggagggt tcactagtgg 420
agctgaaccg gcttcagggt gacccaaatt caatgtttag atcaatacac tcaagttgga 480
cagatccttt gcaggtggtg gacgaccttg acactaagct ggatcagtac tggacagcct 540
taaacctgat gatcgactca tccgacttga tacccaactt tatgatgaga gacctcac 600
acgcgttcaa tgggtgtgaaa ctgaaggagg atgctcgtca aaccaattc tccaggactt 660
ttgattcgag atcgagtttg gaatgggggtg tgatggttta tgattactct gagctggatc 720
atgatccatc gaaggccgt gcttacagaa aggaattggt gacgccagct cgagatttcg 780
gtcacttttg attatcccat tattctaggg cgactacccc aatccttggg aagatgccgg 840
ccgtattctc aggaatgttg actgggaact gtaaaatgta tccattcatt aaaggaacgg 900
ctaagtgaag gacagtgcgc aagctagtgg aggcagtcaa tcatgcttgg ggtgtcgaga 960
agatttagata tgctcttggg ccagggtggc tgacgggatg gtacaatagg actatgcaac 1020
aggcccccac tgtgctaact cctgctgctc tcacaatgtt cccagatacc atcaagtttg 1080
gggatttgaa ttatccagt atgattggcg atccgatgat tcttggttaa acaccccat 1140
cttcacagcg ccgggcttga ccaacctggt gtgacgtggg acaggcttca ttcac 1196

```

<210> 5

<211> 2304
 <212> DNA
 <213> Reovirus

<400> 5

gctattcgcg	gtcatggcctt	acatcgagct	tcctgcgggtg	gtggattcac	gttcgagtga	60
ggctattgga	ctgctagaat	cgtttgagg	agacgctggg	gctgacgcga	atgacgtttc	120
atatcaagat	catgactatg	tggtggatca	gttacagtac	atggttagatg	gatatgaggc	180
tggtgacgtt	atcgatgcac	tcgtccacaa	gaattgggtta	catcactctg	tctattgctt	240
gttgccaccc	aaaagtcaac	tattagagta	ttggaaaagt	aatccttcag	cgataccgga	300
caacggttgat	cgtcggcttc	gtaaacgact	aatgctaaag	aaagatctca	ggaaagatga	360
tgaatacaat	cagctagcgc	gtgctttcaa	gatatcggat	gtctacgcac	ctctcatctc	420
atccacgacg	tcaccgatga	caatgataca	gaacttgaat	cgaggcgaga	tcgtgtacac	480
cacgacggag	agggtaatat	gggctagaat	cttggtatat	gctcctagaa	agtactatgc	540
gtcaactctg	tcatcttacta	tgactaaagt	catcattccg	tttggttaaag	aggtgggtcg	600
tgttcctcac	tctcgattta	atgttggcac	atttccgtca	attgctaccc	cgaaatgttt	660
tgctcatgagt	gggggttgata	ttgagtcctt	cccaaagtga	tttatcaagt	tgttttacca	720
gcgcgtcaag	agtgttcacg	ctaacatact	aaatgacata	tctcctcaga	tcgtctctga	780
catgataaac	agaaagcgtc	tgcgcggtta	tactccatca	gatcgctcag	ccgcgcagtt	840
gatgcatttg	ccttaccatg	ttaaaacgag	agcgtctcac	gtcgacgttt	acaagggtga	900
tggtgtagac	atgttgttcg	aggtagtgga	tggtggccgat	gggttgcgca	acgtactctg	960
gaaactaact	atgcataacc	ttcctgtatg	tattcttgaa	atgttgggta	ttgagattgc	1020
ggactatttg	attcgctcaag	aggatggaat	gctcacagat	tggttcctac	ttttaacat	1080
gctatctgat	ggcttgactg	atagaaggac	gcattgtcaa	tacttgatta	atccgtcaag	1140
tgtgcctcct	gatgtgatac	ttaacatctc	aattactgga	tttataaata	gacatacaat	1200
cgatgtcatg	cctgacatat	atgacttcgt	taaaccatt	ggcgctgtgc	tgccctaagg	1260
atcatttaaa	tcaacaatta	tgagagttct	tgattcaata	tcaatattag	gaatccaaat	1320
catgccgcgc	gcgcattgtag	ttgactcaga	tgagggtggc	gagcaaattg	agcctacgtt	1380
tgagcaggcg	gttatggaga	tatacaaagg	gattgctggc	gttgactcgc	tggtgatctt	1440
catcaagtgg	gtgttgaact	cggatctcat	tccgcattgat	gacaggcttg	gtcaattatt	1500
tcaagcgttt	ttgcctctcg	caaaggactt	attagctcca	atggccagaa	agttttatga	1560
taactcaatg	agtgagggtg	gattgctaac	attctctcat	gccgacagtg	agttgctgaa	1620
cgcaaattat	tttggtcatt	tattgcgact	aaaaatacca	tattattacag	aggttaattct	1680
gatgattcgc	aagaatcgtg	agggtggaga	gctatttcag	cttggtgttat	cttatctata	1740
taaaatgtat	gctactagcg	cgcagcctaa	atggtttgga	tcattattgc	gattgttaat	1800
atgtccctgg	ttacatatgg	agaaattaat	aggagaagca	gacccggcat	ctacgtcggc	1860
tgaaattggg	tgcatatccc	ctcgtgaaca	gctgatgcaa	gatggatggg	gtggatgtga	1920
agacggatttc	attccctatg	ttagcatatg	tgcgccaaga	ctggttatag	aggagtgtat	1980
ggagaagaac	tggggccaat	atcatgccca	agttattgtc	actgatcagc	ttgtcgtagg	2040
cgaaccgcgc	agggtatctg	ctaaggctgt	gatcaagggt	aaccacttac	cagttaagtt	2100
agtttcacga	tttgcatggt	tcacattgac	ggcgaagtat	gagatgaggc	tttcgtgcgc	2160
ccatagcact	ggacgtggag	ctgcatacag	tgcgagacta	gctttccgat	ctgacttggc	2220
gtgatccgtg	acatgcgtag	tgtgacacct	gctcctaggt	caatgggggt	agggggcggg	2280
ctaagactac	gtacgcgctt	catc				2304

<210> 6
 <211> 2204
 <212> DNA
 <213> Reovirus

<400> 6

ggctaattctg	ctgaccgtta	ctctgcaaag	atgggggaacg	cttcctctat	cgttcagacg	60
atcaacgtca	ctggagatgg	caatgtattt	aaaccatcag	ctgaaacttc	atctaccgct	120
gtaccatcgt	taagcttatc	acctggaatg	ctgaatcccg	gaggggtacc	atggattgct	180
gttgagatg	agacatctgt	gacttcacca	ggcgattac	gtcgaatgac	gtcaaaggac	240
atcccggaga	cggcaataat	caacacagac	aattcatcag	gcgccgtgcc	aagcgaatca	300
gccttggtgc	cctacatcga	tgagccgctg	gtagtgggtta	cagagcatgc	tattaccaac	360
ttcaccaaag	ctgagatggc	acttgaattc	aatcgtgagt	tccttgacaa	gatgcgtgtg	420
ctgtcagtg	caccaaata	ttcgatctt	ctgacctatg	ttgactgcta	cgtcggtgtg	480
tctgtcgtc	aggctttaa	caattttcag	aaacaagtgc	ctgtgattac	acctactagg	540
cagacgatgt	atgtcgactc	gatacaagcg	gccttgaaag	ctttagaaaa	gtgggagatt	600
gatctgagag	tggtcctaac	gttgctgcct	acgaacgttc	cgattggaga	agtctcttgt	660
ccaatgcagt	cggtagtgaa	actgctggat	catcagctgc	cagatgacag	cctgatacgg	720
aggatccca	aggaagccgc	cgctcgcttg	gctaaacgaa	acgggggaat	acaatggatg	780
gacgtatcag	aaggcaccgt	gatgaacgag	gctgtcaacg	ctgttgacgc	tagtgactg	840
gcaccttcag	catcagcccc	acccttagaa	gagaagtcaa	agttaaccga	acaagcgatg	900
gatctcgtga	ccgcggctga	gcctgagata	attgcctcac	tcgcgccagt	ccccgaccc	960
gtgtttgcca	taccacctaa	accagcagat	tataattgtgc	gtactctgag	gatcgacgag	1020

1723659_1.TXT

```

gccacttggc tgcgaatgat tccaaaatca atgaacacac cttttcaaat ccaggtgact 1080
gataacacag gaactaattg gcatctcaat ttgagggggg ggactcgtgt agtgaatctg 1140
gaccaaatacg ctccgatgcg gtttgtatta gatctagggg gaaagagtta taaagagacg 1200
agctgggacg caaacggcaa gaaggtcgga ttcatcgttt ttcaatcgaa gataccattc 1260
gaactttgga ctgctgcttc acagatcggt caagccacgg tggttaacta tgtccaacta 1320
tacgctgaag acagctcatt taccgcgcag tctatcattg ctactacctc tttggcctat 1380
aactatgagc ctgagcagtt gaataagact gaccctgaga tgaattatta tcttttggcg 1440
acctttatag actcagccgc tataacgcca acgaatatga cacagcctga tgtttgggat 1500
gccttgctga cgatgtcccc actatcagct ggcgagggtga cagtgaaggg tgcggtagt 1560
agtgaagtag tccctgcaga cttgataggt agctacactc cagaatccct aaacgcctca 1620
cttccgaatg atgctgctag atgcatgacg gatagagctt cgaagatagc cgaagcaatc 1680
aagattgatg atgatgctgg accagatgaa tattcccaa actctgtacc aattcaaggt 1740
cagcttgcta tctcgcaact cgaaactgga tatggtgtgc gaatattcaa ccctaaaggg 1800
atcctttcta aaattgcatt tagggcaatg caggctttca ttggtgacct gagcacaatc 1860
atcacgcagg cggcgcaggt gttatcagac aagaataatt ggattgcatt ggcacaggga 1920
gtgaaaacta gtctgcgtac taaaagtcta tcagcgggag tgaagactgc agtgagtaag 1980
ctgagctcat ctgagtctat ccagaattgg actcaaggat tcttgataa agtgctcagcg 2040
cattttccag caccaaagcc cgattgtccg actagcggag atagtgggtga atcgtctaata 2100
cgccgagtgag agcgcgactc atacgcagga gtggtcaaac gtgggtacac acgttaggcc 2160
gctcgccttg gtgacgcggg gttaagggat gcaggcaaat catc 2204

```

<210> 7
 <211> 2241
 <212> DNA
 <213> Reovirus

```

<400> 7
gctaaagtga ccgtgggtcat ggcttcattc aagggattct ccgccaacac tgttccagtt 60
tctaaggcca agcgtgacat atcatctctt gccgctactc ctggacttcg ttcacaatcc 120
ttcactccgt ctgtggatat gtctcaatcg cgtgaattcc tcacaaaggc aattgagcaa 180
gggtccatgt ctatacctta tcagcatgtg aatgtaccga aagttgatcg taaagttggt 240
agcctggtag tgcgaccttt ctcttcaggt gctttctcta tctctggagt gatttcgcca 300
gcccattgct atctactaga gtgtctaccc cagcttgagc aggcgatggc ttttgttgct 360
tcacctgagt ctttccaggc ttccgacgtc gcgaagcgct ttgccataaa gccaggatg 420
agcctccagg atgccatcac tgcctttatt aactttgtgt ccgcatgct gaaaatgacg 480
gtgactcgtc aaaactttga cgttattgtg gctgagatcg agaggcttgc ttcaaccagc 540
gtgtccgtca ggactgaaga agcgaagggt gctgatgagg agctaattgct attcgggtta 600
gatcatagag ggccacagca gctggatggt tctgacgcta aagggataat gaaggctgt 660
gatattcaga caactcatga tgtccatttg gcaccaggcg ttggtaatat tgatcctgaa 720
atctataacg aggggcggtt catgttcatg cagcacaagc cacttgccgc ggatcaatcg 780
tatttcacct tggagactgc ggattatttc aagatttatc caacatacga tgaacatgat 840
ggcaggatgg ctgacaaaaa gcagtccgga ttgatactgt gtactaagga cgaggattg 900
gctgagcaaa ctatatttta actggacgcc cctgatgaca agactgttca tctgttggat 960
ggcgtatgag accaggttgt tgccagattt actaagggtat ttatagagga cgtggctccc 1020
cggcatcatg ctgctcaaag atcgggacaa gcgtctgtgc ttgatgacct atatgcgaat 1080
acgcaagtga tttccattac ttctgctgct ttaaagtggg tggtaagca cggcgtatct 1140
gatggaatcg tgaacaggaa gaatgtcaaa gtgtgtgttg gttttgacct cctgtacacc 1200
ttgtctacac ataacggggt gtccttatgt gccctgctga tggacgaaaa actctctgtg 1260
ctgaacagtg cgtgtcgtat gacgttacgc tcactcatga agaccggacg cgacgttgat 1320
gcacacagag cttttcagcg agtctctct caaggtatac catcgctaata gtgtactat 1380
catcctttcac ggaagtggc atatgggtgag gtgctctttc tagaacgatc caatgacgtg 1440
acagatggga tcaagcttca gttggacgca tctagacagt gtcataatg tcctgtgttg 1500
cagcagaaag tggttgagtt agagaaacag attattatgc agaagtcaat ccagtcagac 1560
cctaccccag tggcgctgca accattgttg tctcagttgc gtgagttgtc tagtgaagtt 1620
actaggctac agatggagtt gagtcgagct cagtccctga atgctcagtt ggaggcggat 1680
gtcaagtcat ctcaatcatg tagcttggat atgtatctga gacaccacac ttgcattaat 1740
ggtcagtcta aagaagatga attgcttgac gctgtgctg tcgcccggga tgtgaggaga 1800
gaaatcatgg aaaagaggag tgaagtgaga caaggttggg gcgaacgtat ttctaaggaa 1860
gcagctgcca aatgtcaaac tgatttggat gacctgactt tgatgaatgg aaagcaagca 1920
caagagataa cagaattacg tgattcggct gaaaaatat agaaacagat tgcagagctg 1980
gtgagtacca tcacccaaaa ccagataacg tatcagcaag agctacaagc cttggtagcg 2040
aaaaatgtgg aattggacgc gttgaatcac cgtcaggcta agtctttgcg tattactccc 2100
tctcttctat cagccactcc ttgatgatg ttgctgactt aattgatttc 2160
tctgttccaa ctgatgagtt gtaaataatc cgtgatgcag tgttgcccta atcccttaag 2220
ccttcccagac cccattcat c 2241

```

<210> 8
 <211> 3854

<212> DNA
<213> Reovirus

<400> 8

```

gctacacggt ccacgacaat gtcattccatg atactgactc agtttggacc gttcattgag 60
agcattttcag gtatcactga tcaatcgaat gacgtgtttg aagatgcagc aaaagcattc 120
tctatgttta ctccgagcga tgtctacaag gcgctggatg aaataccttt ctctgatgat 180
gcgatgcttc caatccctcc aactatatac acgaaaccat ctcacgattc atattattac 240
attgatgctc taaaccgtgt gcgtcgcaaa acatatcagg gccctgatga cgtgtacgta 300
cctaattgtt ctattgttga attgctggag ccacatgaga ctctgacatc ttatgggagg 360
ttgtccgagg ccatcgagaa tcgtgccaaag gatggggaca gccaaagccag aatcgccaca 420
acgtatggta gaatcgctga atctcaagct cgacagatta aggtccatt ggagaagttt 480
gtgttggcac tattagtggc cgaagcaggg gggcttttat atgatccagt ttgcagaag 540
tatgatgaga ttccagatct atcgcataat tgcccctttat ggtgttttag agagatctgt 600
cgtcacatat ctgggtccatt accagatcgg gcaccttatc tttacttatc tgcaggggtt 660
ttctgggttaa tgcaccacg aatgacgtct gcaatccctc cgctactatc cgatcttgtt 720
aatttagcta ttttgcaaca aactgagggt ttagatccat cattagtga atttgggagta 780
cagatatgcc ttcatgcagc agctagctca agttatgcat ggtttatctt aaagactaag 840
tctatttttc ctcaaaacac gttgcacagt atgtatgaat ctctagaagg gggatactgt 900
cctaattctt aatggttaga gcctagatca gactataagt tcatgtacat gggagtcagt 960
ccattgtccg ctaagtatgc taggtcggcg ccgtccaatg ataagaaagc gcgggaactt 1020
ggcgagaaat atggactgag ctcatgctgc ggtgagcttc gtaaacggac aaagacgtat 1080
gttaaaccatg actttgcttc agtgaggtag attcgtgacg ctatggcatg tactagcggg 1140
attttcttgg taagaacacc caccgaaacg gtattgcaag aatatacgca gaggccggag 1200
attaagggtc ccatcccca gaaagactgg acaggcccaa taggtgaaat cagaattcta 1260
aaagatacaa caagttccat cgcgctttac ttatatagaa catggtactt ggcagcggcg 1320
agaatggcgg ctcaaccacg tacgtgggat ccattgtttc aagcgattat gagatctcaa 1380
tacgtgacag ctaggggtgg atctggcgca gcactccgag aatctttgta tgcaatcaat 1440
gtgtcgttac ctgatttcaa gggcttacca gtgaaggcag caactaagat attccaggcg 1500
gcacaattag cgaacttgcc gttctcccac acatcagtg ctatactagc tgacacttca 1560
atgggattgc gaaatcaggt gcagaggcgg ccacgatcca ttatgccatt aaatgtgccc 1620
cagcagcagg tttcggcgcc ccatacattg acagcggatt acatttaact ccacatgaat 1680
ctatcaacca cgtctggtag tgcggtcatt gagaaggtag ttcctttagg tgtatacgct 1740
tcgagccctc ctaaccagtc gatcaacatt gacatatctg cgtgtgacgc tagtattact 1800
tgggatttct ttctgtcagt gattatggcg gctatacacg aaggtgtcgc tagtagctcc 1860
attggaaaac catttatggg ggttcctgca tccattgtaa atgatgagtc tgctggttga 1920
gtgagagctg ctaggccgat atcgggaatg cagaacatga ttcagcatct atcgaaaacta 1980
gttaaaccgtg gattttcata tagagtaaac gattcttttt ctccaggtaa cgattttact 2040
catatgacta ccactttccc gtcaggttca acagccacct ctactgagca tactgcta 2100
aatagtagca tgatggaaac tttcctgaca gtatggggac ccgaacatac tgacgacctt 2160
gacgtcttac gtttaatgaa gtctttaact attcaaagga attacgtatg tcaaggtgat 2220
gatggattaa tgattatcga tgggactact gctggtaagg tgaacagtga aactattcag 2280
aagatgctag aattaatctc aaaatatggt gaggaattcg gatggaaata tgacatagcg 2340
tacgatggga ctccaagata cttcaatat taggtgtcgc ttggctgtcg aattccaaat 2400
cttagtcgcc atcccaatcgt ggggaaagaa cgggcgaatt cttcagcaga ggagccattg 2460
ccagcaattc tagatcagat tatgggtgtc ttctttaatg gtgttcatga tgggttacag 2520
tggcagcggg ggatacgta ttcatgggct ctatgctgtg ctttctcacg tcaaagaaca 2580
atgattgggt agagcgtggg ttaccttcaa tatcctatgt ggtcttttgt ctactgggga 2640
ttaccactgg ttaaagcgtt tgggtcagac ccatggatat tttcttggtg catgcctact 2700
ggagatctgg gaatgtatag ttggattagc ctctgatgac aagatggatg 2760
gtggctaatt gttacgtaac tgacagatgc ttcggaacgc agattatcgc 2820
aggtgtttca atgaacttaa actatatcaa ggttattata tggcacaatt gccaggaat 2880
cctaagaagt ctggacgagc ggccccctcg gaggtaagag aacaattcac tcaggcatta 2940
tccgactatc tactgcaaaa tccagagctg aggtcacgtg tgctacgtgg tcgtagttag 3000
tgggagaaat atggagcggg gataattcac aatcctccgt cattattcga tgtgccccat 3060
aaatgggtatc aggtgcgca agaggcagca atcgctacga gagaagagct ggcagaaatg 3120
gatgagacat taatgcgcgc tcgaaggcac agatattcga gcttttcaaa gttatttagag 3180
gcgtatctgc tcgtgaaatg gcgaatgtgc gaggcccgcg aaccgtcggg ggatttgcga 3240
ttaccattat gtgcgggtat tgaccatta aactcagatc cttttctcaa gatggtaagc 3300
gttggaccaa tgctccagag tacgagaaag tactttgctc agacactatt catggcaaag 3360
acggtgtcgg gtcttgacgt taacgcgatt gatagcgcgt tattacgact gcgaacatta 3420
gggtctgata agaaagcatt aacggcgcac ttattaatgg tggggcttca ggagtcagaa 3480
gcggacgcat tggccgggaa gataatgcta caggatgtga atactgtgca attagccaga 3540
gtggttaact tagctgtgcc agatacttgg atgtcgttag actttgactc tatgttcaaa 3600
caccacgtca agctgtctcc caaagatgga cgctcatctaa atactgatat tcctcctcga 3660
atgggatggg tacgggccat tttacgattc ttaggtgccg gaatggtaat gactgcgact 3720
ggagttgctg tcgacatcta tctggaggat atacatggcg gtggtcggtc acttgacag 3780
agattcatga cttggtatgc acaggaagga cggtcagcgt gactctacca tgggtcgtgg 3840

```

tgcgctcaact catc

<210> 9
 <211> 3916
 <212> DNA
 <213> Reovirus

<400> 9

```

gctaaatggc gcgatggcga acgtttgggg ggtgagactt gcagactcgt tatcttcacc 60
cactattgag acacgaacgc gtcagtatac cttacacgat ctttgctcag acctagatgc 120
taatccgggg agggaaccgt ggaaacctct gcgtaatcag cgtactaata atattgtggc 180
tgtgcaatta ttcagaccat tgcagggttt agtttttagat acccagcttt atggatttcc 240
aggagcattt gatgactggg agcgattcat gagagagaag ctgctgtgtc taaagtatga 300
agtattgcgc atctatccaa tcagcaacta tagcaatgaa catgtcaacg tcttcgtggc 360
caatgctttg gtgggcgctt tcctgtcgaa tcaagctttc tatgacctgc taccgttggt 420
gataattaat gacactatga ttggtgatct acttggcacg ggggcatcgc tatcacagtt 480
ctttcaatct catggagatg tgctggaagt cgcagctggg cgtaagtatc tgcagatgga 540
aaactactcc aacgatgacg atgatcctcc attatttgcg aaagacctgt cagattatgc 600
taaagcattc tacagtgaac catatgaagt gttggacagg ttccttttga cgcagtactc 660
ttcagcgggg gtcttagtgc attatgataa gccaacgaat ggtcatcact atctgctggg 720
tactttgact cagatgggtc gtgcacctcc ttatattatt aacgctactg acgcaatggt 780
gcttgaatcc tgtctagaac agttctcagc taatgtgcgt gcgagacctg cgcaaccctg 840
tacacgctta gaccaatgct atcatttaag atggggagca caatatgtag gagaagattc 900
actgacatat cggttggggg tggtatcctt gctggctacc aatggatatc aattagctag 960
agacattcca agacagtga cgaatcgatg tttgtgagtc tttgtgagtc aaattatgct 1020
tgacggcgctc aacgagactc cactgtggcc ccaagaaaagg tatgtgcaga tcgcttatga 1080
ttcaccatcc gttgttgatg gggctacgca atatggctat gtcaggaaga atcaactcag 1140
actcggcatg agaatatcgg cgctgcaatc gctgagtgat acgccctcgc cggtagctg 1200
gcttcacaa tacaccatcg accaggcagc gatggacgaa ggcgatctga tggtagctc 1260
gcttacgcaa ctcccgttac gtcctgatta tggtaatatc tgggtcggcg atgcgctatc 1320
ctattatgtg gactacaatc ggagtcacgc agtcgtgctt tcacggaac ttcctcagct 1380
tccggacaca tattttgatg gcgatgaaca gtatgggcgc agcctgttct cactagctcg 1440
taagattggt gaccgctcgt tagtgaaaga tacggctgtc ttgaagcacg cttaccaagc 1500
catcgatcca aatactggtg aggagtatct gagatctcgg caatctgtcg catattttgg 1560
tgcatcagcg ggtcattctg gtgccgacca gccgttagtc atagagccct ggattcaagg 1620
gaaaactcag ggtgtgccgc caccctcctc agtgcgacag ttcggctatg atgttgcccc 1680
tggcgcgacg gtcgactctg cgagaccatt tccttctgga gattatcaat ttgtctattc 1740
ggatgttgac cagggtggctg atggccatga cgtactgagt atatcatctg gactgggtga 1800
gagccttttg tcttcatgca tgcacgccac agcaccggg ggctcatttg ttgttaagat 1860
aaattttccg actagaccg tatggcacta catcgaacag aagatcttgc ccaatattac 1920
gtcatacatg ttgatcaagc ctttcgtcac caacaacgct gaattgttct tcgtcgcttt 1980
cgggtgtgat caacactcat cacttacttg gacatctgga gtgtacttct tcttgggtga 2040
ccatttttat cggttatgaga ctttatctac gatctcacga caattgccgt cttttgggta 2100
tgttgatgat gggctttccg tgactgggat cgagacaatt agtattgaga accctggctt 2160
ctcgaatatg acccaggccg ctgcgattgg tatctcagga ttgtgtgcta atgtaggtaa 2220
cgcgcgtaag tccattgcca ttacgaatc tcatggggcc agagtattaa ctatcacatc 2280
aaggagatct ccggcatcag ctagaagaaa gtctagggtg cgatatttgc cattaataga 2340
ccctaggctg ttagaggtag aggcgcgcac tattctgccg gctgatccag tgttatttga 2400
aaacgtgagc ggagcgtcac ccatgtttg tctgacaatg atgtacaact tcgaagtgtc 2460
gtcagcggtg tatgatggag acgttgtgct agatcttggg acgggaccag aggctaaaat 2520
ccttgaactg atacccgcaa cctctccagt cacatgcgtg gacatacggc ctacagcgca 2580
gcctagtgga tgttggaacg ttcgtaccac gttccttgag ttagattatt tgagcgatgg 2640
atggatcact ggggtgctg gggacatagt tacttgtatg ttatctttgg gggccgctgc 2700
cgctggaaaa tcaatgactt ttgacgctgc gtttcagcaa ttaatcaaag tattatccaa 2760
gagtagcgct aatgttgtgc ttgtgcagg taactgccct acagacgtgg tgaggagcat 2820
taagggtctac ctagagatag attcgactaa caagaggat aggttcccca aatttggctg 2880
agacgagccg tactctgaca tggatgcgct ggagaaaata tgtcgtaccg cctggccaaa 2940
ctgctcaatt acctgggttc cattgtcata cgacttgccg tggactagac tggcattatt 3000
agagtccacg acattgagta gcgcgtcgat tagaattgct gagctgatgt ataaatacat 3060
gcctattatg aggattgata ttcatggact acccatggaa aagcgaggta acttcatagt 3120
ggggcagaac tgcctattag taatccctgg ttttaatgcg caggatgtct ttaactgtta 3180
tttcaattcc gccctcgctt tctcgactga agatgtcaat gctgcgatga ttccccaagt 3240
gtctgcgcag tttgatgcga ctaaggggtg gtggacgttg gatattggtc tctccgacgc 3300
aggaatctat accatgcagg ctctagtggg atctaagtct aatccagtct ctttgggttc 3360
ctttgtagtt gattctccag atgtagatat aactgacgct tggccagctc agtttagactt 3420
tacgatcgcg ggaactgatg tcgatataac agttaatcct tattaccgtc tgatgacctt 3480
tgtaaggatc gatggacagt ggcagattgc caatccagac aaatttcaat tcttttcgtc 3540
ggcgtctggg acgttagtga tgaacgtcaa attagatatc gcagataaat atctactata 3600

```

04 Sep 2009

2008226291

1723659_1.TXT

ctatatacga	gatgtccagt	ctcgagatgt	tggctttttac	attcagcatc	cacttcaact	3660
tttgaatacg	atcacattgc	caaccaacga	ggaccttttt	ctgagcgcac	ctgacatgcg	3720
agagtgggca	gttaaggaaa	gcggtaacac	gatattgtata	ctcaatagtc	aagggtttgt	3780
gctacctcaa	gattgggatg	tgtaaacaga	taccataagt	tggtcccat	cgataccac	3840
atacattgtg	ccaccgggtg	attataacct	gactcctctg	taactcactg	tccctcgtga	3900
gcgcgcctaa	ttcatc					3916

<210> 10
 <211> 3901
 <212> DNA
 <213> Reovirus

<400> 10						
gctaatacgtc	aggatgaagc	ggattccaag	gaagacaaag	ggcaaatacca	gcggaaagg	60
caatgactca	acagagagag	cggacgatgg	ctcgagccaa	ttaagagaca	agcaaaacaa	120
taaggctggc	cccgccacta	cggagcctgg	cacatccaac	cgagagcaat	acaaagctcg	180
accaggtatt	gcatctgtgc	agagggccac	tgaaagtgc	gaaatgccca	tgaagaataa	240
tgacgaagg	acgccagata	agaaaggaaa	tactaagggc	gacctagtta	atgagcatag	300
tgaggctaaa	gacgaggcgg	atgaagcgac	gaagaagcag	gcaaaggata	cagacaaaag	360
taaagcgcaa	gtcacataatt	cagacactgg	tatcaataat	gctaataaac	tgtcaagatc	420
tgggaatgtg	gataatgagg	gtggaagtga	tcagaagccg	atgtctacca	gaatagctga	480
ggcaacgtct	gctatagtgt	cgaaacatcc	tgcgcggtgt	gggctgccac	ctaccgctag	540
cagtgggtcat	gggtatcagt	gccatgtctg	ttctgcagtc	ctgttttagtc	cttttagacct	600
agatgcccac	gtcgcctcac	atggtttgca	tggtaaacatg	acattaacat	cgagtgatata	660
ccagcgacat	ataactgagt	tcatacagctc	atggcaaaaat	catcctattg	ttcaagtttc	720
ggctgatgtc	gaaaataaga	aaactgtcta	attgcttcac	gctgacactc	ctcgactcgt	780
cacttgggat	gctggtttgt	gtacttcatt	caaaaatcgtc	ccgattgtgc	cagctcaggt	840
gccgcaggat	gtactggcct	atacgttttt	cacctcttca	tacgctatcc	aatcaccggt	900
tccagaggcg	gcagtgtcta	ggattgtggt	gcatacgaga	tgggcatcta	atgttgactt	960
tgaccgagac	tcgtctgtca	tcattggcgcc	acctacagaa	aacaatatcc	atttgtttaa	1020
acagttacta	aatactgaaa	ccctgtctgt	aaggggggct	aatccgctaa	tgttcagggc	1080
gaatgtgttg	catagtgtgc	tagagtctgt	attagataac	ttgtatctga	acagacatac	1140
gggatttctc	caagaccaca	cgccattttac	tgagggtgct	aatttgcgtt	cacttccctg	1200
ccccgatgct	gagaaatggg	actcgattat	gtatccaacg	cgcatgggaa	cgccgaatgt	1260
atccaaaata	tgtaatttcg	tcgcctcttg	tgtagcgaat	cggttggtac	ggtttgatcg	1320
agcacagatg	atgaacggag	ctatgtcaga	gtgggtggat	gtcttcgaga	cttcagacgc	1380
gctaaccgtc	tccattcgag	gtcgtatggat	ggctagacta	gctcgcata	acataaatcc	1440
aacagagatc	gaatgggcat	tgactgaatg	tgacaaagga	tatgtgactg	tcacaagtcc	1500
ttacgctcct	agcgtaaaata	gattgatgcc	ctatcgtatc	tccaacgctg	agcggcaaat	1560
atcacagata	atcaggatca	tgaacattgg	caataacgcg	acggtgatac	aacctgttct	1620
gcaagatatt	tcggtactcc	ttcaacgcat	atcaccactc	caaataagatc	caactattat	1680
ttccaacact	atgtcaacag	tctcggagtc	tactactcag	accctcagcc	ccgcgtcctc	1740
aattttgggt	aaactacgac	caagcaactc	agatttttct	agtttttagag	tcgcgttggc	1800
tggtatggct	tataatgggg	ttgtgacgac	ggtgattgat	gatagttcat	atccaaaaga	1860
cggcgggcag	gtgacctcac	ttgaaaatct	gtgggatttc	ttcatccttg	cgcttgctct	1920
accactgaca	actgaccctc	gtgcacctgt	gaaagcattc	atgaccctag	ccaacatgat	1980
ggttggtttc	gagacaatcc	ctatggataa	tcagatctat	actcaatcga	gacgcgcgag	2040
tgctttctca	acgcctcaca	cgtggccacg	atgctttatg	aacatccagt	taatttctcc	2100
aatcgacgct	cccatcttgc	gacagtgggc	tgaattattt	catagatact	ggcctaacc	2160
ttcacagatt	cggttatggg	caccgaacgt	tttcggctcg	gcaaatttgt	tcactccacc	2220
tgagggtctg	ttattgcca	tcgatcatca	accagcta	gtaacaacgc	caacgctgga	2280
cttcaccaat	gagttaaacta	attggcgcg	tcgtgtctgt	gagcttatga	agaatctcgt	2340
tgataacca	agatatcaac	ctggatggac	acaaagtcta	gtctcgtcaa	tgcgcggaac	2400
gctagacaaa	ttgaagttga	ttaaatcgat	gacaccaatg	tatctgcaac	agctggctcc	2460
ggtagagtta	gcagtgatag	ctccccatgtt	gccttttcca	cctttccagg	tgccatacgt	2520
ccgtctcgat	cgtgacagag	ttccaacaat	ggttggagta	acacgacatt	cacgagatac	2580
tattactcag	ccggcgctat	cgctgtcgac	aaccaatact	actgttggcg	tgccactagc	2640
tctagacg	agggctatca	ccgttgcgct	gttgctcagg	aaatatccgc	cggatttggg	2700
gacaaatgta	tggtacgctg	atgccattta	cccaatgtat	gcagacacgg	aggtgttctc	2760
taatcttcag	agagacatga	ttacctgcga	ggccgtgcag	acattagtga	ctctgggtgg	2820
gcaaatatca	gagacccagt	atcctgtaga	taggtatctt	gattggatcc	catcactgag	2880
agcatcggcg	gcgacggcgg	cgacatttgc	tgagtgggtt	aatacttcaa	tgaagacggc	2940
gtttgatttg	tctgatatgc	tgctctaagc	cagaacgttt	aatatcatac	ggatgactca	3000
actagcgatt	cagtatcagc	agtacaatgg	aacagcagaa	gtctttaatc	ctgaaatgcc	3060
aggttcagta	attgctgact	gcgttcaatt	cattggccgt	gttcagtcga	acgaatataa	3120
cctgtttggg	attgcgcggg	gtgatatcat	gtttgatcgt	gatacccctg	cacatttgtg	3180
gtcaccgctg	gctcctccac	ctgacctggg	aatgaatggc	gccgcgcca	gtgttcacat	3240
cttcggacga	gattgccgta	tatcgtttgg			tgattagaga	3300

04 Sep 2009

2008226291

1723659_1.TXT

```

tgagactgga ctgatggtgc cttttgaagg aaattggatt ttccactgg cgctttggca 3360
aatgaataca cgatatTTTA atcaacagtt cgacgcgtgg attaagacag gagagtTgcg 3420
aatccgcatt gagatgggCG cgtatccata tatgttTgcT tactatgatc cacgtcagta 3480
cgctaattgca tggaaTTTaa catccgcctg gcttgaagaa attacgccga cgagcatccc 3540
atccgtgcct tTcatggtgc ccatttTcaag Tgatcatgac atttccTctg cccagctgt 3600
ccaatatatc atttcaactg aatataatga tcggtctctg ttctgcacta actcatcatc 3660
tcccaaacc atcgctggac cagacaaaca cattccagtt gagagatata acattctgac 3720
caaccccgac gctccaccca cgcagataca actgcctgaa gtcgttgact tgtacaacgt 3780
cgtcacacgc tatgcgtatg agactccgcc tattaccgct gttgttatgg gtgttccttg 3840
atcctcatcc tcccaacagg tgctagagca ttgcgctcaa tgctagtTgg gccgattcat 3900
c

```

<210> 11
 <211> 455
 <212> PRT
 <213> Reovirus

<400> 11

Met	Asp	Pro	Arg	Leu	Arg	Glu	Glu	Val	Val	Arg	Leu	Ile	Ile	Ala	Leu
1				5				10						15	
Thr	Ser	Asp	Asn	Gly	Ala	Ser	Leu	Ser	Lys	Gly	Leu	Glu	Ser	Arg	Val
			20					25					30		
Ser	Ala	Leu	Glu	Lys	Thr	Ser	Gln	Ile	His	Ser	Asp	Thr	Ile	Leu	Arg
		35					40				45				
Ile	Thr	Gln	Gly	Leu	Asp	Asp	Ala	Asn	Lys	Arg	Ile	Ile	Ala	Leu	Glu
	50				55						60				
Gln	Ser	Arg	Asp	Asp	Leu	Val	Ala	Ser	Val	Ser	Asp	Ala	Gln	Leu	Ala
65					70					75				80	
Ile	Ser	Arg	Leu	Glu	Ser	Ser	Ile	Gly	Ala	Leu	Gln	Thr	Val	Val	Asn
				85					90					95	
Gly	Leu	Asp	Ser	Ser	Val	Thr	Gln	Leu	Gly	Ala	Arg	Val	Gly	Gln	Leu
			100					105					110		
Glu	Thr	Gly	Leu	Ala	Glu	Leu	Arg	Val	Asp	His	Asp	Asn	Leu	Val	Ala
			115				120					125			
Arg	Val	Asp	Thr	Ala	Glu	Arg	Asn	Ile	Gly	Ser	Leu	Thr	Thr	Glu	Leu
	130					135					140				
Ser	Thr	Leu	Thr	Leu	Arg	Val	Thr	Ser	Ile	Gln	Ala	Asp	Phe	Glu	Ser
145					150					155					160
Arg	Ile	Ser	Thr	Leu	Glu	Arg	Thr	Ala	Val	Thr	Ser	Ala	Gly	Ala	Pro
				165					170					175	
Leu	Ser	Ile	Arg	Asn	Asn	Arg	Met	Thr	Met	Gly	Leu	Asn	Asp	Gly	Leu
			180					185					190		
Thr	Leu	Ser	Gly	Asn	Asn	Leu	Ala	Ile	Arg	Leu	Pro	Gly	Asn	Thr	Gly
		195					200					205			
Leu	Asn	Ile	Gln	Asn	Gly	Gly	Leu	Gln	Phe	Arg	Phe	Asn	Thr	Asp	Gln
					215						220				
Phe	Gln	Ile	Val	Asn	Asn	Asn	Leu	Thr	Leu	Lys	Thr	Thr	Val	Phe	Asp
225					230					235					240
Ser	Ile	Asn	Ser	Arg	Ile	Gly	Ala	Thr	Glu	Gln	Ser	Tyr	Val	Ala	Ser
				245					250					255	
Ala	Val	Thr	Pro	Leu	Arg	Leu	Asn	Ser	Ser	Thr	Lys	Val	Leu	Asp	Met
			260					265					270		
Leu	Ile	Asp	Ser	Ser	Thr	Leu	Glu	Ile	Asn	Ser	Ser	Gly	Gln	Leu	Thr
		275					280					285			
Val	Arg	Ser	Thr	Ser	Pro	Asn	Leu	Arg	Tyr	Pro	Ile	Ala	Asp	Val	Ser
		290				295					300				
Gly	Gly	Ile	Gly	Met	Ser	Pro	Asn	Tyr	Arg	Phe	Arg	Gln	Ser	Met	Trp
305					310					315					320
Ile	Gly	Ile	Val	Ser	Tyr	Ser	Gly	Ser	Gly	Leu	Asn	Trp	Arg	Val	Gln
				325					330					335	
Val	Asn	Ser	Asp	Ile	Phe	Ile	Val	Asp	Tyr	Ile	His	Ile	Cys	Leu	
			340					345				350			
Pro	Ala	Phe	Asp	Gly	Phe	Ser	Ile	Ala	Asp	Gly	Gly	Asp	Leu	Ser	Leu
		355					360					365			
Asn	Phe	Val	Thr	Gly	Leu	Leu	Pro	Pro	Leu	Leu	Thr	Gly	Asp	Thr	Glu
		370				375					380				
Pro	Ala	Phe	His	Asn	Asp	Val	Val	Thr	Tyr	Gly	Ala	Gln	Thr	Val	Ala
385					390					395					400

2008226291 04 Sep 2009

1723659_1.TXT

Ile	Gly	Leu	Ser	Ser	Gly	Gly	Ala	Pro	Gln	Tyr	Met	Ser	Lys	Asn	Leu
Trp	Val	Glu	Gln	Trp	Gln	Asp	Gly	Val	Leu	Arg	Leu	Arg	Val	Glu	Gly
Gly	Gly	Ser	Ile	Thr	His	Ser	Asn	Ser	Lys	Trp	Pro	Ala	Met	Thr	Val
Ser	Tyr	Pro	Arg	Ser	Phe	Thr									

<210> 12
 <211> 418
 <212> PRT
 <213> Reovirus

Met	Ala	Arg	Ala	Ala	Phe	Leu	Phe	Lys	Thr	Val	Gly	Phe	Gly	Gly	Leu
Gln	Asn	Val	Pro	Ile	Asn	Asp	Glu	Leu	Ser	Ser	His	Leu	Leu	Arg	Ala
Gly	Asn	Ser	Pro	Trp	Gln	Leu	Thr	Gln	Phe	Leu	Asp	Trp	Ile	Ser	Leu
Gly	Arg	Gly	Leu	Ala	Thr	Ser	Ala	Leu	Val	Pro	Thr	Ala	Gly	Ser	Arg
Tyr	Tyr	Gln	Met	Ser	Cys	Leu	Leu	Ser	Gly	Thr	Leu	Gln	Ile	Pro	Phe
Arg	Pro	Asn	His	Arg	Trp	Gly	Asp	Ile	Arg	Phe	Leu	Arg	Leu	Val	Trp
Ser	Ala	Pro	Thr	Leu	Asp	Gly	Leu	Val	Val	Ala	Pro	Pro	Gln	Val	Leu
Ala	Gln	Pro	Ala	Leu	Gln	Ala	Gln	Ala	Asp	Arg	Val	Tyr	Asp	Cys	Asp
Asp	Tyr	Pro	Phe	Leu	Ala	Arg	Asp	Pro	Arg	Phe	Lys	His	Arg	Val	Tyr
Gln	Gln	Leu	Ser	Ala	Val	Thr	Leu	Leu	Asn	Leu	Thr	Gly	Phe	Gly	Pro
Ile	Ser	Tyr	Val	Arg	Val	Asp	Glu	Asp	Met	Trp	Ser	Gly	Asp	Val	Asn
Gln	Leu	Leu	Met	Asn	Tyr	Phe	Gly	His	Thr	Phe	Ala	Glu	Ile	Ala	Tyr
Thr	Leu	Cys	Gln	Ala	Ser	Ala	Asn	Arg	Pro	Trp	Glu	Tyr	Asp	Gly	Thr
Tyr	Ala	Arg	Met	Thr	Gln	Ile	Val	Leu	Ser	Leu	Phe	Trp	Leu	Ser	Tyr
Val	Gly	Val	Ile	His	Gln	Gln	Asn	Thr	Tyr	Arg	Thr	Phe	Tyr	Phe	Gln
Cys	Asn	Arg	Arg	Gly	Asp	Ala	Ala	Glu	Val	Trp	Ile	Leu	Ser	Cys	Ser
Leu	Asn	His	Ser	Ala	Gln	Ile	Arg	Pro	Gly	Asn	Arg	Ser	Leu	Phe	Val
Met	Pro	Thr	Ser	Pro	Asp	Trp	Asn	Met	Asp	Val	Asn	Leu	Ile	Leu	Ser
Ser	Thr	Leu	Thr	Gly	Cys	Leu	Cys	Ser	Gly	Ser	Gln	Leu	Pro	Leu	Ile
Asp	Asn	Asn	Ser	Val	Pro	Ala	Val	Ser	Arg	Asn	Ile	His	Gly	Trp	Thr
Gly	Arg	Ala	Gly	Asn	Gln	Leu	His	Gly	Phe	Gln	Val	Arg	Arg	Met	Val
Thr	Glu	Phe	Cys	Asp	Arg	Leu	Arg	Arg	Asp	Gly	Val	Met	Thr	Gln	Ala
Gln	Gln	Asn	Gln	Val	Glu	Ala	Leu	Ala	Asp	Gln	Thr	Gln	Gln	Phe	Lys
Arg	Asp	Lys	Leu	Glu	Thr	Trp	Ala	Arg	Glu	Asp	Asp	Gln	Tyr	Asn	Gln
Ala	His	Pro	Asn	Ser	Thr	Met	Phe	Arg	Thr	Lys	Pro	Phe	Thr	Asn	Ala
Gln	Trp	Gly	Arg	Gly	Asn	Thr	Gly	Ala	Thr	Ser	Ala	Ala	Ile	Ala	Ala

2008226291 04 Sep 2009

1723659_1.TXT

Leu Ile

<210> 13
<211> 254
<212> PRT
<213> Reovirus

<400> 13
Met Ala Ser Ser Leu Arg Ala Ala Ile Ser Lys Ile Lys Arg Asp Asp
1 5 10 15
Val Gly Gln Gln Val Cys Pro Asn Tyr Val Met Leu Arg Ser Ser Val
20 25 30
Thr Thr Lys Val Val Arg Asn Val Val Glu Tyr Gln Ile Arg Thr Gly
35 40 45
Gly Phe Phe Ser Cys Leu Ala Met Leu Arg Pro Leu Gln Tyr Ala Lys
50 55 60
Arg Glu Arg Leu Leu Gly Gln Arg Asn Leu Glu Arg Ile Ser Thr Arg
65 70 75 80
Asp Ile Leu Gln Thr Arg Asp Leu His Ser Leu Cys Met Pro Thr Pro
85 90 95
Asp Ala Pro Met Ser Asn His Gln Ala Ser Thr Met Arg Glu Leu Ile
100 105 110
Cys Ser Tyr Phe Lys Val Asp His Ala Asp Gly Leu Lys Tyr Ile Pro
115 120 125
Met Asp Glu Arg Tyr Ser Pro Ser Ser Leu Ala Arg Leu Phe Thr Met
130 135 140
Gly Met Ala Gly Leu His Ile Thr Thr Glu Pro Ser Tyr Lys Arg Val
145 150 155 160
Pro Ile Met His Leu Ala Ala Asp Leu Asp Cys Met Thr Leu Ala Leu
165 170 175
Pro Tyr Met Ile Thr Leu Asp Gly Asp Thr Val Val Pro Val Ala Pro
180 185 190
Thr Leu Ser Ala Glu Gln Leu Leu Asp Asp Gly Leu Lys Gly Leu Ala
195 200 205
Cys Met Asp Met Asp Val Arg Trp Thr Arg Ile Ala Gly Arg Leu Val
210 215 220
Ile Arg Val Trp Thr Leu His Ala Ala Ser Thr Ser Cys Ile Ala Arg
225 230 235 240
Arg Gln Gln Lys Pro Ser Val Cys Leu Arg His Ala Leu Cys
245 250

<210> 14
<211> 366
<212> PRT
<213> Reovirus

<400> 14
Met Ala Ser Ser Leu Arg Ala Ala Ile Ser Lys Ile Lys Arg Asp Asp
1 5 10 15
Val Gly Gln Gln Val Cys Pro Asn Tyr Val Met Leu Arg Ser Ser Val
20 25 30
Thr Thr Lys Val Val Arg Asn Val Val Glu Tyr Gln Ile Arg Thr Gly
35 40 45
Gly Phe Phe Ser Cys Leu Ala Met Leu Arg Pro Leu Gln Tyr Ala Lys
50 55 60
Arg Glu Arg Leu Leu Gly Gln Arg Asn Leu Glu Arg Ile Ser Thr Arg
65 70 75 80
Asp Ile Leu Gln Thr Arg Asp Leu His Ser Leu Cys Met Pro Thr Pro
85 90 95
Asp Ala Pro Met Ser Asn His Gln Ala Ser Thr Met Arg Glu Leu Ile
100 105 110
Cys Ser Tyr Phe Lys Val Asp His Ala Asp Gly Leu Lys Tyr Ile Pro
115 120 125
Met Asp Glu Arg Tyr Ser Pro Ser Ser Leu Ala Arg Leu Phe Thr Met
130 135 140

1723659_1.TXT

Gly 145	Met	Ala	Gly	Leu	His 150	Ile	Thr	Thr	Glu	Pro 155	Ser	Tyr	Lys	Arg	Val 160
Pro	Ile	Met	His	Leu 165	Ala	Ala	Asp	Leu	Asp 170	Cys	Met	Thr	Leu	Ala 175	Leu
Pro	Tyr	Met	Ile 180	Thr	Leu	Asp	Gly	Asp 185	Thr	Val	Val	Pro	Val 190	Ala	Pro
Thr	Leu	Ser 195	Ala	Glu	Gln	Leu	Leu 200	Asp	Asp	Gly	Leu	Lys 205	Gly	Leu	Ala
Cys	Met 210	Asp	Ile	Ser	Tyr	Gly 215	Cys	Glu	Val	Asp	Ala 220	Asn	Ser	Arg	Pro
Ala 225	Gly	Asp	Gln	Ser	Met 230	Asp	Ser	Ser	Arg	Cys 235	Ile	Asn	Glu	Leu	Tyr 240
Cys	Glu	Glu	Thr	Ala 245	Glu	Ala	Ile	Cys	Val 250	Leu	Lys	Thr	Cys	Leu 255	Val
Leu	Asn	Cys 260	Met	Gln	Phe	Lys	Leu	Glu 265	Met	Asp	Asp	Leu	Ala 270	His	Asn
Ala	Ala	Glu 275	Leu	Asp	Lys	Ile	Gln 280	Met	Met	Ile	Pro	Phe 285	Ser	Glu	Arg
Val	Phe 290	Arg	Met	Ala	Ser	Ser 295	Phe	Ala	Thr	Ile	Asp 300	Ala	Gln	Cys	Phe
Arg 305	Phe	Cys	Val	Met	Met 310	Lys	Asp	Lys	Asn	Leu 315	Lys	Ile	Asp	Met	Arg 320
Glu	Thr	Thr	Arg	Leu 325	Trp	Thr	Arg	Ser	Ala 330	Ser	Asp	Asp	Ser	Val 335	Ala
Thr	Ser	Ser	Leu 340	Ser	Ile	Ser	Leu	Asp 345	Arg	Gly	Arg	Trp	Val 350	Ala	Ala
Asp	Ala	Ser 355	Asp	Ala	Arg	Leu	Leu 360	Val	Phe	Pro	Ile	Arg	Val		

<210> 15
 <211> 365
 <212> PRT
 <213> Reovirus

<400> 15
 Met 1 Glu Val Cys 5 Leu Pro Asn Gly His 10 Gln Val Val Asp Leu 15 Ile Asn
 Asn Ala Phe Glu 20 Gly Arg Val Ser Ile 25 Tyr Ser Ala Gln Glu 30 Gly Trp
 Asp Lys Thr 35 Ile Ser Ala Gln Pro 40 Asp Met Met Val 45 Cys Gly Gly Ala
 Val 50 Val Cys Met His Cys 55 Gly Val Val Gly Ser 60 Leu Gln Arg Lys
 Leu 65 Lys His Leu Pro 70 His His Arg Cys Asn 75 Gln Gln Ile Arg His Gln 80
 Asp Tyr Val Asp 85 Val Gln Phe Ala Asp 90 Arg Val Thr Ala His Trp 95 Lys
 Arg Gly Met Leu 100 Ser Phe Val Ala Gln 105 Met His Glu Met 110 Asn Asp
 Val Ser Pro 115 Asp Asp Leu Asp Arg Val 120 Arg Thr Glu Gly 125 Gly Ser Leu
 Val 130 Glu Leu Asn Arg Leu Gln 135 Val Asp Pro Asn Ser Met Phe Arg Ser
 Ile 145 His Ser Ser Trp Thr 150 Asp Pro Leu Gln Val 155 Val Asp Asp Leu Asp 160
 Thr Lys Leu Asp 165 Gln Tyr Trp Thr Ala Leu 170 Asn Leu Met Ile Asp 175 Ser
 Ser Asp Leu 180 Ile Pro Asn Phe Met 185 Arg Asp Pro Ser His Ala Phe 190
 Asn Gly Val 195 Lys Leu Lys Gly Asp 200 Ala Arg Gln Thr Gln Phe Ser Arg
 Thr Phe 210 Asp Ser Arg Ser Ser 215 Leu Glu Trp Gly Val 220 Met Val Tyr Asp
 Tyr 225 Ser Glu Leu Asp His 230 Asp Pro Ser Lys Gly 235 Arg Ala Tyr Arg Lys 240
 Glu Leu Val Thr 245 Pro Ala Arg Asp Phe Gly 250 His Phe Gly Leu Ser 255 His

2008226291 04 Sep 2009

1723659_1.TXT

Tyr	Ser	Arg	Ala	Thr	Thr	Pro	Ile	Leu	Gly	Lys	Met	Pro	Ala	Val	Phe
			260					265					270		
Ser	Gly	Met	Leu	Thr	Gly	Asn	Cys	Lys	Met	Tyr	Pro	Phe	Ile	Lys	Gly
		275					280					285			
Thr	Ala	Lys	Leu	Lys	Thr	Val	Arg	Lys	Leu	Val	Glu	Ala	Val	Asn	His
	290					295					300				
Ala	Trp	Gly	Val	Glu	Lys	Ile	Arg	Tyr	Ala	Leu	Gly	Pro	Gly	Gly	Met
305					310					315					320
Thr	Gly	Trp	Tyr	Asn	Arg	Thr	Met	Gln	Gln	Ala	Pro	Ile	Val	Leu	Thr
				325					330					335	
Pro	Ala	Ala	Leu	Thr	Met	Phe	Pro	Asp	Thr	Ile	Lys	Phe	Gly	Asp	Leu
			340					345					350		
Asn	Tyr	Pro	Val	Met	Ile	Gly	Asp	Pro	Met	Ile	Leu	Gly			
		355					360					365			

<210> 16
 <211> 736
 <212> PRT
 <213> Reovirus

<400> 16															
Met	Ala	Tyr	Ile	Ala	Val	Pro	Ala	Val	Val	Asp	Ser	Arg	Ser	Ser	Glu
1				5					10					15	
Ala	Ile	Gly	Leu	Glu	Ser	Phe	Gly	Val	Asp	Ala	Gly	Ala	Asp	Ala	
			20				25					30			
Asn	Asp	Val	Ser	Tyr	Gln	Asp	His	Asp	Tyr	Val	Leu	Asp	Gln	Leu	Gln
		35				40						45			
Tyr	Met	Leu	Asp	Gly	Tyr	Glu	Ala	Gly	Asp	Val	Ile	Asp	Ala	Leu	Val
	50					55					60				
His	Lys	Asn	Trp	Leu	His	Ser	Val	Tyr	Cys	Leu	Leu	Pro	Pro	Lys	
65					70				75					80	
Ser	Gln	Leu	Leu	Glu	Tyr	Trp	Lys	Ser	Asn	Pro	Ser	Ala	Ile	Pro	Asp
			85						90					95	
Asn	Val	Asp	Arg	Arg	Leu	Arg	Lys	Arg	Leu	Met	Leu	Lys	Lys	Asp	Leu
			100					105					110		
Arg	Lys	Asp	Glu	Tyr	Asn	Gln	Leu	Ala	Arg	Ala	Phe	Lys	Ile	Ser	
		115				120					125				
Asp	Val	Tyr	Ala	Pro	Leu	Ile	Ser	Ser	Thr	Thr	Ser	Pro	Met	Thr	Met
	130					135					140				
Ile	Gln	Asn	Leu	Asn	Arg	Gly	Glu	Ile	Val	Tyr	Thr	Thr	Thr	Asp	Arg
145					150					155					160
Val	Ile	Gly	Ala	Arg	Ile	Leu	Leu	Tyr	Ala	Pro	Arg	Lys	Tyr	Tyr	Ala
			165						170					175	
Ser	Thr	Leu	Ser	Phe	Thr	Met	Thr	Lys	Cys	Ile	Ile	Pro	Phe	Gly	Lys
			180					185					190		
Glu	Val	Gly	Arg	Val	Pro	His	Ser	Arg	Phe	Asn	Val	Gly	Thr	Phe	Pro
		195					200					205			
Ser	Ile	Ala	Thr	Pro	Lys	Cys	Phe	Val	Met	Ser	Gly	Val	Asp	Ile	Glu
	210					215					220				
Ser	Ile	Pro	Asn	Glu	Phe	Ile	Lys	Leu	Phe	Tyr	Gln	Arg	Val	Lys	Ser
225					230					235					240
Val	His	Ala	Asn	Ile	Leu	Asn	Asp	Ile	Ser	Pro	Gln	Ile	Val	Ser	Asp
			245						250					255	
Met	Ile	Asn	Arg	Lys	Arg	Leu	Arg	Val	His	Thr	Pro	Ser	Asp	Arg	Arg
			260					265					270		
Ala	Ala	Gln	Leu	Met	His	Leu	Pro	Tyr	His	Val	Lys	Arg	Gly	Ala	Ser
		275					280					285			
His	Val	Asp	Val	Tyr	Lys	Val	Asp	Val	Val	Asp	Met	Leu	Phe	Glu	Val
	290					295					300				
Val	Asp	Val	Ala	Asp	Gly	Leu	Arg	Asn	Val	Ser	Arg	Lys	Leu	Thr	Met
305					310					315					320
His	Thr	Val	Pro	Val	Cys	Ile	Leu	Glu	Met	Leu	Gly	Ile	Glu	Ile	Ala
				325					330					335	
Asp	Tyr	Cys	Ile	Arg	Gln	Glu	Asp	Gly	Met	Leu	Thr	Asp	Trp	Phe	Leu
			340					345					350		
Leu	Leu	Thr	Met	Leu	Ser	Asp	Gly	Leu	Thr	Asp	Arg	Arg	Thr	His	Cys
		355					360					365			

2008226291 04 Sep 2009

1723659_1.TXT

Gln	Tyr	Leu	Ile	Asn	Pro	Ser	Ser	Val	Pro	Pro	Asp	Val	Ile	Leu	Asn
370	370					375					380				
Ile	Ser	Ile	Thr	Gly	Phe	Ile	Asn	Arg	His	Thr	Ile	Asp	Val	Met	Pro
385					390					395					400
Asp	Ile	Tyr	Asp	Phe	Val	Lys	Pro	Ile	Gly	Ala	Val	Leu	Pro	Lys	Gly
				405					410					415	
Ser	Phe	Lys	Ser	Thr	Ile	Met	Arg	Val	Leu	Asp	Ser	Ile	Ser	Ile	Leu
			420					425					430		
Gly	Ile	Gln	Ile	Met	Pro	Arg	Ala	His	Val	Val	Asp	Ser	Asp	Glu	Val
		435					440					445			
Gly	Glu	Gln	Met	Glu	Pro	Thr	Phe	Glu	Gln	Ala	Val	Met	Glu	Ile	Tyr
450						455					460				
Lys	Gly	Ile	Ala	Gly	Val	Asp	Ser	Leu	Asp	Asp	Ile	Lys	Trp	Val	
465					470					475				480	
Leu	Asn	Ser	Asp	Leu	Ile	Pro	His	Asp	Asp	Arg	Leu	Gly	Gln	Leu	Phe
				485					490					495	
Gln	Ala	Phe	Leu	Pro	Leu	Ala	Lys	Asp	Leu	Leu	Ala	Pro	Met	Ala	Arg
			500					505					510		
Lys	Phe	Tyr	Asp	Asn	Ser	Met	Ser	Glu	Gly	Arg	Leu	Leu	Thr	Phe	Ser
		515					520					525			
His	Ala	Asp	Ser	Glu	Leu	Leu	Asn	Ala	Asn	Tyr	Phe	Gly	His	Leu	Leu
		530				535					540				
Arg	Leu	Lys	Ile	Pro	Tyr	Ile	Thr	Glu	Val	Asn	Leu	Met	Ile	Arg	Lys
545					550					555					560
Asn	Arg	Glu	Gly	Gly	Glu	Leu	Phe	Gln	Leu	Val	Leu	Ser	Tyr	Leu	Tyr
				565					570					575	
Lys	Met	Tyr	Ala	Thr	Ser	Ala	Gln	Pro	Lys	Trp	Phe	Gly	Ser	Leu	Leu
			580					585					590		
Arg	Leu	Leu	Ile	Cys	Pro	Trp	Leu	His	Met	Glu	Lys	Leu	Ile	Gly	Glu
		595					600					605			
Ala	Asp	Pro	Ala	Ser	Thr	Ser	Ala	Glu	Ile	Gly	Trp	His	Ile	Pro	Arg
		610				615					620				
Glu	Gln	Leu	Met	Gln	Asp	Gly	Trp	Cys	Gly	Cys	Glu	Asp	Gly	Phe	Ile
625					630					635					640
Pro	Tyr	Val	Ser	Ile	Arg	Ala	Pro	Arg	Leu	Val	Ile	Glu	Glu	Leu	Met
				645					650					655	
Glu	Lys	Asn	Trp	Gly	Gln	Tyr	His	Ala	Gln	Val	Ile	Val	Thr	Asp	Gln
			660					665					670		
Leu	Val	Val	Gly	Glu	Pro	Arg	Arg	Val	Ser	Ala	Lys	Ala	Val	Ile	Lys
		675					680					685			
Gly	Asn	His	Leu	Pro	Val	Lys	Leu	Val	Ser	Arg	Phe	Ala	Cys	Phe	Thr
	690					695					700				
Leu	Thr	Ala	Lys	Tyr	Glu	Met	Arg	Leu	Ser	Cys	Gly	His	Ser	Thr	Gly
705					710					715					720
Arg	Gly	Ala	Ala	Tyr	Ser	Ala	Arg	Leu	Ala	Phe	Arg	Ser	Asp	Leu	Ala
				725					730					735	

<210> 17
 <211> 708
 <212> PRT
 <213> Reovirus

<400> 17
 Met Gly Asn Ala Ser Ser Ile Val Gln Thr Ile Asn Val Thr Gly Asp
 1 5 10 15
 Gly Asn Val Phe Lys Pro Ser Ala Glu Thr Ser Ser Thr Ala Val Pro
 20 25 30
 Ser Leu Ser Leu Ser Pro Gly Met Leu Asn Pro Gly Gly Val Pro Trp
 35 40 45
 Ile Ala Val Gly Asp Glu Thr Ser Val Thr Ser Pro Gly Ala Leu Arg
 50 55 60
 Arg Met Thr Ser Lys Asp Ile Pro Asp Thr Ala Ile Ile Asn Thr Asp
 65 70 75 80
 Asn Ser Ser Gly Ala Val Pro Ser Glu Ser Ala Leu Val Pro Tyr Ile
 85 90 95
 Asp Glu Pro Leu Val Val Val Thr Glu His Ala Ile Thr Asn Phe Thr
 100 105 110

2008226291 04 Sep 2009

1723659_1.TXT

Lys	Ala	Glu	Met	Ala	Leu	Glu	Phe	Asn	Arg	Glu	Phe	Leu	Asp	Lys	Met
Arg	Val	Leu	Ser	Val	Ser	Pro	Lys	Tyr	Ser	Asp	Leu	Leu	Thr	Tyr	Val
Asp	Cys	Tyr	Val	Gly	Val	Ser	Ala	Arg	Gln	Ala	Leu	Asn	Asn	Phe	Gln
Lys	Gln	Val	Pro	Val	Ile	Thr	Pro	Thr	Arg	Gln	Thr	Met	Tyr	Val	Asp
Ser	Ile	Gln	Ala	Ala	Leu	Lys	Ala	Leu	Glu	Lys	Trp	Glu	Ile	Asp	Leu
Arg	Val	Ala	Gln	Thr	Leu	Leu	Pro	Thr	Asn	Val	Pro	Ile	Gly	Glu	Val
Ser	Cys	Pro	Met	Gln	Ser	Val	Val	Lys	Leu	Leu	Asp	Asp	Gln	Leu	Pro
Asp	Asp	Ser	Leu	Ile	Arg	Arg	Tyr	Pro	Lys	Glu	Ala	Ala	Val	Ala	Leu
Ala	Lys	Arg	Asn	Gly	Gly	Ile	Gln	Trp	Met	Asp	Val	Ser	Glu	Gly	Thr
Val	Met	Asn	Glu	Ala	Val	Asn	Ala	Val	Ala	Ala	Ser	Ala	Leu	Ala	Pro
Ser	Ala	Ser	Ala	Pro	Pro	Leu	Glu	Glu	Lys	Ser	Lys	Leu	Thr	Glu	Gln
Ala	Met	Asp	Leu	Val	Thr	Ala	Ala	Glu	Pro	Glu	Ile	Ile	Ala	Ser	Leu
Ala	Pro	Val	Pro	Ala	Pro	Val	Phe	Ala	Ile	Pro	Pro	Lys	Pro	Ala	Asp
Tyr	Asn	Val	Arg	Thr	Leu	Arg	Ile	Asp	Glu	Ala	Thr	Trp	Leu	Arg	Met
Ile	Pro	Lys	Ser	Met	Asn	Thr	Pro	Phe	Gln	Ile	Gln	Val	Thr	Asp	Asn
Thr	Gly	Thr	Asn	Trp	His	Leu	Asn	Leu	Arg	Gly	Gly	Thr	Arg	Val	Val
Asn	Leu	Asp	Gln	Ile	Ala	Pro	Met	Arg	Phe	Val	Leu	Asp	Leu	Gly	Gly
Lys	Ser	Tyr	Lys	Glu	Thr	Ser	Trp	Asp	Pro	Asn	Gly	Lys	Lys	Val	Gly
Phe	Ile	Val	Phe	Gln	Ser	Lys	Ile	Pro	Phe	Glu	Leu	Trp	Thr	Ala	Ala
Ser	Gln	Ile	Gly	Gln	Ala	Thr	Val	Val	Asn	Tyr	Val	Gln	Leu	Tyr	Ala
Glu	Asp	Ser	Ser	Phe	Thr	Ala	Gln	Ser	Ile	Ile	Ala	Thr	Thr	Ser	Leu
Ala	Tyr	Asn	Tyr	Glu	Pro	Glu	Gln	Leu	Asn	Lys	Thr	Asp	Pro	Glu	Met
Asn	Tyr	Tyr	Leu	Leu	Ala	Thr	Phe	Ile	Asp	Ser	Ala	Ala	Ile	Thr	Pro
Thr	Asn	Met	Thr	Gln	Pro	Asp	Val	Trp	Asp	Ala	Leu	Leu	Thr	Met	Ser
Pro	Leu	Ser	Ala	Gly	Glu	Val	Thr	Val	Lys	Gly	Ala	Val	Val	Ser	Glu
Val	Val	Pro	Ala	Asp	Leu	Ile	Gly	Ser	Tyr	Thr	Pro	Glu	Ser	Leu	Asn
Ala	Ser	Leu	Pro	Asn	Asp	Ala	Ala	Arg	Cys	Met	Ile	Asp	Arg	Ala	Ser
Lys	Ile	Ala	Glu	Ala	Ile	Lys	Ile	Asp	Asp	Asp	Ala	Gly	Pro	Asp	Glu
Tyr	Ser	Pro	Asn	Ser	Val	Pro	Ile	Gln	Gly	Gln	Leu	Ala	Ile	Ser	Gln
Leu	Glu	Thr	Gly	Tyr	Gly	Val	Arg	Ile	Phe	Asn	Pro	Lys	Gly	Ile	Leu
Ser	Lys	Ile	Ala	Ser	Arg	Ala	Met	Gln	Ala	Phe	Ile	Gly	Asp	Pro	Ser
Thr	Ile	Ile	Thr	Gln	Ala	Ala	Pro	Val	Leu	Ser	Asp	Lys	Asn	Asn	Trp
Ile	Ala	Leu	Ala	Gln	Gly	Val	Lys	Thr	Ser	Leu	Arg	Thr	Lys	Ser	Leu
Ser	Ala	Gly	Val	Lys	Thr	Ala	Val	Ser	Lys	Leu	Ser	Ser	Ser	Glu	Ser

1723659_1.TXT

Ile	Gln	Asn	Trp	Thr	Gln	Gly	Phe	Leu	Asp	Lys	Val	Ser	Ala	His	Phe
		660						665					670		
Pro	Ala	Pro	Lys	Pro	Asp	Cys	Pro	Thr	Ser	Gly	Asp	Ser	Gly	Glu	Ser
		675					680					685			
Ser	Asn	Arg	Arg	Val	Lys	Arg	Asp	Ser	Tyr	Ala	Gly	Val	Val	Lys	Arg
	690					695					700				
Gly	Tyr	Thr	Arg												
705															

<210> 18
 <211> 721
 <212> PRT
 <213> Reovirus

<400> 18															
Met	Ala	Ser	Phe	Lys	Gly	Phe	Ser	Ala	Asn	Thr	Val	Pro	Val	Ser	Lys
1				5					10					15	
Ala	Lys	Arg	Asp	Ile	Ser	Ser	Leu	Ala	Ala	Thr	Pro	Gly	Leu	Arg	Ser
			20					25					30		
Gln	Ser	Phe	Thr	Pro	Ser	Val	Asp	Met	Ser	Gln	Ser	Arg	Glu	Phe	Leu
		35					40					45			
Thr	Lys	Ala	Ile	Glu	Gln	Gly	Ser	Met	Ser	Ile	Pro	Tyr	Gln	His	Val
	50					55					60				
Asn	Val	Pro	Lys	Val	Asp	Arg	Lys	Val	Val	Ser	Leu	Val	Val	Arg	Pro
65					70					75					80
Phe	Ser	Ser	Gly	Ala	Phe	Ser	Ile	Ser	Gly	Val	Ile	Ser	Pro	Ala	His
			85						90					95	
Ala	Tyr	Leu	Leu	Glu	Cys	Leu	Pro	Gln	Leu	Glu	Gln	Ala	Met	Ala	Phe
			100					105					110		
Val	Ala	Ser	Pro	Glu	Ser	Phe	Gln	Ala	Ser	Asp	Val	Ala	Lys	Arg	Phe
			115				120					125			
Ala	Ile	Lys	Pro	Gly	Met	Ser	Leu	Gln	Asp	Ala	Ile	Thr	Ala	Phe	Ile
	130					135					140				
Asn	Phe	Val	Ser	Ala	Met	Leu	Lys	Met	Thr	Val	Thr	Arg	Gln	Asn	Phe
145					150					155					160
Asp	Val	Ile	Val	Ala	Glu	Ile	Glu	Arg	Leu	Ala	Ser	Thr	Ser	Val	Ser
				165					170					175	
Val	Arg	Thr	Glu	Glu	Ala	Lys	Val	Ala	Asp	Glu	Glu	Leu	Met	Leu	Phe
			180					185					190		
Gly	Leu	Asp	His	Arg	Gly	Pro	Gln	Gln	Leu	Asp	Val	Ser	Asp	Ala	Lys
		195					200					205			
Gly	Ile	Met	Lys	Ala	Ala	Asp	Ile	Gln	Thr	Thr	His	Asp	Val	His	Leu
	210					215					220				
Ala	Pro	Gly	Val	Gly	Asn	Ile	Asp	Pro	Glu	Ile	Tyr	Asn	Glu	Gly	Arg
225					230					235					240
Phe	Met	Phe	Met	Gln	His	Lys	Pro	Leu	Ala	Ala	Asp	Gln	Ser	Tyr	Phe
				245					250					255	
Thr	Leu	Glu	Thr	Ala	Asp	Tyr	Phe	Lys	Ile	Tyr	Pro	Thr	Tyr	Asp	Glu
			260					265					270		
His	Asp	Gly	Arg	Met	Ala	Asp	Gln	Lys	Gln	Ser	Gly	Leu	Ile	Leu	Cys
		275					280					285			
Thr	Lys	Asp	Glu	Val	Leu	Ala	Glu	Gln	Thr	Ile	Phe	Lys	Leu	Asp	Ala
	290					295					300				
Pro	Asp	Asp	Lys	Thr	Val	His	Leu	Leu	Asp	Arg	Asp	Asp	Asp	His	Val
305					310					315					320
Val	Ala	Arg	Phe	Thr	Lys	Val	Phe	Ile	Glu	Asp	Val	Ala	Pro	Gly	His
				325					330					335	
His	Ala	Ala	Gln	Arg	Ser	Gly	Gln	Arg	Ser	Val	Leu	Asp	Asp	Leu	Tyr
			340					345					350		
Ala	Asn	Thr	Gln	Val	Ile	Ser	Ile	Thr	Ser	Ala	Ala	Leu	Lys	Trp	Val
			355				360					365			
Val	Lys	His	Gly	Val	Ser	Asp	Gly	Ile	Val	Asn	Arg	Lys	Asn	Val	Lys
	370					375					380				
Val	Cys	Val	Gly	Phe	Asp	Pro	Leu	Tyr	Thr	Leu	Ser	Thr	His	Asn	Gly
385					390					395					400
Val	Ser	Leu	Cys	Ala	Leu	Leu	Met	Asp	Glu	Lys	Leu	Ser	Val	Leu	Asn
				405					410					415	

2008226291 04 Sep 2009

1723659_1.TXT

Ser	Ala	Cys	Arg	Met	Thr	Leu	Arg	Ser	Leu	Met	Lys	Thr	Gly	Arg	Asp
Val	Asp	Ala	His	Arg	Ala	Phe	Gln	Arg	Val	Leu	Ser	Gln	Gly	Tyr	Thr
Ser	Leu	Met	Cys	Tyr	Tyr	His	Pro	Ser	Arg	Lys	Leu	Ala	Tyr	Gly	Glu
Val	Leu	Phe	Leu	Glu	Arg	Ser	Asn	Asp	Val	Thr	Asp	Gly	Ile	Lys	Leu
Gln	Leu	Asp	Ala	Ser	Arg	Gln	Cys	His	Glu	Cys	Pro	Val	Leu	Gln	Gln
Lys	Val	Val	Glu	Leu	Glu	Lys	Gln	Ile	Ile	Met	Gln	Lys	Ser	Ile	Gln
Ser	Asp	Pro	Thr	Pro	Val	Ala	Leu	Gln	Pro	Leu	Leu	Ser	Gln	Leu	Arg
Glu	Leu	Ser	Ser	Glu	Val	Thr	Arg	Leu	Gln	Met	Glu	Leu	Ser	Arg	Ala
Gln	Ser	Leu	Asn	Ala	Gln	Leu	Glu	Ala	Asp	Val	Lys	Ser	Ala	Gln	Ser
Cys	Ser	Leu	Asp	Met	Tyr	Leu	Arg	His	His	Thr	Cys	Ile	Asn	Gly	His
Ala	Lys	Glu	Asp	Glu	Leu	Leu	Asp	Ala	Val	Arg	Val	Ala	Pro	Asp	Val
Arg	Arg	Glu	Ile	Met	Glu	Lys	Arg	Ser	Glu	Val	Arg	Gln	Gly	Trp	Cys
Glu	Arg	Ile	Ser	Lys	Glu	Ala	Ala	Lys	Cys	Gln	Thr	Val	Ile	Asp	
Asp	Leu	Thr	Leu	Met	Asn	Gly	Lys	Gln	Ala	Gln	Glu	Ile	Thr	Glu	Leu
Arg	Asp	Ser	Ala	Glu	Lys	Tyr	Glu	Lys	Gln	Ile	Ala	Glu	Leu	Val	Ser
Thr	Ile	Thr	Gln	Asn	Gln	Ile	Thr	Tyr	Gln	Gln	Glu	Leu	Gln	Ala	Leu
Val	Ala	Lys	Asn	Val	Glu	Leu	Asp	Ala	Leu	Asn	Gln	Arg	Gln	Ala	Lys
Ser	Leu	Arg	Ile	Thr	Pro	Ser	Leu	Leu	Ser	Ala	Thr	Pro	Ile	Asp	Ser
Val	Asp	Asp	Val	Ala	Asp	Leu	Ile	Asp	Phe	Ser	Val	Pro	Thr	Asp	Glu
Leu															

<210> 19
 <211> 1267
 <212> PRT
 <213> Reovirus

<400> 19	Met	Ser	Ser	Met	Ile	Leu	Thr	Gln	Phe	Gly	Pro	Phe	Ile	Glu	Ser	Ile
1	Ser	Gly	Ile	Thr	Asp	Gln	Ser	Asn	Asp	Val	Phe	Glu	Asp	Ala	Ala	Lys
	Ala	Phe	Ser	Met	Phe	Thr	Arg	Ser	Asp	Val	Tyr	Lys	Ala	Leu	Asp	Glu
	Ile	Pro	Phe	Ser	Asp	Asp	Ala	Met	Leu	Pro	Ile	Pro	Pro	Thr	Ile	Tyr
50	Thr	Lys	Pro	Ser	His	Asp	Ser	Tyr	Tyr	Tyr	Ile	Asp	Ala	Leu	Asn	Arg
65	Val	Arg	Arg	Lys	Thr	Tyr	Gln	Gly	Pro	Asp	Asp	Val	Tyr	Val	Pro	Asn
	Cys	Ser	Ile	Val	Glu	Leu	Leu	Glu	Pro	His	Glu	Thr	Leu	Thr	Ser	Tyr
	Gly	Arg	Leu	Ser	Glu	Ala	Ile	Glu	Asn	Arg	Ala	Lys	Asp	Gly	Asp	Ser
	Gln	Ala	Arg	Ile	Ala	Thr	Thr	Tyr	Gly	Arg	Ile	Ala	Glu	Ser	Gln	Ala
130	Arg	Gln	Ile	Lys	Ala	Pro	Leu	Glu	Lys	Phe	Val	Leu	Ala	Leu	Leu	Val
145																

2008226291 04 Sep 2009

1723659_1.TXT
Ala Glu Ala Gly Gly Ser Leu Tyr Asp Pro Val Leu Gln Lys Tyr Asp
165 170 175
Glu Ile Pro Asp Leu Ser His Asn Cys Pro Leu Trp Cys Phe Arg Glu
180 185 190
Ile Cys Arg His Ile Ser Gly Pro Leu Pro Asp Arg Ala Pro Tyr Leu
195 200 205
Tyr Leu Ser Ala Gly Val Phe Trp Leu Met Ser Pro Arg Met Thr Ser
210 215 220
Ala Ile Pro Pro Leu Leu Ser Asp Leu Val Asn Leu Ala Ile Leu Gln
225 230 235 240
Gln Thr Ala Gly Leu Asp Pro Ser Leu Val Lys Leu Gly Val Gln Ile
245 250 255
Cys Leu His Ala Ala Ala Ser Ser Ser Tyr Ala Trp Phe Ile Leu Lys
260 265 270
Thr Lys Ser Ile Phe Pro Gln Asn Thr Leu His Ser Met Tyr Glu Ser
275 280 285
Leu Glu Gly Gly Tyr Cys Pro Asn Leu Glu Trp Leu Glu Pro Arg Ser
290 295 300
Asp Tyr Lys Phe Met Tyr Met Gly Val Met Pro Leu Ser Ala Lys Tyr
305 310 315 320
Ala Arg Ser Ala Pro Ser Asn Asp Lys Lys Ala Arg Glu Leu Gly Glu
325 330 335
Lys Tyr Gly Leu Ser Ser Val Val Gly Glu Leu Arg Lys Arg Thr Lys
340 345 350
Thr Tyr Val Lys His Asp Phe Ala Ser Val Arg Tyr Ile Arg Asp Ala
355 360 365
Met Ala Cys Thr Ser Gly Ile Phe Leu Val Arg Thr Pro Thr Glu Thr
370 375 380
Val Leu Gln Glu Tyr Thr Gln Ser Pro Glu Ile Lys Val Pro Ile Pro
385 390 395 400
Gln Lys Asp Trp Thr Gly Pro Ile Gly Glu Ile Arg Ile Leu Lys Asp
405 410 415
Thr Thr Ser Ser Ile Ala Arg Tyr Leu Tyr Arg Thr Trp Tyr Leu Ala
420 425 430
Ala Ala Arg Met Ala Ala Gln Pro Arg Thr Trp Asp Pro Leu Phe Gln
435 440 445
Ala Ile Met Arg Ser Gln Tyr Val Thr Ala Arg Gly Gly Ser Gly Ala
450 455 460
Ala Leu Arg Glu Ser Leu Tyr Ala Ile Asn Val Ser Leu Pro Asp Phe
465 470 475 480
Lys Gly Leu Pro Val Lys Ala Ala Thr Lys Ile Phe Gln Ala Ala Gln
485 490 495
Leu Ala Asn Leu Pro Phe Ser His Thr Ser Val Ala Ile Leu Ala Asp
500 505 510
Thr Ser Met Gly Leu Arg Asn Gln Val Gln Arg Arg Pro Arg Ser Ile
515 520 525
Met Pro Leu Asn Val Pro Gln Gln Gln Val Ser Ala Pro His Thr Leu
530 535 540
Thr Ala Asp Tyr Ile Asn Tyr His Met Asn Leu Ser Thr Thr Ser Gly
545 550 555 560
Ser Ala Val Ile Glu Lys Val Ile Pro Leu Gly Val Tyr Ala Ser Ser
565 570 575
Pro Pro Asn Gln Ser Ile Asn Ile Asp Ile Ser Ala Cys Asp Ala Ser
580 585 590
Ile Thr Trp Asp Phe Phe Leu Ser Val Ile Met Ala Ala Ile His Glu
595 600 605
Gly Val Ala Ser Ser Ser Ile Gly Lys Pro Phe Met Gly Val Pro Ala
610 615 620
Ser Ile Val Asn Asp Glu Ser Val Val Gly Val Arg Ala Ala Arg Pro
625 630 635 640
Ile Ser Gly Met Gln Asn Met Ile Gln His Leu Ser Lys Leu Tyr Lys
645 650 655
Arg Gly Phe Ser Tyr Arg Val Asn Asp Ser Phe Ser Pro Gly Asn Asp
660 665 670
Phe Thr His Met Thr Thr Thr Phe Pro Ser Gly Ser Thr Ala Thr Ser
675 680 685
Thr Glu His Thr Ala Asn Asn Ser Thr Met Met Glu Thr Phe Leu Thr
690 695 700

1723659_1.TXT

Val 705	Trp	Gly	Pro	Glu	His 710	Thr	Asp	Asp	Pro	Asp 715	Val	Leu	Arg	Leu	Met 720
Lys	Ser	Leu	Thr	Ile 725	Gln	Arg	Asn	Tyr	Val 730	Cys	Gln	Gly	Asp	Asp 735	Gly
Leu	Met	Ile	Ile 740	Asp	Gly	Thr	Thr	Ala 745	Gly	Lys	Val	Asn	Ser 750	Glu	Thr
Ile	Gln	Lys 755	Met	Leu	Glu	Leu	Ile 760	Ser	Lys	Tyr	Gly	Glu 765	Glu	Phe	Gly
Trp	Lys 770	Tyr	Asp	Ile	Ala	Tyr 775	Asp	Gly	Thr	Ala	Glu 780	Tyr	Leu	Lys	Leu
Tyr 785	Phe	Ile	Phe	Gly	Cys 790	Arg	Ile	Pro	Asn	Leu 795	Ser	Arg	His	Pro	Ile 800
Val	Gly	Lys	Glu	Arg 805	Ala	Asn	Ser	Ser	Ala 810	Glu	Glu	Pro	Trp	Pro	Ala 815
Ile	Leu	Asp	Gln 820	Ile	Met	Gly	Val	Phe 825	Phe	Asn	Gly	Val	His 830	Asp	Gly
Leu	Gln	Trp 835	Gln	Arg	Trp	Ile	Arg 840	Tyr	Ser	Trp	Ala	Leu 845	Cys	Cys	Ala
Phe	Ser 850	Arg	Gln	Arg	Thr	Met 855	Ile	Gly	Glu	Ser	Val 860	Gly	Tyr	Leu	Gln
Tyr 865	Pro	Met	Trp	Ser	Phe 870	Val	Tyr	Trp	Gly	Leu 875	Pro	Leu	Val	Lys	Ala 880
Phe	Gly	Ser	Asp	Pro 885	Trp	Ile	Phe	Ser	Trp 890	Tyr	Met	Pro	Thr	Gly 895	Asp
Leu	Gly	Met	Tyr 900	Ser	Trp	Ile	Ser	Leu 905	Ile	Arg	Pro	Leu	Met 910	Thr	Arg
Trp	Met	Val 915	Ala	Asn	Gly	Tyr	Val 920	Thr	Asp	Arg	Cys	Ser 925	Pro	Val	Phe
Gly	Asn	Ala	Asp	Tyr	Arg	Arg 935	Cys	Phe	Asn	Glu	Leu 940	Lys	Leu	Tyr	Gln
Gly 945	Tyr	Tyr	Met	Ala	Gln 950	Leu	Pro	Arg	Asn	Pro 955	Lys	Lys	Ser	Gly	Arg 960
Ala	Ala	Pro	Arg	Glu	Val 965	Arg	Glu	Gln	Phe 970	Thr	Gln	Ala	Leu	Ser	Asp 975
Tyr	Leu	Leu	Gln 980	Asn	Pro	Glu	Leu	Lys 985	Ser	Arg	Val	Leu	Arg 990	Gly	Arg
Ser	Glu	Trp 995	Glu	Lys	Tyr	Gly	Ala 1000	Gly	Ile	Ile	His	Asn 1005	Pro	Pro	Ser
Leu	Phe 1010	Asp	Val	Pro	His	Lys 1015	Trp	Tyr	Gln	Gly	Ala 1020	Gln	Glu	Ala	Ala
Ile 1025	Ala	Thr	Arg	Glu	Glu 1030	Leu	Ala	Glu	Met	Asp 1035	Glu	Thr	Leu	Met	Arg 1040
Ala	Arg	Arg	His	Arg 1045	Tyr	Ser	Ser	Phe	Ser 1050	Lys	Leu	Leu	Glu	Ala	Tyr 1055
Leu	Leu	Val	Lys 1060	Trp	Arg	Met	Cys	Glu 1065	Ala	Arg	Glu	Pro	Ser 1070	Val	Asp
Leu	Arg	Leu 1075	Pro	Leu	Cys	Ala	Gly 1080	Ile	Asp	Pro	Leu	Asn 1085	Ser	Asp	Pro
Phe	Leu 1090	Lys	Met	Val	Ser	Val 1095	Gly	Pro	Met	Leu	Gln 1100	Ser	Thr	Arg	Lys
Tyr 1105	Phe	Ala	Gln	Thr	Leu 1110	Phe	Met	Ala	Lys	Thr 1115	Val	Ser	Gly	Leu	Asp 1120
Val	Asn	Ala	Ile	Asp 1125	Ser	Ala	Leu	Leu	Arg 1130	Leu	Arg	Thr	Leu	Gly	Ala 1135
Asp	Lys	Lys	Ala 1140	Leu	Thr	Ala	Gln	Leu 1145	Leu	Met	Val	Gly	Leu	Gln	Glu 1150
Ser	Glu	Ala	Asp 1155	Ala	Leu	Ala	Gly 1160	Lys	Ile	Met	Leu	Gln 1165	Asp	Val	Asn
Thr	Val 1170	Gln	Leu	Ala	Arg	Val 1175	Val	Asn	Leu	Ala	Val 1180	Pro	Asp	Thr	Trp
Met 1185	Ser	Leu	Asp	Phe	Asp 1190	Ser	Met	Phe	Lys	His 1195	His	Val	Lys	Leu	Leu 1200
Pro	Lys	Asp	Gly	Arg 1205	His	Leu	Asn	Thr	Asp 1210	Ile	Pro	Pro	Arg	Met	Gly 1215
Trp	Leu	Arg	Ala 1220	Ile	Leu	Arg	Phe	Leu 1225	Gly	Ala	Gly	Met	Val 1230	Met	Thr
Ala	Thr	Gly	Val 1235	Ala	Val	Asp	Ile 1240	Tyr	Leu	Glu	Asp	Ile 1245	His	Gly	Gly

04 Sep 2009
2008226291

1723659_1.TXT

Gly Arg Ser Leu Gly Gln Arg Phe Met Thr Trp Met Arg Gln Glu Gly
1250 1255 1260
Arg Ser Ala
1265

<210> 20
<211> 1289
<212> PRT
<213> Reovirus

<400> 20
Met Ala Asn Val Trp Gly Val Arg Leu Ala Asp Ser Leu Ser Ser Pro
1 5 10 15
Thr Ile Glu Thr Arg Thr Arg Gln Tyr Thr Leu His Asp Leu Cys Ser
20 25 30
Asp Leu Asp Ala Asn Pro Gly Arg Glu Pro Trp Lys Pro Leu Arg Asn
35 40 45
Gln Arg Thr Asn Asn Ile Val Ala Val Gln Leu Phe Arg Pro Leu Gln
50 55 60
Gly Leu Val Leu Asp Thr Gln Leu Tyr Gly Phe Pro Gly Ala Phe Asp
65 70 75 80
Asp Trp Glu Arg Phe Met Arg Glu Lys Leu Arg Val Leu Lys Tyr Glu
85 90 95
Val Leu Arg Ile Tyr Pro Ile Ser Asn Tyr Ser Asn Glu His Val Asn
100 105 110
Val Phe Val Ala Asn Ala Leu Val Gly Ala Phe Leu Ser Asn Gln Ala
115 120 125
Phe Tyr Asp Leu Leu Pro Leu Leu Ile Ile Asn Asp Thr Met Ile Gly
130 135 140
Asp Leu Leu Gly Thr Gly Ala Ser Leu Ser Gln Phe Phe Gln Ser His
145 150 155 160
Gly Asp Val Leu Glu Val Ala Ala Gly Arg Lys Tyr Leu Gln Met Glu
165 170 175
Asn Tyr Ser Asn Asp Asp Asp Asp Pro Pro Leu Phe Ala Lys Asp Leu
180 185 190
Ser Asp Tyr Ala Lys Ala Phe Tyr Ser Asp Thr Tyr Glu Val Leu Asp
195 200 205
Arg Phe Phe Trp Thr His Asp Ser Ser Ala Gly Val Leu Val His Tyr
210 215 220
Asp Lys Pro Thr Asn Gly His His Tyr Leu Leu Gly Thr Leu Thr Gln
225 230 235 240
Met Val Ser Ala Pro Tyr Ile Ile Asn Ala Thr Asp Ala Met Leu
245 250 255
Leu Glu Ser Cys Leu Glu Gln Phe Ser Ala Asn Val Arg Ala Arg Pro
260 265 270
Ala Gln Pro Val Thr Arg Leu Asp Gln Cys Tyr His Leu Arg Trp Gly
275 280 285
Ala Gln Tyr Val Gly Glu Asp Ser Leu Thr Tyr Arg Leu Gly Val Leu
290 295 300
Ser Leu Leu Ala Thr Asn Gly Tyr Gln Leu Ala Arg Pro Ile Pro Arg
305 310 315 320
Gln Leu Thr Asn Arg Trp Leu Ser Ser Phe Val Ser Gln Ile Met Ser
325 330 335
Asp Gly Val Asn Glu Thr Pro Leu Trp Pro Gln Glu Arg Tyr Val Gln
340 345 350
Ile Ala Tyr Asp Ser Pro Ser Val Val Asp Gly Ala Thr Gln Tyr Gly
355 360 365
Tyr Val Arg Lys Asn Gln Leu Arg Leu Gly Met Arg Ile Ser Ala Leu
370 375 380
Gln Ser Leu Ser Asp Thr Pro Ser Pro Val Gln Trp Leu Pro Gln Tyr
385 390 395 400
Thr Ile Asp Gln Ala Ala Met Asp Glu Gly Asp Leu Met Val Ser Arg
405 410 415
Leu Thr Gln Leu Pro Leu Arg Pro Asp Tyr Gly Asn Ile Trp Val Gly
420 425 430
Asp Ala Leu Ser Tyr Tyr Val Asp Tyr Asn Arg Ser His Arg Val Val
435 440 445

2008226291 04 Sep 2009

1723659_1.TXT

Leu 450	Ser 450	Ser 450	Glu 450	Leu 450	Pro 455	Gln 455	Leu 455	Pro 455	Asp 460	Thr 460	Tyr 460	Phe 460	Asp 460	Gly 460	Asp 460
Glu 465	Gln 465	Tyr 465	Gly 465	Arg 465	Ser 470	Leu 470	Phe 470	Ser 470	Leu 475	Ala 475	Arg 475	Lys 475	Ile 475	Gly 480	Asp 480
Arg 485	Ser 485	Leu 485	Val 485	Lys 485	Asp 485	Thr 485	Ala 485	Val 485	Leu 490	Lys 490	His 490	Ala 490	Tyr 490	Gln 495	Ala 495
Ile 495	Asp 495	Pro 495	Asn 495	Thr 495	Gly 495	Lys 495	Glu 495	Tyr 495	Leu 500	Arg 500	Ser 500	Arg 500	Gln 505	Ser 505	Val 505
Ala 505	Tyr 505	Phe 505	Gly 505	Ala 505	Ser 505	Ala 505	Gly 505	His 505	Ser 505	Gly 505	Ala 505	Asp 505	Gln 505	Pro 505	Leu 505
Val 510	Ile 510	Glu 510	Pro 510	Trp 510	Ile 510	Gln 510	Gly 510	Lys 510	Ile 510	Ser 510	Gly 510	Val 510	Pro 510	Pro 510	Pro 510
Ser 515	Ser 515	Val 515	Arg 515	Gln 515	Phe 515	Gly 515	Tyr 515	Asp 515	Val 515	Ala 515	Arg 515	Gly 515	Ala 515	Ile 515	Val 515
Asp 520	Leu 520	Ala 520	Arg 520	Pro 520	Phe 520	Pro 520	Ser 520	Gly 520	Asp 520	Tyr 520	Gln 520	Phe 520	Val 520	Tyr 520	Ser 520
Asp 525	Val 525	Asp 525	Gln 525	Val 525	Val 525	Asp 525	Gly 525	His 525	Asp 525	Asp 525	Leu 525	Ser 525	Ile 525	Ser 525	Ser 525
Gly 530	Leu 530	Val 530	Glu 530	Ser 530	Leu 530	Leu 530	Ser 530	Cys 530	Met 530	His 530	Ala 530	Thr 530	Ala 530	Pro 530	Pro 530
Gly 535	Gly 535	Ser 535	Phe 535	Val 535	Val 535	Lys 535	Ile 535	Asn 535	Phe 535	Pro 535	Thr 535	Arg 535	Pro 535	Val 535	Trp 535
His 540	Tyr 540	Ile 540	Glu 540	Gln 540	Lys 540	Ile 540	Leu 540	Pro 540	Asn 540	Ile 540	Thr 540	Ser 540	Tyr 540	Met 540	Leu 540
Ile 545	Lys 545	Pro 545	Phe 545	Val 545	Thr 545	Asn 545	Asn 545	Val 545	Glu 545	Leu 545	Phe 545	Phe 545	Val 545	Ala 545	Phe 545
Gly 550	Val 550	His 550	Gln 550	His 550	Ser 550	Ser 550	Leu 550	Thr 550	Trp 550	Thr 550	Ser 550	Gly 550	Val 550	Tyr 550	Phe 550
Phe 555	Leu 555	Val 555	Asp 555	His 555	Phe 555	Tyr 555	Arg 555	Tyr 555	Glu 555	Thr 555	Leu 555	Ser 555	Thr 555	Ile 555	Ser 555
Arg 560	Gln 560	Leu 560	Pro 560	Ser 560	Phe 560	Gly 560	Tyr 560	Val 560	Asp 560	Asp 560	Gly 560	Ser 560	Ser 560	Val 560	Thr 560
Gly 565	Ile 565	Glu 565	Thr 565	Ile 565	Ser 565	Ile 565	Glu 565	Asn 565	Pro 565	Gly 565	Phe 565	Ser 565	Asn 565	Met 565	Thr 565
Gln 570	Ala 570	Ala 570	Arg 570	Ile 570	Gly 570	Ile 570	Ser 570	Gly 570	Leu 570	Cys 570	Ala 570	Asn 570	Val 570	Gly 570	Asn 570
Ala 575	Arg 575	Lys 575	Ser 575	Ile 575	Ala 575	Ile 575	Tyr 575	Glu 575	Ser 575	His 575	Gly 575	Ala 575	Arg 575	Val 575	Leu 575
Thr 580	Ile 580	Thr 580	Ser 580	Arg 580	Arg 580	Ser 580	Pro 580	Ala 580	Ser 580	Ala 580	Arg 580	Arg 580	Lys 580	Ser 580	Arg 580
Leu 585	Arg 585	Tyr 585	Leu 585	Pro 585	Leu 585	Ile 585	Asp 585	Pro 585	Arg 585	Ser 585	Leu 585	Glu 585	Val 585	Gln 585	Ala 585
Arg 590	Thr 590	Ile 590	Leu 590	Pro 590	Ala 590	Asp 590	Pro 590	Val 590	Leu 590	Phe 590	Glu 590	Asn 590	Val 590	Ser 590	Gly 590
Ala 595	Ser 595	Pro 595	His 595	Val 595	Cys 595	Leu 595	Thr 595	Met 595	Met 595	Tyr 595	Asn 595	Phe 595	Glu 595	Val 595	Ser 595
Ser 600	Ala 600	Val 600	Tyr 600	Asp 600	Gly 600	Asp 600	Val 600	Val 600	Leu 600	Asp 600	Leu 600	Gly 600	Thr 600	Gly 600	Pro 600
Glu 605	Ala 605	Lys 605	Ile 605	Leu 605	Glu 605	Leu 605	Ile 605	Pro 605	Ala 605	Thr 605	Ser 605	Pro 605	Val 605	Thr 605	Cys 605
Val 610	Asp 610	Ile 610	Arg 610	Pro 610	Thr 610	Ala 610	Gln 610	Pro 610	Ser 610	Gly 610	Cys 610	Trp 610	Asn 610	Val 610	Arg 610
Thr 615	Thr 615	Phe 615	Leu 615	Glu 615	Leu 615	Asp 615	Tyr 615	Leu 615	Ser 615	Asp 615	Gly 615	Trp 615	Ile 615	Thr 615	Gly 615
Thr 620	Arg 620	Gly 620	Asp 620	Ile 620	Val 620	Thr 620	Cys 620	Met 620	Leu 620	Ser 620	Leu 620	Gly 620	Ala 620	Ala 620	Ala 620
Ala 625	Gly 625	Lys 625	Ser 625	Met 625	Thr 625	Phe 625	Asp 625	Ala 625	Phe 625	Gln 625	Gln 625	Leu 625	Ile 625	Lys 625	Lys 625
Val 630	Leu 630	Ser 630	Lys 630	Ser 630	Thr 630	Ala 630	Asn 630	Val 630	Val 630	Leu 630	Val 630	Gln 630	Val 630	Asn 630	Cys 630
Pro 635	Thr 635	Asp 635	Val 635	Val 635	Arg 635	Ser 635	Ile 635	Lys 635	Gly 635	Tyr 635	Leu 635	Glu 635	Ile 635	Asp 635	Ser 635
Thr 640	Asn 640	Lys 640	Arg 640	Tyr 640	Arg 640	Phe 640	Pro 640	Lys 640	Phe 640	Gly 640	Arg 640	Thr 640	Ala 640	Pro 640	Tyr 640
Ser 645	Asp 645	Met 645	Asp 645	Ala 645	Leu 645	Glu 645	Lys 645	Ile 645	Cys 645	Arg 645	Thr 645	Ala 645	Trp 645	Pro 645	Asn 645
Cys 650	Ser 650	Ile 650	Thr 650	Trp 650	Val 650	Pro 650	Leu 650	Ser 650	Tyr 650	Asp 650	Leu 650	Arg 650	Trp 650	Thr 650	Arg 650

1723659_1.TXT

Leu Ala Leu Leu Glu Ser Thr Thr Leu Ser Ser Ala Ser Ile Arg Ile
 995 1000 1005
 Ala Glu Leu Met Tyr Lys Tyr Met Pro Ile Met Arg Ile Asp Ile His
 1010 1015 1020
 Gly Leu Pro Met Glu Lys Arg Gly Asn Phe Ile Val Gly Gln Asn Cys
 1025 1030 1035 1040
 Ser Leu Val Ile Pro Gly Phe Asn Ala Gln Asp Val Phe Asn Cys Tyr
 1045 1050 1055
 Phe Asn Ser Ala Leu Ala Phe Ser Thr Glu Asp Val Asn Ala Ala Met
 1060 1065 1070
 Ile Pro Gln Val Ser Ala Gln Phe Asp Ala Thr Lys Gly Glu Trp Thr
 1075 1080 1085
 Leu Asp Met Val Phe Ser Asp Ala Gly Ile Tyr Thr Met Gln Ala Leu
 1090 1095 1100
 Val Gly Ser Asn Ala Asn Pro Val Ser Leu Gly Ser Phe Val Val Asp
 1105 1110 1115 1120
 Ser Pro Asp Val Asp Ile Thr Asp Ala Trp Pro Ala Gln Leu Asp Phe
 1125 1130 1135
 Thr Ile Ala Gly Thr Asp Val Asp Ile Thr Val Asn Pro Tyr Tyr Arg
 1140 1145 1150
 Leu Met Thr Phe Val Arg Ile Asp Gly Gln Trp Gln Ile Ala Asn Pro
 1155 1160 1165
 Asp Lys Phe Gln Phe Phe Ser Ser Ala Ser Gly Thr Leu Val Met Asn
 1170 1175 1180
 Val Lys Leu Asp Ile Ala Asp Lys Tyr Leu Leu Tyr Tyr Ile Arg Asp
 1185 1190 1195 1200
 Val Gln Ser Arg Asp Val Gly Phe Tyr Ile Gln His Pro Leu Gln Leu
 1205 1210 1215
 Leu Asn Thr Ile Thr Leu Pro Thr Asn Glu Asp Leu Phe Leu Ser Ala
 1220 1225 1230
 Pro Asp Met Arg Glu Trp Ala Val Lys Glu Ser Gly Asn Thr Ile Cys
 1235 1240 1245
 Ile Leu Asn Ser Gln Gly Phe Val Leu Pro Gln Asp Trp Asp Val Leu
 1250 1255 1260
 Thr Asp Thr Ile Ser Trp Ser Pro Ser Ile Pro Thr Tyr Ile Val Pro
 1265 1270 1275 1280
 Pro Gly Asp Tyr Thr Leu Thr Pro Leu
 1285

<210> 21
 <211> 1275
 <212> PRT
 <213> Reovirus

<400> 21
 Met Lys Arg Ile Pro Arg Lys Thr Lys Gly Lys Ser Ser Gly Lys Gly
 1 5 10 15
 Asn Asp Ser Thr Glu Arg Ala Asp Asp Gly Ser Ser Gln Leu Arg Asp
 20 25 30
 Lys Gln Asn Asn Lys Ala Gly Pro Ala Thr Thr Glu Pro Gly Thr Ser
 35 40 45
 Asn Arg Glu Gln Tyr Lys Ala Arg Pro Gly Ile Ala Ser Val Gln Arg
 50 55 60
 Ala Thr Glu Ser Ala Glu Met Pro Met Lys Asn Asp Glu Gly Thr
 65 70 75 80
 Pro Asp Lys Lys Gly Asn Thr Lys Gly Asp Leu Val Asn Glu His Ser
 85 90 95
 Glu Ala Lys Asp Glu Ala Asp Glu Ala Thr Lys Lys Gln Ala Lys Asp
 100 105 110
 Thr Asp Lys Ser Lys Ala Gln Val Thr Tyr Ser Asp Thr Gly Ile Asn
 115 120 125
 Asn Ala Asn Glu Leu Ser Arg Ser Gly Asn Val Asp Asn Glu Gly Gly
 130 135 140
 Ser Asn Gln Lys Pro Met Ser Thr Arg Ile Ala Glu Ala Thr Ser Ala
 145 150 155 160
 Ile Val Ser Lys His Pro Ala Arg Val Gly Leu Pro Pro Thr Ala Ser
 165 170 175

2008226291 04 Sep 2009

1723659_1.TXT

Ser	Gly	His	Gly	Tyr	Gln	Cys	His	Val	Cys	Ser	Ala	Val	Leu	Phe	Ser
Pro	Leu	Asp	Leu	Asp	Ala	His	Val	Ala	Ser	His	Gly	Leu	His	Gly	Asn
Met	Thr	Leu	Thr	Ser	Ser	Asp	Ile	Gln	Arg	His	Ile	Thr	Glu	Phe	Ile
Ser	Ser	Trp	Gln	Asn	His	Pro	Ile	Val	Gln	Val	Ser	Ala	Asp	Val	Glu
Asn	Lys	Lys	Thr	Ala	Gln	Leu	Leu	His	Ala	Asp	Thr	Pro	Arg	Leu	Val
Thr	Trp	Asp	Ala	Gly	Leu	Cys	Thr	Ser	Phe	Lys	Ile	Val	Pro	Ile	Val
Pro	Ala	Gln	Val	Pro	Gln	Asp	Val	Leu	Ala	Tyr	Thr	Phe	Phe	Thr	Ser
Ser	Tyr	Ala	Ile	Gln	Ser	Pro	Phe	Pro	Glu	Ala	Ala	Val	Ser	Arg	Ile
Val	Val	His	Thr	Arg	Trp	Ala	Ser	Asn	Val	Asp	Phe	Asp	Arg	Asp	Ser
Ser	Val	Ile	Met	Ala	Pro	Pro	Thr	Glu	Asn	Asn	Ile	His	Leu	Phe	Lys
Gln	Leu	Leu	Asn	Thr	Glu	Thr	Leu	Ser	Val	Arg	Gly	Ala	Asn	Pro	Leu
Met	Phe	Arg	Ala	Asn	Val	Leu	His	Met	Leu	Leu	Glu	Phe	Val	Leu	Asp
Asn	Leu	Tyr	Leu	Asn	Arg	His	Thr	Gly	Phe	Ser	Gln	Asp	His	Thr	Pro
Phe	Thr	Glu	Gly	Ala	Asn	Leu	Arg	Ser	Leu	Pro	Gly	Pro	Asp	Ala	Glu
Lys	Trp	Tyr	Ser	Ile	Met	Tyr	Pro	Thr	Arg	Met	Gly	Thr	Pro	Asn	Val
Ser	Lys	Ile	Cys	Asn	Phe	Val	Ala	Ser	Cys	Val	Arg	Asn	Arg	Val	Gly
Arg	Phe	Asp	Arg	Ala	Gln	Met	Met	Asn	Gly	Ala	Met	Ser	Glu	Trp	Val
Asp	Val	Phe	Glu	Thr	Ser	Asp	Ala	Leu	Thr	Val	Ser	Ile	Arg	Gly	Arg
Trp	Met	Ala	Arg	Leu	Ala	Arg	Met	Asn	Ile	Asn	Pro	Thr	Glu	Ile	Glu
Trp	Ala	Leu	Thr	Glu	Cys	Ala	Gln	Gly	Tyr	Val	Thr	Val	Thr	Ser	Pro
Tyr	Ala	Pro	Ser	Val	Asn	Arg	Leu	Met	Pro	Tyr	Arg	Ile	Ser	Asn	Ala
Glu	Arg	Gln	Ile	Ser	Gln	Ile	Ile	Arg	Ile	Met	Asn	Ile	Gly	Asn	Asn
Ala	Thr	Val	Ile	Gln	Pro	Val	Leu	Gln	Asp	Ile	Ser	Val	Leu	Leu	Gln
Arg	Ile	Ser	Pro	Leu	Gln	Ile	Asp	Pro	Thr	Ile	Ile	Ser	Asn	Thr	Met
Ser	Thr	Val	Ser	Glu	Ser	Thr	Thr	Gln	Thr	Leu	Ser	Pro	Ala	Ser	Ser
Ile	Leu	Gly	Lys	Leu	Arg	Pro	Ser	Asn	Ser	Asp	Phe	Ser	Ser	Phe	Arg
Val	Ala	Leu	Ala	Gly	Trp	Leu	Tyr	Asn	Gly	Val	Val	Thr	Thr	Val	Ile
Asp	Asp	Ser	Ser	Tyr	Pro	Lys	Asp	Gly	Gly	Ser	Val	Thr	Ser	Leu	Glu
Asn	Leu	Trp	Asp	Phe	Phe	Ile	Leu	Ala	Leu	Ala	Leu	Pro	Leu	Thr	Thr
Asp	Pro	Cys	Ala	Pro	Val	Lys	Ala	Phe	Met	Thr	Leu	Ala	Asn	Met	Met
Val	Gly	Phe	Glu	Thr	Ile	Pro	Met	Asp	Asn	Gln	Ile	Tyr	Thr	Gln	Ser
Arg	Arg	Ala	Ser	Ala	Phe	Ser	Thr	Pro	His	Thr	Trp	Pro	Arg	Cys	Phe
Met	Asn	Ile	Gln	Leu	Ile	Ser	Pro	Ile	Asp	Ala	Pro	Ile	Leu	Arg	Gln
Trp	Ala	Glu	Ile	Ile	His	Arg	Tyr	Trp	Pro	Asn	Pro	Ser	Gln	Ile	Arg

2008226291 04 Sep 2009

1723659_1.TXT

Tyr	Gly	Ala	Pro	Asn	Val	Phe	Gly	Ser	Ala	Asn	Leu	Phe	Thr	Pro	Pro
Glu	Val	Leu	Leu	Leu	Pro	Ile	Asp	His	Gln	Pro	Ala	Asn	Val	Thr	Thr
Pro	Thr	Leu	Asp	Phe	Thr	Asn	Glu	Leu	Thr	Asn	Trp	Arg	Ala	Arg	Val
Cys	Glu	Leu	Met	Lys	Asn	Leu	Val	Asp	Asn	Gln	Arg	Tyr	Gln	Pro	Gly
Trp	Thr	Gln	Ser	Leu	Val	Ser	Ser	Met	Arg	Gly	Thr	Leu	Asp	Lys	Leu
Lys	Leu	Ile	Lys	Ser	Met	Thr	Pro	Met	Tyr	Leu	Gln	Gln	Leu	Ala	Pro
Val	Glu	Leu	Ala	Val	Ile	Ala	Pro	Met	Leu	Pro	Phe	Pro	Pro	Phe	Gln
Val	Pro	Tyr	Val	Arg	Leu	Asp	Arg	Asp	Arg	Val	Pro	Thr	Met	Val	Gly
Val	Thr	Arg	His	Ser	Arg	Asp	Thr	Ile	Thr	Gln	Pro	Ala	Leu	Ser	Leu
Ser	Thr	Thr	Asn	Thr	Thr	Val	Gly	Val	Pro	Leu	Ala	Leu	Asp	Ala	Arg
Ala	Ile	Thr	Val	Ala	Leu	Leu	Ser	Gly	Lys	Tyr	Pro	Pro	Asp	Leu	Val
Thr	Asn	Val	Trp	Tyr	Ala	Asp	Ala	Ile	Tyr	Pro	Met	Tyr	Ala	Asp	Thr
Glu	Val	Phe	Ser	Asn	Leu	Gln	Arg	Asp	Met	Ile	Thr	Cys	Glu	Ala	Val
Gln	Thr	Leu	Val	Thr	Leu	Val	Ala	Gln	Ile	Ser	Glu	Thr	Gln	Tyr	Pro
Val	Asp	Arg	Tyr	Leu	Asp	Trp	Ile	Pro	Ser	Leu	Arg	Ala	Ser	Ala	Ala
Thr	Ala	Ala	Thr	Phe	Ala	Glu	Trp	Val	Asn	Thr	Ser	Met	Lys	Thr	Ala
Phe	Asp	Leu	Ser	Asp	Met	Leu	Leu	Glu	Pro	Leu	Leu	Ser	Gly	Asp	Pro
Arg	Met	Thr	Gln	Leu	Ala	Ile	Gln	Tyr	Gln	Gln	Tyr	Asn	Gly	Arg	Thr
Phe	Asn	Ile	Ile	Pro	Glu	Met	Pro	Gly	Ser	Val	Ile	Ala	Asp	Cys	Val
Gln	Leu	Thr	Ala	Glu	Val	Phe	Asn	His	Glu	Tyr	Asn	Leu	Phe	Gly	Ile
Ala	Arg	Gly	Asp	Ile	Ile	Ile	Gly	Arg	Val	Gln	Ser	Thr	His	Leu	Trp
Ser	Pro	Leu	Ala	Pro	Pro	Pro	Asp	Leu	Val	Phe	Asp	Arg	Asp	Thr	Pro
Gly	Val	His	Ile	Phe	Gly	Arg	Asp	Cys	Arg	Ile	Ser	Phe	Gly	Met	Asn
Gly	Ala	Ala	Pro	Met	Ile	Arg	Asp	Glu	Thr	Gly	Leu	Met	Val	Pro	Phe
Glu	Gly	Asn	Trp	Ile	Phe	Pro	Leu	Ala	Leu	Trp	Gln	Met	Asn	Thr	Arg
Tyr	Phe	Asn	Gln	Gln	Phe	Asp	Ala	Trp	Ile	Lys	Thr	Gly	Glu	Leu	Arg
Ile	Arg	Ile	Glu	Met	Gly	Ala	Tyr	Pro	Tyr	Met	Leu	His	Tyr	Tyr	Asp
Pro	Arg	Gln	Tyr	Ala	Asn	Ala	Trp	Asn	Leu	Thr	Ser	Ala	Trp	Leu	Glu
Glu	Ile	Thr	Pro	Thr	Ser	Ile	Pro	Ser	Val	Pro	Phe	Met	Val	Pro	Ile
Ser	Ser	Asp	His	Asp	Ile	Ser	Ser	Ala	Pro	Ala	Val	Gln	Tyr	Ile	Ile
Ser	Thr	Glu	Tyr	Asn	Asp	Arg	Ser	Leu	Phe	Cys	Thr	Asn	Ser	Ser	Ser
Pro	Gln	Thr	Ile	Ala	Gly	Pro	Asp	Lys	His	Ile	Pro	Val	Glu	Arg	Tyr
Asn	Ile	Leu	Thr	Asn	Pro	Asp	Ala	Pro	Pro	Thr	Gln	Ile	Gln	Leu	Pro
Glu	Val	Val	Asp	Leu	Tyr	Asn	Val	Val	Thr	Arg	Tyr	Ala	Tyr	Glu	Thr

1723659_1.TXT
 Pro Pro Ile Thr Ala Val Val Met Gly Val Pro
 1265 1270 1275

<210> 22
 <211> 3854
 <212> DNA
 <213> Reovirus

<400> 22
 gctacacggt ccacgacaat gtcattccatg atactgactc agtttggacc gttcattgag 60
 agcatttcag gtatcactga tcaatcgaat gacgtgtttg aagatgcagc aaaagcattc 120
 tctatgttta ctcgcagcga tgtctacaag gcgctggatg aaataccttt ctctgatgat 180
 gcgatgcttc caatccctcc aactatatac acgaaaccat ctcacgattc atattattac 240
 attgatgctc taaaccgtgt gcgtcgcaaa acatatcagg gccctgatga cgtgtacgta 300
 cctaattgtt ctattgttga attgctggag ccacatgaga ctctgacatc ttatgggcgg 360
 ttgtccgagg ccatcgagaa tcgtgccaaag gatggggaca gccaaagccag aatcgccaca 420
 acgtatggta gaatcgctga atctcaagct cgacagatta aggctccatt ggagaagttt 480
 gtgttggcac tattagtggc cgaagcaggg gggcttttat atgatccagt ttgacagaag 540
 tatgatgaga ttccagatct atcgcataat tgccctttat ggtgttttag agagatctgt 600
 cgtcacatat ctggtccatt accagatcgg gcaccttatc ttactttatc tgcaggggta 660
 ttctgggttaa tgcaccacg aatgcagctc gcaatccctc cgctactatc cgatcttgtt 720
 aatttagcta ttttgaaca aactgcgggt ttagatccat cattagtga attgggagta 780
 cagatatgcc ttcatgcagc agctagctca agttattcat ggtttatctt aaagactaag 840
 tctatttttc ctcaaaacac gttgcacagt atgtatgaat ctctagaagg gggatactgt 900
 cctaattctg aatggttaga gcctagatca gactataagt tcatgtacat gggagtcag 960
 ccattgtccg ctaagtatgc taggtcggcg ccgtccaatg ataagaaagc gcgggaactt 1020
 ggcgagaaat atggactgag ctgagtcgtc ggtgagcttc gtaaacggac aaagacgtat 1080
 gttaaacatg actttgcttc agtgaggtag attcgtgacg ctatggcatg tactagcgg 1140
 attttcttgg taagaacacc caccgaaacg gtattgcaag aatatacgca gagtccggag 1200
 attaagggtc ccattcccca gaaagactgg acaggcccaa taggtgaaat cagaattcta 1260
 aaagatacaa caagttccat cgcgcggttac ttatatagaa catggtactt ggcagcggcg 1320
 agaattggcg ctcaaccacg tacgtgggat ccattgtttc aagcgattat gagatctcaa 1380
 tacgtgacag ctagggggtg atctggcgca gcaactccgc aatctttgta tgcaatcaat 1440
 gtgtcggtac ctgatttcaa gggcttacca gtgaaggcag caactaagat attccaggcg 1500
 gcacaattag cgaacttgcc gttctccac acatcagtg ctatactagc tgacacttca 1560
 atgggattgc gaaatcaggt gcagagcgcg ccacgatcca ttatgccatt aaatgtgccc 1620
 cagcagcagg ttccggcgcc ccatacattg acagcggatt acattaacta ccacatgaat 1680
 ctatcaccca cgtctggtag tgcggtcatt gagaaggtag ttcctttagg tgtatacgt 1740
 tcgagccctc ctaaccagat gatcaacatt gacatatctg cgtgtgacgc tagtattact 1800
 tgggatttct ttctgtcagt gattatggcg gctatacacg aagggtgtcg tagtagctcc 1860
 attgaaaaac catttatggg ggttcctgca tccattgtaa atgatgagtc tgtcgttgg 1920
 gtgagagctg ctaggccgat atcggaatg cagaacatga ttcagcatct atcgaaacta 1980
 tataaacgtg gattttcata tagagtaaac gattcttttt ctccaggtaa cgattttact 2040
 catatgacta ccactttccc gtcaggttca acagccacct ctactgagca tactgcta 2100
 aatagtagca tgatggaaat ttctctgaca gttatgggac ccgaacatac tgacgacct 2160
 gacgtcttac gtttaatgaa gtctttaact attcaaaagg attacgtatg tcaagggtg 2220
 gatggattaa tgattatcga tgggactact gctggttaagg tgaacagtga aactattcag 2280
 aacgatctag aattaatctc aaaatatggt gaggaattcg gatggaaata tgacatagcg 2340
 tacgatggga ctgccgaata cttaaagcta tacttcatat ttggctgtcg aattccaaat 2400
 cttagtcgcc atccaatcgt ggggaaagaa cgggcgaatt cttcagcaga ggagccatgg 2460
 ccagcaattc tagatcagat tatgggtgtc ttctttaatg gtgttcatga tgggttacag 2520
 tggcagcggg ggatacgtta ttcatgggct ctatgctgtg ctttctcacg tcaaagaaca 2580
 atgattgggt agagcgtggg ttaccttcaa tatcctatgt ggtcttttgt ctactgggga 2640
 ttaccactgg ttaaagcgtt tgggtcagac catggtatg tttcttggtg catgcctact 2700
 ggagatctgg gaatgtatag ttggattagc ttgatacgcc ctctgatgac aagatggatg 2760
 gtggctaatt gttacgtaac tgacagatgc tcaaccgtat tcgggaacgc agattatcgc 2820
 aggtgtttca atgaacttaa actatatcaa ggttattata tggcacaatt gccaggaat 2880
 cctaagaagt ctggacgagc ggcctctcgg gaggtaaag aacaattcac tcaggcatta 2940
 tccgactatc taatgcaaaa tccagagctg aagtcacgtg tgctacgtgg tcgtagttag 3000
 tgggagaaat atggagcggg gataattcac aatcctccgt cattattcga tgtgccccat 3060
 aaatggatat aggggtgcgc agaggcagca atcgctacga gagaagagct ggcagaaatg 3120
 gatgagacat taatgcgcgc tcgaaggcag agctattcga gcttttcaaa gttatttagag 3180
 gcgtatctgc tcgtgaaatg gcgaatgtgc gaggcccgcg aaccgtcggg tgatttgcga 3240
 ttaccattat gtgcgggtat tgacccatta aactcagatc ctttctcaa gatggtaagc 3300
 gttggaccaa tgctccagag tacgagaaag tactttgctc agacactatt catggcaaag 3360
 acgggtgtcg gtcttgacgt taacgcgatt gatagcgcgt tattacgact gcgaacatta 3420
 ggtgtcgata agaaagcatt aacggcgag ttattaatgg tggggcttca ggagtcagaa 3480
 gcggacgcat tggccgggaa gataatgcta caggatgtga atactgtgca attagccaga 3540

04 Sep 2009

2008226291

1723659_1.TXT

```

gtgggttaact tagctgtgcc agatacttgg atgtcgttag actttgactc tatgttcaaa 3600
caccacgtca agctgcttcc caaagatgga cgtcatctaa atactgatat tcctcctcga 3660
atgggatggg tacgggccat tttacgattc ttaggtgccc gaatggtaat gactgcgact 3720
ggagttgctg tcgacatcta tctggaggat atacatggcg gtggtcgggc acttggacag 3780
agattcatga cttggatgcg acaggaagga cggtcagcgt gagtctacca tgggtcgtgg 3840
tgcgtcaact catc 3854

```

<210> 23
 <211> 1267
 <212> PRT
 <213> Reovirus

```

<400> 23
Met Ser Ser Met Ile Leu Thr Gln Phe Gly Pro Phe Ile Glu Ser Ile
1      5      10      15
Ser Gly Ile Thr Asp Gln Ser Asn Asp Val Phe Glu Asp Ala Ala Lys
20      25      30
Ala Phe Ser Met Phe Thr Arg Ser Asp Val Tyr Lys Ala Leu Asp Glu
35      40      45
Ile Pro Phe Ser Asp Asp Ala Met Leu Pro Ile Pro Pro Thr Ile Tyr
50      55      60
Thr Lys Pro Ser His Asp Ser Tyr Tyr Tyr Ile Asp Ala Leu Asn Arg
65      70      75      80
Val Arg Arg Lys Thr Tyr Gln Gly Pro Asp Asp Val Tyr Val Pro Asn
85      90      95
Cys Ser Ile Val Glu Leu Leu Glu Pro His Glu Thr Leu Thr Ser Tyr
100     105     110
Gly Arg Leu Ser Glu Ala Ile Glu Asn Arg Ala Lys Asp Gly Asp Ser
115     120     125
Gln Ala Arg Ile Ala Thr Thr Tyr Gly Arg Ile Ala Glu Ser Gln Ala
130     135     140
Arg Gln Ile Lys Ala Pro Leu Glu Lys Phe Val Leu Ala Leu Leu Val
145     150     155     160
Ala Glu Ala Gly Gly Ser Leu Tyr Asp Pro Val Leu Gln Lys Tyr Asp
165     170     175
Glu Ile Pro Asp Leu Ser His Asn Cys Pro Leu Trp Cys Phe Arg Glu
180     185     190
Ile Cys Arg His Ile Ser Gly Pro Leu Pro Asp Arg Ala Pro Tyr Leu
195     200     205
Tyr Leu Ser Ala Gly Val Phe Trp Leu Met Ser Pro Arg Met Thr Ser
210     215     220
Ala Ile Pro Pro Leu Leu Ser Asp Leu Val Asn Leu Ala Ile Leu Gln
225     230     235     240
Gln Thr Ala Gly Leu Asp Pro Ser Leu Val Lys Leu Gly Val Gln Ile
245     250     255
Cys Leu His Ala Ala Ala Ser Ser Ser Tyr Ser Trp Phe Ile Leu Lys
260     265     270
Thr Lys Ser Ile Phe Pro Gln Asn Thr Leu His Ser Met Tyr Glu Ser
275     280     285
Leu Glu Gly Gly Tyr Cys Pro Asn Leu Glu Trp Leu Glu Pro Arg Ser
290     295     300
Asp Tyr Lys Phe Met Tyr Met Gly Val Met Pro Leu Ser Ala Lys Tyr
305     310     315     320
Ala Arg Ser Ala Pro Ser Asn Asp Lys Lys Ala Arg Glu Leu Gly Glu
325     330     335
Lys Tyr Gly Leu Ser Ser Val Val Gly Glu Leu Arg Lys Arg Thr Lys
340     345     350
Thr Tyr Val Lys His Asp Phe Ala Ser Val Arg Tyr Ile Arg Asp Ala
355     360     365
Met Ala Cys Thr Ser Gly Ile Phe Leu Val Arg Thr Pro Thr Glu Thr
370     375     380
Val Leu Gln Glu Tyr Thr Gln Ser Pro Glu Ile Lys Val Pro Ile Pro
385     390     395     400
Gln Lys Asp Trp Thr Gly Pro Ile Gly Glu Ile Arg Ile Leu Lys Asp
405     410     415
Thr Thr Ser Ser Ile Ala Arg Tyr Leu Tyr Arg Thr Trp Tyr Leu Ala
420     425     430
Ala Ala Arg Met Ala Ala Gln Pro Arg Thr Trp Asp Pro Leu Phe Gln

```

2008226291 04 Sep 2009

1723659_1.TXT

		435					440				445				
Ala	Ile	Met	Arg	Ser	Gln	Tyr	Val	Thr	Ala	Arg	Gly	Gly	Ser	Gly	Ala
450						455					460				
Ala	Leu	Arg	Glu	Ser	Leu	Tyr	Ala	Ile	Asn	Val	Ser	Leu	Pro	Asp	Phe
465					470					475					480
Lys	Gly	Leu	Pro	Val	Lys	Ala	Ala	Thr	Lys	Ile	Phe	Gln	Ala	Ala	Gln
				485					490					495	
Leu	Ala	Asn	Leu	Pro	Phe	Ser	His	Thr	Ser	Val	Ala	Ile	Leu	Ala	Asp
		500						505					510		
Thr	Ser	Met	Gly	Leu	Arg	Asn	Gln	Val	Gln	Arg	Arg	Pro	Arg	Ser	Ile
		515					520					525			
Met	Pro	Leu	Asn	Val	Pro	Gln	Gln	Gln	Val	Ser	Ala	Pro	His	Thr	Leu
		530				535					540				
Thr	Ala	Asp	Tyr	Ile	Asn	Tyr	His	Met	Asn	Leu	Ser	Pro	Thr	Ser	Gly
545					550					555					560
Ser	Ala	Val	Ile	Glu	Lys	Val	Ile	Pro	Leu	Gly	Val	Tyr	Ala	Ser	Ser
				565					570					575	
Pro	Pro	Asn	Gln	Ser	Ile	Asn	Ile	Asp	Ile	Ser	Ala	Cys	Asp	Ala	Ser
			580					585					590		
Ile	Thr	Trp	Asp	Phe	Phe	Leu	Ser	Val	Ile	Met	Ala	Ala	Ile	His	Glu
		595					600					605			
Gly	Val	Ala	Ser	Ser	Ser	Ile	Gly	Lys	Pro	Phe	Met	Gly	Val	Pro	Ala
					615						620				
Ser	Ile	Val	Asn	Asp	Glu	Ser	Val	Val	Gly	Val	Arg	Ala	Ala	Arg	Pro
625					630					635					640
Ile	Ser	Gly	Met	Gln	Asn	Met	Ile	Gln	His	Leu	Ser	Lys	Leu	Tyr	Lys
				645					650					655	
Arg	Gly	Phe	Ser	Tyr	Arg	Val	Asn	Asp	Ser	Phe	Ser	Pro	Gly	Asn	Asp
			660					665					670		
Phe	Thr	His	Met	Thr	Thr	Thr	Phe	Pro	Ser	Gly	Ser	Thr	Ala	Thr	Ser
		675					680					685			
Thr	Glu	His	Thr	Ala	Asn	Asn	Ser	Thr	Met	Met	Glu	Thr	Phe	Leu	Thr
		690				695					700				
Val	Trp	Gly	Pro	Glu	His	Thr	Asp	Asp	Pro	Asp	Val	Leu	Arg	Leu	Met
705					710					715					720
Lys	Ser	Leu	Thr	Ile	Gln	Arg	Asn	Tyr	Val	Cys	Gln	Gly	Asp	Asp	Gly
				725					730					735	
Leu	Met	Ile	Ile	Asp	Gly	Thr	Thr	Ala	Gly	Lys	Val	Asn	Ser	Glu	Thr
			740					745					750		
Ile	Gln	Asn	Asp	Leu	Glu	Leu	Ile	Ser	Lys	Tyr	Gly	Glu	Glu	Phe	Gly
		755					760					765			
Trp	Lys	Tyr	Asp	Ile	Ala	Tyr	Asp	Gly	Thr	Ala	Glu	Tyr	Leu	Lys	Leu
		770				775					780				
Tyr	Phe	Ile	Phe	Gly	Cys	Arg	Ile	Pro	Asn	Leu	Ser	Arg	His	Pro	Ile
785					790					795					800
Val	Gly	Lys	Glu	Arg	Ala	Asn	Ser	Ser	Ala	Glu	Glu	Pro	Trp	Pro	Ala
				805					810					815	
Ile	Leu	Asp	Gln	Ile	Met	Gly	Val	Phe	Phe	Asn	Gly	Val	His	Asp	Gly
			820					825					830		
Leu	Gln	Trp	Gln	Arg	Trp	Ile	Arg	Tyr	Ser	Trp	Ala	Leu	Cys	Cys	Ala
		835					840					845			
Phe	Ser	Arg	Gln	Arg	Thr	Met	Ile	Gly	Glu	Ser	Val	Gly	Tyr	Leu	Gln
		850				855					860				
Tyr	Pro	Met	Trp	Ser	Phe	Val	Tyr	Trp	Gly	Leu	Pro	Leu	Val	Lys	Ala
865					870					875					880
Phe	Gly	Ser	Asp	Pro	Trp	Ile	Phe	Ser	Trp	Tyr	Met	Pro	Thr	Gly	Asp
				885					890					895	
Leu	Gly	Met	Tyr	Ser	Trp	Ile	Ser	Leu	Ile	Arg	Pro	Leu	Met	Thr	Arg
			900					905					910		
Trp	Met	Val	Ala	Asn	Gly	Tyr	Val	Thr	Asp	Arg	Cys	Ser	Thr	Val	Phe
		915					920					925			
Gly	Asn	Ala	Asp	Tyr	Arg	Arg	Cys	Phe	Asn	Glu	Leu	Lys	Leu	Tyr	Gln
						935					940				
Gly	Tyr	Tyr	Met	Ala	Gln	Leu	Pro	Arg	Asn	Pro	Lys	Lys	Ser	Gly	Arg
945					950					955					960
Ala	Ala	Ser	Arg	Glu	Val	Arg	Glu	Gln	Phe	Thr	Gln	Ala	Leu	Ser	Asp
				965					970					975	
Tyr	Leu	Met	Gln	Asn	Pro	Glu	Leu	Lys	Ser	Arg	Val	Leu	Arg	Gly	Arg

1723659_1.TXT

980 985 990
 Ser Glu Trp Glu Lys Tyr Gly Ala Gly Ile Ile His Asn Pro Pro Ser
 995 1000 1005
 Leu Phe Asp Val Pro His Lys Trp Tyr Gln Gly Ala Gln Glu Ala Ala
 1010 1015 1020
 Ile Ala Thr Arg Glu Glu Leu Ala Glu Met Asp Glu Thr Leu Met Arg
 1025 1030 1035 1040
 Ala Arg Arg His Ser Tyr Ser Ser Phe Ser Lys Leu Leu Glu Ala Tyr
 1045 1050 1055
 Leu Leu Val Lys Trp Arg Met Cys Glu Ala Arg Glu Pro Ser Val Asp
 1060 1065 1070
 Leu Arg Leu Pro Leu Cys Ala Gly Ile Asp Pro Leu Asn Ser Asp Pro
 1075 1080 1085
 Phe Leu Lys Met Val Ser Val Gly Pro Met Leu Gln Ser Thr Arg Lys
 1090 1095 1100
 Tyr Phe Ala Gln Thr Leu Phe Met Ala Lys Thr Val Ser Gly Leu Asp
 1105 1110 1115 1120
 Val Asn Ala Ile Asp Ser Ala Leu Leu Arg Leu Arg Thr Leu Gly Ala
 1125 1130 1135
 Asp Lys Lys Ala Leu Thr Ala Gln Leu Leu Met Val Gly Leu Gln Glu
 1140 1145 1150
 Ser Glu Ala Asp Ala Leu Ala Gly Lys Ile Met Leu Gln Asp Val Asn
 1155 1160 1165
 Thr Val Gln Leu Ala Arg Val Val Asn Leu Ala Val Pro Asp Thr Trp
 1170 1175 1180
 Met Ser Leu Asp Phe Asp Ser Met Phe Lys His His Val Lys Leu Leu
 1185 1190 1195 1200
 Pro Lys Asp Gly Arg His Leu Asn Thr Asp Ile Pro Pro Arg Met Gly
 1205 1210 1215
 Trp Leu Arg Ala Ile Leu Arg Phe Leu Gly Ala Gly Met Val Met Thr
 1220 1225 1230
 Ala Thr Gly Val Ala Val Asp Ile Tyr Leu Glu Asp Ile His Gly Gly
 1235 1240 1245
 Gly Arg Ser Leu Gly Gln Arg Phe Met Thr Trp Met Arg Gln Glu Gly
 1250 1255 1260
 Arg Ser Ala
 1265

<210> 24
 <211> 1196
 <212> DNA
 <213> Reovirus

<400> 24
 gctatttttg cctcttccca gacgttgtcg caatggaggt gtgcttgccc aacggtcac 60
 aggtcgtgga cttgattaac aacgcttttg aaggtcgtgt atcaatctac agcgcgcaag 120
 agggatggga caaaacaatc tcagcacagc cagatatgat ggtatgtggg ggcgccgtcg 180
 tttgcatgca ttgtctaggt gttgttggat ctctacaacg caagctgaag catttgcctc 240
 accatagatg taatcaacag atccgtcatc aggtattacgt cgatgtacag ttcgcagacc 300
 gtgttactgc tcaactggaag cgggggtatgc tgtccttcgt tgcgcagatg cacgagatga 360
 tgaatgacgt gtcgccagat gacctggatc gtgtgcgtac tgagggaggt tcactagtgg 420
 agctgaaccg gcttcagggt gacccaaatt caatgttttag atcaatacac tcaagttgga 480
 cagatccttt gcagggtggtg gacgaccttg aactaagct ggatcagtac tggacagcct 540
 taaacctgat gatcgactca tccgacttga tacccaactt tatgatgaga gacctatcac 600
 acgcgttcaa tgggtgtgaaa ctggagggag atgtcgtca aacccaattc tccaggactt 660
 ttgattcgag atcgagtttg gaatgggggtg tgatggttta tgattactct gagctggagc 720
 atgatccatc gaagggccgt gcttacagaa aggaattggg gacgccagct cgagatttcg 780
 gtcacttttg attatcccat tattctaggg cgactacccc aatccttggg aagatgccgg 840
 ccgtattctc aggaatgttg actgggaact gtaaaatgta tccattcatt aaaggaacgg 900
 ctaagctgaa gacagtgcgc aagctagtgg aggcagtcaa tcatgcttgg ggtgtcgaga 960
 agattagata tgcctttggg ccagggtggc tgacgggatg gtacaatagg actatgcaac 1020
 agggcccatc tgtgctaact cctgctgctc tcacaatggt cccagatacc atcaagtttg 1080
 gggatttgaa ttatccagtg atgattggcg atccgatgat tcttggctaa acaccccat 1140
 cttcacagcg ccgggcttga ccaacctggt gtgacgtggg acaggcttca ttcac 1196

<210> 25
 <211> 365

2008226291 04 Sep 2009

1723659_1.TXT

<212> PRT
<213> Reovirus

<400> 25

```

Met Glu Val Cys Leu Pro Asn Gly His Gln Val Val Asp Leu Ile Asn
 1      5      10      15
Asn Ala Phe Glu Gly Arg Val Ser Ile Tyr Ser Ala Gln Glu Gly Trp
 20      25      30
Asp Lys Thr Ile Ser Ala Gln Pro Asp Met Met Val Cys Gly Gly Ala
 35      40      45
Val Val Cys Met His Cys Leu Gly Val Val Gly Ser Leu Gln Arg Lys
 50      55      60
Leu Lys His Leu Pro His His Arg Cys Asn Gln Gln Ile Arg His Gln
 65      70      75      80
Asp Tyr Val Asp Val Gln Phe Ala Asp Arg Val Thr Ala His Trp Lys
 85      90      95
Arg Gly Met Leu Ser Phe Val Ala Gln Met His Glu Met Met Asn Asp
100      105      110
Val Ser Pro Asp Asp Leu Asp Arg Val Arg Thr Glu Gly Gly Ser Leu
115      120      125
Val Glu Leu Asn Arg Leu Gln Val Asp Pro Asn Ser Met Phe Arg Ser
130      135      140
Ile His Ser Ser Trp Thr Asp Pro Leu Gln Val Val Asp Asp Leu Asp
145      150      155      160
Thr Lys Leu Asp Gln Tyr Trp Thr Ala Leu Asn Leu Met Ile Asp Ser
165      170      175
Ser Asp Leu Ile Pro Asn Phe Met Met Arg Asp Pro Ser His Ala Phe
180      185      190
Asn Gly Val Lys Leu Glu Gly Asp Ala Arg Gln Thr Gln Phe Ser Arg
195      200      205
Thr Phe Asp Ser Arg Ser Ser Leu Glu Trp Gly Val Met Val Tyr Asp
210      215      220
Tyr Ser Glu Leu Glu His Asp Pro Ser Lys Gly Arg Ala Tyr Arg Lys
225      230      235      240
Glu Leu Val Thr Pro Ala Arg Asp Phe Gly His Phe Gly Leu Ser His
245      250      255
Tyr Ser Arg Ala Thr Thr Pro Ile Leu Gly Lys Met Pro Ala Val Phe
260      265      270
Ser Gly Met Leu Thr Gly Asn Cys Lys Met Tyr Pro Phe Ile Lys Gly
275      280      285
Thr Ala Lys Leu Lys Thr Val Arg Lys Leu Val Glu Ala Val Asn His
290      295      300
Ala Trp Gly Val Glu Lys Ile Arg Tyr Ala Leu Gly Pro Gly Gly Met
305      310      315      320
Thr Gly Trp Tyr Asn Arg Thr Met Gln Gln Ala Pro Ile Val Leu Thr
325      330      335
Pro Ala Ala Leu Thr Met Phe Pro Asp Thr Ile Lys Phe Gly Asp Leu
340      345      350
Asn Tyr Pro Val Met Ile Gly Asp Pro Met Ile Leu Gly
355      360      365

```

<210> 26
<211> 2203
<212> DNA
<213> Reovirus

<400> 26

```

gctaactctgc tgaccgttac tctgcaaaga tggggaacgc ttcctctatc gttcagacga 60
tcaacgtcac tggagatggc aatgtattta aaccatcagc tgaaaacttca tctaccgctg 120
taccatcgtt aagcttatca cctggaatgc tgaatcccgg aggggtacca tggattgctg 180
ttggagatga gacatctgtg acttcaccag gcgcattacg tcgaatgacg tcaaaggaca 240
tcccggaaac ggcaataatc aacacagaca attcatcagg cgccgtgcca agcgaatcag 300
cgcttggtgcc ctacatcgat gagccgctgg tagtggttac agagcatgct attaccaact 360
tcaccaaagc tgagatggca ctigaattca atcgtgagtt ccttgacaag atgcgtgtgc 420
tgtcagtgtc accaaaatat tcggatcttc tgacctatgt tgactgctac gtcggtgtgt 480
ctgctcgtca ggctttaaac aattttcaga aacaagtgcc tgtgattaca cctactaggc 540
agacgatgta tgtcgactcg atacaagcgg ccttgaaagc tttagaaaag tgggagattg 600

```


1723659_1.TXT

```

atctgagagt ggctcaaacg ttgctgccta cgaacgttcc gattggagaa gtctcttgct 660
caatgcagtc ggtagtgaaa ctgctggatg atcagctgcc agatgacacg ctgatacggg 720
ggatatccaa ggaagccgcc gtcgctttgg ctaaaccgaa cgggggaata caatggatgg 780
acgtatcaga aggcaccgtg atgaacgagg ctgtcaacgc tgttgacagc agtgactgag 840
caccttcagc atcagcccca ccttagaag agaagtcaa gttaaccgaa caagcgatgg 900
atctcgtgac cgcggctgag cctgagataa ttgcctcact cgcgccagtt cccgcacccg 960
tgtttgccat accacctaata ccagcagatt ataattgtgcg tactctgagg atcgacgagg 1020
ccacttggct gcgaatgatt ccaaaatcaa tgaacacacc ttttcaaata caggtgactg 1080
ataacacagg aactaattgg catctcaatt tgaggggggg gactcgtgta gtgaatctgg 1140
accaaatacg tccgatgcgg tttgtattag atttaggggg aaagagttat aaagagacga 1200
gctggggtacc aaacggcaag aaggctcggat tcatcgtttt tcaatcgaag ataccattcg 1260
aactttggac tgctgcttca cagatcgggtc aagccacggg ggtaactat gtccaactat 1320
acgctgaaga cagctcattt accgcgcagt ctatcattgc tactacctct ttggcttata 1380
actatgagcc tgagcagttg aataagactg accctgagat gaattattat cttttggcga 1440
cctttataga ctacgcccgt ataacgcca cgaatatgac acagcctgat gtttgggatg 1500
ccttgctgac gatgtcccca ctatcagctg gcgaggtgac agtgaagggt gcggtagtga 1560
gtgaagtagt ccctgcagac ttgataggta gctacactcc agaatcccta aacgcctcac 1620
ttccgaatga tgctgctaga tgcattgatc atagagcttc gaagatagcc gaagcaatca 1680
agattgatga tgatgctgga ccagatgaat attcccaaaa ctctgtacca attcaagggtc 1740
agcttgctat ctgcgaactc gaaactggat atggtgtgcg aatattcaac cctaaaggga 1800
tcctttctaa aattgcatct agggcaatgc aggccttcat tgggtgacccg agcacaatca 1860
tcacgcagggc ggcgccagtg ttatcagaca agaataattg gattgcattg gcacagggag 1920
tgaaaactag tctgcgtact aaaagtctat cagcgggagt gaagactgca gtgagtaagc 1980
tgagctcatc tgagtctatc cagaattgga ctcaaggatt cttggataaa gtgtcagcgc 2040
atcttccagc accaaagccc gattgtccga ctacgcgaga tagtggtgaa tcgtctaata 2100
gccgagtga ggcgcgactc tacgcaggat tgggtcaaagc tgggtacaca cgtaggcccg 2160
ctcgccttgg tgacgcgggg ttaagggatg caggcaaata atc 2203

```

<210> 27
 <211> 708
 <212> PRT
 <213> Reovirus

```

<400> 27
Met Gly Asn Ala Ser Ser Ile Val Gln Thr Ile Asn Val Thr Gly Asp
 1      5      10      15
Gly Asn Val Phe Lys Pro Ser Ala Glu Thr Ser Ser Thr Ala Val Pro
 20     25     30
Ser Leu Ser Leu Ser Pro Gly Met Leu Asn Pro Gly Gly Val Pro Trp
 35     40     45
Ile Ala Val Gly Asp Glu Thr Ser Val Thr Ser Pro Gly Ala Leu Arg
 50     55     60
Arg Met Thr Ser Lys Asp Ile Pro Glu Thr Ala Ile Ile Asn Thr Asp
 65     70     75     80
Asn Ser Ser Gly Ala Val Pro Ser Glu Ser Ala Leu Val Pro Tyr Ile
 85     90     95
Asp Glu Pro Leu Val Val Val Thr Glu His Ala Ile Thr Asn Phe Thr
100    105    110
Lys Ala Glu Met Ala Leu Glu Phe Asn Arg Glu Phe Leu Asp Lys Met
115    120    125
Arg Val Leu Ser Val Ser Pro Lys Tyr Ser Asp Leu Leu Thr Tyr Val
130    135    140
Asp Cys Tyr Val Gly Val Ser Ala Arg Gln Ala Leu Asn Asn Phe Gln
145    150    155    160
Lys Gln Val Pro Val Ile Thr Pro Thr Arg Gln Thr Met Tyr Val Asp
165    170    175
Ser Ile Gln Ala Ala Leu Lys Ala Leu Glu Lys Trp Glu Ile Asp Leu
180    185    190
Arg Val Ala Gln Thr Leu Leu Pro Thr Asn Val Pro Ile Gly Glu Val
195    200    205
Ser Cys Pro Met Gln Ser Val Lys Leu Leu Asp Asp Gln Leu Pro
210    215    220
Asp Asp Thr Leu Ile Arg Arg Tyr Pro Lys Glu Ala Ala Val Ala Leu
225    230    235    240
Ala Lys Arg Asn Gly Gly Ile Gln Trp Met Asp Val Ser Glu Gly Thr
245    250    255
Val Met Asn Glu Ala Val Asn Ala Val Ala Ala Ser Ala Leu Ala Pro
260    265    270

```

2008226291 04 Sep 2009

1723659_1.TXT

Ser	Ala	Ser	Ala	Pro	Pro	Leu	Glu	Glu	Lys	Ser	Lys	Leu	Thr	Glu	Gln
Ala	Met	Asp	Leu	Val	Thr	Ala	Ala	Glu	Pro	Glu	Ile	Ile	Ala	Ser	Leu
Ala	Pro	Val	Pro	Ala	Pro	Val	Phe	Ala	Ile	Pro	Pro	Lys	Pro	Ala	Asp
Tyr	Asn	Val	Arg	Thr	Leu	Arg	Ile	Asp	Glu	Ala	Thr	Trp	Leu	Arg	Met
Ile	Pro	Lys	Ser	Met	Asn	Thr	Pro	Phe	Gln	Ile	Gln	Val	Thr	Asp	Asn
Thr	Gly	Thr	Asn	Trp	His	Leu	Asn	Leu	Arg	Gly	Gly	Thr	Arg	Val	Val
Asn	Leu	Asp	Gln	Ile	Ala	Pro	Met	Arg	Phe	Val	Leu	Asp	Leu	Gly	Gly
Lys	Ser	Tyr	Lys	Glu	Thr	Ser	Trp	Asp	Pro	Asn	Gly	Lys	Lys	Val	Gly
Phe	Ile	Val	Phe	Gln	Ser	Lys	Ile	Pro	Phe	Glu	Leu	Trp	Thr	Ala	Ala
Ser	Gln	Ile	Gly	Gln	Ala	Thr	Val	Val	Asn	Tyr	Val	Gln	Leu	Tyr	Ala
Glu	Asp	Ser	Ser	Phe	Thr	Ala	Gln	Ser	Ile	Ile	Ala	Thr	Thr	Ser	Leu
Ala	Tyr	Asn	Tyr	Glu	Pro	Glu	Gln	Leu	Asn	Lys	Thr	Asp	Pro	Glu	Met
Asn	Tyr	Tyr	Leu	Leu	Ala	Thr	Phe	Ile	Asp	Ser	Ala	Ala	Ile	Thr	Pro
Thr	Asn	Met	Thr	Gln	Pro	Asp	Val	Trp	Asp	Ala	Leu	Leu	Thr	Met	Ser
Pro	Leu	Ser	Ala	Gly	Glu	Val	Thr	Val	Lys	Gly	Ala	Val	Val	Ser	Glu
Val	Val	Pro	Ala	Asp	Leu	Ile	Gly	Ser	Tyr	Thr	Pro	Glu	Ser	Leu	Asn
Ala	Ser	Leu	Pro	Asn	Asp	Ala	Ala	Arg	Cys	Met	Ile	Asp	Arg	Ala	Ser
Lys	Ile	Ala	Glu	Ala	Ile	Lys	Ile	Asp	Asp	Asp	Ala	Gly	Pro	Asp	Glu
Tyr	Ser	Pro	Asn	Ser	Val	Pro	Ile	Gln	Gly	Gln	Leu	Ala	Ile	Ser	Gln
Leu	Glu	Thr	Gly	Tyr	Gly	Val	Arg	Ile	Phe	Asn	Pro	Lys	Gly	Ile	Leu
Ser	Lys	Ile	Ala	Ser	Arg	Ala	Met	Gln	Ala	Phe	Ile	Gly	Asp	Pro	Ser
Thr	Ile	Ile	Thr	Gln	Ala	Ala	Pro	Val	Leu	Ser	Asp	Lys	Asn	Asn	Trp
Ile	Ala	Leu	Ala	Gln	Gly	Val	Lys	Thr	Ser	Leu	Arg	Thr	Lys	Ser	Leu
Ser	Ala	Gly	Val	Lys	Thr	Ala	Val	Ser	Lys	Leu	Ser	Ser	Ser	Glu	Ser
Ile	Gln	Asn	Trp	Thr	Gln	Gly	Phe	Leu	Asp	Lys	Val	Ser	Ala	His	Phe
Pro	Ala	Pro	Lys	Pro	Asp	Cys	Pro	Thr	Ser	Gly	Asp	Ser	Gly	Glu	Ser
Ser	Asn	Arg	Arg	Val	Lys	Arg	Asp	Ser	Tyr	Ala	Gly	Val	Val	Lys	Arg
Gly	Tyr	Thr	Arg												

<210> 28
 <211> 2304
 <212> DNA
 <213> Reovirus

<400> 28
 gctatttcgcg gtcattggctt acatcgcagt tcctgcggtg gtggattcac gttcgagtga 60
 ggctattgga ctgctagaat cgtttgaggt agacgctggg gctgacgcga atgacgtttc 120
 atatcaagat catgactatg tgttggatca gttacagtac atgtagatg gatatgaggc 180
 tggtagcgtt atcgatgcac tcgtccacaa gaattgggta catcactctg tctattgctt 240

1723659_1.TXT

```

gttgccaccc aaaagtcaac tattagagta ttggaaaagt aatccttcag cgataccgga 300
caacgttgat cgtcggcttc gtaaaccgact aatgctaaag aaagatctca ggaaagatga 360
tgaatacaat cagctagcgc gtgctttcaa gatatcggat gtctacgcac ctctcatctc 420
atccacgacg tcaccgatga caatgataca gaacttgaat cgaggcgaga tcgtgtacac 480
cacgacggac agggtaatag gggctagaat cttgttatat gtccttagaa agtactatgc 540
gtcaactctg tcatttacta tgactaagtg catcattccg tttggtaaag aggtgggtcg 600
tgttcctcac tctcgattta atgttggcac atttccgtca attgctaccc cgaaatgttt 660
tgtcatgagt ggggttgata ttgagtccat cccaaatgaa tttatcaagt tgttttacca 720
gcgcgtcaag agtgttcacg ctaacatact aaatgacata tctcctcaga tcgtctctga 780
catgataaac agaaagcgtc tgcgcgttca tactccatca gatcgtcgag ccgcgcagtt 840
gatgcatttg ccttaccatg ttaaaccgagg agcgtctcac gtcgacgttt acaagggtga 900
tgttgtagac atgtttgttcg aggtagtggg tgtggccgat gggttgcgca acgtatctag 960
gaaactaact atgcataccg ttcctgtatg tattcttgaa atgttgggta ttgagattgc 1020
ggactattgc attcgtcaag aggatggaat gctcacagat tggttcctac ttttaaccat 1080
gctatctgat ggcttgactg atagaaggac gcattgtcaa tacttgatga atccgtcaag 1140
tgtgcctcct gatgtgatac ttaacatctc aattactgga tttataaata gacatacaat 1200
cgatgtcatg cctgacatat atgacttcgt taaacccatt ggcgtgtgac tgccaaaggg 1260
atcattttaa tcaacaatta tgagagtctt tgattcaata tcaatattag gaatccaaat 1320
catgccgcgc gcgcgtgtag ttgactcaga tgaggtgggc gagcaaatgg agcctacgtt 1380
tgagcaggcg gttattggaga tatacaaagg gattgctggc gttgactcgc tggatgatct 1440
ctacaagtgg gtgttgaaat cggatctcat tccgcatgat gacaggcttg gtcaattatt 1500
tcaagcgttt ttgcctctcg caaaggactt attagctcca atggccagaa agttttatga 1560
taactcaatg agtgagggtg gattgctaac attcgtctat gccgacagtg agttgtctgaa 1620
cgcaaattat tttgggtcatt tattgcgact aaaaatacca tatattacag aggttaattct 1680
gatgattcgc aagaatcgtg aggggtggaga gctatttcag cttgtgttat cttatctata 1740
taaaatgtat gctactagcg cgcagcctaa atggtttgga tcattattgc gattgttaat 1800
atgtccctgg ttacatatgg agaaattaat aggagaagca gaccggcat ctacgtcggc 1860
tgaaattggg tggcatatcc ctcgtaaca cctgatgcaa gatggatggg gtggatgtga 1920
agacggattc attccctatg ttagcatacg tgcgccaaga ctggttatag aggagttag 1980
ggagaagaac tggggccaat atcatgccc agttattgtc actgatcagc ttgtcgtagg 2040
cgaaccgcgg agggatatctg ctaaggctgt gatcaagggt aaccacttac cagttaagtt 2100
agtttcacga tttgcatgtt tcacattgac ggcgaagtat gagatgaggc tttcgtgcgg 2160
ccatagcact ggacgtggag ctgcatacag tgcgagacta gctttccgat ctgacttggc 2220
gtgatccgtg acatgcgtag tgtgacacct gctcctaggt caatgggggt agggggcggg 2280
ctaagactac gtacgcgctt catc 2304

```

<210> 29
 <211> 736
 <212> PRT
 <213> Reovirus

<400> 29
 Met Ala Tyr Ile Ala Val Pro Ala Val Val Asp Ser Arg Ser Ser Glu
 1 5 10 15
 Ala Ile Gly Leu Glu Ser Phe Gly Val Asp Ala Gly Ala Asp Ala
 20 25 30
 Asn Asp Val Ser Tyr Gln Asp His Asp Tyr Val Leu Asp Gln Leu Gln
 35 40 45
 Tyr Met Leu Asp Gly Tyr Glu Ala Gly Asp Val Ile Asp Ala Leu Val
 50 55 60
 His Lys Asn Trp Leu His Ser Val Tyr Cys Leu Leu Pro Pro Lys
 65 70 75 80
 Ser Gln Leu Leu Glu Tyr Trp Lys Ser Asn Pro Ser Ala Ile Pro Asp
 85 90 95
 Asn Val Asp Arg Arg Leu Arg Lys Arg Leu Met Leu Lys Lys Asp Leu
 100 105 110
 Arg Lys Asp Asp Glu Tyr Asn Gln Leu Ala Arg Ala Phe Lys Ile Ser
 115 120 125
 Asp Val Tyr Ala Pro Leu Ile Ser Ser Thr Thr Ser Pro Met Thr Met
 130 135 140
 Ile Gln Asn Leu Asn Arg Gly Glu Ile Val Tyr Thr Thr Thr Asp Arg
 145 150 155 160
 Val Ile Gly Ala Arg Ile Leu Leu Tyr Ala Pro Arg Lys Tyr Tyr Ala
 165 170 175
 Ser Thr Leu Ser Phe Thr Met Thr Lys Cys Ile Ile Pro Phe Gly Lys
 180 185 190
 Glu Val Gly Arg Val Pro His Ser Arg Phe Asn Val Gly Thr Phe Pro
 195 200 205

2008226291 04 Sep 2009

1723659_1.TXT

Ser	Ile	Ala	Thr	Pro	Lys	Cys	Phe	Val	Met	Ser	Gly	Val	Asp	Ile	Glu
210						215					220				
Ser	Ile	Pro	Asn	Glu	Phe	Ile	Lys	Leu	Phe	Tyr	Gln	Arg	Val	Lys	Ser
225					230					235					240
Val	His	Ala	Asn	Ile	Leu	Asn	Asp	Ile	Ser	Pro	Gln	Ile	Val	Ser	Asp
				245					250					255	
Met	Ile	Asn	Arg	Lys	Arg	Leu	Arg	Val	His	Thr	Pro	Ser	Asp	Arg	Arg
			260					265					270		
Ala	Ala	Gln	Leu	Met	His	Leu	Pro	Tyr	His	Val	Lys	Arg	Gly	Ala	Ser
		275					280					285			
His	Val	Asp	Val	Tyr	Lys	Val	Asp	Val	Val	Asp	Met	Leu	Phe	Glu	Val
	290					295					300				
Val	Asp	Val	Ala	Asp	Gly	Leu	Arg	Asn	Val	Ser	Arg	Lys	Leu	Thr	Met
305					310					315					320
His	Thr	Val	Pro	Val	Cys	Ile	Leu	Glu	Met	Leu	Gly	Ile	Glu	Ile	Ala
				325					330					335	
Asp	Tyr	Cys	Ile	Arg	Gln	Glu	Asp	Gly	Met	Leu	Thr	Asp	Trp	Phe	Leu
			340					345					350		
Leu	Leu	Thr	Met	Leu	Ser	Asp	Gly	Leu	Thr	Asp	Arg	Arg	Thr	His	Cys
		355					360					365			
Gln	Tyr	Leu	Met	Asn	Pro	Ser	Ser	Val	Pro	Pro	Asp	Val	Ile	Leu	Asn
		370				375					380				
Ile	Ser	Ile	Thr	Gly	Phe	Ile	Asn	Arg	His	Thr	Ile	Asp	Val	Met	Pro
385					390					395					400
Asp	Ile	Tyr	Asp	Phe	Val	Lys	Pro	Ile	Gly	Ala	Val	Leu	Pro	Lys	Gly
				405					410					415	
Ser	Phe	Lys	Ser	Thr	Ile	Met	Arg	Val	Leu	Asp	Ser	Ile	Ser	Ile	Leu
			420					425					430		
Gly	Ile	Gln	Ile	Met	Pro	Arg	Ala	His	Val	Val	Asp	Ser	Asp	Glu	Val
		435					440					445			
Gly	Glu	Gln	Met	Glu	Pro	Thr	Phe	Glu	Gln	Ala	Val	Met	Glu	Ile	Tyr
		450				455					460				
Lys	Gly	Ile	Ala	Gly	Val	Asp	Ser	Leu	Asp	Asp	Leu	Ile	Lys	Trp	Val
465					470					475					480
Leu	Asn	Ser	Asp	Leu	Ile	Pro	His	Asp	Asp	Arg	Leu	Gly	Gln	Leu	Phe
				485					490					495	
Gln	Ala	Phe	Leu	Pro	Leu	Ala	Lys	Asp	Leu	Leu	Ala	Pro	Met	Ala	Arg
			500					505					510		
Lys	Phe	Tyr	Asp	Asn	Ser	Met	Ser	Glu	Gly	Arg	Leu	Leu	Thr	Phe	Ala
		515					520					525			
His	Ala	Asp	Ser	Glu	Leu	Leu	Asn	Ala	Asn	Tyr	Phe	Gly	His	Leu	Leu
	530					535					540				
Arg	Leu	Lys	Ile	Pro	Tyr	Ile	Thr	Glu	Val	Asn	Leu	Met	Ile	Arg	Lys
545					550					555					560
Asn	Arg	Glu	Gly	Gly	Glu	Leu	Phe	Gln	Leu	Val	Leu	Ser	Tyr	Leu	Tyr
				565					570					575	
Lys	Met	Tyr	Ala	Thr	Ser	Ala	Gln	Pro	Lys	Trp	Phe	Gly	Ser	Leu	Leu
			580					585					590		
Arg	Leu	Leu	Ile	Cys	Pro	Trp	Leu	His	Met	Glu	Lys	Leu	Ile	Gly	Glu
		595					600					605			
Ala	Asp	Pro	Ala	Ser	Thr	Ser	Ala	Glu	Ile	Gly	Trp	His	Ile	Pro	Arg
	610					615					620				
Glu	Gln	Leu	Met	Gln	Asp	Gly	Trp	Cys	Gly	Cys	Glu	Asp	Gly	Phe	Ile
625					630					635					640
Pro	Tyr	Val	Ser	Ile	Arg	Ala	Pro	Arg	Leu	Val	Ile	Glu	Glu	Leu	Met
				645						650				655	
Glu	Lys	Asn	Trp	Gly	Gln	Tyr	His	Ala	Gln	Val	Ile	Val	Thr	Asp	Gln
			660					665					670		
Leu	Val	Val	Gly	Glu	Pro	Arg	Arg	Val	Ser	Ala	Lys	Ala	Val	Ile	Lys
		675					680					685			
Gly	Asn	His	Leu	Pro	Val	Lys	Leu	Val	Ser	Arg	Phe	Ala	Cys	Phe	Thr
	690					695					700				
Leu	Thr	Ala	Lys	Tyr	Glu	Met	Arg	Leu	Ser	Cys	Gly	His	Ser	Thr	Gly
705					710					715					720
Arg	Gly	Ala	Ala	Tyr	Ser	Ala	Arg	Leu	Ala	Phe	Arg	Ser	Asp	Leu	Ala
				725					730					735	

2008226291 04 Sep 2009

1723659_1.TXT

<210> 30
<211> 418
<212> PRT
<213> Reovirus

<400> 30
Met Ala Arg Ala Ala Phe Leu Phe Lys Thr Val Gly Phe Gly Gly Leu
1 5 10 15
Gln Asn Val Pro Ile Asn Asp Glu Leu Ser Ser His Leu Leu Arg Ala
20 25 30
Gly Asn Ser Pro Trp Gln Leu Thr Gln Phe Leu Asp Trp Ile Ser Leu
35 40 45
Gly Arg Gly Leu Ala Thr Ser Ala Leu Val Pro Thr Ala Gly Ser Arg
50 55 60
Tyr Tyr Gln Met Ser Cys Leu Leu Ser Gly Thr Leu Gln Ile Pro Phe
65 70 75 80
Arg Pro Asn His Arg Trp Gly Asp Ile Arg Phe Leu Arg Leu Val Trp
85 90 95
Ser Ala Pro Thr Leu Asp Gly Leu Val Val Ala Pro Pro Gln Val Leu
100 105 110
Ala Gln Pro Ala Leu Gln Ala Gln Ala Asp Arg Val Tyr Asp Cys Asp
115 120 125
Asp Tyr Pro Phe Leu Ala Arg Asp Pro Arg Phe Lys His Arg Val Tyr
130 135 140
Gln Gln Leu Ser Ala Val Thr Leu Leu Asn Leu Thr Gly Phe Gly Pro
145 150 155 160
Ile Ser Tyr Val Arg Val Asp Glu Asp Met Trp Ser Gly Asp Val Asn
165 170 175
Gln Leu Leu Met Asn Tyr Phe Gly His Thr Phe Ala Glu Ile Ala Tyr
180 185 190
Thr Leu Cys Gln Ala Ser Ala Asn Arg Pro Trp Glu Tyr Asp Gly Thr
195 200 205
Tyr Ala Arg Met Thr Gln Ile Val Leu Ser Leu Phe Trp Leu Ser Tyr
210 215 220
Val Gly Val Ile His Gln Gln Asn Thr Tyr Arg Thr Phe Tyr Phe Gln
225 230 235 240
Cys Asn Arg Arg Gly Asp Ala Ala Glu Val Trp Ile Leu Ser Cys Ser
245 250 255
Leu Asn His Ser Ala Gln Ile Arg Pro Gly Asn Arg Ser Leu Phe Val
260 265 270
Met Pro Thr Ser Pro Asp Trp Asn Met Asp Val Asn Leu Ile Leu Ser
275 280 285
Ser Thr Leu Thr Gly Cys Leu Cys Ser Gly Ser Gln Leu Pro Leu Ile
290 295 300
Asp Asn Asn Ser Val Pro Ala Val Ser Arg Asn Ile His Gly Trp Thr
305 310 315 320
Gly Arg Ala Gly Asn Gln Leu His Gly Phe Gln Val Arg Arg Met Val
325 330 335
Thr Glu Phe Cys Asp Arg Leu Arg Arg Asp Gly Val Met Thr Gln Ala
340 345 350
Gln Gln Asn Gln Val Glu Ala Leu Ala Asp Gln Thr Gln Gln Phe Lys
355 360 365
Arg Asp Lys Leu Glu Thr Trp Ala Arg Glu Asp Asp Gln Tyr Asn Gln
370 375 380
Ala His Pro Asn Ser Thr Met Phe Arg Thr Lys Pro Phe Thr Asn Ala
385 390 395 400
Gln Trp Gly Arg Gly Asn Thr Gly Ala Thr Ser Ala Ala Ile Ala Ala
405 410 415
Leu Ile