



US00D724249S

(12) **United States Design Patent**
Maxik et al.

(10) **Patent No.:** **US D724,249 S**

(45) **Date of Patent:** **** Mar. 10, 2015**

(54) **LINEAR LIGHTING DEVICE**

(71) Applicant: **Biological Illumination, LLC**, Satellite Beach, FL (US)

(72) Inventors: **Fredric S. Maxik**, Indialantic, FL (US);
David E. Bartine, Cocoa, FL (US);
Robert R. Soler, Cocoa Beach, FL (US);
James Lynn Schellack, Cocoa Beach, FL (US)

(73) Assignee: **Biological Illumination, LLC**, Melbourne, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/452,955**

(22) Filed: **Apr. 23, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/681,522, filed on Nov. 20, 2012.

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/76**

(58) **Field of Classification Search**

CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035; F21S 8/036; F21S 8/037; F21S 8/04; F21S 8/043; F21S 8/063
USPC D26/3, 24, 35, 39, 42, 71, 72, 75, 76, D26/78, 79, 80, 81, 82, 83, 85, 88, 90, 118, D26/119, 120, 121, 122, 138; 362/23.07, 362/23.09, 23.16, 217.01, 217.02, 217.05, 362/217.08, 217.09, 249.02, 260, 311.02, 362/555, 612, 614, 800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D215,340 S *	9/1969	Wince	D26/76
D345,316 S *	3/1994	Green et al.	D26/35
D348,947 S *	7/1994	Holcomb	D26/76
D476,753 S *	7/2003	Chelf et al.	D26/3
D521,172 S *	5/2006	Chen	D26/76
D603,545 S *	11/2009	Levine	D26/76
D663,885 S *	7/2012	Maxik et al.	D26/118
D675,365 S *	1/2013	Beghelli	D26/78
D695,443 S *	12/2013	Kaule et al.	D26/76
D701,639 S *	3/2014	Maxik et al.	D26/138
D709,238 S *	7/2014	May	D26/72
2006/0146531 A1 *	7/2006	Reo et al.	362/249

* cited by examiner

Primary Examiner — Caron D Veynar

Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Mark R. Malek; Widerman Malek, PL

(57) **CLAIM**

The ornamental design for a linear lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a linear lighting device according to the present invention;

FIG. 2 is a front elevation view of the linear lighting device illustrated in FIG. 1;

FIG. 3 is a rear elevation view of the linear lighting device illustrated in FIG. 1;

FIG. 4 is a top plan view of the linear lighting device illustrated in FIG. 1;


FIG. 5 is a bottom plan view of the linear lighting device illustrated in FIG. 1; and,

FIG. 6 is a side elevation view of the linear lighting device illustrated in FIG. 1.

The broken lines depict elements, including fasteners, light-emitting diodes, and electrical connectors, of the linear lighting device that do not form a claimed feature of the present invention.

The oblique line shading illustrated in FIG. 5 indicates portions of the design that are transparent.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




FIG. 6