



US00D475262S

(12) **United States Design Patent**  
**Hsieh**

(10) **Patent No.:** **US D475,262 S**

(45) **Date of Patent:** **\*\* Jun. 3, 2003**

(54) **CORKSCREW PROVIDED WITH A BOTTLE PLUG**

5,031,486 A	*	7/1991	Rydgren	81/3.45
D339,969 S	*	10/1993	Gonyaw	D8/42
D397,010 S	*	8/1998	Usbeck	D8/42
6,179,138 B1	*	1/2001	Puleston	215/226
D455,059 S	*	4/2002	Stirling	D8/40

(76) Inventor: **David Hsieh, 1F., No.275, Yung Fust St., San Chung Cuty, Taipei (TW)**

(\*\*) Term: **14 Years**

**OTHER PUBLICATIONS**

(21) Appl. No.: **29/166,986**

www.beantownmktgpromotions.com/wineaccessories.htm, item 2272 combined corkscrew and stopper, site viited Nov. 27, 2002 (also at www.franmara.com).\*

(22) Filed: **Sep. 9, 2002**

Collectible Corkscrews by Frederique Crestin-Billet; ISBN; 2-8010-551-5; English language edition. Copyright 2001 Flammarion Inc.; p.148 corkscrew with artificial cork.\*

(51) **LOC (7) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D8/42**

(58) **Field of Search** ..... D8/33-43, 308, D8/4, 5, 107, 52, 48; 30/400-443; 81/3.07-3.49; 7/151-156; D7/665, 666; 215/226

\* cited by examiner

(56) **References Cited**

*Primary Examiner*—Jeffrey Asch

**U.S. PATENT DOCUMENTS**

(57) **CLAIM**


109,958 A	*	12/1870	Smith	81/3.48
297,232 A	*	4/1884	Curley	81/3.48
350,702 A	*	10/1886	Schollhorn	215/226
476,777 A	*	6/1892	Beust	215/226
514,200 A	*	2/1894	Painter	81/3.55
757,548 A	*	4/1904	Goodrich	215/226
952,085 A	*	3/1910	Stephens	215/226
1,062,458 A	*	5/1913	Hainisch	81/3.45
1,132,931 A	*	3/1915	Hamilton	215/226
2,712,251 A	*	7/1955	Hanson	81/3.45
D239,362 S	*	3/1976	Peterson	D8/42
4,291,597 A	*	9/1981	Allen	81/3.48
4,580,303 A	*	4/1986	Henshaw	7/155
D291,052 S	*	7/1987	Henshaw	D8/40

The ornamental design for the corkscrew provided with a bottle plug, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation of the corkscrew provided with a bottle plug;  
FIG. 2 is a left side elevation thereof;  
FIG. 3 is a right side elevation thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a rear elevation thereof; and,  
FIG. 7 is a perspective view thereof.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7