



US00D374558S

United States Patent [19]
Kain

[11] **Patent Number:** **Des. 374,558**
[45] **Date of Patent:** ****Oct. 15, 1996**

[54] **FRAME FOR AN INFANT CAR SEAT**

[75] **Inventor:** **James M. Kain**, Tipp City, Ohio

[73] **Assignee:** **Lisco, Inc.**, Tampa, Fla.

[**] **Term:** **14 Years**

[21] **Appl. No.:** **13,661**

[22] **Filed:** **Sep. 29, 1993**

[52] **U.S. Cl.** **D6/333**

[58] **Field of Search** **D6/333, 390, 391;**
D3/213; 297/250.1, 216.11, 255, 256.12,
256.16, 467; 5/655

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 289,465	4/1987	Wise	D6/333
D. 294,310	2/1988	Wise et al.	D6/333
D. 294,777	3/1988	Wise et al.	D6/333
D. 311,822	11/1990	Meeker	D6/333
4,634,177	1/1987	Meeker	297/256.16 X
4,943,113	7/1990	Meeker	297/250.1 X
5,092,004	3/1992	Cone et al.	5/94
5,277,472	1/1994	Freese et al.	297/256.16 X

Primary Examiner—Janice E. Seeger

[57] **CLAIM**

The ornamental design of the frame for an infant car seat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the frame for an infant car

seat in the down position showing the design of my invention;

FIG. 2 is a perspective view of the frame for an infant car seat in the up position thereof;

FIG. 3 is a front view with the seat handle in the down position thereof;

FIG. 4 is a rear view with the seat handle in the down position thereof;

FIG. 5 is a right side view with the seat handle in the down position thereof;

FIG. 6 is a left side view with the seat handle in the down position thereof;

FIG. 7 is a top plan view with the seat handle in the down position thereof;

FIG. 8 is a bottom view with the seat handle in the down position thereof;

FIG. 9 is a front view with the seat handle in the up position thereof;

FIG. 10 is a rear view with the seat handle in the up position thereof;


FIG. 11 is a right side view with the seat handle in the up position thereof;

FIG. 12 is a left side view with the seat handle in the up position thereof;

FIG. 13 is a top plan view with the seat handle in the up position thereof; and,

FIG. 14 is a bottom view with the seat handle in the up position thereof.

1 Claim, 9 Drawing Sheets






FIG.1




FIG.2




FIG.3






FIG.4






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG.11




FIG.12




FIG.13




FIG. 14