



(22) **Date de dépôt/Filing Date:** 2007/09/05

(41) **Mise à la disp. pub./Open to Public Insp.:** 2008/03/07

(45) **Date de délivrance/Issue Date:** 2015/01/27

(30) **Priorité/Priority:** 2006/09/07 (US11/516,598)

(51) **Cl.Int./Int.Cl.** *F01D 5/14* (2006.01),
F01D 5/20 (2006.01)


(72) **Inventeurs/Inventors:**
PAPPLE, MICHAEL, CA;
VLASIC, EDWARD, CA;
GIRGIS, SAMI, CA

(73) **Propriétaire/Owner:**
PRATT & WHITNEY CANADA CORP., CA

(74) **Agent:** NORTON ROSE FULBRIGHT CANADA
LLP/S.E.N.C.R.L., S.R.L.

(54) **Titre :** PROFIL AERODYNAMIQUE D'AUBE MOBILE DE TURBINE HAUTE PRESSION

(54) **Title:** HP TURBINE BLADE AIRFOIL PROFILE



(57) **Abrégé/Abstract:**

A first stage blade of a two-stage high pressure turbine includes an airfoil having a profile substantially in accordance with at least an intermediate portion of the Cartesian coordinate values of X, Y and Z set forth in Table 2. The X and Y values are distances,

(57) Abrégé(suite)/Abstract(continued):

which when smoothly connected by an appropriate continuing curve, define airfoil profile sections at each distance Z. The profile sections at each distance Z are joined smoothly to one another to form a complete airfoil shape. The profile provides for maximum work, while minimizing flow separation. It reduces radial static pressure distribution to decrease secondary flow losses.

ABSTRACT

A first stage blade of a two-stage high pressure turbine includes an airfoil having a profile substantially in accordance with at least an intermediate portion of the Cartesian coordinate values of X, Y and Z set forth in Table 2. The X and Y values are distances, which when smoothly connected by an appropriate continuing curve, define airfoil profile sections at each distance Z. The profile sections at each distance Z are joined smoothly to one another to form a complete airfoil shape. The profile provides for maximum work, while minimizing flow separation. It reduces radial static pressure distribution to decrease secondary flow losses.

HP TURBINE BLADE AIRFOIL PROFILE

TECHNICAL FIELD

5 The invention relates generally to a blade airfoil for a gas turbine engine and, more particularly, to an airfoil profile suited for use in the first stage rotor assembly of a two-stage high pressure turbine.

BACKGROUND OF THE ART

 Where a blade airfoil is part of a two-stage turbine driving a compressor
10 (i.e. part of a high pressure or HP turbine), the requirements for such a blade airfoil design are significantly more stringent than multiple stage airfoil designs, as the compressor relies solely on two stages to deliver all the required work, as opposed to work being spread over several turbine stages. Over and above this, the airfoil is subject to flow regimes which lend themselves easily to flow separation, which tend
15 to limit the amount of work transferred to the compressor, and hence the total thrust or power capability of the engine. The HP turbine is also subject to harsh temperatures and pressures, which require a trade-off compromise between aerodynamic and structural optimization.

SUMMARY OF INVENTION

20 It is therefore an object of this invention to provide an improved blade airfoil for a two-stage high pressure turbine.

 In one aspect, the present invention provides a turbine blade for a gas turbine engine comprising an airfoil having an intermediate portion defined by a nominal profile substantially in accordance with Cartesian coordinate values of X, Y, and Z of Sections 2 to 8 set forth in Table 2, wherein the point of origin of the
25 orthogonally related axes X, Y and Z is located at an intersection of a centerline of the gas turbine engine and a stacking line of the turbine blade, the Z values are radial distances measured along the stacking line, the X and Y are coordinate values defining the profile at each distance Z.

In another aspect, the present invention provides a turbine blade for a gas turbine engine comprising an airfoil having an intermediate portion at least partly defined by a nominal profile substantially in accordance with Cartesian coordinate values of X, Y, and Z of Sections 2 to 8 set forth in Table 2, wherein the point of origin of the orthogonally related axes X, Y and Z is located at an intersection of a centerline of the gas turbine engine and a stacking line of the turbine blade in the engine, the Z values are radial distances measured along the stacking line of the airfoil, the X and Y are coordinate values defining the profile at each distance Z, and wherein the X and Y values are scalable as a function of the same constant or number.

In another aspect, the present invention provides a turbine rotor for a gas turbine engine comprising a plurality of blades extending from a rotor disc, each blade including an airfoil having an intermediate portion defined by a nominal profile substantially in accordance with Cartesian coordinate values of X, Y, and Z of Sections 2 to 8 set forth in Table 2, wherein the point of origin of the orthogonally related axes X, Y and Z is located at an intersection of a centerline of the gas turbine engine and a stacking line of the blades, the Z values are radial distances measured along the stacking line, the X and Y are coordinate values defining the profile at each distance Z.

In accordance with a still further general aspect of the present invention, there is provided a high pressure turbine blade located at a stacking line in a gaspath, comprising an airfoil having a surface lying substantially on the points of Table 2, the airfoil extending between a platform and a tip, the platform being generally defined by the inner gaspath of Table 1, and wherein the tip is defined to provide a blade tip clearance with the outer gaspath defined in Table 1 at said stacking line.

The profile shape of the present invention provides maximum work for a two-stage high pressure turbine, while minimizing flow separation disadvantages in such an environment. The design reduces radial static pressure distribution in blade channel to decrease secondary flow losses. To accomplish this, advanced 3D optimization techniques are used. The first stage airfoil exit aerodynamic profiles are optimized for a two-stage high pressure turbine whose work split is also optimized by

the present design. The airfoil tip section profile is designed to reduce tip leakage loss.

Further details of these and other aspects of the present invention will be apparent from the detailed description and figures included below.

5 DESCRIPTION OF THE DRAWINGS

Reference is now made to the accompanying figures depicting aspects of the present invention, in which:

Figure 1 is a schematic view of a gas turbine engine;

Figure 2 is a schematic view of a gaspath of the gas turbine engine of Fig.
10 1, including a two-stage high pressure turbine;

Figure 3 is a schematic elevation view of a first stage high pressure turbine blade having a blade profile defined in accordance with an embodiment of the present invention;

Figure 4 is a cross sectional view taken along lines 4-4 of Fig. 3, showing a
15 representative profile section of the airfoil portion of the blade.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Figure 1 illustrates a gas turbine engine 10 of a type preferably provided for use in subsonic flight, generally comprising in serial flow communication a fan 12 through which ambient air is propelled, a multistage compressor 14 for pressurizing the air, a combustor 16 in which the compressed air is mixed with fuel and ignited for generating an annular stream of hot combustion gases, and a turbine section 18 for extracting energy from the combustion gases to drive the fan, the compressor, and produce thrust.

The gas turbine engine 10 further includes a turbine exhaust duct 20 which is exemplified as including an annular core portion 22 and an annular outer portion 24 and a plurality of struts 26 circumferentially spaced apart, and radially extending between the inner and outer portions 22, 24.

Figure 2 illustrates a portion of an annular hot gaspath, indicated by arrows 27 and defined by annular inner and outer walls 28 and 30 respectively, for directing the stream of hot combustion gases axially in an annular flow. The profile of the inner and outer walls 28 and 30 of the annular gaspath, "cold" (i.e. non-operating) conditions, is defined by the Cartesian coordinate values on Table 1 below. More particularly, the inner and outer gaspath walls 28 and 30 are defined with respect to mutually orthogonal x and z axes, as shown in Figure 2. The x axis corresponds to the engine turbine rotor centerline 29. The radial distance of the inner and outer walls 28 and 30 from the engine turbine rotor centerline and, thus, from the x -axis at specific axial locations is measured along the z axis. The z values provide the inner and outer radius of the gas path at various axial locations therealong. The x and z coordinate values in Table 1 are distances given in inches from the point of origin O (See Fig. 2). It is understood that other units of dimensions may be used. The x and z values have in average a manufacturing tolerance of about ± 0.010 inch. It is understood that the manufacturing tolerances of the gas path may vary along the length thereof.

The turbine section 18 has a first high pressure turbine (HPT) stage located downstream of the combustor 16 and a second HPT stage located further downstream

in the gaspath 27. Referring to Figure 2, the two HPT stages are preferably transonic and comprise respective first and second stator assemblies 32, 34 and respective first and second rotor assemblies 36, 38 having a plurality of circumferentially spaced vanes 40a, 40b and blades 42a, 42b respectively. The vanes 40a,b and blades 42a,b
5 are mounted in position along respective stacking lines 44-50, as identified in Figure 2. The stacking lines 44-50 extend in the radial direction along the z axis at different axial locations. The stacking lines 44-50 define the axial location where the vanes 40a,b and the blades 42a,b of each stage are mounted in the engine 10. More specifically, stacking line 44 located at $x = 0$ corresponds to the first stage HPT vanes
10 40a, referred to as VANE 1 in Table 1. Stacking line 46 located at $x = 1.240$ corresponds to the first stage HPT blades 42a, referred to as BLADE 1 in Table 1. Stacking line 48 located at $x = 2.56$ corresponds to the second stage HPT vanes 40b, referred to as VANE 2 in Table 1. Stacking line 50 located at $x = 3.980$ corresponds to the second stage HPT blades 50, referred to as BLADE 2 in Table 1.

TABLE 1

COLD GASPETH DEFINITION				
INNER GASPETH			OUTER GASPETH	
X	Z		X	Z
-0.6	5.975		-0.6	7.129
-0.385	5.975		-0.385	7.055
0	5.975	VANE 1	0	6.922
0.127	5.975		0.127	6.883
0.281	5.974		0.281	6.856
0.468	5.961		0.468	6.847
0.699	5.94		0.699	6.901
1.076	5.904		1.076	6.901
1.24	5.888	BLADE 1	1.24	6.901
1.656	5.837		1.656	6.901
1.871	5.814		1.871	6.93
2.301	5.788		2.301	7.015
2.56	5.784	VANE 2	2.56	7.08
2.768	5.771		2.768	7.128
3.15	5.757		3.15	7.17
3.25	5.75		3.25	7.201
3.446	5.737		3.446	7.201
3.73	5.672		3.73	7.201
3.98	5.763	BLADE 2	3.98	7.201
4.225	5.673		4.225	7.201
4.461	5.673		4.461	7.201
4.717	5.676		4.717	7.222
5	5.688		5	7.281
5.444	5.721		5.444	7.433

More specifically, the first and second stage rotor assemblies 36, 38 each include a disc drivingly mounted to shaft 39 (see Fig. 1). Each disc carries at its periphery the plurality of circumferentially distributed blades 42a,b that extend radially outwardly into the gaspath 27. The first HPT stage includes 32 vanes and 44 blades, the second HPT stage include 48 vanes and 46 blades.

Figure 3 shows an example of a first stage HPT blade 42a. It can be seen that each blade 42a has an airfoil 56 having a leading edge 58, a trailing edge 60 and a tip 62. The airfoil 56 extends from a platform 64 provided at the upper end of a root portion 66. The root portion 66 is adapted to be captively received in a

complementary blade attachment slot (not shown) defined in the outer periphery of the disc such that it resists axial and centrifugal dislodgement of the blade 42a.

The novel airfoil shape of each first stage HPT blade 42a is a set of X-Y-Z points in space. This set of points represents a novel and unique solution to the target design criteria discussed above, and is well-adapted for use in a two-stage HPT design. The set of points are defined in a Cartesian coordinate system which has mutually orthogonal X, Y and Z axes. The X axis extends axially along the turbine rotor centerline 29 i.e., the rotary axis. The positive X direction is axially towards the aft of the turbine engine 10. The Z axis extends along the first HPT blade stacking line 46 of each respective blade 42a in a generally radial direction and intersects the X axis at the center of rotation of the rotor assembly 36. The positive Z direction is radially outwardly toward the blade tip 62. The Y axis extends tangentially with the positive Y direction being in the direction of rotation of the first rotor assembly 36. Therefore, the origin of the X, Y and Z axes is defined at the point of intersection of all three orthogonally-related axes: that is the point (0,0,0) at the intersection of the center of rotation of the turbine engine 10 and the stacking line 46.

In a particular embodiment of the first HPT stage, the set of points which define the HPT stage blade airfoil profile relative to the axis of rotation of the turbine engine 10 and the stacking line 46 thereof are set out in Table 2 below as X, Y and Z Cartesian coordinate values. Particularly, the blade airfoil profile is defined by profile sections 70 at various locations along its height, the locations represented by Z values. It should be understood that the Z values do not represent an actual radial height along the airfoil 56 but are defined with respect to the engine center line. For example, if the blades 42a are mounted about the rotor assembly 36 at an angle with respect to the radial direction, then the Z values are not a true representation of the height of the airfoils of the blades 42a. Furthermore, it is to be appreciated that, with respect to Table 2, Z values are not actually radial heights, per se, from the centerline but rather a height from a plane through the centerline - i.e. the sections in Table 2 are planar. The coordinate values are set forth in inches in Table 2 although other units of dimensions may be used when the values are appropriately converted.

Thus, at each Z distance, the X and Y coordinate values of the desired profile section 70 are defined at selected locations in a Z direction normal to the X, Y plane. The X and Y coordinates are given in distance dimensions, e.g., units of inches, and are joined smoothly, using appropriate curve-fitting techniques, at each Z location to form a continuous airfoil cross-section. The blade airfoil profiles of the various surface locations between the distances Z are determined by smoothly connecting the adjacent profile sections 70 to one another to form the airfoil profile.

The coordinate values listed in Table 2 below represent the desired airfoil profiles in a "cold" (i.e. non-operating) condition. However, the manufactured airfoil surface profile will be slightly different as a result of manufacturing and applied coating tolerances. The coordinate values listed in Table 2 below are for an uncoated airfoil. According to an embodiment of the present invention, the finished HPT blades are coated for thermal protection.

The Table 2 values are generated and shown to three decimal places for determining the profile of the HPT stage blade airfoil. However, as mentioned above, there are manufacturing tolerance issues, as well as coating thicknesses, which must be accounted for and, accordingly, the values for the profile given in Table 2 are for a theoretical airfoil. The blade is manufactured such that its surface falls within 0.010 inch of the coordinates. In addition to the manufacturing tolerances, a coating having a thickness of 0.002 inch to 0.010 inch is typically applied to the uncoated blade airfoil defined in Table 2. The HPT stage blade airfoil design functions well within these ranges. The cold or room temperature profile is given by the X, Y and Z coordinates for manufacturing purposes. It is understood that the airfoil may deform, within acceptable limits, once entering service.

The coordinate values given in Table 2 below provide the preferred nominal first stage HPT blade airfoil profile.

TABLE 2

	X	Y	Z
SECTION 1			
	-0.507	0.059	5.729
	-0.506	0.063	5.729
	-0.505	0.066	5.729
	-0.503	0.070	5.729

TABLE 2

	X	Y	Z
	-0.502	0.073	5.729
	-0.501	0.077	5.729
	-0.499	0.080	5.729
	-0.498	0.083	5.729
	-0.497	0.087	5.729
	-0.495	0.090	5.729
	-0.494	0.094	5.729
	-0.487	0.111	5.729
	-0.479	0.128	5.729
	-0.471	0.144	5.729
	-0.462	0.160	5.729
	-0.453	0.176	5.729
	-0.442	0.192	5.729
	-0.432	0.207	5.729
	-0.420	0.221	5.729
	-0.408	0.235	5.729
	-0.395	0.248	5.729
	-0.381	0.260	5.729
	-0.366	0.272	5.729
	-0.351	0.282	5.729
	-0.335	0.291	5.729
	-0.319	0.300	5.729
	-0.302	0.307	5.729
	-0.284	0.313	5.729
	-0.267	0.318	5.729
	-0.249	0.322	5.729
	-0.230	0.324	5.729
	-0.212	0.325	5.729
	-0.193	0.325	5.729
	-0.175	0.324	5.729
	-0.157	0.321	5.729
	-0.139	0.318	5.729
	-0.121	0.313	5.729
	-0.103	0.307	5.729
	-0.086	0.300	5.729
	-0.069	0.292	5.729
	-0.053	0.284	5.729
	-0.037	0.274	5.729
	-0.022	0.264	5.729
	-0.007	0.253	5.729
	0.008	0.242	5.729
	0.022	0.230	5.729
	0.036	0.218	5.729
	0.049	0.205	5.729
	0.062	0.192	5.729
	0.075	0.179	5.729
	0.088	0.165	5.729
	0.100	0.151	5.729
	0.112	0.137	5.729

TABLE 2

	X	Y	Z
	0.124	0.123	5.729
	0.136	0.109	5.729
	0.147	0.095	5.729
	0.158	0.080	5.729
	0.170	0.065	5.729
	0.180	0.050	5.729
	0.191	0.035	5.729
	0.202	0.020	5.729
	0.212	0.005	5.729
	0.222	-0.011	5.729
	0.232	-0.026	5.729
	0.242	-0.042	5.729
	0.252	-0.057	5.729
	0.261	-0.073	5.729
	0.271	-0.089	5.729
	0.280	-0.105	5.729
	0.289	-0.122	5.729
	0.297	-0.138	5.729
	0.306	-0.154	5.729
	0.314	-0.171	5.729
	0.322	-0.188	5.729
	0.330	-0.204	5.729
	0.337	-0.221	5.729
	0.344	-0.238	5.729
	0.351	-0.255	5.729
	0.358	-0.273	5.729
	0.364	-0.290	5.729
	0.370	-0.308	5.729
	0.376	-0.325	5.729
	0.381	-0.343	5.729
	0.386	-0.361	5.729
	0.391	-0.378	5.729
	0.395	-0.396	5.729
	0.399	-0.414	5.729
	0.402	-0.433	5.729
	0.406	-0.451	5.729
	0.408	-0.469	5.729
	0.409	-0.473	5.729
	0.410	-0.476	5.729
	0.410	-0.480	5.729
	0.410	-0.484	5.729
	0.411	-0.487	5.729
	0.411	-0.491	5.729
	0.412	-0.495	5.729
	0.412	-0.498	5.729
	0.413	-0.502	5.729
	0.413	-0.506	5.729
	0.413	-0.510	5.729
	0.413	-0.514	5.729

TABLE 2

	X	Y	Z
	0.412	-0.518	5.729
	0.410	-0.522	5.729
	0.408	-0.525	5.729
	0.406	-0.529	5.729
	0.403	-0.532	5.729
	0.399	-0.534	5.729
	0.396	-0.536	5.729
	0.392	-0.537	5.729
	0.387	-0.538	5.729
	0.383	-0.538	5.729
	0.379	-0.537	5.729
	0.375	-0.536	5.729
	0.371	-0.534	5.729
	0.368	-0.531	5.729
	0.365	-0.528	5.729
	0.363	-0.525	5.729
	0.361	-0.521	5.729
	0.360	-0.519	5.729
	0.359	-0.517	5.729
	0.358	-0.514	5.729
	0.357	-0.512	5.729
	0.356	-0.509	5.729
	0.355	-0.507	5.729
	0.354	-0.505	5.729
	0.353	-0.502	5.729
	0.352	-0.500	5.729
	0.351	-0.497	5.729
	0.346	-0.485	5.729
	0.341	-0.474	5.729
	0.336	-0.462	5.729
	0.331	-0.450	5.729
	0.325	-0.438	5.729
	0.320	-0.427	5.729
	0.314	-0.415	5.729
	0.308	-0.403	5.729
	0.302	-0.392	5.729
	0.296	-0.380	5.729
	0.290	-0.369	5.729
	0.284	-0.358	5.729
	0.277	-0.347	5.729
	0.271	-0.335	5.729
	0.264	-0.324	5.729
	0.257	-0.314	5.729
	0.250	-0.303	5.729
	0.243	-0.292	5.729
	0.236	-0.281	5.729
	0.228	-0.271	5.729
	0.220	-0.260	5.729
	0.213	-0.250	5.729

TABLE 2

	X	Y	Z
	0.205	-0.240	5.729
	0.196	-0.230	5.729
	0.188	-0.220	5.729
	0.179	-0.210	5.729
	0.171	-0.201	5.729
	0.162	-0.192	5.729
	0.153	-0.182	5.729
	0.143	-0.173	5.729
	0.134	-0.165	5.729
	0.124	-0.156	5.729
	0.115	-0.148	5.729
	0.105	-0.139	5.729
	0.094	-0.131	5.729
	0.084	-0.124	5.729
	0.074	-0.116	5.729
	0.063	-0.109	5.729
	0.052	-0.102	5.729
	0.041	-0.095	5.729
	0.030	-0.088	5.729
	0.019	-0.082	5.729
	0.007	-0.076	5.729
	-0.004	-0.070	5.729
	-0.016	-0.065	5.729
	-0.028	-0.059	5.729
	-0.040	-0.054	5.729
	-0.052	-0.050	5.729
	-0.064	-0.045	5.729
	-0.076	-0.041	5.729
	-0.088	-0.037	5.729
	-0.101	-0.033	5.729
	-0.113	-0.030	5.729
	-0.126	-0.027	5.729
	-0.138	-0.024	5.729
	-0.151	-0.021	5.729
	-0.164	-0.019	5.729
	-0.176	-0.017	5.729
	-0.189	-0.015	5.729
	-0.202	-0.014	5.729
	-0.215	-0.012	5.729
	-0.228	-0.011	5.729
	-0.241	-0.011	5.729
	-0.254	-0.010	5.729
	-0.267	-0.010	5.729
	-0.279	-0.009	5.729
	-0.292	-0.009	5.729
	-0.305	-0.009	5.729
	-0.318	-0.009	5.729
	-0.331	-0.010	5.729
	-0.344	-0.010	5.729

TABLE 2

	X	Y	Z
	-0.357	-0.010	5.729
	-0.370	-0.010	5.729
	-0.383	-0.010	5.729
	-0.396	-0.010	5.729
	-0.409	-0.009	5.729
	-0.422	-0.009	5.729
	-0.434	-0.008	5.729
	-0.447	-0.007	5.729
	-0.450	-0.007	5.729
	-0.452	-0.006	5.729
	-0.455	-0.006	5.729
	-0.458	-0.006	5.729
	-0.460	-0.006	5.729
	-0.463	-0.005	5.729
	-0.465	-0.005	5.729
	-0.468	-0.005	5.729
	-0.470	-0.004	5.729
	-0.473	-0.004	5.729
	-0.477	-0.003	5.729
	-0.481	-0.002	5.729
	-0.485	0.000	5.729
	-0.489	0.002	5.729
	-0.492	0.005	5.729
	-0.496	0.008	5.729
	-0.499	0.011	5.729
	-0.501	0.014	5.729
	-0.504	0.018	5.729
	-0.506	0.022	5.729
	-0.507	0.026	5.729
	-0.509	0.030	5.729
	-0.510	0.034	5.729
	-0.510	0.038	5.729
	-0.510	0.043	5.729
	-0.510	0.047	5.729
	-0.510	0.051	5.729
	-0.509	0.055	5.729
SECTION 2			
	-0.488	0.214	6.029
	-0.486	0.217	6.029
	-0.485	0.220	6.029
	-0.483	0.223	6.029
	-0.481	0.226	6.029
	-0.480	0.229	6.029
	-0.478	0.232	6.029
	-0.476	0.235	6.029
	-0.474	0.238	6.029
	-0.472	0.241	6.029
	-0.471	0.244	6.029
	-0.460	0.259	6.029

TABLE 2

	X	Y	Z
	-0.449	0.272	6.029
	-0.437	0.285	6.029
	-0.425	0.298	6.029
	-0.411	0.309	6.029
	-0.397	0.319	6.029
	-0.382	0.329	6.029
	-0.367	0.337	6.029
	-0.351	0.344	6.029
	-0.334	0.351	6.029
	-0.317	0.356	6.029
	-0.300	0.360	6.029
	-0.283	0.362	6.029
	-0.265	0.364	6.029
	-0.248	0.364	6.029
	-0.230	0.364	6.029
	-0.213	0.362	6.029
	-0.195	0.359	6.029
	-0.178	0.355	6.029
	-0.161	0.350	6.029
	-0.144	0.345	6.029
	-0.128	0.338	6.029
	-0.112	0.331	6.029
	-0.097	0.322	6.029
	-0.081	0.314	6.029
	-0.067	0.304	6.029
	-0.052	0.294	6.029
	-0.038	0.283	6.029
	-0.024	0.272	6.029
	-0.011	0.260	6.029
	0.002	0.249	6.029
	0.014	0.236	6.029
	0.027	0.224	6.029
	0.039	0.211	6.029
	0.050	0.198	6.029
	0.062	0.184	6.029
	0.073	0.171	6.029
	0.084	0.157	6.029
	0.095	0.143	6.029
	0.106	0.129	6.029
	0.116	0.115	6.029
	0.126	0.101	6.029
	0.136	0.086	6.029
	0.146	0.072	6.029
	0.156	0.057	6.029
	0.166	0.042	6.029
	0.175	0.028	6.029
	0.185	0.013	6.029
	0.194	-0.002	6.029
	0.203	-0.018	6.029

TABLE 2

	X	Y	Z
	0.212	-0.033	6.029
	0.220	-0.048	6.029
	0.229	-0.064	6.029
	0.237	-0.079	6.029
	0.246	-0.095	6.029
	0.254	-0.110	6.029
	0.262	-0.126	6.029
	0.269	-0.142	6.029
	0.277	-0.158	6.029
	0.285	-0.173	6.029
	0.292	-0.189	6.029
	0.299	-0.206	6.029
	0.306	-0.222	6.029
	0.313	-0.238	6.029
	0.320	-0.254	6.029
	0.326	-0.270	6.029
	0.333	-0.287	6.029
	0.339	-0.303	6.029
	0.345	-0.320	6.029
	0.351	-0.336	6.029
	0.357	-0.353	6.029
	0.363	-0.370	6.029
	0.368	-0.386	6.029
	0.374	-0.403	6.029
	0.379	-0.420	6.029
	0.384	-0.437	6.029
	0.389	-0.454	6.029
	0.394	-0.471	6.029
	0.399	-0.488	6.029
	0.400	-0.491	6.029
	0.400	-0.494	6.029
	0.401	-0.498	6.029
	0.402	-0.501	6.029
	0.403	-0.505	6.029
	0.404	-0.508	6.029
	0.405	-0.511	6.029
	0.406	-0.515	6.029
	0.407	-0.518	6.029
	0.408	-0.522	6.029
	0.408	-0.525	6.029
	0.408	-0.527	6.029
	0.408	-0.530	6.029
	0.407	-0.533	6.029
	0.406	-0.536	6.029
	0.404	-0.538	6.029
	0.402	-0.541	6.029
	0.400	-0.543	6.029
	0.397	-0.544	6.029
	0.394	-0.545	6.029

TABLE 2

	X	Y	Z
	0.391	-0.546	6.029
	0.388	-0.546	6.029
	0.385	-0.546	6.029
	0.383	-0.545	6.029
	0.380	-0.544	6.029
	0.377	-0.542	6.029
	0.375	-0.540	6.029
	0.373	-0.538	6.029
	0.371	-0.536	6.029
	0.370	-0.533	6.029
	0.369	-0.531	6.029
	0.368	-0.528	6.029
	0.366	-0.526	6.029
	0.365	-0.524	6.029
	0.364	-0.521	6.029
	0.362	-0.519	6.029
	0.361	-0.517	6.029
	0.360	-0.514	6.029
	0.359	-0.512	6.029
	0.352	-0.500	6.029
	0.346	-0.489	6.029
	0.339	-0.477	6.029
	0.332	-0.466	6.029
	0.326	-0.454	6.029
	0.319	-0.442	6.029
	0.312	-0.431	6.029
	0.305	-0.419	6.029
	0.299	-0.408	6.029
	0.292	-0.396	6.029
	0.285	-0.385	6.029
	0.278	-0.374	6.029
	0.270	-0.362	6.029
	0.263	-0.351	6.029
	0.256	-0.340	6.029
	0.249	-0.329	6.029
	0.241	-0.318	6.029
	0.234	-0.306	6.029
	0.226	-0.295	6.029
	0.219	-0.284	6.029
	0.211	-0.274	6.029
	0.203	-0.263	6.029
	0.195	-0.252	6.029
	0.187	-0.241	6.029
	0.179	-0.230	6.029
	0.171	-0.220	6.029
	0.163	-0.209	6.029
	0.155	-0.199	6.029
	0.146	-0.188	6.029
	0.138	-0.178	6.029

TABLE 2

	X	Y	Z
	0.129	-0.168	6.029
	0.120	-0.158	6.029
	0.111	-0.148	6.029
	0.102	-0.138	6.029
	0.093	-0.128	6.029
	0.084	-0.118	6.029
	0.075	-0.109	6.029
	0.065	-0.099	6.029
	0.056	-0.090	6.029
	0.046	-0.081	6.029
	0.037	-0.072	6.029
	0.027	-0.063	6.029
	0.017	-0.054	6.029
	0.006	-0.045	6.029
	-0.004	-0.037	6.029
	-0.014	-0.028	6.029
	-0.025	-0.020	6.029
	-0.035	-0.012	6.029
	-0.046	-0.004	6.029
	-0.057	0.004	6.029
	-0.068	0.012	6.029
	-0.079	0.019	6.029
	-0.090	0.026	6.029
	-0.102	0.033	6.029
	-0.113	0.040	6.029
	-0.125	0.047	6.029
	-0.136	0.053	6.029
	-0.148	0.060	6.029
	-0.160	0.066	6.029
	-0.172	0.071	6.029
	-0.184	0.077	6.029
	-0.196	0.082	6.029
	-0.209	0.087	6.029
	-0.221	0.092	6.029
	-0.234	0.097	6.029
	-0.246	0.101	6.029
	-0.259	0.105	6.029
	-0.272	0.109	6.029
	-0.285	0.113	6.029
	-0.298	0.116	6.029
	-0.311	0.119	6.029
	-0.324	0.122	6.029
	-0.337	0.125	6.029
	-0.350	0.127	6.029
	-0.363	0.129	6.029
	-0.377	0.131	6.029
	-0.390	0.132	6.029
	-0.403	0.133	6.029
	-0.417	0.134	6.029

TABLE 2

	X	Y	Z
	-0.419	0.135	6.029
	-0.422	0.135	6.029
	-0.425	0.135	6.029
	-0.427	0.135	6.029
	-0.430	0.135	6.029
	-0.433	0.135	6.029
	-0.435	0.135	6.029
	-0.438	0.135	6.029
	-0.441	0.135	6.029
	-0.443	0.136	6.029
	-0.449	0.136	6.029
	-0.455	0.137	6.029
	-0.460	0.138	6.029
	-0.465	0.140	6.029
	-0.471	0.143	6.029
	-0.475	0.146	6.029
	-0.480	0.150	6.029
	-0.483	0.154	6.029
	-0.487	0.159	6.029
	-0.489	0.164	6.029
	-0.492	0.169	6.029
	-0.493	0.175	6.029
	-0.494	0.180	6.029
	-0.494	0.186	6.029
	-0.494	0.192	6.029
	-0.493	0.198	6.029
	-0.492	0.203	6.029
	-0.490	0.208	6.029
SECTION 3			
	-0.480	0.270	6.154
	-0.478	0.273	6.154
	-0.477	0.276	6.154
	-0.475	0.279	6.154
	-0.473	0.282	6.154
	-0.471	0.285	6.154
	-0.469	0.288	6.154
	-0.467	0.290	6.154
	-0.465	0.293	6.154
	-0.463	0.296	6.154
	-0.461	0.299	6.154
	-0.450	0.312	6.154
	-0.438	0.325	6.154
	-0.424	0.336	6.154
	-0.410	0.346	6.154
	-0.395	0.355	6.154
	-0.380	0.363	6.154
	-0.364	0.370	6.154
	-0.347	0.376	6.154
	-0.331	0.380	6.154

TABLE 2

	X	Y	Z
	-0.313	0.384	6.154
	-0.296	0.386	6.154
	-0.279	0.387	6.154
	-0.261	0.387	6.154
	-0.244	0.385	6.154
	-0.227	0.383	6.154
	-0.210	0.380	6.154
	-0.193	0.375	6.154
	-0.176	0.370	6.154
	-0.160	0.364	6.154
	-0.144	0.357	6.154
	-0.128	0.350	6.154
	-0.113	0.341	6.154
	-0.098	0.332	6.154
	-0.083	0.323	6.154
	-0.069	0.313	6.154
	-0.055	0.302	6.154
	-0.042	0.291	6.154
	-0.029	0.279	6.154
	-0.016	0.267	6.154
	-0.004	0.255	6.154
	0.008	0.243	6.154
	0.020	0.230	6.154
	0.032	0.217	6.154
	0.043	0.204	6.154
	0.054	0.190	6.154
	0.065	0.176	6.154
	0.076	0.163	6.154
	0.086	0.149	6.154
	0.097	0.135	6.154
	0.107	0.121	6.154
	0.117	0.106	6.154
	0.126	0.092	6.154
	0.136	0.077	6.154
	0.146	0.063	6.154
	0.155	0.048	6.154
	0.164	0.033	6.154
	0.173	0.018	6.154
	0.182	0.003	6.154
	0.191	-0.012	6.154
	0.200	-0.027	6.154
	0.208	-0.042	6.154
	0.216	-0.057	6.154
	0.224	-0.073	6.154
	0.233	-0.088	6.154
	0.240	-0.104	6.154
	0.248	-0.119	6.154
	0.256	-0.135	6.154
	0.263	-0.151	6.154

TABLE 2

	X	Y	Z
	0.271	-0.166	6.154
	0.278	-0.182	6.154
	0.285	-0.198	6.154
	0.292	-0.214	6.154
	0.299	-0.230	6.154
	0.306	-0.246	6.154
	0.312	-0.262	6.154
	0.319	-0.278	6.154
	0.325	-0.295	6.154
	0.331	-0.311	6.154
	0.338	-0.327	6.154
	0.344	-0.344	6.154
	0.350	-0.360	6.154
	0.356	-0.376	6.154
	0.361	-0.393	6.154
	0.367	-0.409	6.154
	0.373	-0.426	6.154
	0.378	-0.442	6.154
	0.384	-0.459	6.154
	0.389	-0.475	6.154
	0.394	-0.492	6.154
	0.395	-0.495	6.154
	0.396	-0.499	6.154
	0.397	-0.502	6.154
	0.398	-0.505	6.154
	0.399	-0.509	6.154
	0.400	-0.512	6.154
	0.401	-0.515	6.154
	0.403	-0.519	6.154
	0.404	-0.522	6.154
	0.405	-0.525	6.154
	0.405	-0.528	6.154
	0.405	-0.530	6.154
	0.405	-0.533	6.154
	0.404	-0.536	6.154
	0.403	-0.538	6.154
	0.402	-0.540	6.154
	0.400	-0.542	6.154
	0.398	-0.544	6.154
	0.396	-0.545	6.154
	0.394	-0.546	6.154
	0.391	-0.547	6.154
	0.389	-0.547	6.154
	0.386	-0.547	6.154
	0.383	-0.547	6.154
	0.381	-0.546	6.154
	0.379	-0.544	6.154
	0.376	-0.543	6.154
	0.375	-0.541	6.154

TABLE 2

	X	Y	Z
	0.373	-0.539	6.154
	0.372	-0.536	6.154
	0.370	-0.534	6.154
	0.369	-0.532	6.154
	0.368	-0.529	6.154
	0.366	-0.527	6.154
	0.365	-0.525	6.154
	0.363	-0.522	6.154
	0.362	-0.520	6.154
	0.361	-0.518	6.154
	0.359	-0.515	6.154
	0.352	-0.504	6.154
	0.345	-0.492	6.154
	0.338	-0.480	6.154
	0.331	-0.469	6.154
	0.324	-0.457	6.154
	0.317	-0.445	6.154
	0.310	-0.434	6.154
	0.303	-0.422	6.154
	0.296	-0.411	6.154
	0.288	-0.399	6.154
	0.281	-0.388	6.154
	0.274	-0.376	6.154
	0.266	-0.365	6.154
	0.259	-0.353	6.154
	0.251	-0.342	6.154
	0.244	-0.330	6.154
	0.236	-0.319	6.154
	0.229	-0.308	6.154
	0.221	-0.296	6.154
	0.213	-0.285	6.154
	0.206	-0.274	6.154
	0.198	-0.263	6.154
	0.190	-0.252	6.154
	0.182	-0.241	6.154
	0.174	-0.230	6.154
	0.166	-0.219	6.154
	0.158	-0.208	6.154
	0.150	-0.197	6.154
	0.141	-0.186	6.154
	0.133	-0.175	6.154
	0.124	-0.165	6.154
	0.116	-0.154	6.154
	0.107	-0.144	6.154
	0.099	-0.133	6.154
	0.090	-0.123	6.154
	0.081	-0.112	6.154
	0.072	-0.102	6.154
	0.063	-0.092	6.154

TABLE 2

	X	Y	Z
	0.054	-0.082	6.154
	0.045	-0.072	6.154
	0.035	-0.062	6.154
	0.026	-0.052	6.154
	0.016	-0.042	6.154
	0.007	-0.033	6.154
	-0.003	-0.023	6.154
	-0.013	-0.014	6.154
	-0.023	-0.004	6.154
	-0.033	0.005	6.154
	-0.043	0.014	6.154
	-0.053	0.023	6.154
	-0.064	0.031	6.154
	-0.074	0.040	6.154
	-0.085	0.049	6.154
	-0.096	0.057	6.154
	-0.107	0.065	6.154
	-0.118	0.073	6.154
	-0.129	0.081	6.154
	-0.140	0.089	6.154
	-0.151	0.096	6.154
	-0.163	0.103	6.154
	-0.175	0.110	6.154
	-0.186	0.117	6.154
	-0.198	0.124	6.154
	-0.210	0.130	6.154
	-0.223	0.136	6.154
	-0.235	0.142	6.154
	-0.247	0.147	6.154
	-0.260	0.152	6.154
	-0.273	0.157	6.154
	-0.286	0.162	6.154
	-0.299	0.166	6.154
	-0.312	0.170	6.154
	-0.325	0.173	6.154
	-0.338	0.177	6.154
	-0.351	0.179	6.154
	-0.365	0.182	6.154
	-0.378	0.183	6.154
	-0.392	0.185	6.154
	-0.405	0.186	6.154
	-0.408	0.186	6.154
	-0.411	0.186	6.154
	-0.414	0.186	6.154
	-0.416	0.187	6.154
	-0.419	0.187	6.154
	-0.422	0.187	6.154
	-0.424	0.187	6.154
	-0.427	0.187	6.154

TABLE 2

	X	Y	Z
	-0.430	0.187	6.154
	-0.433	0.187	6.154
	-0.439	0.187	6.154
	-0.445	0.188	6.154
	-0.451	0.190	6.154
	-0.457	0.192	6.154
	-0.462	0.194	6.154
	-0.467	0.198	6.154
	-0.472	0.202	6.154
	-0.476	0.206	6.154
	-0.480	0.211	6.154
	-0.483	0.217	6.154
	-0.485	0.222	6.154
	-0.487	0.228	6.154
	-0.488	0.234	6.154
	-0.488	0.240	6.154
	-0.488	0.246	6.154
	-0.487	0.253	6.154
	-0.485	0.258	6.154
	-0.483	0.264	6.154
SECTION 4			
	-0.472	0.318	6.279
	-0.470	0.321	6.279
	-0.469	0.324	6.279
	-0.467	0.327	6.279
	-0.465	0.330	6.279
	-0.463	0.333	6.279
	-0.461	0.335	6.279
	-0.459	0.338	6.279
	-0.456	0.341	6.279
	-0.454	0.343	6.279
	-0.452	0.346	6.279
	-0.440	0.358	6.279
	-0.426	0.369	6.279
	-0.412	0.379	6.279
	-0.397	0.388	6.279
	-0.381	0.395	6.279
	-0.365	0.400	6.279
	-0.348	0.405	6.279
	-0.331	0.408	6.279
	-0.314	0.410	6.279
	-0.297	0.411	6.279
	-0.279	0.411	6.279
	-0.262	0.409	6.279
	-0.245	0.407	6.279
	-0.228	0.403	6.279
	-0.211	0.399	6.279
	-0.195	0.393	6.279
	-0.179	0.387	6.279

TABLE 2

	X	Y	Z
	-0.163	0.380	6.279
	-0.147	0.372	6.279
	-0.132	0.364	6.279
	-0.118	0.355	6.279
	-0.103	0.345	6.279
	-0.089	0.335	6.279
	-0.075	0.325	6.279
	-0.062	0.314	6.279
	-0.049	0.302	6.279
	-0.037	0.290	6.279
	-0.024	0.278	6.279
	-0.012	0.266	6.279
	-0.001	0.253	6.279
	0.011	0.240	6.279
	0.022	0.227	6.279
	0.033	0.213	6.279
	0.044	0.200	6.279
	0.055	0.186	6.279
	0.065	0.172	6.279
	0.075	0.158	6.279
	0.085	0.144	6.279
	0.095	0.130	6.279
	0.105	0.116	6.279
	0.115	0.101	6.279
	0.124	0.087	6.279
	0.133	0.072	6.279
	0.143	0.058	6.279
	0.152	0.043	6.279
	0.161	0.028	6.279
	0.169	0.013	6.279
	0.178	-0.002	6.279
	0.186	-0.017	6.279
	0.195	-0.032	6.279
	0.203	-0.047	6.279
	0.211	-0.063	6.279
	0.219	-0.078	6.279
	0.227	-0.094	6.279
	0.234	-0.109	6.279
	0.242	-0.125	6.279
	0.249	-0.140	6.279
	0.257	-0.156	6.279
	0.264	-0.172	6.279
	0.271	-0.187	6.279
	0.278	-0.203	6.279
	0.285	-0.219	6.279
	0.292	-0.235	6.279
	0.298	-0.251	6.279
	0.305	-0.267	6.279
	0.311	-0.283	6.279

TABLE 2

	X	Y	Z
	0.318	-0.299	6.279
	0.324	-0.315	6.279
	0.330	-0.331	6.279
	0.337	-0.348	6.279
	0.343	-0.364	6.279
	0.349	-0.380	6.279
	0.355	-0.396	6.279
	0.361	-0.413	6.279
	0.366	-0.429	6.279
	0.372	-0.445	6.279
	0.378	-0.462	6.279
	0.384	-0.478	6.279
	0.389	-0.494	6.279
	0.391	-0.497	6.279
	0.392	-0.501	6.279
	0.393	-0.504	6.279
	0.394	-0.507	6.279
	0.395	-0.511	6.279
	0.396	-0.514	6.279
	0.397	-0.517	6.279
	0.399	-0.520	6.279
	0.400	-0.524	6.279
	0.401	-0.527	6.279
	0.401	-0.529	6.279
	0.402	-0.532	6.279
	0.401	-0.534	6.279
	0.401	-0.536	6.279
	0.400	-0.538	6.279
	0.399	-0.540	6.279
	0.397	-0.542	6.279
	0.396	-0.544	6.279
	0.394	-0.545	6.279
	0.392	-0.546	6.279
	0.389	-0.547	6.279
	0.387	-0.547	6.279
	0.385	-0.547	6.279
	0.382	-0.547	6.279
	0.380	-0.546	6.279
	0.378	-0.545	6.279
	0.376	-0.543	6.279
	0.374	-0.542	6.279
	0.373	-0.540	6.279
	0.372	-0.538	6.279
	0.370	-0.535	6.279
	0.369	-0.533	6.279
	0.367	-0.530	6.279
	0.366	-0.528	6.279
	0.364	-0.526	6.279
	0.363	-0.523	6.279

TABLE 2

	X	Y	Z
	0.361	-0.521	6.279
	0.360	-0.519	6.279
	0.358	-0.516	6.279
	0.351	-0.505	6.279
	0.344	-0.493	6.279
	0.336	-0.481	6.279
	0.329	-0.469	6.279
	0.322	-0.458	6.279
	0.314	-0.446	6.279
	0.307	-0.434	6.279
	0.299	-0.422	6.279
	0.292	-0.411	6.279
	0.284	-0.399	6.279
	0.277	-0.387	6.279
	0.269	-0.376	6.279
	0.262	-0.364	6.279
	0.254	-0.353	6.279
	0.247	-0.341	6.279
	0.239	-0.329	6.279
	0.231	-0.318	6.279
	0.223	-0.306	6.279
	0.216	-0.295	6.279
	0.208	-0.283	6.279
	0.200	-0.272	6.279
	0.192	-0.261	6.279
	0.184	-0.249	6.279
	0.176	-0.238	6.279
	0.168	-0.226	6.279
	0.160	-0.215	6.279
	0.152	-0.204	6.279
	0.144	-0.193	6.279
	0.136	-0.181	6.279
	0.128	-0.170	6.279
	0.120	-0.159	6.279
	0.111	-0.148	6.279
	0.103	-0.137	6.279
	0.094	-0.126	6.279
	0.086	-0.115	6.279
	0.077	-0.104	6.279
	0.069	-0.093	6.279
	0.060	-0.083	6.279
	0.051	-0.072	6.279
	0.042	-0.061	6.279
	0.033	-0.051	6.279
	0.024	-0.040	6.279
	0.015	-0.030	6.279
	0.006	-0.019	6.279
	-0.003	-0.009	6.279
	-0.013	0.001	6.279

TABLE 2

	X	Y	Z
	-0.022	0.011	6.279
	-0.032	0.021	6.279
	-0.042	0.031	6.279
	-0.051	0.041	6.279
	-0.061	0.051	6.279
	-0.071	0.060	6.279
	-0.081	0.070	6.279
	-0.092	0.079	6.279
	-0.102	0.088	6.279
	-0.112	0.097	6.279
	-0.123	0.106	6.279
	-0.134	0.115	6.279
	-0.145	0.123	6.279
	-0.156	0.132	6.279
	-0.167	0.140	6.279
	-0.178	0.148	6.279
	-0.190	0.156	6.279
	-0.202	0.163	6.279
	-0.213	0.170	6.279
	-0.225	0.177	6.279
	-0.238	0.184	6.279
	-0.250	0.190	6.279
	-0.263	0.196	6.279
	-0.275	0.202	6.279
	-0.288	0.207	6.279
	-0.301	0.211	6.279
	-0.314	0.216	6.279
	-0.328	0.220	6.279
	-0.341	0.223	6.279
	-0.355	0.226	6.279
	-0.368	0.228	6.279
	-0.382	0.230	6.279
	-0.396	0.231	6.279
	-0.399	0.231	6.279
	-0.401	0.232	6.279
	-0.404	0.232	6.279
	-0.407	0.232	6.279
	-0.410	0.232	6.279
	-0.413	0.232	6.279
	-0.415	0.232	6.279
	-0.418	0.232	6.279
	-0.421	0.232	6.279
	-0.424	0.232	6.279
	-0.430	0.232	6.279
	-0.436	0.233	6.279
	-0.443	0.235	6.279
	-0.449	0.237	6.279
	-0.455	0.239	6.279
	-0.460	0.243	6.279

TABLE 2

	X	Y	Z
	-0.465	0.247	6.279
	-0.469	0.252	6.279
	-0.473	0.257	6.279
	-0.476	0.263	6.279
	-0.479	0.269	6.279
	-0.481	0.275	6.279
	-0.482	0.281	6.279
	-0.482	0.288	6.279
	-0.481	0.294	6.279
	-0.480	0.300	6.279
	-0.478	0.307	6.279
	-0.475	0.312	6.279
SECTION 5			
	-0.465	0.356	6.404
	-0.463	0.359	6.404
	-0.461	0.361	6.404
	-0.459	0.364	6.404
	-0.457	0.367	6.404
	-0.455	0.370	6.404
	-0.453	0.372	6.404
	-0.450	0.375	6.404
	-0.448	0.378	6.404
	-0.446	0.380	6.404
	-0.443	0.382	6.404
	-0.430	0.394	6.404
	-0.416	0.404	6.404
	-0.401	0.412	6.404
	-0.386	0.419	6.404
	-0.369	0.425	6.404
	-0.353	0.429	6.404
	-0.336	0.432	6.404
	-0.318	0.433	6.404
	-0.301	0.434	6.404
	-0.284	0.433	6.404
	-0.267	0.431	6.404
	-0.250	0.427	6.404
	-0.233	0.423	6.404
	-0.217	0.418	6.404
	-0.201	0.412	6.404
	-0.185	0.405	6.404
	-0.170	0.397	6.404
	-0.154	0.389	6.404
	-0.140	0.380	6.404
	-0.125	0.371	6.404
	-0.111	0.360	6.404
	-0.098	0.350	6.404
	-0.085	0.339	6.404
	-0.072	0.328	6.404
	-0.059	0.316	6.404

TABLE 2

	X	Y	Z
	-0.047	0.304	6.404
	-0.035	0.291	6.404
	-0.023	0.279	6.404
	-0.012	0.266	6.404
	0.000	0.253	6.404
	0.011	0.239	6.404
	0.021	0.226	6.404
	0.032	0.212	6.404
	0.042	0.199	6.404
	0.052	0.185	6.404
	0.063	0.171	6.404
	0.072	0.157	6.404
	0.082	0.143	6.404
	0.092	0.128	6.404
	0.101	0.114	6.404
	0.111	0.099	6.404
	0.120	0.085	6.404
	0.129	0.070	6.404
	0.138	0.056	6.404
	0.147	0.041	6.404
	0.155	0.026	6.404
	0.164	0.011	6.404
	0.172	-0.004	6.404
	0.181	-0.019	6.404
	0.189	-0.034	6.404
	0.197	-0.050	6.404
	0.205	-0.065	6.404
	0.213	-0.080	6.404
	0.220	-0.096	6.404
	0.228	-0.111	6.404
	0.235	-0.127	6.404
	0.243	-0.142	6.404
	0.250	-0.158	6.404
	0.257	-0.174	6.404
	0.264	-0.189	6.404
	0.271	-0.205	6.404
	0.278	-0.221	6.404
	0.285	-0.237	6.404
	0.291	-0.253	6.404
	0.298	-0.268	6.404
	0.305	-0.284	6.404
	0.311	-0.300	6.404
	0.317	-0.316	6.404
	0.324	-0.332	6.404
	0.330	-0.348	6.404
	0.336	-0.365	6.404
	0.342	-0.381	6.404
	0.348	-0.397	6.404
	0.354	-0.413	6.404

TABLE 2

	X	Y	Z
	0.361	-0.429	6.404
	0.367	-0.445	6.404
	0.372	-0.461	6.404
	0.378	-0.477	6.404
	0.384	-0.494	6.404
	0.386	-0.497	6.404
	0.387	-0.500	6.404
	0.388	-0.503	6.404
	0.389	-0.507	6.404
	0.390	-0.510	6.404
	0.391	-0.513	6.404
	0.393	-0.516	6.404
	0.394	-0.520	6.404
	0.395	-0.523	6.404
	0.396	-0.526	6.404
	0.397	-0.528	6.404
	0.397	-0.530	6.404
	0.397	-0.533	6.404
	0.397	-0.535	6.404
	0.396	-0.537	6.404
	0.395	-0.539	6.404
	0.393	-0.540	6.404
	0.392	-0.542	6.404
	0.390	-0.543	6.404
	0.388	-0.544	6.404
	0.386	-0.545	6.404
	0.384	-0.545	6.404
	0.382	-0.545	6.404
	0.379	-0.545	6.404
	0.377	-0.544	6.404
	0.375	-0.543	6.404
	0.374	-0.542	6.404
	0.372	-0.540	6.404
	0.371	-0.539	6.404
	0.369	-0.536	6.404
	0.368	-0.534	6.404
	0.366	-0.532	6.404
	0.365	-0.529	6.404
	0.363	-0.527	6.404
	0.362	-0.524	6.404
	0.360	-0.522	6.404
	0.359	-0.520	6.404
	0.357	-0.517	6.404
	0.356	-0.515	6.404
	0.348	-0.503	6.404
	0.340	-0.491	6.404
	0.333	-0.479	6.404
	0.325	-0.468	6.404
	0.318	-0.456	6.404

TABLE 2

	X	Y	Z
	0.310	-0.444	6.404
	0.303	-0.432	6.404
	0.295	-0.420	6.404
	0.287	-0.408	6.404
	0.280	-0.397	6.404
	0.272	-0.385	6.404
	0.264	-0.373	6.404
	0.257	-0.361	6.404
	0.249	-0.349	6.404
	0.241	-0.338	6.404
	0.234	-0.326	6.404
	0.226	-0.314	6.404
	0.218	-0.303	6.404
	0.210	-0.291	6.404
	0.203	-0.279	6.404
	0.195	-0.267	6.404
	0.187	-0.256	6.404
	0.179	-0.244	6.404
	0.171	-0.232	6.404
	0.163	-0.221	6.404
	0.155	-0.209	6.404
	0.147	-0.198	6.404
	0.139	-0.186	6.404
	0.131	-0.175	6.404
	0.123	-0.163	6.404
	0.115	-0.152	6.404
	0.107	-0.140	6.404
	0.099	-0.129	6.404
	0.091	-0.118	6.404
	0.082	-0.106	6.404
	0.074	-0.095	6.404
	0.065	-0.084	6.404
	0.057	-0.072	6.404
	0.048	-0.061	6.404
	0.040	-0.050	6.404
	0.031	-0.039	6.404
	0.022	-0.028	6.404
	0.014	-0.017	6.404
	0.005	-0.006	6.404
	-0.004	0.005	6.404
	-0.013	0.015	6.404
	-0.022	0.026	6.404
	-0.032	0.037	6.404
	-0.041	0.047	6.404
	-0.050	0.058	6.404
	-0.060	0.068	6.404
	-0.069	0.078	6.404
	-0.079	0.088	6.404
	-0.089	0.098	6.404

TABLE 2

	X	Y	Z
	-0.099	0.108	6.404
	-0.109	0.118	6.404
	-0.119	0.128	6.404
	-0.130	0.137	6.404
	-0.140	0.146	6.404
	-0.151	0.156	6.404
	-0.162	0.164	6.404
	-0.173	0.173	6.404
	-0.184	0.182	6.404
	-0.195	0.190	6.404
	-0.207	0.198	6.404
	-0.219	0.206	6.404
	-0.231	0.213	6.404
	-0.243	0.220	6.404
	-0.255	0.227	6.404
	-0.268	0.233	6.404
	-0.281	0.239	6.404
	-0.294	0.244	6.404
	-0.307	0.249	6.404
	-0.320	0.253	6.404
	-0.334	0.257	6.404
	-0.347	0.261	6.404
	-0.361	0.263	6.404
	-0.375	0.266	6.404
	-0.389	0.267	6.404
	-0.392	0.267	6.404
	-0.394	0.268	6.404
	-0.397	0.268	6.404
	-0.400	0.268	6.404
	-0.403	0.268	6.404
	-0.406	0.268	6.404
	-0.408	0.268	6.404
	-0.411	0.268	6.404
	-0.414	0.268	6.404
	-0.417	0.268	6.404
	-0.423	0.269	6.404
	-0.430	0.270	6.404
	-0.436	0.271	6.404
	-0.443	0.273	6.404
	-0.448	0.276	6.404
	-0.454	0.280	6.404
	-0.459	0.284	6.404
	-0.464	0.288	6.404
	-0.468	0.294	6.404
	-0.471	0.299	6.404
	-0.473	0.306	6.404
	-0.475	0.312	6.404
	-0.475	0.318	6.404
	-0.475	0.325	6.404

TABLE 2

	X	Y	Z
	-0.475	0.332	6.404
	-0.473	0.338	6.404
	-0.471	0.344	6.404
	-0.468	0.350	6.404
SECTION 6			
	-0.458	0.381	6.529
	-0.456	0.383	6.529
	-0.454	0.386	6.529
	-0.452	0.389	6.529
	-0.449	0.391	6.529
	-0.447	0.394	6.529
	-0.445	0.397	6.529
	-0.443	0.399	6.529
	-0.440	0.402	6.529
	-0.438	0.404	6.529
	-0.435	0.406	6.529
	-0.422	0.417	6.529
	-0.407	0.426	6.529
	-0.392	0.434	6.529
	-0.376	0.440	6.529
	-0.360	0.445	6.529
	-0.343	0.448	6.529
	-0.326	0.450	6.529
	-0.309	0.451	6.529
	-0.292	0.450	6.529
	-0.275	0.448	6.529
	-0.258	0.444	6.529
	-0.241	0.440	6.529
	-0.225	0.435	6.529
	-0.209	0.428	6.529
	-0.194	0.421	6.529
	-0.178	0.413	6.529
	-0.164	0.405	6.529
	-0.149	0.396	6.529
	-0.135	0.386	6.529
	-0.122	0.376	6.529
	-0.108	0.365	6.529
	-0.095	0.354	6.529
	-0.083	0.342	6.529
	-0.070	0.330	6.529
	-0.058	0.318	6.529
	-0.047	0.305	6.529
	-0.035	0.293	6.529
	-0.024	0.280	6.529
	-0.013	0.267	6.529
	-0.002	0.253	6.529
	0.008	0.240	6.529
	0.019	0.226	6.529
	0.029	0.212	6.529

TABLE 2

	X	Y	Z
	0.039	0.199	6.529
	0.049	0.185	6.529
	0.059	0.170	6.529
	0.068	0.156	6.529
	0.078	0.142	6.529
	0.087	0.128	6.529
	0.096	0.113	6.529
	0.106	0.099	6.529
	0.115	0.084	6.529
	0.124	0.070	6.529
	0.132	0.055	6.529
	0.141	0.040	6.529
	0.150	0.025	6.529
	0.158	0.011	6.529
	0.166	-0.004	6.529
	0.175	-0.019	6.529
	0.183	-0.034	6.529
	0.191	-0.050	6.529
	0.199	-0.065	6.529
	0.206	-0.080	6.529
	0.214	-0.095	6.529
	0.221	-0.111	6.529
	0.229	-0.126	6.529
	0.236	-0.142	6.529
	0.244	-0.157	6.529
	0.251	-0.173	6.529
	0.258	-0.188	6.529
	0.265	-0.204	6.529
	0.272	-0.220	6.529
	0.279	-0.235	6.529
	0.285	-0.251	6.529
	0.292	-0.267	6.529
	0.299	-0.283	6.529
	0.305	-0.298	6.529
	0.312	-0.314	6.529
	0.318	-0.330	6.529
	0.324	-0.346	6.529
	0.330	-0.362	6.529
	0.337	-0.378	6.529
	0.343	-0.394	6.529
	0.349	-0.410	6.529
	0.355	-0.426	6.529
	0.361	-0.442	6.529
	0.367	-0.458	6.529
	0.373	-0.474	6.529
	0.379	-0.490	6.529
	0.380	-0.493	6.529
	0.381	-0.497	6.529
	0.382	-0.500	6.529

TABLE 2

	X	Y	Z
	0.384	-0.503	6.529
	0.385	-0.506	6.529
	0.386	-0.509	6.529
	0.387	-0.513	6.529
	0.388	-0.516	6.529
	0.390	-0.519	6.529
	0.391	-0.522	6.529
	0.391	-0.524	6.529
	0.392	-0.527	6.529
	0.392	-0.529	6.529
	0.391	-0.531	6.529
	0.390	-0.533	6.529
	0.389	-0.535	6.529
	0.388	-0.537	6.529
	0.386	-0.538	6.529
	0.385	-0.539	6.529
	0.383	-0.540	6.529
	0.381	-0.541	6.529
	0.379	-0.541	6.529
	0.376	-0.541	6.529
	0.374	-0.541	6.529
	0.372	-0.540	6.529
	0.370	-0.539	6.529
	0.368	-0.538	6.529
	0.367	-0.537	6.529
	0.366	-0.535	6.529
	0.364	-0.532	6.529
	0.363	-0.530	6.529
	0.361	-0.528	6.529
	0.360	-0.525	6.529
	0.358	-0.523	6.529
	0.357	-0.520	6.529
	0.355	-0.518	6.529
	0.354	-0.516	6.529
	0.352	-0.513	6.529
	0.351	-0.511	6.529
	0.343	-0.499	6.529
	0.335	-0.487	6.529
	0.328	-0.475	6.529
	0.320	-0.463	6.529
	0.313	-0.451	6.529
	0.305	-0.439	6.529
	0.297	-0.427	6.529
	0.290	-0.415	6.529
	0.282	-0.403	6.529
	0.275	-0.391	6.529
	0.267	-0.380	6.529
	0.259	-0.368	6.529
	0.252	-0.356	6.529

TABLE 2

	X	Y	Z
	0.244	-0.344	6.529
	0.237	-0.332	6.529
	0.229	-0.320	6.529
	0.221	-0.308	6.529
	0.214	-0.296	6.529
	0.206	-0.284	6.529
	0.198	-0.272	6.529
	0.190	-0.261	6.529
	0.183	-0.249	6.529
	0.175	-0.237	6.529
	0.167	-0.225	6.529
	0.159	-0.213	6.529
	0.151	-0.202	6.529
	0.144	-0.190	6.529
	0.136	-0.178	6.529
	0.128	-0.166	6.529
	0.120	-0.155	6.529
	0.112	-0.143	6.529
	0.104	-0.131	6.529
	0.096	-0.120	6.529
	0.088	-0.108	6.529
	0.080	-0.096	6.529
	0.071	-0.085	6.529
	0.063	-0.073	6.529
	0.055	-0.062	6.529
	0.046	-0.050	6.529
	0.038	-0.039	6.529
	0.030	-0.028	6.529
	0.021	-0.016	6.529
	0.013	-0.005	6.529
	0.004	0.006	6.529
	-0.005	0.017	6.529
	-0.014	0.028	6.529
	-0.023	0.039	6.529
	-0.032	0.050	6.529
	-0.041	0.061	6.529
	-0.050	0.072	6.529
	-0.059	0.082	6.529
	-0.069	0.093	6.529
	-0.078	0.103	6.529
	-0.088	0.114	6.529
	-0.097	0.124	6.529
	-0.107	0.134	6.529
	-0.117	0.144	6.529
	-0.128	0.154	6.529
	-0.138	0.164	6.529
	-0.148	0.173	6.529
	-0.159	0.182	6.529
	-0.170	0.191	6.529

TABLE 2

	X	Y	Z
	-0.181	0.200	6.529
	-0.192	0.209	6.529
	-0.204	0.217	6.529
	-0.215	0.225	6.529
	-0.227	0.233	6.529
	-0.239	0.241	6.529
	-0.251	0.248	6.529
	-0.264	0.254	6.529
	-0.277	0.261	6.529
	-0.289	0.266	6.529
	-0.303	0.272	6.529
	-0.316	0.276	6.529
	-0.329	0.281	6.529
	-0.343	0.285	6.529
	-0.357	0.288	6.529
	-0.371	0.290	6.529
	-0.385	0.292	6.529
	-0.388	0.293	6.529
	-0.390	0.293	6.529
	-0.393	0.293	6.529
	-0.396	0.293	6.529
	-0.399	0.294	6.529
	-0.402	0.294	6.529
	-0.404	0.294	6.529
	-0.407	0.294	6.529
	-0.410	0.294	6.529
	-0.413	0.294	6.529
	-0.419	0.295	6.529
	-0.426	0.296	6.529
	-0.432	0.297	6.529
	-0.438	0.300	6.529
	-0.444	0.302	6.529
	-0.449	0.306	6.529
	-0.454	0.310	6.529
	-0.459	0.315	6.529
	-0.462	0.320	6.529
	-0.465	0.326	6.529
	-0.467	0.332	6.529
	-0.469	0.338	6.529
	-0.469	0.344	6.529
	-0.469	0.351	6.529
	-0.468	0.357	6.529
	-0.466	0.363	6.529
	-0.464	0.369	6.529
	-0.461	0.375	6.529
SECTION 7			
	-0.451	0.394	6.654
	-0.449	0.397	6.654
	-0.447	0.400	6.654

TABLE 2

	X	Y	Z
	-0.444	0.402	6.654
	-0.442	0.405	6.654
	-0.440	0.407	6.654
	-0.438	0.410	6.654
	-0.435	0.412	6.654
	-0.433	0.415	6.654
	-0.430	0.417	6.654
	-0.428	0.419	6.654
	-0.414	0.430	6.654
	-0.400	0.439	6.654
	-0.385	0.446	6.654
	-0.369	0.452	6.654
	-0.352	0.456	6.654
	-0.336	0.459	6.654
	-0.319	0.461	6.654
	-0.302	0.461	6.654
	-0.285	0.459	6.654
	-0.268	0.457	6.654
	-0.252	0.453	6.654
	-0.235	0.448	6.654
	-0.219	0.442	6.654
	-0.204	0.435	6.654
	-0.189	0.427	6.654
	-0.174	0.419	6.654
	-0.160	0.409	6.654
	-0.146	0.400	6.654
	-0.132	0.389	6.654
	-0.119	0.378	6.654
	-0.107	0.367	6.654
	-0.094	0.356	6.654
	-0.082	0.344	6.654
	-0.070	0.331	6.654
	-0.059	0.319	6.654
	-0.048	0.306	6.654
	-0.037	0.293	6.654
	-0.026	0.280	6.654
	-0.015	0.267	6.654
	-0.005	0.253	6.654
	0.005	0.240	6.654
	0.015	0.226	6.654
	0.025	0.212	6.654
	0.035	0.198	6.654
	0.045	0.184	6.654
	0.054	0.170	6.654
	0.063	0.156	6.654
	0.073	0.142	6.654
	0.082	0.128	6.654
	0.091	0.113	6.654
	0.100	0.099	6.654

TABLE 2

	X	Y	Z
	0.109	0.085	6.654
	0.118	0.070	6.654
	0.126	0.055	6.654
	0.135	0.041	6.654
	0.144	0.026	6.654
	0.152	0.011	6.654
	0.160	-0.004	6.654
	0.168	-0.018	6.654
	0.176	-0.033	6.654
	0.184	-0.048	6.654
	0.192	-0.063	6.654
	0.200	-0.078	6.654
	0.208	-0.094	6.654
	0.215	-0.109	6.654
	0.223	-0.124	6.654
	0.230	-0.139	6.654
	0.238	-0.155	6.654
	0.245	-0.170	6.654
	0.252	-0.185	6.654
	0.259	-0.201	6.654
	0.266	-0.216	6.654
	0.273	-0.232	6.654
	0.280	-0.247	6.654
	0.287	-0.263	6.654
	0.293	-0.278	6.654
	0.300	-0.294	6.654
	0.307	-0.310	6.654
	0.313	-0.326	6.654
	0.319	-0.341	6.654
	0.326	-0.357	6.654
	0.332	-0.373	6.654
	0.338	-0.389	6.654
	0.344	-0.405	6.654
	0.350	-0.420	6.654
	0.356	-0.436	6.654
	0.362	-0.452	6.654
	0.367	-0.468	6.654
	0.373	-0.484	6.654
	0.374	-0.487	6.654
	0.375	-0.491	6.654
	0.377	-0.494	6.654
	0.378	-0.497	6.654
	0.379	-0.500	6.654
	0.380	-0.503	6.654
	0.381	-0.507	6.654
	0.382	-0.510	6.654
	0.383	-0.513	6.654
	0.385	-0.516	6.654
	0.385	-0.518	6.654

TABLE 2

	X	Y	Z
	0.385	-0.521	6.654
	0.385	-0.523	6.654
	0.385	-0.525	6.654
	0.384	-0.527	6.654
	0.383	-0.529	6.654
	0.381	-0.531	6.654
	0.380	-0.532	6.654
	0.378	-0.534	6.654
	0.376	-0.534	6.654
	0.374	-0.535	6.654
	0.372	-0.535	6.654
	0.369	-0.535	6.654
	0.367	-0.535	6.654
	0.365	-0.534	6.654
	0.363	-0.533	6.654
	0.361	-0.532	6.654
	0.360	-0.530	6.654
	0.358	-0.529	6.654
	0.357	-0.526	6.654
	0.356	-0.524	6.654
	0.354	-0.521	6.654
	0.353	-0.519	6.654
	0.351	-0.517	6.654
	0.350	-0.514	6.654
	0.348	-0.512	6.654
	0.347	-0.509	6.654
	0.345	-0.507	6.654
	0.344	-0.505	6.654
	0.336	-0.493	6.654
	0.329	-0.480	6.654
	0.321	-0.468	6.654
	0.314	-0.456	6.654
	0.307	-0.444	6.654
	0.299	-0.432	6.654
	0.292	-0.420	6.654
	0.284	-0.408	6.654
	0.277	-0.396	6.654
	0.269	-0.384	6.654
	0.262	-0.372	6.654
	0.254	-0.360	6.654
	0.247	-0.348	6.654
	0.239	-0.336	6.654
	0.232	-0.324	6.654
	0.224	-0.312	6.654
	0.217	-0.300	6.654
	0.209	-0.288	6.654
	0.202	-0.276	6.654
	0.194	-0.264	6.654
	0.187	-0.252	6.654

TABLE 2

	X	Y	Z
	0.179	-0.240	6.654
	0.171	-0.228	6.654
	0.164	-0.216	6.654
	0.156	-0.204	6.654
	0.148	-0.192	6.654
	0.141	-0.181	6.654
	0.133	-0.169	6.654
	0.125	-0.157	6.654
	0.117	-0.145	6.654
	0.110	-0.133	6.654
	0.102	-0.121	6.654
	0.094	-0.110	6.654
	0.086	-0.098	6.654
	0.078	-0.086	6.654
	0.070	-0.075	6.654
	0.062	-0.063	6.654
	0.054	-0.052	6.654
	0.045	-0.040	6.654
	0.037	-0.029	6.654
	0.029	-0.017	6.654
	0.020	-0.006	6.654
	0.012	0.006	6.654
	0.003	0.017	6.654
	-0.005	0.028	6.654
	-0.014	0.039	6.654
	-0.023	0.050	6.654
	-0.032	0.061	6.654
	-0.041	0.072	6.654
	-0.050	0.083	6.654
	-0.059	0.094	6.654
	-0.069	0.105	6.654
	-0.078	0.115	6.654
	-0.088	0.126	6.654
	-0.097	0.136	6.654
	-0.107	0.146	6.654
	-0.117	0.156	6.654
	-0.127	0.166	6.654
	-0.138	0.176	6.654
	-0.148	0.185	6.654
	-0.159	0.195	6.654
	-0.169	0.204	6.654
	-0.180	0.213	6.654
	-0.192	0.221	6.654
	-0.203	0.230	6.654
	-0.215	0.238	6.654
	-0.226	0.246	6.654
	-0.238	0.253	6.654
	-0.251	0.260	6.654
	-0.263	0.267	6.654

TABLE 2

	X	Y	Z
	-0.276	0.274	6.654
	-0.289	0.280	6.654
	-0.302	0.285	6.654
	-0.315	0.290	6.654
	-0.328	0.295	6.654
	-0.342	0.299	6.654
	-0.355	0.302	6.654
	-0.369	0.305	6.654
	-0.383	0.308	6.654
	-0.386	0.308	6.654
	-0.389	0.309	6.654
	-0.392	0.309	6.654
	-0.394	0.310	6.654
	-0.397	0.310	6.654
	-0.400	0.310	6.654
	-0.403	0.310	6.654
	-0.406	0.311	6.654
	-0.408	0.311	6.654
	-0.411	0.311	6.654
	-0.417	0.312	6.654
	-0.423	0.313	6.654
	-0.429	0.315	6.654
	-0.435	0.317	6.654
	-0.440	0.320	6.654
	-0.446	0.323	6.654
	-0.450	0.327	6.654
	-0.454	0.332	6.654
	-0.458	0.337	6.654
	-0.460	0.342	6.654
	-0.462	0.348	6.654
	-0.463	0.354	6.654
	-0.463	0.360	6.654
	-0.463	0.367	6.654
	-0.462	0.373	6.654
	-0.460	0.378	6.654
	-0.457	0.384	6.654
	-0.454	0.389	6.654
SECTION 8			
	-0.444	0.400	6.779
	-0.442	0.403	6.779
	-0.440	0.405	6.779
	-0.438	0.408	6.779
	-0.435	0.410	6.779
	-0.433	0.413	6.779
	-0.431	0.415	6.779
	-0.428	0.417	6.779
	-0.426	0.420	6.779
	-0.423	0.422	6.779
	-0.421	0.424	6.779

TABLE 2

	X	Y	Z
	-0.408	0.434	6.779
	-0.393	0.443	6.779
	-0.378	0.451	6.779
	-0.363	0.457	6.779
	-0.346	0.461	6.779
	-0.330	0.464	6.779
	-0.313	0.465	6.779
	-0.296	0.465	6.779
	-0.280	0.464	6.779
	-0.263	0.461	6.779
	-0.247	0.457	6.779
	-0.231	0.452	6.779
	-0.215	0.445	6.779
	-0.200	0.438	6.779
	-0.185	0.430	6.779
	-0.171	0.421	6.779
	-0.157	0.411	6.779
	-0.144	0.401	6.779
	-0.131	0.390	6.779
	-0.118	0.379	6.779
	-0.106	0.368	6.779
	-0.094	0.356	6.779
	-0.083	0.344	6.779
	-0.071	0.331	6.779
	-0.060	0.319	6.779
	-0.049	0.306	6.779
	-0.039	0.293	6.779
	-0.029	0.280	6.779
	-0.018	0.266	6.779
	-0.008	0.253	6.779
	0.002	0.239	6.779
	0.011	0.226	6.779
	0.021	0.212	6.779
	0.030	0.198	6.779
	0.040	0.184	6.779
	0.049	0.170	6.779
	0.058	0.156	6.779
	0.068	0.142	6.779
	0.077	0.128	6.779
	0.086	0.113	6.779
	0.094	0.099	6.779
	0.103	0.085	6.779
	0.112	0.071	6.779
	0.120	0.056	6.779
	0.129	0.042	6.779
	0.137	0.027	6.779
	0.146	0.013	6.779
	0.154	-0.002	6.779
	0.162	-0.017	6.779

TABLE 2

	X	Y	Z
	0.170	-0.031	6.779
	0.179	-0.046	6.779
	0.186	-0.061	6.779
	0.194	-0.076	6.779
	0.202	-0.091	6.779
	0.210	-0.106	6.779
	0.218	-0.121	6.779
	0.225	-0.136	6.779
	0.233	-0.151	6.779
	0.240	-0.166	6.779
	0.247	-0.181	6.779
	0.254	-0.196	6.779
	0.262	-0.211	6.779
	0.269	-0.227	6.779
	0.276	-0.242	6.779
	0.282	-0.257	6.779
	0.289	-0.273	6.779
	0.296	-0.288	6.779
	0.302	-0.303	6.779
	0.309	-0.319	6.779
	0.315	-0.335	6.779
	0.321	-0.350	6.779
	0.327	-0.366	6.779
	0.333	-0.382	6.779
	0.339	-0.397	6.779
	0.345	-0.413	6.779
	0.351	-0.429	6.779
	0.356	-0.445	6.779
	0.362	-0.461	6.779
	0.367	-0.476	6.779
	0.368	-0.480	6.779
	0.369	-0.483	6.779
	0.370	-0.486	6.779
	0.372	-0.489	6.779
	0.373	-0.492	6.779
	0.374	-0.496	6.779
	0.375	-0.499	6.779
	0.376	-0.502	6.779
	0.377	-0.505	6.779
	0.378	-0.508	6.779
	0.378	-0.511	6.779
	0.378	-0.513	6.779
	0.378	-0.515	6.779
	0.378	-0.518	6.779
	0.377	-0.520	6.779
	0.376	-0.522	6.779
	0.374	-0.524	6.779
	0.372	-0.525	6.779
	0.370	-0.526	6.779

TABLE 2

	X	Y	Z
	0.368	-0.527	6.779
	0.366	-0.528	6.779
	0.364	-0.528	6.779
	0.361	-0.528	6.779
	0.359	-0.528	6.779
	0.357	-0.527	6.779
	0.355	-0.526	6.779
	0.353	-0.524	6.779
	0.351	-0.523	6.779
	0.350	-0.521	6.779
	0.348	-0.518	6.779
	0.347	-0.516	6.779
	0.345	-0.514	6.779
	0.344	-0.511	6.779
	0.343	-0.509	6.779
	0.341	-0.506	6.779
	0.340	-0.504	6.779
	0.338	-0.501	6.779
	0.337	-0.499	6.779
	0.335	-0.496	6.779
	0.328	-0.484	6.779
	0.321	-0.472	6.779
	0.314	-0.460	6.779
	0.307	-0.448	6.779
	0.300	-0.436	6.779
	0.293	-0.424	6.779
	0.285	-0.411	6.779
	0.278	-0.399	6.779
	0.271	-0.387	6.779
	0.264	-0.375	6.779
	0.257	-0.363	6.779
	0.249	-0.351	6.779
	0.242	-0.339	6.779
	0.235	-0.327	6.779
	0.228	-0.315	6.779
	0.220	-0.302	6.779
	0.213	-0.290	6.779
	0.206	-0.278	6.779
	0.198	-0.266	6.779
	0.191	-0.254	6.779
	0.184	-0.242	6.779
	0.176	-0.230	6.779
	0.169	-0.218	6.779
	0.161	-0.206	6.779
	0.154	-0.194	6.779
	0.146	-0.182	6.779
	0.139	-0.170	6.779
	0.131	-0.159	6.779
	0.124	-0.147	6.779

TABLE 2

	X	Y	Z
	0.116	-0.135	6.779
	0.108	-0.123	6.779
	0.100	-0.111	6.779
	0.093	-0.100	6.779
	0.085	-0.088	6.779
	0.077	-0.076	6.779
	0.069	-0.064	6.779
	0.061	-0.053	6.779
	0.053	-0.041	6.779
	0.045	-0.030	6.779
	0.036	-0.018	6.779
	0.028	-0.007	6.779
	0.020	0.004	6.779
	0.011	0.016	6.779
	0.003	0.027	6.779
	-0.006	0.038	6.779
	-0.015	0.049	6.779
	-0.023	0.060	6.779
	-0.032	0.071	6.779
	-0.041	0.082	6.779
	-0.051	0.093	6.779
	-0.060	0.103	6.779
	-0.069	0.114	6.779
	-0.079	0.124	6.779
	-0.088	0.134	6.779
	-0.098	0.145	6.779
	-0.108	0.155	6.779
	-0.118	0.164	6.779
	-0.128	0.174	6.779
	-0.139	0.184	6.779
	-0.149	0.193	6.779
	-0.160	0.202	6.779
	-0.171	0.211	6.779
	-0.182	0.220	6.779
	-0.193	0.228	6.779
	-0.205	0.237	6.779
	-0.216	0.245	6.779
	-0.228	0.252	6.779
	-0.240	0.260	6.779
	-0.252	0.267	6.779
	-0.265	0.274	6.779
	-0.277	0.280	6.779
	-0.290	0.286	6.779
	-0.303	0.292	6.779
	-0.316	0.297	6.779
	-0.329	0.302	6.779
	-0.343	0.306	6.779
	-0.356	0.310	6.779
	-0.370	0.314	6.779

TABLE 2

	X	Y	Z
	-0.384	0.317	6.779
	-0.386	0.317	6.779
	-0.389	0.318	6.779
	-0.392	0.318	6.779
	-0.395	0.319	6.779
	-0.398	0.319	6.779
	-0.400	0.320	6.779
	-0.403	0.320	6.779
	-0.406	0.320	6.779
	-0.409	0.321	6.779
	-0.411	0.321	6.779
	-0.417	0.322	6.779
	-0.423	0.323	6.779
	-0.428	0.325	6.779
	-0.433	0.328	6.779
	-0.438	0.330	6.779
	-0.443	0.334	6.779
	-0.447	0.338	6.779
	-0.450	0.342	6.779
	-0.453	0.347	6.779
	-0.456	0.352	6.779
	-0.457	0.358	6.779
	-0.458	0.363	6.779
	-0.457	0.369	6.779
	-0.457	0.375	6.779
	-0.455	0.380	6.779
	-0.453	0.386	6.779
	-0.451	0.391	6.779
	-0.448	0.395	6.779
SECTION 9			
	-0.433	0.396	6.994
	-0.431	0.399	6.994
	-0.429	0.401	6.994
	-0.426	0.403	6.994
	-0.424	0.406	6.994
	-0.422	0.408	6.994
	-0.419	0.410	6.994
	-0.417	0.413	6.994
	-0.415	0.415	6.994
	-0.412	0.417	6.994
	-0.410	0.419	6.994
	-0.397	0.429	6.994
	-0.383	0.438	6.994
	-0.369	0.446	6.994
	-0.354	0.453	6.994
	-0.338	0.458	6.994
	-0.322	0.462	6.994
	-0.306	0.464	6.994
	-0.290	0.465	6.994

TABLE 2

	X	Y	Z
	-0.273	0.464	6.994
	-0.257	0.461	6.994
	-0.241	0.457	6.994
	-0.226	0.452	6.994
	-0.211	0.445	6.994
	-0.196	0.437	6.994
	-0.182	0.429	6.994
	-0.168	0.420	6.994
	-0.155	0.410	6.994
	-0.143	0.399	6.994
	-0.130	0.389	6.994
	-0.118	0.377	6.994
	-0.107	0.365	6.994
	-0.096	0.353	6.994
	-0.085	0.341	6.994
	-0.074	0.329	6.994
	-0.064	0.316	6.994
	-0.054	0.303	6.994
	-0.044	0.290	6.994
	-0.034	0.277	6.994
	-0.024	0.263	6.994
	-0.015	0.250	6.994
	-0.005	0.237	6.994
	0.004	0.223	6.994
	0.013	0.209	6.994
	0.022	0.196	6.994
	0.031	0.182	6.994
	0.040	0.168	6.994
	0.049	0.155	6.994
	0.058	0.141	6.994
	0.067	0.127	6.994
	0.076	0.113	6.994
	0.085	0.099	6.994
	0.093	0.085	6.994
	0.102	0.071	6.994
	0.110	0.057	6.994
	0.119	0.043	6.994
	0.127	0.029	6.994
	0.136	0.015	6.994
	0.144	0.001	6.994
	0.153	-0.013	6.994
	0.161	-0.027	6.994
	0.169	-0.042	6.994
	0.177	-0.056	6.994
	0.185	-0.070	6.994
	0.193	-0.084	6.994
	0.201	-0.099	6.994
	0.209	-0.113	6.994
	0.217	-0.128	6.994

TABLE 2

	X	Y	Z
	0.225	-0.142	6.994
	0.232	-0.157	6.994
	0.240	-0.171	6.994
	0.247	-0.186	6.994
	0.255	-0.201	6.994
	0.262	-0.215	6.994
	0.269	-0.230	6.994
	0.276	-0.245	6.994
	0.283	-0.260	6.994
	0.290	-0.275	6.994
	0.296	-0.290	6.994
	0.303	-0.305	6.994
	0.309	-0.320	6.994
	0.315	-0.335	6.994
	0.321	-0.351	6.994
	0.327	-0.366	6.994
	0.332	-0.382	6.994
	0.338	-0.397	6.994
	0.343	-0.413	6.994
	0.348	-0.428	6.994
	0.352	-0.444	6.994
	0.357	-0.460	6.994
	0.358	-0.463	6.994
	0.359	-0.466	6.994
	0.359	-0.469	6.994
	0.360	-0.473	6.994
	0.361	-0.476	6.994
	0.362	-0.479	6.994
	0.363	-0.482	6.994
	0.363	-0.485	6.994
	0.364	-0.489	6.994
	0.365	-0.492	6.994
	0.366	-0.494	6.994
	0.366	-0.497	6.994
	0.365	-0.500	6.994
	0.364	-0.503	6.994
	0.363	-0.505	6.994
	0.362	-0.507	6.994
	0.360	-0.509	6.994
	0.358	-0.511	6.994
	0.355	-0.512	6.994
	0.353	-0.513	6.994
	0.350	-0.514	6.994
	0.347	-0.514	6.994
	0.345	-0.514	6.994
	0.342	-0.513	6.994
	0.339	-0.512	6.994
	0.337	-0.511	6.994
	0.335	-0.509	6.994

TABLE 2

	X	Y	Z
	0.333	-0.507	6.994
	0.332	-0.504	6.994
	0.330	-0.502	6.994
	0.329	-0.499	6.994
	0.328	-0.497	6.994
	0.327	-0.495	6.994
	0.325	-0.492	6.994
	0.324	-0.490	6.994
	0.323	-0.487	6.994
	0.321	-0.485	6.994
	0.320	-0.482	6.994
	0.319	-0.480	6.994
	0.313	-0.467	6.994
	0.306	-0.455	6.994
	0.300	-0.443	6.994
	0.293	-0.430	6.994
	0.287	-0.418	6.994
	0.280	-0.406	6.994
	0.274	-0.394	6.994
	0.267	-0.381	6.994
	0.261	-0.369	6.994
	0.254	-0.357	6.994
	0.247	-0.345	6.994
	0.241	-0.332	6.994
	0.234	-0.320	6.994
	0.227	-0.308	6.994
	0.221	-0.296	6.994
	0.214	-0.284	6.994
	0.207	-0.272	6.994
	0.200	-0.259	6.994
	0.193	-0.247	6.994
	0.187	-0.235	6.994
	0.180	-0.223	6.994
	0.173	-0.211	6.994
	0.166	-0.199	6.994
	0.159	-0.187	6.994
	0.151	-0.175	6.994
	0.144	-0.163	6.994
	0.137	-0.152	6.994
	0.130	-0.140	6.994
	0.122	-0.128	6.994
	0.115	-0.116	6.994
	0.107	-0.104	6.994
	0.100	-0.093	6.994
	0.092	-0.081	6.994
	0.084	-0.070	6.994
	0.077	-0.058	6.994
	0.069	-0.047	6.994
	0.061	-0.035	6.994

TABLE 2

	X	Y	Z
	0.053	-0.024	6.994
	0.045	-0.013	6.994
	0.036	-0.002	6.994
	0.028	0.010	6.994
	0.020	0.021	6.994
	0.011	0.032	6.994
	0.002	0.042	6.994
	-0.007	0.053	6.994
	-0.015	0.064	6.994
	-0.025	0.074	6.994
	-0.034	0.085	6.994
	-0.043	0.095	6.994
	-0.052	0.105	6.994
	-0.062	0.115	6.994
	-0.072	0.125	6.994
	-0.082	0.135	6.994
	-0.092	0.145	6.994
	-0.102	0.154	6.994
	-0.112	0.164	6.994
	-0.122	0.173	6.994
	-0.133	0.182	6.994
	-0.144	0.191	6.994
	-0.155	0.199	6.994
	-0.166	0.208	6.994
	-0.177	0.216	6.994
	-0.188	0.224	6.994
	-0.200	0.232	6.994
	-0.211	0.239	6.994
	-0.223	0.247	6.994
	-0.235	0.254	6.994
	-0.247	0.261	6.994
	-0.259	0.267	6.994
	-0.272	0.274	6.994
	-0.284	0.280	6.994
	-0.297	0.286	6.994
	-0.310	0.291	6.994
	-0.322	0.297	6.994
	-0.335	0.302	6.994
	-0.348	0.307	6.994
	-0.361	0.311	6.994
	-0.375	0.316	6.994
	-0.388	0.320	6.994
	-0.391	0.320	6.994
	-0.393	0.321	6.994
	-0.396	0.322	6.994
	-0.399	0.323	6.994
	-0.401	0.324	6.994
	-0.404	0.324	6.994
	-0.407	0.325	6.994

TABLE 2

	X	Y	Z
	-0.409	0.326	6.994
	-0.412	0.326	6.994
	-0.415	0.327	6.994
	-0.419	0.329	6.994
	-0.424	0.330	6.994
	-0.428	0.332	6.994
	-0.432	0.335	6.994
	-0.436	0.338	6.994
	-0.439	0.341	6.994
	-0.442	0.345	6.994
	-0.445	0.349	6.994
	-0.447	0.353	6.994
	-0.448	0.358	6.994
	-0.448	0.363	6.994
	-0.448	0.367	6.994
	-0.448	0.372	6.994
	-0.446	0.377	6.994
	-0.444	0.381	6.994
	-0.442	0.385	6.994
	-0.439	0.389	6.994
	-0.436	0.393	6.994

It should be understood that the finished HPT blade 42a does not necessarily include all the sections defined in Table 2. The tip 62 and the airfoil portion proximal the platform 64 may not be defined by a profile section 70. For example, in a particular embodiment in which the tip 62 is angled, multiple tip 62 cross-sections would not be defined by a profile section 70. Notably, it should be considered that the airfoil profile proximal to the platform 64 may vary due to several imposed constraints. However, the HPT blade 42a has an intermediate airfoil portion 68 defined between the platform 64 and the tip 62 thereof and which has a profile defined on the basis of at least the intermediate sections of the various blade profile sections 70 defined in Table 2.

It should be appreciated that the intermediate airfoil portion 68 of the HPT stage blade 42a is defined between the inner and outer gaspath walls 28 and 30, and that the wall 28 is partially defined by the blade platform. More specifically, the Z values defining the gaspath 27 in the region of the stacking line 46 fall within the range of $Z=5.888$ and $Z=6.901$ which are the z values defining the inner and outer gaspath walls 28 and 30 at the stacking line 46 (see Table 1). Therefore, the physical

airfoil profile of HPT blade 42a includes Sections 2 to 8 of Table 2. Sections 1 and 9 are located completely outside of the boundaries set by the inner and annular outer gaspath walls 28 and 30 at the HPT blade stacking line 46, but are provided, in part, to fully define the airfoil surface and, in part, to improve curve-fitting of the airfoil at its radially distal portions. The skilled reader will appreciate that a suitable fillet radius is to be applied between the wall 28 (i.e. blade platform) and the airfoil portion 54 of the blade 42a, and that a suitable blade tip clearance is to be provided between tip 62 and outer wall 30.

The above description is meant to be exemplary only, and one skilled in the art will recognize that changes may be made to the embodiments described without departing from the scope of the invention disclosed. For example, the airfoil and/or gaspath definitions of Tables 1 and 2 may be scaled geometrically, while maintaining the same proportional relationship and airfoil shape, for application to gas turbine engine of other sizes. Still other modifications which fall within the scope of the present invention will be apparent to those skilled in the art, in light of a review of this disclosure, and such modifications are intended to fall within the appended claims.

CLAIMS:

1. A high pressure turbine blade for a gas turbine engine comprising an airfoil having an intermediate portion defined by a nominal profile substantially in accordance with Cartesian coordinate values of X, Y, and Z of Sections 2 to 8 set forth in Table 2, wherein the point of origin of the orthogonally related axes X, Y and Z is located at an intersection of a centerline of the gas turbine engine and a stacking line of the turbine blade, the Z values are radial distances measured along the stacking line, the X and Y are coordinate values defining the profile at each distance Z.
2. The high pressure turbine blade as defined in claim 1, wherein the blade is a first stage high pressure turbine blade of a two-stage high pressure turbine.
3. The high pressure turbine blade as defined in claim 1, wherein the X and Y values are scalable as a function of the same constant .
4. The high pressure turbine blade as defined in claim 1, wherein the airfoil has a surface and wherein the surface falls within 0.010 inch of the coordinate values.
5. The high pressure turbine blade as defined in claim 4, wherein the nominal profile defining the intermediate portion is for an uncoated airfoil, and wherein a coating having a thickness of 0.002 inch to 0.010 inch is applied to the uncoated airfoil.
6. A high pressure turbine blade for a gas turbine engine comprising an airfoil having an intermediate portion at least partly defined by a nominal profile substantially in accordance with Cartesian coordinate values of X, Y, and Z of Sections 2 to 8 set forth in Table 2, wherein the point of origin of the orthogonally related axes X, Y and Z is located at an intersection of a centerline of the gas turbine engine and a stacking line of the turbine blade

in the engine, the Z values are radial distances measured along the stacking line of the airfoil, the X and Y are coordinate values defining the profile at each distance Z, and wherein the X and Y values are scalable as a function of the same constant.

7. The high pressure turbine blade as defined in claim 6, wherein the blade is a first stage high pressure turbine blade of a two-stage high pressure turbine.
8. The high pressure turbine blade as defined in claim 6, wherein the airfoil has a surface which falls within 0.010 inch of the coordinate values.
9. The high pressure turbine blade as defined in claim 8, wherein the nominal profile defining the intermediate portion is for an uncoated airfoil, and wherein a coating of 0.002 inch to 0.010 inch is applied to the uncoated airfoil.
10. A high pressure turbine rotor for a gas turbine engine comprising a plurality of blades extending from a rotor disc, each blade including an airfoil having an intermediate portion defined by a nominal profile substantially in accordance with Cartesian coordinate values of X, Y, and Z of Sections 2 to 8 set forth in Table 2, wherein the point of origin of the orthogonally related axes X, Y and Z is located at an intersection of a centerline of the gas turbine engine and a stacking line of the blades, the Z values are radial distances measured along the stacking line, the X and Y are coordinate values defining the profile at each distance Z.
11. A high pressure turbine blade located at a stacking line in a gaspath, comprising an airfoil having a surface lying substantially on the points of Table 2, the airfoil extending between a platform and a tip, the platform being generally defined by an inner gaspath as defined in Table 1, and wherein the tip is defined to provide a blade tip clearance with an outer gaspath defined in Table 1 at said stacking line.

1/3






Fig. 2







Fig. 4

