



US00D899458S

(12) **United States Design Patent** (10) **Patent No.:** **US D899,458 S**  
**Mensch et al.** (45) **Date of Patent:** **\*\* Oct. 20, 2020**

(54) **FILL LIMIT VENTING VALVE WITH HIGH SHUT-OFF HEIGHT**

FOREIGN PATENT DOCUMENTS

WO 2007088023 A1 8/2007

(71) Applicant: **Eaton Corporation**, Cleveland, OH (US)

OTHER PUBLICATIONS

(72) Inventors: **Martin Mensch**, Royal Oak, MI (US); **Tamara Orshanskaya**, Farmington Hills, MI (US); **Jing Xu**, Ann Arbor, MI (US)

International Search Report and Written Opinion for International Application No. PCT/US2017/059441 dated Feb. 26, 2018, 16 pages.

*Primary Examiner* — Ania Aman

(73) Assignee: **Eaton Corporation**, Cleveland, OH (US)

(74) *Attorney, Agent, or Firm* — RMCK Law Group PLC

(\*\*) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/594,198**

The ornamental design for a fill limit venting valve with high shut-off height, as shown and described.

(22) Filed: **Feb. 16, 2017**

(51) **LOC (12) Cl.** ..... **15-01**

**DESCRIPTION**

(52) **U.S. Cl.**

USPC ..... **D15/5**

(58) **Field of Classification Search**

USPC ..... D15/5, 7

CPC ..... F16K 24/048; F16K 1/304; F16K 1/307;

B60K 15/03504; B60K 15/03519

See application file for complete search history.

FIG. 1 is a top perspective view of a fill limit venting valve with high shut-off height in accordance with the present teachings.

FIG. 2 is a bottom perspective view of the fill limit venting valve with high shut-off height of FIG. 1.

FIG. 3 is a top view of the fill limit venting valve with high shut-off height of FIG. 1.

FIG. 4 is a bottom view of the fill limit venting valve with high shut-off height of FIG. 1.

FIG. 5 is a front view of the fill limit venting valve with high shut-off height of FIG. 1.

FIG. 6 is a rear view of the fill limit venting valve with high shut-off height of FIG. 1.

FIG. 7 is first side view of the fill limit venting valve with high shut-off height of FIG. 1; and,

FIG. 8 is second side view of the fill limit venting valve with high shut-off height of FIG. 1.

The broken line showing portions of the fill limit venting valve with high shut-off height form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

6,405,747	B1	6/2002	King et al.	
6,708,713	B1	3/2004	Gericke	
2006/0070656	A1	4/2006	Crawford	
2007/0079872	A1	4/2007	Leonhardt	
2014/0224820	A1*	8/2014	Honda	B60K 15/03519
				220/746
2016/0290520	A1*	10/2016	Memmer	B60K 15/03519
2016/0355085	A1*	12/2016	Ogose	F16K 24/044
2017/0138316	A1*	5/2017	Wada	B60K 15/035
2017/0138499	A1*	5/2017	Wada	B60K 15/035
2017/0350521	A1*	12/2017	Ogiwara	B60K 15/035
2018/0043766	A1*	2/2018	Wada	F16K 24/042
2019/0047405	A1*	2/2019	Niwa	F02M 37/103

(Continued)

**1 Claim, 5 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

2019/0107089	A1*	4/2019	Bykowski .....	F02M 37/0076
2019/0210456	A1*	7/2019	Walkowski .....	B60K 15/03
2019/0263256	A1*	8/2019	Iino .....	B60K 15/03519
2020/0031221	A1*	1/2020	Sui .....	F02M 37/0023


\* cited by examiner




**FIG. 2**




**FIG. 1**




**FIG. 4**




**FIG. 3**




**FIG. 6**



**FIG. 5**



**FIG. 7**



**FIG. 8**